## A Descriptive Study of Heavy Emergency Department U Department Reveals Heavy ED Users Have Better Acces

Journal of Emergency Nursing 31, 139-144 DOI: 10.1016/j.jen.2005.02.008

**Citation Report** 

#	Article	IF	CITATIONS
1	Characteristics of Frequent Users of Emergency Departments. Annals of Emergency Medicine, 2006, 48, 1-8.	0.3	447
2	Pediatric Emergency Department Recidivism: Demographic Characteristics and Diagnostic Predictors. Journal of Emergency Nursing, 2006, 32, 131-138.	0.5	50
3	Demographic and Clinical Profiles of Patients Who Make Multiple Visits to Psychiatric Emergency Services. Psychiatric Services, 2007, 58, 335-341.	1.1	98
4	Revolving doors. When ER is most people's main healthcare reference point. Emergency Care Journal, 2007, 3, 4.	0.2	0
5	Exploring Medical Utilization Patterns of Emergency Department Users. Journal of the Formosan Medical Association, 2008, 107, 119-128.	0.8	28
6	Is information sharing between the emergency department and primary care useful to the care of frequent emergency department users?. European Journal of Emergency Medicine, 2008, 15, 34-39.	0.5	53
7	Nonurgent Use of the Emergency Department. Journal of Ambulatory Care Management, 2008, 31, 370-376.	0.5	49
8	Yes, We Do Give Frequent Flyer (S)Miles. AMA Journal of Ethics, 2009, 11, 257-261.	0.4	0
9	Comparisons of High Versus Low Emergency Department Utilizers in Sickle Cell Disease. Annals of Emergency Medicine, 2009, 53, 587-593.	0.3	115
10	The Changing Profile of Patients Who Used Emergency Department Services in the United States: 1996 to 2005. Annals of Emergency Medicine, 2009, 54, 805-810.e7.	0.3	70
11	Primary care in the ED—Why?. Nursing Management, 2009, 40, 23-27.	0.2	0
12	Increased long-term mortality in patients with repeated visits to the emergency department. European Journal of Emergency Medicine, 2010, 17, 274-279.	0.5	23
13	Health care utilization following a non-urgent visit in emergency department and primary care. Internal and Emergency Medicine, 2010, 5, 539-546.	1.0	6
14	The Efficacy of a Brief Behavioral Health Intervention for Managing High Utilization of ED Services by Chronic Pain Patients. Journal of Emergency Nursing, 2010, 36, 399-403.	0.5	25
15	Patient related factors in frequent readmissions: the influence of condition, access to services and patient choice. BMC Health Services Research, 2010, 10, 216.	0.9	77
16	Frequent use of the emergency department among persons with systemic lupus erythematosus. Arthritis Care and Research, 2010, 62, 401-408.	1.5	25
17	Frequent Users of Emergency Departments: The Myths, the Data, and the Policy Implications. Annals of Emergency Medicine, 2010, 56, 42-48.	0.3	515
18	Out of hours care: a profile analysis of patients attending the emergency department and the general practitioner on call. BMC Family Practice, 2010, 11, 88.	2.9	42

CITATION REPORT

#	Article	IF	CITATIONS
19	The "Repeater―Phenomenon in Migraine Patients: A Clinical and Psychometric study. Headache, 2010, 50, 348-356.	1.8	12
20	A Comparison of Frequent and Infrequent Visitors to an Urban Emergency Department. Journal of Emergency Medicine, 2010, 38, 115-121.	0.3	114
21	Emergency Department Visits Made by Patients with Sickle Cell Disease. American Journal of Preventive Medicine, 2010, 38, S536-S541.	1.6	166
22	Urgency of Emergency Department Visits by Children With Sickle Cell Disease: A Comparison of 3 Chronic Conditions. Academic Pediatrics, 2011, 11, 333-341.	1.0	11
23	Review article: People who present on multiple occasions to emergency departments. EMA - Emergency Medicine Australasia, 2011, 23, 532-540.	0.5	8
24	Frequent Users of Emergency Department Services: Gaps in Knowledge and a Proposed Research Agenda. Academic Emergency Medicine, 2011, 18, e64-e69.	0.8	171
25	Pain Recidivists in the Emergency Department. Journal of Emergency Nursing, 2011, 37, 350-356.	0.5	10
26	Effectiveness of Interventions Targeting Frequent Users of Emergency Departments: A Systematic Review. Annals of Emergency Medicine, 2011, 58, 41-52.e42.	0.3	266
27	Frequent emergency attenders: is there a better way?. Australian Health Review, 2011, 35, 462.	0.5	20
28	Effectiveness of Comprehensive Geriatric Assessment-Based Intervention to Reduce Frequent Emergency Department Visits: A Report of Four Cases. International Journal of Gerontology, 2012, 6, 131-133.	0.7	6
29	Care plan program reduces the number of visits for challenging psychiatric patients in the ED. American Journal of Emergency Medicine, 2012, 30, 1061-1067.	0.7	20
31	Advancing a National Agenda to Eliminate Disparities in Pain Care: Directions for Health Policy, Education, Practice, and Research. Pain Medicine, 2012, 13, 5-28.	0.9	100
32	Frequent Users of Emergency Departments: Developing Standard Definitions and Defining Prominent Risk Factors. Annals of Emergency Medicine, 2012, 60, 24-32.	0.3	202
33	Pain Scores among Emergency Department (ED) Patients: Comparison by ED Diagnosis. Journal of Emergency Medicine, 2013, 44, 46-52.	0.3	45
34	High-Frequency Users of Emergency Department Care. Journal of Emergency Medicine, 2013, 44, 1167-1173.	0.3	62
35	Effectiveness of Case Management Strategies in Reducing Emergency Department Visits in Frequent User Patient Populations: A Systematic Review. Journal of Emergency Medicine, 2013, 44, 717-729.	0.3	176
36	The most frequent ED patients carry insurance and a significant burden of disease. American Journal of Emergency Medicine, 2013, 31, 16-19.	0.7	18
37	Characteristics of highly frequent users of a Swiss academic emergency department. European Journal of Emergency Medicine, 2013, 20, 413-419.	0.5	25

ARTICLE IF CITATIONS # Patient Demographic and Health Factors Associated With Frequent Use of Emergency Medical Services 38 0.8 51 in a Midsized Čity. Academic Emergency Medicine, 2013, 20, 1101-1111. Health Information Exchange Improves Identification Of Frequent Emergency Department Users. 39 2.5 Health Affairs, 2013, <u>32, 2193-2198.</u> Factors that can contribute to delays in the diagnosis of acute MI. JAAPA: Official Journal of the 40 0.1 0 American Academy of Physician Assistants, 2013, 26, 16-20. Ten Years of Frequent Users in an Urban Emergency Department. Western Journal of Emergency Medicine, 2013, 14, 243-246. Decision-Making Processes of Patients Who Use the Emergency Department for Primary Care Needs. 42 0.4 43 Journal of Health Care for the Poor and Underserved, 2013, 24, 1288-1305. Demographic and Treatment Patterns for Infections in Ambulatory Settings in the United States, 0.8 2006ã€2010. Academic Emergency Medicine, 2014, 21, 17-24. Recurrent and High-frequency Use of the Emergency Department by Pediatric Patients. Academic 44 0.8 119 Emergency Medicine, 2014, 21, 365-373. Resource utilization and health care charges associated with the most frequent ED users. American Journal of Emergency Medicine, 2014, 32, 1215-1219. Patients Presenting to the Emergency Department with Acute Pain: The Significant Role of Pain 0.9 23 46 Catastrophizing and State Anxiety. Pain Medicine, 2016, 17, pnv034. Frequent Emergency Department Visits and Hospitalizations Among Homeless People With Medicaid: 1.5 Implications for Medicaid Expansion. American Journal of Public Health, 2015, 105, S716-S722. Prevalence of and Predictors for Frequent Utilization of Emergency Department. Medicine (United) Tj ETQq0 0 0 rgBT\_/Overlock 10 Tf 50 48 The characteristics of patients frequently admitted to academic medical centers in the United States. 49 Journal of Hospital Medicine, 2015, 10, 563-568. A Randomized Controlled Trial of an Emergency Department Intervention for Patients with Chronic 50 0.3 15 Noncancer Pain. Journal of Emergency Medicine, 2015, 49, 974-983. Factors Associated With Emergency Department Visits. Health Services Research and Managerial Epidemiology, 2016, 3, 233339281664854. Variations in Resource Intensity and Cost Among High Users of the Emergency Department. Academic 52 0.8 6 Emergency Medicine, 2016, 23, 722-730. Emergency department use and barriers to wellness: a survey of emergency department frequent 54 users. BMC Emergency Medicine, 2016, 17, 16. A practical method for predicting frequent use of emergency department care using routinely 55 0.7 21 available electronic registration data. BMC Emergency Medicine, 2016, 16, 12. Examining the need profiles of patients with multiple emergency department visits for mental health 1.6

reasons: a cross-sectional study. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 777-786.

CITATION REPORT

CITATION REPORT

#	Article	IF	CITATIONS
57	Targeting frequent users of emergency departments: Prominent risk factors and policy implications. Health Policy, 2016, 120, 462-470.	1.4	32
58	Factors Influencing the Frequency of Emergency Department Utilization by Individuals with Substance Use Disorders. Psychiatric Quarterly, 2016, 87, 713-728.	1.1	31
59	Risk Factors for Persistent Frequent Emergency Department Use in Medicare Beneficiaries. Annals of Emergency Medicine, 2016, 67, 721-729.	0.3	31
60	Characteristics of frequent users of the emergency department in the general adult population: A systematic review of international healthcare systems. Health Policy, 2016, 120, 452-461.	1.4	91
61	Geographic variation in the demand for emergency care: A local population-level analysis. Healthcare, 2016, 4, 98-103.	0.6	17
63	Factors Associated With Frequent Emergency Department Use in the Medicare Population. Medical Care Research and Review, 2017, 74, 311-327.	1.0	23
64	Frequent users in paediatric emergency departments. Who are they? Why do they consult?. Anales De PediatrÃa (English Edition), 2017, 86, 67-75.	0.1	4
65	Challenges and Opportunities to Engaging Emergency Medical Service Providers in Substance Use Research: A Qualitative Study. Prehospital and Disaster Medicine, 2017, 32, 148-155.	0.7	6
66	Persistent Super-Utilization of Acute Care Services Among Subgroups of Veterans Experiencing Homelessness. Medical Care, 2017, 55, 893-900.	1.1	24
67	Difficult Patients in the Emergency Department. Psychiatric Clinics of North America, 2017, 40, 379-395.	0.7	15
68	Contributing factors of frequent use of the emergency department: A synthesis. International Emergency Nursing, 2017, 35, 51-55.	0.4	42
		0.6	
69	Case management in primary care among frequent users of healthcare services with chronic conditions: protocol of a realist synthesis. BMJ Open, 2017, 7, e017701.	0.8	14
69 70	Case management in primary care among frequent users of healthcare services with chronic conditions: protocol of a realist synthesis. BMJ Open, 2017, 7, e017701. Predictors of Repeated Visits to a Pediatric Emergency Department Crisis Intervention Program. Canadian Journal of Emergency Medicine, 2017, 19, 122-130.	0.8	14 12
69 70 71	Case management in primary care among frequent users of healthcare services with chronic conditions: protocol of a realist synthesis. BMJ Open, 2017, 7, e017701. Predictors of Repeated Visits to a Pediatric Emergency Department Crisis Intervention Program. Canadian Journal of Emergency Medicine, 2017, 19, 122-130. Emergency Department Utilization by Native American Children. Pediatric Emergency Care, 2018, 34, 802-809.	0.8 0.5 0.5	14 12 8
69 70 71 72	Case management in primary care among frequent users of healthcare services with chronic conditions: protocol of a realist synthesis. BMJ Open, 2017, 7, e017701. Predictors of Repeated Visits to a Pediatric Emergency Department Crisis Intervention Program. Canadian Journal of Emergency Medicine, 2017, 19, 122-130. Emergency Department Utilization by Native American Children. Pediatric Emergency Care, 2018, 34, 802-809. Case management in primary care for frequent users of healthcare services with chronic diseases and complex care needs: an implementation and realist evaluation protocol. BMJ Open, 2018, 8, e026433.	0.8 0.5 0.5 0.8	14 12 8 14
<ul> <li>69</li> <li>70</li> <li>71</li> <li>72</li> <li>73</li> </ul>	Case management in primary care among frequent users of healthcare services with chronic conditions: protocol of a realist synthesis. BMJ Open, 2017, 7, e017701. Predictors of Repeated Visits to a Pediatric Emergency Department Crisis Intervention Program. Canadian Journal of Emergency Medicine, 2017, 19, 122-130. Emergency Department Utilization by Native American Children. Pediatric Emergency Care, 2018, 34, 802-809. Case management in primary care for frequent users of healthcare services with chronic diseases and complex care needs: an implementation and realist evaluation protocol. BMJ Open, 2018, 8, e026433. Risk factors for frequent users of the emergency department among adults aged 55 and older. Journal of Nursing Education and Practice, 2018, 8, 96.	0.8 0.5 0.5 0.8 0.1	14 12 8 14 1
<ul> <li>69</li> <li>70</li> <li>71</li> <li>72</li> <li>73</li> <li>74</li> </ul>	Case management in primary care among frequent users of healthcare services with chronic conditions: protocol of a realist synthesis. BMJ Open, 2017, 7, e017701.         Predictors of Repeated Visits to a Pediatric Emergency Department Crisis Intervention Program. Canadian Journal of Emergency Medicine, 2017, 19, 122-130.         Emergency Department Utilization by Native American Children. Pediatric Emergency Care, 2018, 34, 802-809.         Case management in primary care for frequent users of healthcare services with chronic diseases and complex care needs: an implementation and realist evaluation protocol. BMJ Open, 2018, 8, e026433.         Risk factors for frequent users of the emergency department among adults aged 55 and older. Journal of Nursing Education and Practice, 2018, 8, 96.         Impact of a low intensity and broadly inclusive ED care coordination intervention on linkage to primary care and ED utilization. American Journal of Emergency Medicine, 2018, 36, 2219-2224.	0.8 0.5 0.5 0.8 0.1 0.7	14 12 8 14 1 1

#	Article	IF	CITATIONS
76	Understanding the Impact of Chronic Pain in the Emergency Department: Prevalence and Characteristics of Patients Visiting the Emergency Department for Chronic Pain at an Urban Academic Health Sciences Centre. Canadian Journal of Pain, 2019, 3, 106-113.	0.6	10
77	Unique characteristics of frequent presenters to the emergency department in a Japanese population: a retrospective analysis. Acute Medicine & Surgery, 2019, 6, 145-151.	0.5	6
78	Social factors in frequent callers: a description of isolation, poverty and quality of life in those calling emergency medical services frequently. BMC Public Health, 2019, 19, 684.	1.2	39
79	Characteristics and predictors of adult frequent emergency department users in the United States: A systematic literature review. Journal of Evaluation in Clinical Practice, 2019, 25, 420-433.	0.9	54
80	Recurrent Emergency Department Users: Two Categories with Different Risk Profiles. Journal of Clinical Medicine, 2019, 8, 333.	1.0	14
81	Here one year, gone the next? Investigating persistence of frequent emergency department attendance: a retrospective study in Australia. BMJ Open, 2019, 9, e027700.	0.8	20
82	Emergency department imaging superusers. Emergency Radiology, 2019, 26, 161-168.	1.0	10
83	Community Paramedics' Perception of Frequent ED Users and the Community Paramedicine Program: A Mixed-Methods Study. Journal of Health Care for the Poor and Underserved, 2020, 31, 1134-1151.	0.4	2
84	Frequent use of emergency departments and chronic conditions in ageing societies: a retrospective analysis based in Italy. Population Health Metrics, 2020, 18, 29.	1.3	5
85	Characteristics of frequent users of the emergency department with chronic pain. Canadian Journal of Emergency Medicine, 2020, 22, 350-358.	0.5	9
86	Emergency room imaging in patients with genitourinary cancers: analysis of the spectrum of CT findings and their relation to patient outcomes. Emergency Radiology, 2020, 27, 413-421.	1.0	1
87	Emergency department frequent users in rural Tuscany: who, why and how? A descriptive retrospective analysis. Italian Journal of Emergency Medicine, 2020, 9, .	0.0	0
88	Identifying subgroups and risk among frequent emergency department users in British Columbia. Journal of the American College of Emergency Physicians Open, 2021, 2, e12346.	0.4	11
89	Social and demographic characteristics of frequent or highâ€charge emergency department users: A quantile regression application. Journal of Evaluation in Clinical Practice, 2021, 27, 1271-1280.	0.9	2
90	CONECT-6: a case-finding tool to identify patients with complex health needs. BMC Health Services Research, 2021, 21, 157.	0.9	10
91	Psychosocial risk factors for increased emergency hospital utilization by sickle cell disease patients: a systematic review protocol. JBI Evidence Synthesis, 2021, 19, 682-688.	0.6	0
92	Characteristics of frequent emergency department users in British Columbia, Canada: a retrospective analysis. CMAJ Open, 2021, 9, E134-E141.	1.1	16
93	Reducing Frequent Visits to the Emergency Department: A Systematic Review of Interventions. PLoS ONE, 2015, 10, e0123660.	1.1	178

#	Article	IF	CITATIONS
94	Emergency Department Frequent Utilization for Non-Emergent Presentments: Results from a Regional Urban Trauma Center Study. PLoS ONE, 2016, 11, e0147116.	1.1	44
95	Frequent Users of Hospital Emergency Departments in Korea Characterized by Claims Data from the National Health Insurance: A Cross Sectional Study. PLoS ONE, 2016, 11, e0147450.	1.1	16
96	Which Socio-Economic Factors Influence Patients' Choice to Opt for the ED or the GPC during Out-of-Hours: An Explorative Study in Flanders. Health, 2014, 06, 1361-1367.	0.1	1
98	Association between continuity and access in primary care: a retrospective cohort study. CMAJ Open, 2020, 8, E722-E730.	1.1	7
99	The Impact of Demographic Change on Sustainability of Emergency Departments. , 2016, , 115-129.		0
100	L'impatto dei mutamenti demografici sulla sostenibilità dei pronto soccorsi: un'applicazione al caso ligure. Economia E Diritto Del Terziario, 2016, , 439-459.	0.0	0
101	Analgesic Response to Morphine in Children with Sickle Cell Disease: A Pilot Study. Journal of Pain Management (discontinued), 2008, 2, 179-190.	0.7	7
102	Use of health information technology to manage frequently presenting emergency department patients. Western Journal of Emergency Medicine, 2010, 11, 348-53.	0.6	27
103	Emergency department use: is frequent use associated with a lack of primary care provider?. Canadian Family Physician, 2014, 60, e223-9.	0.1	32
104	Demandâ€only patientâ€controlled analgesia for treatment of acute vasoâ€occlusive pain in sickle cell disease. Pediatric Blood and Cancer, 2022, 69, e29665.	0.8	2
105	Predicting emergency department utilization among children with asthma using deep learning models. Healthcare Analytics, 2022, 2, 100050.	2.6	7
106	Racial disparities in opioid administration and prescribing in the emergency department for pain. American Journal of Emergency Medicine, 2022, 55, 167-173.	0.7	8
107	Case management intervention of high users of the emergency department of a Portuguese hospital: a before-after design analysis. BMC Emergency Medicine, 2022, 22, .	0.7	0
108	Analysis of Emergency Department Encounters Among High Users of Health Care and Social Service Systems Before and During the COVID-19 Pandemic. JAMA Network Open, 2022, 5, e2239076.	2.8	2