

Discrepancy in the preferences of place of death between their primary family caregivers in Taiwan

Social Science and Medicine

61, 1560-1566

DOI: [10.1016/j.socscimed.2005.02.006](https://doi.org/10.1016/j.socscimed.2005.02.006)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Dying at home or in an institution. Health Policy, 2006, 78, 319-329.	1.4	126
2	Improving palliative care in Germany: summative evaluation from experts' reports in Lower Saxony and Brandenburg. Zeitschrift Fur Gesundheitswissenschaften, 2006, 14, 148-154.	0.8	13
3	Actual and preferred place of death of cancer patients. Results from the Italian survey of the dying of cancer (ISDOC). Journal of Epidemiology and Community Health, 2006, 60, 412-416.	2.0	193
4	Taking care of terminally-ill patients at home – the economic perspective revisited. Palliative Medicine, 2007, 21, 537-541.	1.3	34
5	Urbanization and place of death for the elderly: a 10-year population-based study. Palliative Medicine, 2007, 21, 705-711.	1.3	21
6	End-of-life decision-making in Belgium, Denmark, Sweden and Switzerland: does place of death make a difference?. Journal of Epidemiology and Community Health, 2007, 61, 1062-1068.	2.0	59
7	Discrepancies in the Viewpoints of Different German Health Care Providers on Palliative Care. Evaluation and the Health Professions, 2007, 30, 96-109.	0.9	12
8	Feeling like a burden to others: a systematic review focusing on the end of life. Palliative Medicine, 2007, 21, 115-128.	1.3	179
9	'I don't want to be in that big city; this is my country here': Research findings on Aboriginal peoples' preference to die at home. Australian Journal of Rural Health, 2007, 15, 264-268.	0.7	51
10	GENDER-BASED DISPARITIES EAST/WEST: RETHINKING THE BURDEN OF CARE IN THE UNITED STATES AND TAIWAN. Bioethics, 2007, 21, 488-499.	0.7	6
11	Hospice Utilization in Taiwan by Cancer Patients Who Died Between 2000 and 2004. Journal of Pain and Symptom Management, 2007, 33, 446-453.	0.6	46
12	Hospice at Home service: the carer's perspective. Supportive Care in Cancer, 2007, 15, 163-170.	1.0	40
13	A population-based study on the specific locations of cancer deaths in Taiwan, 1997–2003. Supportive Care in Cancer, 2007, 15, 1333-1339.	1.0	20
14	Patient awareness of prognosis, patient-family caregiver congruence on the preferred place of death, and caregiving burden of families contribute to the quality of life for terminally ill cancer patients in Taiwan. Psycho-Oncology, 2008, 17, 1202-1209.	1.0	74
15	Is a Home-Care Network Necessary To Access the Medicare Hospice Benefit?. Journal of Palliative Medicine, 2009, 12, 687-694.	0.6	14
16	Trends in quality of end-of-life care for Taiwanese cancer patients who died in 2000–2006. Annals of Oncology, 2009, 20, 343-348.	0.6	92
17	Quality of End-of-Life Care Between Medical Oncologists and Other Physician Specialists for Taiwanese Cancer Decedents, 2001–2006. Oncologist, 2009, 14, 1232-1241.	1.9	21
18	General Practitioner Awareness of Preferred Place of Death and Correlates of Dying in Preferred Place: A Nationwide Mortality Follow-Back Study in The Netherlands. Journal of Pain and Symptom Management, 2009, 38, 568-577.	0.6	68

#	ARTICLE	IF	CITATIONS
19	Stressors, social support, depressive symptoms and general health status of Taiwanese caregivers of persons with stroke or Alzheimer's disease. <i>Journal of Clinical Nursing</i> , 2009, 18, 502-511.	1.4	56
20	Supporting Cancer Patients Dying at Home or at a Hospital for Taiwanese Family Caregivers. <i>Cancer Nursing</i> , 2009, 32, 151-157.	0.7	11
21	Determinants of Patient-Family Caregiver Congruence on Preferred Place of Death in Taiwan. <i>Journal of Pain and Symptom Management</i> , 2010, 40, 235-245.	0.6	19
22	Propensity for Home Death Among Taiwanese Cancer Decedents in 2001-2006, Determined by Services Received at End of Life. <i>Journal of Pain and Symptom Management</i> , 2010, 40, 566-574.	0.6	32
23	Place of death in metropolitan regions: Metropolitan versus non-metropolitan variation in place of death in Belgium, The Netherlands and England. <i>Health and Place</i> , 2010, 16, 132-139.	1.5	37
24	A population-based study on the determinants of hospice utilization in the last year of life for Taiwanese cancer decedents, 2001-2006. <i>Psycho-Oncology</i> , 2010, 19, 1213-1220.	1.0	27
25	Nursing students' experiences of their first encounter with death during clinical practice in Taiwan. <i>Journal of Clinical Nursing</i> , 2010, 19, 2280-2290.	1.4	41
26	Transitions between care settings at the end of life in The Netherlands: results from a nationwide study. <i>Palliative Medicine</i> , 2010, 24, 166-174.	1.3	80
27	Development of a Personal Digital Assistant (PDA) System To Collect Symptom Information from Home Hospice Patients. <i>Journal of Palliative Medicine</i> , 2010, 13, 647-651.	0.6	22
28	Differences Between Inpatient Hospice Care and In-hospital Nonhospice Care for Cancer Patients. <i>Cancer Nursing</i> , 2011, 34, E21-E26.	0.7	8
29	Do Caregiver Beliefs Matter? An Exploratory Study of Palliative Caregiving Decisions in Singapore. <i>Asia Pacific Journal of Social Work and Development</i> , 2011, 21, 54-70.	0.5	0
30	Impact of Availability of an Inpatient Hospice Unit on the Parent Hospital's Quality of Palliative Care for Taiwanese Cancer Decedents, 2001-2006. <i>Journal of Pain and Symptom Management</i> , 2011, 42, 400-409.	0.6	15
31	Preference for Place of Death in Germany. <i>Journal of Palliative Medicine</i> , 2011, 14, 1097-1103.	0.6	56
32	Pediatric End-of-Life Care for Taiwanese Children Who Died As a Result of Cancer From 2001 Through 2006. <i>Journal of Clinical Oncology</i> , 2011, 29, 890-894.	0.8	48
33	Associations with the Japanese Population's Preferences for the Place of End-of-Life Care and Their Need for Receiving Health Care Services. <i>Journal of Palliative Medicine</i> , 2012, 15, 1106-1112.	0.6	14
34	Impact of age on end-of-life care for adult Taiwanese cancer decedents, 2001-2006. <i>Palliative Medicine</i> , 2012, 26, 80-88.	1.3	14
35	Identification and documentation of persons being in palliative phase regardless of age, diagnosis and places of care, and their use of a sitting service at the end of life. <i>Scandinavian Journal of Caring Sciences</i> , 2012, 26, 561-568.	1.0	1
36	Place of death related to demographic factors for hospice patients in Wellington, Aotearoa New Zealand. <i>Palliative Medicine</i> , 2012, 26, 342-349.	1.3	26

#	ARTICLE	IF	CITATIONS
37	Carer Preferences in Economic Evaluation and Healthcare Decision Making. <i>Patient</i> , 2013, 6, 235-239.	1.1	27
39	The Experiences of Suffering of Palliative Care Informal Caregivers in Malaysia. <i>American Journal of Hospice and Palliative Medicine</i> , 2013, 30, 473-489.	0.8	22
40	Hospice Offers More Palliative Care but Costs Less Than Usual Care for Terminal Geriatric Hepatocellular Carcinoma Patients: A Nationwide Study. <i>Journal of Palliative Medicine</i> , 2013, 16, 780-785.	0.6	24
41	Family Preference for Place of Death Mediates the Relationship between Patient Preference and Actual Place of Death: A Nationwide Retrospective Cross-Sectional Study. <i>PLoS ONE</i> , 2013, 8, e56848.	1.1	34
42	Factors Affecting the Place of Death Among Hospice Home Care Cancer Patients in Taiwan. <i>American Journal of Hospice and Palliative Medicine</i> , 2014, 31, 300-306.	0.8	19
43	Patient Preferences versus Family Physicians' Perceptions Regarding the Place of End-of-Life Care and Death: A Nationwide Study in Taiwan. <i>Journal of Palliative Medicine</i> , 2015, 18, 625-630.	0.6	25
44	The Preference of Place of Death and its Predictors Among Terminally Ill Patients With Cancer and Their Caregivers in China. <i>American Journal of Hospice and Palliative Medicine</i> , 2015, 32, 835-840.	0.8	36
45	Consciousness Levels One Week after Admission to a Palliative Care Unit Improve Survival Prediction in Advanced Cancer Patients. <i>Journal of Palliative Medicine</i> , 2015, 18, 170-175.	0.6	1
46	Discordance among patient preferences, caregiver preferences, and caregiver predictions of patient preferences regarding disclosure of terminal status and end-of-life choices. <i>Psycho-Oncology</i> , 2015, 24, 212-219.	1.0	51
47	Determinants of Hospital Death for Taiwanese Pediatric Cancer Decedents, 2001-2010. <i>Journal of Pain and Symptom Management</i> , 2015, 50, 685-692.	0.6	4
48	Readmissions in Cancer Patients After Receiving Inpatient Palliative Care in Taiwan. <i>Medicine (United States)</i> , 2017, 96, e8210.	0.4	19
49	How different is the care of terminal pancreatic cancer patients in inpatient palliative care units and acute hospital wards? A nationwide population-based study. <i>BMC Palliative Care</i> , 2016, 15, 1.	0.8	135
50	Impact of Home Hospice Care on Patients with Advanced Lung Cancer: A Longitudinal Population-Based Study in Taiwan. <i>Journal of Palliative Medicine</i> , 2016, 19, 380-386.	0.6	13
51	End-of-life care: Where do cancer patients want to die? A systematic review. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2017, 13, 356-364.	0.7	69
52	Factors predicting a home death among home palliative care recipients. <i>Medicine (United States)</i> , 2017, 96, e8210.	0.4	19
53	The Selection of Death Place Among Patients Receiving Hospital-Based Palliative Care Service in Taiwan. <i>American Journal of Hospice and Palliative Medicine</i> , 2018, 35, 754-758.	0.8	5
54	Health-promoting lifestyles and their related influences among nursing assistants in nursing homes in China. <i>Applied Nursing Research</i> , 2018, 39, 97-102.	1.0	12
55	Prognostic awareness and communication preferences among caregivers of patients with malignant glioma. <i>Psycho-Oncology</i> , 2018, 27, 817-823.	1.0	31

#	ARTICLE	IF	CITATIONS
56	Advance care planning and home death in patients with advanced cancer: a structured interview analysis. <i>International Journal of Palliative Nursing</i> , 2018, 24, 418-426.	0.2	8
57	Use of Inpatient Palliative Care Services in Patients With Advanced Cancer Receiving Critical Care Therapies. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2018, 16, 1055-1064.	2.3	14
58	Factors associated with emergency services use in Taiwanese advanced cancer patients receiving palliative home care services during out-of-hours periods: a retrospective medical record study. <i>BMC Palliative Care</i> , 2018, 17, 46.	0.8	19
59	Good concordance between patients and their non-professional carers about factors associated with a "good death"™ and other important end-of-life decisions. <i>BMJ Supportive and Palliative Care</i> , 2019, 9, 340-345.	0.8	10
60	Differences in medical costs for end-of-life patients receiving traditional care and those receiving hospice care: A retrospective study. <i>PLoS ONE</i> , 2020, 15, e0229176.	1.1	13
61	Quality of death: The unspoken experiences of patients with advanced cancers in India " An exploratory qualitative study. <i>Psycho-Oncology</i> , 2021, 30, 111-117.	1.0	3
62	Preferred Place of Death in Adult Cancer Patients: A Systematic Review and Meta-Analysis. <i>Frontiers in Psychology</i> , 2021, 12, 704590.	1.1	47
63	Preferred place of death for patients with terminal illness: A literature review. <i>Progress in Palliative Care</i> , 2022, 30, 101-110.	0.7	8
64	Transferring home to die from critical care units: A scoping review of international practices. <i>Journal of Critical Care</i> , 2021, 65, 205-215.	1.0	2
65	Discharge status validation of the Chang Gung Research database in Taiwan. <i>Biomedical Journal</i> , 2022, 45, 907-913.	1.4	13
66	Opinions of Cancer Patients, Their Relatives, and Nurses on Good Death. <i>Omega: Journal of Death and Dying</i> , 2023, 86, 1473-1492.	0.7	1
67	Factors Influencing Family Members in Choosing the Preferred Place of Death for Hospitalized Dying Older Patients. <i>Omega: Journal of Death and Dying</i> , 0, , 003022282211136.	0.7	0
68	Factors associated with place of death for terminal cancer patients who wished to die at home. <i>Medicine (United States)</i> , 2022, 101, e30756.	0.4	3
69	Where the Elderly Die: The Influence of Socio-Demographic Factors and Cause of Death on People Dying at Home. <i>Annals of the Academy of Medicine, Singapore</i> , 2009, 38, 676-683.	0.2	28