

CITATION REPORT

List of articles citing

The "lipid accumulation product" performs better than the body mass index for recognizing cardiovascular risk: a population-based comparison

DOI: 10.1186/1471-2261-5-26

BMC Cardiovascular Disorders, 2005, 5, 26.

Source: <https://exaly.com/paper-pdf/38305032/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
436	Obesity and risk of myocardial infarction: the INTERHEART study. 2006 , 367, 1053-1054		7
435	Erratum to: The "lipid accumulation product" performs better than the body mass index for recognizing cardiovascular risk: a population-based comparison. <i>BMC Cardiovascular Disorders</i> , 2006 , 6, 1	2.3	8
434	The Lipid Accumulation Product Is Better Than BMI for Identifying Diabetes: A population-based comparison. 2006 , 29, 151-153		118
433	Longitudinal changes in BMI and in an index estimating excess lipids among white and black adults in the United States. 2008 , 32, 136-43		45
432	Ability of lipid accumulation product to identify metabolic syndrome in healthy men from Buenos Aires. 2009 , 32, e85		26
431	Psychosurgery for obesity. 2009 , 2, 339-41		4
430	Lipid accumulation product index: a reliable marker of cardiovascular risk in polycystic ovary syndrome. 2009 , 24, 1726-31		85
429	A simple index of lipid overaccumulation is a good marker of liver steatosis. 2010 , 10, 98		140
428	The lipid accumulation product and all-cause mortality in patients at high cardiovascular risk: a PreCIS database study. 2010 , 18, 1836-44		82
427	[Evaluation of cardiovascular risk by the LAP index in non-obese patients with polycystic ovary syndrome]. 2010 , 54, 630-5		6
426	Variation in metabolic and cardiovascular risk in women with different polycystic ovary syndrome phenotypes. 2010 , 94, 2493-6		62
425	Predictive performances of lipid accumulation product vs. adiposity measures for cardiovascular diseases and all-cause mortality, 8.6-year follow-up: Tehran lipid and glucose study. 2010 , 9, 100		39
424	Diabetes prediction, lipid accumulation product, and adiposity measures; 6-year follow-up: Tehran lipid and glucose study. 2010 , 9, 45		67
423	The Finnish Diabetes Risk Score (FINDRISC) as a screening tool for hepatic steatosis. 2011 , 43, 487-94		18
422	Variations in the fat mass and obesity-associated (FTO) gene are related to glucose levels and higher lipid accumulation product in postmenopausal women from southern Brazil. 2011 , 96, 974-9		9
421	Lipid accumulation product (LAP) is related to androgenicity and cardiovascular risk factors in postmenopausal women. 2011 , 70, 395-9		20
420	Hypertriglyceridemic waist: missing piece of the global cardiovascular risk assessment puzzle?. 2011 , 6, 639-651		4

4 ¹⁹	The lipid accumulation product is associated with increased mortality in normal weight postmenopausal women. 2011 , 19, 1873-80		38
4 ¹⁸	Association of common variants in JAK2 gene with reduced risk of metabolic syndrome and related disorders. 2011 , 12, 166		16
4 ¹⁷	Predictive performance of the visceral adiposity index for a visceral adiposity-related risk: type 2 diabetes. 2011 , 10, 88		55
4 ¹⁶	Lipid accumulation product is a powerful index for recognizing insulin resistance in non-diabetic individuals. 2012 , 66, 1035-8		66
4 ¹⁵	Severe obesity: the neglected epidemic. 2012 , 5, 254-69		39
4 ¹⁴	Lipid accumulation product: a simple and accurate index for predicting metabolic syndrome in Taiwanese people aged 50 and over. <i>BMC Cardiovascular Disorders</i> , 2012 , 12, 78	2.3	62
4 ¹³	Fat mass and obesity-associated gene polymorphisms do not affect metabolic response to hormone therapy in healthy postmenopausal women. 2012 , 165, 302-6		2
4 ¹²	The lipid accumulation product is highly related to serum alanine aminotransferase level in male adults. 2012 , 32, 581-7		5
4 ¹¹	Aromatase gene polymorphism does not influence clinical phenotype and response to oral contraceptive pills in polycystic ovary syndrome women. 2012 , 74, 136-42		7
4 ¹⁰	Cardiovascular Risk in Women With PCOS. 2012 , 10, 611-8		42
4 ⁰⁹	Dietary glycemic index is associated with less favorable anthropometric and metabolic profiles in polycystic ovary syndrome women with different phenotypes. 2013 , 100, 1081-8		44
4 ⁰⁸	Inverse associations between light-to-moderate alcohol intake and lipid-related indices in patients with diabetes. 2013 , 12, 104		16
4 ⁰⁷	Effects of FTO RS9939906 and MC4R RS17782313 on obesity, type 2 diabetes mellitus and blood pressure in patients with hypertension. 2013 , 12, 103		35
4 ⁰⁶	Lipid accumulation in overweight type 2 diabetic subjects: relationships with insulin sensitivity and adipokines. 2013 , 50, 301-7		12
4 ⁰⁵	Decreased cardiotrophin-1 levels are associated with a lower risk of developing the metabolic syndrome in overweight/obese children after a weight loss program. 2013 , 62, 1429-36		22
4 ⁰⁴	Comparison of lipid accumulation product with body mass index as an indicator of hypertension risk among Mongolians in China. 2013 , 7, e308-14		18
4 ⁰³	Pathophysiology of human visceral obesity: an update. 2013 , 93, 359-404		1267
4 ⁰²	Cardiac autonomic modulation in polycystic ovary syndrome: does the phenotype matter?. 2013 , 99, 286-292		29

401	Review article: the diagnosis of non-alcoholic fatty liver disease -- availability and accuracy of non-invasive methods. 2013 , 37, 392-400	126
400	The lipid accumulation product for the early prediction of gestational insulin resistance and glucose dysregulation. 2013 , 22, 362-7	8
399	Associations between heavy alcohol drinking and lipid-related indices in middle-aged men. 2013 , 47, 637-42	16
398	Relationship between alcohol intake and lipid accumulation product in middle-aged men. 2013 , 48, 535-42	16
397	Polymorphisms of TCF7L2 gene in South Brazilian women with polycystic ovary syndrome: a cross-sectional study. 2013 , 169, 569-76	12
396	The lipid accumulation product as a useful index for identifying abnormal glucose regulation in young Korean women. 2013 , 30, 436-42	21
395	Gender difference in hepatic steatosis index and lipid accumulation product ability to predict incident metabolic syndrome in the historical cohort of the Brisighella Heart Study. 2013 , 11, 412-6	20
394	Lipid accumulation product is associated with insulin resistance, lipid peroxidation, and systemic inflammation in type 2 diabetic patients. 2014 , 29, 443-9	28
393	HDL size is more accurate than HDL cholesterol to predict carotid subclinical atherosclerosis in individuals classified as low cardiovascular risk. 2014 , 9, e114212	6
392	A strong association between lipid accumulation product and diabetes mellitus in Japanese women and men. 2014 , 21, 282-8	57
391	Clinical and Biochemical Profiles according to Homeostasis Model Assessment-insulin Resistance (HOMA-IR) in Korean Women with Polycystic Ovary Syndrome. 2014 , 20, 104-10	7
390	Clinical usefulness of lipid ratios, visceral adiposity indicators, and the triglycerides and glucose index as risk markers of insulin resistance. 2014 , 13, 146	218
389	Preconception metabolic indicators predict gestational diabetes and offspring birthweight. 2014 , 30, 840-4	13
388	Smoking and lipid-related indices in patients with diabetes mellitus. 2014 , 31, 868-78	10
387	Comparison of various adiposity indexes in women with polycystic ovary syndrome and normo-ovulatory non-hirsute women: a population-based study. 2014 , 171, 199-207	31
386	Lipid accumulation product and insulin resistance in Iranian PCOS prevalence study. 2014 , 81, 52-7	26
385	Associations of objectively measured sedentary behavior, light activity, and markers of cardiometabolic health in young women. 2014 , 114, 907-19	39
384	[Non-invasive markers of fibrosis in the diagnosis of non-alcoholic fatty liver disease]. 2014 , 37, 503-10	5

383	Gender-related differences in cardiometabolic risk profile of Japanese patients with diabetes. 2014 , 23, 1046-53	3
382	Increased acyl ghrelin but decreased total ghrelin and unacyl ghrelin in Chinese Han people with impaired fasting glucose combined with impaired glucose tolerance. 2014 , 60, 86-94	8
381	Influence of age and gender on lipid accumulation product and its relation to diabetes mellitus in Japanese. 2014 , 431, 221-6	14
380	Alcohol-independent beneficial cardiometabolic profile of individuals with hyper-HDL cholesterolemia in Japanese men and women. 2015 , 9, 684-91	4
379	LAP (produto da acumulação lipídica) e síndrome metabólica em pacientes com síndrome dos ovários policísticos. 2015 , 30, 127-131	
378	Serum Triglyceride Levels Independently Contribute to the Estimation of Visceral Fat Amount Among Nondiabetic Obese Adults. 2015 , 94, e965	11
377	Importance of lipid accumulation product index as a marker of CVD risk in PCOS women. 2015 , 14, 62	28
376	Visceral adiposity index and insulin secretion and action in first-degree relatives of subjects with type 2 diabetes. 2015 , 31, 315-21	16
375	Helicobacter pylori Stool Antigen Levels and Serological Biomarkers of Gastric Inflammation are Associated with Cardio-Metabolic Risk Factors in Type 2 Diabetic Patients. 2015 , 30, 280-7	3
374	The "lipid accumulation product" is associated with 2-hour postload glucose outcomes in overweight/obese subjects with nondiabetic fasting glucose. 2015 , 2015, 836941	5
373	Non-invasive diagnostic approach to non-alcoholic fatty liver disease: current evidence and future perspectives. 2015 , 9, 1039-53	9
372	Betel-quid and alcohol use were associated with lipid accumulation product among male factory workers in Taiwan. 2015 , 7, 218-22	2
371	Multimarker Analysis for New Biomarkers in Relation to Central Arterial Stiffness and Hemodynamics in a Chinese Community-Dwelling Population. 2015 , 66, 950-6	11
370	Fatty liver indices in the multiethnic United States National Health and Nutrition Examination Survey. 2015 , 41, 65-76	140
369	Association between ABCG1 polymorphism rs1893590 and high-density lipoprotein (HDL) in an asymptomatic Brazilian population. 2015 , 42, 745-54	9
368	Lipid accumulation product and visceral adiposity index are effective markers for identifying the metabolically obese normal-weight phenotype. 2015 , 52, 855-63	45
367	Relationship of obstructive sleep apnea and cardiometabolic risk factors in elderly patients with abdominal aortic aneurysm. 2015 , 19, 593-8	8
366	Association between cardiometabolic index and atherosclerotic progression in patients with peripheral arterial disease. 2015 , 446, 231-6	21

365	Light-to-moderate alcohol intake reduces lipid accumulation product and attenuates its relation to hypertension. 2015 , 29, 359-65	2
364	Asymptomatic individuals with high HDL-C levels overexpress ABCA1 and ABCG1 and present miR-33a dysregulation in peripheral blood mononuclear cells. 2015 , 570, 50-6	1
363	Peripheral blood-derived cytokine gene polymorphisms and metabolic profile in women with polycystic ovary syndrome. 2015 , 76, 227-235	15
362	Supplementation with two probiotic strains, <i>Lactobacillus curvatus</i> HY7601 and <i>Lactobacillus plantarum</i> KY1032, reduces fasting triglycerides and enhances apolipoprotein A-V levels in non-diabetic subjects with hypertriglyceridemia. 2015 , 241, 649-56	38
361	Accuracy of plasma interleukin-18 and adiponectin concentrations in predicting metabolic syndrome and cardiometabolic disease risk in middle-age Brazilian men. 2015 , 40, 1048-55	2
360	Associations of blood lipid-related indices with blood pressure and pulse pressure in middle-aged men. 2015 , 13, 22-8	14
359	The "cardiometabolic index" as a new marker determined by adiposity and blood lipids for discrimination of diabetes mellitus. 2015 , 438, 274-8	50
358	Lipid accumulation product and incident cardiovascular events in a normal weight population: Tehran Lipid and Glucose Study. 2016 , 23, 187-93	33
357	Visceral adiposity index and prognosis among patients with ischemic heart failure. 2016 , 134, 211-8	9
356	Lipid accumulation product is associated with metabolic syndrome in women with polycystic ovary syndrome. 2016 , 15, 35-44	12
355	Comparison of Anthropometric and Atherogenic Indices as Screening Tools of Metabolic Syndrome in the Kazakh Adult Population in Xinjiang. 2016 , 13, 428	20
354	Expression of the Receptor for Advanced Glycation End Products in Epicardial Fat: Link with Tissue Thickness and Local Insulin Resistance in Coronary Artery Disease. 2016 , 2016, 2327341	18
353	Visceral Adiposity Index and Lipid Accumulation Product Index: Two Alternate Body Indices to Identify Chronic Kidney Disease among the Rural Population in Northeast China. 2016 , 13,	33
352	Lipid Accumulation Product and Hypertension Related to Stroke: a 9.2-Year Prospective Study Among Mongolians in China. 2016 , 23, 830-8	13
351	The association of thiol/disulphide homeostasis and lipid accumulation index with cardiovascular risk factors in overweight adolescents with polycystic ovary syndrome. 2016 , 84, 516-23	19
350	Síndrome de ovario poliquístico: fenotipos y enfermedad cardiovascular. 2016 , 53, 149-156	
349	Non-alcoholic fatty liver disease is associated with insulin resistance and lipid accumulation product in women with polycystic ovary syndrome. 2016 , 31, 1347-53	64
348	The Visceral Adiposity Index in Comparison with Easily Measurable Anthropometric Markers Did Not Improve Prediction of Diabetes. 2016 , 40, 393-398	23

347	Associaçã entre lipid accumulation product (LAP) e hirsutismo na sãndrome do ovãrio policãstico. 2016 , 38, 71-6	
346	Lipid accumulation product (LAP) as a criterion for the identification of the healthy obesity phenotype in postmenopausal women. 2016 , 82, 81-7	8
345	Comparison of regional fat mass measurement by whole body DXA scans and anthropometric measures to predict insulin resistance in women with polycystic ovary syndrome and controls. 2016 , 95, 1235-1243	23
344	Lipid accumulation product as a marker of cardiometabolic susceptibility in women with different phenotypes of polycystic ovary syndrome. 2016 , 175, 551-560	10
343	Visceral Adiposity and Anthropometric Indicators as Screening Tools of Metabolic Syndrome among Low Income Rural Adults in Xinjiang. 2016 , 6, 36091	29
342	Sex differences in the effect of HbA1c-deñed diabetes on a wide range of cardiovascular disease risk factors. 2016 , 48, 34-41	10
341	Lipid accumulation product and metabolic syndrome: a population-based study in northern Iran, Amol. 2016 , 39, 375-82	30
340	Mortality prediction of a body shape index versus traditional anthropometric measures in an Iranian population: Tehran Lipid and Glucose Study. 2017 , 33, 105-112	13
339	Associations between hypo-HDL cholesterolemia and cardiometabolic risk factors in middle-aged men and women: Independence of habitual alcohol drinking, smoking and regular exercise. 2017 , 11, 324-334	4
338	Indicators of Adiposity Predictors of Metabolic Syndrome in the Elderly. 2017 , 70, 9-15	22
337	Reply-Letter to the Editor-The lipid accumulation product is a powerful tool to predict metabolic syndrome in undiagnosed Brazilian adults. 2017 , 36, 907-908	1
336	Comparison of Different Obesity Indices for Predicting Incident Hypertension. 2017 , 24, 157-166	22
335	Higher predictability of the lipid accumulation product than commonly used anthropometric parameters partly due to its definition. 2017 , 36, 909	4
334	Association of IL-1 β IL-1Ra and FABP1 gene polymorphisms with the metabolic features of polycystic ovary syndrome. 2017 , 66, 621-636	12
333	Body fat and blood rheology: Evaluation of the association between different adiposity indices and blood viscosity. 2017 , 65, 241-248	16
332	The predictive effect of inflammatory markers and lipid accumulation product index on clinical symptoms associated with polycystic ovary syndrome in nonobese adolescents and younger aged women. 2017 , 214, 168-172	13
331	The additional effects of a probiotic mix on abdominal adiposity and antioxidant Status: A double-blind, randomized trial. 2017 , 25, 30-38	75
330	The lipid accumulation product is a powerful tool to predict metabolic syndrome in undiagnosed Brazilian adults. 2017 , 36, 1693-1700	30

329	Relative contribution of muscle and liver insulin resistance to dysglycemia in postmenopausal overweight and obese women: A MONET group study. 2017 , 78, 1-8	2
328	Adiposity phenotypes are associated with type-2 diabetes: LAP index, body adiposity index, and neck circumference. 2017 , 266, 145-150	12
327	Visceral adiposity index, lipid accumulation product and intracranial atherosclerotic stenosis in middle-aged and elderly Chinese. 2017 , 7, 7951	15
326	Three novel obese indicators perform better in monitoring management of metabolic syndrome in type 2 diabetes. 2017 , 7, 9843	13
325	Usefulness of cardiometabolic index for the estimation of ischemic stroke risk among general population in rural China. 2017 , 129, 834-841	7
324	The ZJU index is a powerful index for identifying NAFLD in the general Chinese population. 2017 , 54, 905-911	10
323	The Gene-Diet Associations in Postmenopausal Women with Newly Diagnosed Dyslipidemia. 2017 , 21, 1031-1037	2
322	Habitual physical activity is associated with improved anthropometric and androgenic profile in PCOS: a cross-sectional study. 2017 , 40, 377-384	18
321	Possible influence of the environmental pollutant bisphenol A on the cardiometabolic risk factors. 2017 , 27, 11-26	11
320	Relationship between soluble receptor for advanced glycation end products (sRAGE), body composition and fat distribution in healthy women. 2017 , 56, 2557-2564	28
319	Metabolic syndrome and its predictors in an urban population in Kenya: A cross sectional study. 2017 , 17, 37	18
318	Visceral adiposity and renal function: an observational study from SPECT-China. 2017 , 16, 205	9
317	Lipid accumulation product is a powerful tool to predict non-alcoholic fatty liver disease in Chinese adults. 2017 , 14, 49	45
316	Fatty Liver Index and Lipid Accumulation Product Can Predict Metabolic Syndrome in Subjects without Fatty Liver Disease. 2017 , 2017, 9279836	9
315	A Cutoff for Age at Menarche Predicting Metabolic Syndrome in Egyptian Overweight/Obese Premenopausal Women. 2017 , 41, 146-149	4
314	Effects of smoking and alcohol consumption on lipid profile in male adults in northwest rural China. 2018 , 157, 7-13	15
313	Effect of increased calcium consumption from fat-free milk in an energy-restricted diet on the metabolic syndrome and cardiometabolic outcomes in adults with type 2 diabetes mellitus: a randomised cross-over clinical trial. 2018 , 119, 422-430	6
312	Comparison of Lipid Accumulation Product Index with Body Mass Index and Waist Circumference as a Predictor of Metabolic Syndrome in Indian Population. 2018 , 16, 240-245	24

311	Potential influence of the phthalates on normal liver function and cardiometabolic risk in males. 2017 , 190, 17	25
310	Utility of three novel insulin resistance-related lipid indices for predicting type 2 diabetes mellitus among people with normal fasting glucose in rural China. 2018 , 10, 641-652	26
309	Effect of Gum Arabic (Acacia Senegal) supplementation on visceral adiposity index (VAI) and blood pressure in patients with type 2 diabetes mellitus as indicators of cardiovascular disease (CVD): a randomized and placebo-controlled clinical trial. 2018 , 17, 56	27
308	Fatty liver index is associated to pulse wave velocity in healthy subjects: Data from the Brisighella Heart Study. 2018 , 53, 29-33	20
307	Are visceral adiposity index and lipid accumulation product reliable indices for metabolic disturbances in patients with type 2 diabetes mellitus?. 2018 , 32,	18
306	LIPID ACCUMULATION PRODUCT, VISCERAL ADIPOSITY INDEX, AND CHINESE VISCERAL ADIPOSITY INDEX AS MARKERS OF CARDIOMETABOLIC RISK IN ADULT GROWTH HORMONE DEFICIENCY PATIENTS: A CROSS-SECTIONAL STUDY. 2018 , 24, 33-39	12
305	Clinical surrogate markers for predicting metabolic syndrome in middle-aged and elderly Chinese. 2018 , 9, 411-418	30
304	Indicators of accumulated fat are stronger associated with prehypertension compared with indicators of circulating fat: A cross-sectional study. 2018 , 97, e11869	7
303	Anthropometric indicators of visceral adiposity as predictors of non-alcoholic fatty liver disease: A review. 2018 , 10, 695-701	9
302	Obesity and lipid-related parameters for predicting metabolic syndrome in Chinese elderly population. 2018 , 17, 289	24
301	Design and validation of a novel estimator of visceral adipose tissue area and comparison to existing adiposity surrogates. 2018 , 32, 1062-1067	3
300	Relationships of Alcohol Consumption With Risks for Type 2 Diabetes Mellitus and Cardiovascular Disease in Men and Women. 2018 , 213-221	
299	Value of reduced glomerular filtration rate assessment with cardiometabolic index: insights from a population-based Chinese cohort. 2018 , 19, 294	5
298	Lipid accumulation product in relation to 10-year cardiovascular disease incidence in Caucasian adults: The ATTICA study. 2018 , 279, 10-16	21
297	Estimate of prevalent diabetes from cardiometabolic index in general Chinese population: a community-based study. 2018 , 17, 236	13
296	Risk factors for prehypertension and their interactive effect: a cross-sectional survey in China. <i>BMC Cardiovascular Disorders</i> , 2018 , 18, 182	2-3 7
295	LH/FSH Ratio Is Associated With Visceral Adipose Dysfunction in Chinese Women Older Than 55. 2018 , 9, 419	5
294	The role of ADAMTS4 and ADAMTS9 in cardiovascular disease in premature ovarian insufficiency and idiopathic hypogonadotropic hypogonadism. 2018 , 41, 1477-1483	1

293	Predictive Value of Lipid Accumulation Product, Fatty Liver Index, Visceral Adiposity Index for Metabolic Syndrome According to Menopausal Status. 2018 , 16, 477-482	4
292	The effect of lipid accumulation product and its interaction with other factors on hypertension risk in Chinese Han population: A cross-sectional study. 2018 , 13, e0198105	8
291	Dietary Modifications and Lipid Accumulation Product Are Associated with Systolic and Diastolic Blood Pressures in the Women's Health Trial: Feasibility Study in Minority Populations. 2018 , 20, 50	3
290	Lipid accumulation product index in HIV-infected patients: a marker of cardiovascular risk. 2018 , 22, 171-176	4
289	Cross-Sectional Inverse Associations of Obesity and Fat Accumulation Indicators with Testosterone in Non-Diabetic Aging Men. 2018 , 15,	7
288	Neck circumference as an independent indicator of visceral obesity in a Chinese population. 2018 , 17, 85	8
287	Identification of an obesity index for predicting metabolic syndrome by gender: the rural Chinese cohort study. 2018 , 18, 54	8
286	Association of BDNF rs6265 and MC4R rs17782313 with metabolic syndrome in Pakistanis. 2019 , 44, 1	4
285	Visceral fat, cardiometabolic risk factors, and nocturnal blood pressure fall in young adults with primary hypertension. 2019 , 21, 1406-1414	4
284	Screening for a Simple and Effective Indicator of Insulin Resistance in Chinese Reproductive-Aged Women, with the Insulin Clamp Technique as a Reference. 2019 , 17, 423-429	4
283	Assessment of adiposity distribution and its association with diabetes and insulin resistance: a population-based study. 2019 , 11, 51	8
282	Correlations between Traditional and Nontraditional Indicators of Adiposity, Inflammation, and Monocyte Subtypes in Patients with Stable Coronary Artery Disease. 2019 , 2019, 3139278	3
281	Visceral adiposity index (VAI), lipid accumulation product (LAP), and product of triglycerides and glucose (TyG) to discriminate prediabetes and diabetes. 2019 , 9, 9693	34
280	Visceral adipose accumulation increased the risk of hyperuricemia among middle-aged and elderly adults: a population-based study. 2019 , 17, 341	13
279	A Novel Indicator Of Lipid Accumulation Product Associated With Metabolic Syndrome In Chinese Children And Adolescents. 2019 , 12, 2075-2083	11
278	Association of lipid accumulation product trajectories with 5-year incidence of type 2 diabetes in Chinese adults: a cohort study. 2019 , 16, 72	4
277	Metabolomics: a search for biomarkers of visceral fat and liver fat content. 2019 , 15, 139	5
276	Independent and Additive Effects of Coenzyme Q10 and Vitamin E on Cardiometabolic Outcomes and Visceral Adiposity in Women With Polycystic Ovary Syndrome. 2019 , 50, 1-10	16

275	Elevated fasting insulin is associated with cardiovascular and metabolic risk in women with polycystic ovary syndrome. 2019 , 13, 2098-2105	10
274	Novel metabolic indices and incident type 2 diabetes among women and men: the Rotterdam Study. 2019 , 62, 1581-1590	26
273	Abdominal Obesity Is More Strongly Correlated with Obstructive Sleep Apnea than General Obesity in China: Results from Two Separated Observational and Longitudinal Studies. 2019 , 29, 2535-2547	14
272	Proneness to high blood lipid-related indices in female smokers. 2019 , 18, 113	1
271	Oxidative Stress and Non-Alcoholic Fatty Liver Disease: Effects of Omega-3 Fatty Acid Supplementation. 2019 , 11,	88
270	The Association Between Six Surrogate Insulin Resistance Indexes and Hypertension: A Population-Based Study. 2019 , 17, 328-333	14
269	Association between lipid accumulation product and diabetic retinopathy based on a community-based survey in Chinese with type 2 diabetes. 2019 , 12, 513-518	4
268	Association of Adiposity Indices with Hypertension in Middle-Aged and Elderly Thai Population: National Health Examination Survey 2009 (NHES-IV). 2019 , 6,	5
267	Association Between Vitamin D and Adrenal Parameters with Metabolic and Inflammatory Markers in Polycystic Ovary Syndrome. 2019 , 9, 3968	7
266	Relationships between alcohol intake and cardiovascular risk factors in middle-aged men with hypo-HDL cholesterolemia. 2019 , 495, 94-99	3
265	Body fat indices as effective predictors of insulin resistance in obese/non-obese polycystic ovary syndrome women in the Southwest of China. 2019 , 65, 81-85	16
264	Trend of various adiposity indices in women with and without history of gestational diabetes: a population-based cohort study. 2019 , 19, 24	8
263	Natural Killer Response and Lipo-Metabolic Profile in Adults with Low HDL-Cholesterol and Mild Hypercholesterolemia: Beneficial Effects of Artichoke Leaf Extract Supplementation. 2019 , 2019, 2069701	2
262	Interaction of lipid accumulation product and family history of hypertension on hypertension risk: a cross-sectional study in the Southern Chinese population. 2019 , 9, e029253	3
261	Relationships of surrogate indexes of insulin resistance with insulin sensitivity assessed by euglycemic hyperinsulinemic clamp and subclinical vascular damage. 2019 , 7, e000911	33
260	Association and Interaction Analysis of Lipid Accumulation Product with Impaired Fasting Glucose Risk: A Cross-Sectional Survey. 2019 , 2019, 9014698	5
259	A gathering storm: HIV infection and nonalcoholic fatty liver disease in low and middle-income countries. 2019 , 33, 1105-1115	9
258	Usefulness Of Surrogate Markers Of Body Fat Distribution For Predicting Metabolic Syndrome In Middle-Aged And Older Korean Populations. 2019 , 12, 2251-2259	17

257	Association of FTO common variant (rs9939609) with body fat in Turkish individuals. 2019 , 18, 212	7
256	Anthropometric parameter that best predict metabolic syndrome in South west Nigeria. 2019 , 13, 48-54	19
255	Elevation of isoprostanes in polycystic ovary syndrome and its relationship with cardiovascular risk factors. 2019 , 42, 75-83	1
254	Association of the Variant rs7561317 Downstream of the TMEM18 Gene with Overweight/Obesity and Related Anthropometric Traits in a Sample of Pakistani Population. 2020 , 58, 257-278	3
253	Gut microbiota is associated with adiposity markers and probiotics may impact specific genera. 2020 , 59, 1751-1762	7
252	Association and interaction of the FTO rs1421085 with overweight/obesity in a sample of Pakistani individuals. 2020 , 25, 1321-1332	4
251	Could phthalates exposure contribute to the development of metabolic syndrome and liver disease in humans?. 2020 , 27, 772-784	22
250	Surrogate indexes of insulin resistance and risk of metabolic syndrome in non-Hispanic White, non-Hispanic Black and Mexican American. 2020 , 14, 3-9	4
249	A novel indicator, childhood lipid accumulation product, is associated with hypertension in Chinese children and adolescents. 2020 , 43, 305-312	5
248	Predictive performance of lipid accumulation product and visceral adiposity index for renal function decline in non-diabetic adults, an 8.6-year follow-up. 2020 , 24, 225-234	3
247	Predictive performance of traditional and novel lipid combined anthropometric indices to identify prediabetes. 2020 , 14, 1265-1272	9
246	A Novel Indicator of Children's Lipid Accumulation Product Associated with Impaired Fasting Glucose in Chinese Children and Adolescents. 2020 , 13, 1653-1660	4
245	Increased leukotriene B4 plasma concentration in type 2 diabetes individuals with cardiovascular autonomic neuropathy. 2020 , 12, 99	0
244	Mediterranean Personalized Diet Combined with Physical Activity Therapy for the Prevention of Cardiovascular Diseases in Italian Women. 2020 , 12,	8
243	Comparisons of conventional and novel anthropometric obesity indices to predict metabolic syndrome among vegetarians in Malaysia. 2020 , 10, 20861	4
242	Evaluation of Several Anthropometric and Metabolic Indices as Correlates of Hyperglycemia in Overweight/Obese Adults. 2020 , 13, 2327-2336	1
241	and Supplemented Chapatis Safely Improve HbA1c, Body Weight, Waist Circumference, Blood Lipids, and Fatty Liver in Overweight and Diabetic Subjects: A Twelve-Week Safety and Efficacy Study. 2020 , 23, 905-919	6
240	Characteristic-Grouped Adiposity Indicators for Identifying Metabolic Syndrome in Adolescents: Develop and Valid Risk Screening Tools Using Dual Population. 2020 , 12,	3

239	Association Between Lipid Accumulation Product and Mild Cognitive Impairment in Patients with Type 2 Diabetes. 2020 , 77, 367-374	3
238	Associations of Heavy Metals with Metabolic Syndrome and Anthropometric Indices. 2020 , 12,	9
237	Comparison of Novel Metabolic Indices in Estimation of Chronic Kidney Diseases in a Southern Chinese Population. 2020 , 13, 4919-4927	3
236	Effects of an Indoor Cycling Program on Cardiometabolic Factors in Women with Obesity vs. Normal Body Weight. 2020 , 17,	1
235	Hypertriglyceridemic Waist Phenotype and Lipid Accumulation Product: Two Comprehensive Obese Indicators of Waist Circumference and Triglyceride to Predict Type 2 Diabetes Mellitus in Chinese Population. 2020 , 2020, 9157430	5
234	Lipid accumulation product (LAP) was independently associated with obstructive sleep apnea in patients with type 2 diabetes mellitus. 2020 , 20, 179	5
233	Cigarette Smoking Increased Risk of Overall Mortality in Patients With Non-alcoholic Fatty Liver Disease: A Nationwide Population-Based Cohort Study. 2020 , 7, 604919	7
232	Development of a simple nonalcoholic fatty liver disease scoring system indicative of metabolic risks and insulin resistance. 2020 , 8, 1414	1
231	Associations of leisure screen time with cardiometabolic biomarkers in college-aged adults. 2020 , 43, 1014-1025	2
230	Obesity Phenotypes, Diabetes, and Cardiovascular Diseases. 2020 , 126, 1477-1500	151
229	Can environmental pollutant bisphenol A increase metabolic risk in polycystic ovary syndrome?. 2020 , 507, 257-263	6
228	Do trends of adiposity and metabolic parameters vary in women with different ovarian reserve status? A population-based cohort study. 2020 , 27, 684-692	1
227	Metabolic syndrome in postmenopausal women is associated with lower erythrocyte PUFA/MUFA and n-3/n-6 ratio: A case-control study. 2020 , 159, 102155	4
226	Lipid accumulation product and late-onset hypogonadism in middle-aged and elderly men: results from a cross-sectional study in China. 2020 , 10, e033991	1
225	Assessment of insulin resistance and metabolic syndrome in young reproductive aged women with polycystic ovarian syndrome: analogy of surrogate indices. 2020 , 1-8	5
224	Association of Visceral Adiposity Surrogates with Impaired Fasting Glucose in Nonobese Individuals. 2020 , 18, 128-133	4
223	Circulating Irisin and esRAGE as Early Biomarkers of Decline of Metabolic Health. 2020 , 9,	4
222	Evaluation of the relationship between serum ferritin and insulin resistance and visceral adiposity index (VAI) in women with polycystic ovary syndrome. 2021 , 26, 1581-1593	3

221	Effects of oral contraceptives on serum concentrations of adipokines and adiposity indices of women with polycystic ovary syndrome: a randomized controlled trial. 2021 , 44, 567-580	
220	Association of cardiometabolic risk status with clinical activity and damage in systemic lupus erythematosus patients: A cross-sectional study. 2021 , 222, 108637	3
219	Chemotherapy negatively impacts body composition, physical function and metabolic profile in patients with breast cancer. 2021 , 40, 3421-3428	4
218	Obesity-related indices are associated with albuminuria and advanced kidney disease in type 2 diabetes mellitus. 2021 , 43, 1250-1258	2
217	The Risk of Fasting Triglycerides and its Related Indices for Ischemic Cardiovascular Diseases in Japanese Community Dwellers: the Suita Study. 2021 , 28, 1275-1288	2
216	Gender Differences in the Relationships among Metabolic Syndrome and Various Obesity-Related Indices with Nonalcoholic Fatty Liver Disease in a Taiwanese Population. 2021 , 18,	7
215	Surrogate markers and predictors of insulin resistance in Nigeria patients with Type 2 diabetes mellitus: A cross sectional study. 2021 , 18, 90	
214	Visceral Adiposity Index and Lipid Accumulation Product as diagnostic markers of Metabolic Syndrome in South Indians with Polycystic Ovary Syndrome. 2021 , 14, 234-243	2
213	Gender difference in the association of chronic kidney disease with visceral adiposity index and lipid accumulation product index in Korean adults: Korean National Health and Nutrition Examination Survey. 2021 , 53, 1417-1425	2
212	Evaluation of Different Anthropometric Indicators for Screening for Nonalcoholic Fatty Liver Disease in Elderly Individuals. 2021 , 2021, 6678755	4
211	Associations of Smoking and Drinking with New Lipid-Related Indices in Women with Hyperglycemia. 2021 , 2, 23-31	1
210	Body Fat Indices as Effective Predictors of Insulin Resistance in Obstructive Sleep Apnea: Evidence from a Cross-Sectional and Longitudinal Study : BFI as Predictors of IR in OSA. 2021 , 31, 2219-2230	4
209	Elucidating the impact of obesity on hormonal and metabolic perturbations in polycystic ovary syndrome phenotypes in Indian women. 2021 , 16, e0246862	2
208	Evaluation of Anthropometric Indices and Lipid Parameters to Predict Metabolic Syndrome Among Adults in Mexico. 2021 , 14, 691-701	5
207	Association of diet diversity score with visceral adiposity in women with polycystic ovarian syndrome. 2021 , 23, 200116	1
206	Comparison of Innovative and Traditional Cardiometabolic Indices in Estimating Atherosclerotic Cardiovascular Disease Risk in Adults. 2021 , 11,	4
205	Different Curve Shapes of Fasting Glucose and Various Obesity-Related Indices by Diabetes and Sex. 2021 , 18,	1
204	The association between dietary acid load with cardiometabolic risk factors and inflammatory markers amongst elderly men: A cross-sectional study. 2021 , 75, e14109	3

203	Breast Cancer Survivors Undergoing Endocrine Therapy Have a Worrying Risk Factor Profile for Cardiovascular Diseases. 2021 , 13,	0
202	Visceral Obesity-Related Indices in the Identification of Individuals with Metabolic Syndrome Among Different Ethnicities in Xinjiang, China. 2021 , 14, 1609-1620	2
201	Performance of adiposity indicators in predicting metabolic syndrome in older adults. 2021 , 65, 588-595	0
200	The Importance of New Anthropometric Measurements in Detecting Cardio Metabolic Risk and Insulin Resistance in Patients with Polycystic Ovary Syndrome: Single Center Experience. 2021 , 5, 25-32	1
199	Effects of Exercise Training on Vascular Markers of Disease Progression in Patients with Small Abdominal Aortic Aneurysms. 2021 , 134, 535-541	2
198	Investigation of the Association between Smoking Behavior and Metabolic Syndrome Using Lipid Accumulation Product Index among South Korean Adults. 2021 , 18,	0
197	One Year of Dapagliflozin Add-On Therapy Ameliorates Surrogate Indexes of Insulin Resistance and Adiposity in Patients with Type 2 Diabetes Mellitus. 2021 , 12, 1677-1688	
196	in combination with high intensity interval training in overweight and obese women: a randomized double-blind clinical trial. 2021 , 20, 781-792	1
195	Relative Children's Lipid Accumulation Product Is a Novel Indicator for Metabolic Syndrome. 2021 , 12, 645825	0
194	Association of neighborhood greenness exposure with cardiovascular diseases and biomarkers. 2021 , 234, 113738	7
193	Risk of Iron Overload in Obesity and Implications in Metabolic Health. 2021 , 13,	4
192	Comparison of obesity indices and triglyceride glucose-related parameters to predict type 2 diabetes mellitus among normal-weight elderly in China. 2021 , 1	1
191	Hepatocorbidity in psoriasis. 2021 , 7-11	
190	Fructose intake is not associated to the risk of hepatic fibrosis in patients with Non-Alcoholic Fatty Liver Disease (NAFLD). 2021 , 40, 4275-4283	2
189	Nonalcoholic fatty liver disease is associated with the development of obstructive sleep apnea. 2021 , 11, 13473	1
188	Obesity-Related Indices Are Associated with Peripheral Artery Occlusive Disease in Patients with Type 2 Diabetes Mellitus. 2021 , 11,	3
187	Relationship between uric acid and lipid accumulation product index by gender in Korean adults: The 2016 Korean National Health and Nutrition Examination Survey. 2021 , 15, 541-547	3
186	Lipid Accumulation Product Is More Related to Insulin Resistance than the Visceral Adiposity Index in the Maracaibo City Population, Venezuela. 2021 , 2021, 5514901	1

185	Correlation of Significantly Decreased Serum Circulating Mesencephalic Astrocyte-Derived Neurotrophic Factor Level With an Increased Risk of Future Cardiovascular Disease in Adult Patients With Growth Hormone Deficiency. 2021 , 12, 671126	1
184	The connection of alpha-1 acid glycoprotein inflammatory marker with anthropometric, hormonal, and metabolic characteristic of women with polycystic ovary syndrome. 2021 , 47, 3571-3582	3
183	Cut-off values and clinical efficacy of body roundness index and other novel anthropometric indices in identifying metabolic syndrome and its components among Southern-Indian adults.. 2022 , 13, 188-200	
182	Performance of Two Novel Obesity Indicators for the Management of Metabolic Syndrome in Young Adults. 2021 , 12, 719416	0
181	Relationship and Effects of Vitamin D on Metabolic Syndrome: A Systematic Review. 2021 , 13, e17419	0
180	Is lipid accumulation product a better cardiovascular risk predictor in elderly individuals than anthropometric measures?. 2021 , 40, 539-544	2
179	Associations between Metabolic Syndrome and Obesity-Related Indices and Bone Mineral Density T-Score in Hemodialysis Patients. 2021 , 11,	1
178	Effect of omega-3 supplementation on fatty liver and visceral adiposity indices in diabetic patients with non-alcoholic fatty liver disease: A randomized controlled trial. 2021 , 44, 130-135	6
177	Metabolic syndrome and unfavorable outcomes on body composition and in visceral adiposities indexes among early breast cancer women post-chemotherapy. 2021 , 44, 306-315	1
176	Evaluation of Novel Obesity and Lipid-Related Indices as Indicators for the Diagnosis of Metabolic Syndrome and Premetabolic Syndrome in Chinese Women with Polycystic Ovary Syndrome. 2021 , 2021, 7172388	1
175	Anthropometric Indices and Age at Natural Menopause: A 15-Year Follow-up Population-Based Study.. 2021 , 19, e109285	0
174	Anthropometric, biochemical and clinical parameters in climacteric yoga practitioners. 2021 , 1-7	
173	Is lipid accumulation product a better cardiovascular risk predictor in elderly individuals than anthropometric measures?. 2021 , 40, 539-544	
172	Comparison of anthro-metabolic indicators for predicting the risk of metabolic syndrome in the elderly population: Bushehr Elderly Health (BEH) program.. 2021 , 20, 1439-1447	0
171	Comparison of various insulin resistance surrogates on prognostic prediction and stratification following percutaneous coronary intervention in patients with and without type 2 diabetes mellitus. 2021 , 20, 190	6
170	Diagnostic and Predictive Values of LAP in Hypertension: A Cross-Sectional Study in Chinese Population Older Than 65 Years. 2021 , 2021, 3066007	0
169	Effects of SNVs in ABCA1, ABCG1, ABCG5, ABCG8, and SCARB1 Genes on Plasma Lipids, Lipoproteins, and Adiposity Markers in a Brazilian Population. 2021 , 1	
168	Lipid accumulation product (LAP) as a potential index to predict risk of insulin resistance in young, non-obese Asian Indian males from Southern India: observations from hyperinsulinemic-euglycemic clamp studies. 2021 , 9,	0

167	Relationships between di-(2-ethylhexyl) phthalate exposure and lipid metabolism in adolescents: Human data and experimental rat model analyses. 2021 , 286, 117570	4
166	Association Between Lipid Accumulation Product and Target Organ Damage in Elderly Population: The Northern Shanghai Study. 2021 , 16, 1769-1776	0
165	Sex Difference in the Associations among Obesity-Related Indices with Metabolic Syndrome in Patients with Type 2 Diabetes Mellitus. 2021 , 18, 3470-3477	1
164	Characterisation of body size phenotypes in a middle-aged Maltese population. 2021 , 10, e81	0
163	Design and Conduct of a Real-World Single-Center Registry Study on Testosterone Therapy of Men with Hypogonadism. 2021 , 2, 1-17	1
162	Eat and Death: Chronic Over-Eating. 2017 , 960, 53-80	11
161	Differences between adiposity indicators for predicting all-cause mortality in a representative sample of United States non-elderly adults. 2012 , 7, e50428	32
160	A preliminary study of the relationship between promoter methylation of the ABCG1, GALNT2 and HMGCR genes and coronary heart disease. 2014 , 9, e102265	32
159	Evaluation of the accuracy of anthropometric clinical indicators of visceral fat in adults and elderly. 2014 , 9, e103499	65
158	[Cardiometabolic index as a predictor of cardiovascular risk factors in adolescents]. 2018 , 20, 340-345	3
157	Comparison of Predictive Value of Obesity and Lipid Related Variables for Metabolic Syndrome and Insulin Resistance in Obese Adults. 2019 , 25, 256-266	0
156	Incidence of prediabetes and risk of developing cardiovascular disease in women with polycystic ovary syndrome. 2016 , 16, 298-306	11
155	Nonalcoholic fatty liver disease in women with polycystic ovary syndrome: associated factors and noninvasive fibrosis staging in a single Brazilian center. 2020 , 64, 235-242	6
154	Lipid accumulation product is a predictor of nonalcoholic fatty liver disease in childhood obesity. 2019 , 62, 450-455	5
153	Noninvasive Evaluation of Nonalcoholic Fatty Liver Disease. 2020 , 35, 243-259	5
152	Lipid Accumulation Product Index as Visceral Obesity Indicator in Psoriasis: A Case-control Study. 2018 , 63, 136-140	7
151	Role of Versican and ADAMTS-1 in Polycystic Ovary Syndrome. 2017 , 9, 24-30	9
150	Visceral adiposity indicators as predictors of metabolic syndrome in postmenopausal women. 2019 , 16, 164-168	6

- 149 Association of serum levels of vascular endothelial growth factor and thrombospondin-1 to body mass index in polycystic ovary syndrome: a case-control study. **2019**, 62, 420-428 4
- 148 Comparison of lipid accumulation product and body mass index as indicators of diabetes diagnosis among 215,651 Chinese adults. **2020**, 8, e8483 5
- 147 Waist-to-height ratio, an optimal anthropometric indicator for metabolic dysfunction associated fatty liver disease in the Western Chinese male population. **2021**, 20, 145 0
- 146 Association of Visceral Obesity-Related Indices With Coronary Collateralization in Patients With Chronic Total Occlusion. **2021**, 8, 742855 1
- 145 Association between cardiometabolic index and stroke: A population-based cross-sectional study. **2021**, 0
- 144 Relative children's lipid accumulation with hypertension in Chinese children and adolescents. **2021**, 21, 1884 0
- 143 Differences between Adiposity Indicators for Predicting All-Cause Mortality in a Representative Sample of United States Non-Elderly Adults. **2014**, 71-99 0
- 142 How long is A Piece of String? Less than Half your Height. Five Steps from Science to Screening: A Mini Review. **2017**, 7, 0
- 141 Relationship between the Lipid Accumulation Product Index and Alanine Aminotransferase in Korean Adult Men. **2017**, 49, 374-381 0
- 140 Indicators of Abdominal Adiposity and Carotid Intima-Media Thickness: Results from the Longitudinal Study of Adult Health (ELSA-Brazil). **2019**, 112, 220-227 7
- 139 Componentes da síndrome metabólica. 39-86 0
- 138 Is Lipid Accumulation Product Associated with an Atherogenic Lipoprotein Profile in Brazilian Subjects?. **2018**, 110, 339-347 3
- 137 RELATION OF ANTHROPOMETRIC INDEXES AND CORONARY HEART DISEASE. **2018**, 17, 11-16 4
- 136 The Comparison of Simple Anthropometric and Biochemical Parameters for Predicting Liver Steatosis in Obese Balinese Young Women. **2018**, 6, 2062-2066 0
- 135 The relation of visceral adiposity index and lipid accumulation product with metabolic, anthropometric, and hormonal parameters in patients with polycystic ovary syndrome. **2020**, 4, 664-668 0
- 134 The insulin resistance indices: necessity and opportunities in type 2 diabetes mellitus management. **2020**, 96, 529-535 0
- 133 Comparison of noninvasive scoring systems for the prediction of nonalcoholic fatty liver disease in metabolic syndrome patients. **2020**, 99, e23619 0
- 132 The role of non-invasive scores in determining the liver fibrosis in NAFLD and psoriatic patients. **2020**, 61, 503-511 1

131	HİPOTRODİHASTALARINDA VİSERAL ADİPÖZİTE İNDEKSİVE LİPİD ACCUMULATION PRODUCT YENİKARDİYOMETABOLİK RİSK BELİRTECİLERİDLABİR Mİ.	
130	Lipid Accumulation Product Index to Predict Metabolic Syndrome in People Living with HIV. 2020 , 18, 120-125	0
129	[The role of adipose tissue and laboratory predictors of primary osteoporosis.]. 2020 , 65, 205-211	
128	Metabolic Dysfunction-Associated Fatty Liver Disease Better Predicts Incident Cardiovascular Disease. 2021 ,	0
127	Utilidad práctica de los índices no invasivos en la esteatosis hepática metabólica. 2021 ,	0
126	Supplementation of Low Ratio n-6:n-3 PUFA Reduces Body Fatness in Young Obese Balinese Women: A Randomized Study with Optimized Energy Regulation. 2020 , 584-595	
125	Cross-sectional association between lifestyle behavior and cardiometabolic biomarkers in west Algerian postmenopausal women. 2020 , 04, 7-16	
124	Cross-sectional association between lifestyle behavior and cardiometabolic biomarkers in west Algerian postmenopausal women. 2020 , 4, S7-S16	1
123	The association of hypertriglyceridemic waist phenotype with type 2 diabetes mellitus among individuals with first relative history of diabetes. 2011 , 16, 156-64	18
122	Domain Analysis of Integrated Data to Reduce Cost Associated with Liver Disease. 2015 , 216, 414-8	
121	Effect of Cornus mas L. fruit extract on lipid accumulation product and cardiovascular indices in patients with non-alcoholic fatty liver disease: A double-blind randomized controlled trial.. 2022 , 47, 51-57	1
120	Gender difference in the relationship between lipid accumulation product index and pulse pressure in nondiabetic Korean adults: The Korean National Health and Nutrition Examination Survey 2013-2014. 2021 , 1-8	1
119	Obesity-Related Indices Are Associated with Longitudinal Changes in Lung Function: A Large Taiwanese Population Follow-Up Study. 2021 , 13,	0
118	Novel Adiposity and Biochemical-Anthropometric Indices to Identify Cardiometabolic Risk and Metabolic Syndrome in Mexican Adults. 2021 , 9,	
117	Which anthropometric and metabolic index is superior in hypertension prediction among overweight/obese adults?. 2021 , 14, 153-161	0
116	Children's Lipid Accumulation Product Combining Visceral Adiposity Index is a Novel Indicator for Predicting Unhealthy Metabolic Phenotype Among Chinese Children and Adolescents. 2021 , 14, 4579-4587	
115	The Relationships Between Lipid Accumulation Product Levels and Cognitive Decline Over 4 Years in a Rural Area of Xi'an, China. 2021 , 13, 761886	0
114	Sex differences in cardiometabolic abnormalities in a middle-aged Maltese population.. 2022 , 1	0

113	Anthropometric clinical indicators of visceral adiposity as predictors of nonalcoholic fatty liver disease.. 2021 , 67, 1544-1549	0
112	Association of Insulin Resistance with Vascular Ageing in a General Caucasian Population: An EVA Study.. 2021 , 10,	1
111	Association of Various Anthropometric Indices with Sudomotor Dysfunction in Type 2 Diabetic Patients. 2022 , 12, 35-49	
110	Relationship Between the Lipid Accumulation Product Index and Arterial Stiffness in the Chinese Population With Hypertension: A Report From the China H-Type Hypertension Registry Study.. 2021 , 8, 760361	0
109	MAFLD/NAFLD Biopsy-Free Scoring Systems for Hepatic Steatosis, NASH, and Fibrosis Diagnosis.. 2021 , 8, 774079	2
108	Exposure to O and NO in physically active adults: an evaluation of physiological parameters and health risk assessment.. 2022 , 1	0
107	Lipid ratios and obesity indices are effective predictors of metabolic syndrome in women with polycystic ovary syndrome.. 2022 , 13, 20420188211066699	0
106	Sex-specific contribution of lipid accumulation product and cardiometabolic index in the identification of nonalcoholic fatty liver disease among Chinese adults.. 2022 , 21, 8	1
105	Association of Chinese Visceral Adiposity Index and Its Dynamic Change With Risk of Carotid Plaque in a Large Cohort in China.. 2021 , e022633	0
104	Sex-specific association of sleep duration with subclinical indicators of metabolic diseases among asymptomatic adults.. 2022 , 21, 16	
103	Metabolic Obesity in People with Normal Body Weight (MONW)-Review of Diagnostic Criteria.. 2022 , 19,	2
102	Evaluation of the Value of Waist Circumference and Metabolomics in the Estimation of Visceral Adipose Tissue.. 2022 ,	0
101	Association Between Lipid Accumulation Product and Cognitive Function in Hypertensive Patients With Normal Weight: Insight From the China H-type Hypertension Registry Study.. 2021 , 12, 732757	0
100	Modern approaches to screening diagnostics of the risk of metabolic syndrome based on integrated clinical and laboratory indicators (review). 2022 , 32-44	
99	An evaluation of metabolic, dietetic, and nutritional status reveals impaired nutritional outcomes in breast cancer patients undergoing chemotherapy compared with a matched control group.	
98	Cardiovascular Risk Factors and Subclinical Atherosclerosis in Greek Adolescents with Polycystic Ovary Syndrome: Its Relationship with Body Mass Index.. 2021 , 9,	0
97	Association of rs6265 and rs17782313 with metabolic syndrome in Pakistanis. 2019 , 44,	4
96	Lipid Accumulation Product Better Predicts Metabolic Status in Lean Polycystic Ovary Syndrome than that by Visceral Adiposity Index.. 2022 , 15, 27-33	0

95	Optimal Obesity- and Lipid-Related Indices for Predicting Metabolic Syndrome in Chronic Kidney Disease Patients with and without Type 2 Diabetes Mellitus in China.. 2022 , 14,		0
94	The Prevalence of Polycystic Ovary Syndrome, Its Phenotypes and Cardio-Metabolic Features in a Community Sample of Iranian Population: Tehran Lipid and Glucose Study.. 2022 , 13, 825528		0
93	CRP Serum Levels Are Associated with High Cardiometabolic Risk and Clinical Disease Activity in Systemic Lupus Erythematosus Patients.. 2022 , 11,		1
92	Serum Ferritin Levels Are Associated with Adipose Tissue Dysfunction-Related Indices in Obese Adults.. 2022 , 1		
91	Predictive Effect of Triglyceride Glucose-Related Parameters, Obesity Indices, and Lipid Ratios for Diabetes in a Chinese Population: A Prospective Cohort Study.. 2022 , 13, 862919		0
90	The Relationship between the Lipid Accumulation Product and Beta-cell Function in Korean Adults with or without Type 2 Diabetes Mellitus: The 2015 Korea National Health and Nutrition Examination Survey.. 2022 , 1-9		0
89	Comparative analysis of the association between traditional and lipid-related obesity indicators and isolated systolic hypertension : Association of obesity indicators with ISH.. <i>BMC Cardiovascular Disorders</i> , 2022 , 22, 119	2.3	0
88	Metabolic Syndrome and High-Obesity-Related Indices Are Associated with Poor Cognitive Function in a Large Taiwanese Population Study Older than 60 Years.. 2022 , 14,		0
87	Association between Health-Related Physical Fitness and Risk of Dyslipidemia in University Staff: A Cross-Sectional Study and a ROC Curve Analysis.. 2021 , 14,		0
86	Evaluation of the Association between Obesity Markers and Type 2 Diabetes: A Cohort Study Based on a Physical Examination Population.. 2021 , 2021, 6503339		0
85	Association Among Lipid Accumulation Product, Chinese Visceral Obesity Index and Diabetic Retinopathy in Patients with Type 2 Diabetes: A Cross-Sectional Study.. 2021 , 14, 4971-4979		0
84	Relationship between Serum Kallistatin and Afamin and Anthropometric Factors Associated with Obesity and of Being Overweight in Patients after Myocardial Infarction and without Myocardial Infarction.. 2021 , 10,		2
83	Lipid Accumulation Product Predicts Diabetes Remission After Bariatric Surgery in Chinese Patients with BMI . 2022 , 32, 1935		0
82	Construction of a Personalized Insulin Resistance Risk Assessment Tool in Xinjiang Kazakhs Based on Lipid- and Obesity-Related Indices.. 2022 , 15, 631-641		
81	Relationship between Visceral Adipose Index, Lipid Accumulation Product and Type 2 Diabetes Mellitus. 2022 , 12, 3350-3355		
80	No association between dietary magnesium intake and body composition among Iranian adults: a cross-sectional study.. 2022 , 8, 39		
79	Altered Visceral Adipose Tissue Predictors and Women's Health: A Unicenter Study.. 2022 , 19,		1
78	Visceral Adiposity Index Is Associated with the Increased Syntax Score in Patients with Type 2 Diabetes Mellitus.. 2022 ,		

- 77 Association of low-carbohydrate diet score and carbohydrate quality with visceral adiposity and lipid accumulation product.. **2022**, 1-29
- 76 Association Between Four Anthropometric Indexes and Metabolic Syndrome in US Adults. **2022**, 13, ○
- 75 Nonalcoholic Fatty Liver Disease: An Emerging Modern-Day Risk Factor for Cardiovascular Disease. **2022**,
- 74 Non-invasive diagnosis and staging of non-alcoholic fatty liver disease. ○
- 73 Visceral Adiposity Index and Lipid Accumulation Product Related to Insulin Resistance and Metabolic Syndrome in Obese College Students. **2022**, 10, 667-673
- 72 Derivation and validation of sex-specific continuous metabolic syndrome scores for the Mexican adult population. **2022**, 12, ○
- 71 Sex Difference in the Associations among Obesity-Related Indices with Incident Hypertension in a Large Taiwanese Population Follow-Up Study. **2022**, 12, 972 ○
- 70 Prevalence of Metabolic Syndrome and Insulin Resistance in a Sample of Adult ADHD Outpatients. 13, ○
- 69 Erectile Dysfunction in Relation to Metabolic Disorders and the Concentration of Sex Hormones in Aging Men. **2022**, 19, 7576 ○
- 68 Predicting metabolic syndrome by visceral adiposity index, body roundness index, dysfunctional adiposity index, lipid accumulation product index, and body shape index in adults. **2022**,
- 67 The practical utility of non-invasive indices in metabolic hepatic steatosis. **2022**, 69, 418-425
- 66 An Evaluation of Metabolic, Dietetic, and Nutritional Status Reveals Impaired Nutritional Outcomes in Breast Cancer Patients. 1-12 ○
- 65 The Relationship between Lipid Accumulation Product, Insulin Resistance and Obesity in Korean Adults. **2022**, 54, 149-156
- 64 Blood Lead Level Is Associated with Visceral Adipose Dysfunction in Patients with Type 2 Diabetes.
- 63 Cross-sectional and longitudinal associations between lipid accumulation product and hyperuricemia. **2022**,
- 62 Comparison of Composite Lipid Indices in Patients with Obstructive Sleep Apnoea. Volume 14, 1333-1340 ○
- 61 Metabolic Syndrome and Obesity-Related Indices Are Associated with Rapid Renal Function Decline in a Large Taiwanese Population Follow-Up Study. **2022**, 10, 1744 ○
- 60 Comparison of the Diagnostic Performance of Steatosis Indices for Discrimination of CT-Diagnosed Metabolic Dysfunction-Associated Fatty Liver Disease. **2022**, 12, 664 ○

59	Cardiometabolic profiles in women with adenomyosis. 1-6	
58	Factors correlated with targeted prevention for prediabetes classified by impaired fasting glucose, impaired glucose tolerance, and elevated HbA1c: A population-based longitudinal study. 13,	
57	Occupational Exposure to Air Pollutants Among Professional Motorcyclists in Brazil Results in Higher Health Risk and Changing in Biochemical and Cardiovascular Parameters. 2022 , 233,	
56	Lipid Accumulation Product, Visceral Adiposity Index and Risk of Chronic Kidney Disease.	
55	Relationship between lipid accumulation product and oxidative biomarkers by gender in adults from Yucatan, Mexico. 2022 , 12,	
54	Visceral and body adiposity are negatively associated with vitamin A nutritional status independently of Body Mass Index and recommended intake of vitamin A in Brazilian Women. 2022 , 109, 109120	2
53	The triglyceride glucose-body mass index: a non-invasive index that identifies non-alcoholic fatty liver disease in the general Japanese population. 2022 , 20,	0
52	Effect of L-carnitine supplementation on lipid accumulation product and cardiovascular indices in women with overweight/obesity who have knee osteoarthritis: a randomized controlled trial. 2022 , 6,	0
51	The effects of high-intensity interval training and moderate-intensity continuous training on visceral fat and carotid hemodynamics parameters in obese adults. 2022 , 20, 355-365	0
50	Correlation of markers of inflammation with hormonal, metabolic parameters, insulin resistance and adiposity indices in first-degree relatives of patient with polycystic ovary syndrome.. 2022 , 15, 250	0
49	Comparison of the predictive value of anthropometric indicators for the risk of benign prostatic hyperplasia in southern China. 2022 , 0	0
48	Correlation of markers of inflammation with hormonal, metabolic parameters, insulin resistance and adiposity indices in first-degree relatives of patient with polycystic ovary syndrome.. 2022 , 15, 250	0
47	Association of lipid accumulation product with type 2 diabetes mellitus, hypertension, and mortality: a systematic review and meta-analysis.	0
46	DoseâResponse Relationship of Resistance Training on Metabolic Phenotypes, Body Composition and Lipid Profile in Menopausal Women. 2022 , 19, 10369	0
45	Polikistik over sendromu hastalarında subklinik ateroskleroz, proinflamatuvar durum ve insülin direncinin antropometrik ölçülerle korelasyonu. 2022 , 3, 182-187	0
44	Comparison of obesity-related indicators for identifying metabolic syndrome among normal-weight adults in rural Xinjiang, China. 2022 , 22,	1
43	Clinical Usefulness of Non-Invasive Metabolic-Associated Fatty Liver Disease Risk Assessment Methods in Patients with Full-Blown Polycystic Ovary Syndrome in Relation to the MRI Examination with the Ideal IQ Sequence. 2022 , 10, 2193	0
42	Comparison between distinct insulin resistance indices in measuring the development of hypertension: The China Health and Nutrition Survey. 9,	2

- 41 Interaction analysis of lipid accumulation product and family history of diabetes on impaired fasting glucose and diabetes risk in population with normotension in Eastern China: a community-based cross-sectional survey. **2022**, 80, ○
- 40 Cardiometabolic indices predict hypogonadism in male patients with type 2 diabetes. ○
- 39 Association between abdominal obesity indices and risk of cardiovascular events in Chinese populations with type 2 diabetes: a prospective cohort study. **2022**, 21, 1
- 38 Evaluation of novel obesity- and lipid-related indices as predictors of abnormal glucose tolerance in Chinese women with polycystic ovary syndrome. **2022**, 22, ○
- 37 The lipid accumulation product is a powerful tool to diagnose metabolic dysfunction-associated fatty liver disease in the United States adults. 13, ○
- 36 Association of ϵ 17 A > G (rs2794521) CRP polymorphism with high cardiovascular risk by C-reactive protein in systemic lupus erythematosus patients. ○
- 35 Predictive ability of obesity- and lipid-related indicators for metabolic syndrome in relatively healthy Chinese adults. 13, ○
- 34 Índice de qualidade da dieta e seus componentes não se associaram ao desenvolvimento de câncer de mama: um estudo caso-controle. 25, ○
- 33 Diet quality index and its components have not associated with the development of breast cancer risk assessed by the diet quality index: a case-control study. 25, ○
- 32 Lipid Accumulation Product Index Predicts New-Onset Type 2 Diabetes Among Non-Obese Koreans: A 12-Year Longitudinal Study. Volume 15, 3729-3737 ○
- 31 Comparison of 10 obesity-related indices for predicting hypertension based on ROC analysis in Chinese adults. 10, ○
- 30 Nutritional, biochemical, and clinical determinants of hyperuricemia in systemic lupus erythematosus patients: Relationship with clinical and renal disease activity. 096120332211469 ○
- 29 Association between metabolic scores for visceral fat and chronic kidney disease: A cross-sectional study. 13, ○
- 28 Lipid accumulation product, visceral adiposity index and risk of chronic kidney disease. **2022**, 23, ○
- 27 The blood monocyte to high density lipoprotein cholesterol ratio (MHR) is a possible marker of carotid artery plaque. **2022**, 21, ○
- 26 Interrelation between the lipid accumulation product index and diabetic kidney disease in patients with type 2 diabetes mellitus. ○
- 25 New anthropometric measurement alternatives to BMI and hypertension. ○
- 24 Assessment of metabolic syndrome predictors in relation to inflammation and visceral fat tissue in older adults. **2023**, 13, ○

- 23 Comparison of Novel Biomarkers of Insulin Resistance With Homeostasis Model Assessment of Insulin Resistance, Its Correlation to Metabolic Syndrome in South Indian Population and Proposition of Population Specific Cutoffs for These Indices. **2023**, ○
- 22 The effects of phthalate exposure on metabolic parameters in polycystic ovary syndrome. **2023**, 540, 117225 ○
- 21 Low Obesity-Related Indices Are Associated with a Low Baseline Calcaneus Ultrasound T-Score, and a Rapid Decline in T-Score in a Large Taiwanese Population Follow-Up Study. **2023**, 15, 605 ○
- 20 Sex difference in the associations among obesity-related indices with incidence of diabetes mellitus in a large Taiwanese population follow-up study. 11, ○
- 19 Overall, abdominal, and visceral obesity in men and women: an introduction. **2023**, 3-18 ○
- 18 Vitamin D insufficiency and its association with adipokines and atherogenic indices in patients with metabolic syndrome: A case-control study. 14, ○
- 17 Prediction of MAFLD and NAFLD using different screening indexes: A cross-sectional study in U.S. adults. 14, ○
- 16 Cardiovascular risk factors in metalworking industry workers. **2023**, 101, 1482-1487 ○
- 15 Advances in the Diagnosis and Treatment of Non-Alcoholic Fatty Liver Disease. **2023**, 24, 2844 ○
- 14 Validation of nonalcoholic fatty liver disease (NAFLD) related steatosis indices in metabolic associated fatty liver disease (MAFLD) and comparison of the diagnostic accuracy between NAFLD and MAFLD. **2023**, 35, 394-401 ○
- 13 Dynapenia, Muscle Quality, and Hepatic Steatosis in Patients with Obesity and Sarcopenic Obesity. **2023**, 11, 472 ○
- 12 The Visceral Adiposity Index (VAI) and Lipid Accumulation Product (LAP) Are Predictors of Insulin Resistance and Hyperandrogenaemia in Obesity/Overweight Women with Polycystic Ovary Syndrome. **2023**, 2023, 1-9 ○
- 11 Higher visceral adiposity index and lipid accumulation product in relation to increased risk of atherosclerotic burden in community-dwelling older adults. **2023**, 174, 112115 ○
- 10 Obesity- and lipid-related indices as a predictor of obesity metabolic syndrome in a national cohort study. 11, ○
- 9 Visceral Adiposity Index and Lipid Accumulation Product as Effective Markers of Different Obesity Phenotypes in Korean Adults: A Cross-Sectional Analysis. Volume 16, 495-504 ○
- 8 Interactive effects of FTO rs9939609 and obesogenic behavioral factors on adiposity-related anthropometric and metabolic phenotypes. 1-20 ○
- 7 Effects of Age, Metabolic and Socioeconomic Factors on Cardiovascular Risk among Saudi Women: A Subgroup Analysis from the Heart Health Promotion Study. **2023**, 59, 623 ○
- 6 Lipid accumulation product (LAP) index for the diagnosis of nonalcoholic fatty liver disease (NAFLD): a systematic review and meta-analysis. **2023**, 22, ○

- 5 Advances in the Study of Obesity and Diabetic Vascular Complications. **2023**, 13, 4686-4693 ○
- 4 The triglyceride glucose-waist-to-height ratio outperforms obesity and other triglyceride-related parameters in detecting prediabetes in normal-weight Qatari adults: A cross-sectional study. 11, ○
- 3 The new visceral adiposity index outperforms traditional obesity indices as a predictor of subclinical renal damage in Chinese individuals: a cross-sectional study. **2023**, 23, ○
- 2 Diabetes Mellitus Type 2 Patients with Abdominal Obesity Are Prone to Osteodysfunction: A Cross-Sectional Study. **2023**, 2023, 1-11 ○
- 1 Predicting hypertension by obesity- and lipid-related indices in mid-aged and elderly Chinese: a nationwide cohort study from the China Health and Retirement Longitudinal Study. **2023**, 23, ○