

CITATION REPORT

List of articles citing

Noninvasive assessment of liver fibrosis by measurement of stiffness in patients with chronic hepatitis C

DOI: 10.1002/hep.20506
Hepatology, 2005, 41, 48-54.

Source: <https://exaly.com/paper-pdf/38329656/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1185	New paradigms in the management of HIV and hepatitis C virus coinfection. 2005 , 18, 550-60		11
1184	Value of two noninvasive methods to detect progression of fibrosis among HCV carriers with normal aminotransferases. <i>Hepatology</i> , 2005 , 42, 838-45	11.2	161
1183	Assessment of liver fibrosis: palpate, poke or pulse?. <i>Hepatology</i> , 2005 , 42, 759-61	11.2	15
1182	A novel panel of blood markers to assess the degree of liver fibrosis. <i>Hepatology</i> , 2005 , 42, 1373-81	11.2	403
1181	Nouveautés en échographie digestive en 2005. 2005 , 35, 547-548		
1180	Can serum markers be used to reliably detect liver fibrosis?. 2005 , 2, 132-3		4
1179	Assessment of liver fibrosis: Can serum become the sample of choice?. 2005 , 51, 1763-4		8
1178	[Management of cirrhosis complications in HIV patients coinfecting with hepatitis B or C virus]. 2005 , 34, 1579-83		2
1177	[The evolution of the hypervariable region-1 of hepatitis C virus may predict liver fibrosis outcome after renal transplantation]. 2005 , 1, 345-54		
1176	[Non-invasive methods for prediction of hepatic fibrosis in chronic hepatitis C]. 2005 , 124, 775-7		
1175	Approach to the diagnosis and treatment of nonalcoholic fatty liver disease. 2005 , 9, 617-34, vi		26
1174	NASH: a hidden and silent fibroser finally revealed?. 2005 , 42, 12-4		23
1173	Fibrosis in chronic liver diseases: diagnosis and management. 2005 , 42 Suppl, S22-36		181
1172	Divining the role of liver biopsy in hepatitis C. 2005 , 43, 374-6		6
1171	Noninvasive assessment of liver fibrosis. 2005 , 9, 667-83, vii		30
1170	L'Échographie du foie, c'est quoi ?. 2006 , 46, 211-215		
1169	A Systematic Review of the Quality of Liver Biopsy Specimens. 2006 , 125, 710-721		172

1168	Non-invasive measurement of liver fibrosis: application of the FibroScan in hepatology. 2006 , 85-8	23
1167	[Noninvasive assessment of liver fibrosis in patients with chronic hepatitis virus C]. 2006 , 35, 1317-26	2
1166	Efforts to define the natural history of chronic hepatitis C continue. 2006 , 4, 1190-2	3
1165	Do we still need a liver biopsy? Are the serum fibrosis tests ready for prime time?. 2006 , 10, 513-34, viii	17
1164	Noninvasive evaluation of liver disease severity. 2006 , 10, 535-62, viii-ix	7
1163	[Transient elastography (Fibroscan), a new non-invasive method to evaluate hepatic fibrosis]. 2006 , 126, 220-2	11
1162	[HIV and HCV coinfection]. 2006 , 24, 335-45; quiz 346	3
1161	Diagnosis of hepatic fibrosis in patients with chronic hepatitis C. 2006 , 10, 821-33	14
1160	A pilot approach for quantitative assessment of liver fibrosis using ultrasound: preliminary results in 79 cases. 2006 , 44, 68-75	66
1159	Non-alcoholic steatohepatitis: from cell biology to clinical practice. 2006 , 44, 197-208	152
1158	Assessment of liver fibrosis in co-infected patients. 2006 , 44, S126-31	22
1157	Treatment of chronic hepatitis C in HIV-positive individuals: selection of candidates. 2006 , 44, S44-8	19
1156	How to assess liver fibrosis and for what purpose?. 2006 , 44, 444-5	14
1155	Liver stiffness measurement selects patients with cirrhosis at risk of bearing large oesophageal varices. 2006 , 45, 230-5	278
1154	Predictions from a hard liver. 2006 , 45, 174-7	23
1153	Évaluation non invasive de la fibrose hépatique par mesure de l'élastométrie du foie chez 15 patients avec surcharge en fer post-transfusionnelle. 2006 , 27, S383-S384	
1152	Efficacy of non-invasive elastometry in patients with nonalcoholic fatty liver disease. 2006 , 47, 448-449	
1151	Prevalence and factors associated with failure of liver stiffness measurement using FibroScan in a prospective study of 2114 examinations. 2006 , 18, 411-2	265

1150	Noninvasive tests for liver fibrosis. 2006 , 119, 8-13		1
1149	Fibrose h�patique. 2006 , 1, 1-7		
1148	Noninvasive diagnosis of liver fibrosis by ultrasonic transient elastography (Fibroscan). 2006 , 18, 1321-5		53
1147	In vivo determination of hepatic stiffness using steady-state free precession magnetic resonance elastography. 2006 , 41, 841-8		88
1146	Hepatitis C: who should be treated?. 2006 , 15, 77-9		0
1145	Biologie et cirrhose. 2006 , 2006, 65-71		1
1144	The natural history of childhood-acquired hepatitis C infection in patients with inherited bleeding disorders. 2006 , 46, 1360-6		21
1143	Noninvasive ratio indexes to evaluate fibrosis staging in chronic hepatitis C: role of platelet count/spleen diameter ratio index. 2006 , 260, 142-50		31
1142	Validation and comparison of indexes for fibrosis and cirrhosis prediction in chronic hepatitis C patients: proposal for a pragmatic approach classification without liver biopsies. 2006 , 13, 659-70		94
1141	Diagnosis of liver fibrosis by transient elastography (FibroScan) and non-invasive methods in Crohn's disease patients treated with methotrexate. 2006 , 23, 1621-8		58
1140	Fibroscan� : un �outil non invasif de mesure de la duret� du foie par elastom�trie. 2006 , 27, 25-31		2
1139	Fibrosis markers in hepatitis C. 2006 , 5, 86-93		2
1138	[Liver biopsy in management of chronic liver diseases: "EASL monothematic conference highlights"]. 2006 , 30, 121-3		1
1137	[Fibroscan: instructions for use]. 2006 , 30, 513-4		12
1136	Liver fibrosis: non-invasive assessment with MR elastography. 2006 , 19, 173-9		339
1135	Development and validation of two models for early prediction of response to therapy in genotype 1 chronic hepatitis C. <i>Hepatology</i> , 2006 , 43, 72-80	11.2	41
1134	FibroScan and FibroTest to assess liver fibrosis in HCV with normal aminotransferases. <i>Hepatology</i> , 2006 , 43, 373-4; author reply 375-6	11.2	38
1133	Viral hepatitis. <i>Hepatology</i> , 2006 , 43, S230-4	11.2	19

1132	Noninvasive measures of liver fibrosis. <i>Hepatology</i> , 2006 , 43, S113-20	11.2	257
1131	An editor's look-back. <i>Hepatology</i> , 2006 , 43, S13-30	11.2	4
1130	Reply:. <i>Hepatology</i> , 2006 , 43, 375-376	11.2	6
1129	Hepatic venous pressure gradient identifies patients at risk of severe hepatitis C recurrence after liver transplantation. <i>Hepatology</i> , 2006 , 43, 492-9	11.2	238
1128	Assessment of biliary fibrosis by transient elastography in patients with PBC and PSC. <i>Hepatology</i> , 2006 , 43, 1118-24	11.2	334
1127	Gender and liver: is the liver stiffness weaker in weaker sex?. <i>Hepatology</i> , 2006 , 44, 513-4	11.2	55
1126	Accuracy of liver stiffness measurement for the diagnosis of cirrhosis in patients with chronic liver diseases. <i>Hepatology</i> , 2006 , 44, 1511-7	11.2	382
1125	Transient elastography for diagnosis of advanced fibrosis and portal hypertension in patients with hepatitis C recurrence after liver transplantation. 2006 , 12, 1791-8		315
1124	Functional hepatic imaging and disease recurrence after liver transplantation. 2006 , 12, 1744-6		3
1123	Diagnosis of hepatic fibrosis and cirrhosis by transient elastography in HIV/hepatitis C virus-coinfected patients. 2006 , 41, 175-9		286
1122	Liver fibrosis in HIV-infected patients with chronic hepatitis B extensively exposed to antiretroviral therapy with anti-HBV activity. 2006 , 7, 246-50		21
1121	Hepatic Fibrosis and Cirrhosis. 2006 , 87-109		7
1120	Diagnosis of cirrhosis by transient elastography (FibroScan): a prospective study. <i>Gut</i> , 2006 , 55, 403-8	19.2	882
1119	An appraisal of the histopathological assessment of liver fibrosis. <i>Gut</i> , 2006 , 55, 569-78	19.2	299
1118	Liver stiffness measurement versus clinicians' prediction or both for the assessment of liver fibrosis in patients with chronic hepatitis C. 2006 , 101, 2744-51		28
1117	Management of chronic hepatitis B and C in HIV-coinfected patients. 2006 , 57, 815-8		67
1116	Predictors of liver fibrosis in HIV-infected patients with chronic hepatitis C virus (HCV) infection: assessment using transient elastometry and the role of HCV genotype 3. 2006 , 42, 1032-9		45
1115	Non-invasive evaluation of hepatic fibrosis: don't count your chickens before they're hatched. <i>Gut</i> , 2006 , 55, 310-2	19.2	35

1114	Real-time elastography for noninvasive assessment of liver fibrosis in chronic viral hepatitis. 2007 , 188, 758-64		267
1113	31P MR spectroscopy in assessment of response to antiviral therapy for hepatitis C virus-related liver disease. 2007 , 189, 819-23		14
1112	Liver stiffness measurement in children using FibroScan: feasibility study and comparison with Fibrotest, aspartate transaminase to platelets ratio index, and liver biopsy. 2007 , 45, 443-50		179
1111	Care of patients coinfecting with HIV and hepatitis C virus: 2007 updated recommendations from the HCV-HIV International Panel. 2007 , 21, 1073-89		250
1110	Diffusion-weighted MRI for quantification of liver fibrosis: preliminary experience. 2007 , 189, 799-806		284
1109	P1C-2 Liver Stiffness Measurement Using Transient Elastography in Patients with Non-Alcoholic Fatty Liver (NAFLD) and Non-Alcoholic Steatohepatitis (NASH). 2007 ,		1
1108	P5D-4 Advances in Liver Stiffness Measurements Using Transient Elastography. 2007 ,		0
1107	Liver fibrosis stage and HCV genotype distribution in HIV-HCV coinfecting patients with persistently normal transaminases. 2007 , 23, 801-4		17
1106	Liver fibrosis: noninvasive assessment with MR elastography versus aspartate aminotransferase-to-platelet ratio index. <i>Radiology</i> , 2007 , 245, 458-66	20.5	316
1105	The use of transient elastometry for assessing liver fibrosis in patients with HIV and hepatitis C virus coinfection. 2007 , 45, 969-74		155
1104	Progression to end-stage liver disease in patients with inherited bleeding disorders and hepatitis C: an international, multicenter cohort study. 2007 , 109, 3667-71		72
1103	Diagnosis and management of cirrhosis in coinfecting patients. 2007 , 45 Suppl 2, S38-46; discussion S66-7		13
1102	Hepatitis C virus infection: a current review. 2007 , 20, 21-5		1
1101	[Results and place of Fibroscan in the non-invasive diagnosis of hepatic fibrosis]. 2007 , 28, 94-102		6
1100	Evaluation and management of obesity-related nonalcoholic fatty liver disease. 2007 , 4, 432-41		74
1099	Resolving fibrosis in the diseased liver: translating the scientific promise to the clinic. 2007 , 39, 695-714		40
1098	Features associated with success rate and performance of FibroScan measurements for the diagnosis of cirrhosis in HCV patients: a prospective study of 935 patients. 2007 , 46, 628-34		201
1097	The treatment of chronic hepatitis C with peginterferon alfa-2a (40 kDa) plus ribavirin in haemodialysed patients awaiting renal transplant. 2007 , 46, 768-74		136

1096	Technology evaluation: a critical step in the clinical utilization of novel diagnostic tests for liver fibrosis. 2007 , 46, 543-5	35
1095	Psoriasis patients with diabetes type 2 are at high risk of developing liver fibrosis during methotrexate treatment. 2007 , 46, 1111-8	158
1094	Non-invasive tests for liver fibrosis: encouraging or discouraging results?. 2007 , 46, 751-5	28
1093	[Noninvasive methods for predicting liver fibrosis in patients with chronic hepatitis C: alternatives to liver biopsy]. 2007 , 36, 457-66	3
1092	Outbreak of hepatitis C virus infection during sclerotherapy of varicose veins: long-term follow-up of 196 patients (4535 patient-years). 2007 , 46, 19-25	21
1091	Immunopathogenesis of hepatitis C virus infection and hepatic fibrosis: New insights into antifibrotic therapy in chronic hepatitis C. 2007 , 37, 579-95	14
1090	Transient elastography for patients with chronic hepatitis B and C virus infection: Non-invasive, quantitative assessment of liver fibrosis. 2007 , 37, 1002-10	74
1089	Role of radiologic modalities in the management of non-alcoholic steatohepatitis. 2007 , 11, 37-54, viii	153
1088	FibroTest and FibroScan for the prediction of hepatitis C-related fibrosis: a systematic review of diagnostic test accuracy. 2007 , 102, 2589-600	297
1087	Noninvasive assessment of the rheological behavior of human organs using multifrequency MR elastography: a study of brain and liver viscoelasticity. 2007 , 52, 7281-94	259
1086	Reproducibility of transient elastography in the evaluation of liver fibrosis in patients with chronic liver disease. <i>Gut</i> , 2007 , 56, 968-73	19.2 596
1085	Stiffness and impedance: the new liver biomarkers. 2007 , 5, 1144-6	18
1084	Assessment of hepatic fibrosis with magnetic resonance elastography. 2007 , 5, 1207-1213.e2	723
1083	Ultrasound-based transient elastography for the detection of hepatic fibrosis: systematic review and meta-analysis. 2007 , 5, 1214-20	396
1082	[Role of liver biopsy in the diagnosis and management of chronic hepatitis C]. 2007 , 30, 402-7	2
1081	Serum proteomic analysis focused on fibrosis in patients with hepatitis C virus infection. 2007 , 5, 33	37
1080	Natural history and clinical impact of cryoglobulins in chronic hepatitis C: 10-year prospective study of 343 patients. 2007 , 133, 835-42	26
1079	Dynamic analysis of EUS used for the differentiation of benign and malignant lymph nodes. 2007 , 66, 291-300	102

1078	Role of liver biopsy and serum markers of liver fibrosis in non-alcoholic fatty liver disease. 2007 , 11, 25-35, viii		58
1077	Elastography in hepatology. 2007 , 21, 839-42		23
1076	Transient elastography for the assessment of chronic liver disease: ready for the clinic?. 2007 , 13, 4791-7		17
1075	The NAFLD fibrosis score: a noninvasive system that identifies liver fibrosis in patients with NAFLD. <i>Hepatology</i> , 2007 , 45, 846-54	11.2	1757
1074	FibroIndex, a practical index for predicting significant fibrosis in patients with chronic hepatitis C. <i>Hepatology</i> , 2007 , 45, 297-306	11.2	201
1073	Liver stiffness measurement predicts severe portal hypertension in patients with HCV-related cirrhosis. <i>Hepatology</i> , 2007 , 45, 1290-7	11.2	512
1072	HIV and liver disease forum: conference proceedings. <i>Hepatology</i> , 2007 , 45, 1566-77	11.2	28
1071	Reply:. <i>Hepatology</i> , 2007 , 46, 282-283	11.2	2
1070	Transient elastography for diagnosis of portal hypertension in liver cirrhosis: is there still a role for hepatic venous pressure gradient measurement?. <i>Hepatology</i> , 2007 , 45, 1087-90	11.2	57
1069	Diffusion-weighted magnetic resonance imaging for the assessment of fibrosis in chronic hepatitis C. <i>Hepatology</i> , 2007 , 46, 658-65	11.2	217
1068	Magnetic resonance imaging of hepatic fibrosis: emerging clinical applications. <i>Hepatology</i> , 2008 , 47, 332-42	11.2	236
1067	Acute viral hepatitis increases liver stiffness values measured by transient elastography. <i>Hepatology</i> , 2008 , 47, 380-4	11.2	556
1066	Assessment of diffusion-weighted MR imaging in liver fibrosis. 2007 , 25, 122-8		122
1065	Hepatic viscoelastic parameters measured with MR elastography: correlations with quantitative analysis of liver fibrosis in the rat. 2007 , 26, 956-62		69
1064	Non-invasive diagnosis of cirrhosis and the natural history of its complications. 2007 , 21, 3-18		31
1063	Évaluation Non Invasive de la Fibrose Hépatique au Cours des Hépatites Chroniques Virales C. 2007 , 2007, 33-40		
1062	Transient elastography: a new surrogate marker of liver fibrosis influenced by major changes of transaminases. 2007 , 14, 360-9		489
1061	Liver cirrhosis in HIV-infected patients: prevalence, aetiology and clinical outcome. 2008 , 15, 165-72		71

1060	Portal-systemic shunting in patients with fibrosis or cirrhosis due to chronic hepatitis C: the minimal model for measuring cholate clearances and shunt. 2007 , 26, 401-10		14
1059	Transient elastography to assess hepatic fibrosis in primary biliary cirrhosis. 2008 , 27, 441-7		50
1058	Biochemical and biophysical assessment of MTX-induced liver fibrosis in psoriasis patients: Fibrotest predicts the presence and Fibroscan predicts the absence of significant liver fibrosis. 2007 , 27, 639-45		56
1057	Significant liver damage in patients with bleeding disorders and chronic hepatitis C: non-invasive assessment of liver fibrosis using transient elastography. 2007 , 5, 25-30		19
1056	Antiviral therapy for chronic hepatitis C in patients with inherited bleeding disorders: an international, multicenter cohort study. 2007 , 5, 1624-9		35
1055	Noninvasive assessment of liver disease - measurement of hepatic fibrosis using tissue strain imaging. 2007 , 31, 87-92		9
1054	Biomarkers of hepatic fibrosis, fibrogenesis and genetic pre-disposition pending between fiction and reality. 2007 , 11, 1031-51		75
1053	[Use of elastometry (FibroScan) for the non-invasive staging of liver fibrosis]. 2007 , 31, 524-30; quiz 500, 531-2		9
1052	Utilisation des marqueurs non invasifs de fibrose dans la prise en charge de l'hépatite C. 2007 , 31, 34-39		1
1051	Le FibroScan Mode d'Emploi et Coût. 2007 , 37, 400-401		
1050	Diagnosis of hepatic steatosis and fibrosis by transient elastography in asymptomatic healthy individuals: a prospective study of living related potential liver donors. 2007 , 42, 382-8		86
1049	Assessing liver tumor stiffness by transient elastography. <i>Hepatology International</i> , 2007 , 1, 394-7	8.8	76
1048	Dynamic simulation of viscoelastic soft tissues in harmonic motion imaging application. 2008 , 41, 3031-7		1
1047	Noninvasive assessment of liver fibrosis in chronic hepatitis C infection. 2008 , 7, 164-172		
1046	Prediction of postoperative hepatic insufficiency by liver stiffness measurement (FibroScan((R))) before curative resection of hepatocellular carcinoma: a pilot study. <i>Hepatology International</i> , 2008 , 2, 471-7	8.8	66
1045	Recent advances in the pathogenesis and diagnosis of liver fibrosis. 2008 , 43, 315-21		46
1044	Chronic hepatitis: role of diffusion-weighted imaging and diffusion tensor imaging for the diagnosis of liver fibrosis and inflammation. 2008 , 28, 89-95		161
1043	Assessment of liver viscoelasticity using multifrequency MR elastography. 2008 , 60, 373-9		204

1042	Non-invasive measurement of brain viscoelasticity using magnetic resonance elastography. 2008 , 21, 265-71		246
1041	Optical analysis of computed tomography images of the liver predicts fibrosis stage and distribution in chronic hepatitis C. <i>Hepatology</i> , 2008 , 47, 810-6	11.2	39
1040	Transient elastography in acute hepatitis: All that's stiff is not fibrosis. <i>Hepatology</i> , 2008 , 47, 370-2	11.2	30
1039	Accuracy and reproducibility of transient elastography for the diagnosis of fibrosis in pediatric nonalcoholic steatohepatitis. <i>Hepatology</i> , 2008 , 48, 442-8	11.2	292
1038	Noninvasive ultrasound elasticity imaging (UEI) of Crohn's disease: animal model. 2008 , 34, 902-12		83
1037	Elastography in the management of liver disease. 2008 , 34, 1535-46		35
1036	The management of portal hypertension: rational basis, available treatments and future options. 2008 , 48 Suppl 1, S68-92		191
1035	MR elastography of liver fibrosis: preliminary results comparing spin-echo and echo-planar imaging. 2008 , 18, 2535-41		63
1034	Elastography assessment in patients with chronic HCV infection. 2008 , 62, 1108-12		10
1033	Correlation of liver biochemistry with liver stiffness in chronic hepatitis B and development of a predictive model for liver fibrosis. 2008 , 28, 1408-16		68
1032	Transient elastography accurately predicts presence of significant portal hypertension in patients with chronic liver disease. 2008 , 27, 1261-8		282
1031	Prospective evaluation of transient elastography for the diagnosis of hepatic fibrosis in Asians: comparison with liver biopsy and aspartate transaminase platelet ratio index. 2008 , 28, 51-61		55
1030	Liver stiffness measurement as a predictive tool of clinically significant portal hypertension in patients with compensated hepatitis C virus or alcohol-related cirrhosis. 2008 , 28, 1102-10		159
1029	Assessment of asymptomatic liver fibrosis in alcoholic patients using fibroscan: prospective comparison with seven non-invasive laboratory tests. 2008 , 28, 1188-98		160
1028	Systematic review: hepatic fibrosis - regression with therapy. 2008 , 28, 1175-87		27
1027	Liver biopsy in patients with haemophilia; in search for a reliable, non-invasive alternative. 2008 , 14, 647-8		
1026	Liver fibrosis on account of chronic hepatitis C is more severe in HIV-positive than HIV-negative patients despite antiretroviral therapy. 2008 , 15, 427-33		78
1025	A continuous 13C methacetin breath test for noninvasive assessment of intrahepatic inflammation and fibrosis in patients with chronic HCV infection and normal ALT. 2008 , 15, 716-28		41

1024	Diagnosis of liver fibrosis using FibroScan and other noninvasive methods in patients with hemochromatosis: a prospective study. 2008 , 32, 180-7	61
1023	Non-invasive evaluation of liver fibrosis using FibroScan in long-term sustained-virological responder patients after HCV treatment. 2008 , 32, 1061-3	7
1022	[Non-invasive evaluation of liver fibrosis in hepatitis C]. 2008 , 32, S90-5	7
1021	Transient elastography (FibroScan). 2008 , 32, 58-67	167
1020	MR elastography. 2008 , 32, 68-72	31
1019	Combining non-invasive methods for assessment of liver fibrosis. 2008 , 32, 73-9	11
1018	Non invasive diagnosis of portal hypertension in cirrhotic patients. 2008 , 32, 80-7	18
1017	Non-invasive assessment of liver fibrosis by transient elastography in post transfusional iron overload. 2008 , 80, 337-40	24
1016	Noninvasive assessment of liver fibrosis in patients with Fontan circulation using transient elastography and biochemical fibrosis markers. 2008 , 135, 560-7	101
1015	Noninvasive assessment of liver fibrosis: serum markers, imaging, and other modalities. 2008 , 12, 883-900, x	29
1014	[Non-alcoholic hepatic steatosis. An update]. 2008 , 40, 419-24	1
1013	Noninvasive assessment of liver fibrosis and portal hypertension with transient elastography. 2008 , 134, 8-14	128
1012	Performance of transient elastography for the staging of liver fibrosis: a meta-analysis. 2008 , 134, 960-74	1129
1011	Diagnosis and quantitation of fibrosis. 2008 , 134, 1670-81	319
1010	Magnetic resonance elastography for the noninvasive staging of liver fibrosis. 2008 , 135, 32-40	575
1009	Noninvasive assessment of liver fibrosis by measurement of stiffness in patients with nonalcoholic fatty liver disease (NAFLD). 2008 , 40, 371-8	287
1008	Technology Insight: noninvasive assessment of liver fibrosis by biochemical scores and elastography. 2008 , 5, 95-106	133
1007	Current and future anti-fibrotic therapies for chronic liver disease. 2008 , 12, 939-62, xi	127

1006	Liver stiffness values in apparently healthy subjects: influence of gender and metabolic syndrome. 2008 , 48, 606-13	324
1005	Liver stiffness values in healthy subjects: implications for clinical practice. 2008 , 48, 529-31	10
1004	Non-invasive evaluation of liver fibrosis using transient elastography. 2008 , 48, 835-47	964
1003	A non-invasive algorithm accurately predicts advanced fibrosis in hepatitis C: a comparison using histology with internal-external validation. 2008 , 49, 564-71	28
1002	Application of transient elastometry to differentiate mild from moderate to severe liver fibrosis in HIV/HCV co-infected patients. 2008 , 49, 916-22	36
1001	Assessment of liver fibrosis using transient elastography in patients with alcoholic liver disease. 2008 , 49, 1062-8	185
1000	[Relationship between hepatic fibrosis measured by transient elastography and peripheral blood CD4+ lymphocyte values]. 2008 , 26, 561-3	1
999	Indicaciones de la biopsia hepática. 2008 , 10, 597-600	
998	Liver cirrhosis. 2008 , 371, 838-51	1419
997	Non-invasive markers for the prediction of fibrosis in chronic hepatitis C infection. 2008 , 38, 762-9	8
996	Transient elastography: Applications and limitations. 2008 , 38, 1063-8	48
995	Non-invasive diagnosis of steatosis and fibrosis. 2008 , 34, 674-9	50
994	Alcoholic Liver Disease: Clinical and Sonographic Features. 2008 , 16, 140-149	10
993	Correlation of FIBROSpect II with histologic and morphometric evaluation of liver fibrosis in chronic hepatitis C. 2008 , 6, 242-7	50
992	Noninvasive monitoring of hepatitis C fibrosis progression. 2008 , 12, 557-71, viii	8
991	Assessment of fibrosis by transient elastography compared with liver biopsy and morphometry in chronic liver diseases. 2008 , 6, 1027-35	127
990	Management complexities of HIV/hepatitis C virus coinfection in the twenty-first century. 2008 , 12, 587-609, ix	28
989	New diagnostic method for liver fibrosis and cirrhosis. 2008 , 51 Suppl 1, 11-6	41

988	Care of HIV patients with chronic hepatitis B: updated recommendations from the HIV-Hepatitis B Virus International Panel. 2008 , 22, 1399-410	122
987	Assessing liver fibrosis. 2008 , 2, 541-52	31
986	Maximal accumulative respiration strain for the assessment of hepatic fibrosis. 2008 ,	
985	Prevalence of fibrosis and cirrhosis in chronic hepatitis B: implications for treatment and management. 2008 , 103, 1421-6	43
984	In vivo visualization of abdominal malignancies with acoustic radiation force elastography. 2008 , 53, 279-93	132
983	Nonalcoholic fatty liver disease: from clinical recognition to treatment. 2008 , 2, 59-79	10
982	Quantification of liver stiffness and viscosity with SDUV: In vivo animal study. 2008 ,	10
981	Nonalcoholic Fatty Liver Disease. 77-97	1
980	Learning curve and interobserver reproducibility evaluation of liver stiffness measurement by transient elastography. 2008 , 20, 693-701	79
979	Assessment of graft fibrosis by transient elastography in patients with recurrent hepatitis C after living donor liver transplantation. 2008 , 85, 69-74	75
978	Risk assessment of hepatocellular carcinoma in chronic hepatitis C patients by transient elastography. 2008 , 42, 839-43	64
977	Concordance in a world without a gold standard: a new non-invasive methodology for improving accuracy of fibrosis markers. 2008 , 3, e3857	66
976	Liver stiffness in the hepatitis B virus carrier: a non-invasive marker of liver disease influenced by the pattern of transaminases. 2008 , 14, 6154-62	104
975	Comparison of liver biopsy and transient elastography based on clinical relevance. 2008 , 22, 753-7	16
974	Imaging techniques for assessing hepatic fat content in nonalcoholic fatty liver disease. 2008 , 7, 212-220	75
973	Acoustic radiation force imaging sonoelastography for noninvasive staging of liver fibrosis. 2009 , 15, 5525-32	158
972	Treatment regimens for non-alcoholic fatty liver disease. 2009 , 8, S51-S59	36
971	Liver elasticity and viscosity quantification using shearwave dispersion ultrasound vibrometry (SDUV). 2009 , 2009, 2252-5	10

970	Noninvasive procedures to evaluate liver involvement in HIV-1 vertically infected children. 2009 , 49, 599-606	19
969	Early detection of steatohepatitis in fatty rat liver by using MR elastography. <i>Radiology</i> , 2009 , 253, 90-7	20.5 113
968	Assessment of liver fibrosis by transient elastography in persons with hepatitis C virus infection or HIV-hepatitis C virus coinfection. 2009 , 48, 963-72	117
967	Non-invasive assessment of liver fibrosis in chronic liver diseases: implementation in clinical practice and decisional algorithms. 2009 , 15, 2190-203	62
966	High-resolution quantitative imaging of cornea elasticity using supersonic shear imaging. 2009 , 28, 1881-93	165
965	The longitudinal quantitative assessment by transient elastography of chronic hepatitis C patients treated with pegylated interferon alpha-2b and ribavirin. 2009 , 83, 127-34	110
964	Non-invasive evaluation of liver fibrosis by transient elastography and biochemical markers in elderly inpatients. 2009 , 33, 126-32	11
963	[Non-invasive diagnosis of liver fibrosis: guidelines for the use of biomarkers and FibroScan]. 2009 , 33, 334-44	6
962	[Noninvasive tools for the diagnosis of steatosis and fibrosis in patients with NAFLD]. 2009 , 33, 405-12	2
961	[Noninvasive markers of fibrosis in alcoholic liver disease]. 2009 , 33, 1154-6	1
960	Liver biopsy. <i>Hepatology</i> , 2009 , 49, 1017-44	11.2 1386
959	Factors of accuracy of transient elastography (fibroscan) for the diagnosis of liver fibrosis in chronic hepatitis C. <i>Hepatology</i> , 2009 , 49, 1083-9	11.2 175
958	Prospective risk assessment for hepatocellular carcinoma development in patients with chronic hepatitis C by transient elastography. <i>Hepatology</i> , 2009 , 49, 1954-61	11.2 298
957	Liver stiffness and hepatocellular carcinoma: liaisons dangereuses?. <i>Hepatology</i> , 2009 , 49, 1793-4	11.2 10
956	Changes in hepatic venous morphology with cirrhosis on MRI. 2009 , 29, 1085-92	20
955	Cross-validation of magnetic resonance elastography and ultrasound-based transient elastography: a preliminary phantom study. 2009 , 30, 1145-50	55
954	Measuring microenvironment mechanical stress of rat liver during diethylnitrosamine induced hepatocarcinogenesis by atomic force microscope. 2009 , 72, 672-8	21
953	A novel model-gel-tissue assay analysis for comparing tumor elastic properties to collagen content. 2009 , 8, 337-43	5

952	FibroScan and ultrasonography in the prediction of hepatic fibrosis in patients with chronic viral hepatitis. 2009 , 44, 439-46	89
951	Noninvasive laboratory tests proposed for predicting cirrhosis in patients with chronic hepatitis C are also useful in patients with non-alcoholic steatohepatitis. 2009 , 44, 608-14	31
950	Usefulness of FibroScan for detection of early compensated liver cirrhosis in chronic hepatitis B. 2009 , 54, 1758-63	115
949	Nonalcoholic fatty liver disease in children living in the obeseogenic society. 2009 , 5, 245-54	23
948	"State of the art" in liver resection and living donor liver transplantation: a worldwide survey of 100 liver centers. 2009 , 33, 797-803	73
947	Systematic review: non-invasive methods of fibrosis analysis in chronic hepatitis C. 2009 , 30, 557-76	102
946	FibroScan used in street-based outreach for drug users is useful for hepatitis C virus screening and management: a prospective study. 2009 , 16, 121-31	41
945	Changes of non-invasive markers and FibroScan values during HCV treatment. 2009 , 16, 132-40	93
944	Transient elastography and other noninvasive tests to assess hepatic fibrosis in patients with viral hepatitis. 2009 , 16, 300-14	127
943	Liver fibrosis in patients with chronic hepatitis C and persistently normal liver enzymes: influence of HIV infection. 2009 , 16, 790-5	31
942	Optimal combinations of ultrasound-based and serum markers of disease severity in patients with chronic hepatitis C. 2010 , 17, 537-45	25
941	Prospective comparison of Fibroscan, King's score and liver biopsy for the assessment of cirrhosis in chronic hepatitis C infection. 2010 , 17, 546-54	39
940	Increased liver stiffness measurement by transient elastography in severe acute exacerbation of chronic hepatitis B. 2009 , 24, 1002-7	85
939	When liver stiffness is not so straight forward and Fibroscan not so simple. 2009 , 24, 934-6	
938	Assessment of fibrosis in chronic liver diseases. 2009 , 10, 7-14	38
937	Validity of FibroScan values for predicting hepatic fibrosis stage in patients with chronic HCV infection. 2009 , 10, 145-8	22
936	Hepatitis C virus/human immunodeficiency virus coinfection in hemophiliacs: high rates of sustained virologic response to pegylated interferon and ribavirin therapy. 2009 , 7, 1997-2005	7
935	Non-invasive assessment of liver fibrosis by stiffness measurement in patients with chronic hepatitis B. 2009 , 29, 242-7	369

934	Liver stiffness measurement using FibroScan is influenced by serum total bilirubin in acute hepatitis. 2009 , 29, 810-5	41
933	Variability in liver stiffness values from different intercostal spaces. 2009 , 29, 760-6	15
932	Food intake increases liver stiffness in patients with chronic or resolved hepatitis C virus infection. 2009 , 29, 1500-6	180
931	Quantitative viscoelasticity mapping of human liver using supersonic shear imaging: preliminary in vivo feasibility study. 2009 , 35, 219-29	304
930	Non-invasive diagnosis and monitoring of liver fibrosis and cirrhosis. 2009 , 23, 453-60	36
929	Advanced MRI methods for assessment of chronic liver disease. 2009 , 193, 14-27	144
928	Access to care of patients with chronic hepatitis C virus infection in a university hospital: Is opioid dependence a limiting condition?. 2009 , 104, 78-83	7
927	Transient elastography for liver fibrosis diagnosis. 2009 , 20, 339-42	25
926	[Utility of 2 biochemical models predictive of liver fibrosis grade in prison inmates with hepatitis C]. 2009 , 32, 387-94	2
925	[Utility of Fibroscan in the evaluation of liver fibrosis]. 2009 , 32, 415-23	6
924	[Transient elastography (FibroScan): a new tool in hepatology]. 2009 , 38, 1516-25	4
923	Early detection in routine clinical practice of cirrhosis and oesophageal varices in chronic hepatitis C: comparison of transient elastography (FibroScan) with standard laboratory tests and non-invasive scores. 2009 , 50, 59-68	289
922	Towards the non-invasive diagnosis of cirrhosis: the nuts-cirrhosis connection. 2009 , 50, 4-6	14
921	Can imaging modalities diagnose and stage hepatic fibrosis and cirrhosis accurately?. 2009 , 50, 17-35	145
920	[Value of transient elastography in noninvasive assessment in children's hepatic fibrosis]. 2009 , 16, 1005-10	22
919	Assessment of liver fibrosis in transplant recipients with recurrent HCV infection: usefulness of transient elastography. 2009 , 41, 217-25	64
918	Transient elastography for the assessment of liver fibrosis in patients with chronic viral hepatitis: the missing tool?. 2009 , 41, 863-6	23
917	Proteomics and liver fibrosis: identifying markers of fibrogenesis. 2009 , 6, 421-31	24

916	Nonalcoholic fatty liver disease: a practical approach to evaluation and management. 2009 , 13, 249-66	48
915	Ultrasound elastography of ethanol-induced hepatic lesions: in vitro study. 2009 , 24, 81-5	4
914	Liver stiffness measured by transient elastography correlates with fibrosis area in liver biopsy in patients with chronic hepatitis C. 2009 , 39, 675-84	65
913	Noninvasive assessment of fibrosis and steatosis in NASH and ASH. 2009 , 33, 940-8	12
912	Hepatitis C virus: a critical appraisal of approaches to therapy. 2009 , 7, 397-414; quiz 366	16
911	New imaging techniques for non-alcoholic steatohepatitis. 2009 , 13, 607-19	17
910	Relationships between fibrosis amounts assessed by morphometry and liver stiffness measurements in chronic hepatitis or steatohepatitis. 2009 , 21, 1261-8	37
909	Abdominal magnetic resonance elastography. 2009 , 20, 79-87	64
908	Validity and feasibility of transient elastography for the transplanted liver in the peritransplantation period. 2009 , 88, 103-9	12
907	King's Score: an accurate marker of cirrhosis in chronic hepatitis C. 2009 , 21, 730-8	100
906	Liver stiffness measurement in patients with cirrhosis and hepatocellular carcinoma: a case-control study. 2009 , 21, 214-9	23
905	Liver stiffness measurement in combination with noninvasive markers for the improved diagnosis of B-viral liver cirrhosis. 2009 , 43, 267-71	63
904	A meta-analysis of transient elastography for the detection of hepatic fibrosis. 2010 , 44, 214-9	154
903	Liver AL amyloidosis as a possible cause of high liver stiffness values. 2010 , 22, 895-7	29
902	Association of a single nucleotide polymorphism near the interleukin-28B gene with response to hepatitis C therapy in HIV/hepatitis C virus-coinfected patients. 2010 , 24, F23-9	163
901	Transient elastography assessment of the liver stiffness dynamics during acute hepatitis B. 2010 , 22, 180-4	40
900	Noninvasive markers of fibrosis and inflammation in clinical practice: prospective comparison with liver biopsy. 2010 , 22, 474-80	26
899	Stiffness and amyloidosis: to be continued□ 2010 , 22, 1507	0

898	Usefulness of noninvasive tests in nodular regenerative hyperplasia of the liver. 2010 , 22, 487-93		38
897	Liver stiffness measurements in acute hepatitis B: implications for clinical practice. 2010 , 22, 133-4		5
896	Noninvasive diagnosis and prognosis of liver cirrhosis: a comparison of biological scores, elastometry, and metabolic liver function tests. 2010 , 22, 532-40		40
895	Liver stiffness, a non-invasive marker of liver disease: a core study group report. <i>Antiviral Therapy</i> , 2010 , 15 Suppl 3, 69-78	1.6	28
894	Perspectives on fibrosis progression in hepatitis C: an à la carte approach to risk factors and staging of fibrosis. <i>Antiviral Therapy</i> , 2010 , 15, 281-91	1.6	16
893	Liver transient elastography (Fibroscan): a place in the management algorithms of chronic viral hepatitis. <i>Antiviral Therapy</i> , 2010 , 15, 1-11	1.6	25
892	Prevalence and risk factors for abnormal liver stiffness in HIV-infected patients without viral hepatitis coinfection: role of didanosine. <i>Antiviral Therapy</i> , 2010 , 15, 753-63	1.6	39
891	Can transient elastography replace liver histology for determination of advanced fibrosis in alcoholic patients: a real-life study. 2010 , 44, 575-82		52
890	Transient elastography in patients with cystic fibrosis. 2010 , 40, 1231-5		69
889	Magnetic resonance elastography: a general overview of its current and future applications in brain imaging. 2010 , 33, 137-45; discussion 145		41
888	Thrombocytopenia is more severe in patients with advanced chronic hepatitis C than B with the same grade of liver stiffness and splenomegaly. 2010 , 45, 876-84		21
887	Reduction of liver stiffness following resolution of acute flares of chronic hepatitis B. <i>Hepatology International</i> , 2010 , 4, 716-22	8.8	26
886	External validation of P2/MS and comparison with other simple non-invasive indices for predicting liver fibrosis in HBV-infected patients. 2010 , 55, 2636-43		5
885	Assessment of hepatic fibrosis by transient elastography in patients with chronic hepatitis B. 2010 , 60, 284-90		14
884	Liver stiffness identifies two different patterns of fibrosis progression in patients with hepatitis C virus recurrence after liver transplantation. <i>Hepatology</i> , 2010 , 51, 23-34	11.2	103
883	Pitfalls of liver stiffness measurement: a 5-year prospective study of 13,369 examinations. <i>Hepatology</i> , 2010 , 51, 828-35	11.2	736
882	Transient elastography in the assessment of liver fibrosis in adult thalassemia patients. 2010 , 85, 564-8		33
881	Mechanical stiffness of liver tissues in relation to integrin β expression may influence the development of hepatic cirrhosis and hepatocellular carcinoma. 2010 , 102, 482-9		45

880	Quantification of superparamagnetic iron oxide-mediated signal intensity change in patients with liver cirrhosis using T2 and T2* mapping: a preliminary report. 2010 , 31, 1379-86	6
879	Controlled attenuation parameter (CAP): a novel VCTE-guided ultrasonic attenuation measurement for the evaluation of hepatic steatosis: preliminary study and validation in a cohort of patients with chronic liver disease from various causes. 2010 , 36, 1825-35	514
878	Novel biomarkers predict liver fibrosis in hepatitis C patients: alpha 2 macroglobulin, vitamin D binding protein and apolipoprotein AI. 2010 , 17, 58	61
877	Noninvasive diagnosis of large esophageal varices by Fibroscan: strong influence of the cirrhosis etiology. 2010 , 34, 1146-53	26
876	Evaluation of acoustic radiation force impulse elastography for fibrosis staging of chronic liver disease: a pilot study. 2010 , 30, 538-45	176
875	What are 'true normal' liver stiffness values using FibroScan?: a prospective study in healthy living liver and kidney donors in South Korea. 2010 , 30, 268-74	62
874	Validation of FIB-4 and comparison with other simple noninvasive indices for predicting liver fibrosis and cirrhosis in hepatitis B virus-infected patients. 2010 , 30, 546-53	167
873	A novel liver stiffness measurement-based prediction model for cirrhosis in hepatitis B patients. 2010 , 30, 1073-81	29
872	Prevalence, risk factors and causes of discordance in fibrosis staging by transient elastography and liver biopsy. 2010 , 30, 1471-80	67
871	Fibrotest or Fibroscan for evaluation of liver fibrosis in haemophilia patients infected with hepatitis C. 2010 , 16, 148-54	12
870	Correlation of transient elastography with APRI and FIB-4 in a cohort of patients with congenital bleeding disorders and HCV or HIV/HCV coinfection. 2010 , 16, 778-85	5
869	Comparison of transient elastography and liver biopsy for the assessment of liver fibrosis in HIV/hepatitis C virus-coinfected patients and correlation with noninvasive serum markers. 2010 , 17, 280-6	85
868	Hepatic vein transit times of a microbubble agent in assessing response to antiviral treatment in patients with chronic hepatitis C. 2010 , 17, 778-83	4
867	Differences in liver fibrosis and response to pegylated interferon plus ribavirin in HIV/HCV-coinfected patients with normal vs elevated liver enzymes. 2010 , 17, 866-71	1
866	Assessment of liver stiffness in subjects affected by familial combined hyperlipidaemia with hepatic steatosis. 2010 , 40, 722-8	11
865	Liver stiffness decrease after effective antiviral therapy in patients with chronic hepatitis C: Longitudinal study using FibroScan. 2010 , 25, 964-9	62
864	Simpler score of routine laboratory tests predicts liver fibrosis in patients with chronic hepatitis B. 2010 , 25, 1569-77	84
863	Non-invasive assessment of liver fibrosis: time to move from cross-sectional studies to longitudinal ones. 2010 , 25, 1472-3	10

862	Transient elastography. 2010 , 25, 1726-31	64
861	Noninvasive evaluation of renal allograft fibrosis by transient elastography--a pilot study. 2010 , 23, 871-7	75
860	Noninvasive tests for evaluation of fibrosis in HCV recurrence after liver transplantation: a systematic review. 2010 , 23, 861-70	36
859	Noninvasive markers of liver fibrosis in Latin America and Mexico. 2010 , 9, S43-S48	2
858	Transient elastography in chronic hepatitis B: an Asian perspective. 2010 , 16, 5173-80	28
857	Evaluation of portal hypertensive enteropathy by scoring with capsule endoscopy: is transient elastography of clinical impact?. 2010 , 47, 37-44	30
856	Transient elastography for the noninvasive assessment of liver fibrosis: a multicentre Canadian study. 2010 , 24, 661-70	46
855	Correlation of biological serum markers with the degree of hepatic fibrosis and necroinflammatory activity in hepatitis C and schistosomiasis patients. 2010 , 105, 460-6	9
854	HIV/hepatitis B virus co-infection: current challenges and new strategies. 2010 , 65, 10-7	45
853	The diagnostic value of ultrasound elastography in patients with hepatitis B virus infection: a prospective study. 2010 , 38, 2117-25	3
852	Liver biopsy for histological assessment: The case in favor. 2010 , 16, 133-9	9
851	A simple indentation device for measuring micrometer-scale tissue stiffness. 2010 , 22, 194120	77
850	Variational data assimilation to estimate the velocity in the wave equation. 2010 , 26, 115005	2
849	Match Filter Design for Improved Strain Estimation in Transient Elastography. 2010 ,	
848	High frequency poroelastic waves in hydrogels. 2010 , 127, 1197-207	11
847	Dynamic changes in liver stiffness during the course of acute hepatitis A. 2010 , 45, 449-56	13
846	A liver stiffness measurement-based, noninvasive prediction model for high-risk esophageal varices in B-viral liver cirrhosis. 2010 , 105, 1382-90	159
845	Correlation of liver stiffness and histological features in healthy persons and in patients with occult hepatitis B, chronic active hepatitis B, or hepatitis B cirrhosis. 2010 , 105, 1116-22	44

844	Comparison of elastography, serum marker scores, and histology for the assessment of liver fibrosis in hepatitis B virus (HBV)-infected patients in Burkina Faso. 2010 , 82, 454-8		53
843	Nomograms for risk of hepatocellular carcinoma in patients with chronic hepatitis B virus infection. 2010 , 28, 2437-44		204
842	Severe β -thalassemia intermedia in a compound heterozygous patient for the -30 (T>A) β -thalassemia mutation and the β (0) β (+)-Senegalese deletion. 2010 , 34, 505-8		1
841	Decompensated chronic heart failure: increased liver stiffness measured by means of transient elastography. <i>Radiology</i> , 2010 , 257, 872-8	20.5	128
840	The effect of Glisson's capsule on the superficial elasticity measurements of the liver. 2010 , 132, 104504		8
839	Intravascular transfer contributes to postprandial increase in numbers of very-low-density hepatitis C virus particles. 2010 , 139, 1774-83, 1783.e1-6		52
838	Prospective comparison of two algorithms combining non-invasive methods for staging liver fibrosis in chronic hepatitis C. 2010 , 52, 191-8		158
837	Non-invasive assessment of hepatic steatosis: prospective comparison of the accuracy of imaging examinations. 2010 , 52, 579-85		255
836	Assessment of liver fibrosis with transient elastography and FibroTest in patients treated with methotrexate for chronic inflammatory diseases: a case-control study. 2010 , 53, 1035-40		63
835	On the validity of meta-analyses: exhaustivity must be warranted, exclusion of duplicate patients too. 2010 , 63, 342-3		3
834	[Retrospective study of FibroScan, APRI, FIB-4 and FORNS indexes compared with liver biopsy in the evaluation of liver fibrosis in patients with chronic hepatitis C mono-infection and HIV coinfection]. 2010 , 33, 425-32		10
833	Re: non-invasive evaluation of liver cirrhosis using ultrasound. 2010 , 65, 768; author reply 768-9		
832	Circulating markers of liver fibrosis progression. 2010 , 411, 1009-17		67
831	Transient elastography for the diagnosis of liver fibrosis. 2010 , 7, 811-23		66
830	Reduction of liver stiffness by interferon treatment in the patients with chronic hepatitis C. 2010 , 40, 383-92		59
829	Non-invasive systems for staging compensated cirrhosis. <i>Arab Journal of Gastroenterology</i> , 2010 , 10, S32-S34	1.7	2
828	[Grade of consistency existing in the grade of hepatic fibrosis calculated with the APRI and FORNS biochemistry indexes and transient elastography (Fibroscan) in patients coinfecting with HIV-HCV]. 2010 , 210, 317-22		1
827	[Hepatitis C virus infection in HIV coinfecting patients]. 2010 , 210, 338-41		0

826	DW-MRI Assessment of Diffuse Liver Disease. 2010 , 85-93	
825	Rapid emergence of multimarker strategies in laboratory medicine. 2010 , 15, 289-96	11
824	Management of HIV and hepatitis virus coinfection. 2010 , 11, 2497-516	17
823	Assessment of the accuracy of an ultrasound elastography liver scanning system using a PVA-cryogel phantom with optimal acoustic and mechanical properties. 2010 , 55, 5965-83	38
822	Real time quantitative elastography using Supersonic Shear wave Imaging. 2010 ,	4
821	Circulating fibronectin isoforms predict the degree of fibrosis in chronic hepatitis C. 2010 , 45, 349-56	29
820	Assessment of chronic hepatitis and fibrosis: comparison of MR elastography and diffusion-weighted imaging. 2011 , 196, 553-61	177
819	Noninvasive tools to assess hepatic fibrosis: ready for prime time?. 2011 , 40, 507-21	31
818	Comment diagnostiquer de façon non invasive la fibrose au cours de la stéatopathie métabolique?. 2011 , 5, 60-65	
817	The role of transient elastography in patients with hepatitis B viral disease. 2011 , 43 Suppl 1, S25-31	13
816	Transient elastography and portal hypertension in pediatric patients with cystic fibrosis Transient elastography and cystic fibrosis. 2011 , 10, 338-42	41
815	Normal liver stiffness and its determinants in healthy blood donors. 2011 , 43, 231-6	53
814	Correlation between FIB4, liver stiffness and metabolic parameters in patients with HIV and hepatitis C virus co-infection. 2011 , 43, 575-8	12
813	Non-invasive methods can predict oesophageal varices in patients with biliary atresia after a Kasai procedure. 2011 , 43, 659-63	32
812	Performance and utility of transient elastography and noninvasive markers of liver fibrosis in primary biliary cirrhosis. 2011 , 43, 887-92	37
811	Comparison of two methods for the generation of spatially modulated ultrasound radiation force. 2011 , 58, 1344-54	5
810	Medical ultrasound: imaging of soft tissue strain and elasticity. 2011 , 8, 1521-49	304
809	Autotaxin as a novel serum marker of liver fibrosis. 2011 , 412, 1201-6	71

808	[Treatment of hepatitis C virus in HIV-positive patients]. 2011 , 34, 558-67		1
807	[Hepatic elastography. Position paper of the Catalan Society of Gastroenterology]. 2011 , 34, 504-10		4
806	Comparison of transient elastography to Doppler indices in prediction of hepatitis C induced liver fibrosis and cirrhosis. <i>Egyptian Journal of Radiology and Nuclear Medicine</i> , 2011 , 42, 111-117	1.4	2
805	Automated quantification of serum hyaluronic acid for non-invasive assessment of liver fibrosis in chronic hepatic diseases. 2011 , 26, 217-224		1
804	Reliability of transient elastography for the detection of fibrosis in non-alcoholic fatty liver disease and chronic viral hepatitis. 2011 , 54, 64-71		192
803	Etiology-related determinants of liver stiffness values in chronic viral hepatitis B or C. 2011 , 54, 621-8		95
802	Liver stiffness accurately predicts portal hypertension related complications in patients with chronic liver disease: a prospective study. 2011 , 55, 1017-24		229
801	Liver disease in adult patients with cystic fibrosis: a frequent and independent prognostic factor associated with death or lung transplantation. 2011 , 55, 1377-82		54
800	Liver stiffness in extrahepatic cholestasis correlates positively with bilirubin and negatively with alanine aminotransferase. 2011 , 41, 423-9		31
799	Close correlation of liver stiffness with collagen deposition and presence of myofibroblasts in non-alcoholic fatty liver disease. 2011 , 41, 897-903		13
798	Longitudinal assessment of liver stiffness by transient elastography for chronic hepatitis B patients treated with nucleoside analog. 2011 , 41, 1178-88		50
797	Liver stiffness measurement using transient elastography and hepatocellular carcinoma. 2011 , 41, 921-4		2
796	Magnetic resonance elastography of uterine leiomyomas: a feasibility study. 2011 , 95, 281-4		25
795	Impact of Fibroscan [®] on management of chronic viral hepatitis in clinical practice. 2011 , 10, 469-476		13
794	Management and treatment of hepatitis B virus in patients with HIV infection: A practical guide for health care professionals. 2011 , 22, 88-96		2
793	Factors associated with liver fibrosis in intravenous drug users coinfecting with HIV and HCV. <i>Antiviral Therapy</i> , 2011 , 16, 27-35	1.6	12
792	Liver stiffness measurement and biochemical markers in Senegalese chronic hepatitis B patients with normal ALT and high viral load. 2011 , 6, e22291		18
791	IL28B gene polymorphisms and viral kinetics in HIV/hepatitis C virus-coinfecting patients treated with pegylated interferon and ribavirin. 2011 , 25, 1025-33		35

790	Predicted effect of direct acting antivirals in the current HIV-HCV-coinfected population in Spain. <i>Antiviral Therapy</i> , 2012 , 17, 571-5	1.6	13
789	Serum fibrosis markers (Procollagen-III-peptide, hyaluronic acid, transforming growth factor β_1), aspartate-aminotransferase to platelet ratio index (APRI), and transient elastography (FibroScan) in patients with chronic HCV infection. 2011 , 5, 101-118		
788	Non-invasive assessment of fibrosis in liver grafts due to hepatitis C virus recurrence. 2011 , 25, 345-51		6
787	Spleen stiffness measurement using Fibroscan for the noninvasive assessment of esophageal varices in liver cirrhosis patients. 2011 , 26, 164-70		149
786	The usefulness of liver stiffness measurement using FibroScan in chronic hepatitis C in South Korea: a multicenter, prospective study. 2011 , 26, 171-8		33
785	Serum aminotransferase levels instead of etiology affects the accuracy of transient elastography in chronic viral hepatitis patients. 2011 , 26, 492-500		26
784	Application of the HALF index obviates the need for liver biopsy in half of all patients with chronic hepatitis B. 2011 , 26, 987-95		14
783	Transient elastographic evaluation in adult subjects without overt liver disease: influence of alanine aminotransferase levels. 2011 , 26, 1318-25		14
782	Non-invasive assessment of liver fibrosis: the gap between ideal and real. 2011 , 26, 937-9		4
781	Outreach screening of drug users for cirrhosis with transient elastography. 2011 , 106, 970-6		34
780	Assessment of liver fibrosis before and after antiviral therapy by different serum marker panels in patients with chronic hepatitis C. 2011 , 33, 138-48		71
779	Transient elastography and biomarkers for liver fibrosis assessment and follow-up of inactive hepatitis B carriers. 2011 , 33, 455-65		63
778	Dual cut-off transient elastography to assess liver fibrosis in chronic hepatitis B: a cohort study with internal validation. 2011 , 34, 353-62		63
777	Liver stiffness diminishes with antiviral response in chronic hepatitis C. 2011 , 34, 656-63		100
776	Elevated TGF- β_1 levels might protect HCV/ HIV-coinfected patients from liver fibrosis. 2011 , 41, 70-6		20
775	The prevalence of significant liver fibrosis and cirrhosis in haemophilia patients infected with hepatitis C using FibroScan. 2011 , 17, 316-7		6
774	Previously unrecognized advanced liver disease unveiled by transient elastography in patients with Haemophilia and chronic hepatitis C. 2011 , 17, 938-43		3
773	Liver stiffness measurements to assess progression of fibrosis in HCV-infected patients with inherited bleeding disorders. 2011 , 17, e975-80		3

772	Treatment of chronic hepatitis C in HIV-infected patients with compensated liver cirrhosis. 2011 , 18, 542-8	3
771	Use of transient elastography (FibroScan [®]) for the noninvasive assessment of portal hypertension in HIV/HCV-coinfected patients. 2011 , 18, 685-91	41
770	The effect of the respiratory cycle on liver stiffness values as measured by transient elastography. 2011 , 18, 631-6	24
769	Dynamic evaluation of liver stiffness measurement to improve diagnostic accuracy of liver cirrhosis in patients with chronic hepatitis B acute exacerbation. 2011 , 18, 884-91	32
768	Impact of liver steatosis on the correlation between liver stiffness and fibrosis measured by transient elastography in patients coinfecting with human immunodeficiency virus and hepatitis C virus. 2011 , 18, e278-83	28
767	Reproducibility of liver stiffness measurements in hepatitis C virus (HCV)-infected patients in Egypt. 2011 , 18, e358-65	12
766	Effect of detoxification on liver stiffness assessed by Fibrosan [®] in alcoholic patients. 2011 , 35, 566-70	50
765	A brief review on molecular, genetic and imaging techniques for HCV fibrosis evaluation. 2011 , 8, 53	26
764	Stiffness imaging of the kidney and adjacent abdominal tissues measured simultaneously using magnetic resonance elastography. 2011 , 35, 284-7	47
763	Evolutionary-driven support vector machines for determining the degree of liver fibrosis in chronic hepatitis C. 2011 , 51, 53-65	36
762	Prospective evaluation of FibroScan for the diagnosis of hepatic fibrosis compared with liver biopsy/AST platelet ratio index and FIB-4 in patients with chronic HBV infection. 2011 , 56, 2742-9	71
761	Liver fibrosis in recessive multicystic kidney diseases: transient elastography for early detection. 2011 , 26, 725-31	14
760	Increased liver elasticity in patients with biliary obstruction. 2011 , 46, 86-91	16
759	Real-time tissue elastography as a tool for the noninvasive assessment of liver stiffness in patients with chronic hepatitis C. 2011 , 46, 350-8	76
758	New method for assessing liver fibrosis based on acoustic radiation force impulse: a special reference to the difference between right and left liver. 2011 , 46, 705-11	106
757	Reduction of liver stiffness by antiviral therapy in chronic hepatitis B. 2011 , 46, 1324-34	44
756	Twelve potential fibrosis markers to differentiate mild liver fibrosis from cirrhosis in patients infected with chronic hepatitis C genotype 1. 2011 , 30, 761-6	27
755	Invasive and non-invasive methods for the assessment of fibrosis and disease progression in chronic liver disease. 2011 , 25, 291-303	94

754	Non-invasive assessment of liver fibrosis in chronic hepatitis C. <i>Hepatology International</i> , 2011 , 5, 625-348.8		59
753	The use of transient elastography in the management of chronic hepatitis B. <i>Hepatology International</i> , 2011 , 5, 868-875	8.8	13
752	Non-invasive diagnosis of liver fibrosis. 2011 , 4, 283-291		7
751	Discrimination of individuals in a general population at high-risk for alcoholic and non-alcoholic fatty liver disease based on liver stiffness: a cross section study. 2011 , 11, 70		15
750	Non-invasive markers for hepatic fibrosis. 2011 , 11, 91		197
749	MR elastography for noninvasive assessment of hepatic fibrosis: experience from a tertiary center in Asia. 2011 , 34, 1110-6		81
748	Noninvasive assessment of liver fibrosis. <i>Hepatology</i> , 2011 , 53, 325-35	11.2	278
747	Idiopathic noncirrhotic portal hypertension. <i>Hepatology</i> , 2011 , 54, 1071-81	11.2	189
746	Feature selection for a cooperative coevolutionary classifier in liver fibrosis diagnosis. 2011 , 41, 238-46		30
745	Wide-range dynamic magnetic resonance elastography. 2011 , 44, 1380-6		66
744	Noninvasive in vivo liver fibrosis evaluation using supersonic shear imaging: a clinical study on 113 hepatitis C virus patients. 2011 , 37, 1361-73		318
743	Hepatic elasticity in patients with ascites: evaluation with real-time tissue elastography. 2011 , 196, W766-71		26
742	Risk assessment of esophageal variceal bleeding in B-viral liver cirrhosis by a liver stiffness measurement-based model. 2011 , 106, 1654-62, 1730		48
741	Early detection of nonalcoholic steatohepatitis in patients with nonalcoholic fatty liver disease by using MR elastography. <i>Radiology</i> , 2011 , 259, 749-56	20.5	320
740	Diagnostic accuracy of transient elastography (FibroScan) versus the aspartate transaminase to platelet ratio index in assessing liver fibrosis in chronic hepatitis B: the role in primary care setting. 2011 , 64, 916-20		28
739	Mild-to-moderate elevation of alanine aminotransferase increases liver stiffness measurement by transient elastography in patients with chronic hepatitis B. 2011 , 106, 492-6		46
738	Influence of interleukin-28B single-nucleotide polymorphisms on progression to liver cirrhosis in human immunodeficiency virus-hepatitis C virus-coinfected patients receiving antiretroviral therapy. 2011 , 203, 1629-36		55
737	Prediction of hepatocellular carcinoma development by plasma ADAMTS13 in chronic hepatitis B and C. 2011 , 20, 2204-11		12

736	Transient elastography to assess hepatic fibrosis in hemodialysis chronic hepatitis C patients. 2011 , 6, 1057-65		64
735	Clinical and virological outcomes in HIV-infected patients with chronic hepatitis B on long-term nucleos(t)ide analogues. 2011 , 25, 73-9		60
734	Recent advances in imaging hepatic fibrosis and steatosis. 2011 , 5, 91-104		15
733	Clinical features of hepatitis C virus carriers with persistently normal alanine aminotransferase levels. <i>Hepatitis Monthly</i> , 2012 , 12, 77-84	1.8	9
732	Transient elastography in patients with celiac disease: a noninvasive method to detect liver involvement associated with celiac disease. 2012 , 47, 640-8		4
731	Minimal hepatic encephalopathy in patients with cirrhosis by measuring liver stiffness and hepatic venous pressure gradient. 2012 , 18, 316-21		2
730	A prospective evaluation of the role of transient elastography for the detection of hepatic fibrosis in type 2 diabetes without overt liver disease. 2012 , 47, 836-41		22
729	Therapeutic approach to the treatment-naive patient with hepatitis C virus genotype 1 infection: a step-by-step approach. 2012 , 55, 1236-41		4
728	Biopsy-controlled liver fibrosis staging using the enhanced liver fibrosis (ELF) score compared to transient elastography. 2012 , 7, e51906		23
727	Is ultrasound elastography of the liver ready to replace biopsy? A critical review of the current techniques. 2012 , 20, 24-32		11
726	Acoustic radiation force impulse quantification: repeatability of measurements in selected liver segments and influence of age, body mass index and liver capsule-to-box distance. 2012 , 85, e858-63		45
725	Performance of real-time strain elastography, transient elastography, and aspartate-to-platelet ratio index in the assessment of fibrosis in chronic hepatitis C. 2012 , 199, 19-25		47
724	Liver fibrogenesis. 2012 , 102-112.e4		
723	Risk assessment of development of hepatic decompensation in histologically proven hepatitis B viral cirrhosis using liver stiffness measurement. 2012 , 85, 219-27		17
722	Focus on therapeutic strategies of nonalcoholic Fatty liver disease. 2012 , 2012, 464706		14
721	Evaluation of liver fibrosis by transient elastography (Fibroscan [®]) in patients with inflammatory bowel disease treated with methotrexate: a multicentric trial. 2012 , 47, 575-9		38
720	Discordance between CD4+ T-lymphocyte counts and percentages in HIV-infected persons with liver fibrosis. 2012 , 54, 1806-13		14
719	Comparison of high ribavirin induction versus standard ribavirin dosing, plus peginterferon- α for the treatment of chronic hepatitis C in HIV-infected patients: the PERICO trial. 2012 , 206, 961-8		18

718	Hepatic fibrosis, measured by fibroscan in a group of patients with obesity. 2012 , 19,	1
717	Fibrose h�patique. 2012 , 7, 1-9	
716	Transient elastography to rule out esophageal varices and portal hypertensive gastropathy in HIV-infected individuals with liver cirrhosis. 2012 , 26, 1807-12	13
715	Ponction biopsie h�patique : techniques, incidents, accidents. 2012 , 7, 1-10	0
714	[Current trends in liver biopsy indications in chronic liver diseases]. 2012 , 41, 1064-70	4
713	Variants in the ITPA gene protect against ribavirin-induced hemolytic anemia in HIV/HCV-coinfected patients with all HCV genotypes. 2012 , 205, 376-83	30
712	Severity of portal hypertension and prediction of postoperative liver failure after liver resection in patients with Child-Pugh grade A cirrhosis. 2012 , 99, 1701-10	61
711	[Magnetic resonance elastography of the liver]. 2012 , 52, 738-44	3
710	Noninvasive acoustic radiation force impulse (ARFI) elastography for assessing the severity of fibrosis in the post-operative patients with biliary atresia. 2012 , 28, 869-72	19
709	A new nonlinear parameter in the developed strain-to-applied strain of the soft tissues and its application in ultrasound elasticity imaging. 2012 , 38, 511-23	22
708	Comparative study concerning the value of acoustic radiation force impulse elastography (ARFI) in comparison with transient elastography (TE) for the assessment of liver fibrosis in patients with chronic hepatitis B and C. 2012 , 38, 1310-6	49
707	ARFI elastography in patients with chronic autoimmune liver diseases: A preliminary study. 2012 , 15, 226-31	20
706	Levels of alanine aminotransferase confound use of transient elastography to diagnose fibrosis in patients with chronic hepatitis C virus infection. 2012 , 10, 932-937.e1	76
705	Real-time elastography as a noninvasive technique for quantification of fibrosis in patients with chronic viral liver disease: Preliminary findings. 2012 , 15, 220-5	7
704	Mechanical Model Analysis for Quantitative Evaluation of Liver Fibrosis Based on Ultrasound Tissue Elasticity Imaging. 2012 , 51, 07GF11	13
703	Direct comparison of diagnostic performance of transient elastography in patients with chronic hepatitis B and chronic hepatitis C. 2012 , 32, 612-21	103
702	Evaluation of transient elastography for fibrosis assessment compared with large biopsies in chronic hepatitis B and C. 2012 , 32, 622-8	58
701	Liver and spleen stiffness in patients with extrahepatic portal vein obstruction. <i>Radiology</i> , 2012 , 263, 893-9	20.5 53

700	Comparison of nine blood tests and transient elastography for liver fibrosis in chronic hepatitis C: the ANRS HCEP-23 study. 2012 , 56, 55-62		161
699	ARFI, FibroScan, ELF, and their combinations in the assessment of liver fibrosis: a prospective study. 2012 , 57, 281-7		123
698	[New developments in ultrasound imaging for chronic liver diseases: from anatomic imaging to structural and functional imaging]. 2012 , 41, 153-68		1
697	Different impact of IL28B polymorphisms on response to peginterferon- α plus ribavirin in HIV-positive patients infected with HCV subtypes 1a or 1b. 2012 , 55, 58-61		12
696	[Evaluation of the costs of transient elastography (FibroScan(TM)) in the diagnosis of liver fibrosis in HIV patients with hepatitis C virus]. 2012 , 30, 294-9		6
695	[Portal hypertension: recommendations for evaluation and treatment: consensus document sponsored by the Spanish Association for the Study of the Liver (AEEH) and the Biomedical Research Network Center for Liver and Digestive Diseases(CIBERehd)]. 2012 , 35, 421-50		23
694	Lect-Hepa, a glyco-marker derived from multiple lectins, as a predictor of liver fibrosis in chronic hepatitis C patients. <i>Hepatology</i> , 2012 , 56, 1448-56	11.2	34
693	Accuracy of real-time shear wave elastography for assessing liver fibrosis in chronic hepatitis C: a pilot study. <i>Hepatology</i> , 2012 , 56, 2125-33	11.2	452
692	Gene expression profiling of HCV genotype 3a initial liver fibrosis and cirrhosis patients using microarray. 2012 , 10, 41		11
691	Noninvasive methods to assess liver disease in patients with hepatitis B or C. 2012 , 142, 1293-1302.e4		455
690	Management of hepatitis C in HIV and/or HBV co-infected patients. 2012 , 26, 517-30		13
689	The controlled attenuation parameter (CAP): a novel tool for the non-invasive evaluation of steatosis using Fibroscan. 2012 , 36, 13-20		157
688	Liver stiffness correlates with methotrexate cumulative dose in patients with rheumatoid arthritis. 2012 , 44, 149-53		26
687	Relationship between hepatic haemodynamics assessed by Doppler ultrasound and liver stiffness. 2012 , 44, 154-9		13
686	Reproducibility of real-time shear wave elastography in the evaluation of liver elasticity. 2012 , 81, 3102-6		178
685	Diagnosing and monitoring cirrhosis: Liver biopsy, hepatic venous pressure gradient and elastography. 2012 , 35, 488-95		27
684	Genetic variants of TNF α , IL1 β , CTLA4 and TGF β modulate the indices of alcohol-induced liver injury in East Indian population. 2012 , 509, 178-88		17
683	Arginase deficiency with new phenotype and a novel mutation: contemporary summary. 2012 , 47, 263-9		28

682	Biomarkers of Fibrosis and Fibrosis Progression in Chronic Hepatitis C. 2012 , 11, 231-242		
681	[Early detection of chronic liver disease in primary care in the apparently health adult population]. 2012 , 35 Suppl 2, 23-9		1
680	Polyelectrolyte Intelligent Gels: Design and Applications. 2012 , 581-620		5
679	Prospective validation of FibroTest in comparison with liver stiffness for predicting liver fibrosis in Asian subjects with chronic hepatitis B. 2012 , 7, e35825		44
678	Longitudinal liver stiffness assessment in patients with chronic hepatitis C undergoing antiviral therapy. 2012 , 7, e47715		48
677	Noninvasive markers of fibrosis: key concepts for improving accuracy in daily clinical practice. 2012 , 11, 426-439		35
676	Hepatic Fibrosis and Cirrhosis. 2012 , 64-85		8
675	How many valid measurements are necessary to assess liver fibrosis using FibroScan® in patients with chronic viral hepatitis? An analysis of subjects with at least 10 valid measurements. 2012 , 53, 337-45		11
674	Magnetic resonance elastography for staging liver fibrosis in chronic hepatitis C. 2012 , 11, 291-7		98
673	Transient elastography identifies liver recipients with nonviral graft disease after transplantation: a guide for liver biopsy. 2012 , 18, 566-76		24
672	Noninvasive elastography-based assessment of liver fibrosis progression and prognosis in primary biliary cirrhosis. <i>Hepatology</i> , 2012 , 56, 198-208	11.2	208
671	Liver stiffness predicts clinical outcome in human immunodeficiency virus/hepatitis C virus-coinfected patients with compensated liver cirrhosis. <i>Hepatology</i> , 2012 , 56, 228-38	11.2	65
670	Is there still a role for liver biopsy in managing hepatitis C virus infections?. 2012 , 1, 32-35		
669	Liver stiffness measurement using acoustic radiation force impulse (ARFI) elastography and effect of necroinflammation. 2012 , 57, 1682-91		73
668	MR-diffusion imaging in assessing chronic liver diseases: does a clinical role exist?. 2012 , 117, 242-53		16
667	Noninvasive measurement of liver fibrosis by transient elastography and influencing factors in patients with chronic hepatitis B-A single center retrospective study of 466 patients. 2012 , 32, 69-74		7
666	Utility of diffusion-weighted imaging in the evaluation of liver fibrosis. 2012 , 22, 682-7		64
665	Noninvasive screening for liver fibrosis and portal hypertension by transient elastography--a large single center experience. 2012 , 124, 395-402		79

664	Transient elastography for predicting clinical outcomes in patients with chronic liver disease. 2012 , 19, e184-93		51
663	How far is noninvasive assessment of liver fibrosis from replacing liver biopsy in hepatitis C?. 2012 , 19 Suppl 1, 18-32		34
662	Non-invasive algorithms for liver fibrosis: authors' reply. 2012 , 35, 311-313		
661	Beneficial effect of successful HCV treatment in patients with inherited bleeding disorders, assessed by liver stiffness measurements. 2012 , 18, e266-72		4
660	Acoustic radiation force impulse imaging predicts postoperative ascites resulting from curative hepatic resection for hepatocellular carcinoma. 2012 , 151, 837-43		15
659	Novel controlled attenuation parameter for noninvasive assessment of steatosis using Fibroscan(®): validation in chronic hepatitis C. 2012 , 19, 244-53		142
658	"Normal" liver stiffness values differ between men and women: a prospective study for healthy living liver and kidney donors in a native Korean population. 2012 , 27, 781-8		27
657	Feasibility and diagnostic performance of the FibroScan XL probe for liver stiffness measurement in overweight and obese patients. <i>Hepatology</i> , 2012 , 55, 199-208	11.2	335
656	Feasibility study and control values of transient elastography in healthy children. 2012 , 171, 353-60		99
655	Magnitude of contrast-enhanced ultrasonography as a noninvasive predictor for hepatic fibrosis: comparison with liver stiffness measurement and serum-based models. <i>Hepatology International</i> , 2013 , 7, 749-57	8.8	4
654	Hepatitis C infection and chronic renal diseases. <i>Hepatology International</i> , 2013 , 7, 16-27	8.8	
653	Can EUS elastography improve lymph node staging in esophageal cancer?. 2013 , 27, 1196-202		36
652	The relationship between transient elastography and histological collagen proportionate area for assessing fibrosis in chronic viral hepatitis. 2013 , 48, 921-9		32
651	Hepatocellular carcinoma in patients with chronic hepatitis C virus infection in the Asia-Pacific region. 2013 , 48, 681-8		40
650	Primary Sclerosing Cholangitis: Current and Future Management Strategies. 2013 , 12, 28-36		6
649	Liver stiffness values in HIV-infected patients with isolated anti-hepatitis B core antibodies. 2013 , 43, 222-5		1
648	Elastographie ultrasonore hépatique. 2013 , 94, 531-549		
647	Fibroscan can avoid liver biopsy in Indian patients with chronic hepatitis B. 2013 , 28, 1738-45		39

646	Biomarkers of liver fibrosis. 2013 , 62, 33-122	5
645	Diagnostic value of real-time elastography in the assessment of hepatic fibrosis in patients with liver iron overload. 2013 , 82, e755-61	20
644	JSUM ultrasound elastography practice guidelines: liver. 2013 , 40, 325-57	75
643	Role of fibroscan and APRI in detection of liver fibrosis: a systematic review and meta-analysis. <i>Arab Journal of Gastroenterology</i> , 2013 , 14, 44-50	1.7 28
642	Ultrasound elastography in liver. 2013 , 94, 515-34	124
641	Including osteoprotegerin and collagen IV in a score-based blood test for liver fibrosis increases diagnostic accuracy. 2013 , 415, 63-8	9
640	Liver stiffness measurements in patients with different stages of nonalcoholic fatty liver disease: diagnostic performance and clinicopathological correlation. 2013 , 58, 265-74	64
639	Impact of mild to moderate elevations of alanine aminotransferase on liver stiffness measurement in chronic hepatitis B patients during antiviral therapy. 2013 , 43, 185-91	8
638	Glycoproteomics-based cancer marker discovery adopting dual enrichment with Wisteria floribunda agglutinin for high specific glyco-diagnosis of cholangiocarcinoma. 2013 , 85, 1-11	38
637	Longitudinal assessment of liver stiffness in patients undergoing antiviral treatment for hepatitis C. 2013 , 45, 840-3	41
636	[Usefulness of liver stiffness measurement after antiviral response in chronic hepatitis C]. 2013 , 31, 421-3	
635	Natural History of Chronic HCV Infection and Non-Invasive Assessment of Hepatic Fibrosis. 2013 , 341-352	
634	Longitudinal changes in viral RNA concentration in patients with chronic hepatitis C and/or HIV infection in the absence of antiviral therapy. 2013 , 58, 391-5	6
633	Quantification of liver viscoelasticity with acoustic radiation force: a study of hepatic fibrosis in a rat model. 2013 , 39, 2091-102	45
632	Hepatic and serum levels of miR-122 after chronic HCV-induced fibrosis. 2013 , 58, 234-9	135
631	Non-invasive assessment of liver graft fibrosis by transient elastography after liver transplantation. 2013 , 37, 347-52	28
630	[Histological lesions in the graft in patients with long-term survival after transplantation. Are protocol biopsies necessary?]. 2013 , 36, 97-103	1
629	Novel image analysis method using ultrasound elastography for noninvasive evaluation of hepatic fibrosis in patients with chronic hepatitis C. 2013 , 84 Suppl 1, 3-12	61

628	The natural history and long-term outcomes in patients with chronic hepatitis C genotype 4 after interferon-based therapy. 2013 , 33, 871-83		8
627	The diagnostic accuracy of Fibroscan for cirrhosis is influenced by liver morphometry in HCV patients with a sustained virological response. 2013 , 59, 251-6		106
626	Experimental mechanical characterization of abdominal organs: liver, kidney & spleen. 2013 , 17, 22-33		84
625	Determination of reliability criteria for liver stiffness evaluation by transient elastography. <i>Hepatology</i> , 2013 , 57, 1182-91	11.2	353
624	Liver fibrosis: noninvasive assessment with acoustic radiation force impulse elastography--comparison with FibroScan M and XL probes and FibroTest in patients with chronic liver disease. <i>Radiology</i> , 2013 , 269, 283-92	20.5	91
623	A Simple Noninvasive Score Based on Routine Parameters can Predict Liver Cirrhosis in Patients With Chronic Hepatitis C. <i>Hepatitis Monthly</i> , 2013 , 13, e8352	1.8	22
622	Impact of transient elastography on clinical decision-making in patients with chronic viral hepatitis. 2013 , 48, 1074-81		4
621	Comparison of magnetic resonance elastography and gadoxetate disodium-enhanced magnetic resonance imaging for the evaluation of hepatic fibrosis. 2013 , 48, 607-13		39
620	Magnetic resonance laparoscopy: A new non-invasive technique for the assessment of chronic viral liver disease. 2013 , 43, 836-45		3
619	Update of liver fibrosis and steatosis with transient elastography (Fibroscan). 2013 , 1, 19-26		70
618	Transient elastography in hepatitis C virus-infected patients with beta-thalassemia for assessment of fibrosis. 2013 , 43, 1276-83		13
617	Comparative assessment of liver fibrosis by computerized morphometry in naïve patients with chronic hepatitis B and C. 2013 , 33, 428-38		24
616	Normal enhanced liver fibrosis (ELF) values in apparently healthy subjects undergoing a health check-up and in living liver donors in South Korea. 2013 , 33, 706-13		13
615	MR elastography of healthy liver parenchyma: Normal value and reliability of the liver stiffness value measurement. 2013 , 38, 1215-23		69
614	Liver stiffness increases acutely during sickle cell vaso-occlusive crisis. 2013 , 88, E250-4		11
613	Utility of transient elastography in the non-invasive evaluation of cystic fibrosis liver disease. 2013 , 33, 698-705		35
612	Shear wave dispersion for fibrosis, steatosis and activity staging. 2013 ,		
611	A quantitative stiffness assessment method in liver biopsy teleoperations. 2013 ,		1

610	Evaluation of seven noninvasive models in staging liver fibrosis in patients with chronic hepatitis B virus infection. 2013 , 25, 428-34		41
609	Preexisting epithelial diversity in normal human livers: a tissue-tethered cytometric analysis in portal/periportal epithelial cells. <i>Hepatology</i> , 2013 , 57, 1632-43	11.2	37
608	The effect of hemodialysis on liver stiffness measurement: a single-center series. 2013 , 25, 368-72		14
607	Triple combination therapy for hepatitis C with telaprevir exhibits greater early antiviral activity than with boceprevir. <i>Antiviral Therapy</i> , 2013 , 18, 709-15	1.6	12
606	Performance of liver stiffness measurements by transient elastography in chronic hepatitis. 2013 , 19, 49-56		33
605	Effect of alcohol consumption on liver stiffness measured by transient elastography. 2013 , 19, 516-22		57
604	Contribution of the ELFG test in algorithms of non-invasive markers towards the diagnosis of significant fibrosis in chronic hepatitis C. 2013 , 8, e59088		11
603	A health technology assessment of transient elastography in adult liver disease. 2013 , 27, 149-58		26
602	CIHR Canadian HIV Trials Network Coinfection and Concurrent Diseases Core: Canadian guidelines for management and treatment of HIV/hepatitis C coinfection in adults. 2013 , 24, 217-38		9
601	Feasibility and reliability of the FibroScan S2 (pediatric) probe compared with the M probe for liver stiffness measurement in small adults with chronic liver disease. 2013 , 12, 100-107		18
600	Liver fibrosis in young Egyptian beta-thalassemia major patients: relation to hepatitis C virus and compliance with chelation. 2013 , 12, 54-61		13
599	Ultrasonographic scoring system score versus liver stiffness measurement in prediction of cirrhosis. 2013 , 19, 389-98		32
598	The clinical utility of FibroScan(®) as a noninvasive diagnostic test for liver disease. 2014 , 7, 107-14		32
597	Noninvasive assessment of hepatic fibrosis in patients with chronic hepatitis B viral infection using magnetic resonance elastography. 2014 , 15, 210-7		26
596	A novel fibrosis index comprising a non-cholesterol sterol accurately predicts HCV-related liver cirrhosis. 2014 , 9, e93601		4
595	Viscoelastic parameters for quantifying liver fibrosis: three-dimensional multifrequency MR elastography study on thin liver rat slices. 2014 , 9, e94679		17
594	Gadoxetic acid-enhanced MRI and sonoelastography: non-invasive assessments of chemoprevention of liver fibrosis in thioacetamide-induced rats with Sho-Saiko-To. 2014 , 9, e114756		6
593	Influence of hepatitis C virus and IL28B genotypes on liver stiffness. 2014 , 9, e115882		6

592	Invasive and non-invasive diagnosis of cirrhosis and portal hypertension. 2014 , 20, 4300-15	69
591	Point shear wave elastography method for assessing liver stiffness. 2014 , 20, 4787-96	95
590	Non-invasive diagnosis of hepatitis B virus-related cirrhosis. 2014 , 20, 445-59	22
589	Relationship of liver stiffness and controlled attenuation parameter measured by transient elastography with diabetes mellitus in patients with chronic liver disease. 2014 , 29, 1113-9	3
588	Concepts and Treatment Approaches in Nonalcoholic Fatty Liver Disease. 2014 , 2014, 1-7	2
587	Liver fibrosis evaluation by ARFI and APRI in chronic hepatitis C. 2014 , 20, 9528-33	19
586	Non invasive tools for the diagnosis of liver cirrhosis. 2014 , 20, 18131-50	57
585	[Not Available]. 2014 , 25, 39-62	
584	Latin American Association for the Study of the Liver Recommendations on Treatment of Hepatitis C. 2014 , 13, S4-S66	20
583	Non-invasive methods for the assessment of hepatic fibrosis: transient elastography, hyaluronic acid, 13C-aminopyrine breath test and cytokeratin 18 fragment. 2014 , 13, 91-97	10
582	Non-invasive prediction of development of hepatocellular carcinoma using transient elastography in patients with chronic liver disease. 2014 , 8, 501-11	7
581	Diagnostic usefulness of real-time elastography for liver fibrosis in chronic viral hepatitis B and C. 2014 , 2014, 210407	9
580	Ultrasound elastography correlates treatment response by antiviral therapy in patients with chronic hepatitis C. 2014 , 87 Suppl 1, 118-23	16
579	Quantifying tissue mechanical properties using photoplethysmography. 2014 , 5, 2362-75	12
578	Evaluation of liver fibrosis and hepatic venous pressure gradient with MR elastography in a novel swine model of cirrhosis. 2014 , 39, 590-7	11
577	Liver stiffness assessment with tagged MRI of cardiac-induced liver motion in cirrhosis patients. 2014 , 39, 1301-7	16
576	Interleukin 28B polymorphism predicts interferon plus ribavirin treatment outcome in patients with hepatitis C virus-related liver cirrhosis: A multicenter retrospective study in Japan. 2014 , 44, 983-92	3
575	Transient elastography may identify Fontan patients with unfavorable hemodynamics and advanced hepatic fibrosis. 2014 , 9, 438-47	64

574	Non-invasive diagnosis of liver fibrosis in chronic hepatitis C. 2014 , 20, 2854-66	52
573	Photoplethysmography beyond perfusion and oxygenation monitoring: pulse wave analysis for hepatic graft monitoring. 2014 ,	
572	The value of liver and spleen ADC measurements in the diagnosis and follow up of hepatic fibrosis in chronic liver disease. 2014 , 69, 426-32	16
571	Chronic hepatitis C and liver fibrosis. 2014 , 20, 11033-53	130
570	Comparison between transient elastography (Fibroscan) and liver biopsy for the diagnosis of hepatic fibrosis in chronic hepatitis C genotype 4. 2014 , 4, 106-111	7
569	Prediction of liver stiffness hepatocellular carcinoma in chronic hepatitis C patients on interferon-based anti-viral therapy. 2014 , 29, 137-43	16
568	Steatosis affects the performance of liver stiffness measurement for fibrosis assessment in patients with genotype 1 chronic hepatitis C. 2014 , 61, 523-9	57
567	Macrophage-related serum biomarkers soluble CD163 (sCD163) and soluble mannose receptor (sMR) to differentiate mild liver fibrosis from cirrhosis in patients with chronic hepatitis C: a pilot study. 2014 , 33, 117-22	40
566	Precise evaluation of liver histology by computerized morphometry shows that steatosis influences liver stiffness measured by transient elastography in chronic hepatitis C. 2014 , 49, 527-37	44
565	Non-invasive prediction of hepatocellular carcinoma development using serum fibrosis marker in chronic hepatitis C patients. 2014 , 49, 1495-503	38
564	Telaprevir or boceprevir based therapy for chronic hepatitis C infection: development of resistance-associated variants in treatment failure. 2014 , 105, 112-7	10
563	Utilization of FibroScan in clinical practice. 2014 , 16, 372	67
562	Assessment of liver stiffness in patients with HCV and mixed cryoglobulinemia undergoing rituximab treatment. 2014 , 12, 21	12
561	Towards compression-sensitive magnetic resonance elastography of the liver: sensitivity of harmonic volumetric strain to portal hypertension. 2014 , 39, 298-306	24
560	Which are the cut-off values of 2D-Shear Wave Elastography (2D-SWE) liver stiffness measurements predicting different stages of liver fibrosis, considering Transient Elastography (TE) as the reference method?. 2014 , 83, e118-22	56
559	Feasibility and reproducibility of spleen transient elastography and its role in combination with liver transient elastography for predicting the severity of chronic viral hepatitis. 2014 , 21, 90-8	43
558	Food intake increases liver stiffness measurements and hampers reliable values in patients with chronic hepatitis B and healthy controls: the PROLIFICA experience in The Gambia. 2014 , 39, 188-96	41
557	Diagnostic accuracy of two-dimensional shear wave elastography for the non-invasive staging of hepatic fibrosis in chronic hepatitis B: a cohort study with internal validation. 2014 , 24, 2572-81	67

556	An analysis on force data during biopsy insertion. 2014,		1
555	Diagnostic value of magnetic resonance elastography for detecting and staging of hepatic fibrosis: a meta-analysis. 2014, 69, e545-52		22
554	Relationship between the liver tissue shear modulus and histopathologic findings analyzed by intraoperative shear wave elastography and digital microscopically assisted morphometry in patients with hepatocellular carcinoma. 2014, 33, 61-71		18
553	Shear wave elastography for evaluation of liver fibrosis. 2014, 33, 197-203		122
552	Long-term changes of liver stiffness values assessed using transient elastography in patients with chronic hepatitis B receiving entecavir. 2014, 34, 1216-23		27
551	Indirect prediction of liver fibrosis by quantitative measurement of spleen stiffness using the FibroScan system. 2014, 33, 73-81		9
550	Prediction of development of liver-related events by transient elastography in hepatitis B patients with complete virological response on antiviral therapy. 2014, 109, 1241-9		89
549	Advanced liver fibrosis by transient elastography, fibrosis 4, and alanine aminotransferase/platelet ratio index among Asian hepatitis C with and without human immunodeficiency virus infection: role of vitamin D levels. 2014, 29, 1706-14		27
548	Alcoholic and non-alcoholic steatohepatitis. 2014, 97, 492-510		50
547	Acoustic Radiation Force Impulse (ARFI) and Transient Elastography (TE) for evaluation of liver fibrosis in HIV-HCV co-infected patients. 2014, 14, 405		20
546	Comparison of transient elastography (FibroScan), FibroTest, APRI and two algorithms combining these non-invasive tests for liver fibrosis staging in HIV/HCV coinfecting patients: ANRS CO13 HEPAVIH and FIBROSTIC collaboration. 2014, 15, 30-9		46
545	Knowledge-based fuzzy approach in determining the mass spring stiffness parameter. 2014, 2, 167-175		
544	Clinically severe portal hypertension: role of multi-detector row CT features in diagnosis. 2014, 59, 2333-43		10
543	Comparison of four different techniques to evaluate the elastic properties of phantom in elastography: is there a gold standard?. 2014, 59, 5775-93		28
542	Evolution of noninvasive tests of liver fibrosis is associated with prognosis in patients with chronic hepatitis C. <i>Hepatology</i> , 2014, 60, 65-76	11.2	100
541	Correlation between the mechanical and histological properties of liver tissue. 2014, 29, 403-16		21
540	Non-invasive liver fibrosis score calculated by combination of virtual touch tissue quantification and serum liver functional tests in chronic hepatitis C patients. 2014, 44, 280-7		14
539	Can transient elastography, Fib-4, Forns Index, and Lok Score predict esophageal varices in HCV-related cirrhotic patients?. 2014, 37, 58-65		19

538	Hepatitis B and C. 2014 , 30, 149-67		4
537	Serūma refeiū ligeira fator de erro na avaliaū da dureza hepūica por elastografia hepūica transitūria? Um estudo prospetivo. 2014 , 21, 102-108		1
536	Ultrasound in chronic liver disease. 2014 , 5, 441-55		59
535	Von Willebrand Factor as a new marker for non-invasive assessment of liver fibrosis and cirrhosis in patients with chronic hepatitis C. 2014 , 39, 331-8		45
534	Diffusion weighted MRI and transient elastography assessment of liver fibrosis in hepatitis C patients: Validity of non invasive imaging techniques. <i>Egyptian Journal of Radiology and Nuclear Medicine</i> , 2014 , 45, 279-287	1.4	1
533	Clinical approaches to non-alcoholic fatty liver disease. 2014 , 20, 1712-23		95
532	Novel host genetic variations associated with spontaneous clearance of a single-source outbreak of HCV1b infections. 2014 , 1, e000010		2
531	Increased hepatic stiffness as consequence of high hepatic afterload in the Fontan circulation: a vascular Doppler and elastography study. <i>Hepatology</i> , 2014 , 59, 251-60	11.2	89
530	Hepatitis C guidance: AASLD-IDSa recommendations for testing, managing, and treating adults infected with hepatitis C virus. <i>Hepatology</i> , 2015 , 62, 932-54	11.2	968
529	Quantitative comparison of transient elastography (TE), shear wave elastography (SWE) and liver biopsy results of patients with chronic liver disease. 2015 , 27, 2465-8		13
528	Transient elastography using Fibroscan is the most reliable noninvasive method for the diagnosis of advanced fibrosis and cirrhosis in alcoholic liver disease. 2015 , 27, 1074-9		43
527	Acoustic particle palpation for measuring tissue elasticity. 2015 , 107, 223701		22
526	Comparison between T1 relaxation time of Gd-EOB-DTPA-enhanced MRI and liver stiffness measurement of ultrasound elastography in the evaluation of cirrhotic liver. 2015 , 41, 329-38		11
525	Optimal linear combination of ARFI, transient elastography and APRI for the assessment of fibrosis in chronic hepatitis B. 2015 , 35, 816-25		28
524	Assessment of Liver and Spleen Stiffness in Patients With Myelofibrosis Using FibroScan and Shear Wave Elastography. 2015 , 31, 166-9		15
523	Non-invasive assessment of liver fibrosis in chronic viral hepatitis. 2015 , 45, 1243-51		12
522	Progressive fibrosis significantly correlates with hepatocellular carcinoma in patients with a sustained virological response. 2015 , 45, 238-46		48
521	Is liver biopsy still needed in children with chronic viral hepatitis?. 2015 , 21, 12141-9		25

520	Non-invasive diagnosis of liver fibrosis and cirrhosis. 2015 , 21, 11567-83		151
519	Acoustic Radiation Force Impulse Elastography for the Non-Invasive Evaluation of Hepatic Fibrosis in Non-Alcoholic Fatty Liver Disease Patients: A Systematic Review & Meta-Analysis. 2015 , 10, e0127782		72
518	Comparison of Histochemical Stainings in Evaluation of Liver Fibrosis and Correlation with Transient Elastography in Chronic Hepatitis. 2015 , 2015, 431750		13
517	Chronic Hepatitis C: An Overview of Evidence on Epidemiology and Management from a Brazilian Perspective. 2015 , 2015, 852968		5
516	Imaging Based Methods of Liver Fibrosis Assessment in Viral Hepatitis: A Practical Approach. 2015 , 2015, 809289		2
515	Diagnostic value of MRI proton density fat fraction for assessing liver steatosis in chronic viral C hepatitis. <i>BioMed Research International</i> , 2015 , 2015, 758164	3	14
514	Alpha-fetoprotein and des-gamma-carboxy-prothrombin at twenty-four weeks after interferon-based therapy predict hepatocellular carcinoma development. <i>World Journal of Hepatology</i> , 2015 , 7, 2757-64	3-4	3
513	Diagnostic performance of controlled attenuation parameter for predicting steatosis grade in chronic hepatitis B. 2015 , 14, 826-36		16
512	Noninvasive assessment of alcoholic liver disease using unidimensional transient elastography (Fibroscan®). 2015 , 21, 11914-23		15
511	Risk factors for hepatocellular carcinoma in Caucasian patients with non-viral cirrhosis: the importance of prior obesity. 2015 , 35, 1872-6		15
510	EASL-ALEH Clinical Practice Guidelines: Non-invasive tests for evaluation of liver disease severity and prognosis. 2015 , 63, 237-64		1082
509	Performance of 2-D shear wave elastography in liver fibrosis assessment compared with serologic tests and transient elastography in clinical routine. 2015 , 41, 2340-9		20
508	Serum hyaluronic acid in chronic viral hepatitis B and C: a biomarker for assessing liver fibrosis in chronic hemodialysis patients. 2015 , 47, 1209-17		9
507	Should HFE p.C282Y homozygotes with moderately elevated serum ferritin be treated? A randomised controlled trial comparing iron reduction with sham treatment (Mi-iron). 2015 , 5, e008938		9
506	Transient Elastography (FibroScan) Is Not Correlated With Liver Fibrosis but With Cholestasis in Patients With Long-Term Home Parenteral Nutrition. 2015 , 39, 719-24		41
505	Comparison of Histochemical Staining Methods and Correlation with Transient Elastography in Acute Hepatitis. 2015 , 82, 48-52		8
504	Liver stiffness and aspartate aminotransferase levels predict the risk for liver fibrosis progression in hepatitis C virus/HIV-coinfected patients. 2015 , 16, 211-8		17
503	Multifrequency time-harmonic elastography for the measurement of liver viscoelasticity in large tissue windows. 2015 , 41, 724-33		28

502	Liver stiffness and the prediction of clinically significant portal hypertension and portal hypertensive complications. 2015 , 50, 462-9	42
501	STARTVerso1: A randomized trial of faldaprevir plus pegylated interferon/ribavirin for chronic HCV genotype-1 infection. 2015 , 62, 1246-55	19
500	Non-invasive diagnosis tests. 2015 , 53-62	
499	Fibrosis and fibrogenesis. 2015 , 46-52	
498	Eligibility and safety of the first interferon-free therapy against hepatitis C in a real-world setting. 2015 , 35, 1845-52	19
497	Liver stiffness-based model for prediction of hepatocellular carcinoma in chronic hepatitis B virus infection: comparison with histological fibrosis. 2015 , 35, 1054-62	28
496	Spleen stiffness can non-invasively assess resolution of portal hypertension after liver transplantation. 2015 , 35, 518-23	19
495	Utility of real-time shear wave elastography for assessing liver fibrosis in patients with chronic hepatitis C infection without cirrhosis: Comparison of liver fibrosis indices. 2015 , 45, E122-9	37
494	Liver stiffness measurement, better than APRI, Fibroindex, Fib-4, and NBI gastroscopy, predicts portal hypertension in patients with cirrhosis. 2015 , 71, 865-73	10
493	Noninvasive evaluation of liver fibrosis using real-time tissue elastography and transient elastography (FibroScan). 2015 , 34, 403-10	26
492	Non-invasive detection of liver fibrosis: MR imaging features vs. MR elastography. 2015 , 40, 766-75	64
491	Characterization of fortuitously discovered focal liver lesions: additional information provided by shearwave elastography. 2015 , 25, 346-58	29
490	Magnetic resonance elastography (MRE) in assessing hepatic fibrosis: performance in a cohort of patients with histological data. 2015 , 40, 760-5	26
489	Elastography Assessment of Liver Fibrosis: Society of Radiologists in Ultrasound Consensus Conference Statement. <i>Radiology</i> , 2015 , 276, 845-61	20.5 339
488	Noninvasive Assessment of Liver Fibrosis. 2015 , 33, 498-503	40
487	FibroScan predicts ascites after liver resection for hepatitis B virus-related hepatocellular carcinoma: A prospective cohort study. 2015 , 20, 21-5	6
486	Transient elastography for diagnosis of stages of hepatic fibrosis and cirrhosis in people with alcoholic liver disease. 2015 , 1, CD010542	43
485	WFUMB guidelines and recommendations for clinical use of ultrasound elastography: Part 3: liver. 2015 , 41, 1161-79	390

484	Using Ultrasonic Transient Elastometry (FibroScan) to Predict Esophageal Varices in Patients with Viral Liver Cirrhosis. 2015 , 41, 1530-7		18
483	New reliability criteria for transient elastography increase the number of accurate measurements for screening of cirrhosis and portal hypertension. 2015 , 35, 381-90		90
482	Prospective comparison of transient elastography and liver biopsy for the assessment of fibrosis in chronic hepatitis C infection. <i>Egyptian Journal of Radiology and Nuclear Medicine</i> , 2015 , 46, 293-297	1.4	1
481	Australian Liver Association (ALA) expert consensus recommendations for the use of transient elastography in chronic viral hepatitis. 2015 , 30, 453-62		20
480	Interobserver variability in transient elastography analysis of patients with chronic hepatitis C. 2015 , 35, 1533-9		22
479	Non-invasive mħage ^trois for the prediction of high-risk varices: stepwise algorithm using lok score, liver and spleen stiffness. 2015 , 35, 317-25		30
478	Non-invasive assessment of liver fibrosis in C282Y homozygous HFE hemochromatosis. 2015 , 35, 1731-8		30
477	Shear-wave elasticity imaging of a liver fibrosis mouse model using high-frequency ultrasound. 2015 , 62, 1295-307		8
476	Shear Wave Elastography for Assessment of Steatohepatitis and Hepatic Fibrosis in Rat Models of Non-Alcoholic Fatty Liver Disease. 2015 , 41, 3205-15		17
475	Lectin Microarray-Based Sero-Biomarker Verification Targeting Aberrant O-Linked Glycosylation on Mucin 1. 2015 , 87, 7274-81		40
474	Rate and predictors of serum HCV-RNA >6 million IU/mL in patients with chronic hepatitis C. 2015 , 71, 63-6		8
473	Dissecting fibrosis: therapeutic insights from the small-molecule toolbox. 2015 , 14, 693-720		141
472	Accuracy of fibroscan, compared with histology, in analysis of liver fibrosis in patients with hepatitis B or C: a United States multicenter study. 2015 , 13, 772-9.e1-3		120
471	PCSK9, apolipoprotein E and lipoviral particles in chronic hepatitis C genotype 3: evidence for genotype-specific regulation of lipoprotein metabolism. 2015 , 62, 763-70		28
470	Liver stiffness measured by acoustic radiation force impulse elastography reflects the severity of liver damage and prognosis in patients with acute liver failure. 2015 , 45, 571-7		15
469	Non-invasive score system for fibrosis in chronic hepatitis: proposal for a model based on biochemical, FibroScan and ultrasound data. 2015 , 35, 2027-35		17
468	FibroScan (vibration-controlled transient elastography): where does it stand in the United States practice. 2015 , 13, 27-36		103
467	Experimental analysis of the mechanical behavior of the viscoelastic porcine pancreas and preliminary case study on the human pancreas. 2015 , 41, 199-207		17

466	The role of liver stiffness measurement in the evaluation of liver function and esophageal varices in cirrhotic patients. 2015 , 16, 98-103		7
465	Epidemiology, disease burden and outcomes of cirrhosis in a large secondary care hospital in South Auckland, New Zealand. 2015 , 45, 160-9		24
464	Investigating liver stiffness and viscosity for fibrosis, steatosis and activity staging using shear wave elastography. 2015 , 62, 317-24		134
463	Comparison of liver biopsy and noninvasive techniques for liver fibrosis assessment in patients infected with HCV-genotype 4 in Egypt. 2015 , 22, 245-53		26
462	Texture-based classification of liver fibrosis using MRI. 2015 , 41, 322-8		44
461	Diagnostic accuracy of real-time tissue elastography for the staging of liver fibrosis: a meta-analysis. 2015 , 25, 230-8		40
460	A novel serum marker, glycosylated Wisteria floribunda agglutinin-positive Mac-2 binding protein (WFA(+)-M2BP), for assessing liver fibrosis. 2015 , 50, 76-84		128
459	CIHR Canadian HIV Trials Network Coinfection and Concurrent Diseases Core Research Group: 2016 Updated Canadian HIV/Hepatitis C Adult Guidelines for Management and Treatment. 2016 , 2016, 4385643		14
458	Real-time elastography as a noninvasive assessment of liver fibrosis in chronic hepatitis C Egyptian patients: a prospective study. <i>Annals of Gastroenterology</i> , 2016 , 29, 358-62	2.2	7
457	Transient elastography and APRI score: looking at false positives and false negatives. Diagnostic performance and association to fibrosis staging in chronic hepatitis C. 2016 , 49, e5432		8
456	Transient elastography (FibroScan®) with controlled attenuation parameter in the assessment of liver steatosis and fibrosis in patients with nonalcoholic fatty liver disease - Where do we stand?. 2016 , 22, 7236-51		127
455	Liver stiffness assessed by transient elastography in patients with β -thalassaemia major. 2016 , 15, 410-7		7
454	Faldaprevir, pegylated interferon, and ribavirin for treatment-naïve HCV genotype-1: pooled analysis of two phase 3 trials. 2016 , 15, 333-49		1
453	Idiopathic noncirrhotic portal hypertension: current perspectives. 2016 , 8, 81-8		17
452	Evaluation of the biomarker candidate MFAP4 for non-invasive assessment of hepatic fibrosis in hepatitis C patients. 2016 , 14, 201		27
451	Non-invasive Markers of Liver Fibrosis: Adjuncts or Alternatives to Liver Biopsy?. 2016 , 7, 159		42
450	Liver Shear-Wave Velocity and Serum Fibrosis Markers to Diagnose Hepatic Fibrosis in Patients with Chronic Viral Hepatitis B. 2016 , 17, 396-404		18
449	Transient elastography compared to liver biopsy and morphometry for predicting fibrosis in pediatric chronic liver disease: Does etiology matter?. 2016 , 22, 4238-49		35

448	Hepatic steatosis and fibrosis: Non-invasive assessment. 2016 , 22, 9880-9897	39
447	Noninvasive Markers to Assess Liver Fibrosis. 2016 , 50, 445-57	10
446	Noninvasive assessment of liver stiffness by transient elastography (FibroScan) in liver fluke disease. 2016 , 28, 70-3	1
445	The impact of ledipasvir/sofosbuvir on patient-reported outcomes in cirrhotic patients with chronic hepatitis C: the SIRIUS study. 2016 , 36, 42-8	43
444	Elastography of shear wave speed imaging for the evaluation of liver fibrosis: A meta-analysis. 2016 , 46, 1203-1213	6
443	Prospective comparison of magnetic resonance imaging to transient elastography and serum markers for liver fibrosis detection. 2016 , 36, 659-66	44
442	Rate and predictors of treatment failure to all-oral HCV regimens outside clinical trials. <i>Antiviral Therapy</i> , 2017 , 22, 307-312	1.6 45
441	Clinical applications of sonoelastography. 2016 , 13, 1107-1117	9
440	Comparison of three dimensional strain volume reconstructions using SOUPR and wobbler based acquisitions: A phantom study. 2016 , 43, 1615	3
439	Improved shear wave-front reconstruction method by aligning imaging beam angles with shear-wave polarization: Applied for shear compounding application. 2016 ,	0
438	Influence of Food Intake on 2-D Shear Wave Elastography Assessment of Liver Stiffness in Healthy Subjects. 2016 , 42, 1295-302	13
437	Alcohol intake increases the risk of HCC in hepatitis C virus-related compensated cirrhosis: A prospective study. 2016 , 65, 543-51	50
436	Diagnosis of non-alcoholic fatty liver disease (NAFLD). 2016 , 59, 1104-11	52
435	Ultrasound window-modulated compounding Nakagami imaging: Resolution improvement and computational acceleration for liver characterization. 2016 , 70, 18-28	16
434	Non-invasive assessment of liver fibrosis by magnetic resonance elastography in patients with congenital heart disease undergoing the Fontan procedure and intracardiac repair. 2016 , 68, 202-8	23
433	Elastography in Chronic Liver Disease: Modalities, Techniques, Limitations, and Future Directions. 2016 , 36, 1987-2006	104
432	Histological Biomarkers of Nonalcoholic Fatty Liver Disease. 2016 , 1-13	
431	Safety profile of methotrexate in inflammatory bowel disease. 2016 , 15, 1427-37	15

430	Twelve-week ribavirin-free direct-acting antivirals for treatment-experienced Chinese with HCV genotype 1b infection including cirrhotic patients. <i>Hepatology International</i> , 2016 , 10, 789-98	8.8	13
429	Liver stiffness measurement reliability and main determinants of point shear-wave elastography in patients with chronic liver disease. 2016 , 44, 356-65		27
428	Hepatitis C and Hepatocellular Carcinoma. 2016 , 261-273		
427	Sofosbuvir-based treatment of hepatitis C with severe fibrosis (METAVIR F3/F4) after liver transplantation. 2016 , 22, 1367-78		25
426	Hepatic Fibrosis in Hepatitis C. 2016 , 79-108		
425	Three cases of Fontan-associated liver disease: diagnosis by laparoscopic liver biopsy. 2016 , 57, 656-665		
424	High resolution Physio-chemical Tissue Analysis: Towards Non-invasive In Vivo Biopsy. <i>Scientific Reports</i> , 2016 , 6, 16937	4.9	29
423	High serum HCV RNA in chronic hepatitis C patients coinfecting with HIV despite successful antiretroviral therapy. <i>Antiviral Therapy</i> , 2016 , 21, 489-494	1.6	6
422	Elastography Assessment of Liver Fibrosis: Society of Radiologists in Ultrasound Consensus Conference Statement. 2016 , 32, 94-107		74
421	Major changes in the number and indications of liver biopsy for chronic liver diseases over one decade in France. 2016 , 28, e26-32		6
420	Quantification of liver fibrosis via second harmonic imaging of the Glisson's capsule from liver surface. 2016 , 9, 351-63		28
419	The Application of Liver Stiffness Measurement in Residents Without Overt Liver Diseases Through a Community-Based Screening Program. 2016 , 95, e3193		10
418	Transient elastography in autoimmune hepatitis: Timing determines the impact of inflammation and fibrosis. 2016 , 65, 769-775		82
417	Liver and blood cytokine microenvironment in HCV patients is associated to liver fibrosis score: a proinflammatory cytokine ensemble orchestrated by TNF and tuned by IL-10. 2016 , 16, 3		26
416	Liver Fibrosis Evaluation Using Real-time Shear Wave Elastography in Hepatitis C-Monoinfected and Human Immunodeficiency Virus/Hepatitis C-Coinfected Patients. 2016 , 35, 1299-308		13
415	Antiretroviral Use in the CEASE Cohort Study and Implications for Direct-Acting Antiviral Therapy in Human Immunodeficiency Virus/Hepatitis C Virus Coinfection. 2016 , 3, ofw105		13
414	Lack of Siglec-7 expression identifies a dysfunctional natural killer cell subset associated with liver inflammation and fibrosis in chronic HCV infection. <i>Gut</i> , 2016 , 65, 1998-2006	19.2	35
413	Fabrication of hydrogels with elasticity changed by alkaline phosphatase for stem cell culture. 2016 , 29, 215-227		16

412	Assessment of liver fibrosis in chronic hepatitis B using acoustic structure quantification: quantitative morphological ultrasound. 2016 , 26, 2344-51		22
411	Hepatic hydrothorax without ascites as the first sign of liver cirrhosis. 2016 , 4, 16-8		11
410	Liver Fibrosis Staging with MR Elastography: Comparison of Diagnostic Performance between Patients with Chronic Hepatitis B and Those with Other Etiologic Causes. <i>Radiology</i> , 2016 , 280, 88-97	20.5	44
409	Fibroscan versus liver biopsy in the evaluation of response among the Egyptian HCV infected patients to treatment. <i>Egyptian Journal of Radiology and Nuclear Medicine</i> , 2016 , 47, 1-7	1.4	5
408	Can early hepatic fibrosis stages be discriminated by combining ultrasonic parameters?. 2016 , 68, 120-6		12
407	Learning curve and intra/interobserver agreement of transient elastography in chronic hepatitis C patients with or without HIV co-infection. 2016 , 40, 73-82		12
406	Prediction of posthepatectomy liver failure based on liver stiffness measurement in patients with hepatocellular carcinoma. 2016 , 159, 399-408		45
405	Drug-Drug Interactions With Novel All Oral Interferon-Free Antiviral Agents in a Large Real-World Cohort. 2016 , 62, 561-7		72
404	Utility of Noninvasive Markers of Fibrosis in Cholestatic Liver Diseases. 2016 , 20, 143-58		14
403	Serum YKL-40 in young patients with β -thalassemia major: Relation to hepatitis C virus infection, liver stiffness by transient elastography and cardiovascular complications. 2016 , 56, 1-8		9
402	The gamma-glutamyl transpeptidase to platelet ratio (GPR) predicts significant liver fibrosis and cirrhosis in patients with chronic HBV infection in West Africa. <i>Gut</i> , 2016 , 65, 1369-76	19.2	198
401	Quantitative assessment of liver fibrosis in chronic viral hepatitis C patients using shear wave elastography with elastography point quantification feature. <i>Egyptian Journal of Radiology and Nuclear Medicine</i> , 2017 , 48, 31-42	1.4	3
400	Are non-invasive fibrosis markers for chronic hepatitis B reliable in sub-Saharan Africa?. 2017 , 37, 1461-1467		27
399	Assessment of liver fibrosis in chronic hepatitis B via multimodal data. 2017 , 253, 169-176		5
398	Serum Wisteria floribunda agglutinin-positive Mac-2-binding protein levels and liver fibrosis: A meta-analysis. 2017 , 32, 1922-1930		30
397	Stage of fibrosis and portal pressure correlation in nonalcoholic steatohepatitis. 2017 , 29, 516-523		9
396	American Gastroenterological Association Institute Technical Review on the Role of Elastography in Chronic Liver Diseases. 2017 , 152, 1544-1577		157
395	Randomized Phase 3 Trial of Ombitasvir/Paritaprevir/Ritonavir and Ribavirin for Hepatitis C Virus Genotype 2-Infected Japanese Patients. 2017 , 34, 1449-1465		14

394	Concomitant screening for liver fibrosis and steatosis in French type 2 diabetic patients using Fibroscan. 2017 , 37, 1897-1906		51
393	MR elastography: high rate of technical success in pediatric and young adult patients. 2017 , 47, 838-843		31
392	Development of a Simple Noninvasive Model to Predict Significant Fibrosis in Patients with Chronic Hepatitis B: Combination of Ultrasound Elastography, Serum Biomarkers, and Individual Characteristics. 2017 , 8, e84		5
391	Multiparametric or practical quantitative liver MRI: towards millisecond, fat fraction, kilopascal and function era. 2017 , 11, 167-182		15
390	Noninvasive monitoring of liver fibrosis in sickle cell disease: Longitudinal observation of a cohort of adult patients. 2017 , 92, E666-E668		7
389	Measuring shear-wave speed with point shear-wave elastography and MR elastography: a phantom study. 2017 , 7, e013925		18
388	Assessment of Liver Fibrosis by Transient Elastography Should Be Done After Hemodialysis in End Stage Renal Disease Patients with Liver Disease. 2017 , 62, 3186-3192		11
387	Regression of liver fibrosis over a 24-week period after completing direct-acting antiviral therapy in patients with chronic hepatitis C receiving care within the national hepatitis C elimination program in Georgia: results of hepatology clinic HEPA experience. 2017 , 29, 1223-1230		51
386	Characteristics of patients with hepatitis B virus and hepatitis C virus dual infection in a Western European country: Comparison with monoinfected patients. 2017 , 41, 656-663		9
385	Hepatic Inflammation May Influence Liver Stiffness Measurements by Transient Elastography in Children and Young Adults. 2017 , 64, 512-517		31
384	Improved shear wave motion detection using coded excitation for transient elastography. <i>Scientific Reports</i> , 2017 , 7, 44483	4.9	3
383	Sustained virological response by direct antiviral agents in HCV leads to an early and significant improvement of liver fibrosis. <i>Antiviral Therapy</i> , 2018 , 23, 129-138	1.6	21
382	Establishing ultrasound based transient elastography cutoffs for different stages of hepatic fibrosis and cirrhosis in Egyptian chronic hepatitis C patients. <i>Arab Journal of Gastroenterology</i> , 2017 , 18, 210-215	1.7	3
381	Efficacy and safety of direct antiviral agents in a cohort of cirrhotic HCV/HIV-coinfected patients. 2017 , 72, 2850-2856		8
380	Accuracy of M2BPGi, compared with Fibro Scan [®] , in analysis of liver fibrosis in patients with hepatitis C. 2017 , 17, 62		24
379	Hepatic Fibrosis, Inflammation, and Steatosis: Influence on the MR Viscoelastic and Diffusion Parameters in Patients with Chronic Liver Disease. <i>Radiology</i> , 2017 , 283, 98-107	20.5	39
378	Liver failure after hepatectomy: A risk assessment using the pre-hepatectomy shear wave elastography technique. 2017 , 86, 234-240		11
377	Combined magnetic resonance elastography and collagen molecular magnetic resonance imaging accurately stage liver fibrosis in a rat model. <i>Hepatology</i> , 2017 , 65, 1015-1025	11.2	36

376	Model-dependent and model-independent approaches for evaluating hepatic fibrosis in rat liver using shearwave dispersion ultrasound vibrometry. 2017 , 39, 66-72		4
375	Evaluation of transient elastography in assessing liver fibrosis in patients with autoimmune hepatitis. 2017 , 32, 639-644		31
374	Prospective Evaluation of Liver Stiffness Using Transient Elastography in Alcoholic Patients Following Abstinence. 2017 , 52, 42-47		20
373	Liver fibrosis assessment by FibroScan compared with pathological findings of liver resection specimen in hepatitis C infection. 2017 , 47, 767-772		14
372	Asian-Pacific Association for the Study of the Liver (APASL) consensus guidelines on invasive and non-invasive assessment of hepatic fibrosis: a 2016 update. <i>Hepatology International</i> , 2017 , 11, 1-30	8.8	132
371	Transient elastography as a noninvasive assessment tool for hepatopathies of different etiology in pediatric type 1 diabetes mellitus. 2017 , 31, 186-194		11
370	Diagnostic Accuracy of Transient Elastography for Detecting Liver Fibrosis After Liver Transplantation: A Specific Cut-Off Value Is Really Needed?. 2017 , 62, 264-272		10
369	Liver-elasticity Measuring Device using Foldable Calipers Mechanism for Laparoscopic Surgery. 2017 , 19, 27-33		
368	Ultrasound Elastography: Review of Techniques and Clinical Applications. 2017 , 7, 1303-1329		622
367	Tissue Engineering Approaches in the Design of Healthy and Pathological Tissue Models. 2017 , 5, 40		102
366	Concordance of non-invasive mechanical and serum tests for liver fibrosis evaluation in chronic hepatitis C. <i>World Journal of Hepatology</i> , 2017 , 9, 436-442	3-4	10
365	Sustained virological response halts fibrosis progression: A long-term follow-up study of people with chronic hepatitis C infection. 2017 , 12, e0185609		16
364	Accuracy of transient elastography-FibroScan [®] , acoustic radiation force impulse (ARFI) imaging, the enhanced liver fibrosis (ELF) test, APRI, and the FIB-4 index compared with liver biopsy in patients with chronic hepatitis C. <i>Clinics</i> , 2017 , 72, 516-525	2.3	27
363	Noninvasive Diagnostic and Prognostic Assessment Tools for Liver Fibrosis and Cirrhosis in Patients with Chronic Liver Disease. 2017 ,		2
362	Ultrasonography for Noninvasive Assessment of Portal Hypertension. 2017 , 11, 464-473		25
361	Quantitative Elastography Methods in Liver Disease: Current Evidence and Future Directions. <i>Radiology</i> , 2018 , 286, 738-763	20.5	145
360	Needle-shaped ultrathin piezoelectric microsystem for guided tissue targeting via mechanical sensing. 2018 , 2, 165-172		71
359	The Role of Signal Transducer and Activator of Transcription 5 and Transforming Growth Factor- β in Hepatic Fibrosis Induced by Chronic Hepatitis C Virus Infection in Egyptian Patients. 2018 , 27, 115-121		1

358	Acoustic radiation force impulse of the liver after Fontan operation: Correlation with cardiopulmonary exercise test. 2018 , 13, 444-449	2
357	Evaluation of transient elastography in assessing liver fibrosis in patients with advanced schistosomiasis japonica. 2018 , 67, 302-308	10
356	Transient elastography for non-invasive evaluation of post-transplant liver graft fibrosis in children. 2018 , 22, e13125	17
355	Aspartate transaminase to platelet ratio index and gamma-glutamyl transpeptidase-to-platelet ratio outweigh fibrosis index based on four factors and red cell distribution width-platelet ratio in diagnosing liver fibrosis and inflammation in chronic hepatitis B. 2018 , 32, e22341	15
354	The presence of multiple NS5A RASs is associated with the outcome of sofosbuvir and ledipasvir therapy in NS5A inhibitor-naïve patients with chronic HCV genotype 1b infection in a real-world cohort. 2018 , 25, 535-542	9
353	PET/CT with F Fluorocholine as an Imaging Biomarker for Chronic Liver Disease: A Preliminary Radiopathologic Correspondence Study in Patients with Liver Cancer. <i>Radiology</i> , 2018 , 287, 294-302	20.5 7
352	A Novel FibroScan Examination Dedicated to Spleen Stiffness Measurement. 2018 , 44, 1616-1626	11
351	Liver stiffness measurement in the primary care setting detects high rates of advanced fibrosis and predicts liver-related events in hepatitis C. 2018 , 69, 575-583	18
350	Liver Stiffness by Ultrasound Elastography. 2018 , 95-111	1
349	Enhanced liver fibrosis test using ELISA assay accurately discriminates advanced stage of liver fibrosis as determined by transient elastography fibroscan in treatment naïve chronic HCV patients. 2018 , 18, 45-50	7
348	Diagnostic accuracy of the Coopscore to predict liver fibrosis in human immunodeficiency virus/hepatitis B virus co-infection. 2018 , 55, 236-243	1
347	Real-world effect of ribavirin on quality of life in HCV-infected patients receiving interferon-free treatment. 2018 , 38, 834-841	5
346	Long-term liver stiffness assessment in hepatitis C virus patients undergoing antiviral therapy: Results from a 5-year cohort study. 2018 , 33, 942-949	40
345	Uterine fibroids: correlations between MRI appearance and stiffness via magnetic resonance elastography. 2018 , 43, 1456-1463	13
344	Analysis of hepatitis B surface antigen (HBsAg) using high-sensitivity HBsAg assays in hepatitis B virus carriers in whom HBsAg seroclearance was confirmed by conventional assays. 2018 , 48, E263-E274	12
343	Estimating chronic hepatitis C prognosis using transient elastography-based liver stiffness: A systematic review and meta-analysis. 2018 , 25, 502-513	22
342	Sofosbuvir plus daclatasvir with or without ribavirin is safe and effective for post-transplant hepatitis C recurrence and severe fibrosis and cirrhosis: A prospective study. 2018 , 32, e13165	9
341	Nomogram for individualised prediction of liver failure risk after hepatectomy in patients with resectable hepatocellular carcinoma: the evidence from ultrasound data. 2018 , 28, 877-885	20

340	Inverse relationship between hepatic steatosis and hepatitis B viremia: Results of a large case-control study. 2018 , 25, 97-104	42
339	Non-invasive Imaging Grading of Liver Fibrosis. 2018 , 6, 198-207	18
338	Chronic Hepatitis C Patients with Obesity: Do we Need two Operators for Accurate Evaluation of Liver Stiffness?. 2018 , 17, 795-801	5
337	Ultrasound diagnosis of hepaticfibrosis and steatosis. 2018 , 59, 384-392	
336	The Observed Effect of Gastric Bypass Surgery on Direct-acting Antiviral Treatment: a Case Report. 2018 , 17, 525-529	2
335	HIV and the Liver. 2018 , 536-555.e7	1
334	HIGHER VALUES IN LIVER ELASTOGRAPHY AND MELD SCORE ARE MORTALITY PREDICTORS ON LIVER TRANSPLANT WAITING LIST. 2018 , 31, e1360	2
333	Transient Elastography: From Research to Noninvasive Assessment of Liver Fibrosis Using Fibroscan® . 2018 , 295-317	
332	Obesity and Nonalcoholic Fatty Liver Disease: Role of Oxidative Stress. 2018 , 111-133	4
331	Morphometry Confirms Fibrosis Regression From Sustained Virologic Response to Direct-Acting Antivirals for Hepatitis C. 2018 , 2, 1320-1330	38
330	Prevalence and Determinants of Significant Liver Fibrosis by Vibration-Controlled Transient Elastography in Thai Chronic Hepatitis B Patients. 2018 , 2018, 4310102	
329	Screening of hepatitis C virus infection in adult general population in Spain. 2018 , 30, 1077-1081	18
328	Helicobacter Pylori Serology in Relation to Hepatitis C Virus Infection and IL28B Single Nucleotide Polymorphism. 2018 , 7,	1
327	Risk-stratified screening for chronic liver disease using vibration-controlled transient elastography (Fibroscan). 2018 , 16, S15-S22	2
326	Lipids, glucose and iron metabolic alterations in chronic hepatitis C after viral eradication - comparison of the new direct-acting antiviral agents with the old regimens. 2018 , 53, 857-863	19
325	Point quantification elastography in the evaluation of liver elasticity in healthy volunteers: a reliability study based on operator expertise. 2018 , 21, 89-98	5
324	Validation of Transient Elastography Cut Points to Assess Advanced Liver Fibrosis in Children and Young Adults: The Boston Children's Hospital Experience. 2018 , 198, 84-89.e2	24
323	The role of imaging in prediction of post-hepatectomy liver failure. 2018 , 52, 137-145	7

322	Non-invasive diagnosis of liver fibrosis in patients with alcohol-related liver disease by transient elastography: an individual patient data meta-analysis. 2018 , 3, 614-625		54
321	Diagnosis and staging of fibrosis in patients with chronic hepatitis C: comparison and critical overview of current strategies. 2018 , 10, 13-22		9
320	Human epididymis protein 4 concentration is not associated with liver fibrosis and cirrhosis in a case control study. 2018 , 484, 213-217		2
319	Non-invasive Assessment of Fibrosis and Cirrhosis. 2018 , 93-106		
318	The development and validation of magnetic resonance elastography for fibrosis staging in primary sclerosing cholangitis. 2019 , 29, 1039-1047		17
317	Prospective comparison of diffusion-weighted MRI and dynamic Gd-EOB-DTPA-enhanced MRI for detection and staging of hepatic fibrosis in primary sclerosing cholangitis. 2019 , 29, 818-828		6
316	Intention-to-treat assessment of glecaprevir + pibrentasvir combination therapy for patients with chronic hepatitis C in the real world. 2019 , 49, 1365-1373		17
315	The prognostic role of liver stiffness in patients with chronic liver disease: a systematic review and dose-response meta-analysis. <i>Hepatology International</i> , 2019 , 13, 560-572	8.8	16
314	Transient elastography reliably estimates liver fibrosis in autoimmune hepatitis. <i>Clinical and Experimental Hepatology</i> , 2019 , 5, 244-249	2.2	2
313	Liver fibrosis staging with combination of APRI and FIB-4 scoring systems in chronic hepatitis C as an alternative to transient elastography. <i>Annals of Gastroenterology</i> , 2019 , 32, 498-503	2.2	15
312	Nonalcoholic Fatty Liver Disease: An Update on the Diagnosis. 2019 , 19, 187-198		10
311	Matrix Mechanics as Regulatory Factors and Therapeutic Targets in Hepatic Fibrosis. 2019 , 15, 2509-2521		15
310	Endoscopic ultrasound-guided biopsy in chronic liver disease: a randomized comparison of 19-G FNA and 22-G FNB needles. 2019 , 7, E62-E71		19
309	Comparison of liver stiffness assessment by transient elastography and shear wave elastography using six ultrasound devices. 2019 , 49, 676-686		21
308	Elastodiagnosis of diseases: A review. 2019 , 27, 102-123		13
307	Fibrosis in Chronic Liver Disease: An Update on Diagnostic and Treatment Modalities. 2019 , 79, 903-927		22
306	Characterizing Fatty Liver in vivo in Rabbits, Using Quantitative Ultrasound. 2019 , 45, 2049-2062		7
305	Fuzzy Inference System. 2019 , 49-61		

304	Non-invasive Fibrosis Assessment of Patients with Hepatitis C: Application of Society Guidelines to Clinical Practice. 2019 , 18, 249-258		3
303	Viscoelastic biomarker for differentiation of benign and malignant breast lesion in ultra- low frequency range. <i>Scientific Reports</i> , 2019 , 9, 5737	4-9	10
302	Hepatobiliary MR Imaging in Children:: Up-to-Date Imaging Techniques and Findings. 2019 , 27, 263-278		
301	Engineered Tissue Development in Biofabricated 3D Geometrical Confinement-A Review. 2019 , 5, 3688-3702		10
300	Noninvasive Tests of Liver Fibrosis. 2019 , 445-453		
299	Prevalence and predictors of occult hepatitis C virus infection among Egyptian patients who achieved sustained virologic response to sofosbuvir/daclatasvir therapy: a multi-center study. 2019 , 12, 273-279		15
298	Elastogram: Physics, Clinical Applications, and Risks. 2019 , 1, 113-122		3
297	Eradicating hepatitis C virus: The APRN's role. 2019 , 44, 16-27		
296	The Effect of Laparoscopic Sleeve Gastrectomy on Nonalcoholic Fatty Liver Disease. 2019 , 29, 509-512		3
295	Liver stiffness and fibrosis-4 alone better predict liver events compared with aspartate aminotransferase to platelet ratio index in a cohort of human immunodeficiency virus and hepatitis C virus co-infected patients from ANRS CO13 HEPAVIH cohort. 2019 , 31, 1387-1396		3
294	Efficacy of ombitasvir/paritaprevir/ritonavir/ribavirin in management of HCV genotype 4 and end-stage kidney disease. 2019 , 43, 82-87		6
293	Eight weeks of Paritaprevir/r/Ombitasvir + Dasabuvir in HCV genotype 1b with mild-moderate fibrosis: Results from a real-world cohort. 2019 , 39, 90-97		4
292	Chronic hepatitis C infection - Noninvasive assessment of liver fibrosis in the era of direct acting antivirals. 2019 , 51, 183-189		10
291	Liver stiffness measurements in chronic hepatitis C: Treatment evaluation and risk assessment. 2019 , 34, 921-928		11
290	Efficiency of acoustic radiation force impulse imaging for the staging of graft fibrosis after liver transplantation. 2019 , 49, 394-403		4
289	ESRD patients coinfectd with human immunodeficiency virus and Hepatitis C: Outcomes and management challenges. 2019 , 32, 159-168		3
288	Assessment of liver fibrosis by transient elastography (Fibroscan) in patients with A1AT deficiency. 2019 , 43, 77-81		11
287	Assessment of Liver Fibrosis With Elastography Point Quantification vs Other Noninvasive Methods. 2019 , 17, 510-517.e3		10

286	Declining in liver stiffness cannot indicate fibrosis regression in patients with chronic hepatitis B: A 78-week prospective study. 2019 , 34, 755-763		10
285	Transient elastography predicts survival after radiofrequency ablation of hepatocellular carcinoma developing on cirrhosis. 2020 , 35, 142-150		4
284	Three Years of Progress Toward Achieving Hepatitis C Elimination in the Country of Georgia, April 2015-March 2018. 2020 , 71, 1263-1268		18
283	Liver Stiffness Assessed by Ultrasound Shear Wave Elastography from General Electric Accurately Predicts Clinically Significant Portal Hypertension in Patients with Advanced Chronic Liver Disease. 2020 , 41, 526-533		10
282	Impact of sustained virological response with DAAs on gastroesophageal varices and Baveno criteria in HCV-cirrhotic patients. 2020 , 55, 205-216		12
281	Detecting liver fibrosis using a machine learning-based approach to the quantification of the heart-induced deformation in tagged MR images. 2020 , 33, e4215		8
280	Time-dependent improvement of liver inflammation, fibrosis and metabolic liver function after successful direct-acting antiviral therapy of chronic hepatitis C. 2020 , 27, 28-35		25
279	Ultrasound-based liver elastography. 2020 , 109-133		
278	Clinical utility of FibroScan as a non-invasive diagnostic test for primary biliary cholangitis. 2020 , 35, 1208-1214	10	
277	Evaluation of treatment with zinc acetate hydrate in patients with liver cirrhosis complicated by zinc deficiency. 2020 , 50, 488-501		8
276	Liver stiffness as a predictor of hepatocellular carcinoma behavior in patients with hepatitis C related liver cirrhosis. 2020 , 19, 22-28		2
275	Zinc deficiency in patients with chronic liver disease in Japan. 2020 , 50, 396-401		9
274	Efficacy and safety of elbasvir/grazoprevir for 8 or 12 weeks for hepatitis C virus genotype 4 infection: A randomized study. 2020 , 40, 1042-1051		7
273	Noninvasive Assessment of Diffuse Liver Diseases Using Vibration-Controlled Transient Elastography (VCTE). 2020 ,		0
272	A Model Based on Noninvasive Markers Predicts Very Low Hepatocellular Carcinoma Risk After Viral Response in Hepatitis C Virus-Advanced Fibrosis. <i>Hepatology</i> , 2020 , 72, 1924-1934	11.2	24
271	Collagen-targeted molecular imaging in diffuse liver diseases. 2020 , 45, 3545-3556		2
270	Ultrasound Imaging: Something Old or Something New?. 2020 , 55, 573-577		1
269	Early normalization of reduced urea synthesis capacity after direct-acting antiviral therapy in hepatitis C cirrhosis. 2020 , 319, G151-G156		1

268	Advanced MRI of Liver Fibrosis and Treatment Response in a Rat Model of Nonalcoholic Steatohepatitis. <i>Radiology</i> , 2020 , 296, 67-75	20.5	10
267	Diagnostic of hepatic fibrosis with the XL probe of the Fibroscan versus biopsies in patients candidates to bariatric surgery. 2020 , 37, 226-232		2
266	[Magnetic resonance elastography of the liver : Worth knowing for clinical routine]. 2020 , 60, 966-978		
265	Elevated liver stiffness without histological evidence of liver fibrosis in rural Ugandans. 2020 , 27, 1022-1031		
264	The Role of Spleen and Liver Elastography and Color-Doppler Ultrasound in the Assessment of Transjugular Intrahepatic Portosystemic Shunt Function. 2020 , 46, 1641-1650		5
263	Liver biopsy in chronic viral hepatitis: is there still life left in it?. 2020 , 9-14		
262	Transient elastography: a novel, non-invasive method for the evaluation of liver stiffness and controlled attenuation parameter in cows. 2020 , 82, 559-565		
261	The association between serum zinc levels and subjective symptoms in zinc deficiency patients with chronic liver disease. 2020 , 66, 253-261		
260	Vibration-Guided Transient Elastography: A Novel Fibroscan Examination with Improved Guidance for Liver Stiffness Measurement. 2020 , 46, 2193-2206		0
259	Predictors of hepatocellular carcinoma after hepatitis C virus eradication following direct-acting antiviral treatment: relationship with serum zinc. 2020 , 66, 245-252		3
258	Virological and Clinical Outcome of DAA Containing Regimens in a Cohort of Patients in Calabria Region (Southern Italy). 2020 , 56,		3
257	Imaging biomarkers of diffuse liver disease: current status. 2020 , 45, 3381-3385		2
256	Elastography in Chronic Liver Diseases. 2020 ,		0
255	Biochemical and imaging parameters in acid sphingomyelinase deficiency: Potential utility as biomarkers. 2020 , 130, 16-26		7
254	Sofosbuvir-based regimens in the treatment of patients with chronic hepatitis C virus infection: Real-world efficacy in Thailand. 2020 , 15, e0229517		4
253	The Utility of Retinol-Binding Protein 4 in Predicting Liver Fibrosis in Chronic Hepatitis C Patients in Response to Direct-Acting Antivirals. 2020 , 13, 53-63		1
252	Use of Direct Liver Stiffness Measurement in Evaluating the Severity of Liver Cirrhosis in Patients with Hepatocellular Carcinoma. 2020 , 44, 2777-2783		4
251	Effectiveness comparison of indocyanine green retention test with the cirrhotic severity scoring in evaluating the pathological severity of liver cirrhosis in patients with hepatocellular carcinoma and Child-Pugh grade A liver function. 2020 , 18, 79		6

250	Why Are Viscosity and Nonlinearity Bound to Make an Impact in Clinical Elastographic Diagnosis?. 2020 , 20,		17
249	Advanced liver disease outcomes after hepatitis C eradication by human immunodeficiency virus infection in PITER cohort. <i>Hepatology International</i> , 2020 , 14, 362-372	8.8	5
248	What is the impact of hepatic steatosis on liver stiffness in patients with chronic hepatitis B?. 2021 , 45, 101494		
247	Interobserver and Intraobserver Reliability of Hepatic Shear Wave Elastography and the Influence of Fasted Versus Nonfasted States in Healthy Volunteers. 2021 , 40, 259-267		1
246	Utility of serological tumor biomarkers for surveillance of hepatocellular carcinoma in patients undergoing dialysis. 2021 , 36, 1097-1103		2
245	Altered balance between collagen formation and degradation after successful direct-acting antiviral therapy of chronic hepatitis C. 2021 , 28, 236-244		1
244	Liver cT decreases following direct-acting antiviral therapy in patients with chronic hepatitis C virus. 2021 , 46, 1947-1957		4
243	Liver Stiffness Detected by Shear Wave Elastography Predicts Esophageal Varices in Cirrhotic Patients. 2019 , 37, 118-122		8
242	Aminotransferase-to-platelet ratio index and Fibrosis-4 index score predict hepatic fibrosis evaluated by transient hepatic elastography in hepatitis C virus-infected hemodialysis patients. 2021 , Publish Ahead of Print,		1
241	Assessment of Liver Disease Severity. 2021 , 1-20		
240	Serum biomarkers as an alternative to vibration controlled transient elastography in liver fibrosis staging in chronic hepatitis C. 2021 , 84, 43-50		1
239	Potential of modern investigations for detecting and monitoring asymptomatic congestion in patients with heart failure. 2021 , 26, 4265		1
238	Three-Dimensional Multi-Frequency Shear Wave Absolute Vibro-Elastography (3D S-WAVE) With a Matrix Array Transducer: Implementation and Preliminary In Vivo Study of the Liver. 2021 , 40, 648-660		1
237	Interferon- λ s12979860 genotype association with liver fibrosis in chronic hepatitis C (CHC) patients in the Pakistani population. 2021 , 166, 1047-1056		0
236	Spleen Stiffness for Predicting Varices Needing Treatment: Comparison between Two Different Elastography Techniques (Point vs. 2D-SWE). 2021 , 2021, 6622726		3
235	Assessing liver stiffness with conventional cut-off values overestimates liver fibrosis staging in patients who received the Fontan procedure. 2021 , 51, 593-602		1
234	Transient elastography correlated to four different histological fibrosis scores in children with liver disease. 2021 , 180, 2237-2244		2
233	Use of a convolutional neural network and quantitative ultrasound for diagnosis of fatty liver. 2021 , 47, 556-568		2

232	Clinical features and comorbidity pattern of HCV infected migrants compared to native patients in care in Italy: A real-life evaluation of the PITER cohort. 2021 , 53, 1603-1609	
231	Incident Liver Cirrhosis, Associated Factors, and Cardiovascular Disease Risks Among People Living With HIV: A Longitudinal Study. 2021 , 86, 463-472	
230	Extrahepatic biliary obstruction can interfere with hepatic fibrosis prediction using two-dimensional shear wave elastography in dogs. 2021 , 62, 483-489	1
229	Preliminary experience with 3T magnetic resonance elastography imaging of the liver. 2021 , 25, 2072	
228	Brazilian Society of Hepatology and Brazilian College of Radiology practice guidance for the use of elastography in liver diseases. 2021 , 22, 100341	0
227	Liver function following hepatitis C virus eradication by direct acting antivirals in patients with liver cirrhosis: data from the PITER cohort. 2021 , 21, 413	1
226	Viral hepatitis in haemophilia: historical perspective and current management. 2021 , 195, 174-185	7
225	EASL-ALEH 2015 algorithm for the use of transient elastography in treatment-naive patients with hepatitis B: An independent validation. 2021 , 28, 1169-1176	1
224	The role of elastography in viral hepatitis and autoimmune hepatitis. 2021 , 67, 141-150	0
223	Effect of directly acting antivirals for hepatitis C virus infection on proprotein convertase subtilisin/kexin type 9 level. 2021 , 4, e273	0
222	A porohyperviscoelastic model for the shear wave elastography of the liver. 2021 , 150, 104339	3
221	Liver stiffness is associated with disease severity and worse clinical scenarios in coronavirus disease 2019: A prospective transient elastography study. 2021 , 75, e14363	4
220	Using vibration controlled transient elastography and FIB-4 to assess liver cirrhosis in a hepatitis C virus infected population. 2021 , 100, e26200	2
219	Noninvasive Assessment of Hepatitis C Virus Infected Patients Using Vibration-Controlled Transient Elastography. 2021 , 10,	1
218	High liver stiffness values by transient elastography related to metabolic syndrome and harmful alcohol use in a large Spanish cohort. 2021 , 9, 892-902	3
217	An ultrasound image-based deep multi-scale texture network for liver fibrosis grading in patients with chronic HBV infection. 2021 , 41, 2440-2454	1
216	Peripheral neuropathy after viral eradication with direct-acting antivirals in chronic HCV hepatitis: A prospective study. 2021 , 41, 2611-2621	1
215	Utility and limitations of Hepascore and transient elastography to detect advanced hepatic fibrosis in HFE hemochromatosis. <i>Scientific Reports</i> , 2021 , 11, 14654	4.9 0

214	Differential Expression of the Host Lipid Regulators ANGPTL-3 and ANGPTL-4 in HCV Infection and Treatment. 2021 , 22,		1
213	Risk Factors for Liver Decompensation and HCC in HCV-Cirrhotic Patients after DAAs: A Multicenter Prospective Study. 2021 , 13,		4
212	The Effect of Empagliflozin on Liver Fat in Type 2 Diabetes Mellitus Patients With Non-Alcoholic Fatty Liver Disease. <i>Cureus</i> , 2021 , 13, e16687	1.2	2
211	The Roles of Fibrosis Index Based on Four Factors and Aspartate Transaminase-to-Platelet Ratio Index Scoring Systems as an Alternative to Transient Elastography Liver Stiffness in Liver Fibrosis Staging in Human Immunodeficiency Virus and Hepatitis C Virus Co-Infected Patients. 2021 , 14, 209-213		0
210	Different Risk Factors for Early and Late Recurrence After Curative Resection of Hepatocellular Carcinoma. 2021 , 1		0
209	A novel noninvasive formula for predicting cirrhosis in patients with chronic hepatitis C. 2021 , 16, e0257166		1
208	Elastography is unable to exclude cirrhosis after sustained virological response in HCV-infected patients with advanced chronic liver disease. 2021 , 41, 2733-2746		0
207	Transient elastography in adult patients with cryptic dyskeratosis congenita reveals subclinical liver fibrosis: a retrospective analysis of the Aachen telomere biology disease registry. 2021 , 16, 395		0
206	Matrix stiffness modulates tip cell formation through the p-PXN-Rac1-YAP signaling axis. 2022 , 7, 364-376		3
205	Noninvasive ultrasound technique for assessment of liver fibrosis and cardiac function in Fontan-associated liver disease: diagnosis based on elastography and hepatic vein waveform type. 2021 , 48, 235-244		0
204	Molecular Imaging of Fibrosis. 2021 , 1447-1468		
203	Elastography After Treatment and During Follow-Up. 2021 , 119-141		
202	Elastography in the Non-Invasive Evaluation of the Extent of Fibrosis and in the Diagnosis of Portal Hypertension. 18-27		1
201	Liver Magnetic Resonance Elastography Technique. 2014 , 19-37		1
200	Exploring liver mitochondrial function by ^{13}C -stable isotope breath tests: implications in clinical biochemistry. 2015 , 1241, 137-52		7
199	Hepatitis C and Hepatocellular Carcinoma. 2009 , 259-281		4
198	Liver Stiffness Measurements in Small Animals. 2020 , 95-102		1
197	Fibrogenic Reaction. 2010 , 251-268		1

196	Traditional Markers in Liver Disease. 2017 , 3-22	1
195	Histological Biomarkers of Nonalcoholic Fatty Liver Disease. 2017 , 693-705	1
194	Liver Stiffness Measured by Either Magnetic Resonance or Transient Elastography Is Associated With Liver Fibrosis and Is an Independent Predictor of Outcomes Among Patients With Primary Biliary Cholangitis. 2021 , 55, 449-457	12
193	Transient elastography evaluation of hepatic and spleen stiffness in patients with hepatosplenic schistosomiasis. 2017 , 29, 730-735	19
192	Dynamics of liver stiffness-based risk prediction model during antiviral therapy in patients with chronic hepatitis B. 2021 , 33, 885-893	3
191	Optimal liver stiffness measurement values for the diagnosis of significant fibrosis and cirrhosis in chronic liver disease in Singapore. 2019 , 60, 532-537	5
190	Iron Metabolism and Disease. 2010 , 351-378	1
189	? Finite Element Methods and Inverse Solutions for Elasticity Measurement. 2015 , 156-165	1
188	Performance of transient elastography for the staging of liver fibrosis in patients with chronic hepatitis B: a meta-analysis. 2012 , 7, e44930	202
187	Eligibility and safety of triple therapy for hepatitis C: lessons learned from the first experience in a real world setting. 2013 , 8, e55285	82
186	Histogram analysis of gadoxetic acid-enhanced MRI for quantitative hepatic fibrosis measurement. 2014 , 9, e114224	22
185	Real-life data on potential drug-drug interactions in patients with chronic hepatitis C viral infection undergoing antiviral therapy with interferon-free DAAs in the PITER Cohort Study. 2017 , 12, e0172159	31
184	Incidence of DAA failure and the clinical impact of retreatment in real-life patients treated in the advanced stage of liver disease: Interim evaluations from the PITER network. 2017 , 12, e0185728	28
183	Clinical Application of Transient Elastography in the Diagnosis of Liver Fibrosis: an Expert Panel Review and Opinion. 2014 , 2, 110-6	3
182	Assessment of liver fibrosis using 2-dimensional shear wave elastography: a prospective study of intra- and inter-observer repeatability and comparison with point shear wave elastography. 2020 , 39, 52-59	9
181	Changes in renal function indices in cirrhotic chronic hepatitis C patients treated with sofosbuvir-containing regimens. 2017 , 8, 90916-90924	3
180	Cost-effectiveness of non-invasive methods for assessment and monitoring of liver fibrosis and cirrhosis in patients with chronic liver disease: systematic review and economic evaluation. 2015 , 19, 1-409, v-vi	101
179	Clinical applications of transient elastography. 2012 , 18, 163-73	74

178	The usefulness of non-invasive liver stiffness measurements in predicting clinically significant portal hypertension in cirrhotic patients: Korean data. 2013 , 19, 370-5	39
177	KASL clinical practice guidelines: management of hepatitis C. 2014 , 20, 89-136	30
176	Prediction of fibrosis progression in chronic viral hepatitis. 2014 , 20, 228-36	35
175	The factors associated with longitudinal changes in liver stiffness in patients with chronic hepatitis B. 2015 , 21, 32-40	12
174	KASL clinical practice guidelines: management of hepatitis C. 2016 , 22, 76-139	58
173	Evolution of glomerular filtration rates and neutrophil gelatinase-associated lipocalin during treatment with direct acting antivirals. 2018 , 24, 151-162	11
172	Application of transient elastography in nonalcoholic fatty liver disease. 2020 , 26, 128-141	34
171	[Liver stiffness measurement for the diagnosis of hepatic fibrosis in patients with chronic viral hepatitis]. 2007 , 13, 521-9	8
170	[Usefulness of liver stiffness measurement for predicting the presence of esophageal varices in patients with liver cirrhosis]. 2008 , 14, 342-50	11
169	Changes in liver stiffness during the course of acute hepatitis A. 2008 , 14, 465-73	7
168	[The usefulness of transient elastography to diagnose cirrhosis in patients with alcoholic liver disease]. 2009 , 15, 42-51	29
167	[Factors associated with liver stiffness in chronic liver disease]. 2009 , 15, 464-73	4
166	Validation of P2/MS for reflecting hepatic fibrosis in patients with hepatocellular carcinoma. 2010 , 16, 389-96	2
165	Why, who and how should perform liver biopsy in chronic liver diseases. 2008 , 14, 3396-402	72
164	Comparison of the liver stiffness measurement by transient elastography with the liver biopsy. 2008 , 14, 6513-7	37
163	Metrically measuring liver biopsy: a chronic hepatitis B and C computer-aided morphologic description. 2008 , 14, 7335-44	13
162	Is transient elastography a useful tool for screening liver disease?. 2009 , 15, 1409-14	39
161	Accuracy of a predictive model for severe hepatic fibrosis or cirrhosis in chronic hepatitis C. 2005 , 11, 7318-22	24

160	Role of microbubble ultrasound contrast agents in the non-invasive assessment of chronic hepatitis C-related liver disease. 2006 , 12, 3461-5	11
159	Non invasive fibrosis biomarkers reduce but not substitute the need for liver biopsy. 2006 , 12, 3682-94	197
158	Assessment of liver fibrosis by a noninvasive method of transient elastography and biochemical markers. 2006 , 12, 4325-30	40
157	Sampling variability of computer-aided fractal-corrected measures of liver fibrosis in needle biopsy specimens. 2006 , 12, 7660-5	6
156	Usefulness of noninvasive transient elastography for assessment of liver fibrosis stage in chronic hepatitis C. 2006 , 12, 7768-73	44
155	Hepatocellular carcinoma in patients with hepatitis C virus-related chronic liver disease. 2007 , 13, 2455-60	26
154	Noninvasive diagnosis of hepatic fibrosis in chronic hepatitis C. 2007 , 13, 4287-94	34
153	A new index for non-invasive assessment of liver fibrosis. 2010 , 16, 4809-16	19
152	Liver stiffness measurements in patients with HBV vs HCV chronic hepatitis: a comparative study. 2010 , 16, 4832-7	58
151	Transient elastography: a non-invasive tool for assessing liver fibrosis in HIV/HCV patients. 2010 , 16, 5225-32	9
150	Increased osteopontin and liver stiffness measurement by transient elastography in biliary atresia. 2010 , 16, 5467-73	16
149	Is it better to use two elastographic methods for liver fibrosis assessment?. 2011 , 17, 3824-9	20
148	FibroSURE and FibroScan in relation to treatment response in chronic hepatitis C virus. 2011 , 17, 4581-9	19
147	Transient micro-elastography: A novel non-invasive approach to measure liver stiffness in mice. 2011 , 17, 968-75	24
146	Alcohol consumption in patients with primary sclerosing cholangitis. 2012 , 18, 3105-11	14
145	Checkmate to liver biopsy in chronic hepatitis C?. 2012 , 18, 5514-20	13
144	Controlled attenuation parameter for evaluating liver steatosis in chronic viral hepatitis. 2014 , 20, 6626-31	29
143	Study of detection times for liver stiffness evaluation by shear wave elastography. 2014 , 20, 9578-84	21

142	Non-invasive assessment of liver fibrosis in chronic hepatitis B. 2014 , 20, 14568-80		39
141	Hepatitis B and human immunodeficiency virus co-infection. 2014 , 20, 17360-7		35
140	Role of spleen elastography in patients with chronic liver diseases. 2016 , 22, 7857-67		18
139	Chronic hepatitis C virus infection: Serum biomarkers in predicting liver damage. 2016 , 22, 1367-81		21
138	Non-invasive assessment of liver fibrosis: Between prediction/prevention of outcomes and cost-effectiveness. 2016 , 22, 1711-20		46
137	Efficacy and safety of combined directly acting antivirals for treatment of Chinese chronic hepatitis C patients in a real-world setting. 2017 , 23, 4072-4079		3
136	Hepatitis C virus infection in children in the era of direct-acting antiviral. 2018 , 24, 2555-2566		14
135	Performance of transient elastography in assessing liver fibrosis in patients with autoimmune hepatitis-primary biliary cholangitis overlap syndrome. 2018 , 24, 737-743		11
134	Liver-related effects of chronic hepatitis C antiviral treatment. 2020 , 26, 2931-2947		5
133	Real-life use of elbasvir/grazoprevir in adults and elderly patients: a prospective evaluation of comedication used in the PITER cohort. <i>Antiviral Therapy</i> , 2020 , 25, 73-81	1.6	2
132	Transient elastography in clinical detection of liver cirrhosis: A systematic review and meta-analysis. 2016 , 22, 294-303		14
131	SASLT guidelines: Update in treatment of Hepatitis C virus infection. 2016 , 22 Suppl, S25-57		15
130	Reversal of liver fibrosis. 2009 , 15, 72-9		70
129	[Changes in liver stiffness after acute or chronic liver injury due to viral hepatitis--does fibrosis exist after recovery from acute viral hepatitis?]. 2009 , 54, 155-61		2
128	Clinical Evaluation of Hepatic Fibrosis in Chinese Patients with Nonalcoholic Fatty Liver Disease with FibroScan. 2015 , 06, 115-123		1
127	Comparison between FIB-4 Index and Fibroscan as Marker of Fibrosis in Chronic HCV Infection in Egyptian Patients. 2014 , 04, 383-391		2
126	Hepatic Steatosis in Patients with Metabolic Syndrome at the Brazzaville University Hospital Center. 2020 , 10, 119-127		1
125	Noninvasive Assessment of Liver Disease Measurement of Hepatic Fibrosis Using Shear Wave Elastography (SWE). 2015 , 05, 101-105		1

124	Transient elastography: Kill two birds with one stone?. <i>World Journal of Hepatology</i> , 2013 , 5, 264-74	3.4	64
123	Normal liver stiffness: A study in living donors with normal liver histology. <i>World Journal of Hepatology</i> , 2015 , 7, 1149-53	3.4	9
122	Boceprevir or telaprevir in hepatitis C virus chronic infection: The Italian real life experience. <i>World Journal of Hepatology</i> , 2016 , 8, 949-56	3.4	5
121	Limitations and opportunities of non-invasive liver stiffness measurement in children. <i>World Journal of Hepatology</i> , 2017 , 9, 409-417	3.4	6
120	Clinical applications, limitations and future role of transient elastography in the management of liver disease. 2016 , 7, 91-106		38
119	ARFI elastography for the evaluation of diffuse thyroid gland pathology: Preliminary results. 2012 , 4, 174-8		55
118	Daclatasvir Plus Asunaprevir for the Treatment of Patients with Hepatitis C Virus Genotype 1b Infection: Real-World Efficacy, Changes in Liver Stiffness and Fibrosis Markers, and Safety. 2018 , 12, 324-330		6
117	Evaluating Liver Fibrosis by Transient Elastometry in Patients With HIV-HCV Coinfection and Monoinfection. <i>Hepatitis Monthly</i> , 2014 , 14, e15426	1.8	8
116	Clinical Features of Hepatitis C Virus Carriers With Persistently normal Alanine Aminotransferase Levels. <i>Hepatitis Monthly</i> , 2012 , 12, 77-84	1.8	8
115	Transient Elastography in Methotrexate Administered Patients. <i>Hepatitis Monthly</i> , 2017 , 17,	1.8	1
114	Diffusion Weighted MRI for Hepatic Fibrosis: Impact of b-Value. 2014 , 11, e3555		17
113	Influence of clinically significant portal hypertension on hepatectomy for hepatocellular carcinoma: a meta-analysis. 2014 , 15, 1649-54		11
112	Mechanical Model Analysis for Quantitative Evaluation of Liver Fibrosis Based on Ultrasound Tissue Elasticity Imaging. 2012 , 51, 07GF11		3
111	On-treatment gamma-glutamyl transferase predicts the development of hepatocellular carcinoma in chronic hepatitis B patients. 2021 ,		1
110	Hepatocellular carcinoma risk after viral response in hepatitis C virus-advanced fibrosis: Who to screen and for how long?. 2021 , 27, 6737-6749		4
109	Cystic fibrosis-related liver disease: clinical presentations, diagnostic and monitoring approaches in the era of CFTR modulator therapies. 2021 ,		0
108	Noninvasive Assessment of Liver Fibrosis by Measurement of Stiffness in Patients With Chronic Hepatitis C. 2006 , 2006, 287		
107	The Cirrhotic Patient. 2007 , 1512-1532		

- 106 Comparison of Simple Non-Invasive Tests for Liver Fibrosis with Histology of Chronic Hepatitis B Patients of African Descent. **2007**, 1, 469-476
- 105 Cirrosis por el virus de la hepatitis C. **2008**, 357-368
- 104 [Transient elastography, true or false?]. **2009**, 15, 431-7 3
- 103 Évaluer la fibrose: Pourquoi? Comment? Pour qui?. **2010**, 245-257
- 102 Non-Histological Assessment of Liver Fibrosis. **2010**, 554-561
- 101 Que reste-t-il des indications de la ponction biopsie hépatique?. **2011**, 231-237
- 100 Ultrasound Poroelastic Tissue Typing. **2011**, 01, 55-62
- 99 Noninvasive Markers of Liver Injury and Fibrosis. **2012**, 33-44
- 98 Assessing the Progression of Chronic HCV to Cirrhosis. **2012**, 21-33
- 97 Chronic Hepatitis in Childhood. **2012**, 2075-2093
- 96 Non-Invasive Liver Assessment. 1042-1045
- 95 Non-invasive assessment of hepatic fibrosis by tissue strain imaging in chronic hepatitis C patients. **2013**, 06, 19-23
- 94 Transient Elastography (Fibroscan®): A New Look of Liver Fibrosis and Beyond. **2013**, 3, 70-77 1
- 93 Liver stiffness measurement: is it a non-invasive substitution for HVPG?. **2013**, 19, 367-9 0
- 92 Liver Biopsy and FibroScan to Detect Early Histopathological Changes in Chronic HBV Patients Not Candidate for Treatment. **2014**, 7, 56-63 1
- 91 D'opister hors les murs d'un centre de dépistage?: une expérience mobilisatrice pour des usagers de drogues. **2015**, 27, 633
- 90 Liver stiffness measurement by transient elastography (FibroScan). **2015**, 42, 477-485 1
- 89 Noninvasive evaluation of liver fibrosis using real-time tissue elastography. **2015**, 42, 487-504

- 88 Modern possibilities of diagnosis and quantification of liver fibrosis. **2015**, 2015, 55-60
- 87 Differential Diagnosis of Diffuse Liver Disease. *Journal of Clinical Ultrasound*, **2016**, 1, 1-10 0
- 86 Relation between hepatitis B viral load and liver fibrosis assessed using transient elastography in patients with chronic hepatitis B virus infection. **2016**, 6, 65-69
- 85 Usefulness of Ultrasonographic Scoring System in Diagnosis of Alcoholic Cirrhosis. *Journal of Clinical Ultrasound*, **2016**, 1, 92-100 0 1
- 84 Traitement des h patites virales. **2018**, 939-963.e1
- 83 Shear Wave Velocity results of non-alcoholic fatty liver disease in diabetic patients. *Journal of Surgery and Medicine*, 0.1
- 82 The Benefit of Direct-Acting Antiviral HCV Cure Therapies. *Topics in Medicinal Chemistry*, **2019**, 429-445 0.4
- 81 Progressive Hepatic Cirrhosis Early After Allogeneic Hematopoietic Stem Cell Transplantation in a Patient with Chronic Hepatitis C Infection. *Turkish Journal of Haematology*, **2019**, 36, 130-133 0.9
- 80 Liver stiffness in chronic hepatitis C virus infection. *Romanian Journal of Internal Medicine = Revue Roumaine De Medecine Interne*, **2019**, 57, 85-98 1.5
- 79 Transient Elastography in Chronic Liver Diseases. **2020**, 545-552
- 78 Ultrasound Elastography. **2020**, 513-521
- 77 Efficacy of P2/MS and AFP in Early Prediction of Hepatocellular Carcinoma Recurrence. *Konuralp Tip Dergisi*, 223-226
- 76 The diagnostic value of normalized ADC using spleen as reference organ in assessment liver fibrosis. *Egyptian Journal of Radiology and Nuclear Medicine*, **2020**, 51, 1.4 0
- 75 Cyclin-dependent kinase inhibitors p21 and p27 function as critical regulators of liver regeneration following 90% hepatectomy in the rat. *World Journal of Hepatology*, **2020**, 12, 1198-1210 3.4 2
- 74 Liver Stiffness Measurement Using Vibration-Controlled Transient Elastography. **2020**, 29-39
- 73 Fibrosis Assessment in Patients with HCV or HBV Chronic Infection. **2020**, 113-121
- 72 A Comparative Analysis of the APRI, FIB4, and FibroScan Score in Evaluating the Severity of Chronic Liver Disease in Chronic Hepatitis B Patients in India.. *Cureus*, **2021**, 13, e19342 1.2 0
- 71 Chronic hepatitis C: Portrait of a silent epidemic and the etiologic agent. **2008**, 95-120

70	Clinical evaluation of disease progression in chronic liver disease: towards an integrated system?. 163-172		
69	Noninvasive diagnosis of liver fibrosis in patients with chronic hepatitis C. <i>MedGenMed: Medscape General Medicine</i> , 2005 , 7, 39		3
68	Liver fibrosis assessment by transient elastography in hepatitis C patients with normal alanine aminotransferase. <i>Gut</i> , 2006 , 55, 1055-6	19.2	16
67	The treatment of hepatic encephalopathy in the cirrhotic patient. <i>Gastroenterology and Hepatology</i> , 2010 , 6, 1-12	0.7	1
66	Non-biopsy methods to determine hepatic fibrosis. <i>Journal of Medicine and Life</i> , 2009 , 2, 401-6	1.5	4
65	Correlation of Laparoscopic Liver Biopsy to Elasticity Measurements (FibroScan) in Patients With Chronic Liver Disease. <i>Gastroenterology and Hepatology</i> , 2008 , 4, 862-70	0.7	7
64	A new scoring system for prediction of fibrosis in chronic hepatitis C. <i>Hepatitis Monthly</i> , 2011 , 11, 548-551.8	1.8	19
63	How efficient is acoustic radiation force impulse elastography for the evaluation of liver stiffness?. <i>Hepatitis Monthly</i> , 2011 , 11, 532-8	1.8	17
62	Liver fibrosis in patients with chronic liver diseases: are laboratory tests useful to diagnosis?. <i>Hepatitis Monthly</i> , 2011 , 11, 382-3	1.8	2
61	Increased liver stiffness in extrahepatic cholestasis caused by choledocholithiasis. <i>Hepatitis Monthly</i> , 2011 , 11, 372-5	1.8	20
60	A comparative study of non-invasive methods for fibrosis assessment in chronic HCV infection. <i>Hepatitis Monthly</i> , 2010 , 10, 88-94	1.8	27
59	Fibroscan (transient elastography) for the measurement of liver fibrosis. <i>Gastroenterology and Hepatology</i> , 2012 , 8, 605-7	0.7	25
58	Non-invasive assessment of liver fibrosis. <i>Annals of Gastroenterology</i> , 2012 , 25, 218-231	2.2	75
57	Transient elastography-derived liver stiffness measurements were found to be useful for predicting liver infiltration in a case of mature T-cell neoplasm involving liver dysfunction. <i>International Journal of Clinical and Experimental Pathology</i> , 2015 , 8, 4220-6	1.4	1
56	MR Elastography of Liver Disease: State of the Art. <i>Applied Radiology</i> , 2013 , 42, 5-12		8
55	Assessment of liver fibrosis in the early stages with perfusion CT. <i>International Journal of Clinical and Experimental Medicine</i> , 2015 , 8, 15276-82		10
54	Assessment of transient elastography (FibroScan) for diagnosis of fibrosis in non-alcoholic fatty liver disease: A systematic review and meta-analysis. <i>Caspian Journal of Internal Medicine</i> , 2016 , 7, 242-252	1.1	25
53	Clinical Utility of Biomarkers of Liver Fibrosis. <i>Gastroenterology and Hepatology</i> , 2006 , 2, 48-57	0.7	2

52	Noninvasive Markers of Liver Fibrosis. <i>Gastroenterology and Hepatology</i> , 2006 , 2, 413-415	0.7	
51	Risk Assessment of Hepatocellular Carcinoma in General Population by Liver Stiffness in Combination with Controlled Attenuation Parameter using Transient Elastography: A Cross Sectional Study. <i>Yonago Acta Medica</i> , 2017 , 60, 106-112	1.3	
50	Noninvasive Assessment of Fibrosis Regression in Hepatitis C Virus Sustained Virologic Responders. <i>Gastroenterology and Hepatology</i> , 2017 , 13, 587-595	0.7	7
49	CROI 2016: Viral Hepatitis and Liver Fibrosis. <i>Topics in Antiviral Medicine</i> , 2016 , 24, 47-58	3.2	
48	The Role of Elastography in Non-Alcoholic Fatty Liver Disease. <i>Current Health Sciences Journal</i> , 2020 , 46, 255-269	0.3	
47	Proteomic Analysis of Human Serum for Patients at Different Pathological Stages of Hepatic Fibrosis. <i>BioMed Research International</i> , 2021 , 2021, 3580090	3	o
46	Hepcidin-to-Ferritin Ratio: A Potential Novel Index to Predict Iron Overload-Liver Fibrosis in β -Thalassemia Major. <i>Transfusion Clinique Et Biologique</i> , 2021 ,	1.9	o
45	Quantitative Evaluation of Fatty Metamorphosis and Fibrosis of Liver Based on Models of Ultrasound and Light Propagation and Its Application to Hepatic Disease Diagnosis. 2022 , 215-223		
44	An Overview on Non-invasive Assessment of Cirrhosis. <i>Archives of Pharmacy Practice</i> , 2021 , 12, 42-48		o
43	Using FIB-4 score as a screening tool in the assessment of significant liver fibrosis (F2) in patients with transfusion dependent beta thalassaemia: a cross sectional study.		
42	Prediction of hepatocellular carcinoma using age and liver stiffness on transient elastography after hepatitis C virus eradication.. <i>Scientific Reports</i> , 2022 , 12, 1449	4.9	o
41	Conventional and artificial intelligence-based imaging for biomarker discovery in chronic liver disease.. <i>Hepatology International</i> , 2022 , 1	8.8	o
40	Noninvasive Assessment of HCV Patients Using Ultrasound Elastography.		
39	Effect of cirrhosis and hepatitis on the prognosis of liver cancer. 2022 , 51-72		
38	Evaluation of spleen stiffness in healthy population: a vibration-controlled transient elastography study. <i>Journal of Health Sciences and Medicine</i> , 2022 , 5, 689-692		o
37	Evaluation of Liver Fibrosis Using Shear Wave Elastography: An Overview.		
36	Perk \ddot{u} lan Karaci \ddot{u} r Biyopsisi Hasta Deneyimlerini Anlamak Hekimleri Yasal Yapt \ddot{u} mlardan Koruyabilir. <i>Kocaeli \ddot{U}iversitesi Sa\ddot{g}lık Bilimleri Dergisi</i> , 99-104	0.4	
35	Modulating Tumor Physical Microenvironment for Fueling CAR-T Cell Therapy.. <i>Advanced Drug Delivery Reviews</i> , 2022 , 114301	18.5	1

34	Association of serum 25-hydroxyvitamin D levels and insulin resistance with viral load and degree of liver fibrosis in Egyptian chronic HBV patients: a case-control study.. <i>Clinical and Experimental Hepatology</i> , 2022 , 8, 14-20	2.2	0
33	Diabetes influences liver stiffness in chronic hepatitis C patients with and without virological cure: A longitudinal study. <i>Clinics</i> , 2021 , 76, e3236	2.3	0
32	Egyptian revalidation of non-invasive parameters for predicting esophageal varices in cirrhotic patients: A retrospective study.. <i>Arab Journal of Gastroenterology</i> , 2022 ,	1.7	0
31	Liver Fibrosis Assessment by Viewing Sinusoidal Capillarization: US Molecular Imaging versus Two-dimensional Shear-Wave Elastography in Rats.. <i>Radiology</i> , 2022 , 212325	20.5	0
30	Sustained Virological Response following HCV Therapy is Associated with Non-Progression of Liver Fibrosis in HCV/HIV-Coinfected Patients. <i>Antiviral Therapy</i> , 2006 , 11, 869-878	1.6	30
29	Overestimation of liver fibrosis staging using transient elastography in patients with chronic hepatitis C and significant liver inflammation. <i>Antiviral Therapy</i> , 2009 , 14, 187-193	1.6	35
28	MR elastography of liver disease: State of the art. 5-12		10
27	Does Treatment of Hepatitis B virus (HBV) Infection Reduce Hepatitis Delta virus (HDV) Replication in HIV-HBV-HDV-Coinfected Patients?. <i>Antiviral Therapy</i> , 2008 , 13, 97-102	1.6	59
26	Correlation of Inflammatory Bowel Diseases with Liver Involvement Severity in Autoimmune Hepatobiliary Pathology: Cross-Sectional Study. <i>Voprosy Sovremennoi Pediatrii - Current Pediatrics</i> , 2022 , 21, 105-112	0.5	
25	Quantitative Compression Elastography With an Uncalibrated Stress Sensor. <i>Frontiers in Physics</i> , 10,	3.9	
24	Tissue mechanics coevolves with fibrillar matrisomes in healthy and fibrotic tissues. <i>Matrix Biology</i> , 2022 , 111, 153-188	11.4	1
23	Noninvasive Assessment of Liver Fibrosis by Transient Elastography(The Forefront of Noninvasive Test). <i>Ika Kikaigaku</i> , 2006 , 76, 883-887		
22	METAVIR score Ultrasound Pictorial Essay of Anatomy / Ultrasound / Elastography / Histology.		
21	KaraciĖr biyopsisi endikasyonlarĖda ve histopatolojik tanĖarda yĖlar iĖindeki deĖim: 7 yĖlık tek merkez deneyimi.		
20	Prevalence of fatty liver and advanced fibrosis by ultrasonography and FibroScan in a general population random sample.		0
19	Fibroscan and Shear Wave correlated well in hepatic fibrosis evaluation of patients with chronic liver diseases Ėn real life situationĖ2022, 101, e30025		0
18	PNPLA3 and TM6SF2 genetic variants and hepatic fibrosis and cirrhosis in Pakistani chronic hepatitis C patients: a genetic association study. 2022 , 22,		
17	Detectability of Hepatitis B Virus in Peripheral Blood Mononuclear Cells Among Naive Chronic Hepatitis B Patients With Negative Viremia. 2022 , 30,		

- 16 Biomechanical changes in the liver tissue induced by a mouse model of multiple sclerosis (EAE) and the effect of anti-VLA-4 mAb treatment. **2022**, 728, 109356
- 15 Inverse Association between Serum Selenium Level and Severity of Liver Fibrosis: A Cross-Sectional Study. **2022**, 14, 3625
- 14 The role of myosin contractility as a molecular determinant of traction force regulation.
- 13 Factors Associated with Risk of NAFLD and Progression in Multiethnic Asians. A Latent Class and Machine Learning Analysis.
- 12 Noninvasive Liver Fibrosis Staging: Comparison of MR Elastography with Extracellular Volume Fraction Analysis Using Contrast-Enhanced CT. **2022**, 11, 5653
- 11 Using FIB-4 score as a screening tool in the assessment of significant liver fibrosis (F2) in patients with transfusion-dependent beta thalassaemia: a cross-sectional study. **2022**, 12, e061156
- 10 Flow Resistance Analysis of Clinically Significant Portal Hypertension in Patients with Liver Cirrhosis. **2022**, 2022, 1-7
- 9 Clinical usefulness of Mac-2 binding protein glycosylation isomer for diagnosing liver cirrhosis and significant fibrosis in patients with chronic liver disease: A retrospective single-center study. **2022**, 101, e30489
- 8 Utility of serum autotaxin levels for predicting post hepatectomy liver failure in hepatocellular carcinoma.
- 7 In Situ Regulation and Mechanisms of 3D Matrix Stiffness on the Activation and Reversion of Hepatic Stellate Cells. 2202560
- 6 Suppressing of Src^{SH-5}INKA¹AKT Signaling Reduced GAPDH Expression for Preventing the Progression of HuCCT1 Cholangiocarcinoma. **2022**, 14, 2698
- 5 Elastografie: Stellenwert im Gastrointestinaltrakt. **2022**, 18, 349-366
- 4 Risk factors for liver-related and non-liver-related mortality following a sustained virological response after direct-acting antiviral treatment for hepatitis C virus infection in a real-world cohort.
- 3 Examining the interim proposal for name change to steatotic liver disease in the US population. Publish Ahead of Print,
- 2 Spleen Stiffness Measurement Across The Spectrum Of Liver Disease Patients In Real-World Practice. **2022**,
- 1 Safety and Immunogenicity of Anti-SARS-CoV-2 Booster Dose in Patients with Chronic Liver Disease. **2023**, 12, 2281