

CITATION REPORT

List of articles citing

Sources of variability in histological scoring of chronic viral hepatitis

DOI: 10.1002/hep.20535
Hepatology, 2005, 41, 257-64.

Source: <https://exaly.com/paper-pdf/38329674/citation-report.pdf>

Version: 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
436	A novel panel of blood markers to assess the degree of liver fibrosis. <i>Hepatology</i> , 2005 , 42, 1373-81	11.2	403
435	Hepascore: an accurate validated predictor of liver fibrosis in chronic hepatitis C infection. 2005 , 51, 1867-73		415
434	A Systematic Review of the Quality of Liver Biopsy Specimens. 2006 , 125, 710-721		172
433	[Noninvasive assessment of liver fibrosis in patients with chronic hepatitis virus C]. 2006 , 35, 1317-26		2
432	Fibrosis as an end point for clinical trials in liver disease: a report of the international fibrosis group. 2006 , 4, 1214-1220		42
431	Assessment of fibrosis progression in untreated Irish women with chronic hepatitis C contracted from immunoglobulin anti-D. 2006 , 4, 1271-7		42
430	Identification of two gene variants associated with risk of advanced fibrosis in patients with chronic hepatitis C. 2006 , 130, 1679-87		104
429	Aspartate aminotransferase to platelet ratio index in patients with alcoholic liver fibrosis. 2006 , 101, 1500-8		83
428	Performance of serum marker panels for liver fibrosis in chronic hepatitis C. 2006 , 44, 462-74		181
427	Usefulness of liver biopsies in chronic infection with hepatitis C virus. 2006 , 5, S19-S21		
426	Prognostic value of portal pressure at the time of Kasai operation in patients with biliary atresia. 2006 , 43, 640-5		23
425	Hepatobiliary pathology. 2006 , 22, 198-208		11
424	[Liver biopsy in management of chronic liver diseases: "EASL monothematic conference highlights"]. 2006 , 30, 121-3		1
423	Development and validation of two models for early prediction of response to therapy in genotype 1 chronic hepatitis C. <i>Hepatology</i> , 2006 , 43, 72-80	11.2	41
422	Noninvasive measures of liver fibrosis. <i>Hepatology</i> , 2006 , 43, S113-20	11.2	257
421	An editor's look-back. <i>Hepatology</i> , 2006 , 43, S13-30	11.2	4
420	Hepatic venous pressure gradient identifies patients at risk of severe hepatitis C recurrence after liver transplantation. <i>Hepatology</i> , 2006 , 43, 492-9	11.2	238

419	Accuracy of liver stiffness measurement for the diagnosis of cirrhosis in patients with chronic liver diseases. <i>Hepatology</i> , 2006 , 44, 1511-7	11.2	382
418	Transient elastography for diagnosis of advanced fibrosis and portal hypertension in patients with hepatitis C recurrence after liver transplantation. 2006 , 12, 1791-8		315
417	Hepatic Fibrosis and Cirrhosis. 2006 , 87-109		7
416	Variability of grade and stage in simultaneous paired liver biopsies in patients with hepatitis C. 2007 , 60, 321-4		35
415	An appraisal of the histopathological assessment of liver fibrosis. 2006 , 55, 569-78		299
414	Agreement among surgical pathologists evaluating routine histologic sections of digits amputated from cats and dogs. 2007 , 19, 439-43		11
413	[Is liver biopsy still useful?]. 2007 , 28, 67-70		1
412	Comparison of test performance profile for blood tests of liver fibrosis in chronic hepatitis C. 2007 , 46, 395-402		106
411	Prospective comparison of six non-invasive scores for the diagnosis of liver fibrosis in chronic hepatitis C. 2007 , 46, 775-82		180
410	Technology evaluation: a critical step in the clinical utilization of novel diagnostic tests for liver fibrosis. 2007 , 46, 543-5		35
409	Grading and staging systems for inflammation and fibrosis in chronic liver diseases. 2007 , 47, 598-607		496
408	Reproducibility of transient elastography in the evaluation of liver fibrosis in patients with chronic liver disease. 2007 , 56, 968-73		596
407	Serum proteomic analysis focused on fibrosis in patients with hepatitis C virus infection. 2007 , 5, 33		37
406	The NAFLD fibrosis score: a noninvasive system that identifies liver fibrosis in patients with NAFLD. <i>Hepatology</i> , 2007 , 45, 846-54	11.2	1757
405	FibroIndex, a practical index for predicting significant fibrosis in patients with chronic hepatitis C. <i>Hepatology</i> , 2007 , 45, 297-306	11.2	201
404	Hepatic viscoelastic parameters measured with MR elastography: correlations with quantitative analysis of liver fibrosis in the rat. 2007 , 26, 956-62		69
403	Évaluation Non Invasive de la Fibrose Hépatique au Cours des Hépatites Chroniques Virales C. 2007 , 2007, 33-40		
402	Exploring differences in response to treatment with peginterferon alpha 2a (40kD) and ribavirin in chronic hepatitis C between genotypes 2 and 3. 2008 , 15, 52-7		25

401	Transjugular liver biopsy in patients with diffuse liver disease: comparison of three cores with one or two cores for accurate histological interpretation. 2007 , 27, 646-53		24
400	Liver biopsy assessment in chronic hepatitis. 2007 , 38, 634-43		54
399	Liver fibrosis and chronic viral hepatitis. 2007 , 38, 644-51		36
398	[Characteristics and interpretation of blood tests for liver fibrosis]. 2007 , 31, 511-23; quiz 500, 531-2		4
397	Utilisation des marqueurs non invasifs de fibrose dans la prise en charge de l'hépatite C. 2007 , 31, 34-39		1
396	Reproducibility of blood tests of liver fibrosis in clinical practice. 2008 , 41, 10-8		57
395	Optical analysis of computed tomography images of the liver predicts fibrosis stage and distribution in chronic hepatitis C. <i>Hepatology</i> , 2008 , 47, 810-6	11.2	39
394	Risk of severe liver disease in nonalcoholic fatty liver disease with normal aminotransferase levels: a role for insulin resistance and diabetes. <i>Hepatology</i> , 2008 , 48, 792-8	11.2	481
393	Diagnostic accuracy, reproducibility and robustness of fibrosis blood tests in chronic hepatitis C: a meta-analysis with individual data. 2008 , 41, 1368-76		57
392	Hepatic venous pressure gradient as a predictor of fibrosis in chronic liver disease because of hepatitis B virus. 2008 , 28, 690-8		34
391	Evaluating the accuracy and increasing the reliable diagnosis rate of blood tests for liver fibrosis in chronic hepatitis C. 2008 , 28, 1352-62		82
390	Prospective evaluation of transient elastography for the diagnosis of hepatic fibrosis in Asians: comparison with liver biopsy and aspartate transaminase platelet ratio index. 2008 , 28, 51-61		55
389	Optimized stepwise combination algorithms of non-invasive liver fibrosis scores including Hepascore in hepatitis C virus patients. 2008 , 28, 458-67		47
388	Discordance between biochemical markers of liver activity and fibrosis (Actitest-Fibrotest) and liver biopsy in patients with chronic hepatitis C. 2008 , 32, 858-65		9
387	Evaluation and improvement of a reliable diagnosis of cirrhosis by blood tests. 2008 , 32, 1050-60		11
386	Liver biopsy. 2008 , 32, 4-7		26
385	FibroMeters: a family of blood tests for liver fibrosis. 2008 , 32, 40-51		36
384	Combining non-invasive methods for assessment of liver fibrosis. 2008 , 32, 73-9		11

383	Actualité sur les co-infections VIH/HCV. 2008 , 10, 167-175		
382	Non-invasive evaluation of liver fibrosis using transient elastography. 2008 , 48, 835-47		964
381	Application of transient elastometry to differentiate mild from moderate to severe liver fibrosis in HIV/HCV co-infected patients. 2008 , 49, 916-22		36
380	Correlation of FIBROSpect II with histologic and morphometric evaluation of liver fibrosis in chronic hepatitis C. 2008 , 6, 242-7		50
379	Reproducibility of liver stiffness measurement by ultrasonographic elastometry. 2008 , 6, 1263-9		97
378	Noninvasive monitoring of hepatitis C fibrosis progression. 2008 , 12, 557-71, viii		8
377	Usefulness of six non-proprietary indirect markers of liver fibrosis in patients with chronic hepatitis C. 2008 , 46, 253-9		8
376	Assessing liver fibrosis. 2008 , 2, 541-52		31
375	Can we predict the degree of fibrosis in chronic hepatitis C patients using routine blood tests in our daily practice?. 2008 , 42, 827-34		33
374	Learning curve and interobserver reproducibility evaluation of liver stiffness measurement by transient elastography. 2008 , 20, 693-701		79
373	Protocol liver allograft biopsies. 2008 , 85, 1686-92		39
372	Non-invasive assessment of liver fibrosis in chronic liver diseases: implementation in clinical practice and decisional algorithms. 2009 , 15, 2190-203		62
371	Factors of accuracy of transient elastography (fibrosan) for the diagnosis of liver fibrosis in chronic hepatitis C. <i>Hepatology</i> , 2009 , 49, 1083-9	11.2	175
370	Evolution of hepatic steatosis in patients with advanced hepatitis C: results from the hepatitis C antiviral long-term treatment against cirrhosis (HALT-C) trial. <i>Hepatology</i> , 2009 , 49, 1828-37	11.2	46
369	Serum HCV RNA levels and HCV genotype do not affect insulin resistance in nondiabetic patients with chronic hepatitis C: a multicentre study. 2009 , 30, 947-54		17
368	Transient elastography and other noninvasive tests to assess hepatic fibrosis in patients with viral hepatitis. 2009 , 16, 300-14		127
367	Non-invasive assessment of liver fibrosis by stiffness measurement in patients with chronic hepatitis B. 2009 , 29, 242-7		369
366	Assessment of hepatitis C: non-invasive fibrosis markers and/or liver biopsy. 2009 , 29 Suppl 1, 19-22		18

365	The combination of a blood test and Fibroscan improves the non-invasive diagnosis of liver fibrosis. 2009 , 29, 1507-15	94
364	[FibroMeters: a family of blood tests for liver fibrosis with high diagnostic performance and applicability in clinical practice]. 2009 , 57, 459-62	2
363	Comparison of blood tests for liver fibrosis specific or not to NAFLD. 2009 , 50, 165-73	195
362	Early detection in routine clinical practice of cirrhosis and oesophageal varices in chronic hepatitis C: comparison of transient elastography (FibroScan) with standard laboratory tests and non-invasive scores. 2009 , 50, 59-68	289
361	Liver biopsy: the best, not the gold standard. 2009 , 50, 1-3	232
360	[Value of transient elastography in noninvasive assessment in children's hepatic fibrosis]. 2009 , 16, 1005-10	22
359	Evaluation of routine biochemical indices and α -fetoprotein versus histology in chronic hepatitis C patients. 2009 , 10, 87-91	3
358	A comparison of hepatopathologists' and community pathologists' review of liver biopsy specimens from patients with hepatitis C. 2009 , 7, 335-8	41
357	Histopathology of non-alcoholic fatty liver disease. 2009 , 13, 533-44	90
356	Assessment of liver stiffness in patients after living donor liver transplantation by transient elastography. 2009 , 44, 1115-20	11
355	Validation of hepascore, compared with simple indices of fibrosis, in patients with chronic hepatitis C virus infection in United States. 2009 , 7, 696-701	57
354	Treatment of liver fibrosis: clinical aspects. 2009 , 33, 958-66	7
353	Hepatitis C virus: a critical appraisal of approaches to therapy. 2009 , 7, 397-414; quiz 366	16
352	Improved diagnostic accuracy of blood tests for severe fibrosis and cirrhosis in chronic hepatitis C. 2009 , 21, 28-38	51
351	Novel Laboratory Tests in Assessment of Liver Function in Acute and Chronic Liver Diseases. 2009 , 63, 228-233	1
350	Estimating complex multi-state misclassification rates for biopsy-measured liver fibrosis in patients with hepatitis C. 2009 , 5, Article 5	7
349	Noninvasive tools to assess liver disease. 2010 , 26, 227-33	13
348	Noninvasive liver steatosis quantification using MRI techniques combined with blood markers. 2010 , 22, 973-82	22

347	Acoustic radiation force impulse: a new ultrasonographic technology for the widespread noninvasive diagnosis of liver fibrosis. 2010 , 22, 1074-84	113
346	[Histopathological diagnosis of non-alcoholic and alcoholic fatty liver disease. Grade 2 consensus-based guidelines]. 2010 , 31, 225-37	19
345	Assessment of liver fibrosis by transient elastography in rheumatoid arthritis patients treated with methotrexate. 2010 , 77, 588-92	26
344	Liver stiffness identifies two different patterns of fibrosis progression in patients with hepatitis C virus recurrence after liver transplantation. <i>Hepatology</i> , 2010 , 51, 23-34	11.2 103
343	Serum prolidase enzyme activity and its relation to histopathological findings in patients with non-alcoholic steatohepatitis. 2010 , 24, 207-11	21
342	Use of simple noninvasive biomarkers to predict liver fibrosis in HIV/HCV coinfection in routine clinical practice. 2010 , 11, 439-47	14
341	Quantitative HBsAg and HDV-RNA levels in chronic delta hepatitis. 2010 , 30, 430-7	66
340	Feasibility of liver transient elastography with FibroScan using a new probe for obese patients. 2010 , 30, 1043-8	139
339	Non-invasive assessment of liver fibrosis progression in hepatitis C patients retreated for 96 weeks with antiviral therapy: a randomized study. 2010 , 30, 1049-58	12
338	Diagnosis of different liver fibrosis characteristics by blood tests in non-alcoholic fatty liver disease. 2010 , 30, 1346-54	35
337	Factors that affect the diagnostic accuracy of liver fibrosis measurement by Fibroscan in patients with chronic hepatitis B. 2010 , 32, 498-505	44
336	Liver Histopathology. 2010 , 239-248	
335	Usefulness of liver biopsy in chronic hepatitis C. 2010 , 9, S39-S42	4
334	Histopathology of nonalcoholic fatty liver disease. 2010 , 16, 5286-96	262
333	Digital analysis of hepatic sections in mice accurately quantitates triglycerides and selected properties of lipid droplets. 2010 , 235, 1282-6	16
332	Liver biopsy for histological assessment: The case against. 2010 , 16, 124-32	49
331	Liver biopsy for histological assessment: The case in favor. 2010 , 16, 133-9	9
330	Is HMGB1 a new indirect marker for revealing fibrosis in chronic hepatitis and a new therapeutic target in treatment?. 2010 , 23, 633-8	51

329	[Liver biopsy: Which role in patient management?]. 2010 , 30, 464-9		5
328	Pathology of chronic hepatitis B and chronic hepatitis C. 2010 , 14, 555-75		16
327	Nonalcoholic fatty liver disease. 2010 , 14, 591-604		57
326	Prospective comparison of two algorithms combining non-invasive methods for staging liver fibrosis in chronic hepatitis C. 2010 , 52, 191-8		158
325	Harmony in liver fibrosis. 2010 , 52, 313-4		9
324	Fibrillar collagen scoring by second harmonic microscopy: a new tool in the assessment of liver fibrosis. 2010 , 52, 398-406		122
323	Comparison of liver fibrosis blood tests developed for HCV with new specific tests in HIV/HCV co-infection. 2010 , 53, 238-44		35
322	[Retrospective study of FibroScan, APRI, FIB-4 and FORNS indexes compared with liver biopsy in the evaluation of liver fibrosis in patients with chronic hepatitis C mono-infection and HIV coinfection]. <i>Gastroenterología Y Hepatología</i> , 2010 , 33, 425-32	0.9	10
321	Automation of the Hepascore and validation as a biochemical index of liver fibrosis in patients with chronic hepatitis C from the ANRS HC EP 23 Fibrostar cohort. 2010 , 411, 86-91		31
320	Pathology of nonalcoholic fatty liver disease. 2010 , 7, 195-203		350
319	Assessment of the accuracy of an ultrasound elastography liver scanning system using a PVA-cryogel phantom with optimal acoustic and mechanical properties. 2010 , 55, 5965-83		38
318	Comparison of transient elastography and acoustic radiation force impulse for non-invasive staging of liver fibrosis in patients with chronic hepatitis C. 2011 , 106, 2112-20		148
317	Elastography for hepatic fibrosis severity in chronic hepatitis B or C. 2011 , 5, 63-72		2
316	Chronic Hepatitis. 2011 , 201-213		2
315	Assessment of new hyaluronic acid assays and their impact on FibroMeter scores. 2011 , 412, 347-52		9
314	[Evaluation of liver fibrosis by non-invasive methods]. 2011 , 137, 642-4		
313	Role of a cirrhosis risk score for the early prediction of fibrosis progression in hepatitis C patients with minimal liver disease. 2011 , 55, 38-44		44
312	EASL Clinical Practice Guidelines: management of hepatitis C virus infection. 2011 , 55, 245-64		983

311	Chronic viral hepatitis: the histology report. 2011 , 43 Suppl 4, S331-43	34
310	Reversal of hepatic fibrosis: pathophysiological basis of antifibrotic therapies. 2011 , 3, 69-80	32
309	Steatosis degree, measured by morphometry, is linked to other liver lesions and metabolic syndrome components in patients with NAFLD. 2011 , 23, 974-81	12
308	Biopsy of the Liver. 2011 , 36-47	2
307	The usefulness of liver stiffness measurement using FibroScan in chronic hepatitis C in South Korea: a multicenter, prospective study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011 , 26, 171-84	33
306	Liver stiffness diminishes with antiviral response in chronic hepatitis C. 2011 , 34, 656-63	100
305	The impact of liver disease aetiology and the stages of hepatic fibrosis on the performance of non-invasive fibrosis biomarkers: an international study of 2411 cases. 2011 , 34, 1202-16	94
304	Enhanced Liver Fibrosis (ELF) test accurately identifies liver fibrosis in patients with chronic hepatitis C. 2011 , 18, 23-31	126
303	Proficiency of transient elastography compared to liver biopsy for the assessment of fibrosis in HIV/HBV-coinfected patients. 2011 , 18, 61-9	41
302	Reproducibility of liver stiffness measurements in hepatitis C virus (HCV)-infected patients in Egypt. 2011 , 18, e358-65	12
301	How to assess liver fibrosis in chronic hepatitis C: serum markers or transient elastography vs. liver biopsy?. 2011 , 31 Suppl 1, 13-7	49
300	Assessment and management of methotrexate hepatotoxicity in psoriasis patients: report from a consensus conference to evaluate current practice and identify key questions toward optimizing methotrexate use in the clinic. 2011 , 25, 758-64	61
299	Prospective evaluation of FibroScan for the diagnosis of hepatic fibrosis compared with liver biopsy/AST platelet ratio index and FIB-4 in patients with chronic HBV infection. 2011 , 56, 2742-9	71
298	Histopathological diagnosis of non-alcoholic and alcoholic fatty liver disease. 2011 , 458, 511-23	91
297	Invasive and non-invasive methods for the assessment of fibrosis and disease progression in chronic liver disease. 2011 , 25, 291-303	94
296	Non-invasive assessment of liver fibrosis in chronic hepatitis C. 2011 , 5, 625-34	59
295	Non-invasive diagnosis of liver fibrosis. 2011 , 4, 283-291	7
294	Comparison of accuracy of fibrosis degree classifications by liver biopsy and non-invasive tests in chronic hepatitis C. 2011 , 11, 132	18

293	Biomarkers of liver fibrosis: what lies beneath the receiver operating characteristic curve? <i>Hepatology</i> , 2011 , 54, 1454-62	11.2	42
292	Évaluation de la fibrose hépatique par élastométrie chez les patients atteints de polyarthrite rhumatoïde traité par méthotrexate. 2011 , 78, 47-51		
291	Recommendations for the evaluation of pathology data in nonclinical safety biomarker qualification studies. 2011 , 39, 1129-37		26
290	Liver fibrosis in patients with chronic hepatitis C: noninvasive diagnosis by means of real-time tissue elastography—establishment of the method for measurement. 2011 , 258, 610-7		117
289	Diagnostic accuracy of transient elastography (FibroScan) versus the aspartate transaminase to platelet ratio index in assessing liver fibrosis in chronic hepatitis B: the role in primary care setting. 2011 , 64, 916-20		28
288	Validation of hepascore as a predictor of liver fibrosis in patients with chronic hepatitis C infection. 2011 , 2011, 972759		12
287	Non-invasive assessment of liver fibrosis: it is time for laboratory medicine. 2011 , 49, 13-32		16
286	A new combination of blood test and fibroscan for accurate non-invasive diagnosis of liver fibrosis stages in chronic hepatitis C. 2011 , 106, 1255-63		73
285	A common polymorphism in the ABCB11 gene is associated with advanced fibrosis in hepatitis C but not in non-alcoholic fatty liver disease. 2011 , 120, 287-96		37
284	Biopsy-controlled liver fibrosis staging using the enhanced liver fibrosis (ELF) score compared to transient elastography. 2012 , 7, e51906		23
283	Assessing mortality in women with hepatitis C virus and HIV using indirect markers of fibrosis. 2012 , 26, 599-607		39
282	Liver fibrosis in patients with non-alcoholic fatty liver disease: diagnostic options in clinical practice. 2012 , 6, 381-94		8
281	Resection of hepatocellular carcinoma without cirrhosis. 2012 , 255, 1135-43		43
280	Fibrose hépatique. 2012 , 7, 1-9		
279	Optimal time for restoring the reliability of liver stiffness measurement in patients with chronic hepatitis B experiencing acute exacerbation. 2012 , 46, 602-7		12
278	The accuracy of noninvasive methods in predicting the development of hepatocellular carcinoma and hepatic decompensation in patients with chronic hepatitis B. 2012 , 46, 518-25		48
277	Can we precisely classify liver fibrosis without biopsy in hepatitis C?. 2012 , 9, 233-235		
276	Review article: the reversibility of cirrhosis. 2012 , 36, 824-32		49

275	Combined effect of 25-OH vitamin D plasma levels and genetic vitamin D receptor (NR 111) variants on fibrosis progression rate in HCV patients. 2012 , 32, 635-43	75
274	Comparison of nine blood tests and transient elastography for liver fibrosis in chronic hepatitis C: the ANRS HCEP-23 study. 2012 , 56, 55-62	161
273	Relative performances of FibroTest, Fibroscan, and biopsy for the assessment of the stage of liver fibrosis in patients with chronic hepatitis C: a step toward the truth in the absence of a gold standard. 2012 , 56, 541-8	65
272	[Evaluation of the costs of transient elastography (FibroScan(®)) in the diagnosis of liver fibrosis in HIV patients with hepatitis C virus]. 2012 , 30, 294-9	6
271	Artificial neural network aided non-invasive grading evaluation of hepatic fibrosis by duplex ultrasonography. 2012 , 12, 55	12
270	Cellular and molecular techniques. 2012 , 79-99	
269	Performances of Elasto-FibroTest(®), a combination between FibroTest(®) and liver stiffness measurements for assessing the stage of liver fibrosis in patients with chronic hepatitis C. 2012 , 36, 455-63	12
268	Liver biopsy analysis has a low level of performance for diagnosis of intermediate stages of fibrosis. 2012 , 10, 657-63.e7	83
267	Systematic review of the diagnostic performance of serum markers of liver fibrosis in alcoholic liver disease. 2012 , 11, 5	21
266	Discordance between liver biopsy and Fibroscan® in assessing liver fibrosis in chronic hepatitis b: risk factors and influence of necroinflammation. 2012 , 7, e32233	43
265	Hepatic Fibrosis and Cirrhosis. 2012 , 64-85	8
264	Real-time tissue elastography for evaluation of hepatic fibrosis and portal hypertension in nonalcoholic fatty liver diseases. <i>Hepatology</i> , 2012 , 56, 1271-8	11.2 83
263	How far is noninvasive assessment of liver fibrosis from replacing liver biopsy in hepatitis C?. 2012 , 19 Suppl 1, 18-32	34
262	Fibrosis progression under maintenance interferon in hepatitis C is better detected by blood test than liver morphometry. 2012 , 19, e143-53	7
261	Comparison of three algorithms of non-invasive markers of fibrosis in chronic hepatitis C. 2012 , 35, 92-104	36
260	Current histological classification of NAFLD: strength and limitations. 2013 , 7 Suppl 2, 765-70	33
259	Combining transient elastography with FIB4 enhances sensitivity in detecting advanced fibrosis of the liver. 2013 , 48, 93-100	14
258	Impact of mild to moderate elevations of alanine aminotransferase on liver stiffness measurement in chronic hepatitis B patients during antiviral therapy. 2013 , 43, 185-91	8

257	Separation of advanced from mild hepatic fibrosis by quantification of the hepatobiliary uptake of Gd-EOB-DTPA. 2013 , 23, 174-81		57
256	Infectious diseases of the hepatobiliary system. 2013 , 19, 80-88		
255	Natural History of Chronic HCV Infection and Non-Invasive Assessment of Hepatic Fibrosis. 2013 , 341-352		
254	Acoustic radiation force impulse and supersonic shear imaging versus transient elastography for liver fibrosis assessment. 2013 , 39, 1933-41		73
253	The diagnostic accuracy of Fibroscan for cirrhosis is influenced by liver morphometry in HCV patients with a sustained virological response. 2013 , 59, 251-6		106
252	Hepatocellular carcinoma in chronic hepatitis C in the absence of advanced fibrosis or cirrhosis. 2013 , 200, W610-6		17
251	Hepatotoxicity Related to Methotrexate. 2013 , 593-604		8
250	Comparison of magnetic resonance elastography and gadoxetate disodium-enhanced magnetic resonance imaging for the evaluation of hepatic fibrosis. 2013 , 48, 607-13		39
249	Comparative assessment of liver fibrosis by computerized morphometry in naïve patients with chronic hepatitis B and C. 2013 , 33, 428-38		24
248	Magnetic resonance elastography of liver: clinical applications. 2013 , 37, 887-96		55
247	Transient elastography-based risk estimation of hepatitis B virus-related occurrence of hepatocellular carcinoma: development and validation of a predictive model. 2013 , 6, 1463-9		18
246	Hyaluronic acid levels predict risk of hepatic encephalopathy and liver-related death in HIV/viral hepatitis coinfecting patients. 2013 , 8, e64283		17
245	The performance of enhanced liver fibrosis (ELF) test for the staging of liver fibrosis: a meta-analysis. 2014 , 9, e92772		44
244	A feature selection based framework for histology image classification using global and local heterogeneity quantification. 2014 , 2014, 1937-40		3
243	Inter-observer and Intra-observer Agreement in Pathological Evaluation of Non-alcoholic Fatty Liver Disease Suspected Liver Biopsies. <i>Hepatitis Monthly</i> , 2014 , 14, e15167	1.8	32
242	The association of IL28B genotype with the histological features of chronic hepatitis C is HCV genotype dependent. <i>International Journal of Molecular Sciences</i> , 2014 , 15, 7213-24	6.3	17
241	Correlation of MR elastography with morphometric quantification of liver fibrosis (Fibro-C-Index) in chronic hepatitis B. 2014 , 72, 1123-9		30
240	Autoimmune hepatitis: Histopathology. 2014 , 3, 19-23		6

239	Risk assessment of clinical outcomes in Asian patients with chronic hepatitis B using enhanced liver fibrosis test. <i>Hepatology</i> , 2014 , 60, 1911-9	11.2	33
238	Quantitative Histopathology and Alternative Approaches to Assessment of Fibrosis for Drug Development in Hepatitis C and Nonalcoholic Steatohepatitis. 2014 , 101-116		
237	Chronic hepatitis C and liver fibrosis. 2014 , 20, 11033-53		130
236	Comparison between transient elastography (Fibroscan) and liver biopsy for the diagnosis of hepatic fibrosis in chronic hepatitis C genotype 4. 2014 , 4, 106-111		7
235	Cirrhosis regression in patients with viral hepatitis B and C: a systematic review. 2014 , 48, e76-84		21
234	Prediction of liver stiffness hepatocellular carcinoma in chronic hepatitis C patients on interferon-based anti-viral therapy. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014 , 29, 137-43	4	16
233	Multiplex protein analysis to determine fibrosis stage and progression in patients with chronic hepatitis C. 2014 , 12, 2113-20.e1-3		22
232	Steatosis affects the performance of liver stiffness measurement for fibrosis assessment in patients with genotype 1 chronic hepatitis C. 2014 , 61, 523-9		57
231	Precise evaluation of liver histology by computerized morphometry shows that steatosis influences liver stiffness measured by transient elastography in chronic hepatitis C. 2014 , 49, 527-37		44
230	Comparison of interobserver agreement of magnetic resonance elastography with histopathological staging of liver fibrosis. 2014 , 39, 283-90		39
229	Utility and appropriateness of the fatty liver inhibition of progression (FLIP) algorithm and steatosis, activity, and fibrosis (SAF) score in the evaluation of biopsies of nonalcoholic fatty liver disease. <i>Hepatology</i> , 2014 , 60, 565-75	11.2	329
228	Validity of noninvasive markers of methotrexate-induced hepatotoxicity: a retrospective cohort study. 2014 , 171, 267-73		42
227	Magnetic resonance elastography of liver. 2014 , 22, 433-46		109
226	Biopsy as well as FibroTest/Fibrosure is suboptimal for discriminating intermediate fibrosis stages in patients with chronic hepatitis B. 2014 , 109, 1287-8		
225	Prospective evaluation of FibroTest [®] , FibroMeter [®] , and HepaScore [®] for staging liver fibrosis in chronic hepatitis B: comparison with hepatitis C. 2014 , 61, 28-34		56
224	FibroTest/Fibrosure for significant liver fibrosis and cirrhosis in chronic hepatitis B: a meta-analysis. 2014 , 109, 796-809		55
223	T2(*) MRI changes in the heart and liver of ex-thalassemic patients after hematopoietic stem cell transplantation. 2014 , 7, 103-8		4
222	Design and validation of a diagnostic score for biliary atresia. 2014 , 61, 116-23		72

221	Non-invasive assessment of liver fibrosis using real-time tissue elastography in patients with chronic hepatitis B. 2014 , 69, 194-9	9
220	Diffuse reflectance spectroscopy as a possible tool to complement liver biopsy for grading hepatic fibrosis in paraffin-preserved human liver specimens. 2014 , 68, 1357-64	11
219	Automatic scale-independent morphology-based quantification of liver fibrosis. 2014 ,	
218	Comparing hepatic 2D and 3D magnetic resonance elastography methods in a clinical setting - Initial experiences. 2015 , 2, 66-70	6
217	Usefulness of indirect noninvasive methods in predicting progression to cirrhosis in chronic hepatitis C. 2015 , 27, 826-33	3
216	The severity of steatosis influences liver stiffness measurement in patients with nonalcoholic fatty liver disease. <i>Hepatology</i> , 2015 , 62, 1101-10	11.2 131
215	Is liver biopsy still needed in children with chronic viral hepatitis?. 2015 , 21, 12141-9	25
214	Diagnosing Nodular Regenerative Hyperplasia of the Liver Is Thwarted by Low Interobserver Agreement. 2015 , 10, e0120299	36
213	Chronic Hepatitis C: An Overview of Evidence on Epidemiology and Management from a Brazilian Perspective. 2015 , 2015, 852968	5
212	Role of the Aspartate Transaminase and Platelet Ratio Index in Assessing Hepatic Fibrosis and Liver Inflammation in Adolescent Patients with HBeAg-Positive Chronic Hepatitis B. 2015 , 2015, 906026	11
211	Controversy in the diagnosis of pediatric non-alcoholic fatty liver disease. 2015 , 21, 6444-50	20
210	Intermediate fibrosis staging in hepatitis C: a problem not overcome by optimal samples or pathologists' expertise. 2015 , 14, 652-657	6
209	EASL-ALEH Clinical Practice Guidelines: Non-invasive tests for evaluation of liver disease severity and prognosis. 2015 , 63, 237-64	1082
208	Pattern and profile of chronic liver disease in acute on chronic liver failure. 2015 , 9, 366-72	17
207	Performance of 2-D shear wave elastography in liver fibrosis assessment compared with serologic tests and transient elastography in clinical routine. 2015 , 41, 2340-9	20
206	A subset-search and ranking based feature-selection for histology image classification using global and local quantification. 2015 ,	2
205	Ultrasound elastography: liver. 2015 , 40, 698-708	17
204	Cirrhosis regression in hepatitis C patients with sustained virological response after antiviral therapy: a meta-analysis. 2015 , 35, 30-6	62

203	Liver stiffness-based model for prediction of hepatocellular carcinoma in chronic hepatitis B virus infection: comparison with histological fibrosis. 2015 , 35, 1054-62	28
202	Noninvasive evaluation of liver fibrosis using real-time tissue elastography and transient elastography (FibroScan). 2015 , 34, 403-10	26
201	Magnetic resonance elastography can discriminate normal vs. abnormal liver biopsy in candidates for live liver donation. 2015 , 40, 795-802	10
200	Online combination algorithm for non-invasive assessment of chronic hepatitis B related liver fibrosis and cirrhosis in resource-limited settings. 2015 , 26, 628-34	6
199	Primary biliary cirrhosis: proposal for a new simple histological scoring system. 2015 , 35, 652-9	16
198	An extension of STARD statements for reporting diagnostic accuracy studies on liver fibrosis tests: the Liver-FibroSTARD standards. 2015 , 62, 807-15	46
197	Reliability of causality assessment for drug, herbal and dietary supplement hepatotoxicity in the Drug-Induced Liver Injury Network (DILIN). 2015 , 35, 1623-32	34
196	Real-time Tissue Elastography for Assessment of Liver Stiffness in Adults Without Known Liver Disease. 2015 , 34, 1895-900	6
195	Non-invasive score system for fibrosis in chronic hepatitis: proposal for a model based on biochemical, FibroScan and ultrasound data. 2015 , 35, 2027-35	17
194	The impact of PNPLA3 (rs738409 C>G) polymorphisms on liver histology and long-term clinical outcome in chronic hepatitis B patients. 2015 , 35, 438-47	24
193	Comparison of liver biopsy and noninvasive techniques for liver fibrosis assessment in patients infected with HCV-genotype 4 in Egypt. 2015 , 22, 245-53	26
192	Assessment of Liver Stiffness in Pediatric Fontan Patients Using Transient Elastography. 2016 , 2016, 7125193	26
191	Prediction of Hepatocellular Carcinoma Development after Hepatitis C Virus Eradication Using Serum Wisteria floribunda Agglutinin-Positive Mac-2-Binding Protein. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3 24
190	Serological Tests Do Not Predict Residual Fibrosis in Hepatitis C Cirrhotics with a Sustained Virological Response to Interferon. 2016 , 11, e0155967	19
189	Hepatic steatosis and fibrosis: Non-invasive assessment. 2016 , 22, 9880-9897	39
188	Biochemical non-invasive assessment of liver fibrosis cannot replace biopsy in HIV-HCV coinfectd patients. 2016 , 15, 27-32	5
187	Different precore/core mutations of hepatitis B interact with, limit, or favor liver fibrosis severity. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016 , 31, 1750-1756	4 12
186	Quantitative imaging of fibrotic and morphological changes in liver of non-alcoholic steatohepatitis (NASH) model mice by second harmonic generation (SHG) and auto-fluorescence (AF) imaging using two-photon excitation microscopy (TPEM). 2016 , 8, 277-283	9

185	Elastography in Chronic Liver Disease: Modalities, Techniques, Limitations, and Future Directions. 2016 , 36, 1987-2006	104
184	Should surveillance for liver cancer be modified in hepatitis C patients after treatment-related cirrhosis regression?. 2016 , 36, 783-90	25
183	Diagnostic performance of FibroTest, SteatoTest and ActiTest in patients with NAFLD using the SAF score as histological reference. 2016 , 44, 877-89	54
182	Reference Intervals of Fibrosis Index Based on Four Indicators in Healthy Elderly Chinese. 2016 , 30, 645-8	2
181	Assessment of liver fibrosis in chronic hepatitis B using acoustic structure quantification: quantitative morphological ultrasound. 2016 , 26, 2344-51	22
180	Will a second biopsy sample affect treatment decisions in patients with chronic hepatitis B?. 2016 , 10, 602-5	2
179	Automated evaluation of liver fibrosis in thioacetamide, carbon tetrachloride, and bile duct ligation rodent models using second-harmonic generation/two-photon excited fluorescence microscopy. 2017 , 97, 84-92	17
178	Diffusion and Intravoxel Incoherent Motion MR Imaging-based Virtual Elastography: A Hypothesis-generating Study in the Liver. 2017 , 285, 609-619	18
177	New noninvasive index for predicting liver fibrosis in Asian patients with chronic viral hepatitis. <i>Scientific Reports</i> , 2017 , 7, 3259	4-9 15
176	Prediction of long-term clinical outcome in a diverse chronic hepatitis B population: Role of the PAGE-B score. 2017 , 24, 1023-1031	15
175	Reproducibility of 2-Dimensional Shear Wave Elastography Assessment of the Liver: A Direct Comparison With Point Shear Wave Elastography in Healthy Volunteers. 2017 , 36, 1563-1569	25
174	Two-dimensional Shear-Wave Elastography Performance in the Noninvasive Evaluation of Liver Fibrosis in Patients with Chronic Hepatitis B: Comparison with Serum Fibrosis Indexes. 2017 , 283, 873-882	69
173	Diagnostic value of Transient Elastography (Fibroscan) in the evaluation of liver fibrosis in chronic viral hepatitis C: Comparison to liver biopsy. 2017 , 48, 329-337	3
172	Evaluation of serum fibrotic markers; CTGF, IL-17 and TGF- β versus liver biopsy for detection of hepatic fibrosis in Egyptian patients with chronic hepatitis C. 2017 , 13, 63-69	2
171	Validation of whole-slide imaging in the primary diagnosis of liver biopsies in a University Hospital. 2017 , 49, 1240-1246	18
170	Infectious diseases of the hepatobiliary system. 2017 , 23, 405-413	
169	Robust extraction of quantitative structural information from high-variance histological images of livers from necropsied Soay sheep. 2017 , 4, 170111	2
168	Fibrosis imaging: Current concepts and future directions. 2017 , 121, 9-26	74

167	Interobserver Agreement Using Histological Scoring of the Canine Liver. 2017 , 31, 778-783		18
166	Hepatic Fibrosis, Inflammation, and Steatosis: Influence on the MR Viscoelastic and Diffusion Parameters in Patients with Chronic Liver Disease. 2017 , 283, 98-107		39
165	Correlation of hepatic fractional extracellular space using gadolinium enhanced MRI with liver stiffness using magnetic resonance elastography. <i>Abdominal Radiology</i> , 2017 , 42, 191-198	3	5
164	Predictive value of biomarkers of hepatic fibrosis in adult Fontan patients. 2017 , 36, 211-219		30
163	Asian-Pacific Association for the Study of the Liver (APASL) consensus guidelines on invasive and non-invasive assessment of hepatic fibrosis: a 2016 update. 2017 , 11, 1-30		132
162	Latent Class Analysis of Noninvasive Methods and Liver Biopsy in Chronic Hepatitis C: An Approach without a Gold Standard. 2017 , 2017, 8252980		4
161	Reproducibility of shear wave elastography (SWE) in patients with chronic liver disease. 2017 , 12, e0185391		23
160	2-dimensional shear wave elastography: Interobserver agreement and factors related to interobserver discrepancy. 2017 , 12, e0175747		9
159	Noninvasive Diagnostic and Prognostic Assessment Tools for Liver Fibrosis and Cirrhosis in Patients with Chronic Liver Disease. 2017 ,		2
158	High SNR Acquisitions Improve the Repeatability of Liver Fat Quantification Using Confounder-corrected Chemical Shift-encoded MR Imaging. 2017 , 16, 332-339		7
157	Quantitative Elastography Methods in Liver Disease: Current Evidence and Future Directions. 2018 , 286, 738-763		145
156	Screening for therapeutic trials and treatment indication in clinical practice: MACK-3, a new blood test for the diagnosis of fibrotic NASH. 2018 , 47, 1387-1396		31
155	Evaluating Diagnostic Accuracy of Noninvasive Tests in Assessment of Significant Liver Fibrosis in Chronic Hepatitis C Egyptian Patients. 2018 , 31, 315-320		1
154	Diagnosis of non-alcoholic fatty liver disease/non-alcoholic steatohepatitis: Non-invasive tests are enough. 2018 , 38 Suppl 1, 67-70		43
153	The Clinical Significance of GP73 in Immunologically Mediated Chronic Liver Diseases: Experimental Data and Literature Review. 2018 , 54, 282-294		26
152	PET/CT with F Fluorocholine as an Imaging Biomarker for Chronic Liver Disease: A Preliminary Radiopathologic Correspondence Study in Patients with Liver Cancer. 2018 , 287, 294-302		7
151	Serum HBV DNA plus RNA shows superiority in reflecting the activity of intrahepatic cccDNA in treatment-naïve HBV-infected individuals. 2018 , 99-100, 71-78		44
150	Can reference images improve interobserver agreement in reporting liver fibrosis?. 2018 , 71, 368-371		4

149	Enhanced liver fibrosis test using ELISA assay accurately discriminates advanced stage of liver fibrosis as determined by transient elastography fibroscan in treatment naïve chronic HCV patients. <i>Clinical and Experimental Medicine</i> , 2018 , 18, 45-50	4.9	7
148	Diagnostic accuracy of the Coopscore to predict liver fibrosis in human immunodeficiency virus/hepatitis B virus co-infection. 2018 , 55, 236-243		1
147	Magnetic resonance elastography is as accurate as liver biopsy for liver fibrosis staging. 2018 , 47, 1268-1275		27
146	MR Spectroscopy-derived Proton Density Fat Fraction Is Superior to Controlled Attenuation Parameter for Detecting and Grading Hepatic Steatosis. 2018 , 286, 547-556		52
145	Diverse correlations between fibrosis-related factors and liver stiffness measurement by transient elastography in chronic hepatitis B. 2018 , 30, 217-225		6
144	Liver fibrosis detection and staging: a comparative study of T1MR imaging and 2D real-time shear-wave elastography. <i>Abdominal Radiology</i> , 2018 , 43, 1713-1722	3	14
143	PRO-C3: a new and more precise collagen marker for liver fibrosis in patients with chronic hepatitis C. 2018 , 53, 83-87		10
142	Fluorescence Spectroscopy as a Tool for the Assessment of Liver Samples with Several Stages of Fibrosis. 2018 , 36, 151-161		3
141	Acoustic Radiation Force Impulse Elastography with APRI and FIB-4 to Identify Significant Liver Fibrosis in Chronic Hepatitis B Patients. 2018 , 17, 789-794		10
140	MRI-based diagnosis of liver fibrosis and steatosis. 2018 , 59, 407-414		1
139	Chronic Hepatitis C Patients with Obesity: Do we Need two Operators for Accurate Evaluation of Liver Stiffness?. 2018 , 17, 795-801		5
138	Usefulness of Enhanced Liver Fibrosis, Glycosylation Isomer of Mac-2 Binding Protein, Galectin-3, and Soluble Suppression of Tumorigenicity 2 For Assessing Liver Fibrosis in Chronic Liver Diseases. <i>Annals of Laboratory Medicine</i> , 2018 , 38, 331-337	3.1	13
137	Cellular and Molecular Techniques. 2018 , 88-110		1
136	Magnetic Resonance Elastography of Liver: Current Update. 2018 , 27, 319-333		52
135	Observational Study Design in Veterinary Pathology, Part 2: Methodology. 2018 , 55, 774-785		4
134	Index serum hyaluronic acid independently and accurately predicts mortality in patients with liver disease. 2018 , 48, 423-430		4
133	FibroSURE and elastography poorly predict the severity of liver fibrosis in Fontan-associated liver disease. 2018 , 13, 764-770		17
132	Chronic Hepatitis. 2018 , 233-245		

131	Biopsy of the Liver. 2018 , 39-52		
130	Non-invasive Assessment of Fibrosis and Cirrhosis. 2018 , 93-106		
129	Increased liver stiffness in patients with severe sleep apnoea and metabolic comorbidities. 2018 , 51,		16
128	Dual-energy computed tomography for non-invasive staging of liver fibrosis: Accuracy of iodine density measurements from contrast-enhanced data. 2018 , 48, 1008-1019		24
127	A Novel Non-invasive Method for Predicting Liver Fibrosis by Quantifying the Hepatic Vein Waveform. 2019 , 45, 2363-2371		3
126	Use of serum biomarkers in staging of canine hepatic fibrosis. 2019 , 31, 665-673		1
125	Lobular neoplasia and invasive lobular breast cancer: Inter-observer agreement for histological grading and subclassification. 2019 , 215, 152611		2
124	Exploring the Diagnostic Potential of Serum Golgi Protein 73 for Hepatic Necroinflammation and Fibrosis in Chronic HCV Infection with Different Stages of Liver Injuries. 2019 , 2019, 3862024		7
123	SHG/TPEF-based image technology improves liver fibrosis assessment of minimally sized needle biopsies. 2019 , 13, 501-509		3
122	Serum HBV RNA quantification: useful for monitoring natural history of chronic hepatitis B infection. 2019 , 19, 53		28
121	Diagnostic Biomarkers to Diagnose Acute Allograft Rejection After Liver Transplantation: Systematic Review and Meta-Analysis of Diagnostic Accuracy Studies. <i>Frontiers in Immunology</i> , 2019 , 10, 758	8.4	10
120	ACVIM consensus statement on the diagnosis and treatment of chronic hepatitis in dogs. 2019 , 33, 1173-1200		37
119	Liver Biopsy. 2019 , 395-407		
118	Semiautomatic software for measurement of abdominal muscle and adipose areas using computed tomography: A STROBE-compliant article. 2019 , 98, e15867		11
117	Identification of liver fibrosis using the hepatic vein waveform in patients with Fontan circulation. 2019 , 49, 304-313		7
116	Derivation and Performance of Standardized Enhanced Liver Fibrosis (ELF) Test Thresholds for the Detection and Prognosis of Liver Fibrosis. 2019 , 3, 815-826		14
115	Serum HBV pregenomic RNA is correlated with Th1/Th2 immunity in treatment-naïve chronic hepatitis B patients. 2020 , 92, 317-328		4
114	Deep learning with ultrasonography: automated classification of liver fibrosis using a deep convolutional neural network. 2020 , 30, 1264-1273		32

113	Regression of Fibrosis Stage With Treatment Reduces Long-Term Risk of Liver Cancer in Patients With Hemochromatosis Caused by Mutation in HFE. 2020 , 18, 1851-1857	13
112	Sarcopenia assessed using bioimpedance analysis is associated independently with significant liver fibrosis in patients with chronic liver diseases. 2020 , 32, 58-65	5
111	Biomarkers of liver fibrosis: prospective comparison of multimodal magnetic resonance, serum algorithms and transient elastography. 2020 , 55, 848-859	4
110	Fluorescence spectroscopy on paraffin-preserved human liver samples to classify several grades of fibrosis. 2020 , 242, 118737	1
109	Real-world single-center experience with direct-acting antivirals for improvement of the liver fibrosis after chronic hepatitis C treatment. 2020 , 28, 2040206620974835	0
108	Digital Image Analysis of Picrosirius Red Staining: A Robust Method for Multi-Organ Fibrosis Quantification and Characterization. 2020 , 10,	5
107	Optimizing small liver biopsy specimens: a combined cytopathology and surgical pathology perspective. 2020 , 9, 405-421	2
106	Infectious diseases of the hepatobiliary system. 2020 , 26, 566-574	
105	Pre-operative Detection of Liver Fibrosis in Hepatocellular Carcinoma Patients Using 2D Shear Wave Elastography: Where to Measure?. 2020 , 46, 1412-1423	2
104	Modification of liver fibrosis, glucose and lipid profile after hepatitis C virus clearance with direct-acting antiviral agents. 2020 , 43, 248-255	
103	The signature of HBV-related liver disease in peripheral blood mononuclear cell DNA methylation. 2020 , 12, 81	5
102	On-treatment Serum Mac-2 Binding Protein Glycosylation Isomer (M2BPGi) Level and Risk of Hepatocellular Carcinoma Development in Patients with Chronic Hepatitis B during Nucleot(s)ide Analogue Therapy. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3 3
101	Consensus on the diagnosis and treatment of hepatic fibrosis (2019). 2020 , 21, 127-138	4
100	Molecular imaging of extracellular matrix proteins with targeted probes using magnetic resonance imaging. 2020 , 12, e1622	9
99	MR elastography of the liver: comparison of three measurement methods. 2020 , 75, 715.e1-715.e7	3
98	Serum Golgi Protein 73 as a Potential Biomarker for Hepatic Necroinflammation in Population with Nonalcoholic Steatohepatitis. 2020 , 2020, 6036904	7
97	Discordant pathological diagnosis of non-alcoholic fatty liver disease: A prospective multicenter study. 2020 , 4, 497-502	12
96	Limitations of non-invasive tests for assessment of liver fibrosis. 2020 , 2, 100067	54

95	Digital Image Analysis of Heterogeneous Tuberculosis Pulmonary Pathology in Non-Clinical Animal Models using Deep Convolutional Neural Networks. <i>Scientific Reports</i> , 2020 , 10, 6047	4.9	6
94	Use of Direct Liver Stiffness Measurement in Evaluating the Severity of Liver Cirrhosis in Patients with Hepatocellular Carcinoma. 2020 , 44, 2777-2783		4
93	Plasma BCAA Changes in Patients With NAFLD Are Sex Dependent. 2020 , 105,		16
92	The utility of two-dimensional shear wave elastography and texture analysis for monitoring liver fibrosis in rat model. 2021 , 20, 46-52		
91	Chronic Hepatitis. 2021 , 155-186		
90	Approaches to Research Determination of Late Acute Cellular Rejection in Pediatric Liver Transplant Recipients. 2021 , 27, 106-115		0
89	Liver Stiffness by Transient Elastography to Detect Porto-Sinusoidal Vascular Liver Disease With Portal Hypertension. <i>Hepatology</i> , 2021 , 74, 364-378	11.2	9
88	(C)-Methacetin breath test provides evidence of subclinical liver dysfunction linked to fat storage but not lifestyle. 2021 , 3, 100203		4
87	Two Metabolomics Phenotypes of Human Hepatocellular Carcinoma in Non-Alcoholic Fatty Liver Disease According to Fibrosis Severity. 2021 , 11,		2
86	Association of Fetoprotein levels with liver stiffness measurement in outpatients with chronic hepatitis B. 2021 , 41,		2
85	Assessment of Liver Disease Severity. 2021 , 1-20		
84	Deep Learning for Histopathological Image Analysis. 2021 , 153-169		1
83	Natural History of Hepatitis C Infection. 2021 , 151-174		
82	Severity of liver fibrosis using shear wave elastography is influenced by hepatic necroinflammation in chronic hepatitis patients, but not in cirrhotic patients. 2021 , 51, 436-444		2
81	Two Fatty Liver Conditions Masquerading as Autoimmune Hepatitis. 2021 , 2021, 8820350		
80	Rapid real-time detection method of ACLSV and ASSVd for apple quarantine field. 2021 , 15, 187-195		0
79	Chronic hepatitis B virus infection and fibrosis: novel non-invasive approaches for diagnosis and risk stratification. 2021 ,		
78	Non-Alcoholic Fatty Liver Disease in Obese Youth With Insulin Resistance and Type 2 Diabetes. 2021 , 12, 639548		11

77	Brazilian Society of Hepatology and Brazilian College of Radiology practice guidance for the use of elastography in liver diseases. 2021 , 22, 100341	0
76	US Elastography in Hepatic Fibrosis- In Training. 2021 , 299, 264-271	1
75	Chronic cholestasis detection by a novel tool: automated analysis of cytokeratin 7-stained liver specimens. 2021 , 16, 41	1
74	Artificial intelligence in ultrasound. 2021 , 139, 109717	9
73	Serum Biomarkers of Liver Fibrosis Staging in the Era of the Concept "Compensated Advanced Chronic Liver Disease". 2021 , 10,	1
72	Association of anti-HBc and liver inflammation in HBeAg-negative chronic hepatitis B virus-infected patients with normal ALT and detectable HBV DNA. 2022 , 94, 659-666	2
71	Characterizing Fibrosis and Inflammation in a Partial Bile Duct Ligation Mouse Model by Multiparametric Magnetic Resonance Imaging. 2021 ,	0
70	Liver fibrosis staging by computed tomography: Prospective randomized multicentric evaluation of image analyses. 2021 , 46, 101797	1
69	Sources of Variability in Shear Wave Speed and Dispersion Quantification with Ultrasound Elastography: A Phantom Study. 2021 , 47, 3529-3542	1
68	The Role of Elastography in HBV: Assessing Liver Fibrosis. 2021 , 43-59	
67	The Role of Transient Elastography for Fibrosis Staging in HCV-Related Chronic Liver Disease. 2021 , 27-42	
66	Technology trends and applications of deep learning in ultrasonography: image quality enhancement, diagnostic support, and improving workflow efficiency. 2021 , 40, 7-22	4
65	Liver Biopsy. 2010 , 762-770	0
64	Clinical Applications of Liver Magnetic Resonance Elastography: Chronic Liver Disease. 2014 , 39-60	1
63	Liver. 2011 , 857-980	3
62	One hundred thirteen consecutive transgastric liver biopsies for hepatic parenchymal diseases: a single-institution study. 2015 , 39, 968-76	13
61	MELD score less than 15 predicts prolonged survival after transjugular intrahepatic portosystemic shunt for refractory ascites after liver transplantation. 2011 , 91, 786-92	24
60	Very low probability of significant liver inflammation in chronic hepatitis B patients with low ALT levels in the absence of liver fibrosis. 2020 , 52, 1399-1406	5

59	Optimal liver stiffness measurement values for the diagnosis of significant fibrosis and cirrhosis in chronic liver disease in Singapore. 2019 , 60, 532-537	5
58	Deep Learning in Toxicologic Pathology: A New Approach to Evaluate Rodent Retinal Atrophy. 2021 , 49, 851-861	4
57	Performance of transient elastography for the staging of liver fibrosis in patients with chronic hepatitis B: a meta-analysis. 2012 , 7, e44930	202
56	Deciding on Interferon-Free Treatment for Chronic Hepatitis C: Updating Liver Stiffness Cut-Off Values to Maximize Benefit. 2016 , 11, e0164452	6
55	Inter-observer Variability in Histomorphological Evaluation of Non-neoplastic Liver Biopsy Tissue and Impact of Clinical Information on Final Diagnosis in Shahid Beheshti University of Medical Sciences Affiliated Hospitals. 2019 , 14, 243-247	3
54	Inter-observer variability in histopathological assessment of liver biopsies taken in a pediatric open label therapeutic program for chronic HBV infection treatment. 2006 , 12, 1713-7	19
53	Liver fibrosis and tissue architectural change measurement using fractal-rectified metrics and Hurst's exponent. 2006 , 12, 2187-94	27
52	Non invasive fibrosis biomarkers reduce but not substitute the need for liver biopsy. 2006 , 12, 3682-94	197
51	Assessment of liver fibrosis by a noninvasive method of transient elastography and biochemical markers. 2006 , 12, 4325-30	40
50	Sequential algorithms combining non-invasive markers and biopsy for the assessment of liver fibrosis in chronic hepatitis B. 2007 , 13, 525-31	111
49	FibroSURE and FibroScan in relation to treatment response in chronic hepatitis C virus. 2011 , 17, 4581-9	19
48	Role of liver biopsy in nonalcoholic fatty liver disease. 2014 , 20, 9026-37	104
47	Chronic hepatitis C virus infection: Serum biomarkers in predicting liver damage. 2016 , 22, 1367-81	21
46	Non-invasive evaluation of liver stiffness after splenectomy in rabbits with CCl-induced liver fibrosis. 2016 , 22, 10166-10179	6
45	Automated morphometry provides accurate and reproducible virtual staging of liver fibrosis in chronic hepatitis C. 2015 , 6, 20	10
44	Factors Influencing the Diagnostic Accuracy of Acoustic Radiation Force Impulse Elastography in Patients with Chronic Hepatitis B. 2016 , 10, 275-82	14
43	Relationship between 25-Hydroxyvitamin D Levels and Liver Fibrosis as Assessed by Transient Elastography in Patients with Chronic Liver Disease. 2016 , 10, 818-25	13
42	Chronic Hepatitis. 2010 , 133-161	

41	Reproductibilité interobservateurs des scores de Knodell et MÈavir en milieu Camerounais pour les hÈpatites virales chroniques. 2013 , 2, 1-5		
40	Liver Biopsy and FibroScan to Detect Early Histopathological Changes in Chronic HBV Patients Not Candidate for Treatment. 2014 , 7, 56-63		1
39	Liver biopsy versus non-invasive tests in determining liver disease status. <i>Iranian Journal of Radiology</i> , 2015 , 12, e17078	1.4	
38	Chronic Hepatitis. 2016 , 145-174		
37	Annual Change in FIB-4, but not in APRI, was a Strong Predictor for Liver Disease Progression in Chinese Patients with Chronic Hepatitis C. <i>Hepatitis Monthly</i> , 2017 , 18,	1.8	
36	Modification of liver fibrosis, glucose and lipid profile after hepatitis C virus clearance with direct-acting antiviral agents. <i>Gastroenterology & Hepatology</i> , 2020 , 43, 248-255	0.9	0
35	Evaluation of Liver Fibrosis and Portal Hypertension in Chronic Hepatitis B Patients by Acoustic Radiation Force Impulse Elastography. <i>Iranian Journal of Radiology</i> , 2020 , 17,	1.4	
34	Comparison of Non-Invasive Clinical Algorithms for Liver Fibrosis in Patients With Chronic Hepatitis B to Reduce the Need for Liver Biopsy: Application of Enhanced Liver Fibrosis and Mac-2 Binding Protein Glycosylation Isomer. <i>Annals of Laboratory Medicine</i> , 2022 , 42, 249-257	3.1	
33	Machine Learning Technology for Evaluation of Liver Fibrosis, Inflammation Activity and Steatosis (LIVERFAST<sup>TM</sup>). <i>Journal of Intelligent Learning Systems and Applications</i> , 2020 , 12, 31-49	0.7	2
32	Non-invasive Diagnostic Approach to NASH: Biological Markers. 2020 , 235-256		
31	A Comparative Analysis of the APRI, FIB4, and FibroScan Score in Evaluating the Severity of Chronic Liver Disease in Chronic Hepatitis B Patients in India.. <i>Cureus</i> , 2021 , 13, e19342	1.2	0
30	Elastography for Longitudinal Assessment of Liver Fibrosis after Antiviral Therapy: A Review. <i>Journal of Clinical and Translational Hepatology</i> , 2020 , 8, 445-453	5.2	2
29	Prospective Evaluation of FIBROSpect II for Fibrosis Detection in Hepatitis C and B Patients Undergoing Laparoscopic Biopsy. <i>Gastroenterology and Hepatology</i> , 2007 , 3, 367-76	0.7	3
28	Increased liver stiffness in extrahepatic cholestasis caused by choledocholithiasis. <i>Hepatitis Monthly</i> , 2011 , 11, 372-5	1.8	20
27	Non-invasive assessment of liver fibrosis. <i>Annals of Gastroenterology</i> , 2012 , 25, 218-231	2.2	75
26	Clinical Utility of Biomarkers of Liver Fibrosis. <i>Gastroenterology and Hepatology</i> , 2006 , 2, 48-57	0.7	2
25	Ex Vivo Fluorescence Confocal Microscopy in Specimens of the Liver: A Proof-of-Concept Study.. <i>Cancers</i> , 2022 , 14,	6.6	0
24	Liver fibrosis quantification.. <i>Abdominal Radiology</i> , 2022 , 47, 1032	3	1

23	Mass Cytometry Study on Hepatic Fibrosis and Its Drug-Induced Recovery Using Mouse Peripheral Blood Mononuclear Cells.. <i>Frontiers in Immunology</i> , 2022 , 13, 814030	8.4	0
22	Liver biopsy for assessment of chronic liver diseases: a synopsis.. <i>Clinical and Experimental Medicine</i> , 2022 , 1	4.9	1
21	Evaluation of Liver Fibrosis Using Shear Wave Elastography: An Overview.		
20	Assessment of Ultra-Early-Stage Liver Fibrosis in Human Non-Alcoholic Fatty Liver Disease by Second-Harmonic Generation Microscopy.. <i>International Journal of Molecular Sciences</i> , 2022 , 23,	6.3	1
19	The role of microbiota in nonalcoholic fatty liver disease.. <i>European Journal of Clinical Investigation</i> , 2022 , e13768	4.6	3
18	Resolvin D1 attenuates CCl4 Induced Liver Fibrosis by Inhibiting Autophagy-Mediated HSC activation AKT/mTOR Pathway.. <i>Frontiers in Pharmacology</i> , 2021 , 12, 792414	5.6	0
17	Image_1.tif. 2019 ,		
16	Image_2.tif. 2019 ,		
15	Table_1.docx. 2019 ,		
14	Staging Liver Fibrosis by Fibroblast Activation Protein Inhibitor Positron Emission Tomography in a Human-sized Swine Model.. <i>Journal of Nuclear Medicine</i> , 2022 ,	8.9	0
13	A review of the natural history of chronic hepatitis B in the era of transient elastography. <i>Antiviral Therapy</i> , 2009 , 14, 489-499	1.6	28
12	Reversibility of Cirrhosis in HIV/HBV Coinfection. <i>Antiviral Therapy</i> , 2007 , 12, 279-284	1.6	17
11	Magnetic Resonance Elastography (MRE) to Assess Hepatic Fibrosis. 2022 , 113-121		
10	Analysis of hepatic fibrosis markers in the serum of chronic hepatitis B patients according to basal core promoter/precore mutants. <i>Scientific Reports</i> , 2022 , 12,	4.9	2
9	The impact of body mass index on clinicopathological features of nonalcoholic fatty liver disease in Taiwan. <i>Journal of Gastroenterology and Hepatology (Australia)</i> ,	4	0
8	Magnetic resonance imaging improves stratification of fibrosis and steatosis in patients with chronic liver disease.		0
7	Simple noninvasive tests for liver fibrosis diagnosis in sub-Saharan African adults with chronic viral hepatitis B or C: A cross sectional study in Cameroon. 2022 , 536, 56-60		0
6	A Comparative Study Between Cytomegalovirus Immunoglobulin M-Positive and CMV Immunoglobulin M-Negative Biliary Atresia in Infants Attending a Tertiary Care Hospital in Bangladesh. 2022 , 25, 413		0

- 5 Application of convolutional neural network for analyzing hepatic fibrosis in mice. **2022**, ○
- 4 Clinical usefulness of Mac-2 binding protein glycosylation isomer for diagnosing liver cirrhosis and significant fibrosis in patients with chronic liver disease: A retrospective single-center study. **2022**, 101, e30489 ○
- 3 Serological indices and ultrasound variables in predicting the staging of hepatitis B liver fibrosis: A comparative study based on random forest algorithm and traditional methods. **2022**, 18, 2049 ○
- 2 Liver elastography can predict degree of advanced fibrosis for autoimmune hepatitis in biochemical remission. ○
- 1 Cellular and Molecular Techniques. **2024**, 96-121 ○