

Wnt-1-inducible signaling pathway protein 3 and susceptibility to rheumatoid arthritis

Arthritis and Rheumatism

52, 3548-3553

DOI: [10.1002/art.21392](https://doi.org/10.1002/art.21392)

Citation Report

#	ARTICLE	IF	CITATIONS
1	WISP-3 functions as a ligand and promotes superoxide dismutase activity. <i>Biochemical and Biophysical Research Communications</i> , 2006, 342, 259-265.	1.0	28
2	Genomic progress in pediatric arthritis: recent work and future goals. <i>Current Opinion in Rheumatology</i> , 2006, 18, 482-489.	2.0	12
3	The Wnt signaling pathway and bone metabolism. <i>Current Opinion in Rheumatology</i> , 2007, 19, 376-382.	2.0	123
4	Potential role of WISP3 (CCN6) in regulating the accumulation of reactive oxygen species. <i>Biochemical and Biophysical Research Communications</i> , 2007, 355, 156-161.	1.0	19
5	Role of CCN2/CTGF/Hcs24 in Bone Growth. <i>International Review of Cytology</i> , 2007, 257, 1-41.	6.2	96
6	A Bayesian latent class analysis for whole-genome association analyses: an illustration using the GAW15 simulated rheumatoid arthritis dense scan data. <i>BMC Proceedings</i> , 2007, 1, S112.	1.8	8
7	Positive association of SLC26A2 gene polymorphisms with susceptibility to systemic-onset juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , 2007, 56, 1286-1291.	6.7	23
8	CYR61/CCN1 and WISP3/CCN6 are chemoattractive ligands for human multipotent mesenchymal stroma cells. <i>BMC Cell Biology</i> , 2007, 8, 45.	3.0	35
9	Association of a single nucleotide polymorphism in the WISP1 gene with spinal osteoarthritis in postmenopausal Japanese women. <i>Journal of Bone and Mineral Metabolism</i> , 2007, 25, 253-258.	1.3	43
10	A comprehensive review of the genetics of juvenile idiopathic arthritis. <i>Pediatric Rheumatology</i> , 2008, 6, 11.	0.9	119
11	Autoinflammatory genes and susceptibility to psoriatic juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , 2008, 58, 2142-2146.	6.7	64
12	Molecular mechanisms of inflammatory bone damage: emerging targets for therapy. <i>Trends in Molecular Medicine</i> , 2008, 14, 245-253.	3.5	91
13	The role of Wnt proteins in arthritis. <i>Nature Clinical Practice Rheumatology</i> , 2008, 4, 473-480.	3.2	71
14	Oligoarticular and polyarticular JIA: epidemiology and pathogenesis. <i>Nature Reviews Rheumatology</i> , 2009, 5, 616-626.	3.5	101
15	Employing molecular genetics of chondrodysplasias to inform the study of osteoarthritis. <i>Arthritis and Rheumatism</i> , 2009, 60, 325-334.	6.7	43
17	The Wnt signaling pathway and rheumatoid arthritis. <i>Autoimmunity Reviews</i> , 2010, 9, 207-210.	2.5	65
18	Expression of WISP3 and RhoC Genes at mRNA and Protein Levels in Inflammatory and Noninflammatory Breast Cancer in Tunisian Patients. <i>Cancer Investigation</i> , 2010, 28, 399-407.	0.6	8
19	Expression of WISP3 and RhoC Genes at mRNA and Protein Levels in Inflammatory and Noninflammatory Breast Cancer in Tunisian Patients. <i>Cancer Investigation</i> , 2010, 28, 399-407.	0.6	11

#	ARTICLE	IF	CITATIONS
20	Taking aim at the extracellular matrix: CCN proteins as emerging therapeutic targets. <i>Nature Reviews Drug Discovery</i> , 2011, 10, 945-963.	21.5	528
21	Secondary Osteoporosis in Patients with Juvenile Idiopathic Arthritis. <i>Journal of Osteoporosis</i> , 2011, 2011, 1-7.	0.1	23
22	Articular Cartilage Development: A Molecular Perspective. <i>Orthopedic Clinics of North America</i> , 2012, 43, 155-171.	0.5	30
23	Dual regulation of metalloproteinase expression in chondrocytes by Wnt β -catenin-inducible signaling pathway protein 3/CCN6. <i>Arthritis and Rheumatism</i> , 2012, 64, 2289-2299.	6.7	30
24	Cartilage development and degeneration: a Wnt/Wnt situation. <i>Cell Biochemistry and Function</i> , 2012, 30, 633-642.	1.4	35
25	Autoinflammatory gene polymorphisms and susceptibility to UK juvenile idiopathic arthritis. <i>Pediatric Rheumatology</i> , 2013, 11, 14.	0.9	18
26	WISP3 - IGF1 interaction regulates chondrocyte hypertrophy. <i>Journal of Cell Science</i> , 2013, 126, 1650-8.	1.2	30
27	Serum sclerostin in high-activity adult patients with juvenile idiopathic arthritis. <i>Arthritis Research and Therapy</i> , 2014, 16, 460.	1.6	11
28	Network analysis identifies protein clusters of functional importance in juvenile idiopathic arthritis. <i>Arthritis Research and Therapy</i> , 2014, 16, R109.	1.6	11
29	MicroRNA-663 activates the canonical Wnt signaling through the adenomatous polyposis coli suppression. <i>Immunology Letters</i> , 2015, 166, 45-54.	1.1	25
30	Non-HLA gene polymorphisms in juvenile idiopathic arthritis: associations with disease outcome. <i>Scandinavian Journal of Rheumatology</i> , 2017, 46, 369-376.	0.6	12
31	Association analysis on polymorphisms in WISP3 gene and developmental dysplasia of the hip in Han Chinese population: A case-control study. <i>Gene</i> , 2018, 664, 192-195.	1.0	11
32	Sex Differences in Pediatric Rheumatology. <i>Clinical Reviews in Allergy and Immunology</i> , 2019, 56, 293-307.	2.9	62
33	Three-dimensional assessment of facial morphology in children and adolescents with juvenile idiopathic arthritis and moderate to severe TMJ involvement using 3D surface scans. <i>Clinical Oral Investigations</i> , 2020, 24, 799-807.	1.4	10
34	Exome analysis and functional classification of identified variants in racing Quarter Horses. <i>Animal Genetics</i> , 2020, 51, 716-721.	0.6	0
35	Targeting CCN Proteins in Rheumatoid Arthritis and Osteoarthritis. <i>International Journal of Molecular Sciences</i> , 2021, 22, 4340.	1.8	21
37	Etiology and pathogenesis of juvenile idiopathic arthritis. , 2015, , 845-850.		1
38	Overview of Juvenile Idiopathic Arthritis. , 2017, , 201-218.		0

#	ARTICLE	IF	CITATIONS
39	LncRNA RNA XIST binding to GATA1 contributes to rheumatoid arthritis through its effects on proliferation of synovial fibroblasts and angiogenesis via regulation of CCN6. <i>Molecular Immunology</i> , 2023, 153, 200-211.	1.0	6
40	Update on Genetic Susceptibility and Pathogenesis in Juvenile Idiopathic Arthritis. <i>European Medical Journal Rheumatology</i> , 0, , 73-83.	0.0	3