

CITATION REPORT

List of articles citing

Randomized clinical trial assessing impact of a lightweight or heavyweight mesh on chronic pain after inguinal hernia repair

DOI: 10.1002/bjs.4833

British Journal of Surgery, 2005, 92, 166-70.

Source: <https://exaly.com/paper-pdf/38370524/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
278	Randomized clinical trial comparing lightweight composite mesh with polyester or polypropylene mesh for incisional hernia repair. <i>British Journal of Surgery</i> , 2005 , 92, 1488-93	5.3	130
277	Groin hernia repair: postherniorrhaphy pain. <i>World Journal of Surgery</i> , 2005 , 29, 1062-5	3.3	49
276	[Incisional hernia]. <i>Chirurg</i> , 2005 , 76, 897-909; quiz 910	4.2	35
275	[New aspects in hernia surgery]. 2005 , 44, 774-9		2
274	Persistent postsurgical pain: risk factors and prevention. 2006 , 367, 1618-25		2555
273	Recurrence after totally extraperitoneal laparoscopic repair: implications for operative technique and surgical training. 2006 , 4, 299-307		43
272	Introduction. <i>Yearbook of Surgery</i> , 2006 , 2006, 219-225		
271	Adverse effects of porcine small intestine submucosa implants in experimental ventral hernia repair. 2006 , 20, 942-6		48
270	Early results for new lightweight mesh in laparoscopic totally extra-peritoneal inguinal hernia repair. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2006 , 10, 303-8	3.2	21
269	Experimental comparison of monofile light and heavy polypropylene meshes: less weight does not mean less biological response. <i>World Journal of Surgery</i> , 2006 , 30, 1586-91	3.3	88
268	Feasibility of primary inguinal hernia repair with a new mesh. <i>World Journal of Surgery</i> , 2006 , 30, 1055-62,3		2
267	[Management of recurrent inguinal hernia after previous mesh repair: a challenge]. <i>Chirurg</i> , 2006 , 77, 523-30	4.2	13
266	Three-year results of a randomized clinical trial of lightweight or standard polypropylene mesh in Lichtenstein repair of primary inguinal hernia. <i>British Journal of Surgery</i> , 2006 , 93, 1056-9	5.3	160
265	Preliminary experience using fibrin glue for mesh fixation in 250 patients undergoing minilaparoscopic transabdominal preperitoneal hernia repair. 2007 , 17, 12-5		20
264	Lightweight partially absorbable monofilament mesh (polypropylene/poliglecaprone 25) for TAPP inguinal hernia repair: initial experience. 2007 , 17, 91-4		11
263	Chronic pain after mesh repair of inguinal hernia: a systematic review. 2007 , 194, 394-400		273
262	Platelet activation increases with the severity of peripheral arterial disease: implications for clinical management. 2007 , 46, 485-90		40

261	Recurrent Hernia. 2007 ,		9
260	Risk factors for chronic pain after inguinal hernia repair. 2007 , 89, 218-20		29
259	Authors' reply: Randomized clinical trial of Lichtenstein's operation versus mesh plug for inguinal hernia repair (Br J Surg 2007; 94: 3641). <i>British Journal of Surgery</i> , 2007 , 94, 515-515	5.3	0
258	The phenomenon of infection with abdominal wall reconstruction. 2007 , 28, 2314-27		142
257	[Inguinal hernia repair: time interval between surgical repair and recurrence]. 2007 , 144, 125-7		0
256	Biomechanical analyses of overlap and mesh dislocation in an incisional hernia model in vitro. <i>Surgery</i> , 2007 , 142, 365-71	3.6	52
255	Improving outcomes in hernia repair by the use of light meshes--a comparison of different implant constructions based on a critical appraisal of the literature. <i>World Journal of Surgery</i> , 2007 , 31, 234-44	3.3	127
254	Reply. <i>World Journal of Surgery</i> , 2007 , 31, 869-870	3.3	1
253	Pain after open preperitoneal repair versus Lichtenstein repair: a randomized trial. <i>World Journal of Surgery</i> , 2007 , 31, 1751-1757	3.3	50
252	Classifying Postherniorrhaphy Pain Syndromes Following Elective Inguinal Hernia Repair. <i>World Journal of Surgery</i> , 2007 , 31, 1766-1767	3.3	28
251	Open, preperitoneal hernia repair with the Kugel patch: a prospective, multicentre study of 450 repairs. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2007 , 11, 9-13	3.2	28
250	Discomfort five years after laparoscopic and Shouldice inguinal hernia repair: a randomised trial with 867 patients. A report from the SMIL study group. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2007 , 11, 307-13	3.2	41
249	A single-surgeon randomized trial comparing three composite meshes on chronic pain after Lichtenstein hernia repair in local anesthesia. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2007 , 11, 335-9	3.2	58
248	Analysis of post-surgical pain after inguinal hernia repair: a prospective study of 1,440 operations. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2007 , 11, 517-25	3.2	71
247	Comparison of recurrence with lightweight composite polypropylene mesh and heavyweight mesh in laparoscopic totally extraperitoneal inguinal hernia repair: an audit of 1,232 repairs. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2008 , 12, 39-43	3.2	44
246	Transinguinal preperitoneal repair with the Polysoft patch: prospective evaluation of recurrence and chronic pain. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2008 , 12, 51-6	3.2	22
245	Evaluating postherniorrhaphy groin pain: Visual Analogue or Verbal Rating Scale?. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2008 , 12, 147-51	3.2	61
244	Influence of mesh materials on the integrity of the vas deferens following Lichtenstein hernioplasty: an experimental model. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2008 , 12, 621-6	3.2	28

243	A lightweight, partially absorbable mesh (Ultrapro) for endoscopic hernia repair: experimental biocompatibility results obtained with a porcine model. 2008 , 22, 1100-6		35
242	Sixty-month follow-up after endoscopic inguinal hernia repair with three types of mesh: a prospective randomized trial. 2008 , 22, 1790-7		34
241	Biomechanical properties of lightweight versus heavyweight meshes for laparoscopic inguinal hernia repair and their impact on recurrence rates. 2008 , 22, 2679-85		48
240	Randomized clinical trial of groin hernia repair with titanium-coated lightweight mesh compared with standard polypropylene mesh. <i>British Journal of Surgery</i> , 2008 , 95, 1226-31	5.3	76
239	Randomized clinical trial comparing a polypropylene with a polyglactone and polypropylene composite mesh for inguinal hernioplasty. <i>British Journal of Surgery</i> , 2008 , 95, 1462-8	5.3	50
238	Evolution of a cost-effective self-tailored mesh for extraperitoneal inguinal hernia repair. 2008 , 12, 121-125		
237	Early tissue incorporation and collagen deposition in lightweight polypropylene meshes: bioassay in an experimental model of ventral hernia. <i>Surgery</i> , 2008 , 144, 427-35	3.6	57
236	Inguinal hernia in the 21st century: an evidence-based review. 2008 , 45, 261-312		74
235	Inguinal hernia: state of the art. <i>International Journal of Surgery</i> , 2008 , 6 Suppl 1, S26-8	7.5	23
234	Prosthetic material in inguinal hernia repair: how do I choose?. 2008 , 88, 179-201, x		80
233	Postimplant behavior of lightweight polypropylene meshes in an experimental model of abdominal hernia. 2008 , 21, 280-7		32
232	Comparing quality-of-life outcomes in symptomatic patients undergoing laparoscopic or open ventral hernia repair. 2008 , 18, 567-71		49
231	[Inguinal hernia: laparoscopic or open surgery?]. 2008 , 133, 433-9		2
230	[Inguinal hernia: mesh or no mesh in open repair?]. 2008 , 133, 440-5		6
229	Total extraperitoneal hernioplasty: does the long-term clinical course depend on the type of mesh?. 2008 , 18, 803-8		8
228	Traitement chirurgical des hernies inguinales: choix d'un procd. 2008 , 3, 1-8		6
227	Impact of different texture of polypropylene mesh on the inflammatory response. 2008 , 21, 207-14		10
226	Transitions from Acute to Chronic Pain. 109-113		

225	[Prosthetic mesh for hernia repair: which mesh for which indication? Analysis of the Committee for the Assessment of Devices and Health Technologies of the French National Authority for Health (HAS). Assessment of prosthetic meshes for hernia repair]. 2009 , 146, 449-57		4
224	[Role of the new lightweight prostheses in improving hernia repair]. 2009 , 85, 268-73		17
223	Comparing the behavior of different polypropylene meshes (heavy and lightweight) in an experimental model of ventral hernia repair. 2009 , 89, 448-455		48
222	Angiogenic and inflammatory host response to surgical meshes of different mesh architecture and polymer composition. 2009 , 91, 497-507		29
221	Biological and biomechanical assessment of a long-term bioresorbable silk-derived surgical mesh in an abdominal body wall defect model. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2009 , 13, 189-99	3.2	51
220	Three-year follow-up of modified Lichtenstein inguinal hernioplasty using lightweight poliglecaprone/polypropylene mesh. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2009 , 13, 239-42	3.2	22
219	European Hernia Society guidelines on the treatment of inguinal hernia in adult patients. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2009 , 13, 343-403	3.2	948
218	Douleur chronique postchirurgicale : des pistes pour une prévention ?. 2009 , 22, 19-25		2
217	Experimental biomechanical evaluation of polypropylene prostheses used in pelvic organ prolapse surgery. 2009 , 20, 597-604		8
216	Neuropathy after herniorrhaphy: indication for surgical treatment and outcome. <i>World Journal of Surgery</i> , 2009 , 33, 841-5	3.3	81
215	Chronic pain following a Lichtenstein inguinal hernia repair: a clinical and legal dilemma. 2009 , 79, 517-20		14
214	Mechanical evaluation of synthetic biomaterials used in the correction of pelvic floor disorders--experimental study in rabbits. 2009 , 147, 106-10		8
213	Role of the new lightweight prostheses in improving hernia repair. 2009 , 85, 268-273		1
212	Tratamiento quirúrgico de las hernias inguinales: elección de la técnica. 2009 , 25, 1-9		
211	Hunterian Lecture. Hernia surgery: from guidelines to clinical practice. 2009 , 91, 273-9		16
210	Trattamento chirurgico delle ernie inguinali: scelta del procedimento. 2009 , 15, 1-8		
209	Inguinal hernia repair in a community hospital setting--have attitudes changed because of laparoscopy? A review of a general surgeon's experience over the last 5 years. 2009 , 19, 267-71		7
208	Laparoscopic inguinal hernia repair in men with lightweight meshes may significantly impair sperm motility: a randomized controlled trial. <i>Annals of Surgery</i> , 2010 , 252, 240-6	7.8	39

207	Partially or completely absorbable versus nonabsorbable mesh repair for inguinal hernia: a systematic review and meta-analysis. 2010 , 20, 213-9		24
206	Vypro II mesh for inguinal hernia repair: a meta analysis of randomized controlled trials. <i>Annals of Surgery</i> , 2010 , 251, 838-42	7.8	28
205	Predictive risk factors for persistent postherniotomy pain. 2010 , 112, 957-69		283
204	Pain following the repair of an abdominal hernia. 2010 , 40, 8-21		21
203	Morphological and mechanical characteristics of the reconstructed rat abdominal wall following use of a wet electrospun biodegradable polyurethane elastomer scaffold. 2010 , 31, 3253-65		67
202	Lightweight mesh improves functional outcome in laparoscopic totally extra-peritoneal inguinal hernia repair. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2010 , 14, 39-45	3.2	18
201	A method for the reduction of chronic pain after tension-free repair of inguinal hernia: iliohypogastric neurectomy and subcutaneous transposition of the spermatic cord. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2010 , 14, 51-5	3.2	13
200	Five-year results of inguinal hernia treatment with the Prolene Hernia System in a regional training hospital. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2010 , 14, 155-8	3.2	9
199	Experimental study comparing meshes made of polypropylene, polypropylene + polyglactin and polypropylene + titanium: inflammatory cytokines, histological changes and morphometric analysis of collagen. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2010 , 14, 299-304	3.2	29
198	Randomised clinical trial comparing lightweight mesh with heavyweight mesh for inguinal hernioplasty. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2010 , 14, 253-8	3.2	50
197	Inguinal-scrotal hernias in young patients: is laparoscopic repair a possible answer? Preliminary results of a single-institution experience with a transabdominal preperitoneal approach. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2010 , 14, 471-5	3.2	7
196	Prospective, randomized, controlled trial comparing lightweight versus heavyweight mesh in chronic pain incidence after TEP repair of bilateral inguinal hernia. 2010 , 24, 2735-8		34
195	Prospective randomized clinical trial comparing lightweight mesh and heavyweight polypropylene mesh in endoscopic totally extraperitoneal groin hernia repair. 2010 , 24, 3073-9		52
194	Lightweight mesh and noninvasive fixation: an effective concept for prevention of chronic pain with laparoscopic hernia repair (TAPP). 2010 , 24, 2958-64		53
193	Repair of complex incisional hernias using double prosthetic repair: single-surgeon experience with 50 cases. <i>Surgery</i> , 2010 , 148, 140-4	3.6	23
192	[Prosthetic material in incisional hernia surgery]. 2010 , 88, 152-7		4
191	[Chronic pain after inguinal hernia surgery]. 2010 , 87, 199-201		
190	Postsurgical Pain Syndromes. 2010 , 194-203		

189	Chronic pain 5 years after randomized comparison of laparoscopic and Lichtenstein inguinal hernia repair. <i>British Journal of Surgery</i> , 2010 , 97, 600-8	5.3	156
188	Which mesh for hernia repair?. 2010 , 92, 272-8		249
187	Evaluation of the Rebound Hernia Repair device for laparoscopic hernia repair. <i>Journal of the Society of Laparoendoscopic Surgeons</i> , 2010 , 14, 95-102	2.2	11
186	Escolha do material da tela para disposi intra-peritoneal na corre cirgica de defeitos hernios da parede abdominal. 2010 , 23, 118-121		8
185	Polyglactine/polypropylene mesh vs. propylene mesh: is there a need for newer prosthesis in inguinal hernia?. 2010 , 16, 8-13		6
184	Impact of heavy polypropylene mesh and composite light polypropylene and polyglactin 910 on the inflammatory response. 2010 , 17, 229-35		10
183	Prosthetic material in incisional hernia surgery. 2010 , 88, 152-157		1
182	Chronic pain after inguinal hernia surgery. 2010 , 87, 199-201		
181	Biomechanical analysis of polypropylene prosthetic implants for hernia repair: an experimental study. 2010 , 200, 406-12		8
180	Mid-term outcome of laparoscopic sacrocolpopexy with anterior and posterior polyester mesh for treatment of genito-urinary prolapse. 2011 , 156, 217-22		45
179	Randomized clinical trial comparing inguinal hernia repair with Lichtenstein technique using non-absorbable or partially absorbable mesh. Preliminary report. 2011 , 6, 190-206		8
178	Nerve management and chronic pain after open inguinal hernia repair: a prospective two phase study. <i>Annals of Surgery</i> , 2011 , 254, 163-8	7.8	80
177	A new prosthetic implant for inguinal hernia repair: its features in a porcine experimental model. <i>Artificial Organs</i> , 2011 , 35, E181-90	2.6	19
176	Physicomechanical evaluation of polypropylene, polyester, and polytetrafluoroethylene meshes for inguinal hernia repair. <i>Journal of the American College of Surgeons</i> , 2011 , 212, 68-79	4.4	106
175	Impact of endoscopic and histological evaluations of two different types of mesh plug for a groin hernia model. 2011 , 41, 1512-8		
174	Damage to the spermatic cord by the Lichtenstein and TAPP procedures in a pig model. 2011 , 25, 146-52		11
173	Five-year results of a randomised controlled multi-centre study comparing heavy-weight knitted versus low-weight, non-woven polypropylene implants in Lichtenstein hernioplasty. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2011 , 15, 495-501	3.2	28
172	One-year results of a prospective, randomised clinical trial comparing four meshes in laparoscopic inguinal hernia repair (TAPP). <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2011 , 15, 503-10 ³⁻²		33

171	Multicentric observational study of pain after the use of a self-gripping lightweight mesh. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2011 , 15, 511-5	3.2	22
170	Comparison of polypropylene versus polyester mesh in the Lichtenstein hernia repair with respect to chronic pain and discomfort. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2011 , 15, 643-54	3.2	19
169	Early postoperative and one year results of a randomized controlled trial comparing the impact of extralight titanized polypropylene mesh and traditional heavyweight polypropylene mesh on pain and seroma production in laparoscopic hernia repair (TAPP). <i>World Journal of Surgery</i> , 2011 , 35, 1791-7	3.3	30
168	Biocompatibility of prosthetic meshes in abdominal surgery. 2011 , 33, 235-43		37
167	Transvaginal mesh repair of pelvic organ prolapse by the transobturator-infracoccygeal hammock technique: long-term anatomical and functional outcomes. 2011 , 30, 384-9		12
166	Randomized clinical trial of tissue glue versus absorbable sutures for mesh fixation in local anaesthetic Lichtenstein hernia repair. <i>British Journal of Surgery</i> , 2011 , 98, 1245-51	5.3	69
165	Systematic review and meta-analysis of the use of lightweight versus heavyweight mesh in open inguinal hernia repair. <i>British Journal of Surgery</i> , 2012 , 99, 29-37	5.3	96
164	Systematic review and meta-analysis of the use of lightweight versus heavyweight mesh in open inguinal hernia repair (Br J Surg 2012; 99: 29-37). <i>British Journal of Surgery</i> , 2012 , 99, 37-8	5.3	5
163	An elastomeric patch electrospun from a blended solution of dermal extracellular matrix and biodegradable polyurethane for rat abdominal wall repair. 2012 , 18, 122-32		47
162	An eligible biological allograft patch in tension-free herniorrhaphy of swine. 2012 ,		
161	Prospective, long-term comparison of quality of life in laparoscopic versus open ventral hernia repair. <i>Annals of Surgery</i> , 2012 , 256, 714-22; discussion 722-3	7.8	130
160	Systematic review and meta-analysis on heavy and lightweight polypropylene mesh in Lichtenstein inguinal hernioplasty. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2012 , 16, 519-28	3.2	37
159	Meta-analysis of randomized controlled trials comparing lightweight and heavyweight mesh for Lichtenstein inguinal hernia repair. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2012 , 16, 505-18	3.2	41
158	Five-year results of a randomized clinical trial comparing a polypropylene mesh with a polyglecaprone and polypropylene composite mesh for inguinal hernioplasty. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2012 , 16, 549-53	3.2	24
157	Lightweight versus heavyweight in inguinal hernia repair: a meta-analysis. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2012 , 16, 529-39	3.2	41
156	Inflammatory reaction and neotissue maturation in the early host tissue incorporation of polypropylene prostheses. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2012 , 16, 697-707	3.2	27
155	Three-year results of randomised clinical trial comparing lightweight mesh with heavyweight mesh for inguinal hernioplasty. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2012 , 16, 555-9	3.2	28
154	The search for ideal hernia repair; mesh materials and types. <i>International Journal of Surgery</i> , 2012 , 10, 317-21	7.5	121

153	PerFix[plug versus 4DDOME() implants for inguinal hernia repair: prospective multicentric randomised controlled trial. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2012 , 16, 561-6	3.2	5
152	Prosthetic mesh materials used in hernia surgery. 2012 , 9, 159-79		54
151	Chronic postsurgical pain: still a neglected topic?. 2012 , 5, 473-89		19
150	Nonwoven polypropylene prosthesis in large abdominal wall defects in rats. <i>Acta Cirurgica Brasileira</i> , 2012 , 27, 671-80	1.6	3
149	Lightweight versus heavyweight mesh in laparoscopic inguinal hernia repair: a meta-analysis. 2012 , 26, 2126-33		65
148	Sutureless hernioplasty with light-weight mesh and fibrin glue versus Lichtenstein procedure: a comparison of outcomes focusing on chronic postoperative pain. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2012 , 16, 127-31	3.2	16
147	Three-year results from a preclinical implantation study of a long-term resorbable surgical mesh with time-dependent mechanical characteristics. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2012 , 16, 191-7	3.2	74
146	Randomized controlled multicenter international clinical trial of self-gripping Parietex[ProGrip] polyester mesh versus lightweight polypropylene mesh in open inguinal hernia repair: interim results at 3 months. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2012 , 16, 287-94	3.2	60
145	Lichtenstein, prolene hernia system, and UltraPro Hernia System for primary inguinal hernia repair: one-year outcome of a prospective randomized controlled trial. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2012 , 16, 277-85	3.2	17
144	Polypropylene-containing synthetic mesh devices in soft tissue repair: a meta-analysis. 2012 , 100, 145-54		12
143	Histopathologic host response to polypropylene-based surgical mesh materials in a rat abdominal wall defect model. 2012 , 100, 709-17		10
142	Mesh biocompatibility: effects of cellular inflammation and tissue remodelling. 2012 , 397, 255-70		93
141	Open tension-free hernioplasty using a novel lightweight self-gripping mesh: medium-term experience from two institutions. 2012 , 397, 291-5		15
140	Inguinal hernia repair: current surgical techniques. 2012 , 397, 271-82		93
139	Randomized clinical trial of laparoscopic hernia repair comparing titanium-coated lightweight mesh and medium-weight composite mesh. 2013 , 27, 231-9		37
138	Modified Kugel herniorrhaphy using standardized dissection technique of the preperitoneal space: long-term operative outcome in consecutive 340 patients with inguinal hernia. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2013 , 17, 699-707	3.2	17
137	Randomized clinical trial comparing lightweight mesh with heavyweight mesh for primary inguinal hernia repair. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2013 , 17, 471-7	3.2	13
136	A meta-analysis examining the use of tacker mesh fixation versus glue mesh fixation in laparoscopic inguinal hernia repair. 2013 , 206, 103-11		51

135	Incidence of pain after inguinal hernia repair in the elderly. A retrospective historical cohort evaluation of 18-years' experience with a mesh & plug inguinal hernia repair method on about 3000 patients. <i>BMC Surgery</i> , 2013 , 13 Suppl 2, S19	2.3	5
134	For how many times can a partially absorbable monofilament mesh be sterilized? In vitro experimental study. 2013 , 45, 87-92		
133	Safety of prosthetic mesh hernia repair in contaminated fields. 2013 , 93, 1227-39		30
132	A single-surgeon randomized trial comparing three meshes in lichtenstein hernia repair: 2- and 5-year outcome of recurrences and chronic pain. <i>International Journal of Surgery</i> , 2013 , 11, 81-4	7.5	13
131	Prosthetic Choice in Laparoscopic Inguinal Hernia Repair. 2013 , 27-37		
130	An acellular aortic matrix of buffalo origin crosslinked with 1-ethyl-3-(3-dimethylaminopropyl)carbodiimide hydrochloride for the repair of inguinal hernia in horses. 2013 , 25, 398-402		8
129	A meta-analysis comparing lightweight meshes with heavyweight meshes in Lichtenstein inguinal hernia repair. 2013 , 20, 24-31		34
128	Effect of mesh type, surgeon and selected patients' characteristics on the treatment of inguinal hernia with the Lichtenstein technique. Randomized trial. 2013 , 8, 99-106		11
127	Use of Polypropylene Mesh in the Management of a Contaminated Large Ventral Hernia: A Contraindication or a Solution?. <i>American Surgeon</i> , 2013 , 79, 1298-1303	0.8	2
126	Assessment of Pain and Quality of Life in Lichtenstein Hernia Repair Using a New Monofilament PTFE Mesh: Comparison of Suture vs. Fibrin-Sealant Mesh Fixation. 2014 , 1, 45		12
125	Standard polypropylene mesh vs lightweight mesh for Lichtenstein repair of primary inguinal hernia: a randomized controlled trial. <i>International Journal of Surgery</i> , 2014 , 12, 1380-4	7.5	16
124	Umbilical hernia repair with mesh: identifying effectors of ideal outcomes. 2014 , 208, 342-9		11
123	Randomized clinical study evaluating the impact of mesh pore size on chronic pain after Lichtenstein hernioplasty. <i>Journal of Surgical Research</i> , 2014 , 191, 311-7	2.5	12
122	Lichtenstein technique for inguinal hernia repair using polypropylene mesh fixed with sutures vs. self-fixating polypropylene mesh: a prospective randomized comparative study. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2014 , 18, 193-8	3.2	24
121	Cost-utility analysis comparing heavy-weight and light-weight mesh in laparoscopic surgery for unilateral inguinal hernias. 2014 , 12, 151-63		3
120	Systematic review and meta-analysis of published randomized controlled trials comparing the role of self-gripping mesh against suture mesh fixation in patients undergoing open inguinal hernia repair. 2014 , 66, 189-96		17
119	Modified fixation free plug technique using a new 3D multilamellar implant for inguinal hernia repair: a retrospective study of a single operator case series. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2014 , 18, 243-50	3.2	8
118	Randomized clinical trial comparing lightweight or heavyweight mesh for mesh plug repair of primary inguinal hernia. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2014 , 18, 213-9	3.2	10

117	A systematic review of randomised control trials assessing mesh fixation in open inguinal hernia repair. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2014 , 18, 165-76	3.2	50
116	Update with level 1 studies of the European Hernia Society guidelines on the treatment of inguinal hernia in adult patients. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2014 , 18, 151-63	3.2	270
115	Inguinal hernia repair using a synthetic long-term resorbable mesh: results from a 3-year prospective safety and performance study. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2014 , 18, 723-30	3.2	42
114	Mechanical failure of a lightweight polypropylene mesh. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2014 , 18, 131-3	3.2	22
113	General Surgery Risk Reduction. 2014 ,		
112	Randomized clinical trial comparing self-gripping mesh with suture fixation of lightweight polypropylene mesh in open inguinal hernia repair. <i>British Journal of Surgery</i> , 2014 , 101, 1373-82; discussion 1382	5.3	41
111	Neuropathic aspects of persistent postsurgical pain: a French multicenter survey with a 6-month prospective follow-up. 2014 , 15, 24.e1-24.e20		87
110	Meta-analysis of randomized controlled trials comparing Lichtenstein and totally extraperitoneal laparoscopic hernioplasty in treatment of inguinal hernias. <i>Journal of Surgical Research</i> , 2014 , 192, 409-20 ⁵		38
109	ULTRAPRO Hernia System versus lichtenstein repair in treatment of primary inguinal hernias: a prospective randomized controlled study. 2014 , 99, 391-7		7
108	Mesh versus non-mesh for inguinal and femoral hernia repair. <i>The Cochrane Library</i> , 2015 ,	5.2	
107	Biologic mesh versus synthetic mesh in open inguinal hernia repair: system review and meta-analysis. 2015 , 85, 910-6		32
106	Physical Characteristics of Medical Textile Prostheses Designed for Hernia Repair: A Comprehensive Analysis of Select Commercial Devices. 2015 , 8, 8148-8168		15
105	Endoscopic and histological evaluations of a newly designed inguinal hernia mesh implant: Experimental studies on porcine animal model and human cadaver. 2015 , 4, 172-8		3
104	Laparoscopic Inguinal Hernia Repair With a Novel Hernia Mesh Incorporating a Nitinol Alloy Frame Compared With a Standard Lightweight Polypropylene Mesh. 2015 , 22, 508-13		4
103	Novel superhydrophilic poly(l-lactic acid-co-ε-caprolactone)/fibrinogen electrospun patch for rat abdominal wall reconstruction. 2015 , 30, 230-8		9
102	Neuropathic Pain Following Surgery. 2015 , 113-127		1
101	Single-center, single-blinded, randomized study of self-gripping versus sutured mesh in open inguinal hernia repair. <i>Journal of Surgical Research</i> , 2015 , 194, 77-82	2.5	13
100	Biologic response of inguinal hernia prosthetics: a comparative study of conventional static meshes versus 3D dynamic implants. <i>Artificial Organs</i> , 2015 , 39, E10-23	2.6	16

99	Pore size and pore shape--but not mesh density--alter the mechanical strength of tissue ingrowth and host tissue response to synthetic mesh materials in a porcine model of ventral hernia repair. 2015 , 42, 186-97			49
98	The Comparison of Inflammatory Responses and Clinical Results After Groin Hernia Repair Using Polypropylene or Polyester Meshes. 2015 , 77, 283-7			9
97	Randomised clinical trial: conventional Lichtenstein vs. hernioplasty with self-adhesive mesh in bilateral inguinal hernia surgery. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2015 , 19, 765-70	3.2		16
96	Allografts and xenografts in soft tissue repair. 2016 , 41-62			2
95	Recurrence and Pain after Mesh Repair of Inguinal Hernias. 2016 , 13,			0
94	Long-term Results of a Randomized Double-blinded Prospective Trial of a Lightweight (Ultrapro) Versus a Heavyweight Mesh (Prolene) in Laparoscopic Total Extraperitoneal Inguinal Hernia Repair (TULP-trial). <i>Annals of Surgery</i> , 2016 , 263, 862-6	7.8		45
93	Randomized clinical trial comparing self-gripping mesh with a standard polypropylene mesh for open inguinal hernia repair. <i>British Journal of Surgery</i> , 2016 , 103, 812-8	5.3		18
92	Immunological reaction and oxidative stress after light or heavy polypropylene mesh implantation in inguinal hernioplasty: A CONSORT-prospective, randomized, clinical trial. <i>Medicine (United States)</i> , 2016 , 95, e3791	1.8		15
91	Factors predicting chronic pain after open mesh based inguinal hernia repair: A prospective cohort study. <i>International Journal of Surgery</i> , 2016 , 29, 165-70	7.5		18
90	UltraPro Hernia System, Prolene Hernia System and Lichtenstein for primary inguinal hernia repair: 3-year outcomes of a prospective randomized controlled trial. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2016 , 20, 641-8	3.2		22
89	Prospective, multi-institutional surgical and quality-of-life outcomes comparison of heavyweight, midweight, and lightweight mesh in open ventral hernia repair. 2016 , 212, 1054-1062			15
88	Design Strategies and Applications of Biomaterials and Devices for Hernia Repair. 2016 , 1, 2-17			63
87	The SAGES Manual of Groin Pain. 2016 ,			7
86	Biomechanical and morphological study of a new elastic mesh (Ciberlastic) to repair abdominal wall defects. 2016 , 59, 366-378			8
85	Three-Year Results of a Single-Centre Single-Blinded Randomised Study Evaluating the Impact of Mesh Pore Size on Chronic Pain after Lichtenstein Hernioplasty. 2016 , 105, 141-6			3
84	Chronic pain after open inguinal hernia repair. 2016 , 128, 69-75			18
83	Textbook of Hernia. 2017 ,			3
82	Lichtenstein Tension-Free Hernioplasty. 2017 , 69-77			

81 Prevention and Evaluation of Chronic Groin Pain. **2017**, 141-145

80 Injectable in situ cross-linking chitosan-hyaluronic acid based hydrogels for abdominal tissue regeneration. **2017**, 7, 2699 84

79 A clinically relevant in vivo model for the assessment of scaffold efficacy in abdominal wall reconstruction. **2017**, 8, 2041731416686532 7

78 [Evidence-based Lichtenstein technique]. *Chirurg*, **2017**, 88, 296-302 4.2 5

77 Prospective study evaluating the impact of severity of chronic pain on quality of life after inguinal hernioplasty. *Hernia: the Journal of Hernias and Abdominal Wall Surgery*, **2017**, 21, 199-205 3.2 5

76 Use of a pedicled omental flap to reduce inflammation and vascularize an abdominal wall patch. *Journal of Surgical Research*, **2017**, 212, 77-85 2.5 3

75 The HIPPO Trial, a Randomized Double-blind Trial Comparing Self-gripping Parietex Progrid Mesh and Sutured Parietex Mesh in Lichtenstein Hernioplasty: A Long-term Follow-up Study. *Annals of Surgery*, **2017**, 266, 939-945 7.8 12

74 Chronic Pain after Inguinal Hernia Repair. *Updates in Surgery Series*, **2017**, 157-168 0.1 1

73 Randomized Clinical Trial Comparing Cyanoacrylate Glue Versus Suture Fixation in Lichtenstein Hernia Repair: 7-Year Outcome Analysis. *World Journal of Surgery*, **2017**, 41, 108-113 3.3 11

72 Three-year results of a randomized study comparing self-gripping mesh with sutured mesh in open inguinal hernia repair. *Journal of Surgical Research*, **2017**, 209, 139-144 2.5 14

71 The transinguinal preperitoneal technique (TIPP) in inguinal hernia repair does not cause less chronic pain in relation to the ProGrip technique: a prospective double-blind randomized clinical trial comparing the TIPP technique, using the PolySoft mesh, with the ProGrip self-fixing semi-resorbable mesh. *Hernia: the Journal of Hernias and Abdominal Wall Surgery*, **2017**, 21, 17-27 3.2 8

70 Randomized Clinical Trial Comparing Low Density versus High Density Meshes in Patients with Bilateral Inguinal Hernia. *American Surgeon*, **2017**, 83, 1352-1356 0.8 2

69 Comparison of partially-absorbable lightweight mesh with heavyweight mesh for inguinal hernia repair: multicenter randomized study. *Annals of Surgical Treatment and Research*, **2017**, 93, 322-330 2 5

68 Comparative study of intraperitoneal adhesions related to light-weight polypropylene mesh and type I polymerized and purified bovine collagen coated light-weight polypropylene mesh in rabbits. *Acta Cirurgica Brasileira*, **2017**, 32, 903-912 1.6 6

67 Efficacy and safety of a novel partially absorbable mesh in totally extraperitoneal hernia repair. *Annals of Surgical Treatment and Research*, **2017**, 93, 316-321 2 1

66 Enhancement of abdominal wall defect repair using allogenic platelet-rich plasma with commercial polyester/cotton fabric (Damour) in a canine model. *Journal of Veterinary Medical Science*, **2017**, 79, 1301-1309 ¹¹ ¹⁰

65 Cross-Linked Cholecyst-Derived Extracellular Matrix for Abdominal Wall Repair. *Tissue Engineering - Part A*, **2018**, 24, 1190-1206 3.9 1

64 A meta-analysis of randomized control trials assessing mesh fixation with glue versus suture in Lichtenstein inguinal hernia repair. *Medicine (United States)*, **2018**, 97, e0227 1.8 12

63	Chronic pain, discomfort, quality of life and impact on sex life after open inguinal hernia mesh repair: an expertise-based randomized clinical trial comparing lightweight and heavyweight mesh. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2018 , 22, 411-418	3.2	12
62	Preventing Mesh Pore Collapse by Designing Mesh Pores With Auxetic Geometries: A Comprehensive Evaluation Via Computational Modeling. <i>Journal of Biomechanical Engineering</i> , 2018 , 140,	2.1	9
61	Higher Recurrence Rate After Endoscopic Totally Extraperitoneal (TEP) Inguinal Hernia Repair With Ultrapro Lightweight Mesh: 5-Year Results of a Randomized Controlled Trial (TULP-trial). <i>Annals of Surgery</i> , 2018 , 268, 241-246	7.8	24
60	Factors predicting chronic pain after open inguinal hernia repair: a regression analysis of randomized trial comparing three different meshes with three fixation methods (FinnMesh Study). <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2018 , 22, 813-818	3.2	8
59	Promotion of Hernia Repair with High-Strength, Flexible, and Bioresorbable Silk Fibroin Mesh in a Large Abdominal Hernia Model. <i>ACS Biomaterials Science and Engineering</i> , 2018 , 4, 2067-2080	5.5	16
58	Is Chronic Post-Surgical Pain Preventable?. 2018 ,		
57	Pre-clinical assay of the tissue integration and mechanical adhesion of several types of cyanoacrylate adhesives in the fixation of lightweight polypropylene meshes for abdominal hernia repair. <i>PLoS ONE</i> , 2018 , 13, e0206515	3.7	5
56	Neomyogenesis in 3D Dynamic Responsive Prosthesis for Inguinal Hernia Repair. <i>Artificial Organs</i> , 2018 , 42, 1216-1223	2.6	8
55	TEP With Long-Term Resorbable Mesh in Patients With Indirect Inguinal Hernia. <i>Journal of the Society of Laparoendoscopic Surgeons</i> , 2018 , 22,	2.2	1
54	Watchful Waiting as a Treatment Strategy in Patients with Asymptomatic Inguinal Hernia. 2018 , 51-57		
53	Materials, Devices and Gadgets for Hernia Surgery. 2018 , 41-77		
52	Periodate oxidized hyaluronic acid-based hydrogel scaffolds for tissue engineering applications. <i>International Journal of Biological Macromolecules</i> , 2019 , 137, 853-869	7.9	45
51	Using inferior epigastric vascular anatomical landmarks for anterior inguinal hernia repair. <i>BMC Surgery</i> , 2019 , 19, 159	2.3	
50	Fixation free inguinal hernia repair with the 3D dynamic responsive prosthesis ProFlor: Features, procedural steps and long-term results. <i>International Journal of Surgery Open</i> , 2019 , 21, 34-43	0.9	5
49	Hernia Materials: Fundamentals of Prosthetic Characteristics. 2019 , 35-55		
48	Long-term assessment of surgical and quality-of-life outcomes between lightweight and standard (heavyweight) three-dimensional contoured mesh in laparoscopic inguinal hernia repair. <i>Surgery</i> , 2019 , 165, 820-824	3.6	4
47	Pain and Dysfunction with Sexual Activity after Inguinal Hernia Repair: Systematic Review and Meta-Analysis. <i>Journal of the American College of Surgeons</i> , 2020 , 230, 237-250.e7	4.4	7
46	Techniques of Abdominal Wall Hernia Repair. 2020 ,		

45	First-in-man permanent laparoscopic fixation free obliteration of inguinal hernia defect with the 3D dynamic responsive implant ProFlor-E [®] . Case report. <i>International Journal of Surgery Case Reports</i> , 2020 , 77S, S2-S7	0.8	1
44	A new semiresorbable mesh for primary inguinal repair: a preliminary observational study on quality of life and safety. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2020 , 24, 1019-1031 ^{3,2}		2
43	An invited commentary on "neo-nervegenesis in 3D dynamic responsive implant for inguinal hernia repair. Qualitative study. <i>Int J Surg</i> 2020;76:114-119?. <i>International Journal of Surgery</i> , 2020 , 78, 143-144 ^{7,5}		1
42	Neo-nervegenesis in 3D dynamic responsive implant for inguinal hernia repair. Qualitative study. <i>International Journal of Surgery</i> , 2020 , 76, 114-119	7.5	6
41	Clinical and surgical aspects of medical materialsBiocompatibility. 2020 , 219-250		1
40	Chronic pain after groin hernia repair: pain characteristics and impact on quality of life. <i>BMC Surgery</i> , 2020 , 20, 147	2.3	3
39	Patient-reported chronic pain after open inguinal hernia repair with lightweight or heavyweight mesh: a prospective, patient-reported outcomes study. <i>British Journal of Surgery</i> , 2020 , 107, 1659-1666	5.3	4
38	Polypropylene mesh for hernia repair with controllable cell adhesion/de-adhesion properties. <i>Journal of Materials Chemistry B</i> , 2020 , 8, 1049-1059	7.3	15
37	Synthesis and characterization of substrates for grafting polymers used in medical plastics. <i>Chemical Data Collections</i> , 2021 , 31, 100621	2.1	
36	Long-term Comparison of Recurrence Rates Between Different Lightweight and Heavyweight Meshes in Open Anterior Mesh Inguinal Hernia Repair: A Nationwide Population-based Register Study. <i>Annals of Surgery</i> , 2021 , 273, 365-372	7.8	6
35	Enhanced angiogenesis in the 3D dynamic responsive implant for inguinal hernia repair ProFlor. <i>Artificial Organs</i> , 2021 , 45, 933-942	2.6	3
34	The effects of onlay titanium-coated mesh on recurrence, foreign body sensation and chronic pain after ventral hernia repair. <i>Asian Journal of Surgery</i> , 2021 , 44, 1158-1165	1.6	1
33	Mesh versus non-mesh for inguinal and femoral hernia repair. <i>The Cochrane Library</i> , 2018 , 9, CD011517	5.2	48
32	Recurrence and Mesh Material. 2007 , 321-325		1
31	Risk Factors for Chronic Pain After Groin Hernia Surgery. 2010 , 199-206		1
30	Retromuscular Prosthetic Repair of Incisional Hernia. 2008 , 133-144		2
29	Chronic Pain after Laparoscopic Inguinal Hernia Repair Depends on Mesh Implant Features: A Clinical Randomised Trial. <i>Open Journal of Pain Medicine</i> , 2017 , 1, 014-020	0	1
28	[The modified Lichtenstein technique for complex inguinal hernia repair--how I do it]. <i>Acta Chirurgica Iugoslavica</i> , 2011 , 58, 15-28		1

27	Inguinodynia following Lichtenstein tension-free hernia repair: a review. <i>World Journal of Gastroenterology</i> , 2011 , 17, 1791-6	5.6	52
26	Randomized Clinical Trial Assessing Impact of a Lightweight or Heavy-weight Mesh on Chronic Pain After Inguinal Hernia Repair. <i>Yearbook of Surgery</i> , 2006 , 2006, 298-300		
25	Chronic Pain After Inguinal Hernia Repair: The Choice of Prosthesis Outweighs That of Technique. 2010 , 257-264		
24	Damage to the Spermatic Cord by the Lichtenstein Procedure in a Pig Model-Preliminary Results. 2010 , 21-28		
23	Mesh Infection Following Hernia Repair: A Frequent Problem?. 2010 , 79-85		
22	Discomfort 5 Years After Laparoscopic and Shouldice Inguinal Hernia Repair: A Report from the SMIL Study Group. 2010 , 245-250		
21	Urological Affections after Laparoscopic Hernia Repair in Long-Term Follow up. <i>International Journal of Clinical Medicine</i> , 2011 , 02, 604-612	0.3	
20	Acute Perioperative Pain: Mechanisms and Management. 2014 , 229-252		
19	Chronic Groin Pain Following Posterior Hernia Surgery. 2016 , 221-231		
18	Ultra-Pro Hernia System for Repair of Primary Complex Inguinal Hernia: Should It Be the Technique of Choice?. <i>Surgical Science</i> , 2017 , 08, 94-101	0.1	
17	. <i>Praxis</i> , 2017 , 106, 1053-1059	0.1	0
16	Watchful waiting als Behandlungsstrategie bei Patienten mit asymptomatischer Leistenhernie. 2018 , 51-58		
15	COMPARATIVE STUDY BETWEEN LIGHTWEIGHT MESH AND STANDARD PROLENE MESH IN LICHTENSTEIN HERNIA REPAIR. <i>Journal of Evolution of Medical and Dental Sciences</i> , 2018 , 7, 3394-3400	0.1	
14	Basic Science of Vaginal Mesh. 2019 , 173-194		
13	Prospective Study of Comparison of Outcomes with Use of Polyglactin with Polypropylene Mesh Vs Polypropylene Mesh in Inguinal Hernioplasty. <i>Journal of Evolution of Medical and Dental Sciences</i> , 2019 , 8, 2753-2757	0.1	
12	Biomaterials for Abdominal Wall Hernia Repair. 2020 , 177-184		
11	A Novel Use of Fully Absorbable Phasix Mesh for Laparoscopic Inguinal Hernia Repair. <i>Journal of the Society of Laparoendoscopic Surgeons</i> , 2020 , 24,	2.2	1
10	Selecting criteria for the right prosthesis in defect of the abdominal wall surgery. <i>Journal of Medicine and Life</i> , 2009 , 2, 249-53	1.5	

9	Comparative benefits of local anesthesia and spinal anesthesia in adult open inguinal hernia: a meta-analysis of clinical randomized controlled trials.. <i>Minerva Anestesiologica</i> , 2022 ,	1.9
8	Robotic versus hybrid assisted ventral hernia repair: a prospective one-year comparative study of clinical outcomes. <i>Acta Chirurgica Belgica</i> , 1-7	0.9
7	Minimizing complications following transinguinal preperitoneal modified Kugel mesh herniorrhaphy: a double blind prospective randomized clinical trial. 2022 , 12,	0
6	Fixation free laparoscopic obliteration of inguinal hernia defects with the 3D dynamic responsive scaffold ProFlor. 2022 , 12,	1
5	A Critical Appraisal of the Chronic Pain Rate After Inguinal Hernia Repair. 2,	0
4	Cytomorphological Effects of Lightweight and Heavyweight Polypropylene Mesh on the Ilioinguinal Nerve: An Experimental Study. 2023 ,	0
3	Are Nerves Left In Situ Associated With Less Chronic Pain Than Manipulation During Inguinal Hernia Repair?. 2023 , 286, 96-103	0
2	Physiologic Cyclical Load on Inguinal Hernia Scaffold ProFlor Turns Biological Response into Tissue Regeneration. 2023 , 12, 434	0
1	Definition of Mesh Weight and Pore Size in Groin Hernia Repair: A Systematic Scoping Review of Randomised Controlled Trials. 2,	0