CITATION REPORT List of articles citing

Precision and error of three-dimensional phenotypic measures acquired from 3dMD photogrammetric images

DOI: 10.1002/ajmg.a.30959 American Journal of Medical Genetics, Part A, 2005, 138A, 247-53.

Source: https://exaly.com/paper-pdf/38377258/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
274	Anthropometric precision and accuracy of digital three-dimensional photogrammetry: comparing the Genex and 3dMD imaging systems with one another and with direct anthropometry. <i>Journal of Craniofacial Surgery</i> , 2006 , 17, 477-83	1.2	229
273	Syndrome identification based on 2D analysis software. 2006 , 14, 1082-9		63
272	Book reviews. 2006 , 18, 426-427		
271	The use of 3D face shape modelling in dysmorphology. 2007 , 92, 1120-6		90
270	Three-dimensional surface acquisition systems for the study of facial morphology and their application to maxillofacial surgery. 2007 , 3, 97-110		136
269	Three-dimensional face shape in Fabry disease. 2007 , 15, 535-42		40
268	Genetic analysis of non-syndromic craniosynostosis. <i>Orthodontics and Craniofacial Research</i> , 2007 , 10, 129-37	3	101
267	Development and validation of a measure of dysmorphology: useful for autism subgroup classification. <i>American Journal of Medical Genetics, Part A</i> , 2008 , 146A, 1101-16	2.5	48
266	Completing the 3-dimensional picture. 2008 , 133, 612-20		101
265	Testing repeatability and error of coordinate landmark data acquired from crania. 2008, 53, 782-5		51
264	Impact of geometry and viewing angle on classification accuracy of 2D based analysis of dysmorphic faces. 2008 , 51, 44-53		24
263	Validity and reliability of craniofacial anthropometric measurement of 3D digital photogrammetric images. <i>Cleft Palate-Craniofacial Journal</i> , 2008 , 45, 232-9	1.9	221
262	Facial asymmetry in unilateral coronal synostosis: long-term results after fronto-orbital advancement. <i>Plastic and Reconstructive Surgery</i> , 2008 , 121, 545-562	2.7	129
261	Evolution of photography in maxillofacial surgery: from analog to 3D photography - an overview. 2009 , 1, 39-45		8
260	Design, construction, and testing of a stereo-photogrammetric tool for the diagnosis of fetal alcohol syndrome in infants. 2009 , 28, 1448-58		14
259	Morphological integration of the skull in craniofacial anomalies. <i>Orthodontics and Craniofacial Research</i> , 2009 , 12, 149-58	3	28
258	Face shape of unaffected parents with cleft affected offspring: combining three-dimensional surface imaging and geometric morphometrics. <i>Orthodontics and Craniofacial Research</i> , 2009 , 12, 271-8	1 ³	76

(2010-2009)

257	Reliability, validity, and precision of an active stereophotogrammetry system for three-dimensional evaluation of the human torso. 2009 , 31, 1337-42		14	
256	Facial morphologies of an adult Egyptian population and an adult Houstonian white population compared using 3D imaging. <i>Angle Orthodontist</i> , 2009 , 79, 991-9	2.6	24	
255	Picture perfect? Reliability of craniofacial anthropometry using three-dimensional digital stereophotogrammetry. <i>Plastic and Reconstructive Surgery</i> , 2009 , 124, 1261-1272	2.7	62	
254	Three-dimensional assessment of facial development in children with Pierre Robin sequence. Journal of Craniofacial Surgery, 2009 , 20, 2055-60	1.2	26	
253	Objective three-dimensional assessment of lip form in patients with repaired cleft lip. <i>Cleft Palate-Craniofacial Journal</i> , 2010 , 47, 611-22	1.9	10	
252	The quantitative assessment of wrinkle depth: turning the microscope on botulinum toxin type A. 2010 , 65, 285-93		10	
251	Three-dimensional photographic analysis of outcome after helmet treatment of a nonsynostotic cranial deformity. <i>Journal of Craniofacial Surgery</i> , 2010 , 21, 1677-82	1.2	43	
250	Three-dimensional comparison of facial morphology in white populations in Budapest, Hungary, and Houston, Texas. 2010 , 137, 424-32		33	
249	Distances between facial landmarks can be measured accurately with a new digital 3-dimensional video system. 2010 , 137, 580.e1-580.e10; discussion 580-1		10	
248	Cranial base superimposition for 3-dimensional evaluation of soft-tissue changes. 2010 , 137, S120-9		75	
247	Use of 3-dimensional surface acquisition to study facial morphology in 5 populations. 2010 , 137, S56.e1-9; discussion S56-7		41	
246	Digital dental cast placement in 3-dimensional, full-face reconstruction: a technical evaluation. 2010 , 138, 84-8		56	
245	A cephalometric study to determine the plane of occlusion in completely edentulous patients: part I. 2010 , 10, 203-7		11	
244	Registration of 3-dimensional facial photographs for clinical use. 2010 , 68, 2391-401		88	
243	Three-dimensional photogrammetry for surgical planning of tissue expansion in hemifacial microsomia. 2010 , 32, 1728-35		12	
242	Beyond the closed suture in apert syndrome mouse models: evidence of primary effects of FGFR2 signaling on facial shape at birth. 2010 , 239, 3058-71		49	
241	A review of facial image analysis for delineation of the facial phenotype associated with fetal alcohol syndrome. <i>American Journal of Medical Genetics, Part A</i> , 2010 , 152A, 528-36	2.5	20	
240	Targeting specific facial variation for different identification tasks. 2010 , 201, 118-24		14	

239	3D digital stereophotogrammetry: a practical guide to facial image acquisition. 2010 , 6, 18		122
238	Facial morphology of Finnish children with and without developmental hip dysplasia using 3D facial templates. <i>Orthodontics and Craniofacial Research</i> , 2010 , 13, 229-37	3	12
237	Helmet versus active repositioning for plagiocephaly: a three-dimensional analysis. 2010 , 126, e936-45		102
236	3-D analysis of facial asymmetry in children with hip dysplasia. <i>Angle Orthodontist</i> , 2010 , 80, 519-24	2.6	16
235	3D Stereophotogrammetric assessment of pre- and postoperative volumetric changes in the cleft lip and palate nose. 2010 , 39, 534-40		62
234	Soft tissue images from cephalograms compared with those from a 3D surface acquisition system. <i>Angle Orthodontist</i> , 2010 , 80, 58-64	2.6	16
233	Evolution of 3D surface imaging systems in facial plastic surgery. 2011 , 19, 591-602, vii		49
232	Assessment of rhinoplasty techniques by overlay of before-and-after 3D images. 2011 , 19, 711-23, ix		22
231	Soft tissue response to mandibular advancement using 3D CBCT scanning. 2011 , 40, 353-9		44
230	Variation of the face in rest using 3D stereophotogrammetry. 2011 , 40, 1252-7		45
229	Three-dimensional cephalometric norms of Chinese adults in Hong Kong with balanced facial profile. 2011 , 112, e56-73		34
228	Augmentation of linear facial anthropometrics through modern morphometrics: a facial convexity example. 2011 , 56, 141-7		11
227	Measuring progressive soft tissue change with nasoalveolar molding using a three-dimensional system. <i>Journal of Craniofacial Surgery</i> , 2011 , 22, 1622-5	1.2	21
226	Validation of optical three-dimensional plagiocephalometry by computed tomography, direct measurement, and indirect measurements using thermoplastic bands. <i>Journal of Craniofacial Surgery</i> , 2011 , 22, 129-34	1.2	5
225	Digital image capture and rapid prototyping of the maxillofacial defect. 2011 , 20, 310-4		28
224	Spatially-dense 3D facial asymmetry assessment in both typical and disordered growth. 2011 , 219, 444-	55	62
223	Facial surface changes after cleft alveolar bone grafting. 2011 , 69, 80-3		28
222	Precision assessment of stereo-photogrammetrically derived facial landmarks in infants. 2011 , 193, 100	-5	8

221	New method for analysis of facial growth in a pediatric reconstructed mandible. 2011 , 139, e285-90		17
220	Errors in landmarking and the evaluation of the accuracy of traditional and 3D anthropometry. 2011 , 42, 518-27		63
219	Facial phenotypes in subgroups of prepubertal boys with autism spectrum disorders are correlated with clinical phenotypes. 2011 , 2, 15		48
218	Morphological integration of soft-tissue facial morphology in Down Syndrome and siblings. <i>American Journal of Physical Anthropology</i> , 2011 , 146, 560-8	2.5	19
217	Evaluation of anthropometric accuracy and reliability using different three-dimensional scanning systems. 2011 , 207, 127-34		112
216	Accuracy and precision of a 3D anthropometric facial analysis with and without landmark labeling before image acquisition. <i>Angle Orthodontist</i> , 2011 , 81, 245-52	2.6	85
215	The Reliability of a Three-Dimensional Photo System- (3dMDface-) Based Evaluation of the Face in Cleft Lip Infants. 2012 , 2012, 138090		21
214	Fine-grained facial phenotype-genotype analysis in Wolf-Hirschhorn syndrome. 2012 , 20, 33-40		53
213	A Dysmorphometric Analysis to Investigate Facial Phenotypic Signatures as a Foundation for Non-invasive Monitoring of Lysosomal Storage Disorders. 2013 , 8, 31-9		8
212	The Farkas System of Craniofacial Anthropometry: Methodology and Normative Databases. 2012 , 561-	573	5
212	The Farkas System of Craniofacial Anthropometry: Methodology and Normative Databases. 2012 , 561-Assessment of volumetric changes with a best-fit method in three-dimensional stereophotograms. <i>Cleft Palate-Craniofacial Journal</i> , 2012 , 49, 472-6	1.9	5
	Assessment of volumetric changes with a best-fit method in three-dimensional stereophotograms.		
211	Assessment of volumetric changes with a best-fit method in three-dimensional stereophotograms. Cleft Palate-Craniofacial Journal, 2012, 49, 472-6 The skeletal site-specific role of connective tissue growth factor in prenatal osteogenesis. 2012,		2
211	Assessment of volumetric changes with a best-fit method in three-dimensional stereophotograms. Cleft Palate-Craniofacial Journal, 2012, 49, 472-6 The skeletal site-specific role of connective tissue growth factor in prenatal osteogenesis. 2012, 241, 1944-59 A volumetric study of basal ganglia structures in individuals with early-treated phenylketonuria.		20
211 210 209	Assessment of volumetric changes with a best-fit method in three-dimensional stereophotograms. Cleft Palate-Craniofacial Journal, 2012, 49, 472-6 The skeletal site-specific role of connective tissue growth factor in prenatal osteogenesis. 2012, 241, 1944-59 A volumetric study of basal ganglia structures in individuals with early-treated phenylketonuria. 2012, 107, 302-7 The occlusal plane in the facial context: inter-operator repeatability of a new three-dimensional		2 20 16
211210209208	Assessment of volumetric changes with a best-fit method in three-dimensional stereophotograms. Cleft Palate-Craniofacial Journal, 2012, 49, 472-6 The skeletal site-specific role of connective tissue growth factor in prenatal osteogenesis. 2012, 241, 1944-59 A volumetric study of basal ganglia structures in individuals with early-treated phenylketonuria. 2012, 107, 302-7 The occlusal plane in the facial context: inter-operator repeatability of a new three-dimensional method. 2012, 4, 34-7 Facial dimensions of Malay children with repaired unilateral cleft lip and palate: a three dimensional		2 20 16
211210209208207	Assessment of volumetric changes with a best-fit method in three-dimensional stereophotograms. Cleft Palate-Craniofacial Journal, 2012, 49, 472-6 The skeletal site-specific role of connective tissue growth factor in prenatal osteogenesis. 2012, 241, 1944-59 A volumetric study of basal ganglia structures in individuals with early-treated phenylketonuria. 2012, 107, 302-7 The occlusal plane in the facial context: inter-operator repeatability of a new three-dimensional method. 2012, 4, 34-7 Facial dimensions of Malay children with repaired unilateral cleft lip and palate: a three dimensional analysis. 2012, 41, 783-8		2 20 16 10

203	How accurate are the fusion of cone-beam CT and 3-D stereophotographic images?. <i>PLoS ONE</i> , 2012 , 7, e49585	3.7	27
202	Large-scale objective phenotyping of 3D facial morphology. 2012 , 33, 817-25		66
201	Flat fold and cup-shaped N95 filtering facepiece respirator face seal area and pressure determinations: a stereophotogrammetry study. 2013 , 10, 419-24		27
200	Concordance of traditional osteometric and volume-rendered MSCT interlandmark cranial measurements. <i>International Journal of Legal Medicine</i> , 2013 , 127, 505-20	3.1	55
199	3-dimensional facial simulation in orthognathic surgery: is it accurate?. 2013 , 71, 1406-14		55
198	A new method for automatic tracking of facial landmarks in 3D motion captured images (4D). 2013 , 42, 9-18		32
197	Robust and regional 3D facial asymmetry assessment in hemimandibular hyperplasia and hemimandibular elongation anomalies. 2013 , 42, 36-42		25
196	Tissue-specific responses to aberrant FGF signaling in complex head phenotypes. 2013 , 242, 80-94		42
195	A 3D anthropometric analysis of the orolabial region in Chinese young adults. 2013 , 51, 908-12		18
194	3D human face soft tissues landmarking method: An advanced approach. 2013 , 64, 1326-1354		22
193	Comparison of facial morphologies between adult Chinese and Houstonian Caucasian populations using three-dimensional imaging. 2013 , 42, 1100-7		26
192	The normal-equivalent: a patient-specific assessment of facial harmony. 2013 , 42, 1150-8		12
191	Normative findings for periocular anthropometric measurements among Chinese young adults in Hong Kong. 2013 , 2013, 821428		15
190	Computer-aided modelling of three-dimensional maxillofacial tissues through multi-modal imaging. 2013 , 227, 89-104		16
189	Trisomy 21 and facial developmental instability. <i>American Journal of Physical Anthropology</i> , 2013 , 151, 49-57	2.5	22
188	Soft-tissue mobility of the lower face depending on positional changes and age: a three-dimensional morphometric surface analysis. <i>Plastic and Reconstructive Surgery</i> , 2013 , 131, 372-3:	81 ^{2.7}	21
187	Early frontofacial symmetry after correction of unilateral coronal synostosis: frontoorbital advancement vs endoscopic strip craniectomy and helmet therapy. <i>Journal of Craniofacial Surgery</i> , 2013 , 24, 1190-4	1.2	41
186	Three-Dimensional Surface Acquisition Systems for Facial Analysis. 2013 , 11-28		

Studying Facial Morphologies in Different Populations. **2013**, 145-158

184	Geometric Morphometrics. 2013 , 325-359	4
183	The face of sleepiness: improvement in appearance after treatment of sleep apnea. 2013 , 9, 845-52	13
182	Three-dimensional evaluation of the relationship between jaw divergence and facial soft tissue dimensions. <i>Angle Orthodontist</i> , 2014 , 84, 788-94	18
181	Size of the anterior fontanelle: three-dimensional measurement of a key trait in human evolution. 2014 , 297, 234-9	9
180	Stereophotogrammetry-based facial depth measurements: a novel method for quantifying facial projection. 2014 , 21, 59-64	4
179	Reliability of nasolabial anthropometric measures using three-dimensional stereophotogrammetry in infants with unrepaired unilateral cleft lip. <i>Plastic and Reconstructive Surgery</i> , 2014 , 133, 530e-542e	31
178	Comparison of three-dimensional surface-imaging systems. 2014 , 67, 489-97	137
177	Nasal Morphology of the Chinese: Three-Dimensional Reference Values for Rhinoplasty. 2014 , 150, 956-61	15
176	Stereophotogrammetric evaluation of tooth-induced labial protrusion. 2014 , 23, 347-52	8
175	Metric precision via soft-tissue landmarks in three-dimensional structured-light scans of human faces. 2014 , 75, 133-43	7
174	Developing a 3D colour image reproduction system for additive manufacturing of facial prostheses. 2014 , 70, 2043-2049	43
173	Accuracy of computational soft tissue predictions in orthognathic surgery from three-dimensional photographs 6 months after completion of surgery: a preliminary study of 13 patients. <i>Aesthetic</i> 2 <i>Plastic Surgery</i> , 2014 , 38, 184-191	14
172	Reliability and validity of measurements of facial swelling with a stereophotogrammetry optical three-dimensional scanner. 2014 , 52, 922-7	32
171	Biomedical visual data analysis to build an intelligent diagnostic decision support system in medical genetics. 2014 , 62, 105-18	26
170	A 3D analysis of Caucasian and African American facial morphologies in a US population. 2014 , 41, 19-29	21
169	Outcome analysis after helmet therapy using 3D photogrammetry in patients with deformational plagiocephaly: the role of root mean square. 2014 , 67, 159-65	19
168	Digital facial dysmorphology for genetic screening: Hierarchical constrained local model using ICA. 2014 , 18, 699-710	47

167	Prenatal testosterone exposure is related to sexually dimorphic facial morphology in adulthood. Proceedings of the Royal Society B: Biological Sciences, 2015, 282, 20151351	4.4	99
166	Prenatal sex hormones, digit ratio, and face shape in adult males. <i>Orthodontics and Craniofacial Research</i> , 2015 , 18, 21-6	3	21
165	3D photography in cleft patients. 2015 , 257-262		
164	Facial Characteristics and Olfactory Dysfunction: Two Endophenotypes Related to Nonsyndromic Cleft Lip and/or Palate. 2015 , 2015, 863429		8
163	Accuracy and precision of integumental linear dimensions in a three-dimensional facial imaging system. 2015 , 45, 105-12		18
162	Development of a three-dimensional hand model using 3D stereophotogrammetry: Evaluation of landmark reproducibility. 2015 , 68, 709-16		14
161	Sexually dimorphic facial features vary according to level of autistic-like traits in the general population. 2015 , 7, 14		12
160	Effect of sitting, standing, and supine body positions on facial soft tissue: detailed 3D analysis. 2015 , 44, 1309-16		17
159	Rapid prototyping-assisted maxillofacial reconstruction. 2015 , 47, 186-208		27
158	The effect of polydioxanone absorbable plates in septorhinoplasty for stabilizing caudal septal extension grafts. 2015 , 17, 120-5		21
157	3D digital surface imaging for quantification of facial development and asymmetry in juvenile idiopathic arthritis. 2015 , 21, 121-124		2
156	The 3dMD photogrammetric photo system in cranio-maxillofacial surgery: Validation of interexaminer variations and perceptions. 2015 , 43, 1798-803		30
155	Monitoring of Therapy for Mucopolysaccharidosis Type I Using Dysmorphometric Facial Phenotypic Signatures. 2015 , 22, 99-106		6
154	Three-dimensional changes in nose and upper lip volume after orthognathic surgery. 2015 , 44, 83-9		31
153	Facial anthropometric analysis of a healthy group of young Brazilian adults by means of stereophotogrammetry technique. <i>Universidade Estadual Paulista Revista De Odontologia</i> , 2016 , 45, 139)- 1 :45	O
152	The 3D Facial Norms Database: Part 1. A Web-Based Craniofacial Anthropometric and Image Repository for the Clinical and Research Community. <i>Cleft Palate-Craniofacial Journal</i> , 2016 , 53, e185-e	197	57
151	Postoperative Edema Resolution following Rhinoplasty: A Three-Dimensional Morphometric Assessment. <i>Plastic and Reconstructive Surgery</i> , 2016 , 138, 973e-979e	2.7	22
150	Sex determination using facial linear dimensions and angles among Hausa population of Kano State, Nigeria. 2016 , 6, 459-467		4

(2017-2016)

149	Preliminary Analysis of the 3-Dimensional Morphology of the Upper Lip Configuration at the Completion of Facial Expressions in Healthy Japanese Young Adults and Patients With Cleft Lip. 2016 , 74, 1834-46		5	
148	Three-dimensional stereophotogrammetry as an accurate tool for analyzing lymphedema of the hand. 2016 , 10, 40-46		9	
147	Comparative Accuracy of Facial Models Fabricated Using Traditional and 3D Imaging Techniques. 2016 , 1-13			
146	Three-dimensional facial analysis of Chinese children with repaired unilateral cleft lip and palate. Scientific Reports, 2016 , 6, 31335	4.9	10	
145	Three-dimensional Analysis of Normal Facial Morphologies of Asians and Whites: A Novel Method of Quantitative Analysis. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2016 , 4, e865	1.2	11	
144	Three-dimensional evaluation of the alar cinch suture after Le Fort I osteotomy. 2016 , 45, 1309-14		10	
143	Comparative Accuracy of Facial Models Fabricated Using Traditional and 3D Imaging Techniques. 2016 , 25, 207-15		5	
142	Facial morphology in children and adolescents with juvenile idiopathic arthritis and moderate to severe temporomandibular joint involvement. 2016 , 149, 182-91		26	
141	A Pilot Study on the Influence of Facial Expression on Measurements in Three-Dimensional Digital Surfaces of the Face in Infants With Cleft Lip and Palate. <i>Cleft Palate-Craniofacial Journal</i> , 2016 , 53, 3-15	٤.9	7	
140	Regional facial asymmetries and attractiveness of the face. <i>European Journal of Orthodontics</i> , 2016 , 38, 602-608	3.3	11	
139	Quantitative Assessment of Facial Asymmetry Using Three-Dimensional Surface Imaging in Adults: Validating the Precision and Repeatability of a Global Approach. <i>Cleft Palate-Craniofacial Journal</i> , 2016 , 53, 126-31	1.9	22	
138	Normative anthropometric analysis and aesthetic indication of the ocular region for young Chinese adults. 2016 , 254, 189-97		10	
137	Accuracy and reliability of 3D stereophotogrammetry: A comparison to direct anthropometry and 2D photogrammetry. <i>Angle Orthodontist</i> , 2016 , 86, 487-94	2.6	67	
136	The effect of aging on the three-dimensional aspect of the hand: A pilot study. 2017 , 70, 495-500		1	
135	Alterations in mandibular morphology associated with glypican 1 and glypican 3 gene mutations. Orthodontics and Craniofacial Research, 2017, 20, 183-187	3	7	
134	Establishment of a Reliable Horizontal Reference Plane for 3-Dimensional Facial Soft Tissue Evaluation Before and After Orthognathic Surgery. 2017 , 78, S139-S147		14	
133	Repeatability Study of Angular and Linear Measurements on Facial Morphology Analysis by Means of Stereophotogrammetry. <i>Journal of Craniofacial Surgery</i> , 2017 , 28, 1107-1111	1.2	12	
132	Early Changes in Facial Profile Following Structured Filler Rhinoplasty: An Anthropometric Analysis Using a 3-Dimensional Imaging System. 2017 , 43, 255-263		19	

131	Comparison of a semiautomatic protocol using plastering and three-dimensional scanning techniques with the direct measurement protocol for hand anthropometry. 2017 , 27, 138-146		8
130	The Influence of trisomy 21 on facial form and variability. <i>American Journal of Medical Genetics, Part A</i> , 2017 , 173, 2861-2872	2.5	12
129	Validation of a clinical screening instrument for tumour predisposition syndromes in patients with childhood cancer (TuPS): protocol for a prospective, observational, multicentre study. 2017 , 7, e013237	,	13
128	Hypermasculinised facial morphology in boys and girls with Autism Spectrum Disorder and its association with symptomatology. <i>Scientific Reports</i> , 2017 , 7, 9348	4.9	18
127	Sharing is caring? Measurement error and the issues arising from combining 3D morphometric datasets. 2017 , 7, 7034-7046		37
126	A Comprehensive Craniofacial Study of 22q11.2 Deletion Syndrome. 2017 , 96, 1386-1391		17
125	The facial morphology in Down syndrome: A 3D comparison of patients with and without obstructive sleep apnea. <i>American Journal of Medical Genetics, Part A</i> , 2017 , 173, 3013-3021	2.5	10
124	Evaluation of the 3dMDface system as a tool for soft tissue analysis. <i>Orthodontics and Craniofacial Research</i> , 2017 , 20 Suppl 1, 119-124	3	18
123	Hypertelorism and Orofacial Clefting Revisited: An Anthropometric Investigation. <i>Cleft Palate-Craniofacial Journal</i> , 2017 , 54, 631-638	1.9	6
122	Validation of a new three-dimensional imaging system using comparative craniofacial anthropometry. 2017 , 39, 23		11
121	Three-dimensional photography for the evaluation of facial profiles in obstructive sleep apnoea. 2018 , 23, 618-625		5
120	Three-Dimensional Imaging of the Face: A Comparison Between Three Different Imaging Modalities. 2018 , 38, 579-585		36
119	Three-dimensional surface models of the facial soft tissues acquired with a low-cost scanner. 2018 , 47, 1219-1225		9
118	Augmentation of the Median Tubercle with Dermis-Fat Graft in Children with Repaired Cleft Lip. <i>Plastic and Reconstructive Surgery</i> , 2018 , 141, 540e-546e	2.7	7
117	Three-Dimensional Digital Stereophotogrammetry in Cleft Care. 2018, 363-377		
116	Virtual Incision Pattern Planning using Three-Dimensional Images for Optimization of Syndactyly Surgery. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2018 , 6, e1694	1.2	4
115	A novel combination regimen with intense focused ultrasound and pressure- and dose-controlled transcutaneous pneumatic injection of hypertonic glucose solution for lifting and tightening of the aging face. 2018 , 17, 373-379		3
114	Validation of the Vectra H1 portable three-dimensional photogrammetry system for facial imaging. 2018 , 47, 403-410		58

113	Production of accurate skeletal models of domestic animals using three-dimensional scanning and printing technology. 2018 , 11, 73-80		14
112	Smartphone-based video for 3D modelling: Application to infant cranial deformation analysis. 2018 , 116, 299-306		5
111	Three-Dimensional Soft-Tissue Evaluation in Patients with Cleft Lip and Palate. <i>Medical Science Monitor</i> , 2018 , 24, 8608-8620	3.2	12
110	Measuring asymmetry from high-density 3D surface scans: An application to human faces. <i>PLoS ONE</i> , 2018 , 13, e0207895	3.7	16
109	Anthropometric Evaluation of Periorbital Region and Facial Projection Using Three-Dimensional Photogrammetry. <i>Journal of Craniofacial Surgery</i> , 2018 , 29, 2017-2020	1.2	5
108	Evaluating the accuracy of facial models obtained from volume wrapping: 2D images on CBCT versus 3D on CBCT. 2018 , 24, 443-450		4
107	3D follow-up study of facial asymmetry after developmental dysplasia of the hip. <i>Orthodontics and Craniofacial Research</i> , 2018 , 21, 146	3	2
106	A review of the methodology and applications of anthropometry in ergonomics and product design. 2018 , 61, 1696-1720		44
105	Accurate nonrigid 3D human body surface reconstruction using commodity depth sensors. 2018 , 29, e1807		14
104	Accuracy and reliability of digital craniofacial measurements using a small-format, handheld 3D camera. <i>Orthodontics and Craniofacial Research</i> , 2018 , 21, 132	3	8
103	Assessment modalities of non-ionizing three-dimensional images for the quantification of facial morphology, symmetry, and appearance in cleft lip and palate: a systematic review. 2018 , 47, 1095-1105	5	5
102	Influence of involuntary facial expressions on reproducibility of 3D stereophotogrammetry in children with and without complete unilateral cleft lip and palate from 3 to 18 months of age. 2019 , 23, 1041-1050		7
101	Reliability of periocular anthropometry using three-dimensional digital stereophotogrammetry. 2019 , 257, 2517-2531		10
100	Virtual forensic anthropology: The accuracy of osteometric analysis of 3D bone models derived from clinical computed tomography (CT) scans. 2019 , 304, 109963		14
99	Increased facial asymmetry in autism spectrum conditions is associated with symptom presentation. <i>Autism Research</i> , 2019 , 12, 1774-1783	5.1	9
98	Effect of skin tone on the accuracy of hybrid and passive stereophotogrammetry. 2019 , 72, 1564-1569		2
97	Gender-dependent impact of aging on facial proportions. 2019 , 80, 165-173		7
96	High-Fidelity Anthropometric Facial Measurements Can Be Obtained From a Single Stereophotograph From the Vectra H1 3-Dimensional Camera. <i>Cleft Palate-Craniofacial Journal</i> , 2019 , 56, 1164-1170	1.9	5

95	MeshMonk: Open-source large-scale intensive 3D phenotyping. <i>Scientific Reports</i> , 2019 , 9, 6085 4.9	48
94	The effect of automated landmark identification on morphometric analyses. 2019 , 234, 917-935	8
93	The evolving roles of computer-based technology and smartphone applications in facial plastic surgery. 2019 , 27, 267-273	3
92	Comparison of Three-Dimensional Surface Imaging Systems Using Landmark Analysis. <i>Journal of Craniofacial Surgery</i> , 2019 , 30, 1869-1872	5
91	Clinical Evaluations of a Novel Thread Lifting Regimen Using Barbed Polyglyconate Suture for Facial Rejuvenation: Analysis Using a 3-Dimensional Imaging System. 2019 , 45, 431-437	11
90	Three-dimensional evaluation of important surgical landmarks of the face during aging. 2020 , 228, 151435	4
89	Craniofacial Asymmetry from One to Three Years of Age: A Prospective Cohort Study with 3D Imaging. 2019 , 9,	3
88	Fat Grafting in Patients With Extensive Unilateral Facial Deficiency: Three-Dimensional Computer-Assisted Planning, Implementation, and Outcome Assessment. 2020 , 84, S94-S99	2
87	Validity and reproducibility of the 3D VECTRA photogrammetric surface imaging system for the maxillofacial anthropometric measurement on cleft patients. 2020 , 24, 2853-2866	5
86	Reliability of Periocular Anthropometry: A Comparison of Direct, 2-Dimensional, and 3-Dimensional Techniques. 2020 , 46, e23-e31	8
85	A Simple Standardized Three-Dimensional Anthropometry for the Periocular Region in a European Population. <i>Plastic and Reconstructive Surgery</i> , 2020 , 145, 514e-523e	13
84	Schrdinger's phenotypes: Herbarium specimens show two-dimensional images are both good and (not so) bad sources of morphological data. 2020 , 11, 1296-1308	8
83	Evaluating the accuracy of hand models obtained from two 3D scanning techniques. <i>Scientific Reports</i> , 2020 , 10, 11875	1
82	A study on facial features of children with Williams syndrome in China based on three-dimensional anthropometric measurement technology. <i>American Journal of Medical Genetics, Part A</i> , 2020 , 182, 2102 ⁻² 2 ⁵ 10)9 ³
81	Three-dimensional facial capture using a custom-built photogrammetry setup: Design, performance, and cost. 2020 , 158, 286-299	2
80	Reliability and Agreement of 3D Anthropometric Measurements in Facial Palsy Patients Using a Low-Cost 4D Imaging System. 2020 , 28, 1817-1824	4
79	Using 3D-digital photogrammetry to examine scaling of the body axis in burrowing skinks. 2020 , 281, 1382-1390	1
78	Three-Dimensional Facial Scanning at the Fingertips of Patients and Surgeons: Accuracy and Precision Testing of iPhone X Three-Dimensional Scanner. <i>Plastic and Reconstructive Surgery</i> , 2020 , 2.7 146, 1407-1417	11

77	Automated syndrome diagnosis by three-dimensional facial imaging. 2020 , 22, 1682-1693		17
76	Three-dimensional assessment of facial asymmetry using dense correspondence, symmetry, and midline analysis. 2020 , 158, 134-146		4
75	Mutant COMP shapes growth and development of skull and facial structures in mice and humans. 2020 , 8, e1251		2
74	Sources of variation in the 3dMDface and Vectra H1 3D facial imaging systems. <i>Scientific Reports</i> , 2020 , 10, 4443	4.9	9
73	Fully automatic smartphone-based photogrammetric 3D modelling of infants heads for cranial deformation analysis. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2020 , 166, 268-277	11.8	9
72	Three-dimensional prediction of nose morphology in Chinese young adults: a pilot study combining cone-beam computed tomography and 3dMD photogrammetry system. <i>International Journal of Legal Medicine</i> , 2020 , 134, 1803-1816	3.1	2
71	Three-dimensional facial morphology in Cantllyndrome. <i>American Journal of Medical Genetics, Part A</i> , 2020 , 182, 1041-1052	2.5	8
70	A broad autism phenotype expressed in facial morphology. <i>Translational Psychiatry</i> , 2020 , 10, 7	8.6	6
69	A preliminary investigation of the effects of prenatal alcohol exposure on facial morphology in children with Autism Spectrum Disorder. <i>Alcohol</i> , 2020 , 86, 75-80	2.7	3
68	Validating three-dimensional imaging for volumetric assessment of periorbital soft tissue. <i>Orbit</i> , 2021 , 40, 9-17	1.5	6
67	Three-Dimensional Analysis of Bilateral Cleft Lip and Palate Nasal Deformity. <i>Cleft Palate-Craniofacial Journal</i> , 2021 , 58, 105-113	1.9	4
66	Degree of Asymmetry Between Patients With Complete and Incomplete Cleft Lips. <i>Cleft Palate-Craniofacial Journal</i> , 2021 , 58, 539-545	1.9	3
65	Creation of accurate 3D models of harbor porpoises (Phocoena phocoena) using 3D photogrammetry. <i>Marine Mammal Science</i> , 2021 , 37, 482-491	1.9	1
64	A simple computerised technique for estimating resting lip position and symmetry. <i>Journal of Plastic Surgery and Hand Surgery</i> , 2021 , 55, 123-126	1.5	
63	Brief Report: Facial Asymmetry and Autistic-Like Traits in the General Population. <i>Journal of Autism and Developmental Disorders</i> , 2021 , 51, 2115-2123	4.6	1
62	Shape morphing technique can accurately predict pelvic bone landmarks. <i>International Journal of Legal Medicine</i> , 2021 , 135, 1617-1626	3.1	2
61	3D Surface Digitization in Scientific Research and Product Development. <i>Forensic Medicine and Anatomy Research</i> , 2021 , 09, 11-23	0.2	
60	Three-Dimensional Photogrammetric Study on Age-Related Facial Characteristics in Korean Females. <i>Annals of Dermatology</i> , 2021 , 33, 52-60	0.4	O

 $3\mathsf{D}, 4\mathsf{D}, \mathsf{Mobile}$ APP, VR, AR, and MR Systems in Facial Palsy. **2021**, 405-425

58	Was facial width-to-height ratio subject to sexual selection pressures? A life course approach. <i>PLoS ONE</i> , 2021 , 16, e0240284	3.7	6
57	Three-Dimensional Imaging of the Chest Wall: A Comparison Between Three Different Imaging Systems. <i>Journal of Surgical Research</i> , 2021 , 259, 332-341	2.5	5
56	Three-Dimensional Facial Anthropometric Analysis With and Without Landmark Labelling: Is There a Real Difference?. <i>Journal of Craniofacial Surgery</i> , 2021 ,	1.2	1
55	Does Head Orientation Influence 3D Facial Imaging? A Study on Accuracy and Precision of Stereophotogrammetric Acquisition. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
54	Three-Dimensional Reproducibility of the Soft Tissue Landmarks Taken by Structured-Light Facial Scanner in Accordance with the Head Position Change. <i>Healthcare (Switzerland)</i> , 2021 , 9,	3.4	О
53	Accuracy and Reliability of Kinect Motion Sensing Input Device 3D Models: A Comparison to Direct Anthropometry and 2D Photogrammetry. <i>Open Access Macedonian Journal of Medical Sciences</i> , 2021 , 9, 54-60	1	0
52	Narrowing and Operated Appearance of the Middle Nasal Third after Hump Resection without Middle Vault Reconstruction. <i>Plastic and Reconstructive Surgery</i> , 2021 , 147, 1310-1318	2.7	1
51	Tooth-borne versus tooth-bone-borne rapid maxillary expanders according to a stereophotogrammetric evaluation of facial soft tissues: A randomized clinical trial. <i>Orthodontics and Craniofacial Research</i> , 2021 , 24, 438-448	3	1
50	Standardized Three-Dimensional Lateral Distraction Test: Its Reliability to Assess Medial Canthal Tendon Laxity. <i>Aesthetic Plastic Surgery</i> , 2021 , 1	2	5
49	Three-dimensional facial scanner in the hands of patients: validation of a novel application on iPad/iPhone for three-dimensional imaging. <i>Annals of Translational Medicine</i> , 2021 , 9, 1115	3.2	2
48	Consistency of Cranial Shape Measures Obtained From Laser Surface and Computed Tomography Imaging. <i>Journal of Craniofacial Surgery</i> , 2021 , 32, 2763-2767	1.2	
47	A novel standardized distraction test to evaluate lower eyelid tension using three-dimensional stereophotogrammetry. <i>Quantitative Imaging in Medicine and Surgery</i> , 2021 , 11, 3735-3748	3.6	4
46	Evaluation of the 3D error of 2 face-scanning systems: An in vitro analysis. <i>Journal of Prosthetic Dentistry</i> , 2021 ,	4	1
45	Facial asymmetry in parents of children on the autism spectrum. <i>Autism Research</i> , 2021 , 14, 2260-2269	5.1	1
44	Three-dimensional surface scanning methods in osteology: A topographical and geometric morphometric comparison. <i>American Journal of Physical Anthropology</i> , 2021 , 174, 846-858	2.5	12
43	Three-Dimensional Facial Morphometry: From Anthropometry to Digital Morphology. 2012 , 611-624		1
42	Use of Computerized Anthropometry and Morphometrics to Identify Fetal Alcohol Syndrome. 2012 , 10	49-100	552

(2020-2021)

41	Accuracy of an automated method of 3D soft tissue landmark detection. <i>European Journal of Orthodontics</i> , 2021 , 43, 622-630	3.3	4
40	Was facial width-to-height ratio subject to sexual selection pressures? A life course approach.		1
39	MeshMonk: Open-source large-scale intensive 3D phenotyping.		1
38	Are neoclassical canons valid for southern Chinese faces?. <i>PLoS ONE</i> , 2012 , 7, e52593	3.7	24
37	Methods to quantify soft tissue-based cranial growth and treatment outcomes in children: a systematic review. <i>PLoS ONE</i> , 2014 , 9, e89602	3.7	10
36	Development of a Three-Dimensional Hand Model Using Three-Dimensional Stereophotogrammetry: Assessment of Image Reproducibility. <i>PLoS ONE</i> , 2015 , 10, e0136710	3.7	6
35	Genetic and Environmental Contributions to Facial Morphological Variation: A 3D Population-Based Twin Study. <i>PLoS ONE</i> , 2016 , 11, e0162250	3.7	34
34	Three-Dimensional Accuracy of Facial Scan for Facial Deformities in Clinics: A New Evaluation Method for Facial Scanner Accuracy. <i>PLoS ONE</i> , 2017 , 12, e0169402	3.7	39
33	Correlation between Direct Anthropometry and Di3D Camera System. <i>Journal of Hard Tissue Biology</i> , 2012 , 21, 87-92	0.4	2
32	Breast volumetric analysis for aesthetic planning in breast reconstruction: a literature review of techniques. <i>Gland Surgery</i> , 2016 , 5, 212-26	2.2	31
31	Pre-Clinical ASD Screening Using Multi-Biometrics-Based Systems. <i>Advances in Medical Technologies and Clinical Practice Book Series</i> , 2019 , 185-211	0.3	4
30	Spatial Accuracy of a Low Cost High Resolution 3D Surface Imaging Device for Medical Applications. <i>International Journal of Medical Physics, Clinical Engineering and Radiation Oncology</i> , 2013 , 02, 45-51	0.1	8
29	Bibliography. 2008 , 661-676		
28	Digital Three-Dimensional Photogrammetry: Craniofacial Applications to Facial Growth, Orthognathic and Reconstructive Surgery, and Morphometrics. 2012 , 2511-2520		1
27	ORTODONT D E IBOYUTLU G RN ITILEME SBTEMLERÜLITERAT R DERLEMESÜ <i>Selcuk Dental Journal</i> ,		
26	Accuracy evaluation of tridimensional images performed by portable stereophotogrammetric system. <i>Universidade Estadual Paulista Revista De Odontologia</i> , 48,	1.3	1
25	Methods used for facial morphology research. Czech Stomatology and Practical Dentistry, 2019, 119, 13	3-1 <i>7</i>	
24	A Prospective Study Comparing Adolescent and Post-Adolescent Periods Regarding Effects of Activator Appliance in Patients with Class II Mandibular Retrognathia by Using 3dMDface Analysis and Cephalometry. <i>Medical Science Monitor</i> , 2020 , 26, e921401	3.2	1

23 Shape Morphing Technique Can Accurately Predict Pelvic Bone Landmarks.

22	3D Imaging. 2020 , 251-261		
21	Schrdingerd phenotypes: herbarium specimens show two-dimensional images are both good and (not so) bad sources of morphological data.		1
20	Tek taraflædudak damak yarÆllhastalarda Þoyutlu gætleme ile nazolabial asimetrinin deBrlendirilmesi. <i>Acta Odontologica Turcica</i> , 2020 , 37, 58-63	0.1	
19	A comparison between landmark and surface shape measurements in a sample of cleft lip and palate patients after secondary alveolar bone grafting. <i>Orthodontics: the Art and Practice of Dentofacial Enhancement</i> , 2011 , 12, 188-95		5
18	[Accuracy of three-dimensional camera system based on stereophotography on photographic acquisition of deformity facial images]. <i>Hua Xi Kou Qiang Yi Xue Za Zhi = Huaxi Kouqiang Yixue Zazhi = West China Journal of Stomatology</i> , 2019 , 37, 174-179		
17	[Establishment of three-dimensional measurement methods of nasolabial soft tissue for patients with maxillary protrusion]. <i>Beijing Da Xue Xue Bao</i> , 2019 , 51, 944-948	0.2	
16	Scleral exposure changes after Le Fort I maxillary advancement with vertical component in individuals with skeletal Class III malocclusion-A stereophotogrammetric image study <i>Orthodontics and Craniofacial Research</i> , 2021 ,	3	
15	Is the degree of facial swelling after dental extraction sufficient to justify the current delays to radiotherapy mask production? A pilot evaluation of postextraction swelling using 3D photography Clinical and Experimental Dental Research, 2022,	1.9	
14	Craniofacial characteristics and cosmetic satisfaction of patients with sagittal and metopic synostosis: a case-control study using 3D photogrammetric imaging <i>Childe Nervous System</i> , 2021 , 38, 781	1.7	1
13	An investigation of a novel broad autism phenotype: increased facial masculinity among parents of children on the autism spectrum <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2022 , 289, 202	22 01 43	
12	Modern Morphing Technology in Facial Reconstruction. 2022 , 455-464		
11	The Use of Validated Visual Scales in Plastic Surgery: Where Are We Now?. <i>Plastic and Reconstructive Surgery</i> , 2022 ,	2.7	
10	Precision and accuracy assessment of single and multicamera three-dimensional photogrammetry compared with direct anthropometry. <i>Angle Orthodontist</i> , 2022 ,	2.6	O
9	Facial Anthropometry and Analysis in Egyptian Women. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2022 , 10, e4333	1.2	
8	Appearance or attitude: what matters to craniosynostosis patients? Association of self-esteem, depressive symptoms, and facial aesthetics in patients with sagittal and metopic synostosis. <i>Childes Nervous System</i> ,	1.7	
7	Classification of Skull Shape Deformities Related to Craniosynostosis on 3D Photogrammetry. Publish Ahead of Print,		0
6	3D Visualization Processes for Recreating and Studying Organismal Form. 2022 , 104867		О

CITATION REPORT

5	Virtual Anthropology: Forensic applications to cranial skeletal remains from the Spanish Civil War. 2022 , 111504	O
4	Reliability of 3D Stereophotogrammetry for Measuring Postoperative Facial Swelling. 2022, 11, 7137	O
3	Three dimensional quantitative study of soft tissue changes in nasolabial folds after orthodontic treatment in female adults. 2023 , 23,	O
2	Three-dimensional Quantitative Standards for Assessing Outcomes of Facial Lipotransfer: A Review.	O
1	Three-D Surface Imaging of the Face. 2009 , 37, 193-197	0