

CITATION REPORT

List of articles citing

Meta-analysis of the association between two polymorphisms in the serotonin transporter gene and affective disorders

DOI: 10.1002/ajmg.b.30104

American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2005, 133B, 110-5.

Source: <https://exaly.com/paper-pdf/38377345/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
194	Pathophysiologic aspects of major depression following traumatic brain injury. 2005 , 20, 475-87		103
193	The genetic epidemiology of neurodegenerative disease. 2005 , 115, 1449-57		403
192	Family, twin, adoption, and molecular genetic studies of juvenile bipolar disorder. <i>Bipolar Disorders</i> , 2005 , 7, 598-609	3.8	55
191	Meta-analysis reveals association between serotonin transporter gene STin2 VNTR polymorphism and schizophrenia. 2005 , 10, 928-38, 891		105
190	Meta-analysis in psychiatric genetics. 2005 , 7, 143-51		42
189	Serotonin gene polymorphisms and bipolar I disorder: focus on the serotonin transporter. 2005 , 37, 590-602		37
188	Developmental biomarkers in schizophrenia and other psychiatric disorders: common origins, different trajectories?. 2005 , 14, 188-93		22
187	Bipolar I disorder and schizophrenia: a 440-single-nucleotide polymorphism screen of 64 candidate genes among Ashkenazi Jewish case-parent trios. 2005 , 77, 918-36		323
186	The serotonin transporter length polymorphism, neuroticism, and depression: a comprehensive assessment of association. 2005 , 58, 451-6		169
185	The genetics of depression: a review. 2006 , 60, 84-92		632
184	Social adversity, the serotonin transporter (5-HTTLPR) polymorphism and major depressive disorder. 2006 , 59, 224-9		213
183	Effects of genes and stress on the neurobiology of depression. 2006 , 73, 153-89		16
182	No allelic association or interaction of three known functional polymorphisms with bipolar disorder in a northern Swedish isolated population. <i>Psychiatric Genetics</i> , 2006 , 16, 209-12	2.9	7
181	Polypharmacy in oligopopulations: what psychiatric genetics can teach biological psychiatry. <i>Psychiatric Genetics</i> , 2006 , 16, 241-4	2.9	21
180	Panic comorbidity with bipolar disorder: what is the manic-panic connection?. <i>Bipolar Disorders</i> , 2006 , 8, 648-64	3.8	33
179	Allelic expression of serotonin transporter (SERT) mRNA in human pons: lack of correlation with the polymorphism SERTLPR. 2006 , 11, 649-62		72
178	No association of serotonin transporter gene (SLC6A4) with schizophrenia and bipolar disorder in Japanese patients: association analysis based on linkage disequilibrium. 2006 , 113, 899-905		20

177	Multi-target strategies for the improved treatment of depressive states: Conceptual foundations and neuronal substrates, drug discovery and therapeutic application. 2006 , 110, 135-370		433
176	Major affective disorders and schizophrenia: a common molecular signature?. 2006 , 27, 833-53		37
175	The 5-HTTLPR s/s genotype at the serotonin transporter gene (SLC6A4) increases the risk for depression in a large cohort of primary care attendees: the PREDICT-gene study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006 , 141B, 912-7	3.5	72
174	Further evidence for an association of 5-HTTLPR with intensity dependence of auditory-evoked potentials. 2006 , 31, 2047-54		38
173	Neuroticism mediates the association of the serotonin transporter gene with lifetime major depression. 2006 , 53, 1-8		81
172	Differential regulation of the serotonin transporter gene by lithium is mediated by transcription factors, CCCTC binding protein and Y-box binding protein 1, through the polymorphic intron 2 variable number tandem repeat. 2007 , 27, 2793-801		42
171	The serotonin transporter 5-HTTLPR polymorphism and treatment response to nicotine patch: follow-up of a randomized controlled trial. 2007 , 9, 225-31		46
170	Relationship of SERT polymorphisms to depressive and anxiety symptoms in irritable bowel syndrome. 2007 , 9, 161-9		55
169	Serotonergic candidate genes and puerperal psychosis: an association study. <i>Psychiatric Genetics</i> , 2007 , 17, 253-60	2.9	26
168	Linked gene ontology categories are novel and differ from associated gene ontology categories for the bipolar disorders. <i>Psychiatric Genetics</i> , 2007 , 17, 29-34	2.9	4
167	Study on the interrelationship between 5-HTTLPR/G-protein beta3 subunit (C825T) polymorphisms and depressive disorder. <i>Psychiatric Genetics</i> , 2007 , 17, 233-8	2.9	8
166	Serotonin transporter polymorphisms and the occurrence of adverse events during treatment with selective serotonin reuptake inhibitors. 2007 , 22, 137-43		48
165	Brain serotonin transporter binding in depressed patients with bipolar disorder using positron emission tomography. 2007 , 64, 201-8		110
164	Serotonin transporter gene influences the time course of improvement of "core" depressive and somatic anxiety symptoms during treatment with SSRIs for recurrent mood disorders. <i>Psychiatry Research</i> , 2007 , 149, 185-93	9.9	39
163	Meta-analysis of the association of serotonin transporter gene polymorphism with obsessive-compulsive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007 , 31, 683-9	5.5	60
162	Developmental effects of SSRIs: lessons learned from animal studies. 2007 , 25, 341-7		42
161	Lack of association between the Serotonin Transporter Promoter Polymorphism (5-HTTLPR) and Panic Disorder: a systematic review and meta-analysis. <i>Behavioral and Brain Functions</i> , 2007 , 3, 41	4.1	53
160	Candidate gene polymorphisms in the serotonergic pathway: influence on depression symptomatology in an elderly population. 2007 , 61, 223-30		70

159	Serotonin transporter mRNA levels are associated with the methylation of an upstream CpG island. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007 , 144B, 101-5	3.5	139
158	The genetic background to PTSD. 2007 , 31, 348-62		130
157	Meta-analysis of serotonin transporter gene promoter polymorphism (5-HTTLPR) association with selective serotonin reuptake inhibitor efficacy in depressed patients. 2007 , 12, 247-57		427
156	The risk for depression conferred by stressful life events is modified by variation at the serotonin transporter 5HTTLPR genotype: evidence from the Spanish PREDICT-Gene cohort. 2007 , 12, 748-55		102
155	Depressive symptoms in mid-pregnancy, lifetime stressors and the 5-HTTLPR genotype. <i>Genes, Brain and Behavior</i> , 2007 , 6, 453-64	3.6	45
154	Fibromyalgia and overlapping disorders: the unifying concept of central sensitivity syndromes. 2007 , 36, 339-56		473
153	Family based association analyses between the serotonin transporter gene polymorphism (5-HTTLPR) and neuroticism, anxiety and depression. 2007 , 37, 294-301		74
152	Genetics of bipolar disorder. 2007 , 9, 504-11		19
151	Serotonin transporter polymorphism (5-HTTLPR) association with melancholic depression: a female specific effect?. 2008 , 25, 920-5		41
150	The loudness dependence of the auditory evoked potential (LDAEP) as an in vivo biomarker of central serotonergic function in humans: rationale, evaluation and review of findings. 2008 , 23, 355-70		55
149	Haplotype analysis confirms association of the serotonin transporter (5-HTT) gene with schizophrenia but not with major depression. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147, 301-7	3.5	24
148	Neurotransmission and bipolar disorder: a systematic family-based association study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 1270-7	3.5	22
147	What is the genetic relationship between anxiety and depression?. 2008 , 148C, 140-6		112
146	Experiential and genetic contributions to depressive- and anxiety-like disorders: clinical and experimental studies. 2008 , 32, 1185-206		51
145	Short allele of 5-HTTLPR as a risk factor for the development of psychosis in Japanese methamphetamine abusers. 2008 , 1139, 49-56		20
144	Genetic influences on behavioral inhibition and anxiety in juvenile rhesus macaques. <i>Genes, Brain and Behavior</i> , 2008 , 7, 463-9	3.6	78
143	The genetics of bipolar disorder: genome hot regions, genes, new potential candidates and future directions. 2008 , 13, 742-71		151
142	Evidence of biologic epistasis between BDNF and SLC6A4 and implications for depression. 2008 , 13, 709-16		193

141	The implications of gene-environment interactions in depression: will cause inform cure?. 2008 , 13, 1070-8		109
140	The moderation by the serotonin transporter gene of environmental adversity in the aetiology of mental illness: review and methodological analysis. 2008 , 13, 131-46		417
139	Meta-analyses of genetic studies on major depressive disorder. 2008 , 13, 772-85		334
138	The tryptophan hydroxylase gene influences risk for bipolar disorder but not major depressive disorder: results of meta-analyses. <i>Bipolar Disorders</i> , 2008 , 10, 816-21	3.8	24
137	Depression and the serotonin transporter 5-HTTLPR polymorphism: a review and a hypothesis concerning gene-environment interaction. <i>Journal of Affective Disorders</i> , 2008 , 111, 1-12	6.6	138
136	New evidence for the association of the serotonin transporter gene (SLC6A4) haplotypes, threatening life events, and depressive phenotype. 2008 , 64, 498-504		75
135	Ethnic differences in the serotonin transporter polymorphism (5-HTTLPR) in several European populations. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008 , 32, 1735-9	5.5	52
134	Simple sequence repeats: genetic modulators of brain function and behavior. 2008 , 31, 328-34		98
133	Genetic variation in the serotonin pathway and smoking cessation with nicotine replacement therapy: new data from the Patch in Practice trial and pooled analyses. 2008 , 98, 77-85		25
132	5-HT1A gene variants and psychiatric disorders: a review of current literature and selection of SNPs for future studies. 2008 , 11, 701-21		47
131	The association between serotonin transporter gene promoter polymorphism (5-HTTLPR), self-reported symptoms, and dental mercury exposure. 2008 , 71, 1318-26		19
130	Ethical considerations in psychiatric genetics. 2008 , 16, 322-38		16
129	Association of serotonin transporter gene polymorphisms with poststroke depression. 2008 , 65, 1296-302		81
128	Psychiatrists' attitudes regarding genetic testing and patient safeguards: a preliminary study. 2008 , 12, 245-52		32
127	The serotonin transporter polymorphisms and major depression following traumatic brain injury. 2008 , 22, 471-9		26
126	The influence of 5-HTTLPR and STin2 polymorphisms in the serotonin transporter gene on treatment effect of selective serotonin reuptake inhibitors in depressive patients. <i>Psychiatric Genetics</i> , 2008 , 18, 184-90	2.9	48
125	Extended evaluation of serotonin transporter gene functional polymorphisms in subjects with post-stroke depression. <i>Canadian Journal of Psychiatry</i> , 2008 , 53, 197-201	4.8	19
124	Serotonin transporter gene, depressive symptoms, and interleukin-6. 2009 , 2, 614-20		46

123	Pharmacogenomics of antidepressant drugs. 2009 , 124, 57-73		94
122	Gene-environment interactions predict cortisol responses after acute stress: implications for the etiology of depression. 2009 , 34, 1294-303		146
121	Bipolar disorder and mechanisms of action of mood stabilizers. 2009 , 61, 185-209		107
120	The combined effects of the 5-HTTLPR and 5-HTR1A genes modulates the relationship between negative life events and major depressive disorder in a Chinese population. <i>Journal of Affective Disorders</i> , 2009 , 114, 224-31	6.6	67
119	Harm avoidance moderates the influence of serotonin transporter gene variants on treatment outcome in bipolar patients. <i>Journal of Affective Disorders</i> , 2009 , 119, 205-9	6.6	32
118	Detailed analysis of the serotonin transporter gene (SLC6A4) shows no association with bipolar disorder in the Northern Swedish population. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009 , 150B, 585-92	3.5	16
117	Effects of stressful life events, maternal depression and 5-HTTLPR genotype on emotional symptoms in pre-adolescent children. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009 , 150B, 670-82	3.5	50
116	Linkage disequilibrium mapping of the chromosome 6q21-22.31 bipolar I disorder susceptibility locus. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 29-37	3.5	7
115	Do 5HTTLPR and stress interact in risk for depression and suicidality? Item response analyses of a large sample. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 757-65	3.5	21
114	Molecular epidemiology of major depressive disorder. 2009 , 14, 71-87		34
113	The serotonin transporter 5-HTTPR polymorphism is associated with current and lifetime depression in persons with chronic psychotic disorders. 2009 , 119, 117-27		16
112	Quantitative evaluation of serotonin release and clearance in <i>Drosophila</i> . 2009 , 179, 300-8		60
111	Genetics and Psychopathology. 2009 ,		1
110	The genetics of bipolar disorder. 2009 , 164, 331-43		259
109	Impact of psychosocial adversity on alcohol intake in young adults: moderation by the LL genotype of the serotonin transporter polymorphism. 2009 , 66, 102-9		87
108	The serotonin transporter gene and disease modification in psychosis: evidence for systematic differences in allelic directionality at the 5-HTTLPR locus. <i>Schizophrenia Research</i> , 2009 , 111, 103-8	3.6	25
107	Family and genetic association studies of bipolar disorder in children. 2009 , 18, 441-53, x		24
106	Dysbindin gene (DTNBP1) in major depression: association with clinical response to selective serotonin reuptake inhibitors. 2009 , 19, 121-8		21

105	Effect of the 5-HTTLPR polymorphism in the serotonin transporter gene on major depressive disorder and related comorbid disorders. <i>Psychiatric Genetics</i> , 2009 , 19, 39-44	2.9	18
104	Interaction between the 5-HTTLPR serotonin transporter polymorphism and environmental adversity for mood and anxiety psychopathology: evidence from a high-risk community sample of young adults. 2009 , 12, 737-47		92
103	Association between major depressive disorder and a functional polymorphism of the 5-hydroxytryptamine (serotonin) transporter gene: a meta-analysis. <i>Psychiatric Genetics</i> , 2010 , 20, 49-58	2.9	56
102	Genetics of Bipolar Disorder. 2010 , 110-123		6
101	Hypersexual disorder: a proposed diagnosis for DSM-V. 2010 , 39, 377-400		685
100	A serotonin transporter gene polymorphism predicts peripartum depressive symptoms in an at-risk psychiatric cohort. <i>Journal of Psychiatric Research</i> , 2010 , 44, 640-6	5.2	45
99	Tandem repeat polymorphisms: modulators of disease susceptibility and candidates for missing heritability. 2010 , 26, 59-65		103
98	Association between serotonin transporter gene polymorphism and eating disorders: a meta-analytic study. 2010 , 43, 498-504		46
97	Modeling complex genetic and environmental influences on comorbid bipolar disorder with tobacco use disorder. 2010 , 11, 14		21
96	Combinatorial interaction between two human serotonin transporter gene variable number tandem repeats and their regulation by CTCF. 2010 , 112, 296-306		54
95	Both synthesis and reuptake are critical for replenishing the releasable serotonin pool in <i>Drosophila</i> . 2010 , 113, 188-99		32
94	Haplotype structure and divergence at human and chimpanzee serotonin transporter and receptor genes: implications for behavioral disorder association analyses. <i>Molecular Biology and Evolution</i> , 2010 , 27, 1518-29	8.3	19
93	Genetic sensitivity to the environment: the case of the serotonin transporter gene and its implications for studying complex diseases and traits. <i>American Journal of Psychiatry</i> , 2010 , 167, 509-27	11.9	1117
92	Association of MAOA, 5-HTT, and NET promoter polymorphisms with gene expression and protein activity in human placentas. <i>Physiological Genomics</i> , 2010 , 42, 85-92	3.6	17
91	Variations in 5-HTTLPR: relation to familiar risk of affective disorder, life events, neuroticism and cortisol. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010 , 34, 86-91	5.5	13
90	Influence of the serotonin transporter gene polymorphism, cannabis and childhood sexual abuse on phenotype of bipolar disorder: a preliminary study. <i>European Psychiatry</i> , 2010 , 25, 323-7	6	22
89	The Behavioral Genetics of Serotonin: Relevance to Anxiety and Depression. <i>Handbook of Behavioral Neuroscience</i> , 2010 , 21, 749-789	0.7	10
88	Behavioural genetics of the serotonin transporter. <i>Current Topics in Behavioral Neurosciences</i> , 2012 , 12, 503-35	3.4	26

87	Serotonin-related gene pathways associated with undifferentiated somatoform disorder. <i>Psychiatry Research</i> , 2011 , 189, 246-50	9.9	11
86	Opposing alterations in anxiety and species-typical behaviours in serotonin transporter overexpressor and knockout mice. <i>European Neuropsychopharmacology</i> , 2011 , 21, 108-16	1.2	50
85	Using gene-environment interactions to target personalized treatment in mood disorder. <i>Personalized Medicine</i> , 2011 , 8, 23-34	2.2	9
84	Modulation of stress reactivity in brain and body by serotonin transporter promoter polymorphism1. <i>Japanese Psychological Research</i> , 2011 , 53, 193-210	1.1	0
83	Dopamine D4 receptor and serotonin transporter gene effects on the longitudinal development of infant temperament. <i>Genes, Brain and Behavior</i> , 2011 , 10, 513-22	3.6	68
82	Influence of 5-HTTLPR polymorphism on resting state perfusion in patients with major depression. <i>Journal of Psychiatric Research</i> , 2011 , 45, 442-51	5.2	16
81	Brain-derived neurotrophic factor and serotonin transporter gene-linked promoter region genes alter serum levels of brain-derived neurotrophic factor in humans. <i>Journal of Affective Disorders</i> , 2011 , 128, 299-304	6.6	35
80	SLC6 neurotransmitter transporters: structure, function, and regulation. <i>Pharmacological Reviews</i> , 2011 , 63, 585-640	22.5	561
79	The genetic blueprint of major depressive disorder: contributions of imaging genetics studies. <i>World Journal of Biological Psychiatry</i> , 2011 , 12, 474-88	3.8	24
78	Parental depressive feelings, parental support, and the serotonin transporter gene as predictors of adolescent depressive feelings: a latent growth curve analysis. <i>Journal of Youth and Adolescence</i> , 2011 , 40, 453-62	4.5	23
77	P2RX7 gene is associated consistently with mood disorders and predicts clinical outcome in three clinical cohorts. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011 , 156B, 435-475	3.5	67
76	Using linkage information to weight a genome-wide association of bipolar disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011 , 156B, 462-71	3.5	6
75	Behavioral genetics of affective and anxiety disorders. <i>Current Topics in Behavioral Neurosciences</i> , 2012 , 12, 463-502	3.4	25
74	Serotonin transporter gene polymorphism and psychiatric disorders: is there a link?. <i>Indian Journal of Psychiatry</i> , 2011 , 53, 289-99	2.2	23
73	Differential relationships in the association of the Big Five personality traits with positive mental health and psychopathology. <i>Journal of Research in Personality</i> , 2012 , 46, 517-524	2.8	67
72	Genetic mouse models of depression. <i>Current Topics in Behavioral Neurosciences</i> , 2013 , 14, 55-78	3.4	23
71	Gene Environment vulnerability factors for PTSD: the HPA-axis. <i>Neuropharmacology</i> , 2012 , 62, 654-62	5.5	146
70	Association between a genetic variant in the serotonin transporter gene (SLC6A4) and suicidal behavior in patients with schizophrenia. <i>Behavioral and Brain Functions</i> , 2012 , 8, 24	4.1	11

69	The role of serotonergic genes and environmental stress on the development of depressive symptoms and neuroticism. <i>Journal of Affective Disorders</i> , 2012 , 142, 82-9	6.6	27
68	5-HTTLPR and early childhood adversities moderate cognitive and emotional processing in adolescence. <i>PLoS ONE</i> , 2012 , 7, e48482	3.7	34
67	Taking the Perspective that a Depressive State Reflects Inflammation: Implications for the Use of Antidepressants. <i>Frontiers in Psychology</i> , 2012 , 3, 297	3.4	11
66	Emotional dysfunction as a marker of bipolar disorders. <i>Frontiers in Bioscience - Elite</i> , 2012 , 4, 2622-30	1.6	19
65	Association between serotonin transporter gene polymorphism and eating disorders outcome: a 6-year follow-up study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012 , 159B, 491-500	3.5	21
64	Genetics of smoking and depression. <i>Human Genetics</i> , 2012 , 131, 905-15	6.3	35
63	Current research trends in early life stress and depression: review of human studies on sensitive periods, gene-environment interactions, and epigenetics. <i>Experimental Neurology</i> , 2012 , 233, 102-11	5.7	628
62	Negative affectivity moderated by BDNF and stress response. <i>Journal of Affective Disorders</i> , 2012 , 136, 767-74	6.6	25
61	The 5-HTTLPR polymorphism modulates the influence on environmental stressors on peripartum depression symptoms. <i>Journal of Affective Disorders</i> , 2012 , 136, 1192-7	6.6	49
60	Association of TPH1, TPH2, and 5HTTLPR with PTSD and depressive symptoms. <i>Journal of Affective Disorders</i> , 2012 , 140, 244-52	6.6	40
59	Vulnerability to depression: a moderated mediation model of the roles of child maltreatment, peer victimization, and serotonin transporter linked polymorphic region genetic variation among children from low socioeconomic status backgrounds. <i>Development and Psychopathology</i> , 2013 , 25, 599-614	4.3	43
58	Serotonin transporter gene moderates associations between mood, memory and hippocampal volume. <i>Behavioural Brain Research</i> , 2013 , 242, 158-65	3.4	30
57	No interaction between serotonin transporter gene (5-HTTLPR) polymorphism and adversity on depression among Japanese children and adolescents. <i>BMC Psychiatry</i> , 2013 , 13, 134	4.2	6
56	A dialogue between the immune system and brain, spoken in the language of serotonin. <i>ACS Chemical Neuroscience</i> , 2013 , 4, 48-63	5.7	212
55	Depression with psychotic features is influenced by the polymorphism of the serotonin transporter gene. <i>Journal of Affective Disorders</i> , 2013 , 151, 605-610	6.6	5
54	Meta-analysis confirms a functional polymorphism (5-HTTLPR) in the serotonin transporter gene conferring risk of bipolar disorder in European populations. <i>Neuroscience Letters</i> , 2013 , 549, 191-6	3.3	18
53	Association between promoter methylation of serotonin transporter gene and depressive symptoms: a monozygotic twin study. <i>Psychosomatic Medicine</i> , 2013 , 75, 523-9	3.7	86
52	Interaction between the 5-HTTLPR genotype, impact of stressful life events, and trait neuroticism on depressive symptoms in healthy volunteers. <i>Psychiatric Genetics</i> , 2013 , 23, 108-16	2.9	12

51	Gene-environment interactions in major depressive disorder. <i>Canadian Journal of Psychiatry</i> , 2013 , 58, 76-83	4.8	81
50	Role of 5-HTTLPR polymorphism in the development of the inward/outward personality organization: a genetic association study. <i>PLoS ONE</i> , 2013 , 8, e82192	3.7	6
49	BDNF Met66 modulates the cumulative effect of psychosocial childhood adversities on major depression in adolescents. <i>Brain and Behavior</i> , 2014 , 4, 290-7	3.4	14
48	5-HTTLPR polymorphism modulates neural mechanisms of negative self-reflection. <i>Cerebral Cortex</i> , 2014 , 24, 2421-9	5.1	43
47	VNTRseek-a computational tool to detect tandem repeat variants in high-throughput sequencing data. <i>Nucleic Acids Research</i> , 2014 , 42, 8884-94	20.1	23
46	DNA hypermethylation of serotonin transporter gene promoter in drug naïve patients with schizophrenia. <i>Schizophrenia Research</i> , 2014 , 152, 373-80	3.6	75
45	The genetics of major depression. <i>Neuron</i> , 2014 , 81, 484-503	13.9	400
44	Mood disorders after TBI. <i>Psychiatric Clinics of North America</i> , 2014 , 37, 13-29	3.1	78
43	Optogenetic control of serotonin and dopamine release in Drosophila larvae. <i>ACS Chemical Neuroscience</i> , 2014 , 5, 666-73	5.7	30
42	Serotonin transporter gene polymorphism and its association with bipolar disorder across different ethnic groups in Malaysia. <i>Comprehensive Psychiatry</i> , 2014 , 55 Suppl 1, S76-81	7.3	8
41	Mood disorders. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2015 , 128, 613-31	3	7
40	Association of Anxiety Symptoms in Offspring of Bipolar Parents with Serotonin Transporter-Linked Polymorphic Region (5-HTTLPR) Genotype. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2015 , 25, 458-66	2.9	7
39	Interaction of the 5-HTTLPR and childhood trauma influences memory bias in healthy individuals. <i>Journal of Affective Disorders</i> , 2015 , 186, 83-9	6.6	8
38	A genetic analysis of the validity of the Hypomanic Personality Scale. <i>Bipolar Disorders</i> , 2015 , 17, 331-9	3.8	17
37	Specific and common genes implicated across major mental disorders: a review of meta-analysis studies. <i>Journal of Psychiatric Research</i> , 2015 , 60, 1-13	5.2	202
36	5-HTTLPR/rs25531 polymorphism and neuroticism are linked by resting state functional connectivity of amygdala and fusiform gyrus. <i>Brain Structure and Function</i> , 2015 , 220, 2373-85	4	21
35	Comparison of 16S and COX1 genes mitochondrial regions and their usefulness for genetic analysis of ticks (Acari: Ixodidae). <i>Biomedica</i> , 2016 , 36, 295-302	0.9	4
34	Affective Disorders. 2016 , 173-231		2

33	Biological mechanisms underlying evolutionary origins of psychotic and mood disorders. <i>Neuroscience Research</i> , 2016 , 111, 13-24	2.9	2
32	Depressive symptoms in adolescence: The role of perceived parental support, psychological control, and proactive control in interaction with 5-HTTLPR. <i>European Psychiatry</i> , 2016 , 35, 55-63	6	7
31	Serotonergic dysfunction in bipolar disorder. 43-48		
30	Genetic factors in the etiology of bipolar disorder. 144-168		
29	Neural correlates of reflection on actual versus ideal self-discrepancy. <i>NeuroImage</i> , 2016 , 124, 573-580	7.9	7
28	Positive Personality Traits and Positive Human Functioning. 2017 , 63-78		1
27	Identifying new susceptibility genes on dopaminergic and serotonergic pathways for the framing effect in decision-making. <i>Social Cognitive and Affective Neuroscience</i> , 2017 , 12, 1534-1544	4	1
26	Problems of Mood Dysregulation. 2017 , 281-295		
25	Implication of the DGKH genotype in openness to experience, a premorbid personality trait of bipolar disorder. <i>Journal of Affective Disorders</i> , 2018 , 238, 539-541	6.6	2
24	Masturbation is associated with psychopathological and reproduction health conditions: an online survey among campus male students. <i>Sexual and Relationship Therapy</i> , 2019 , 1-15	1.1	2
23	Genetic risk factors and gene-environment interactions in adult and childhood attention-deficit/hyperactivity disorder. <i>Psychiatric Genetics</i> , 2019 , 29, 63-78	2.9	37
22	Dysmorphic contribution of neurotransmitter and neuroendocrine system polymorphisms to subtherapeutic mood states. <i>Brain and Behavior</i> , 2019 , 9, e01140	3.4	7
21	Revisiting the behavioral genetics of serotonin: relevance to anxiety and depression. <i>Handbook of Behavioral Neuroscience</i> , 2020 , 665-709	0.7	4
20	Human genetics and pharmacology of neurotransmitter transporters. <i>Handbook of Experimental Pharmacology</i> , 2006 , 327-71	3.2	19
19	Child Maltreatment and Global Health: Biocultural Perspectives. <i>Child Maltreatment</i> , 2014 , 553-577	0.6	7
18	Heart rate, serotonin transporter linked polymorphic region (5-HTTLPR) genotype, and violence in an incarcerated sample. <i>Journal of Criminal Justice</i> , 2017 , 51, 1-8	3.6	6
17	Early Identification and Prevention of Early-Onset Bipolar Disorder. 2007 , 315-346		3
16	5-HTTLPR Genotype Moderates the Effects of Past Ecstasy Use on Verbal Memory Performance in Adolescent and Emerging Adults: A Pilot Study. <i>PLoS ONE</i> , 2015 , 10, e0134708	3.7	4

- 15 Epigenetical mechanisms of susceptibility to complex human diseases. *Ecological Genetics*, **2010**, 8, 44-56.5 2
- 14 Alternatively Spliced Genes as Biomarkers for Schizophrenia, Bipolar Disorder and Psychosis: A Blood-Based Spliceome-Profiling Exploratory Study. *Current Pharmacogenomics and Personalized Medicine*, **2009**, 7, 164-188 0.4 36
- 13 Genetics of stress response and stress-related disorders. *Dialogues in Clinical Neuroscience*, **2006**, 8, 433-447 56
- 12 Stressful life events, 5-HTT genotype and risk of depression. **2006**, 95-102
- 11 SERT, Serotonin Transporter. **2007**, 1-6 1
- 10 Genetics of Bipolar Disorder. *Medical Psychiatry*, **2007**, 233-250
- 9 Serotonergic Dysfunction in Mood Disorders. *Medical Psychiatry*, **2007**, 89-108
- 8 Genetics and Psychiatry. **2008**, 853-883
- 7 The Serotonin Transporter in Psychiatric Disorders. *Psychiatric Annals*, **2008**, 38, 0.5
- 6 Introducing Nanoneuroscience as a Distinct Discipline. **2009**, 1-34
- 5 Bipolar Disorder in the Era of Genomic Psychiatry. **2009**, 1299-1311
- 4 Genetic Regulation of Emotion Brain Circuitries. *Frontiers in Neuroscience*, **2011**, 75-96
- 3 The Effects of Personality Factors and Organizational Identification on Life Satisfaction. *Journal of Distribution and Management Research*, **2015**, 18, 5-16 1
- 2 An SIMD Algorithm for Wraparound Tandem Alignment. *Lecture Notes in Computer Science*, **2017**, 140-149.9 1
- 1 Genetic animal models for psychiatric disorders. **2022**, 241-267