

CITATION REPORT

List of articles citing

Quantitative analysis of multiple illicit drugs in preserved oral fluid by solid-phase extraction and liquid chromatography-tandem mass spectrometry

DOI: 10.1016/j.forsciint.2004.11.027

Forensic Science International, 2005, 150, 227-38.

Source: <https://exaly.com/paper-pdf/38438900/citation-report.pdf>

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
113	Quantitative determination of total methamphetamine and active metabolites in rat tissue by liquid chromatography with tandem mass spectrometric detection. 2006 , 8, E709-17		25
112	Product ion mass spectra of amphetamine-type substances, designer analogues, and ketamine using ultra-performance liquid chromatography/tandem mass spectrometry. 2006 , 20, 2259-64		17
111	A comparison of atmospheric pressure chemical ionization and electrospray ionization in testing for amphetamine-type substances and ketamine using ultra-performance liquid chromatography/mass spectrometry. 2006 , 20, 2777-80		3
110	Recent applications of liquid chromatography-mass spectrometry in forensic science. 2006 , 1130, 3-15		93
109	Determination of drugs of abuse and their metabolites in human plasma by liquid chromatography-mass spectrometry. An application to 156 road fatalities. 2006 , 832, 81-9		50
108	A validated gas chromatographic-electron impact ionization mass spectrometric method for methylenedioxymethamphetamine (MDMA), methamphetamine and metabolites in oral fluid. 2006 , 835, 90-9		38
107	Current literature in mass spectrometry. 2006 , 41, 128-39		
106	Recovery of drugs of abuse from the Immunalysis Quantisal oral fluid collection device. <i>Journal of Analytical Toxicology</i> , 2006 , 30, 614-6	2.9	51
105	Stability studies of principal illicit drugs in oral fluid: preparation of reference materials for external quality assessment schemes. <i>Therapeutic Drug Monitoring</i> , 2007 , 29, 662-5	3.2	17
104	Ultraperformance liquid chromatography-tandem mass spectrometry analysis of stimulatory drugs of abuse in wastewater and surface waters. 2007 , 79, 3821-9		175
103	Negative-ion chemical ionization gas chromatography-mass spectrometry assay for enantioselective measurement of amphetamines in oral fluid: application to a controlled study with MDMA and driving under the influence cases. 2007 , 53, 702-10		29
102	Using environmental analytical data to estimate levels of community consumption of illicit drugs and abused pharmaceuticals. 2007 , 9, 701-7		164
101	Drug screening of preserved oral fluid by liquid chromatography-tandem mass spectrometry. 2007 , 53, 300-9		130
100	Drugs in oral fluid in randomly selected drivers. <i>Forensic Science International</i> , 2007 , 170, 105-10	2.6	100
99	Trace determination of cannabinoids and opiates in wastewater and surface waters by ultra-performance liquid chromatography-tandem mass spectrometry. 2007 , 1175, 38-48		172
98	Confirmation by LC-MS of drugs in oral fluid obtained from roadside testing. <i>Forensic Science International</i> , 2007 , 170, 156-62	2.6	54
97	A simple and reliable procedure for the determination of psychoactive drugs in oral fluid by gas chromatography-mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007 , 44, 594-601	3.5	108

96	Quantitative analysis of cocaine and its metabolites in whole blood and urine by high-performance liquid chromatography coupled with tandem mass spectrometry. 2007 , 852, 338-44		64
95	Development of a qualitative liquid chromatography/tandem mass spectrometric method for the detection of narcotics in urine relevant to doping analysis. 2007 , 21, 3015-23		18
94	Method for quantification of opioids and their metabolites in autopsy blood by liquid chromatography-tandem mass spectrometry. <i>Journal of Analytical Toxicology</i> , 2007 , 31, 394-408	2.9	60
93	Requirements for bioanalytical procedures in postmortem toxicology. 2007 , 388, 1495-503		82
92	Bioanalytical procedures for determination of drugs of abuse in oral fluid. 2007 , 388, 1437-53		53
91	ORALVEQ: external quality assessment scheme of drugs of abuse in oral fluid: results obtained in the first round performed in 2007. <i>Forensic Science International</i> , 2008 , 182, 35-40	2.6	8
90	Determination of illicit and medicinal drugs and their metabolites in oral fluid and preserved oral fluid by liquid chromatography-tandem mass spectrometry. 2008 , 391, 2329-38		85
89	Mass spectrometric analysis of illicit drugs in wastewater and surface water. 2008 , 27, 378-94		115
88	The role of alternative specimens in toxicological analysis. <i>Biomedical Chromatography</i> , 2008 , 22, 795-821.7		139
87	Roadside oral fluid testing: comparison of the results of drugwipe 5 and drugwipe benzodiazepines on-site tests with laboratory confirmation results of oral fluid and whole blood. <i>Forensic Science International</i> , 2008 , 175, 140-8	2.6	61
86	Chapter 20 Unconventional samples and alternative matrices. 2008 , 653-697		
85	Chapter 2 Current methods for the separation and analysis of cocaine analytes. 2008 , 73-125		2
84	Drug testing in oral fluid-evaluation of sample collection devices. <i>Journal of Analytical Toxicology</i> , 2008 , 32, 393-401	2.9	140
83	Chapter 19 Drugs and driving. 2008 , 611-651		2
82	Validation of analysis of amphetamines, opiates, phencyclidine, cocaine, and benzoylecgonine in oral fluids by liquid chromatography-tandem mass spectrometry. <i>Journal of Analytical Toxicology</i> , 2008 , 32, 605-11	2.9	41
81	Analytical techniques for drug detection in oral fluid. <i>Therapeutic Drug Monitoring</i> , 2008 , 30, 181-7	3.2	35
80	Current developments in drug testing in oral fluid. <i>Therapeutic Drug Monitoring</i> , 2008 , 30, 196-202	3.2	54
79	Micro Solid Phase Extraction (ßPE) of Illicit Drugs in Urine Using Pipette Tip Type Extraction Device. 2008 , 13, 45-50		2

78	Current technologies and considerations for drug bioanalysis in oral fluid. 2009 , 1, 637-67		34
77	A comparison of the validity of gas chromatography- mass spectrometry and liquid chromatography- tandem mass spectrometry analysis of urine samples for morphine, codeine, 6-acetylmorphine, and benzoylecgonine. <i>Journal of Analytical Toxicology</i> , 2009 , 33, 398-408	2.9	27
76	Bioanalytical methods for the determination of cocaine and metabolites in human biological samples. 2009 , 1, 977-1000		34
75	Determination of ethylglucuronide in oral fluid by ultra-performance liquid chromatography-tandem mass spectrometry. <i>Journal of Analytical Toxicology</i> , 2009 , 33, 204-7	2.9	16
74	Identification and quantitation of amphetamines, cocaine, opiates, and phencyclidine in oral fluid by liquid chromatography-tandem mass spectrometry. <i>Journal of Analytical Toxicology</i> , 2009 , 33, 569-77 ^{2.9}		42
73	Determination of opiates and cocaine in urine by high pH mobile phase reversed phase UPLC-MS/MS. 2009 , 877, 421-32		102
72	Liquid chromatography/tandem mass spectrometry for the qualitative and quantitative analysis of illicit drugs and medicines in preserved oral fluid. 2009 , 23, 1451-60		30
71	Rapid drug detection in oral samples by porous silicon assisted laser desorption/ionization mass spectrometry. 2009 , 23, 3543-8		32
70	LC-MS: a powerful tool in workplace drug testing. 2009 , 1, 109-15		31
69	Oral fluid testing for drugs of abuse. 2009 , 55, 1910-31		298
68	Simultaneous screening and quantification of 29 drugs of abuse in oral fluid by solid-phase extraction and ultraperformance LC-MS/MS. 2009 , 55, 2004-18		99
67	Stability of drugs of abuse in oral fluid collection devices with purpose of external quality assessment schemes. <i>Therapeutic Drug Monitoring</i> , 2009 , 31, 277-80	3.2	28
66	Relationship between oral fluid and blood concentrations of drugs of abuse in drivers suspected of driving under the influence of drugs. <i>Therapeutic Drug Monitoring</i> , 2009 , 31, 511-9	3.2	118
65	Oral Fluid Toxicology. 2009 ,		
64	High-throughput simultaneous analysis of buprenorphine, methadone, cocaine, opiates, nicotine, and metabolites in oral fluid by liquid chromatography tandem mass spectrometry. 2010 , 398, 915-24		50
63	Anabolic, doping, and lifestyle drugs, and selected metabolites in wastewater--detection, quantification, and behaviour monitored by high-resolution MS and MS(n) before and after sewage treatment. 2010 , 398, 1207-29		48
62	Determination of 17 illicit drugs in oral fluid using isotope dilution ultra-high performance liquid chromatography/tandem mass spectrometry with three atmospheric pressure ionizations. 2010 , 878, 3095-105		34
61	A comparison of the validity of gas chromatography-mass spectrometry and liquid chromatography-tandem mass spectrometry analysis of urine samples II: amphetamine, methamphetamine, (-)-3,4-methylenedioxyamphetamine, (+)-3,4-methylenedioxymethamphetamine, (+)-3,4-methylenedioxyethylamphetamine, phencyclidine, and (-)-11-nor-9-carboxy- Δ^9 -tetrahydrocannabinol. <i>Journal of Analytical Toxicology</i> , 2010 , 34, 430-43	2.9	16

60	Urine drug testing of chronic pain patients. III. Normetabolites as biomarkers of synthetic opioid use. <i>Journal of Analytical Toxicology</i> , 2010 , 34, 444-9	2.9	17
59	MATRIX EFFECTS IN LIQUID CHROMATOGRAPHY-MASS SPECTROMETRY. 2010 , 33, 1067-1081		50
58	Drugs of abuse in oral fluid collected by two different sample kits--stability testing and validation using ultra performance tandem mass spectrometry analysis. 2011 , 879, 3367-77		39
57	¹³ C labelled internal standards--a solution to minimize ion suppression effects in liquid chromatography-tandem mass spectrometry analyses of drugs in biological samples?. 2011 , 1218, 9366-74		113
56	UHPLC-ESI-MS/MS method for direct analysis of drugs of abuse in oral fluid for DUID assessment. 2011 , 401, 609-24		27
55	A validated method for the detection and quantitation of 50 drugs of abuse and medicinal drugs in oral fluid by gas chromatography-mass spectrometry. 2011 , 879, 859-70		71
54	An overview of matrix effects in liquid chromatography-mass spectrometry. 2011 , 30, 491-509		508
53	Oral fluid drug testing of chronic pain patients. I. Positive prevalence rates of licit and illicit drugs. <i>Journal of Analytical Toxicology</i> , 2011 , 35, 529-40	2.9	43
52	Endogenous γ -hydroxybutyric acid concentrations in saliva determined by gas chromatography-mass spectrometry. <i>Journal of Analytical Toxicology</i> , 2011 , 35, 148-52	2.9	18
51	[Determination of morphine, codeine and 6-monoacetylmorphine in saliva of substance-abuse patients using HPLC/MS methods]. 2012 , 69, 141-6		
50	Prescription and illicit psychoactive drugs in oral fluid--LC-MS/MS method development and analysis of samples from Brazilian drivers. <i>Forensic Science International</i> , 2012 , 223, 208-16	2.6	38
49	Conducci3n bajo los efectos de sustancias psicoactivas: correlaci3n de las concentraciones en fluido oral y sangre. 2012 , 38, 91-99		
48	Determination of ten monohydroxylated polycyclic aromatic hydrocarbons by liquid-liquid extraction and liquid chromatography/tandem mass spectrometry. 2012 , 93, 383-91		47
47	Oral fluid drug testing of chronic pain patients. II. Comparison of paired oral fluid and urine specimens. <i>Journal of Analytical Toxicology</i> , 2012 , 36, 75-80	2.9	38
46	The evaluation of the applicability of a high pH mobile phase in ultrahigh performance liquid chromatography tandem mass spectrometry analysis of benzodiazepines and benzodiazepine-like hypnotics in urine and blood. 2012 , 1249, 147-54		48
45	Analysis of Illicit Drugs in Human Biological Samples by LC-MSn. 2012 , 349-398		2
44	Achievements and future trends in the analysis of emerging organic contaminants in environmental samples by mass spectrometry and bioanalytical techniques. 2012 , 1259, 86-99		108
43	LC-MS in Drug Bioanalysis. 2012 ,		3

42	Preparation des échantillons. 2012 , 117-138		
41	Oral fluid for workplace drug testing: laboratory implementation. 2012 , 4, 89-93		17
40	Aspects of matrix effects in applications of liquid chromatography-mass spectrometry to forensic and clinical toxicology--a review. 2012 , 403, 2155-72		115
39	Simultaneous analysis of psychotropic phenylalkylamines in oral fluid by GC-MS with automated SPE and its application to legal cases. <i>Forensic Science International</i> , 2012 , 215, 81-7	2.6	23
38	Interpretation of urine drug testing in pain patients. 2012 , 13, 868-85		42
37	Determination of Illicit Drugs in Urine and Plasma by Micro-SPE Followed by HPLC/MS/MS. 2012 , 75, 55-63		20
36	11-Nor-9-carboxy- Δ^9 -tetrahydrocannabinol quantification in human oral fluid by liquid chromatography-tandem mass spectrometry. 2013 , 405, 6019-27		18
35	Quantification of 31 illicit and medicinal drugs and metabolites in whole blood by fully automated solid-phase extraction and ultra-performance liquid chromatography-tandem mass spectrometry. 2013 , 405, 2607-17		56
34	Ion suppression; a critical review on causes, evaluation, prevention and applications. 2013 , 115, 104-22		282
33	Forensic Toxicology. 2013 , 249-293		3
32	Stability of nitrofurantoin residues during honey processing and nitrofurantoin removal by macroporous adsorption resins. 2014 , 162, 110-6		16
31	HOLLOW FIBER LIQUID PHASE MICROEXTRACTION COMBINED WITH HIGH PERFORMANCE LIQUID CHROMATOGRAPHY FOR PRECONCENTRATION AND DETERMINATION OF CABERGOLINE IN BIOLOGICAL SAMPLES. 2014 , 37, 760-771		12
30	Simultaneous analysis of amphetamine-type stimulants in plasma by solid-phase microextraction and gas chromatography-mass spectrometry. <i>Journal of Analytical Toxicology</i> , 2014 , 38, 432-7	2.9	9
29	Determination of some biochemical parameters in oral fluid and evaluation of their stability under different storage conditions. <i>Toxicologie Analytique Et Clinique</i> , 2015 , 27, 195-202	0.4	1
28	Assessing cocaine abuse using LC-MS/MS measurements in biological specimens. 2015 , 7, 1497-525		8
27	Direct Injection LC-MS/MS Analysis of Opiates, Methamphetamine, Buprenorphine, Methadone and Their Metabolites in Oral Fluid from Substitution Therapy Patients. <i>Journal of Analytical Toxicology</i> , 2015 , 39, 472-80	2.9	26
26	Determination of Methamphetamine and Amphetamine in Hair by Mixed-Mode Anion Exchange Solid Phase Extraction and Liquid Chromatography-Tandem Mass Spectrometry. 2015 , 48, 2533-2543		2
25	Extraction and Analysis of Tetrahydrocannabinol, A Cannabis Compound in Oral Fluid. 2016 , 9, 30		

24	Detection of Cocaine on Paper Currency. 2016 , 283-298		
23	Supported liquid extraction (SLE) for the analysis of methylamphetamine, methylenedioxymethylamphetamine and delta-9-tetrahydrocannabinol in oral fluid and blood of drivers. <i>Forensic Science International</i> , 2016 , 265, 125-30	2.6	17
22	Simultaneous Quantitation of Methamphetamine, Ketamine, Opiates and their Metabolites in Urine by SPE and LC-MS-MS. <i>Journal of Analytical Toxicology</i> , 2017 , 41, 679-687	2.9	21
21	Illicit Drugs in Oral Fluid: Evaluation of Two Collection Devices. <i>Journal of Analytical Toxicology</i> , 2017 , 41, 71-76	2.9	17
20	Forensic toxicology. 2017 , 301-358		3
19	In Situ Determination of Illegal Drugs in Oral Fluid by Portable Capillary Electrophoresis with Deep UV Excited Fluorescence Detection. 2018 , 90, 6253-6258		33
18	Enhancement and Suppression of Ionization in Drug Analysis Using HPLC-MS/MS in Support of Therapeutic Drug Monitoring: A Review of Current Knowledge of Its Minimization and Assessment. <i>Therapeutic Drug Monitoring</i> , 2018 , 40, 1-8	3.2	25
17	Changes in bacterial community structure and antibiotic resistance genes in soil in the vicinity of a pharmaceutical factory. 2018 , 158, 87-93		10
16	Single-Use Poly(etheretherketone) Solid-Phase Microextraction-Transmission Mode Devices for Rapid Screening and Quantitation of Drugs of Abuse in Oral Fluid and Urine via Direct Analysis in Real-Time Tandem Mass Spectrometry. 2018 , 90, 952-960		43
15	Bioanalytical methods for determining ecstasy components in biological matrices: A review. 2018 , 108, 323-346		12
14	Initial Testing. 2018 , 59-69		
13	Oral Fluid Drug Testing: Analytical Approaches, Issues and Interpretation of Results. <i>Journal of Analytical Toxicology</i> , 2019 , 43, 415-443	2.9	39
12	Dilute and shoot ultra-high performance liquid chromatography tandem mass spectrometry (UHPLC-MS/MS) analysis of psychoactive drugs in oral fluid. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019 , 170, 63-67	3.5	22
11	Confirmation Methods for SAMHSA Drugs and Other Commonly Abused Drugs. 2019 , 189-206		1
10	Use of high-pH (basic/alkaline) mobile phases for LC-MS or LC-MS/MS bioanalysis. <i>Biomedical Chromatography</i> , 2019 , 33, e4409	1.7	19
9	Cocaine. 2012 , 321-384		1
8	Extraction en phase solide (SPE) : théorie et applications. <i>Toxicologie Analytique Et Clinique</i> , 2010 , 22, 61-68	0.4	4
7	MDMA and metabolite disposition in expectorated oral fluid after controlled oral MDMA administration. <i>Therapeutic Drug Monitoring</i> , 2011 , 33, 602-8	3.2	16

6	Toxicology. 2010 , 281-350		0
5	Adli Otopside İlaç İzleniminin Belirlemek Amacıyla Kullanılan Yöntemler. <i>Arsiv Kaynak Tarama Dergisi</i> , 2020 , 29, 147-149	0.1	
4	Drug testing in oral fluid. <i>Clinical Biochemist Reviews</i> , 2006 , 27, 147-59	7.3	155
3	Amphetamines analysis in wastewaters - method performance of solid phase extraction - higher performance liquid chromatography mass spectrometry techniques (SPE-HPLC MS/MS). <i>EXCLI Journal</i> , 2011 , 10, 140-148	2.4	2
2	A Review on Spike and Recovery Method in Analytical Method Development and Validation. 1-19		0
1	Drugs in Oral Fluid. 2016 , 426-437		0