CITATION REPORT List of articles citing

Niche differences in phenology and rooting depth promote coexistence with a dominant C4 bunchgrass

DOI: 10.1007/s00442-005-0010-y Oecologia, 2005, 143, 598-606.

Source: https://exaly.com/paper-pdf/38461028/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper IF	Citations
218	Terrestrial models and global change: challenges for the future. 1998 , 4, 581-590	134
217	Competition between tree seedlings and herbaceous vegetation: support for a theory of resource supply and demand. 1998 , 86, 652-661	255
216	Establishment, competition and the distribution of native grasses among Michigan old-fields. 1999 , 87, 476-489	84
215	Variation in the effects of vegetation and litter on recruitment across productivity gradients. 1999 , 87, 436-449	82
214	Changes in grassland canopy structure across a precipitation gradient. 2000 , 11, 359-368	51
213	Persistence of a rare aquatic species along gradients of disturbance and sediment richness. 2000 , 11, 415-424	12
212	Effects of water pulsing on individual performance and competitive hierarchies in plants. 2001 , 12, 199-208	3 108
211	Plant traits as predictors of woody species dominance in climax forest communities. 2001 , 12, 327-336	31
21 0	Responses of riparian plants to accumulation of silt and plant litter: the importance of plant traits. 2001 , 12, 481-490	39
209	Validation of plant functional types across two contrasting landscapes. 2002 , 13, 167-178	41
208	A plant functional approach to the prediction of changes in Australian rangeland vegetation under grazing and fire. 2003 , 14, 333-344	24
207	The importance of biological inertia in plant community resistance to invasion. 2003 , 14, 425-432	124
206	Long-term compositional responses of a South African mesic grassland to burning and mowing. 2005 , 8, 5-12	50
205	Determinants of community organization of a South African mesic grassland. 2005 , 16, 93-102	62
204	Contrasting impacts of a native and an invasive exotic shrub on flood-plain succession. 2005 , 16, 135-142	53
203	Can competitive ability predict structure in experimental plant communities?. 2005, 16, 571-578	24
202	Patterns of plant invasion along an environmental stress gradient. 2006 , 17, 47-56	60

(2008-2006)

201	Resource competition and fire-regulated nutrient demand in carnivorous plants of wet pine savannas. 2006 , 9, 11-16	13
200	Seaweed diversity enhances nitrogen uptake via complementary use of nitrate and ammonium. 2006 , 87, 2397-403	110
199	EvennessIhvasibility relationships differ between two extinction scenarios in tallgrass prairie. Oikos, 2007, 116, 87-98 4	35
198	Dominant species identity, not community evenness, regulates invasion in experimental grassland plant communities. 2007 , 88, 954-64	86
197	Resource competition and plant traits: a response to Craine et lal. 2005. 2007 , 95, 231-234	34
196	Limiting similarity between invaders and dominant species in herbaceous plant communities?. 2007 , 95, 1027-1035	72
195	Dispersion of traits related to competitive ability in an old-field plant community. 2007 , 96, 07111920333500)8 <i>-</i> 72?
194	Effects of topsoil removal, seed transfer with plant material and moderate grazing on restoration of riparian fen grasslands. 2007 , 10, 451-460	67
193	Differences in life history strategies between an invasive and a competing resident seed predator. 2008 , 10, 1013-1025	15
192	Seasonal patterns in depth of water uptake under contrasting annual and perennial systems in the Corn Belt Region of the Midwestern U.S 2008 , 308, 69-92	91
191	Nitrogen preferences and plant-soil feedbacks as influenced by neighbors in the alpine tundra. <i>Oecologia</i> , 2008 , 156, 625-36	62
190	Scale-dependence of vegetation-environment relationships in semi-natural grasslands. 2008, 19, 139-148	49
189	Importance of grazing and soil acidity for plant community composition and trait characterisation in coastal dune grasslands. 2008 , 11, 179-186	15
188	Impacts of a woody invader vary in different vegetation communities. 2008 , 14, 829-838	34
187	Does biodiversity increase spatial stability in plant community biomass?. 2008, 11, 338-47	103
186	Climate controls on C3 vs. C4 productivity in North American grasslands from carbon isotope composition of soil organic matter. 2008 , 14, 1141-1155	71
185	Progress in Botany. 2008,	1
184	Complementarity among species in horizontal versus vertical rooting space. 2008 , 1, 33-41	63

183	Rooting depth and above-ground community composition in Kalahari sand woodlands in western Zimbabwe. 2008 , 24, 169-176	18
182	Discrimination of invaded and native species sites in a semi-desert grassland using MODIS multi-temporal data. 2009 , 30, 897-917	22
181	Effects of plant species richness on stand structure and productivity. 2009 , 2, 95-106	34
180	Species interaction mechanisms maintain grassland plant species diversity. 2009 , 90, 1821-30	36
179	Belowground competition in a broad-leaved temperate mixed forest: pattern analysis and experiments in a four-species stand. 2009 , 128, 387-398	74
178	Do graminoid and woody invaders have different effects on native plant functional groups?. 2009 , 46, 426-433	26
177	Shifting dominance from native C4 to non-native C3 grasses: relationships to community diversity. <i>Oikos</i> , 2009 , 118, 1844-1853	13
176	Ever since Clements: from succession to vegetation dynamics and understanding to intervention*. 2009 , 12, 9-21	102
175	Soil fertility, heterogeneity, and microbes: towards an integrated understanding of grassland structure and dynamics. 2009 , 12, 33-44	40
174	Linking woody species diversity with plant available water at a landscape scale in a Brazilian savanna. 2009 , 20, 826-835	7
173	Deployment of diversity for enhanced crop function. 2009 , 154, 309-322	106
172	Biodiversity, productivity and the temporal stability of productivity: patterns and processes. 2009 , 12, 443-51	300
171	Plant species composition and biofuel yields of conservation grasslands. 2009 , 19, 2202-9	77
170	Applications of remote sensing to alien invasive plant studies. 2009 , 9, 4869-89	178
169	Ecological mechanisms associated with the positive diversity-productivity relationship in an N-limited grassland. 2009 , 90, 408-18	118
168	Belowground nitrogen partitioning in experimental grassland plant communities of varying species richness. 2009 , 90, 1389-99	105
167	Explaining hydrological niches: the decisive role of below-ground competition in two closely related Senecio species. 2010 , 98, 126-136	43
166	Experimental manipulation of soil depth alters species richness and co-occurrence in restored tallgrass prairie. 2010 , 98, 117-125	32

(2012-2010)

165	Unveiling below-ground species abundance in a biodiversity experiment: a test of vertical niche differentiation among grassland species. 2010 , 98, 1117-1127	175
164	A Comparison of Vegetation and Seed Bank Community Structure in a Sand Prairie in Illinois, U.S.A. American Midland Naturalist, 2010 , 164, 136-150	10
163	Niche complementarity due to plasticity in resource use: plant partitioning of chemical N forms. 2010 , 91, 3252-60	237
162	Competition between Schizachyrium scoparium and Buchloe dactyloides: The role of soil nutrients. 2010 , 74, 49-53	6
161	The phenology of plant invasions: a community ecology perspective. 2011 , 9, 287-294	249
160	Principles of Terrestrial Ecosystem Ecology. 2011 ,	616
159	Patterns and mechanisms of conspecific and heterospecific interactions in a dry perennial grassland. 2011 , 99, 265-276	17
158	Purple loosestrife suppresses plant species colonization far more than broad-leaved cattail: experimental evidence with plant community implications. 2011 , 99, 225-234	16
157	Root Dynamics of Cultivar and Non-Cultivar Population Sources of Two Dominant Grasses during Initial Establishment of Tallgrass Prairie. 2011 , 19, 112-117	26
156	Dynamic niche sharing in dry acidic grasslands -a 15N-labeling experiment. 2011 , 344, 389-400	16
155	Belowground DNA-based techniques: untangling the network of plant root interactions. 2011 , 348, 115-121	38
154	Seedling establishment of late colonizer is facilitated by seedling and overstory of early colonizer in a post-mined peatland. 2011 , 212, 369-381	7
153	Tree species identity and interactions with neighbors determine nutrient leaching in model tropical forests. <i>Oecologia</i> , 2011 , 167, 1127-40	14
152	Species Effects on Ecosystem Processes. 2011 , 321-336	1
151	Differences in the timing of germination and reproduction relate to growth physiology and population dynamics of Sonoran Desert winter annuals. 2011 , 98, 1773-81	45
150	Late-Holocene successional dynamics in a transitional forest of west-central Mexico. 2012 , 22, 143-153	16
149	Short-term effects of elevated precipitation and nitrogen on soil fertility and plant growth in a Neotropical savanna. 2012 , 3, art31	12
148	Habitat filtering and niche differentiation jointly explain species relative abundance within grassland communities along fertility and disturbance gradients. <i>New Phytologist</i> , 2012 , 196, 497-509	168

147	Seed and microsite limitation in a late-successional old field: the effects of water, adults, litter, and small mammals on seeds and seedlings. 2012 , 213, 1003-1013		9
146	Flowering phenology as a functional trait in a tallgrass prairie. <i>New Phytologist</i> , 2012 , 193, 673-682	9.8	61
145	Recovery of Native Plant Community Characteristics on a Chronosequence of Restored Prairies Seeded into Pastures in West-Central Iowa. 2012 , 20, 170-179		31
144	Root responses to nutrients and soil biota: drivers of species coexistence and ecosystem productivity. 2012 , 100, 6-15		149
143	Trait assembly of woody plants in communities across sub-alpine gradients: Identifying the role of limiting similarity. 2012 , 23, 698-708		25
142	Fine root morphological and functional traits in Fagus sylvatica and Fraxinus excelsior saplings as dependent on species, root order and competition. 2013 , 373, 143-156		25
141	Walter@two-layer hypothesis revisited: back to the roots!. <i>Oecologia</i> , 2013 , 172, 617-30	2.9	140
140	Using prairie restoration to curtail invasion of Canada thistle: the importance of limiting similarity and seed mix richness. 2013 , 15, 2049-2063		23
139	Temperature-dependent shifts in phenology contribute to the success of exotic species with climate change. 2013 , 100, 1407-21		104
138	Root depth distribution and the diversity productivity relationship in a long-term grassland experiment. 2013 , 94, 787-793		169
137	Phenology: An Integrative Environmental Science. 2013,		64
136	Uncovering multiscale effects of aridity and biotic interactions on the functional structure of Mediterranean shrublands. 2013 , 101, 637-649		104
135	Coexistence, niches and biodiversity effects on ecosystem functioning. 2013, 16 Suppl 1, 116-27		98
134	Do species of invaded communities differ in their vulnerability to being eliminated by the dominant alien plants?. 2013 , 15, 1989-1999		14
133	Do plant traits retrieved from a database accurately predict on-site measurements?. 2013 , 101, 662-670		81
132	Integration of root phenes for soil resource acquisition. <i>Frontiers in Plant Science</i> , 2013 , 4, 355	6.2	148
131	Phenologies of North American Grasslands and Grasses. 2013 , 197-210		10
130	Consistent shifts in spring vegetation green-up date across temperate biomes in China, 1982-2006. 2013 , 19, 870-80		90

(2015-2013)

129	Independent variations of plant and soil mixtures reveal soil feedback effects on plant community overyielding. 2013 , 101, 287-297		87
128	Citizen Science: linking the recent rapid advances of plant flowering in Canada with climate variability. 2013 , 3, 2239		17
127	Early root overproduction not triggered by nutrients decisive for competitive success belowground. <i>PLoS ONE</i> , 2013 , 8, e55805	3.7	51
126	Diet Segregation between Cohabiting Builder and Inquiline Termite Species. <i>PLoS ONE</i> , 2013 , 8, e66535	3.7	22
125	Intraspecific plant-soil feedback and intraspecific overyielding in Arabidopsis thaliana. 2014 , 4, 2533-45		29
124	Biogeochemical Interactions Governing Terrestrial Net Primary Production. 2014 , 189-216		6
123	Dynamic root growth and architecture responses to limiting nutrient availability: linking physiological models and experimentation. 2014 , 32, 53-65		37
122	Neighborhoods have little effect on fungal attack or insect predation of developing seeds in a grassland biodiversity experiment. <i>Oecologia</i> , 2014 , 174, 521-32	2.9	1
121	Habitat filtering and interspecific competition influence phenological diversity in an assemblage of Neotropical savanna grasses. 2014 , 37, 29-36		14
120	Plant diversity and overyielding: insights from belowground facilitation of intercropping in agriculture. <i>New Phytologist</i> , 2014 , 203, 63-9	9.8	289
119	Overlap in nitrogen sources and redistribution of nitrogen between trees and grasses in a semi-arid savanna. <i>Oecologia</i> , 2014 , 174, 1107-16	2.9	7
118	Patterns of phylogenetic diversity are linked to invasion impacts, not invasion resistance, in a native grassland. 2014 , 25, 1315-1326		36
117	Phenology effects on invasion success: insights from coupling field experiments to coexistence theory. 2014 , 95, 726-36		125
116	Long-term study of root biomass in a biodiversity experiment reveals shifts in diversity effects over time. <i>Oikos</i> , 2014 , 123, 1528-1536	4	126
115	Niche dynamics of species in succession process in the Wetland of Yangtze Rivers Lower Reach, China. 2015 , 148, 43-51		3
114	Prey diversity and prey identity affect herbivore performance on different time scales in a long term aquatic food-web experiment. <i>Oikos</i> , 2015 , 124, 1192-1202	4	7
113	Patterns of loss of biodiversity associated with invasion by Chrysanthemoides monilifera subsp. monilifera (boneseed) across a large geographic region. 2015 , 55, 537-545		3
112	Multiple cropping systems as drivers for providing multiple ecosystem services: from concepts to design. 2015 , 35, 607-623		159

111	Establishing Native Perennial Bioenergy Crops with Cereal Grain Companion Crops. 2015 , 8, 109-118		5
110	Co-existence in a species-rich grassland: competition, facilitation and niche structure over a soil depth gradient. 2015 , 26, 674-685		22
109	Population dynamics and competitive outcome derive from resource allocation statistics: The governing influence of the distinguishability of individuals. 2015 , 105, 53-63		7
108	Root biomass and soil 🛘 3C in C3 and C4 grasslands along a precipitation gradient. 2015 , 216, 615-627		18
107	Biogeographically distinct controls on C3 and C4 grass distributions: merging community and physiological ecology. 2015 , 24, 304-313		22
106	Invasion during Extreme Weather: Success and Failure in a Temperate Perennial Grassland. 2016 , 26, 93-106		1
105	Presence of Trifolium repens Promotes Complementarity of Water Use and N Facilitation in Diverse Grass Mixtures. <i>Frontiers in Plant Science</i> , 2016 , 7, 538	6.2	13
104	Grass abundance shapes trait distributions of forbs in an experimental grassland. 2016 , 27, 557-567		11
103	Species pools and environmental sorting control different aspects of plant diversity and functional trait composition in recovering grasslands. 2016 , 104, 1314-1325		22
102	Leaf economics spectrum-productivity relationships in intensively grazed pastures depend on dominant species identity. 2016 , 6, 3079-91		15
101	Diversity components and assembly patterns of plant functional traits determine community spatial stability under resource gradients in a desert steppe. 2016 , 38, 511		4
100	Plant diversity effects on grassland productivity are robust to both nutrient enrichment and drought. 2016 , 371,		114
99	Relationship between species diversity, biomass and light transmittance in temperate semi-natural grasslands: is productivity enhanced by complementary light capture?. 2016 , 27, 144-155		11
98	Beyond the classical nurse species effect: diversity assembly in a Mediterranean semi-arid dwarf shrubland. 2016 , 27, 80-88		26
97	Preserving plant diversity on extensive green roofs [theory to practice. 2016, 62, 103-111		9
96	BiodiversityVersusStability: the Biological Effect of Plant Functional Traits on Ecosystem Functioning in Grasslands Dominated byLeymus chinensis. 2016 , 64, 339-349		
95	Evolutionary Legacy Effects on Ecosystems: Biogeographic Origins, Plant Traits, and Implications for Management in the Era of Global Change. 2016 , 47, 433-462		45
94	Effects of soil nitrogen availability and native grass diversity on exotic forb dominance. <i>Oecologia</i> , 2016 , 182, 803-13	2.9	7

93	Root exudates drive interspecific facilitation by enhancing nodulation and N2 fixation. 2016 , 113, 6496-501	160
92	Phenological complementarity in plant growth and reproduction in a green roof ecosystem. 2016 , 94, 82-87	8
91	Dominance by an obligate annual affects the morphological characteristics and biomass production of a planted wetland macrophyte community. 2016 , 9, 187-200	7
90	Root-Root Interactions: Towards A Rhizosphere Framework. 2016 , 21, 209-217	110
89	Restoration and management for plant diversity enhances the rate of belowground ecosystem recovery. 2017 , 27, 355-362	33
88	Plant traits of propagule banks and standing vegetation reveal flooding alleviates impacts of agriculture on wetland restoration. 2017 , 54, 1907-1918	23
87	Planting richness affects the recovery of vegetation and soil processes in constructed wetlands following disturbance. 2017 , 579, 1366-1378	7
86	Isotopic signatures of stem water reveal differences in water sources accessed by mangrove tree species. 2017 , 803, 133-145	20
85	Contrasting grass nitrogen strategies reflect interspecific trade-offs between nitrogen acquisition and use in a semi-arid temperate grassland. 2017 , 418, 267-276	11
84	Food webs obscure the strength of plant diversity effects on primary productivity. 2017 , 20, 505-512	38
83	Plant community composition influences fine root production and biomass allocation in perennial bioenergy cropping systems of the upper Midwest, USA. 2017 , 105, 248-258	28
82	Effects of mixing forage species contrasting in vertical and temporal nutrient capture on nutrient yields and fertilizer recovery in productive grasslands. 2017 , 420, 505-521	12
81	Phenological Patterns Differ between Exotic and Native Plants: Field Observations from the Sapphire Mountains, Montana. 2017 , 37, 361-381	5
80	Rainfall variability and fine-scale life history tradeoffs help drive niche partitioning in a desert annual plant community. 2017 , 20, 1231-1241	8
79	Nitrogen uptake pattern of herbaceous plants: coping strategies in altered neighbor species. 2017 , 53, 729-735	19
78	Identifying mechanisms that structure ecological communities by snapping model parameters to empirically observed tradeoffs. 2018 , 21, 494-505	16
77	Competition for nutrients and light: testing advances in resource competition with a natural phytoplankton community. 2018 , 99, 1108-1118	67
76	The fitness benefits of germinating later than neighbors. 2018 , 105, 20-30	10

75	Below-ground resource partitioning alone cannot explain the biodiversity cosystem function relationship: A field test using multiple tracers. 2018 , 106, 2002-2018	41
74	Environmental drivers and phylogenetic constraints of growth phenologies across a large set of herbaceous species. 2018 , 106, 1621-1633	9
73	Community-wide consequences of variation in photoprotective physiology among prairie plants. 2018 , 56, 455-467	10
72	Periodic events of Potamogeton alpinus in NW Poland (Pomerania region). 2018 , 47, 41-49	
71	Crop mixtures: does niche complementarity hold for belowground resources? An experimental test using rice genotypic pairs. 2018 , 424, 187-202	16
70	Cumulative and partially recoverable impacts of nitrogen addition on a temperate steppe. 2018 , 28, 237-248	12
69	Plant belowground diversity and species segregation by depth in a semi-arid grassland. 2018 , 25, 1-7	11
68	Community-wide consistence in plant N acquisition during post-agricultural succession in a karst area, southwest China. 2018 , 49, 197-214	4
67	Introduced species that overcome life history tradeoffs can cause native extinctions. 2018, 9, 2131	36
66	Impact of invasive grasses on Cerrado under natural regeneration. 2018 , 20, 3621-3629	30
65	Multiple facets of biodiversity drive the diversity-stability relationship. 2018 , 2, 1579-1587	140
64	Preface. 2019 , xi-xii	
63	Glossary. 2019 , xiii-xviii	
62	Taxonomic Index. 2019 , 351-354	
61	Plant water uptake along a diversity gradient provides evidence for complementarity in hydrological niches. <i>Oikos</i> , 2019 , 128, 1748-1760	6
60	Quantifying plant interactions: Independent reference is critical for standardising the importance indices. 2019 , 30, 397-401	
59	Deer browsing overwhelms extended leaf phenology benefits: A test case with Rubus allegheniensis and a recalcitrant hay-scented fern layer. 2019 , 448, 294-299	3
58	Subject Index. 2019 , 348-350	

(2020-2019)

57	Life history strategies drive size-dependent biomass allocation patterns of dryland ephemerals and shrubs. 2019 , 10, e02709	11
56	Interactions between Species. 2019 , 24-65	
55	Evergreenness influences fine root growth more than tree diversity in a common garden experiment. <i>Oecologia</i> , 2019 , 189, 1027-1039	9
54	Plants Are Strange and Wondrous Beings. 2019 , 1-23	O
53	Mechanisms of Coexistence. 2019 , 66-104	1
52	Community-Level Processes. 2019 , 105-159	
51	Assembly Rules. 2019 , 160-222	
50	Theories and Their Predictions. 2019 , 223-264	
49	Synthesis. 2019 , 265-280	
48	Stature of dependent forbs is more related to the direct and indirect above- and below-ground effects of a subalpine shrub than are foliage traits. 2019 , 30, 403-412	5
47	The effects of food level and social density on reproduction in the Least Killifish,. 2019, 9, 100-110	2
46	References. 2019 , 195-220	
45	Productivity and diversity of annually harvested reconstructed prairie communities. 2019, 56, 330-342	8
44	Contingent factors explain average divergence in functional composition over 88 years of old field succession. 2019 , 107, 545-558	34
43	Mechanisms of seed mass variation along resource gradients. 2019 , 22, 181-189	12
42	Modelling water fluxes in plants: from tissues to biosphere. <i>New Phytologist</i> , 2019 , 222, 1207-1222 9.8	69
41	Limited evidence for spatial resource partitioning across temperate grassland biodiversity experiments. 2020 , 101, e02905	20
40	Hydrologic niches explain species coexistence and abundance in a shrubEteppe system. 2020 , 108, 998-1008	16

39	Soil depth and grassland origin cooperatively shape microbial community co-occurrence and function. 2020 , 11, e02973		16
38	Belowground Competition Can Influence the Evolution of Root Traits. 2020 , 195, 577-590		10
37	Using limiting similarity to enhance invasion resistance: Theoretical and practical concerns. 2020 , 57, 559-565		6
36	Temporal stability of grassland metacommunities is regulated more by community functional traits than species diversity. 2020 , 11, e03178		4
35	The role of species traits for grassland productivity. 2020 , 11, e03205		3
34	Life in fluctuating environments. 2020 , 375, 20190454		25
33	Which traits predict pairwise interactions in a mountain grassland?. 2020 , 31, 699-710		1
32	Synchronous and asynchronous root and shoot phenology in temperate woody seedlings. <i>Oikos</i> , 2020 , 129, 643-650	4	7
31	A 3-dimensional model of Pinus edulis and Juniperus monosperma root distributions in New Mexico: implications for soil water dynamics. 2020 , 450, 337-355		5
30	Microanatomical traits track climate gradients for a dominant C4 grass species across the Great Plains, USA. 2021 , 127, 451-459		3
29	Decoupling the Complementarity Effect and the Selection Effect on the Overyielding of Fine Root Production Along a Tree Species Richness Gradient in Subtropical Forests. 2021 , 24, 613-627		1
28	Behaviorally-mediated trophic cascade attenuated by prey use of risky places at safe times. <i>Oecologia</i> , 2021 , 195, 235-248	2.9	1
27	Impacts of invasive annual grasses and their litter vary by native functional strategy. 2021 , 23, 2621		1
26	Are traits drivers or consequences of competition? Comments to Carmona et al. 2021 , 109, 2540-2549		
25	Phylogenetic restriction of plant invasion in drought-stressed environments: Implications for insect-pollinated plant communities in water-limited ecosystems. 2021 , 11, 10042-10053		1
24	Partitioning resources through the seasons: abundance and phenology of carrion beetles (Silphidae) in southeastern Ontario.		1
23	What determines a productive winter bean-wheat genotype combination for intercropping in central Germany?. 2021 , 128, 126294		3
22	Functional and Phylogenetic Characteristics of Vegetation: Effects on Constructed Green Infrastructure. 2021 , 61-83		O

21	Functional Differences in Soil Water Pools: a New Perspective on Plant Water Use in Water-Limited Ecosystems. 2008 , 397-422		51
20	The Nature of Plant Communities. 2019 ,		4
19	Phenology and productivity of C3 and C4 grasslands in Hawaii. PLoS ONE, 2014, 9, e107396	3.7	10
18	No evidence of complementary water use along a plant species richness gradient in temperate experimental grasslands. <i>PLoS ONE</i> , 2015 , 10, e0116367	3.7	39
17	Priority Effects Allow Coreopsis tinctoria to Avoid Interspecific Competition with a C4 Grass. <i>American Midland Naturalist</i> , 2019 , 181, 104	0.7	1
16	Soil Depth and Changes in Dry Mass and Competitive Intensity of Two C₄ Grasses. <i>American Journal of Plant Sciences</i> , 2014 , 05, 138-147	0.5	3
15	A starting guide to root ecology: strengthening ecological concepts and standardising root classification, sampling, processing and trait measurements. <i>New Phytologist</i> , 2021 , 232, 973-1122	9.8	31
14	Competition for water and species coexistence in phenologically structured annual plant communities.		
13	Experimental evidence that belowground competition can influence the evolution of root traits in two closely related morning glory species.		
12	Priority Effects Allow Coreopsis tinctoria to Avoid Interspecific Competition with a C4 Grass. <i>American Midland Naturalist</i> , 2019 , 181, 104	0.7	
11	Evaluation of maize/peanut intercropping effects on microbial assembly, root exudates and peanut nitrogen uptake <i>Plant Physiology and Biochemistry</i> , 2021 , 171, 75-83	5.4	2
10	Functional redundancy changes along a drought stress gradient for the shift of selection effect to complementarity effect in experimental plant communities. <i>Journal of Plant Interactions</i> , 2022 , 17, 427-	<i>4</i> 38	
9	Plant Breeding for Intercropping in Temperate Field Crop Systems: A Review <i>Frontiers in Plant Science</i> , 2022 , 13, 843065	6.2	0
8	Is more less? A comprehensive experimental test of soil depth effects on grassland diversity. <i>Oikos</i> ,	4	
7	Species variability in the relative strength of intraspecific and interspecific interactions. 2022 , 49, 168-1	74	
6	Temperature seasonality and nutrient enrichment drive intra-annual community turnover in global grasslands.		O
5	Soil water content mediates the spatiotemporal nitrogen uptake by a dominant plant species in a subtropical wetland ecosystem.		0
4	Small rainfall changes drive substantial changes in plant coexistence.		2

О

Phenology and morphology of the invasive legume Lupinus polyphyllus along a latitudinal gradient in Europe. 78, 185-206

Effects of post oak (Quercus stellata) and smooth brome (Bromus inermis) competition on water uptake and root partitioning of eastern redcedar (Juniperus virginiana). 2023, 18, e0280100

Neighboring plant community attributes drive rhizobiome assemblages of a focal plant in a

Kobresia meadow. 2023, 432, 116409