
CITATION REPORT List of articles citing



DOI: 10.1007/bf03167055 Journal of Physiology and Biochemistry, 2005, 61, 381-8.

Source: https://exaly.com/paper-pdf/38479133/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
138	Sleep studies: which technologies?. 2006 , 7 Suppl 1, S202-5		5
137	Obesity and obstructive sleep apnea in children. 2006 , 7, 247-59		141
136	Diversity of metabolic syndrome risk factors in obese children and adolescents. <i>Journal of Physiology and Biochemistry</i> , 2006 , 62, 125-33	5	22
135	Interventions to improve cardiovascular risk factors in obese children. 2006 , 43, 433-5		2
134	Functional ovarian hyperandrogenism and polycystic ovary syndrome in prepubertal girls with obesity and/or premature pubarche. 2007 , 20, 475-81		8
133	Evaluation of insulin resistance in a cohort of HIV-infected youth. 2007, 157, 655-9		28
132	Metabolic syndrome: identifying the risk factors. <i>Jornal De Pediatria</i> , 2007 , 83, S204-8	2.6	10
131	[Prevalence of metabolic syndrome and its components in obese children and adolescents]. 2007 , 67, 352-61		9
130	Childhood Obstructive Sleep Apnea: One or Two Distinct Disease Entities?. 2007 , 2, 433-444		135
129	Insulin resistance in children with Helicobacter pylori infection. 2007 , 30, 236-40		15
128	[Metabolic syndrome in childhood]. 2007 , 66, 159-66		7
127	[The HOMA and QUICKI indexes, and insulin and C-peptide levels in healthy children. Cut off points to identify metabolic syndrome in healthy children]. 2007 , 66, 481-90		67
126	Obesity increases metabolic syndrome risk factors in school-aged children from an urban school in Mexico city. 2007 , 107, 81-91		52
125	Metabolic risk-factor clustering estimation in obese children. <i>Journal of Physiology and Biochemistry</i> , 2007 , 63, 347-55	5	8
124	Metabolic syndrome in obese children born large for gestational age. 2007 , 74, 561-5		42
123	Sleep and Breathing in Children. 2008,		1
122	Serum leptin as a predictor of fatty liver in 7-year-old Korean children. 2008 , 53, 109-16		12

121 Insulin Sensitivity, Liver Disease and Hypertension. **2008**, 10-13

120	Sleep and Psychiatric Disorders in Children and Adolescents. 2008,		2
119	Pediatric obstructive sleep apnea: complications, management, and long-term outcomes. 2008 , 5, 274-8	2	256
118	Lipid and glucose alterations in HIV-infected children beginning or changing antiretroviral therapy. 2008 , 122, e129-38		42
117	The exon 3-deleted/full-length growth hormone receptor polymorphism does not influence the effect of puberty or growth hormone therapy on glucose homeostasis in short non-growth hormone-deficient small-for-gestational-age children: results from a two-year controlled		25
116	[Cut-off point for Homeostatic Model Assessment for Insulin Resistance (HOMA-IR) index established from Receiver Operating Characteristic (ROC) curve in the detection of metabolic syndrome in overweight pre-pubertal children]. 2008 , 52, 1466-73		71
115	[Critical analysis on the use of the homeostasis model assessment (HOMA) indexes in the evaluation of the insulin resistance and the pancreatic beta cells functional capacity]. 2008 , 52, 32-9		29
114	Lipodystrophy in children and adolescents with acquired immunodeficiency syndrome and its relationship with the antiretroviral therapy employed. <i>Jornal De Pediatria</i> , 2009 , 85, 329-34	2.6	11
113	A novel, non-invasive 13C-glucose breath test to estimate insulin resistance in obese prepubertal children. 2009 , 22, 1051-9		16
112	Cardiovascular complications of obstructive sleep apnea syndrome: evidence from children. 2009 , 51, 416-33		133
111	Prevalence of non-alcoholic fatty liver disease in children and relationship to metabolic syndrome, insulin resistance, and waist circumference. 2009 , 14, 142-9		42
110	Sex hormone-binding globulin levels and metabolic syndrome and its features in adolescents. <i>Pediatric Diabetes</i> , 2010 , 11, 188-94	3.6	15
109	Impact of different metabolic syndrome classifications on the metabolic syndrome prevalence in a young Middle Eastern population. 2009 , 58, 746-52		10
108	Obstructive sleep breathing disorders. 2009 , 56, 243-59, xii		35
107	Habitual moderate-to-vigorous physical activity is inversely associated with insulin resistance in Canadian first nations youth. 2010 , 22, 254-65		14
106	Lipodystrophy, lipid profile changes, and low serum retinol and carotenoid levels in children and adolescents with acquired immunodeficiency syndrome. <i>Nutrition</i> , 2010 , 26, 612-6	4.8	13
105	Construct validity of a continuous metabolic syndrome score in children. 2010 , 2, 8		81
104	Optimal cut-off of homeostasis model assessment of insulin resistance (HOMA-IR) for the diagnosis of metabolic syndrome: third national surveillance of risk factors of non-communicable diseases in Iran (SuRFNCD-2007). 2010 , 7, 26		113

103	Moderate deterioration in glucose tolerance during high-dose growth hormone therapy in glucocorticoid-treated patients with juvenile idiopathic arthritis. 2010 , 73, 465-72		20
102	Metabolic syndrome and insulin resistance in obese prepubertal children in Lebanon: a primary health concern. 2010 , 57, 135-42		18
101	Effect of parental overweight and serum leptin levels on the manifestation of overweight in 7-year-old Korean children. 2010 , 13, 384-92		2
100	Prothrombotic state, cardiovascular, and metabolic syndrome risk factors in prepubertal children born large for gestational age. 2010 , 33, 2468-70		31
99	Insulin resistance in obese children and adolescents: HOMA-IR cut-off levels in the prepubertal and pubertal periods. <i>JCRPE Journal of Clinical Research in Pediatric Endocrinology</i> , 2010 , 2, 100-6	1.9	164
98	Correlation of adiponectin receptor expression with cytokines and insulin sensitivity in growth hormone (GH)-treated children with Prader-Willi syndrome and in non-GH-treated obese children. 2010 , 95, 1371-7		8
97	Urinary proteins for the diagnosis of obstructive sleep apnea syndrome. 2010 , 641, 223-41		16
96	[Classic and emergent cardiovascular risk factors in schoolchildren in Asturias]. 2011 , 74, 388-95		8
95	Estudio de la relacifi existente entre el exceso de peso y la aparicifi de factores de riesgo cardiovascular en la poblacifi adulta joven de un centro de salud en seguimiento desde los 2 a o s de edad. 2011 , 37, 173-180		О
94	Longitudinal assessment of metabolic abnormalities in adolescents and young adults with HIV-infection acquired perinatally or in early childhood. 2011 , 60, 874-80		31
93	[Consensus document on sleep apnea-hypopnea syndrome in children (full version). Sociedad Espa B la de SueB. El lea de SueB de la Sociedad EspaBla de NeumologB y CirugB Tordica(SEPAR)]. 2011 , 47 Suppl 5, 0, 2-18		54
92	The association between Helicobacter pylori infection and insulin resistance: a systematic review. 2011 , 16, 79-88		144
91	The role of metabolic syndrome components and adipokines in insulin resistance in prepubertal children. 2011 , 24, 289-95		6
90	Quantitative whole-body MRI in familial partial lipodystrophy type 2: changes in adipose tissue distribution coincide with biochemical improvement. 2012 , 199, W602-6		8
89	Metabolic disorders in vertically HIV-infected children: future adults at risk for cardiovascular disease. 2012 , 25, 529-35		21
88	Analysis of adipokine concentrations in paediatric non-alcoholic fatty liver disease. <i>Pediatric Obesity</i> , 2012 , 7, 471-9	4.6	35
87	Obesity is associated with insulin resistance and components of the metabolic syndrome in Lebanese adolescents. 2012 , 39, 122-8		28
86	Influence of serum leptin levels on future overweight risk in Korean children. 2012 , 22, 260-8		7

(2013-2012)

85	A lower proportion of dietary saturated/monounsaturated/polyunsaturated fatty acids reduces the expression of adiponectin in rats fed a high-fat diet. 2012 , 32, 285-91	10
84	Prevalence of insulin resistance in a young adult population. Relationship with weight status. 2012 , 59, 98-104	1
83	Prevalence of insulin resistance in a young adult population. Relationship with weight status. 2012 , 59, 98-104	4
82	[Obesity and cardiovascular risk factors in adolescents. Association with cardiovascular risk factors in first degree relatives]. 2012 , 138, 283-8	1
81	Metabolic Syndrome and Associated Kidney Disease. 2012 , 117-136	1
80	Effects of changes in adiposity and physical activity on preadolescent insulin resistance: the Australian LOOK longitudinal study. <i>PLoS ONE</i> , 2012 , 7, e47438	14
79	Role of the waist/height ratio in the cardiometabolic risk assessment of children classified by body mass index. 2013 , 62, 742-51	159
78	Metabolic syndrome risk factors in overweight, obese, and extremely obese Brazilian adolescents. 2013 , 12, 19	37
77	Appearance of acanthosis nigricans may precede obesity: An involvement of the insulin/IGF receptor signaling pathway. 2013 , 3, 82-87	23
76	Insulin resistance determined by Homeostasis Model Assessment (HOMA) and associations with metabolic syndrome among Chinese children and teenagers. 2013 , 5, 71	80
75	The relation of serum nesfatin-1 level with metabolic and clinical parameters in obese and healthy children. <i>Pediatric Diabetes</i> , 2013 , 14, 189-95	38
74	Body composition and lipodystrophy in prepubertal HIV-infected children. 2013, 17, 1-6	8
73	Nutritional status and metabolic disorders in HIV-exposed uninfected prepubertal children. Nutrition, 2013 , 29, 1020-3	9
72	Gender differences in prediabetes and insulin resistance among 1356 obese children in Northern California. 2013 , 7, 161-5	25
71	Circulating cortisol-associated signature of glucocorticoid-related gene expression in subcutaneous fat of obese subjects. 2013 , 21, 960-7	8
70	Metabolic syndrome and its components among obese (BMI >=95th) Mexican adolescents. 2013 , 2, 208-15	17
69	Primary non-alcoholic fatty liver disease in hypertensive patients. 2013 , 6, 325-30	16
68	Physical education can improve insulin resistance: the LOOK randomized cluster trial. 2013 , 45, 1956-64	19

67	[Clinical manifestations, biochemical, ultrasonographic and metabolic of polycystic ovary syndrome in adolescents]. 2013 , 35, 249-54	10
66	[Insulin resistance in adolescents with and without overweight of a municipality of Great Florianopolis-SC]. 2014 , 67, 43-7	4
65	Waist-to-Height Ratio Is a Better Anthropometric Index than Waist Circumference and BMI in Predicting Metabolic Syndrome among Obese Mexican Adolescents. 2014 , 2014, 195407	56
64	Glucose homeostasis and insulin resistance: prevalence, gender differences and predictors in adolescents. 2014 , 6, 100	22
63	Associations between estimated desaturase activity and insulin resistance in korean boys. 2014 , 5, 251-7	9
62	Relationship between Serum Levels of Body Iron Parameters and Insulin Resistance and Metabolic Syndrome in Korean Children. 2014 , 5, 204-10	13
61	Prevalence of obesity and metabolic changes after kidney transplantation: Hungarian pediatric cohort study. 2014 , 46, 2160-3	13
60	Serum FGF21 increases with hepatic fat accumulation in pediatric onset intestinal failure. 2014 , 60, 183-90	38
59	Initial screening of children treated with second-generation antipsychotics points to an association between physical activity and insulin resistance. 2014 , 26, 455-62	5
58	Vitamin D status is associated with cardiometabolic markers in 8-11-year-old children, independently of body fat and physical activity. 2015 , 114, 1647-55	30
57	Effects of low glycaemic index/low glycaemic load vs. high glycaemic index/ high glycaemic load diets on overweight/obesity and associated risk factors in children and adolescents: a systematic review and meta-analysis. 2015, 14, 87	40
56	TriGlycerides and high-density lipoprotein cholesterol ratio compared with homeostasis model assessment insulin resistance indexes in screening for metabolic syndrome in the chinese obese children: a cross section study. 2015 , 15, 138	31
55	2000 CDC or 2007 WHO - what is the most sensitive anthropometric reference for determination of overweight and cardio-metabolic risk in children aged 6-10 years?. 2015 , 59, 220-5	1
54	Sfidrome metablico en niës: problemlica, componentes y criterios diagnaticos. 2015 , 17,	
53	Comparison of Insulin Resistance between Nonalcoholic Fatty Liver Disease Patients with and those without Helicobacter pylori Infection. 2015 , 01,	
52	The 13C-glucose breath test is a valid non-invasive screening tool to identify metabolic syndrome in adolescents. 2015 , 53, 133-8	11
51	Comparison between CDC and WHO BMI z-score and their relation with metabolic risk markers in Northern Portuguese obese adolescents. 2015 , 7, 32	5
50	Ethnic differences in cardiometabolic risk among adolescents across the waist-height ratio spectrum: National Health and Nutrition Examination Surveys (NHANES). 2016 , 222, 622-628	13

49	. 2016 , 41,		17
48	Association between anti-Mullerian hormone and insulin resistance in non-obese adolescent females with polycystic ovary syndrome. 2016 , 32, 926-930		8
47	Biomarkers of Metabolic Syndrome: Biochemical Background and Clinical Significance. 2016 , 14, 47-93		16
46	[Identification of cutoff points for Homeostatic Model Assessment for Insulin Resistance index in adolescents: systematic review]. <i>Revista Paulista De Pediatria</i> , 2016 , 34, 234-42	1.2	32
45	Identification of cutoff points for Homeostatic Model Assessment for Insulin Resistance index in adolescents: systematic review. 2016 , 34, 234-242		22
44	Sugar-sweetened beverage intake and its associations with cardiometabolic risks among adolescents. <i>Pediatric Obesity</i> , 2017 , 12, e1-e5	4.6	29
43	Symptoms of stress and depression effect percentage of body fat and insulin resistance in healthy youth: LOOK longitudinal study. 2017 , 36, 749-759		7
42	Vitamin D insufficiency/deficiency is associated with insulin resistance in Brazilian children, regardless of body fat distribution. 2017 , 20, 2878-2886		11
41	Physical education: clear and present benefits and responsibilities. The Fritz Duras memorial lecture 2017. 2017 , 8, 133-145		1
40	Metabolic biomarkers in community obese children: effect of obstructive sleep apnea and its treatment. 2017 , 37, 1-9		19
40 39			19
	treatment. 2017 , 37, 1-9		19
39	Fasting Serum Insulin Level Among Overweight and Obese School Children. 2017 , 15, 21-24 Prevalence of Metabolic Syndrome in Obese Pediatric Population: Relation to Serum Leptin	0.8	
39	Fasting Serum Insulin Level Among Overweight and Obese School Children. 2017, 15, 21-24 Prevalence of Metabolic Syndrome in Obese Pediatric Population: Relation to Serum Leptin Concentrations. 2017, Inappropriate Use of Homeostasis Model Assessment Cutoff Values for Diagnosing Insulin	0.8	0
39 38 37	Fasting Serum Insulin Level Among Overweight and Obese School Children. 2017, 15, 21-24 Prevalence of Metabolic Syndrome in Obese Pediatric Population: Relation to Serum Leptin Concentrations. 2017, Inappropriate Use of Homeostasis Model Assessment Cutoff Values for Diagnosing Insulin Resistance in Pediatric Studies. <i>Journal of Osteopathic Medicine</i> , 2017, 117, 689-696 Intermittent nocturnal hypoxia and metabolic risk in obese adolescents with obstructive sleep		0 8
39 38 37 36	Fasting Serum Insulin Level Among Overweight and Obese School Children. 2017, 15, 21-24 Prevalence of Metabolic Syndrome in Obese Pediatric Population: Relation to Serum Leptin Concentrations. 2017, Inappropriate Use of Homeostasis Model Assessment Cutoff Values for Diagnosing Insulin Resistance in Pediatric Studies. <i>Journal of Osteopathic Medicine</i> , 2017, 117, 689-696 Intermittent nocturnal hypoxia and metabolic risk in obese adolescents with obstructive sleep apnea. <i>Sleep and Breathing</i> , 2018, 22, 1037-1044 Insulinaemia and insulin resistance in Caucasian general paediatric population aged 2 to 10 years:	3.1	o 8
39 38 37 36 35	Fasting Serum Insulin Level Among Overweight and Obese School Children. 2017, 15, 21-24 Prevalence of Metabolic Syndrome in Obese Pediatric Population: Relation to Serum Leptin Concentrations. 2017, Inappropriate Use of Homeostasis Model Assessment Cutoff Values for Diagnosing Insulin Resistance in Pediatric Studies. Journal of Osteopathic Medicine, 2017, 117, 689-696 Intermittent nocturnal hypoxia and metabolic risk in obese adolescents with obstructive sleep apnea. Sleep and Breathing, 2018, 22, 1037-1044 Insulinaemia and insulin resistance in Caucasian general paediatric population aged 2 to 10 years: Associated risk factors. Pediatric Diabetes, 2018, 19, 45-52 Aerobic fitness and physical activity are inversely associated with body fat, dyslipidemia and inflammatory mediators in children and adolescents living with HIV. Journal of Sports Sciences, 2019	3.1	o 8 8

31	Is there a relationship between vitamin D nutritional status and metabolic syndrome in childhood acute lymphoblastic leukemia survivors? A PETALE study. <i>Clinical Nutrition ESPEN</i> , 2019 , 31, 28-32	1.3	
30	Salivary markers of hepato-metabolic comorbidities in pediatric obesity. <i>Digestive and Liver Disease</i> , 2019 , 51, 516-523	3.3	10
29	Evaluation of nonalcoholic fatty liver disease using magnetic resonance in obese children and adolescents. <i>Jornal De Pediatria</i> , 2019 , 95, 34-40	2.6	4
28	Cutoff values for HOMA-IR associated with metabolic syndrome in the Study of Cardiovascular Risk in Adolescents (ERICA Study). <i>Nutrition</i> , 2020 , 71, 110608	4.8	11
27	The Role of Hyperinsulinemia in Slipped Capital Femoral Epiphysis. <i>Journal of Pediatric Orthopaedics</i> , 2020 , 40, 413-417	2.4	2
26	figlycerides-glucose (TyG) index is a sensitive marker of insulin resistance in Greek children and adolescents. <i>Endocrine</i> , 2020 , 70, 58-64	4	14
25	Metabolomics in genetic testing. Advances in Clinical Chemistry, 2020, 94, 85-153	5.8	10
24	Monitoring of metabolic adverse events of second-generation antipsychotics in a naive paediatric population followed in mental health outpatient and inpatient clinical settings: MEMAS prospective study protocol. <i>BMJ Open</i> , 2021 , 11, e040764	3	
23	Low physical activity level and short sleep duration are associated with an increased cardio-metabolic risk profile: a longitudinal study in 8-11 year old Danish children. <i>PLoS ONE</i> , 2014 , 9, e104677	3.7	87
22	Helicobacter pylori Infection Increases Insulin Resistance and Metabolic Syndrome in Residents Younger than 50 Years Old: A Community-Based Study. <i>PLoS ONE</i> , 2015 , 10, e0128671	3.7	35
21	Diagnosis and management of childhood sleep-disordered breathing. Clinical approach. <i>Journal of King Abdulaziz University, Islamic Economics</i> , 2020 , 41, 916-929	1.1	1
20	Doenii hepilica gordurosa nii alcolica em escolares obesos. <i>Revista Paulista De Pediatria</i> , 2008 , 26, 136-141	1.2	5
19	Biomarkers of cardiometabolic risk in obese/overweight children: effect of lifestyle intervention. <i>Physiological Research</i> , 2014 , 63, 743-52	2.1	12
18	Changes of ghrelin following oral glucose tolerance test in obese children with insulin resistance. World Journal of Gastroenterology, 2008 , 14, 1919-24	5.6	17
17	Glucose Metabolism Evaluated by Glycated Hemoglobin and Insulin Sensitivity Indices in Children Treated with Recombinant Human Growth Hormone. <i>JCRPE Journal of Clinical Research in Pediatric Endocrinology</i> , 2019 , 11, 350-357	1.9	3
16	Indirect insulin resistance detection: Current clinical trends and laboratory limitations. <i>Biomedical Papers of the Medical Faculty of the University Palacky&#x0301;, Olomouc, Czechoslovakia</i> , 2019 , 163, 187-199	1.7	13
15	Monitoring Pediatric Sleep- Special Issues. <i>Indian Journal of Sleep Medicine</i> , 2007 , 2, 80-89	0.3	
14	Stress, Depression, and Cardiovascular Risk in Children. 2015 , 1-21		

CITATION REPORT

13 Diagnosis and Assessment. **2015**, 71-87

12	Stress, Depression, and Cardiovascular Risk in Children. 2016 , 191-211		1
11	Salivary and Urinary Metabolome in Pediatric Obesity and Metabolic Syndrome. 2020, 249-263		
10	Cardiometabolic and Cardiovascular Complications of Obesity in Children. 2020 , 8, 46-62		
9	Techniques Used to Assess Insulin Action. 2008 , 109-124		
8	Identifying metabolic syndrome in African American children using fasting HOMA-IR in place of glucose. <i>Preventing Chronic Disease</i> , 2011 , 8, A64	3.7	19
7	Investigation of the relationship between retinol binding protein 4, metabolic syndrome and insulin resistance in Iranian obese 5-17 year old children. <i>Iranian Journal of Pediatrics</i> , 2013 , 23, 396-402	1	9
6	Extreme Birth Weight and Metabolic Syndrome in Children <i>Nutrients</i> , 2022 , 14,	6.7	O
5	Association between obesity, dyslipidemia and insulin resistance with suspected fatty liver disease in Greek children with excess weight. <i>Advances in Obesity Weight Management & Control</i> , 2020 , 10, 172	2-193	
4	Follow-Up of Blood Pressure, Arterial Stiffness, and GFR in Pediatric Kidney Transplant Recipients <i>Frontiers in Medicine</i> , 2021 , 8, 800580	4.9	O
3	Insulin Resistance in children on Sodium Valproate 🖪 hospital based cross-sectional study in Indian children. 004947552211341		О
2	In-utero HIV exposure and cardiometabolic health among children 5 B years: findings from a prospective birth cohort in South Africa. 2023 , 37, 173-182		O
1	Hypertriglyceridemic Waist Phenotype and Its Association with Metabolic Syndrome Components, among Greek Children with Excess Body Weight. 2023 , 13, 230		О