
CITATION REPORT List of articles citing



DOI: 10.1007/s10886-005-7617-7 Journal of Chemical Ecology, 2005, 31, 2621-51.

Source: https://exaly.com/paper-pdf/38494923/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
321	PlantInsect Interactions on Cuticular Surfaces. 398-422		41
320	. 2006,		130
319	Early herbivore alert: insect eggs induce plant defense. <i>Journal of Chemical Ecology</i> , 2006 , 32, 1379-97	2.7	272
318	Reaction of mutualistic and granivorous ants to ulex elaiosome chemicals. <i>Journal of Chemical Ecology</i> , 2006 , 32, 1935-47	2.7	17
317	Daphne gnidium, a possible native host plant of the European grapevine moth Lobesia botrana, stimulates its oviposition. Is a host shift relevant?. 2006 , 16, 135-144		39
316	Ultrastructure of Mature Embryos in the Parasitic Flowering PlantCuscuta japonica. 2006 , 49, 384-391		5
315	Different oviposition behaviour in Chrysomelid beetles: Characterisation of the interface between oviposition secretion and the plant surface. 2006 , 35, 197-205		16
314	Epicuticular wax crystals of Wollemia nobilis: morphology and chemical composition. 2007, 100, 225-31		31
313	Waterproof cockroaches: the early work of J. A. Ramsay. 2007 , 210, 921-2		12
312	Phylloplane proteins: emerging defenses at the aerial frontline?. 2007, 12, 51-6		58
311	The role of neuropeptides in caterpillar nutritional ecology. 2007 , 28, 185-96		37
310	Plant structural traits and their role in anti-herbivore defence. 2007 , 8, 157-178		496
309	Chemical composition of the epicuticular and intracuticular wax layers on adaxial sides of Rosa canina leaves. 2007 , 100, 1557-64		84
308	Leaf water repellency of species in Guatemala and Colorado (USA) and its significance to forest hydrology studies. 2007 , 336, 147-154		71
307	Peramine and other fungal alkaloids are exuded in the guttation fluid of endophyte-infected grasses. 2007 , 68, 355-60		85
306	Effect of epicuticular waxes of poplar hybrids on the aphid Chaitophorus leucomelas (Hemiptera: Aphididae). 2007 , 131, 486-492		8
305	The effects of increasing atmospheric ozone on biogenic monoterpene profiles and the formation of secondary aerosols. 2007 , 41, 4877-4887		46

304	Insecticidal effects of Flourensia oolepis Blake (Asteraceae) essential oil. 2007 , 35, 181-187	33
303	UV protective coatings: A botanical approach. 2007 , 58, 166-171	31
302	Review of innate and specific immunity in plants and animals. 2007, 164, 57-64	79
301	Oxidative Stress, the Paradigm of Ozone Toxicity in Plants and Animals. 2007 , 187, 285-301	92
300	Cell- and tissue-specific localization and regulation of the epithiospecifier protein in Arabidopsis thaliana. 2007 , 64, 173-85	45
299	Decomposition and sorption characterization of plant cuticles in soil. 2007 , 298, 21-30	10
298	The egg parasitoid Trissolcus basalis uses n-nonadecane, a cuticular hydrocarbon from its stink bug host Nezara viridula, to discriminate between female and male hosts. <i>Journal of Chemical Ecology</i> , 2.7 2007 , 33, 1405-20	79
297	Do European corn borer females detect and avoid laying eggs in the presence of 20-hydroxyecdysone?. <i>Journal of Chemical Ecology</i> , 2007 , 33, 1393-404	21
296	Development of an insect herbivore and its pupal parasitoid reflect differences in direct plant defense. <i>Journal of Chemical Ecology</i> , 2007 , 33, 1556-69	48
295	Olfactory versus Contact Cues in Host Plant Recognition of a Monophagous Chrysomelid Beetle. 2007 , 20, 247-266	28
294	Leaf surface compounds of the potato (Solanum tuberosum) and their influence on Colorado potato beetle (Leptinotarsa decemlineata) feeding. 2008 , 18, 205-216	18
293	Plant surface wax affects parasitoid's response to host footprints. 2008 , 95, 997-1002	36
292	Where to from here? The mechanisms enabling the movement of first instar caterpillars on whole plants using Helicoverpa armigera (HBner). 2008 , 2, 197-207	36
291	Importance of plant physical cues in host acceptance for oviposition by BusseolalFusca. 2008 , 126, 233-243	29
290	Resistance of apple trees to Cydia pomonella egg-laying due to leaf surface metabolites. 2008 , 128, 57-65	21
289	Host surface properties affect prepenetration processes in the barley powdery mildew fungus. 2008 , 177, 251-263	61
288	Building lipid barriers: biosynthesis of cutin and suberin. 2008 , 13, 236-46	616
287	Resistance at the Plant Cuticle. 2008 , 107-129	11

286	Avoiding effective defenses: strategies employed by phloem-feeding insects. 2008, 146, 859-66		399
285	Effects of rootstock and flushing on the incidence of three insects on 'Clementine de Nules' citrus trees. 2008 , 37, 1531-7		4
284	Effect of Plant Surface Microstructure and Material on Attachment of Pathogenic Bacteria. 2008,		
283	Localized search cues in corn roots for western corn rootworm (Coleoptera: Chrysomelidae) larvae. 2009 , 102, 558-62		18
282	Two sides of a leaf blade: Blumeria graminis needs chemical cues in cuticular waxes of Lolium perenne for germination and differentiation. 2009 , 230, 95-105		39
281	Behaviour-modifying activity of eugenol on Thrips tabaci Lindeman. 2009 , 82, 115-121		7
280	Multifunctional surface structures of plants: An inspiration for biomimetics. 2009 , 54, 137-178		614
279	Nanostructure of epicuticular plant waxes: Self-assembly of wax tubules. 2009 , 603, 1961-1968		25
278	Glucosinolates on the leaf surface perceived by insect herbivores: review of ambiguous results and new investigations. 2009 , 8, 207-225		41
277	Interactions between glucosinolate- and myrosinase-containing plants and the sawfly Athalia rosae. 2009 , 8, 121-134		56
276	Caterpillar footprints as host location kairomones for Cotesia marginiventris: persistence and chemical nature. <i>Journal of Chemical Ecology</i> , 2009 , 35, 20-7	2.7	39
275	Anti-aphrodisiac compounds of male butterflies increase the risk of egg parasitoid attack by inducing plant synomone production. <i>Journal of Chemical Ecology</i> , 2009 , 35, 1373-81	2.7	39
274	The role of two plant-derived volatiles in the foraging movement of 1st instar Helicoverpa armigera (HBner): time to stop and smell the flowers. 2009 , 3, 173-179		16
273	The response of Trissolcus basalis to footprint contact kairomones from Nezara viridula females is mediated by leaf epicuticular waxes. 2009 , 96, 975-81		40
272	Development of the cuticular wax during growth of Kalanchoe daigremontiana (Hamet et Perr. de la Bathie) leaves. 2009 , 32, 73-81		24
271	UV-B impact on aphid performance mediated by plant quality and plant changes induced by aphids. 2010 , 12, 676-84		35
270	Phylogenetic ecology of leaf surface traits in the milkweeds (Asclepias spp.): chemistry, ecophysiology, and insect behavior. 2009 , 183, 848-867		88
269	Surface lipids and plant defenses. 2009 , 47, 540-9		140

(2010-2009)

268	Terpene-mediated parasitoid host location behavior on transgenic and classically bred apple genotypes. 2009 , 57, 6630-5	1	0
267	Superhydrophobic and superhydrophilic plant surfaces: an inspiration for biomimetic materials. 2009 , 367, 1487-509	5	535
266	Effect of silicon-based fertilizer applications on the reproduction and development of the citrus mealybug (Hemiptera: Pseudococcidae) feeding on green coleus. 2009 , 102, 2198-208	8	3
265	Host Searching by Egg Parasitoids: Exploitation of Host Chemical Cues. 2009 , 97-147	1	1
264	Ecological factors in the inundative use of fungal entomopathogens. 2009, 159-185	5	;
263	Host plant selection, larval survival, and reproductive phenology in Megathymus yuccae (Lepidoptera: Hesperiidae). 2009 , 38, 1211-8	4	ł
262	Functional Surfaces in Biology. 2009 ,	5	;
261	Environmental factors affecting efficacy of bifenthrin-treated vegetation for mosquito control. 2009 , 25, 338-46	2	25
260	Epicuticular waxes and plant primary metabolites on the surfaces of juvenile Eucalyptus globulus and E. nitens (Myrtaceae) leaves. 2009 , 57, 474	1	-9
259	Confirmation of Chirality of Some Natural Products by the HPLC Method. 2010 , 393-416		
258	Ecological factors in the inundative use of fungal entomopathogens. 2010 , 55, 159-185	2	:51
257	Effects of plant micro-environment on movement of Helicoverpa armigera (HBner) larvae and the relationship to a hierarchy of stimuli. 2010 , 4, 165-173	1	2
256	Plant volatile organic compounds (VOCs) in ozone (O3) polluted atmospheres: the ecological effects. <i>Journal of Chemical Ecology</i> , 2010 , 36, 22-34	' 1	15
255	Parasitoids modify their oviposition behavior according to the sexual origin of conspecific cuticular hydrocarbon traces. <i>Journal of Chemical Ecology</i> , 2010 , 36, 1092-100	' 1	4
254	The effect of wheat grain composition, cuticular lipids and kernel surface microstructure on feeding, egg-laying, and the development of the granary weevil, Sitophilus granarius (L.). 2010 , 46, 133-147	2	23
253	Clytostoma callistegioides (Bignoniaceae) wax extract with activity on aphid settling. 2010 , 71, 2052-7	1	4
252	Very-long-chain aldehydes promote in vitro prepenetration processes of Blumeria graminis in a dose- and chain length-dependent manner. 2010 , 188, 1039-54	5	;8
251	Influence of epicuticular-wax composition on the feeding pattern of a phytophagous insect: implications for host resistance. 2010 , 142, 261-270	2	23

250	Plant surfaces of vegetable crops mediate interactions between chemical footprints of true bugs and their egg parasitoids. 2010 , 3, 70-4	7
249	Short-range allelochemicals from a plant-herbivore association: a singular case of oviposition-induced synomone for an egg parasitoid. 2010 , 213, 3911-9	41
248	Dummies versus air puffs: efficient stimulus delivery for low-volatile odors. 2010 , 35, 323-33	8
247	Effect of Silicon-based Fertilizer Applications on Nymphal Development and Adult Emergence of the Greenhouse Whitefly (Hemiptera: Aleyrodidae) Feeding on Poinsettia. 2010 , 45, 150-169	2
246	Feeding Behavior Patterns of Leptocorisa chinensis (Hemiptera: Alydidae) Nymphs on Host and Nonhost Plants. 2010 , 103, 585-591	
245	Development of novel therapeutic drugs in humans from plant antimicrobial peptides. 2010 , 11, 236-47	19
244	Hygroscopic particles on leaves: nutrients or desiccants?. 2010 , 80, 369-399	144
243	Impacts of Ultraviolet Radiation on Interactions Between Plants and Herbivorous Insects: A Chemo-Ecological Perspective. 2010 , 305-347	24
242	Multifunctional Plant Surfaces and Smart Materials. 2010 , 1399-1436	19
241	Production of n-alkyl lipids in living plants and implications for the geologic past. 2011 , 75, 7472-7485	219
240	Leaf cuticular n-alkanes as markers in the chemotaxonomy of the eggplant (Solanum melongena L.) and related species. 2011 , 13, 932-9	12
239	Phylloplane location of glucosinolates in Barbarea spp. (Brassicaceae) and misleading assessment of host suitability by a specialist herbivore. 2011 , 189, 549-56	46
238	Wetting of low free energy surfaces by aqueous surfactant solutions. 2011 , 16, 285-291	78
237	Host sex discrimination by an egg parasitoid on Brassica leaves. <i>Journal of Chemical Ecology</i> , 2011 , 37, 622-8	19
236	Complementary Behaviors of Maternal and Offspring Spodoptera littoralis: Oviposition Site Selection and Larval Movement Together Maximize Performance. 2011 , 24, 67-82	6
235	Phytochemicals of Brassicaceae in plant protection and human healthinfluences of climate, environment and agronomic practice. 2011 , 72, 538-56	248
234	Attachment of Escherichia coli on plant surface structures built by microfabrication. 2011 , 108, 244-252	20
233	Oviposition response of the moth Lobesia botrana to sensory cues from a host plant. 2011 , 36, 633-9	31

232	Plant secondary substances and insects behaviour. 2011 , 44, 1534-1549	16
231	Loss of abaxial leaf epicuticular wax in Medicago truncatula irg1/palm1 mutants results in reduced spore differentiation of anthracnose and nonhost rust pathogens. 2012 , 24, 353-70	84
230	A simple plant mutation abets a predator-diversity cascade. 2012 , 93, 411-20	9
229	Fruit cuticular waxes as a source of biologically active triterpenoids. 2012 , 11, 263-284	154
228	Functional characteristics of secondary plants for increased pest management. 2012 , 58, 369-377	37
227	Leaf microbiota in an agroecosystem: spatiotemporal variation in bacterial community composition on field-grown lettuce. 2012 , 6, 1812-22	289
226	Egg adhesion of the codling moth Cydia pomonella L. (Lepidoptera, Tortricidae) to various substrates: I. Leaf surfaces of different apple cultivars. 2012 , 6, 471-488	15
225	Localisation and mobility of trace metal in silver fir needles. 2012 , 87, 204-10	28
224	Sorption of chlorophenols onto fruit cuticles and potato periderm. 2012 , 24, 675-81	6
223	The chemical composition of cuticular waxes from leaves of the gboma eggplant (Solanum macrocarpon L.). 2012 , 25, 74-78	24
222	Prefeeding and Acceptance Behavior of an Oligophagous Beetle is Dependent on Plant Suitability and Rearing History. 2012 , 25, 155-165	4
221	Long-chain alkanes: allelochemicals for host location by the insect pest, Epilachna dodecastigma (Coleoptera: Coccinellidae). 2013 , 48, 171-179	33
220	Function and central projections of gustatory receptor neurons on the antenna of the noctuid moth Spodoptera littoralis. 2013 , 199, 403-16	18
219	Cabbage waxes affect Trissolcus brochymenae response to short-range synomones. 2013 , 20, 753-62	10
218	Stabilizing Mutualisms Threatened by Exploiters: New Insights from AntPlant Research. 2013, 45, 654-665	12
217	Interfacial properties of functionalized assemblies of hydroxy-fatty acid salts isolated from fruit tomato peels. 2013 , 15, 341-346	19
216	Antagonism between herbivore-induced plant volatiles and trichomes affects tritrophic interactions. 2013 , 36, 315-27	27
215	The formation and function of plant cuticles. 2013 , 163, 5-20	664

214 Management of the Vineyard. 2013, 27-49

213	Foraging Strategies of Parasitoids in Complex Chemical Environments. 2013 , 37-63	35
212	Chemical Ecology of Insect Parasitoids: Essential Elements for Developing Effective Biological Control Programmes. 2013 , 191-224	18
211	Isolation and characterization of host recognition cues in corn roots for larvae of the western corn rootworm (Coleoptera: Chrysomelidae). 2013 , 106, 2354-63	4
210	Host selection, oviposition behaviour and leaf traits in a specialist willow sawfly on species of Salix (Salicaceae). 2013 , 38, 617-626	8
209	The maize glossy13 gene, cloned via BSR-Seq and Seq-walking encodes a putative ABC transporter required for the normal accumulation of epicuticular waxes. 2013 , 8, e82333	54
208	The effects of leaf roughness, surface free energy and work of adhesion on leaf water drop adhesion. 2014 , 9, e107062	43
207	Micropropagation of bioencapsulation and ultrastructural features of sainfoin (Onobrychis viciifolia) grown in vivo and in vitro. 2014 , 2014, 680356	1
206	A procedure to evaluate the efficiency of surface sterilization methods in culture-independent fungal endophyte studies. 2014 , 45, 977-83	11
205	The cuticle and plant defense to pathogens. 2014 , 5, 274	178
204	Chemical Ecology of Medicinal Plants. 2014 , 71-105	
203	The influence of the nature and composition of mixed surfactants on the stability of herbicide emulsions based on fenoxaprop-P-ethyl and cloquintocet-mexyl. 2014 , 76, 675-682	3
202	Occurrence of secondary metabolites in tepals of Asphodelus ramosus L 2014 , 148, 31-34	4
201	Erythronium dens-canis L. (Liliaceae): an unusual case of change of leaf mottling. 2014 , 74, 108-17	16
200	The transcription factor SlSHINE3 modulates defense responses in tomato plants. 2014 , 84, 37-47	45
199	Leaf structures affect predatory mites (Acari: Phytoseiidae) and biological control: a review. 2014 , 62, 1-17	55
198	Egg adhesion of the codling moth Cydia pomonella L. (Lepidoptera, Tortricidae) to various substrates: II. Fruit surfaces of different apple cultivars. 2014 , 8, 57-77	11
197	Photodynamic decontamination of foodstuff from Staphylococcus aureus based on novel formulations of curcumin. 2014 , 13, 1402-9	54

(2015-2014)

196	Does plant colour matter? Wax accumulation as an indicator of decline in Juniperus thurifera. 2014 , 34, 267-74	30
195	Microclimate Fluctuation Correlated with Beta Diversity of Epiphyllous Bryophyte Communities. 2014 , 46, 575-582	4
194	Yeasts associated with plums and their potential for controlling brown rot after harvest. 2014 , 31, 207-18	28
193	Non-invasive assessment of glossiness and polishing of the wax bloom of European plum. 2014 , 87, 144-151	22
192	Surface Waxes as a Plant Defense Barrier Towards Grain Aphid. 2015 , 57, 95-103	11
191	The Wetting of Leaf Surfaces and Its Ecological Significances. 2015 ,	13
190	Cultivar-level genotype differences influence diversity and composition of lettuce (Lactuca sp.) phyllosphere fungal communities. 2015 , 17, 183-186	24
189	Field Abundance Patterns and Odor-Mediated Host Choice by Clover Seed Weevils, Apion fulvipes and Apion trifolii (Coleoptera: Apionidae). 2015 , 108, 492-503	5
188	Quantification of plant surface metabolites by matrix-assisted laser desorption-ionization mass spectrometry imaging: glucosinolates on Arabidopsis thaliana leaves. 2015 , 81, 961-72	55
187	Usefulness of Fluorescent Probe Prodan To Gain Insight into the Polarity of Plant Cuticles. 2015 , 63, 6932-8	6
186	Monogalactosyldiacylglycerols as Host Recognition Cues for Western Corn Rootworm Larvae (Coleoptera: Chrysomelidae). 2015 , 108, 539-48	16
185	Micromorphological, anatomical and ultrastructural analyses of ovaries and fruitlets indicate early qualitative differences in two Prunus domestica cultivars. 2015 , 189, 112-121	1
184	Characteristics of Fruit (Prunus domestica L.) Skin: Structure and Antioxidant Content. 2015 , 18, 2487-2499	6
183	Development of the stomatal complex and leaf surface of Agave angustifolia Haw. B acanorall plantlets during the in vitro to ex vitro transition process. 2015 , 189, 32-40	19
182	Oviposition Behavior of the Pollen Beetle (Meligethes aeneus): A Functional Study. 2015 , 28, 107-119	10
181	Egg Dispersal in the Phasmatodea: Convergence in Chemical Signaling Strategies Between Plants and Animals?. <i>Journal of Chemical Ecology</i> , 2015 , 41, 689-95	9
180	Uncovering different parameters influencing florivory in a specialist herbivore. 2015 , 40, 258-268	5
179	Both Volatiles and Cuticular Plant Compounds Determine Oviposition of the Willow Sawfly Nematus oligospilus on Leaves of Salix spp. (Salicaceae). <i>Journal of Chemical Ecology</i> , 2015 , 41, 985-96	19

178	Leaf surface wettability and fatty acid composition of Arbutus unedo and Arbutus andrachne grown under ambient conditions in a natural macchia. 2015 , 162, 225-232		10
177	Leaf wax composition and carbon isotopes vary among major conifer groups. 2015 , 170, 145-156		80
176	Inter-regional variation on leaf surface defenses in native and non-native Centaurea solstitialis plants. 2015 , 62, 208-218		9
175	Optical Properties of Berry Epicuticular Waxes in Four Georgian Grape Cultivars (Vitis vinifera L.). 2016 , 33,		2
174	Evolution of Specialization of Cassida rubiginosa on Cirsium arvense (Compositae, Cardueae). 2016 , 7, 1261		7
173	Cuticular Lipids as a Cross-Talk among Ants, Plants and Butterflies. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	24
172	Insecticidal Properties of a Highly Potent Wax Isolated from Dolichandra cynanchoides Cham. 2016 , 21,		3
171	Primitive Extracellular Lipid Components on the Surface of the Charophytic Alga Klebsormidium flaccidum and Their Possible Biosynthetic Pathways as Deduced from the Genome Sequence. 2016 , 7, 952		30
170	Host plant preference and offspring performance of a leaf-mining moth, Caloptilia fraxinella, on two Fraxinus species. 2016 , 159, 311-326		5
169	Smart water channelling through dual wettability by leaves of the bamboo Phyllostachys aurea. 2016 , 506, 344-355		11
168	REVIEW: A mechanistic framework to improve understanding and applications of push-pull systems in pest management. 2016 , 53, 202-212		32
167	Chemicals on plant surfaces as a heretofore unrecognized, but ecologically informative, class for investigations into plant defence. 2016 , 91, 1102-1117		22
166	The response of an egg parasitoid to substrate-borne semiochemicals is affected by previous experience. 2016 , 6, 27098		9
165	Morphological and physiological responses of Heteropogon contortus to drought stress in a dry-hot valley. 2016 , 57, 17		5
164	Dynamics of glucosinolate-myrosinase system during Plutella xylostella interaction to a novel host Lepidium latifolium L. 2016 , 250, 1-9		5
163	Wetting characterizations of oilseed rapes. 2016 , 13, 213-219		10
162	Herbivore Damage and Prior Egg Deposition on Host Plants Influence the Oviposition of the Generalist Moth Trichoplusia ni (Lepidoptera: Noctuidae). 2016 , 109, 2364-2372		8
161	Do white spruce epicuticular wax monoterpenes follow foliar patterns?. 2016 , 46, 1051-1058		6

160	Ecological and Geochemical Assessment of Woody Vegetation in Tungsten-Molybdenum Mining Area (Buryat Republic, Russia). 2016 , 41, 012026	6
159	Management of Insect Pests to Agriculture. 2016 ,	5
158	Plant Immunity: Connecting the Dots Between Microbial and Hemipteran Immune Responses. 2016 , 217-243	6
157	Localization of the Transpiration Barrier in the Epi- and Intracuticular Waxes of Eight Plant Species: Water Transport Resistances Are Associated with Fatty Acyl Rather Than Alicyclic Components. 2016 , 170, 921-34	99
156	Structure and composition of the wax of the date palm, Phoenix dactylifera L., from the septentrional Sahara. 2016 , 201, 238-246	5
155	Spruce budworm feeding and oviposition are stimulated by monoterpenes in white spruce epicuticular waxes. 2017 , 24, 73-80	7
154	The correlation between leaf-surface and leaf-tissue secondary metabolites: a case study with pyrrolizidine alkaloids in Jacobaea hybrid plants. 2017 , 13, 1	3
153	HOTHEAD-Like HTH1 is Involved in Anther Cutin Biosynthesis and is Required for Pollen Fertility in Rice. 2017 , 58, 1238-1248	20
152	A Generalist Herbivore Copes with Specialized Plant Defence: the Effects of Induction and Feeding by Helicoverpa armigera (Lepidoptera: Noctuidae) Larvae on Intact Arabidopsis thaliana 2.7 (Brassicales) Plants. <i>Journal of Chemical Ecology</i> , 2017 , 43, 608-616	12
151	Anatomy of the invasive orchid Oeceoclades maculata: ecological implications. 2017 , 184, 94-112	8
150	Role of Pear Fruit Cuticular Wax and Surface Hydrophobicity in Regulating the Prepenetration Phase of Alternaria alternata Infection. 2017 , 165, 313-322	21
149	Unlocking the in vitro anti-inflammatory and antidiabetic potential of Polygonum maritimum. 2017 , 55, 1348-1357	19
148	Passive Adsorption of Volatile Monoterpene in Pest Control: Aided by Proximity and Disrupted by Ozone. 2017 , 65, 9579-9586	9
147	Identification and characterization of a glossy mutant in Welsh onion (Allium fistulosum L.). 2017 , 225, 122-127	4
146	Plant Surfaces: Structures and Functions for Biomimetic Applications. 2017 , 1265-1305	6
145	Plant Surfaces: Structures and Functions for Biomimetic Innovations. 2017 , 9, 23	203
144	Extracting the most from terrestrial plant-derived n-alkyl lipids and their carbon isotopes from the sedimentary record: A review. <i>Organic Geochemistry</i> , 2017 , 103, 1-21	197
143	The intimate talk between plants and microorganisms at the leaf surface. 2017 , 68, 5339-5350	61

142	Differential Partitioning of Triterpenes and Triterpene Esters in Apple Peel. 2018, 66, 1800-1806	13
141	How the long-life span leaves of Ouratea castaneifolia Engl. (Ochnaceae) differ in distinct light conditions. 2018 , 41, 403-414	2
140	Methyl linolenate as a feeding stimulant for the 28-spotted potato ladybird, Henosepilachna vigintioctopunctata? A molecular docking approach. 2018 , 101, 75-84	2
139	Physical properties of botanical surfactants. 2018 , 610-611, 1133-1137	5
138	Ecological anatomy of Eugenia luschnathiana (O.Berg) Klotzsch ex B.D.Jacks. (Myrtaceae) leaves in the Restinga region, state of Ceara. 2018 , 40,	2
137	Variation in Leaf-Surface and Leaf-Tissue Secondary Metabolites: Pyrrolizidine Alkaloids. 2018 , 1-13	
136	PlantInsect Interactions on Cuticular Surfaces. 2018, 398-422	4
135	Functional Characterization of the Gustatory Sensilla of Tarsi of the Female Polyphagous Moth. 2018 , 9, 1606	4
134	Canopy attachment position influences metabolism and peel constituency of European pear fruit. 2018 , 18, 364	15
133	Pathogenicity Traits Correlate With the Susceptible Leaf Physiology Transition in the Biotroph Fungus: An Adaptation to Plant Ontogenic Resistance. 2018 , 9, 1808	11
132	Understorey Rhododendron tomentosum and Leaf Trichome Density Affect Mountain Birch VOC Emissions in the Subarctic. 2018 , 8, 13261	12
131	Development of Multifunctional Avermectin Poly(succinimide) Nanoparticles to Improve Bioactivity and Transportation in Rice. 2018 , 66, 11244-11253	27
130	Assessing the augmentation of Amblydromalus limonicus with the supplementation of pollen, thread, and substrates to combat greenhouse whitefly populations. 2018 , 8, 12189	10
129	Epicuticular Wax Composition of Leaves of Tilia L. Trees as a Marker of Adaptation to the Climatic Conditions of the Steppe Dnieper. 2018 , 52, 323-330	5
128	Kinetics of solvent supported tubule formation of Lotus () wax on highly oriented pyrolytic graphite (HOPG) investigated by atomic force microscopy. 2018 , 9, 468-481	1
127	Ozone disrupts adsorption of Rhododendron tomentosum volatiles to neighbouring plant surfaces, but does not disturb herbivore repellency. 2018 , 240, 775-780	7
126	PreferenceBerformance in a specialist sawfly on congeneric host plants. 2018 , 166, 442-451	8
125	Salvia verticillata: Linking glandular trichomes, volatiles and pollinators. 2018 , 155, 53-60	13

124	Multifunctional Roles of Plant Cuticle During Plant-Pathogen Interactions. 2018, 9, 1088	81
123	Waxy bloom on grape berry surface is one important factor for oviposition of European grapevine moths. 2018 , 91, 1225-1239	15
122	Structural and Biochemical Properties of Duckweed Surface Cuticle. 2018, 6, 317	16
121	Variability in leaf wettability and surface water retention of main species in semiarid Loess Plateau of China. 2018 , 11, e2021	6
120	Functional traits of floral and leaf surfaces of the early spring flowering Asphodelus ramosus in the Mediterranean region. 2018 , 248, 10-21	3
119	Contact angle measurements and water drop behavior on leaf surface for several deciduous shrub and tree species from a temperate zone. 2018 , 32, 1253-1266	24
118	Compositional and transcriptomic analysis associated with cuticle lipid production on rosette and inflorescence stem leaves in the extremophyte Thellungiella salsuginea. 2019 , 165, 584-603	3
117	Plant defense against aphids, the pest extraordinaire. 2019 , 279, 96-107	57
116	Leaf Optical Properties in Different Wavelength Domains. 2019 , 124-169	1
115	Variation Due to Leaf Structural, Chemical, and Physiological Traits. 2019 , 170-194	2
114	Extraction of Leaf Traits. 2019 , 320-356	
113	A Brief History of Leaf Color. 2019 , 1-11	
112	Leaf Biophysics. 2019 , 12-47	
111	Spectroscopy of Leaf Molecules. 2019 , 48-73	2
110	Measurement of Leaf Optical Properties. 2019 , 74-123	0
109	Variations Due to Leaf Abiotic and Biotic Factors. 2019 , 195-228	Ο
108	Comprehensive Reviews of Leaf Optical Properties Models. 2019 , 229-264	1
107	Modeling Leaf Optical Properties: prospect. 2019 , 265-291	

106	Modeling Three-Dimensional Leaf Optical Properties: raytran. 2019 , 292-319
105	Applications of Leaf Optics. 2019 , 357-403
104	Conclusion. 2019 , 404-405
103	Glossary and Acronym List. 2019 , 406-422
102	Leaf Molecules. 2019 , 423-434
101	Planck Law. 2019 , 435-438
100	Radiometry. 2019 , 439-441
99	Fresnel Equations. 2019 , 442-451
98	Beer[lambert Law. 2019 , 452-454
97	KubelkaMunk Theory. 2019, 455-461
96	Global Sensitivity Analysis. 2019 , 462-463
95	Leaf Three-Dimensional Reconstruction. 2019 , 464-468
94	Leaf Online Databases and Models. 2019 , 469-472
93	Index. 2019 , 544-556
92	Plate Section (PDF Only). 2019, 1-16
91	Preface. 2019 , ix-x
90	Surface water storage characteristics of main herbaceous species in semiarid Loess Plateau of China. 2019 , 12, e2145
89	Biodiversity and Chemotaxonomy. 2019,

(2020-2019)

88	Various Patterns of Composition and Accumulation of Steroids and Triterpenoids in Cuticular Waxes from Screened Ericaceae and Caprifoliaceae Berries during Fruit Development. 2019 , 24,	12
87	Labellum structure of Bulbophyllum echinolabium J.J. Sm. (section Lepidorhiza Schltr., Bulbophyllinae Schltr., Orchidaceae Juss.). 2019 , 256, 1185-1203	9
86	Chemical composition and micromorphological structure of cuticular leaf waxes of eight tropical fern species of Mexico. 2019 , 85, 13-20	3
85	Medium-Chain Fatty Acids from Leaves Causing Insect Settling Deterrent, Nematicidal, and Phytotoxic Effects. 2019 , 24,	7
84	The use of Leaf Surface Contact Cues During Oviposition Explains Field Preferences in the Willow Sawfly Nematus Oligospilus. 2019 , 9, 4946	11
83	Utilisation of hydrocarbons and production of surfactants by bacteria isolated from plant leaf surfaces. 2019 , 366,	11
82	Herbivores avoid host plants previously exposed to their omnivorous predator Macrolophus pygmaeus. 2019 , 92, 737-745	14
81	Zoophytophagous mites can trigger plant-genotype specific defensive responses affecting potential prey beyond predation: the case of Euseius stipulatus and Tetranychus urticae in citrus. 2019 , 75, 1962-1970	12
80	Chemical composition and water permeability of the cuticular wax barrier in rose leaf and petal: A comparative investigation. 2019 , 135, 404-410	15
79	Filling gaps in our knowledge on the cuticle of mangoes (Mangifera indica) by analyzing six fruit cultivars: Architecture/structure, postharvest physiology and possible resistance to fruit fly (Tephritidae) attack. 2019 , 148, 83-96	13
78	Radicular and foliar uptake, and xylem- and phloem-mediated transport of selenium in maize (Zea mays L.): a comparison of five Se exogenous species. 2020 , 446, 111-123	9
77	Functional gene categories differentiate maize leaf drought-related microbial epiphytic communities. 2020 , 15, e0237493	2
76	Cuticular wax of mandarin fruit promotes conidial germination and germ tube elongation, and impairs colony expansion of the green mold pathogen, Penicillium digitatum. 2020 , 169, 111296	4
75	Update on Cuticular Wax Biosynthesis and Its Roles in Plant Disease Resistance. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	14
74	Rapid recovery of net ecosystem production in a semi-arid woodland after a wildfire. 2020 , 291, 108099	9
73	Chemical profiles of cuticular waxes on various organs of Sorghum bicolor and their antifungal activities. 2020 , 155, 596-604	5
72	Hydroprinted Liquid-Alloy-Based Morphing Electronics for Fast-Growing/Tender Plants: From Physiology Monitoring to Habit Manipulation. 2020 , 16, e2003833	17
71	Herbivore-induced volatile emissions are altered by soil legacy effects in cereal cropping systems. 2020 , 455, 171-186	2

70	The control of the brown planthopper by the rice Bph14 gene is affected by nitrogen. 2020, 76, 3649-3656	2
69	Antibacterial and ATP Synthesis Modulating Compounds from. 2020 , 83, 1027-1042	4
68	Disordered wax platelets on leaves create golden shine. 2020 , 223, 207-215	6
67	Interactions of Bunias orientalis plant chemotypes and fungal pathogens with different host specificity in vivo and in vitro. 2020 , 10, 10750	2
66	Toward Superhydrophobic Surfaces. 2020 , 391-440	1
65	Does disease severity impact on plant foliar chemical and physical responses to two Corymbia citriodora subsp. variegata pathogens?. 2020 , 148, 112288	3
64	High post-anthesis temperature effects on bread wheat (Triticum aestivum L.) grain transcriptome during early grain-filling. 2020 , 20, 170	6
63	Relationship Between Cuticular Waxes and Storage Quality Parameters of Korla Pear Under Different Storage Methods. 2021 , 40, 1152-1165	4
62	Modulation of anatomical adaptations of leaves of Avicennia schaueriana (Acanthaceae) by a galling Meunieriella (Cecidomyiidae). 2021 , 274, 151750	2
61	Shaping the leaf microbiota: plant-microbe-microbe interactions. 2021 , 72, 36-56	32
60	Shaping the leaf microbiota: plant-microbe-microbe interactions. 2021 , 72, 36-56 Paropsis atomaria larval feeding induces a chemical but not a physical response in Corymbia citriodora subsp. variegata. 2021 , 35, 863-873	32
	Paropsis atomaria larval feeding induces a chemical but not a physical response in Corymbia	32 O
60	Paropsis atomaria larval feeding induces a chemical but not a physical response in Corymbia citriodora subsp. variegata. 2021 , 35, 863-873 Gram-negative bacteria associated with a dominant arboreal ant species outcompete	
60 59	Paropsis atomaria larval feeding induces a chemical but not a physical response in Corymbia citriodora subsp. variegata. 2021 , 35, 863-873 Gram-negative bacteria associated with a dominant arboreal ant species outcompete phyllosphere-associated bacteria species in a tropical canopy. 2021 , 195, 959-970 Heat-distribution in the body and wings of the morpho dragonfly Zenithoptera lanei (Anisoptera:	0
60 59 58	Paropsis atomaria larval feeding induces a chemical but not a physical response in Corymbia citriodora subsp. variegata. 2021 , 35, 863-873 Gram-negative bacteria associated with a dominant arboreal ant species outcompete phyllosphere-associated bacteria species in a tropical canopy. 2021 , 195, 959-970 Heat-distribution in the body and wings of the morpho dragonfly Zenithoptera lanei (Anisoptera: Libellulidae) and a possible mechanism of thermoregulation. 2021 , 133, 179-186 Plant wax and carbon isotope response to heat and drought in the conifer Juniperus monosperma.	3
60 59 58 57	Paropsis atomaria larval feeding induces a chemical but not a physical response in Corymbia citriodora subsp. variegata. 2021, 35, 863-873 Gram-negative bacteria associated with a dominant arboreal ant species outcompete phyllosphere-associated bacteria species in a tropical canopy. 2021, 195, 959-970 Heat-distribution in the body and wings of the morpho dragonfly Zenithoptera lanei (Anisoptera: Libellulidae) and a possible mechanism of thermoregulation. 2021, 133, 179-186 Plant wax and carbon isotope response to heat and drought in the conifer Juniperus monosperma. Organic Geochemistry, 2021, 153, 104197	3
60 59 58 57 56	Paropsis atomaria larval feeding induces a chemical but not a physical response in Corymbia citriodora subsp. variegata. 2021, 35, 863-873 Gram-negative bacteria associated with a dominant arboreal ant species outcompete phyllosphere-associated bacteria species in a tropical canopy. 2021, 195, 959-970 Heat-distribution in the body and wings of the morpho dragonfly Zenithoptera lanei (Anisoptera: Libellulidae) and a possible mechanism of thermoregulation. 2021, 133, 179-186 Plant wax and carbon isotope response to heat and drought in the conifer Juniperus monosperma. Organic Geochemistry, 2021, 153, 104197 Physical and Chemical Traits of Grape Varieties Influence Preferences and Performance. 2021, 12, 664636 Only Females Oviposit: Chemical Discrimination of Adult Stink Bug Sex by the Egg Parasitoid	3 3

52	Metabolome and transcriptome profiling reveals anthocyanin contents and anthocyanin-related genes of chimeric leaves in Ananas comosus var. bracteatus. 2021 , 22, 331	3
51	High-resolution spectral information enables phenotyping of leaf epicuticular wax in wheat. 2021 , 17, 58	2
50	Synergism in Host Selection Behavior of Three Generalist Insects Towards Leaf Cuticular Wax of Sesame Cultivars. 2021 , 50, 812-827	2
49	Application of foliar urea to grapevines: productivity and flavour components of grapes.	
48	Leaf surface characteristics affect the deposition and distribution of droplets in rice (Oryza sativa L.). 2021 , 11, 17846	O
47	Variable Attachment to Plant Surface Waxes by Predatory Insects. 2009 , 157-181	10
46	Leaf Optical Properties. 2019 ,	20
45	Amazonian biogenic volatile organic compounds under global change. 2020 , 26, 4722-4751	13
44	Chapter 8 Plant and Stink Bug Interactions at Different Trophic Levels. 2017 , 180-199	2
43	Drought and root herbivory interact to alter the response of above-ground parasitoids to aphid infested plants and associated plant volatile signals. 2013 , 8, e69013	38
42	Chromatographic fractionation and analysis of the main components of eggplant (Solanum melongenaL.) leaf cuticular waxes. 2009 , 21, 127-137	17
41	Evaluation of the Foliar Damage That Threatens a Millennial-Age Tree, Araucaria araucana (Molina) K. Koch, Using Leaf Waxes. 2020 , 11, 59	3
40	Syndromes in suites of correlated traits suggest multiple mechanisms facilitating invasion in a plant range-expander. 37, 1-22	4
39	Crystallinity and Water Vapor Permeability of n-Alkane, Alcohol, Aldehyde, and Fatty Acid Constituents of Natural Waxes. 2021 , 60, 14651-14663	О
38	Functional gene categories differentiate maize leaf drought-related microbial epiphytic communities.	3
37	Chemotaxonomic Survey on the Genus Sedum L. (Crassulaceae) Based on Distribution and Variability of the Epicuticular Wax Constituents. 2019 , 271-293	
36	Dynamics of Plant Microbiome and Its Effect on the Plant Traits. 2019 , 273-304	1
35	High post-anthesis temperature effects on bread wheat (Triticum aestivum L.) grain transcriptome during early grain-filling.	

	51	34
		33
1		32
		31
О		30
Ο		29
		28
О		27
1		26
		25
		24
		23
		22
		21
	1.1	20
0		19
0	5.4	
	2.8	18
		21

CITATION REPORT

16	Nanocarrier-Loaded Imidaclothiz Promotes Plant Uptake and Decreases Pesticide Residue. <i>International Journal of Molecular Sciences</i> , 2022 , 23, 6651	6.3	1
15	Biological parameters and fertility life table of Aphis spiraecola Patch, 1914 (Hemiptera: Aphididae) on different hosts. <i>Phytoparasitica</i> ,	1.5	
14	Understanding the disparity in n-alkane production among angiosperms and gymnosperms from the higher Himalayas: Inferences drawn from a Machine Learning approach. <i>Organic Geochemistry</i> , 2022 , 104463	3.1	0
13	Plant defense to herbivore: role of leaf epicuticular wax composition of citrus cultivars in citrus leafminer, Phyllocnistis citrella Stainton (Lepidoptera: Gracillariidae) larval density. 1-7		O
12	Behavioral pattern of generalist and specialist insect pests to brassicaceous leaf cuticular n-alkanes and free fatty acids.		O
11	Are epicuticular waxes a surface defense comparable to trichomes? A test using two Solanum species and a specialist herbivore		1
10	The detected effects of driptips and leaf wettability on the kinetic energy of throughfall in rubber-based agroforestry in Xishuangbanna.		О
9	Transcriptome analysis of aphids exposed to glandular trichomes in tomato reveals stress and starvation related responses. 2022 , 12,		O
8	Quercus ilex Phyllosphere Microbiome Environmental-Driven Structure and Composition Shifts in a Mediterranean Contex. 2022 , 11, 3528		О
7	Late-season biosynthesis of leaf fatty acids and n-alkanes of a mature beech (Fagus sylvatica) tree traced via13CO2 pulse-chase labelling and compound-specific isotope analysis. 13,		Ο
6	AaCaMKs Positively Regulate Development, Infection Structure Differentiation and Pathogenicity in Alternaria alternata, Causal Agent of Pear Black Spot. 2023 , 24, 1381		О
5	Germination Development of Powdery Mildew on Natural and Artificial Wheat Leaf Surfaces: A Study to Investigate Plant Wax Signals. 2200092		O
4	Discolobium and Riedeliella (Fabaceae IFaboideae IDalbergieae clade): leaflet anatomy, secretory structures and their systematic implications.		0
3	Functional consequences of light intensity on soybean leaf hydraulic conductance: Coordinated variations in leaf venation architecture and mesophyll structure. 2023 , 210, 105301		O
2	Water permeability of different aerial tissues of carnations is related to cuticular wax composition. 2023 , 175,		О
1	Phenotypic plasticity in Copaifera langsdorffii Desf. in different forest fragments in Sb Paulo state, Brazil. 2023 , 95,		O