Virtual Computational Chemistry Laboratory – Desig

Journal of Computer-Aided Molecular Design 19, 453-463

DOI: 10.1007/s10822-005-8694-y

Citation Report

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Computing chemistry on the web. Drug Discovery Today, 2005, 10, 1497-1500. | 3.2 | 193 |
| 2 | Benchmarking of Linear and Nonlinear Approaches for Quantitative Structureâ [^] Property Relationship Studies of Metal Complexation with Ionophores. Journal of Chemical Information and Modeling, 2006, 46, 808-819. | 2.5 | 68 |
| 3 | Structure–activity relationships in platelet-activating factor. Part 13: Synthesis and biological evaluation of piperazine derivatives with dual anti-PAF and anti-HIV-1 or pure antiretroviral activity. Bioorganic and Medicinal Chemistry, 2006, 14, 8109-8125. | 1.4 | 14 |
| 4 | Quantitative structure–pharmacokinetic relationships for drug clearance by using statistical learning methods. Journal of Molecular Graphics and Modelling, 2006, 24, 383-395. | 1.3 | 72 |
| 5 | Handling uncertainties in toxicity modelling using a fuzzy filter. SAR and QSAR in Environmental Research, 2007, 18, 645-662. | 1.0 | 12 |
| 6 | A Functional Link Network With Ordered Basis Functions. Neural Networks (IJCNN), International Joint Conference on, 2007, , . | 0.0 | 3 |
| 7 | Predicting Odor Pleasantness from Odorant Structure: Pleasantness as a Reflection of the Physical World. Journal of Neuroscience, 2007, 27, 10015-10023. | 1.7 | 345 |
| 8 | The Molecular Basis for Cyclopiazonic Acid Inhibition of the Sarcoplasmic Reticulum Calcium Pump. Journal of Biological Chemistry, 2007, 282, 9748-9757. | 1.6 | 125 |
| 9 | Molecular modeling on pyruvate phosphate dikinase of entamoeba histolytica and In silico virtual screening for novel inhibitors., 2007,,. | | 0 |
| 10 | Amino acid quantitative structure property relationship database: a web-based platform for quantitative investigations of amino acids. Protein Engineering, Design and Selection, 2007, 20, 347-351. | 1.0 | 10 |
| 12 | Predictive toxinology: An initial foray using calculated molecular descriptors to describe toxicity using saxitoxins as a model. Toxicon, 2007, 50, 901-913. | 0.8 | 12 |
| 13 | Comprehensive study of endocrine disrupting compounds using grab and passive sampling at selected wastewater treatment plants in South East Queensland, Australia. Environment International, 2007, 33, 654-669. | 4.8 | 168 |
| 14 | A novel structure-based virtual screening model for the hERG channel blockers. Biochemical and Biophysical Research Communications, 2007, 355, 889-894. | 1.0 | 55 |
| 15 | Exhaustive QSPR Studies of a Large Diverse Set of Ionic Liquids:  How Accurately Can We Predict Melting Points?. Journal of Chemical Information and Modeling, 2007, 47, 1111-1122. | 2.5 | 129 |
| 16 | Combined similarity and QSPR virtual screening for guest molecules of \hat{l}^2 -cyclodextrin. New Journal of Chemistry, 2007, 31, 1941. | 1.4 | 6 |
| 17 | Use of Drug Discovery Tools in Rational Organometallic Catalyst Design. Inorganic Chemistry, 2007, 46, 8613-8624. | 1.9 | 20 |
| 18 | Development of Novel Enkephalin Analogues that Have Enhanced Opioid Activities at Both $\hat{l}^{1}/4$ and \hat{l}^{2} Opioid Receptors. Journal of Medicinal Chemistry, 2007, 50, 5528-5532. | 2.9 | 41 |
| 19 | Molecular size cutoff criteria for screening bioaccumulation potential: Fact or fiction?. Integrated Environmental Assessment and Management, 2010, 6, 210-224. | 1.6 | 46 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 20 | Rule-Based Systems to Predict Lipophilicity. , 2007, , 649-668. | | 8 |
| 21 | Use of RP-TLC and theoretical computational methods to compare the lipophilicity of phenolic drugs. Journal of Planar Chromatography - Modern TLC, 2007, 20, 373-380. | 0.6 | 11 |
| 22 | A semiempirical free energy force field with charge-based desolvation. Journal of Computational Chemistry, 2007, 28, 1145-1152. | 1.5 | 1,854 |
| 23 | Quantitative structure-imprinting factor relationship of molecularly imprinted polymers. Biosensors and Bioelectronics, 2007, 22, 3309-3317. | 5.3 | 81 |
| 24 | Novel 1-oxyl-2-substitutedphenyl-4,4,5,5-tetramethylimidazolines: Synthesis, selectively analgesic action, and QSAR analysis. Bioorganic and Medicinal Chemistry, 2007, 15, 2815-2826. | 1.4 | 7 |
| 25 | Studies on logP, retention time and QSAR of 2-substituted phenylnitronyl nitroxides as free radical scavengers. European Journal of Medicinal Chemistry, 2007, 42, 955-965. | 2.6 | 26 |
| 26 | Prediction of the retention in thin layer chromatography screening systems by atomic contributions. Analytica Chimica Acta, 2007, 593, 224-237. | 2.6 | 18 |
| 27 | A new class of anti-thrombosis hexahydropyrazino- $[1\hat{a}\in^2,2\hat{a}\in^2:1,6]$ pyrido- $[3,4-b]$ -indole- $1,4$ -dions: Design, synthesis, logK determination, and QSAR analysis. Bioorganic and Medicinal Chemistry, 2007, 15, 5672-5693. | 1.4 | 29 |
| 28 | On the ease of predicting the thermodynamic properties of beta-cyclodextrin inclusion complexes. Chemistry Central Journal, 2007, 1, 29. | 2.6 | 6 |
| 29 | Acidity, lipophilicity, solubility, absorption, and polar surface area of some ACE inhibitors. Chemical Papers, 2007, 61, . | 1.0 | 57 |
| 30 | Relationship between physicochemical properties, lipophilicity parameters, and local anesthetic activity of dibasic esters of phenylcarbamic acid. Chemical Papers, 2007, 61, . | 1.0 | 7 |
| 31 | Response of the bioluminescent bioreporterPseudomonas fluorescens HK44 to analogs of naphthalene and salicylic acid. Folia Microbiologica, 2007, 52, 3-14. | 1.1 | 23 |
| 32 | Lead-like, drug-like or "Pub-like― how different are they?. Journal of Computer-Aided Molecular Design, 2007, 21, 113-119. | 1.3 | 98 |
| 33 | Prediction models of human plasma protein binding rate and oral bioavailability derived by using GA–CG–SVM method. Journal of Pharmaceutical and Biomedical Analysis, 2008, 47, 677-682. | 1.4 | 56 |
| 34 | A functional-based approach to the retention in thin layer chromatographic screening systems. Analytica Chimica Acta, 2008, 629, 66-72. | 2.6 | 9 |
| 35 | Screening of Chemical Penetration Enhancers for Transdermal Drug Delivery Using Electrical Resistance of Skin. Pharmaceutical Research, 2008, 25, 2697-704. | 1.7 | 50 |
| 36 | Control of plant diseases by natural products: Allicin from garlic as a case study. European Journal of Plant Pathology, 2008, 121, 313-322. | 0.8 | 146 |
| 37 | Molecular modeling on pyruvate phosphate dikinase of Entamoeba histolytica and in silico virtual screening for novel inhibitors. Journal of Computer-Aided Molecular Design, 2008, 22, 647-660. | 1.3 | 16 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 38 | Considerations and recent advances in QSAR models for cytochrome P450-mediated drug metabolism prediction. Journal of Computer-Aided Molecular Design, 2008, 22, 843-855. | 1.3 | 55 |
| 39 | Modeling the excitation wavelengths (lack) of boronic acids. Journal of Molecular Modeling, 2008, 14, 441-449. | 0.8 | 12 |
| 40 | <i>In Silico</i> Prediction of Blood–Brain Partitioning Using a Chemometric Method Called Genetic Algorithm Based Variable Selection. QSAR and Combinatorial Science, 2008, 27, 704-717. | 1.5 | 21 |
| 41 | Quick prediction of the retention of solutes in 13 thin layer chromatographic screening systems on silica gel by classification and regression trees. Journal of Separation Science, 2008, 31, 2899-2909. | 1.3 | 2 |
| 42 | Determination of lipophilicity of $\langle i \rangle \hat{l}_{\pm} \langle i \rangle \hat{a} \in \mathbb{P}$ henylpiperazine) derivatives of $\langle i \rangle N \langle i \rangle \hat{a} \in \mathbb{P}$ benzylamides using chromatographic and computational methods. Biomedical Chromatography, 2008, 22, 428-432. | 0.8 | 10 |
| 43 | Graph Theoretic Models in Chemistry and Molecular Biology. , 0, , 85-113. | | 2 |
| 44 | Organic compounds passage through RO membranes. Journal of Membrane Science, 2008, 313, 23-43. | 4.1 | 35 |
| 45 | Prediction of blood–brain partitioning: A model based on ab initio calculated quantum chemical descriptors. Journal of Molecular Graphics and Modelling, 2008, 26, 1223-1236. | 1.3 | 23 |
| 46 | Synthesis of some novel thiourea derivatives obtained from 5-[(4-aminophenoxy)methyl]-4-alkyl/aryl-2,4-dihydro-3H-1,2,4-triazole-3-thiones and evaluation as antiviral/anti-HIV and anti-tuberculosis agents. European Journal of Medicinal Chemistry, 2008, 43, 381-392. | 2.6 | 178 |
| 47 | A new class of analgesic agents toward prostacyclin receptor inhibition: Synthesis, biological studies and QSAR analysis of 1-hydroxyl-2-substituted phenyl-4,4,5,5-tetramethylimidazolines. European Journal of Medicinal Chemistry, 2008, 43, 1048-1058. | 2.6 | 15 |
| 48 | In silico prediction of brain and CSF permeation of small molecules using PLS regression models. European Journal of Medicinal Chemistry, 2008, 43, 1581-1592. | 2.6 | 41 |
| 49 | Halogenated derivatives QSAR model using spectral moments to predict haloacetic acids (HAA) mutagenicity. Bioorganic and Medicinal Chemistry, 2008, 16, 5720-5732. | 1.4 | 15 |
| 50 | Evaluation of novel Hyphodermin derivatives as Glycogen Phosphorylase a inhibitors. Bioorganic and Medicinal Chemistry, 2008, 16, 6172-6178. | 1.4 | 12 |
| 51 | In silico screening and biological evaluation of inhibitors of Src-SH3 domain interaction with a proline-rich ligand. Bioorganic and Medicinal Chemistry Letters, 2008, 18, 1217-1222. | 1.0 | 21 |
| 52 | Separation of very hydrophobic analytes by micellar electrokinetic chromatography. Journal of Chromatography A, 2008, 1198-1199, 208-214. | 1.8 | 4 |
| 53 | High-throughput heterogeneous catalysis. Surface Science Reports, 2008, 63, 487-513. | 3.8 | 85 |
| 54 | LC and Principal Component Analysis in the Lipophilicity Study of Seven Angiotensin II-AT1 Receptor Antagonists (Sartans). Chromatographia, 2008, 68, 977-983. | 0.7 | 10 |
| 55 | Transport and metabolism of flavonoids from Chinese herbal remedy Xiaochaihu-tang across human intestinal Caco-2 cell monolayers ¹ . Acta Pharmacologica Sinica, 2008, 29, 1086-1093. | 2.8 | 77 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 56 | A metric for odorant comparison. Nature Methods, 2008, 5, 425-429. | 9.0 | 212 |
| 57 | Classification of drug molecules considering their IC50 values using mixed-integer linear programming based hyper-boxes method. BMC Bioinformatics, 2008, 9, 411. | 1.2 | 22 |
| 58 | Combining high-throughput experimentation, advanced data modeling and fundamental knowledge to develop catalysts for the epoxidation of large olefins and fatty esters. Journal of Catalysis, 2008, 258, 25-34. | 3.1 | 47 |
| 59 | Robust Cross-Validation of Linear Regression QSAR Models. Journal of Chemical Information and Modeling, 2008, 48, 2081-2094. | 2.5 | 61 |
| 60 | Combinatorial QSAR Modeling of Chemical Toxicants Tested against Tetrahymena pyriformis. Journal of Chemical Information and Modeling, 2008, 48, 766-784. | 2.5 | 258 |
| 61 | Aggregation Behavior of Nucleosideâ^Boron Cluster Conjugates in Aqueous Solutions. Langmuir, 2008, 24, 2625-2630. | 1.6 | 43 |
| 62 | Control of plant diseases by natural products: Allicin from garlic as a case study., 2008,, 313-322. | | 12 |
| 63 | Direct Analysis of Fatty Acid Vapors in Breath by Electrospray Ionization and Atmospheric Pressure Ionization-Mass Spectrometry. Analytical Chemistry, 2008, 80, 8210-8215. | 3.2 | 97 |
| 64 | Synthesis, antibacterial and antifungal activities of some N-nitroso-2,6-diarylpiperidin-4-one semicarbazones and QSAR analysis. Nitric Oxide - Biology and Chemistry, 2008, 19, 303-311. | 1.2 | 12 |
| 65 | Stir bar sorptive extraction and trace analysis of selected endocrine disruptors in water, biosolids and sludge samples by thermal desorption with gas chromatography–mass spectrometry. Water Research, 2008, 42, 404-412. | 5.3 | 85 |
| 66 | Flip-flop of hydroxy fatty acids across the membrane as monitored by proton-sensitive microelectrodes. Biochimica Et Biophysica Acta - Biomembranes, 2008, 1778, 1292-1297. | 1.4 | 22 |
| 67 | Critical Assessment of QSAR Models of Environmental Toxicity against <i>Tetrahymena pyriformis:</i> Focusing on Applicability Domain and Overfitting by Variable Selection. Journal of Chemical Information and Modeling, 2008, 48, 1733-1746. | 2.5 | 350 |
| 68 | FE(II) Is the Native Cofactor for Escherichia coli Methionine Aminopeptidase. Journal of Biological Chemistry, 2008, 283, 26879-26885. | 1.6 | 50 |
| 69 | Distributed Chemical Computing Using ChemStar: An Open Source Java Remote Method Invocation Architecture Applied to Large Scale Molecular Data from PubChem. Journal of Chemical Information and Modeling, 2008, 48, 691-703. | 2.5 | 12 |
| 70 | Network models in drug discovery and regenerative medicine. Biotechnology Annual Review, 2008, 14, 143-170. | 2.1 | 7 |
| 71 | Potency and Selectivity of Trifluoroacetylimino and Pyrazinoylimino Nicotinic Insecticides and Their Fit at a Unique Binding Site Niche. Journal of Medicinal Chemistry, 2008, 51, 4213-4218. | 2.9 | 39 |
| 72 | The Importance of Micelle-Bound States for the Bioactivities of Bifunctional Peptide Derivatives for $\hat{\Gamma}_{4}$ Opioid Receptor Agonists and Neurokinin 1 Receptor Antagonists. Journal of Medicinal Chemistry, 2008, 51, 6334-6347. | 2.9 | 35 |
| 73 | QSAR MODEL OF THE QUORUM-QUENCHING N-ACYL-HOMOSERINE LACTONE LACTONASE ACTIVITY. Journal of Biological Systems, 2008, 16, 279-293. | 0.5 | 19 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 74 | Beyond the †best†match: machine learning annotation of protein sequences by integration of different sources of information. Bioinformatics, 2008, 24, 621-628. | 1.8 | 12 |
| 75 | Remote experiments in education: A survey over different platforms and application fields. , 2008, , . | | 5 |
| 76 | A fuzzy system for modeling the structure-activity relationships in presence of uncertainties. , 2008, , . | | 6 |
| 77 | Weka Machine Learning for Predicting the Phospholipidosis Inducing Potential. Current Topics in Medicinal Chemistry, 2008, 8, 1691-1709. | 1.0 | 81 |
| 78 | An assessment of organic solvent based equilibrium partitioning methods for predicting the bioconcentration behavior of perfluorinated sulfonic acids, carboxylic acids, and sulfonamides. Nature Precedings, 2009, , . | 0.1 | 2 |
| 79 | Performance of the ALOGPS 2.1 program for octanol-water partition coefficient prediction with organic chemicals on the Canadian Domestic Substances List. Nature Precedings, 2009, , . | 0.1 | 5 |
| 80 | Congener specific organic carbon normalized soil and sediment-water partitioning coefficients for the C1 through C8 perfluorinated alkylsulfonic and alkylcarboxylic acids. Nature Precedings, 2009, , . | 0.1 | 1 |
| 81 | A comparative assessment of octanol-water partitioning and distribution constant estimation methods for perfluoroalkyl carboxylates and sulfonates. Nature Precedings, 2009, , . | 0.1 | 2 |
| 82 | Congener-specific organic carbon-normalized soil and sediment-water partitioning coefficients for the C ₁ through C ₈ perfluoroalkyl carboxylic and sulfonic acids. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2009, 44, 1374-1387. | 0.9 | 25 |
| 83 | Use of RP-TLC and Densitometry to Analytical Characteristic of Vitamin K ₁ . Journal of Liquid Chromatography and Related Technologies, 2009, 32, 2097-2104. | 0.5 | 4 |
| 84 | Interaction of Actinomycin D with Promoter Element of c-met and Its Inhibitory Effect on the Expression of c-Met. Journal of Biomolecular Structure and Dynamics, 2009, 26, 625-636. | 2.0 | 15 |
| 85 | Models for prediction of anti- HIV-1 activity of 5-Alkyl-2-alkylamino-6-(2,6-difluorophenylalkyl)-3,4-dihydropyrimidin-4(3H)-ones using random forest, decision tree and moving average analysis. Journal of Computational Methods in Sciences and Engineering, 2009, 9, 95-112. | 0.1 | 1 |
| 86 | Integrating Statistical Predictions and Experimental Verifications for Enhancing Protein-Chemical Interaction Predictions in Virtual Screening. PLoS Computational Biology, 2009, 5, e1000397. | 1.5 | 53 |
| 87 | An integrated scheme for feature selection and parameter setting in the support vector machine modeling and its application to the prediction of pharmacokinetic properties of drugs. Artificial Intelligence in Medicine, 2009, 46, 155-163. | 3.8 | 45 |
| 88 | Prediction of drug distribution within blood. European Journal of Pharmaceutical Sciences, 2009, 36, 544-554. | 1.9 | 41 |
| 89 | The role of Ï€â€acidic and Ï€â€basic chiral stationary phases in the highâ€performance liquid chromatographic enantioseparation of unusual βâ€amino acids. Chirality, 2009, 21, 339-348. | 1.3 | 20 |
| 90 | Calculation of Molecular Lipophilicity: State-of-the-Art and Comparison of LogP Methods on more than 96,000 Compounds. Journal of Pharmaceutical Sciences, 2009, 98, 861-893. | 1.6 | 517 |
| 91 | Unique potentiometric detection systems for HPLC determination of some steroids in human urine. Journal of Separation Science, 2009, 32, 167-179. | 1.3 | 7 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 92 | The lipophilicity indices of flavonoids estimated by reversedâ€phase liquid chromatography using different computation methods. Journal of Separation Science, 2009, 32, 2066-2074. | 1.3 | 24 |
| 93 | <i>In silico</i> Prediction of Human Oral Absorption Based on QSAR Analyses of PAMPA Permeability. Chemistry and Biodiversity, 2009, 6, 1845-1866. | 1.0 | 39 |
| 94 | Influence of Ionization State on the Activation of Temocapril by hCES1: A Molecularâ€Dynamics Study. Chemistry and Biodiversity, 2009, 6, 2092-2100. | 1.0 | 14 |
| 95 | Solvent impact on the aromaticity of benzene analogues: implicit versus explicit solvent approach. Journal of Molecular Modeling, 2009, 15, 731-738. | 0.8 | 6 |
| 96 | Design and synthesis of a series of novel, cationic liposaccharide derivatives as potential penetration enhancers for oral drug delivery. Tetrahedron, 2009, 65, 9436-9442. | 1.0 | 12 |
| 97 | Prediction of hepatic microsomal intrinsic clearance and human clearance values for drugs. Journal of Molecular Graphics and Modelling, 2009, 28, 245-252. | 1.3 | 22 |
| 98 | Physics and chemistry-driven artificial neural network for predicting bioactivity of peptides and proteins and their design. Journal of Theoretical Biology, 2009, 256, 428-435. | 0.8 | 17 |
| 99 | Synthesis, antiviral and anticancer activity of some novel thioureas derivedfrom N-(4-nitro-2-phenoxyphenyl)-methanesulfonamide. European Journal of Medicinal Chemistry, 2009, 44, 3591-3595. | 2.6 | 47 |
| 100 | Application of desirability-based multi(bi)-objective optimization in the design of selective arylpiperazine derivates for the 5-HT1A serotonin receptor. European Journal of Medicinal Chemistry, 2009, 44, 5045-5054. | 2.6 | 17 |
| 101 | ChemGPS-NPWeb: chemical space navigation online. Journal of Computer-Aided Molecular Design, 2009, 23, 253-259. | 1.3 | 100 |
| 102 | QSAR application for the prediction of compound permeability with in silico descriptors in practical use. Journal of Computer-Aided Molecular Design, 2009, 23, 309-319. | 1.3 | 28 |
| 103 | Web application for studying the free energy of binding and protonation states of protein–ligand complexes based on HINT. Journal of Computer-Aided Molecular Design, 2009, 23, 621-632. | 1.3 | 26 |
| 104 | Bond dissociation enthalpies calculated by the PM3 method confirm activity cliffs in radical scavenging of flavonoids. Molecular Diversity, 2009, 13, 27-36. | 2.1 | 15 |
| 105 | Structural determinants of inhibitor interaction with the human organic cation transporter OCT2 (SLC22A2). Naunyn-Schmiedeberg's Archives of Pharmacology, 2009, 379, 337-348. | 1.4 | 101 |
| 106 | QSAR modeling of anthocyanins, anthocyanidins and catechins as inhibitors of lipid peroxidation using three-dimensional descriptors. Medicinal Chemistry Research, 2009, 18, 579-588. | 1.1 | 10 |
| 107 | QSAR Models for Prediction of PPARδ Agonistic Activity of Indanylacetic Acid Derivatives. QSAR and Combinatorial Science, 2009, 28, 447-457. | 1.5 | 11 |
| 108 | Docking and Virtual Screening Using Distributed Grid Technology. QSAR and Combinatorial Science, 2009, 28, 815-821. | 1.5 | 21 |
| 109 | Acute Toxicity of Substituted 2â€(<i>1H</i> à€pyrazolâ€1â€yl)acetanilides and Related Commercially Available Local Anesthetics Toward Mice. A GRIND/ALMONDâ€Based 3â€D QSAR Study. QSAR and Combinatorial Science, 2009, 28, 206-217. | 1.5 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 110 | Enhanced Replacement Methodâ€based Quantitative Structure–Activity Relationship Modeling and Support Vector Machine Classification of 4â€Anilinoâ€3â€quinolinecarbonitriles as Src Kinase Inhibitors. QSAR and Combinatorial Science, 2009, 28, 312-324. | 1.5 | 19 |
| 111 | Accurate In Silico logâ€ <i>P</i> Predictions: One Can't Embrace the Unembraceable. QSAR and Combinatorial Science, 2009, 28, 845-849. | 1.5 | 29 |
| 112 | A covalent peptide inhibitor of RGS4 identified in a focused one-bead, one compound library screen. BMC Pharmacology, 2009, 9, 9. | 0.4 | 18 |
| 113 | Calculation of molecular lipophilicity: state of the art and comparison of methods on more than 96000 compounds. Chemistry Central Journal, 2009, 3, . | 2.6 | 10 |
| 114 | Bioavailability of veterinary drugs <i>in vivo</i> and <i>in silico</i> . Journal of Veterinary Pharmacology and Therapeutics, 2009, 32, 249-257. | 0.6 | 14 |
| 115 | Quantitative Structure–Activity Relationship and Classification Analysis of Diaryl Ureas Against Vascular Endothelial Growth Factor Receptorâ€2 Kinase Using Linear and Nonâ€Linear Models. Chemical Biology and Drug Design, 2009, 73, 644-654. | 1.5 | 12 |
| 116 | Theoretical study of molecular structure, pKa, lipophilicity, solubility, absorption, and polar surface area of some hypoglycemic agents. Computational and Theoretical Chemistry, 2009, 897, 73-82. | 1.5 | 69 |
| 117 | Molecular structure, lipophilicity, solubility, absorption, and polar surface area of novel anticoagulant agents. Computational and Theoretical Chemistry, 2009, 916, 76-85. | 1.5 | 38 |
| 118 | The role of electronic properties to the mutagenic activity of 1,6- and 3,6-dinitrobenzo[a]pyrene isomers. Journal of Hazardous Materials, 2009, 161, 1338-1346. | 6.5 | 18 |
| 119 | CE ₅₀ : Quantifying collision induced dissociation energy for small molecule characterization and identification. Journal of the American Society for Mass Spectrometry, 2009, 20, 1759-1767. | 1.2 | 93 |
| 120 | Quantitative structure-retention relationship studies for taxanes including epimers and isomeric metabolites in ultra fast liquid chromatography. Journal of Chromatography A, 2009, 1216, 7055-7062. | 1.8 | 16 |
| 121 | QSAR study of antioxidant activity of wine polyphenols. European Journal of Medicinal Chemistry, 2009, 44, 400-408. | 2.6 | 72 |
| 122 | Modeling the activity of furin inhibitors using artificial neural network. European Journal of Medicinal Chemistry, 2009, 44, 1664-1673. | 2.6 | 40 |
| 123 | Fuzzy filtering for robust bioconcentration factor modelling. Environmental Modelling and Software, 2009, 24, 44-53. | 1.9 | 15 |
| 124 | Convenient QSAR model for predicting the complexation of structurally diverse compounds with \hat{l}^2 -cyclodextrins. Bioorganic and Medicinal Chemistry, 2009, 17, 896-904. | 1.4 | 23 |
| 125 | QSAR models for predicting enzymatic hydrolysis of new chemical entities in â€~soft-drug' design. Bioorganic and Medicinal Chemistry, 2009, 17, 3543-3556. | 1.4 | 7 |
| 126 | Predictive models, based on classification algorithms, for compounds potentially active as mitochondrial ATP-sensitive potassium channel openers. Bioorganic and Medicinal Chemistry, 2009, 17, 5565-5571. | 1.4 | 26 |
| 127 | Tessaric acid derivatives induce G2/M cell cycle arrest in human solid tumor cell lines. Bioorganic and Medicinal Chemistry, 2009, 17, 6251-6256. | 1.4 | 14 |

| # | Article | IF | CITATIONS |
|-----|--|------------------|-------------|
| 128 | Novel Chemical Space Exploration via Natural Products. Journal of Medicinal Chemistry, 2009, 52, 1953-1962. | 2.9 | 248 |
| 129 | Lipophilicity Evaluation of the Products Obtained in the Reaction of N3-Substituted Amidrazones with cis-1,2-Cyclohexanedicarboxylic Anhydride. Chromatographia, 2009, 69, 1169-1174. | 0.7 | 3 |
| 130 | Chronic toxicity of five structurally diverse demethylaseâ€inhibiting fungicides to the crustacean ⟨i>Daphnia magna⟨/i>: A comparative assessment. Environmental Toxicology and Chemistry, 2009, 28, 1218-1226. | 2.2 | 55 |
| 131 | Sorption of estrone and estroneâ€3â€sulfate from CaCl ₂ solution and artificial urine in pastoral soils of New Zealand. Environmental Toxicology and Chemistry, 2009, 28, 2564-2571. | 2.2 | 23 |
| 132 | Inductive Transfer of Knowledge: Application of Multi-Task Learning and Feature Net Approaches to Model Tissue-Air Partition Coefficients. Journal of Chemical Information and Modeling, 2009, 49, 133-144. | 2.5 | 71 |
| 133 | Stereoselective Sorption by Agricultural Soils and Liquidâ^'Liquid Partitioning of Trenbolone (17α and) Tj ETQq1 | 1 0.78431 4.6 | 4 ggBT /Ove |
| 134 | Lipophilicity Investigations of Ibuprofen. Journal of Liquid Chromatography and Related Technologies, 2009, 32, 723-731. | 0.5 | 6 |
| 135 | Hydrophobic Effects in the Critical Destabilization and Release Dynamics of Degradable Multilayer Films. Chemistry of Materials, 2009, 21, 1108-1115. | 3.2 | 38 |
| 136 | Application of the threshold of toxicological concern approach for the safety evaluation of calendula flower (Calendula officinalis) petals and extracts used in cosmetic and personal care products. Food and Chemical Toxicology, 2009, 47, 1246-1254. | 1.8 | 72 |
| 137 | Determination of the Lipophilicity of twenty-seven imidazo[2,1-c][1,2,4]triazine derivatives with strong biological activity by reversed-phase TLC. Comparison with results obtained by use of computational algorithms. Journal of Planar Chromatography - Modern TLC, 2009, 22, 327-331. | 0.6 | 5 |
| 138 | Perfluoroalkyl sulfonic and carboxylic acids: A critical review of physicochemical properties, levels and patterns in waters and wastewaters, and treatment methods. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2009, 44, 1145-1199. | 0.9 | 328 |
| 139 | Evaluation of the lipophilicity of fat-soluble vitamins. Journal of Planar Chromatography - Modern TLC, 2009, 22, 211-215. | 0.6 | 13 |
| 140 | Squalene Emulsions for Parenteral Vaccine and Drug Delivery. Molecules, 2009, 14, 3286-3312. | 1.7 | 164 |
| 141 | Polymerâ°'Drug Interactions in Tyrosine-Derived Triblock Copolymer Nanospheres: A Computational Modeling Approach. Molecular Pharmaceutics, 2009, 6, 1620-1627. | 2.3 | 68 |
| 142 | Aggregation Behavior of Poly(ethylene glycol- <i>bl</i> -propylene sulfide) Di- and Triblock Copolymers in Aqueous Solution. Langmuir, 2009, 25, 11328-11335. | 1.6 | 76 |
| 144 | Predicting sorption of pharmaceuticals and personal care products onto soil and digested sludge using artificial neural networks. Analyst, The, 2009, 134, 663. | 1.7 | 105 |
| 145 | USE OF RP-TLC AND THEORETICAL COMPUTATIONAL METHODS TO COMPARE THE LIPOPHILICITY OF SALICYLIC ACID AND ITS DERIVATIVES. Journal of Liquid Chromatography and Related Technologies, 2009, 33, 179-190. | 0.5 | 5 |
| 146 | QSAR studies on 4-anilino-3-quinolinecarbonitriles as Src kinase inhibitors using robust PCA and both linear and nonlinear models. Journal of Enzyme Inhibition and Medicinal Chemistry, 2009, 24, 1109-1116. | 2.5 | 11 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 147 | A new class of perfluorinated acid contaminants: Primary and secondary substituted perfluoroalkyl sulfonamides are acidic at environmentally and toxicologically relevant pH values. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2009, 44, 1388-1399. | 0.9 | 37 |
| 148 | <i>In Vitro</i> Method to Characterize Diffusion of Dye from Polymeric Particles: A Model for Drug Release. Langmuir, 2009, 25, 10007-10013. | 1.6 | 27 |
| 149 | Synthesis, Antimalarial Activity, and Preclinical Pharmacology of a Novel Series of 4′-Fluoro and 4′-Chloro Analogues of Amodiaquine. Identification of a Suitable "Back-Up―Compound for ⟨i>N-tert⟨ i>-Butyl Isoquine. Journal of Medicinal Chemistry, 2009, 52, 1828-1844. | 2.9 | 56 |
| 150 | Odor Coding by a Mammalian Receptor Repertoire. Science Signaling, 2009, 2, ra9. | 1.6 | 487 |
| 151 | Quantitative structure-retention relationship and 3D molecular modeling studies of the unusual chromatographic behavior of triphenylmethane derivatives in RPTLC systems. Journal of Planar Chromatography - Modern TLC, 2009, 22, 255-263. | 0.6 | 5 |
| 152 | Phenolphthalein as a Prototype Drug for a Group of Structurally Related Calcium Channel Blockers in Human Platelets. Journal of Cardiovascular Pharmacology, 2009, 53, 231-240. | 0.8 | 2 |
| 153 | Interfacial transfer of Cd2+ assisted by $4\hat{a}\in^2\hat{a}\in^*$ morpholino-acetophenone-4-phenyl-3-thiosemicarbazone across the water/1,2-dichloroethane interface. Open Chemistry, 2010, 8, 1134-1139. | 1.0 | 4 |
| 154 | Transdermal iontophoretic delivery of a novel series of dopamine agonistsin vitro: physicochemical considerations. Journal of Pharmacy and Pharmacology, 2010, 62, 709-720. | 1.2 | 3 |
| 155 | A solvent having switchable hydrophilicity. Green Chemistry, 2010, 12, 809. | 4.6 | 285 |
| 156 | Quantitative structure–activity relationships for estimating the aryl hydrocarbon receptor binding affinities of resveratrol derivatives and the antioxidant activities of hydroxystilbenes. Medicinal Chemistry Research, 2010, 19, 864-901. | 1.1 | 8 |
| 157 | Synthesis, biological evaluation and docking studies of 4-amino-tetrahydroquinazolino[3,2-e]purine derivatives. European Journal of Medicinal Chemistry, 2010, 45, 5678-5684. | 2.6 | 7 |
| 158 | Freeze-dried, mucoadhesive system for vaginal delivery of the HIV microbicide, dapivirine: Optimisation by an artificial neural network. International Journal of Pharmaceutics, 2010, 388, 136-143. | 2.6 | 48 |
| 159 | Chemometric methods for description and analysis of membrane phenomena. I. Effect of organic solvent on pertraction of benzoic acid. Separation and Purification Technology, 2010, 71, 121-127. | 3.9 | 3 |
| 160 | Computational structure–activity study directs synthesis of novel antitumor enkephalin analogs. Amino Acids, 2010, 38, 1185-1191. | 1.2 | 17 |
| 161 | Automatic formation of hypotheses on the relationships between structure of naphthalene analogs and bioluminescence response of bioreporter Pseudomonas fluorescens HK44. Folia Microbiologica, 2010, 55, 411-417. | 1.1 | 2 |
| 162 | The in vitro and in vivo evaluation of new synthesized prodrugs of 5-OH-DPAT for iontophoretic delivery. Journal of Controlled Release, 2010, 144, 296-305. | 4.8 | 15 |
| 163 | Isosorbide mono- and di-alkyl ethers, a new class of sustainable coalescents for water-borne paints. Progress in Organic Coatings, 2010, 69, 344-351. | 1.9 | 24 |
| 164 | Prediction of the in vitro intrinsic clearance determined in suspensions of human hepatocytes by using artificial neural networks. European Journal of Pharmaceutical Sciences, 2010, 39, 310-321. | 1.9 | 47 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 165 | Prediction of the in vitro permeability determined in Caco-2 cells by using artificial neural networks. European Journal of Pharmaceutical Sciences, 2010, 41, 107-117. | 1.9 | 49 |
| 166 | Modeling the environmental fate of perfluorooctanoic acid and perfluorooctanoate: An investigation of the role of individual species partitioning. Environmental Toxicology and Chemistry, 2010, 29, 1466-1475. | 2.2 | 24 |
| 167 | Toxicokinetic variation in 15 freshwater arthropod species exposed to the insecticide chlorpyrifos. Environmental Toxicology and Chemistry, 2010, 29, 2225-2234. | 2.2 | 75 |
| 168 | NOC Chemistry for Tuberculosis—Further Investigations on the Structure–Activity Relationships of Antitubercular Isoxazoleâ€3 arboxylic Acid Ester Derivatives. ChemMedChem, 2010, 5, 1667-1672. | 1.6 | 11 |
| 169 | Facilitated Transfer of Alkali and Alkalineâ€Earth Metal Ions by a Calix[4]arene Derivative Across Water/1,2â€Dichloroethane Microinterface: Amperometric Detection of Ca ²⁺ . Electroanalysis, 2010, 22, 2825-2833. | 1.5 | 11 |
| 170 | Antimycobacterial Metabolites from <i>Plectranthus:</i> Royleanone Derivatives against <i>Mycobacterium tuberculosis</i> Strains. Chemistry and Biodiversity, 2010, 7, 922-932. | 1.0 | 43 |
| 171 | A Study of Genetic Algorithm Evolution on the Lipophilicity of Polychlorinated Biphenyls. Chemistry and Biodiversity, 2010, 7, 1978-1989. | 1.0 | 7 |
| 172 | Models for Prediction of ^{V600E} BRAF and Melanoma Cells Growth Inhibitory Activities of Pyridoimidazolones. Archiv Der Pharmazie, 2010, 343, 664-679. | 2.1 | O |
| 173 | Hydrophobicity/hydrophilicity descriptors obtained from extrapolated chromatographic retention data as modeling tools for biological distribution: Application to some oxime-type acetylcholinesterase reactivators. Journal of Pharmaceutical and Biomedical Analysis, 2010, 52, 508-516. | 1.4 | 19 |
| 174 | Antioxidative and vasodilatory effects of phenolic acids in wine. Food Chemistry, 2010, 119, 1205-1210. | 4.2 | 100 |
| 175 | Integrated product removal of slightly water-soluble carboxylates from fermentation by electrochemically induced crystallization. Journal of Membrane Science, 2010, 363, 36-47. | 4.1 | 18 |
| 176 | Acidic elements in histamine H3 receptor antagonists. Bioorganic and Medicinal Chemistry Letters, 2010, 20, 1581-1584. | 1.0 | 22 |
| 177 | The lipophilicity of artificial and natural sweeteners estimated by reversed-phase thin-layer chromatography and computed by various methods. Journal of Chromatography A, 2010, 1217, 3702-3706. | 1.8 | 41 |
| 178 | Molecular structure, pKa, lipophilicity, solubility and absorption of biologically active aromatic and heterocyclic sulfonamides. Computational and Theoretical Chemistry, 2010, 944, 34-42. | 1.5 | 36 |
| 179 | Chiral recognition by enantioselective liquid chromatography: Mechanisms and modern chiral stationary phases. Journal of Chromatography A, 2010, 1217, 814-856. | 1.8 | 600 |
| 180 | Quantitative structure–retention relationships of polycyclic aromatic hydrocarbons gas-chromatographic retention indices. Journal of Chromatography A, 2010, 1217, 4411-4421. | 1.8 | 22 |
| 181 | Predicting the adsorption of second generation biofuels by polymeric resins with applications for in situ product recovery (ISPR). Bioresource Technology, 2010, 101, 2762-2769. | 4.8 | 49 |
| 182 | Pyrazolone-fused combretastatins and their precursors: synthesis, cytotoxicity, antitubulin activity and molecular modeling studies. Bioorganic and Medicinal Chemistry, 2010, 18, 2375-2387. | 1.4 | 40 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 183 | Genomic action of permanently charged tamoxifen derivatives via estrogen receptor- \hat{l}_{\pm} . Bioorganic and Medicinal Chemistry, 2010, 18, 5593-5601. | 1.4 | 6 |
| 184 | Design and synthesis of trivalent ligands targeting opioid, cholecystokinin, and melanocortin receptors for the treatment of pain. Bioorganic and Medicinal Chemistry Letters, 2010, 20, 4080-4084. | 1.0 | 19 |
| 185 | New public QSAR model for carcinogenicity. Chemistry Central Journal, 2010, 4, S3. | 2.6 | 105 |
| 186 | Models for Cannabinoid-1 Receptor Antagonistic Activity of Substituted 2-(3-Pyrazolyl)-1,3,4-Oxadiazoles. In Silico Biology, 2010, 10, 247-263. | 0.4 | 0 |
| 187 | A study of new antimalarial artemisinins through molecular modeling and multivariate analysis. Journal of the Serbian Chemical Society, 2010, 75, 1533-1548. | 0.4 | 9 |
| 188 | LIPOPHILICITY OF NATURAL SWEETENERS ESTIMATED ON VARIOUS OILS AND FATS IMPREGNATED THIN-LAYER CHROMATOGRAPHY PLATES. Journal of Liquid Chromatography and Related Technologies, 2010, 33, 903-921. | 0.5 | 15 |
| 189 | Counter propagation artificial neural network categorical models for prediction of carcinogenicity for non-congeneric chemicals. SAR and QSAR in Environmental Research, 2010, 21, 57-75. | 1.0 | 14 |
| 190 | Novel Nanoassemblies Composed of Squalenoylâ^'Paclitaxel Derivatives: Synthesis, Characterization, and Biological Evaluation. Bioconjugate Chemistry, 2010, 21, 1349-1361. | 1.8 | 72 |
| 191 | Identification of new classes of ricin toxin inhibitors by virtual screening. Toxicon, 2010, 56, 526-534. | 0.8 | 35 |
| 193 | Rough Sets for Selection of Molecular Descriptors to Predict Biological Activity of Molecules. IEEE Transactions on Systems, Man and Cybernetics, Part C: Applications and Reviews, 2010, 40, 639-648. | 3.3 | 26 |
| 194 | Equations for the Transfer of Neutral Molecules and Ionic Species from Water to Organic phases. Journal of Organic Chemistry, 2010, 75, 1006-1015. | 1.7 | 121 |
| 195 | pK _a values of the monohydroxylated polychlorinated biphenyls (OH-PCBs), polybrominated biphenyls (OH-PBBs), polychlorinated diphenyl ethers (OH-PCDEs), and polybrominated diphenyl ethers (OH-PBDEs). Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2010, 45, 1322-1346. | 0.9 | 37 |
| 196 | Investigating the Mechanisms of Aromatic Amine-Induced Protein Free Radical Formation by Quantitative Structureâ ^{**} Activity Relationships: Implications for Drug-Induced Agranulocytosis. Chemical Research in Toxicology, 2010, 23, 880-887. | 1.7 | 10 |
| 197 | Quantitative structure-activity relationship (QSAR) studies for predicting activation of the ryanodine receptor type 1 channel complex (RyR1) by polychlorinated biphenyl (PCB) congeners. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2010, 45, 355-362. | 0.9 | 21 |
| 198 | QSAR model for the prediction of bio-concentration factor using aqueous solubility and descriptors considering various electronic effects. SAR and QSAR in Environmental Research, 2010, 21, 711-729. | 1.0 | 18 |
| 199 | Predicting Phospholipidosis Using Machine Learning. Molecular Pharmaceutics, 2010, 7, 1708-1714. | 2.3 | 49 |
| 200 | Inhibitory mechanisms and binding site location for serotonin selective reuptake inhibitors on nicotinic acetylcholine receptors. International Journal of Biochemistry and Cell Biology, 2010, 42, 712-724. | 1.2 | 35 |
| 201 | A validated assay for the quantitative analysis of tranexamic acid in human serum by liquid chromatography coupled with electrospray ionization mass spectrometry. Clinica Chimica Acta, 2010, 411, 438-443. | 0.5 | 33 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 202 | FimH Antagonists for the Oral Treatment of Urinary Tract Infections: From Design and Synthesis to in Vitro and in Vivo Evaluation. Journal of Medicinal Chemistry, 2010, 53, 8627-8641. | 2.9 | 179 |
| 203 | Identification and Development of Novel Inhibitors of <i>Toxoplasma gondii</i> Enoyl Reductase. Journal of Medicinal Chemistry, 2010, 53, 6287-6300. | 2.9 | 46 |
| 204 | Antiretroviral Activity of Thiosemicarbazone Metal Complexes. Journal of Medicinal Chemistry, 2010, 53, 8765-8769. | 2.9 | 118 |
| 205 | Identification of small-molecule inhibitors of ricin and shiga toxin using a cell-based high-throughput screen. Toxicon, 2010, 56, 313-323. | 0.8 | 52 |
| 206 | Relative Role of Halogen Bonds and Hydrophobic Interactions in Inhibition of Human Protein Kinase $CK2\hat{l}\pm$ by Tetrabromobenzotriazole and Some $C(5)$ -Substituted Analogues. Journal of Physical Chemistry B, 2010, 114, 10601-10611. | 1.2 | 45 |
| 207 | Computational Analysis of Structure–Activity Relationships. Progress in Medicinal Chemistry, 2010, 49, 113-160. | 4.1 | 20 |
| 208 | Prediction of the Basicities of Pyridines in the Gas Phase and in Aqueous Solution. Journal of Chemical Information and Modeling, 2010, 50, 87-96. | 2.5 | 23 |
| 209 | A comparison of the generalization ability of different genetic programming frameworks. , 2010, , . | | 12 |
| 210 | Pt(ii) complexes with bidentate and tridentate pyrazolyl-containing chelators: synthesis, structural characterization and biological studies. Dalton Transactions, 2011, 40, 5781. | 1.6 | 23 |
| 211 | Adsorption of phenol and aniline on natural and organically modified montmorillonite: experiment and molecular modelling. Molecular Simulation, 2011, 37, 964-974. | 0.9 | 15 |
| 212 | Effects on Membrane Lateral Pressure Suggest Permeation Mechanisms for Bacterial Quorum Signaling Molecules. Biochemistry, 2011, 50, 6983-6993. | 1.2 | 41 |
| 213 | A Microfluidic Vesicle Screening Platform: Monitoring the Lipid Membrane Permeability of Tetracyclines. Analytical Chemistry, 2011, 83, 8877-8885. | 3.2 | 45 |
| 214 | Adsorption of Cationic Gemini Surfactants at Solid Surfaces Studied by QCM-D and SPR: Effect of the Rigidity of the Spacer. Langmuir, 2011, 27, 7549-7557. | 1.6 | 78 |
| 215 | Theoretical Molecular Descriptors Relevant to the Uptake of Persistent Organic Pollutants from Soil by Zucchini. A QSAR Study. Journal of Agricultural and Food Chemistry, 2011, 59, 2863-2869. | 2.4 | 14 |
| 216 | Synthesis of a Drug-Like Focused Library of Trisubstituted Pyrrolidines Using Integrated Flow Chemistry and Batch Methods. ACS Combinatorial Science, 2011, 13, 405-413. | 3.8 | 42 |
| 217 | Descriptors for antimicrobial peptides. Expert Opinion on Drug Discovery, 2011, 6, 171-184. | 2.5 | 26 |
| 218 | N-palmitoyl-vanillamide (palvanil) is a non-pungent analogue of capsaicin with stronger desensitizing capability against the TRPV1 receptor and anti-hyperalgesic activity. Pharmacological Research, 2011, 63, 294-299. | 3.1 | 32 |
| 219 | Antiradical, Chelating and Antioxidant Activities of Hydroxamic Acids and Hydroxyureas. Molecules, 2011, 16, 6232-6242. | 1.7 | 59 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 220 | The CRIT framework for identifying cross patterns in systems biology and application to chemogenomics. Genome Biology, 2011, 12, R32. | 13.9 | 2 |
| 221 | Diprotonation process of meso-tetraphenylporphyrin derivatives designed for Photodynamic Therapy of cancers: From Multivariate Curve Resolution to predictive QSPR modeling. Analytica Chimica Acta, 2011, 705, 306-314. | 2.6 | 10 |
| 222 | Bioluminescent bioreporter Pseudomonas putida TVA8 as a detector of water pollution. Operational conditions and selectivity of free cells sensor. Ecological Indicators, 2011, 11, 882-887. | 2.6 | 27 |
| 223 | Indolylarylsulfones as HIV-1 Non-Nucleoside Reverse Transcriptase Inhibitors: New Cyclic Substituents at Indole-2-carboxamide. Journal of Medicinal Chemistry, 2011, 54, 1587-1598. | 2.9 | 137 |
| 224 | High throughput plasma N-glycome profiling using multiplexed labelling and UPLC with fluorescence detection. Analyst, The, 2011, 136, 4670. | 1.7 | 38 |
| 225 | Quantification of nicotine, cotinine, trans-3′-hydroxycotinine and varenicline in human plasma by a sensitive and specific UPLC–tandem mass-spectrometry procedure for a clinical study on smoking cessation. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 3574-3582. | 1.2 | 34 |
| 226 | Modelling physico-chemical properties of (benzo)triazoles, and screening for environmental partitioning. Water Research, 2011, 45, 1463-1471. | 5.3 | 31 |
| 227 | Correlation between Protein Function and Ligand Binding Profiles. Journal of Proteome Research, 2011, 10, 2538-2545. | 1.8 | 12 |
| 228 | A TLC study of the lipophilicity of new antimycobacterial active benzoxazine derivatives containing a thioxo group. Journal of Planar Chromatography - Modern TLC, 2011, 24, 196-200. | 0.6 | 5 |
| 229 | Irving-Williams Order in the Framework of Connectivity Index 3χv Enables Simultaneous Prediction of Stability Constants of Bivalent Transition Metal Complexes. Molecules, 2011, 16, 1103-1112. | 1.7 | 22 |
| 230 | A haptic framework for the study of inter-molecular interactions. International Journal of Technology Enhanced Learning, 2011, 3, 536. | 0.4 | 1 |
| 231 | Predicting the pKa of Small Molecules. Combinatorial Chemistry and High Throughput Screening, 2011, 14, 307-327. | 0.6 | 50 |
| 232 | Comparative QSAR Analyses of Competitive CYP2C9 Inhibitors using Threeâ€Dimensional Molecular Descriptors. Chemical Biology and Drug Design, 2011, 78, 112-123. | 1.5 | 3 |
| 233 | A multiplexed electrospray process for single-step synthesis of stabilized polymer particles for drug delivery. Journal of Controlled Release, 2011, 154, 203-210. | 4.8 | 87 |
| 234 | Nano-sized drug-loaded micelles deliver payload to lymph node immune cells and prolong allograft survival. Journal of Controlled Release, 2011, 156, 154-160. | 4.8 | 90 |
| 235 | Exploring an ecotoxicity database with the OECD (Q)SAR Toolbox and DRAGON descriptors in order to prioritise testing on algae, daphnids, and fish. Science of the Total Environment, 2011, 409, 3334-3343. | 3.9 | 48 |
| 236 | Informatics calibration of a molecular descriptors database to predict solid dispersion potential of small molecule organic solids. International Journal of Pharmaceutics, 2011, 418, 217-226. | 2.6 | 25 |
| 237 | Anti-hepatocellular carcinoma activity using human HepG2 cells and hepatotoxicity of 6-substituted methyl 3-aminothieno[3,2-b]pyridine-2-carboxylate derivatives: InÂvitro evaluation, cell cycle analysis and QSAR studies. European Journal of Medicinal Chemistry, 2011, 46, 5800-5806. | 2.6 | 145 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 238 | Aryl piperazine and pyrrolidine as antimalarial agents. Synthesis and investigation of structure–activity relationships. Experimental Parasitology, 2011, 128, 97-103. | 0.5 | 33 |
| 239 | Synthesis, structure elucidation, determination of the lipophilicity and identification of antitumour activities in vitro of novel 3-(2-furanyl)-8-aryl-7,8-dihydroimidazo[2,1-c][1,2,4]triazin-4(6H)-ones with a low cytotoxicity towards normal human skin fibroblast cells. Bioorganic and Medicinal Chemistry, 2011. 19. 5103-5116. | 1.4 | 22 |
| 240 | Design, synthesis and biological evaluation of mannosyl triazoles as FimH antagonists. Bioorganic and Medicinal Chemistry, 2011, 19, 6454-6473. | 1.4 | 77 |
| 241 | Tertiary amine solvents having switchable hydrophilicity. Green Chemistry, 2011, 13, 619. | 4.6 | 229 |
| 242 | Online chemical modeling environment (OCHEM): web platform for data storage, model development and publishing of chemical information. Journal of Computer-Aided Molecular Design, 2011, 25, 533-554. | 1.3 | 453 |
| 243 | Molecular structure, pKa, lipophilicity, solubility, absorption, polar surface area, and blood brain barrier penetration of some antiangiogenic agents. Structural Chemistry, 2011, 22, 635-648. | 1.0 | 48 |
| 244 | A Linear Model to Predict Chronic Effects of Chemicals on Daphnia magna. Bulletin of Environmental Contamination and Toxicology, 2011, 87, 494-498. | 1.3 | 2 |
| 245 | Microfluidic direct injection method for analysis of urinary 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanol (NNAL) using molecularly imprinted polymers coupled on-line with LC–MS/MS. Journal of Pharmaceutical and Biomedical Analysis, 2011, 54, 368-378. | 1.4 | 21 |
| 246 | Lipophilicity of kinetically labile metal complexes through the example of antidiabetic Zn(II) and VO(IV) compounds. Journal of Pharmaceutical and Biomedical Analysis, 2011, 54, 1073-1081. | 1.4 | 36 |
| 247 | In silico prediction and characterization of 3D structure and binding properties of catalase from the commercially important crab, Scylla serrata. Interdisciplinary Sciences, Computational Life Sciences, 2011, 3, 110-120. | 2.2 | 21 |
| 248 | Open Babel: An open chemical toolbox. Journal of Cheminformatics, 2011, 3, 33. | 2.8 | 6,039 |
| 249 | CHARMM force field parameterization of rosiglitazone. International Journal of Quantum Chemistry, 2011, 111, 1346-1354. | 1.0 | 13 |
| 250 | Trilinear multiplicative modelling of thin layer chromatography retention as a function of solute, organic modifier and its concentration. Journal of Separation Science, 2011, 34, 59-63. | 1.3 | 6 |
| 251 | Growth Response of <i>Trichoderma</i> Species to Organic Solvents. Molecular Informatics, 2011, 30, 276-285. | 1.4 | 12 |
| 252 | Leucine enkephalinâ€"A mass spectrometry standard. Mass Spectrometry Reviews, 2011, 30, 298-320. | 2.8 | 99 |
| 253 | Squalene $\hat{a} \in \text{``biochemistry'}$, molecular biology, process biotechnology, and applications. European Journal of Lipid Science and Technology, 2011, 113, 1299-1320. | 1.0 | 197 |
| 254 | Equilibrium modeling: A pathway to understanding observed perfluorocarboxylic and perfluorosulfonic acid behavior. Environmental Toxicology and Chemistry, 2011, 30, 2229-2236. | 2.2 | 13 |
| 255 | Pyrido[1,2â€ <i>a</i>]benzimidazoleâ€Based Agents Active Against Tuberculosis (TB), Multidrugâ€Resistant (MDR) TB and Extensively Drugâ€Resistant (XDR) TB. ChemMedChem, 2011, 6, 334-342. | 1.6 | 58 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 256 | Development of classification model batteries for predicting inhibition of tubulin polymerization by small molecules. Chemometrics and Intelligent Laboratory Systems, 2011, 107, 206-214. | 1.8 | 0 |
| 257 | Synthesis and biological evaluation of imidazolo[2,1-b]benzothiazole derivatives, as potential p53 inhibitors. Bioorganic and Medicinal Chemistry, 2011, 19, 1649-1657. | 1.4 | 52 |
| 258 | Modulation of the 6-position of benzopyran derivatives and inhibitory effects on the insulin releasing process. Bioorganic and Medicinal Chemistry, 2011, 19, 3919-3928. | 1.4 | 13 |
| 259 | Could LogP be a principal determinant of biological activity in 18-crown-6 ethers? Synthesis of biologically active adamantane-substituted diaza-crowns. European Journal of Medicinal Chemistry, 2011, 46, 3444-3454. | 2.6 | 26 |
| 260 | Selective sodium ion transfer across a water/1,2-dichloroethane micro-interface by a calix[4] arene derivative. Journal of Electroanalytical Chemistry, 2011, 654, 96-101. | 1.9 | 7 |
| 261 | Informatics, machine learning and computational medicinal chemistry. Future Medicinal Chemistry, 2011, 3, 451-467. | 1.1 | 11 |
| 262 | Synthesis and electrochemical properties of a novel calix[4] arene derivative for facilitated transfer of alkali metal ions across water/1,2-dichloroethane micro-interface. Supramolecular Chemistry, 2011, 23, 570-578. | 1.5 | 0 |
| 263 | ChemMine tools: an online service for analyzing and clustering small molecules. Nucleic Acids Research, 2011, 39, W486-W491. | 6.5 | 377 |
| 264 | Activity of Drugs Against Dormant <i>Mycobacterium tuberculosis</i> . Journal of Chemotherapy, 2011, 23, 175-178. | 0.7 | 4 |
| 265 | THE LIPOPHILICITY OF SOME HAZARDOUS SUBSTANCES ESTIMATED BY HIGH PERFORMANCE LIQUID CHROMATOGRAPHY AND COMPUTED BY VARIOUS METHODS. Journal of Liquid Chromatography and Related Technologies, 2011, 34, 289-306. | 0.5 | 4 |
| 266 | Using Neural Network classifier Support Vector Machine Regression for the prediction of Melting Point of Drug - like compounds. , $2011, \ldots$ | | 0 |
| 267 | Computational assessment of the environmental fate, bioaccumulation, and toxicity potential of brominated benzylpolystyrene. Toxicology Mechanisms and Methods, 2011, 21, 183-192. | 1.3 | 6 |
| 268 | Caged Fluorescent Haptens Reveal the Generation of Cryptic Epitopes in Allergic Contact Dermatitis. Journal of Investigative Dermatology, 2011, 131, 1486-1493. | 0.3 | 33 |
| 269 | Predicting Antitumor Activity of Peptides by Consensus of Regression Models Trained on a Small Data Sample. International Journal of Molecular Sciences, 2011, 12, 8415-8430. | 1.8 | 8 |
| 270 | High-Dimensional Descriptor Selection and Computational QSAR Modeling for Antitumor Activity of ARC-111 Analogues Based on Support Vector Regression (SVR). International Journal of Molecular Sciences, 2012, 13, 1161-1172. | 1.8 | 12 |
| 271 | Therapeutic target database update 2012: a resource for facilitating target-oriented drug discovery. Nucleic Acids Research, 2012, 40, D1128-D1136. | 6.5 | 459 |
| 272 | Molecular Determinants of Ligand Selectivity for the Human Multidrug and Toxin Extruder Proteins MATE1 and MATE2-K. Journal of Pharmacology and Experimental Therapeutics, 2012, 341, 743-755. | 1.3 | 74 |
| 273 | Density functional theory based quantitative structure-property relationship studies on coumarin-based prodrugs. BioScience Trends, 2012, 6, 234-240. | 1.1 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 274 | Predicting Monoamine Oxidase Inhibitory Activity Through Ligand-Based Models. Current Topics in Medicinal Chemistry, 2012, 12, 2258-2274. | 1.0 | 19 |
| 275 | Molecular Features for Antitrypanosomal Activity of Thiosemicarbazones Revealed by OPS-PLS QSAR Studies. Medicinal Chemistry, 2012, 8, 1045-1056. | 0.7 | 2 |
| 276 | Fourth generation detour matrix-based topological indices for QSAR/QSPR - Part-1: development and evaluation. International Journal of Computational Biology and Drug Design, 2012, 5, 335. | 0.3 | 3 |
| 277 | Natural chalcones as dual inhibitors of HDACs and NF-κB. Oncology Reports, 2012, 28, 797-805. | 1.2 | 71 |
| 278 | Prediction of log <i>P</i> : ALOGPS Application in Medicinal Chemistry Education. Journal of Chemical Education, 2012, 89, 64-67. | 1.1 | 32 |
| 279 | <i>In Silico</i> Prediction of Aqueous Solubility Using Simple QSPR Models: The Importance of Phenol and Phenol-like Moieties. Journal of Chemical Information and Modeling, 2012, 52, 2950-2957. | 2.5 | 58 |
| 280 | The 3D-QSAR study of 110 diverse, dual binding, acetylcholinesterase inhibitors based on alignment independent descriptors (GRIND-2). The effects of conformation on predictive power and interpretability of the models. Journal of Molecular Graphics and Modelling, 2012, 38, 194-210. | 1.3 | 18 |
| 281 | Bis(l-cysteinato)zincate(ll) as a coordination compound that induces metallothionein gene transcription without inducing cell-stress-related gene transcription. Journal of Inorganic Biochemistry, 2012, 117, 140-146. | 1.5 | 6 |
| 282 | Computer-Aided Molecular Design of Ionic Liquids: An Overview. Australian Journal of Chemistry, 2012, 65, 1478. | 0.5 | 31 |
| 283 | In Vitro Anticancer Activity of <i>cis</i> -Diammineplatinum(II) Complexes with \hat{I}^2 -Diketonate Leaving Group Ligands. Journal of Medicinal Chemistry, 2012, 55, 5326-5336. | 2.9 | 110 |
| 284 | Manadoperoxides, a new class of potent antitrypanosomal agents of marine origin. Organic and Biomolecular Chemistry, 2012, 10, 7197. | 1.5 | 27 |
| 285 | Tuning Chloride Binding, Encapsulation, and Transport by Peripheral Substitution of Pseudopeptidic Tripodal Small Cages. Chemistry - A European Journal, 2012, 18, 16728-16741. | 1.7 | 32 |
| 286 | Two-dimensional quantitative structure–activity relationship study on polyphenols as inhibitors of α-glucosidase. Medicinal Chemistry Research, 2012, 21, 3984-3993. | 1.1 | 17 |
| 287 | Quantitative Analysis of Molecular Absorption into PDMS Microfluidic Channels. Annals of Biomedical Engineering, 2012, 40, 1862-1873. | 1.3 | 211 |
| 288 | Chromatographic lipophilicity determination using large volume injections of the solvents non-miscible with the mobile phase. Journal of Chromatography A, 2012, 1266, 53-60. | 1.8 | 21 |
| 289 | Optimization of in-line fritless solid-phase extraction for capillary electrophoresis–mass spectrometry. Journal of Chromatography A, 2012, 1267, 138-143. | 1.8 | 20 |
| 290 | Designing the head group of CO2-triggered switchable surfactants. RSC Advances, 2012, 2, 4925. | 1.7 | 61 |
| 291 | Comparative structural analysis of two proteins belonging to quorum sensing system in <i>Vibrio cholerae </i> . Journal of Biomolecular Structure and Dynamics, 2012, 30, 574-584. | 2.0 | 24 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 292 | Iterative Fragment Selection: A Group Contribution Approach to Predicting Fish Biotransformation Half-Lives. Environmental Science & Environmental Sci | 4.6 | 67 |
| 293 | De Novo Design of Potential RecA Inhibitors Using MultiObjective Optimization. IEEE/ACM Transactions on Computational Biology and Bioinformatics, 2012, 9, 1139-1154. | 1.9 | 11 |
| 294 | EVALUATION OF THE LIPOPHILICTY OF SELECTED URIDINE DERIVATIVES BY USE OF RP-TLC, SHAKE-FLASK, AND COMPUTATIONAL METHODS. Journal of Liquid Chromatography and Related Technologies, 2012, 35, 1202-1212. | 0.5 | 10 |
| 295 | Branched Multifunctional Polyether Polyketals: Variation of Ketal Group Structure Enables Unprecedented Control over Polymer Degradation in Solution and within Cells. Journal of the American Chemical Society, 2012, 134, 14945-14957. | 6.6 | 97 |
| 296 | Evaluation of the OECD (Q)SAR Application Toolbox for the profiling of estrogen receptor binding affinities. SAR and QSAR in Environmental Research, 2012, 23, 37-57. | 1.0 | 18 |
| 297 | Access of inhibitory neurosteroids to the NMDA receptor. British Journal of Pharmacology, 2012, 166, 1069-1083. | 2.7 | 52 |
| 298 | QSAR Modeling and Data Mining Link Torsades de Pointes Risk to the Interplay of Extent of Metabolism, Active Transport, and hERG Liability. Molecular Pharmaceutics, 2012, 9, 2290-2301. | 2.3 | 33 |
| 299 | Learn to teach chemistry using visual media tools. Chemistry Education Research and Practice, 2012, 13, 401-409. | 1.4 | 14 |
| 300 | QSAR Models for P-Glycoprotein Transport Based on a Highly Consistent Data Set. Journal of Chemical Information and Modeling, 2012, 52, 2462-2470. | 2.5 | 39 |
| 301 | Antinociceptive profile of LP1, a non-peptide multitarget opioid ligand. Life Sciences, 2012, 90, 957-961. | 2.0 | 30 |
| 302 | Predicting biological activity: Computational approach using novel distance based molecular descriptors. Computers in Biology and Medicine, 2012, 42, 1026-1041. | 3.9 | 14 |
| 303 | QSAR study of the DPPH radical scavenging activity of di(hetero)arylamines derivatives of benzo[b]thiophenes, halophenols and caffeic acid analogues. Chemometrics and Intelligent Laboratory Systems, 2012, 116, 33-40. | 1.8 | 17 |
| 304 | A new quantitative structure–property relationship model to predict bioconcentration factors of polychlorinated biphenyls (PCBs) in fishes using E-state index and topological descriptors. Ecotoxicology and Environmental Safety, 2012, 75, 213-222. | 2.9 | 26 |
| 305 | An approach for assessing hydrogel hydrophobicity. Journal of Biomedical Materials Research - Part A, 2012, 100A, 2855-2860. | 2.1 | 14 |
| 306 | ZINC: A Free Tool to Discover Chemistry for Biology. Journal of Chemical Information and Modeling, 2012, 52, 1757-1768. | 2.5 | 1,985 |
| 307 | Applications and Limitations of In Silico Models in Drug Discovery. Methods in Molecular Biology, 2012, 910, 87-124. | 0.4 | 42 |
| 308 | Design and in Vitro Activities of <i>N</i> -Alkyl- <i>N</i> -[(8- <i>R</i> -2,2-dimethyl-2 <i>H</i> -chromen-6-yl)methyl]heteroarylsulfonamides, Novel, Small-Molecule Hypoxia Inducible Factor-1 Pathway Inhibitors and Anticancer Agents. Journal of Medicinal Chemistry, 2012, 55, 6738-6750. | 2.9 | 49 |
| 309 | Quantitative structure-pharmacokinetic relationship (QSPkP) analysis of the volume of distribution values of anti-infective agents from j group of the ATC classification in humans. Acta Pharmaceutica, 2012, 62, 305-323. | 0.9 | 4 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 310 | Antiadhesion Therapy for Urinary Tract Infectionsâ€"A Balanced PK/PD Profile Proved To Be Key for Success. Journal of Medicinal Chemistry, 2012, 55, 4700-4713. | 2.9 | 102 |
| 311 | High-Throughput Discovery of Novel Steric Stabilizers for Cubic Lyotropic Liquid Crystal Nanoparticle Dispersions. Langmuir, 2012, 28, 9223-9232. | 1.6 | 95 |
| 312 | Synthesis and anthelmintic activity of osthol analogs against Dactylogyrus intermedius in goldfish. European Journal of Medicinal Chemistry, 2012, 54, 582-590. | 2.6 | 20 |
| 313 | The binding of C5-alkynyl and alkylfurano[2,3-d]pyrimidine glucopyranonucleosides to glycogen phosphorylase b: Synthesis, biochemical and biological assessment. European Journal of Medicinal Chemistry, 2012, 54, 740-749. | 2.6 | 20 |
| 314 | N-Aryl-N′-(chroman-4-yl)ureas and thioureas display inÂvitro anticancer activity and selectivity on apoptosis-resistant glioblastoma cells: Screening, synthesis of simplified derivatives, and structure–activity relationship analysis. European Journal of Medicinal Chemistry, 2012, 54, 834-844. | 2.6 | 28 |
| 315 | QSPR studies for predicting gas to acetone and gas to acetonitrile solvation enthalpies using support vector machine. Journal of Molecular Liquids, 2012, 175, 24-32. | 2.3 | 16 |
| 316 | Detection and Confirmation of Alkaloids in Leaves of Justicia adhatoda and Bioinformatics Approach to Elicit Its Anti-tuberculosis Activity. Applied Biochemistry and Biotechnology, 2012, 168, 980-990. | 1.4 | 39 |
| 317 | Structure based virtual screening for discovery of novel human neutrophil elastase inhibitors. MedChemComm, 2012, 3, 1299. | 3.5 | 15 |
| 318 | Pharmacophore-based database mining for probing fragmental drug-likeness of diketo acid analogues. SAR and QSAR in Environmental Research, 2012, 23, 185-204. | 1.0 | 10 |
| 319 | Partition Coefficients of Itaconates in Aqueous-Micellar Solutions: Measurements and Predictions with COSMO-RS. Industrial & Engineering Chemistry Research, 2012, 51, 1846-1852. | 1.8 | 10 |
| 320 | Determination of biocides in different environmental matrices by use of ultra-high-performance liquid chromatography–tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2012, 404, 3175-3188. | 1.9 | 141 |
| 321 | Systems Biological Approach of Molecular Descriptors Connectivity: Optimal Descriptors for Oral Bioavailability Prediction. PLoS ONE, 2012, 7, e40654. | 1.1 | 46 |
| 322 | A QSAR Study of Environmental Estrogens Based on a Novel Variable Selection Method. Molecules, 2012, 17, 6126-6145. | 1.7 | 10 |
| 323 | A Support Vector Machine Classification Model for Benzo[c]phenathridine Analogues with Topoisomerase-I Inhibitory Activity. Molecules, 2012, 17, 4560-4582. | 1.7 | 6 |
| 324 | 4-iodophenyl isothiocyanate: A neuroprotective compound. Restorative Neurology and Neuroscience, 2012, 30, 21-38. | 0.4 | 8 |
| 325 | Theoretical models for the antitrypanosomal activity of thiosemicarbazone derivatives. International Journal of Quantum Chemistry, 2012, 112, 3364-3370. | 1.0 | 2 |
| 326 | A Bayesian Approach to <i>in Silico</i> Blood-Brain Barrier Penetration Modeling. Journal of Chemical Information and Modeling, 2012, 52, 1686-1697. | 2.5 | 167 |
| 327 | The role of lipophilicity in transmembrane anion transport. Chemical Communications, 2012, 48, 5274. | 2.2 | 82 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 328 | Nebulizing conditions of pneumatic electrospray ionization significantly influence electrolyte effects on compound measurement. Journal of Mass Spectrometry, 2012, 47, 370-380. | 0.7 | 9 |
| 329 | A comparative study concerning the chromatographic behaviour and lipophilicity of certain natural toxins. Journal of Separation Science, 2012, 35, 1059-1067. | 1.3 | 12 |
| 330 | Deorphanization of Malonyl CoA:ACP Transacylase Drug Target in <i>Plasmodium falciparum</i> (PfFabD) Using Bacterial Antagonists: A †Piggyback†Approach for Antimalarial Drug Discovery. Molecular Informatics, 2012, 31, 281-299. | 1.4 | 8 |
| 331 | A Bilayer-Couple Model of Bacterial Outer Membrane Vesicle Biogenesis. MBio, 2012, 3, . | 1.8 | 150 |
| 332 | The Ïfâ€Hole Phenomenon of Halogen Atoms Forms the Structural Basis of the Strong Inhibitory Potency of C5 Halogen Substituted Glucopyranosyl Nucleosides towards Glycogen Phosphorylaseâ€b. ChemMedChem, 2012, 7, 722-732. | 1.6 | 41 |
| 333 | FimH Antagonists: Structure–Activity and Structure–Property Relationships for Biphenyl αâ€ <scp>D</scp> â€Mannopyranosides. ChemMedChem, 2012, 7, 1404-1422. | 1.6 | 57 |
| 334 | Web tools for predictive toxicology model building. Expert Opinion on Drug Metabolism and Toxicology, 2012, 8, 791-801. | 1.5 | 10 |
| 335 | Synthesis and QSAR analysis of chalcone derivatives as nitric oxide inhibitory agent. Medicinal Chemistry Research, 2012, 21, 1953-1966. | 1.1 | 13 |
| 336 | Enhancing the anti-lymphoma potential of 3,4-methylenedioxymethamphetamine (â€ecstasy') through iterative chemical redesign: mechanisms and pathways to cell death. Investigational New Drugs, 2012, 30, 1471-1483. | 1.2 | 7 |
| 337 | Quantification of Lipophilicity of 1,2,4-Triazoles Using Micellar Chromatography. Chromatographia, 2012, 75, 449-456. | 0.7 | 24 |
| 338 | A QSPR study of drug release from an arabinoxylan using ab initio optimization and neural networks. Carbohydrate Polymers, 2012, 88, 1348-1357. | 5.1 | 16 |
| 339 | Study of indole derivative inhibitors of Cytosolic phospholipase A2α based on Quantitative Structure Activity Relationship. Chemometrics and Intelligent Laboratory Systems, 2012, 114, 1-9. | 1.8 | 3 |
| 340 | Measurements and predictions of hexadecane/air partition coefficients for 387 environmentally relevant compounds. Journal of Chromatography A, 2012, 1220, 132-142. | 1.8 | 41 |
| 341 | Desorption kinetics with PTR-MS: Isothermal differential desorption kinetics from a heterogeneous inlet surface at ambient pressure and a new concept for compound identification. International Journal of Mass Spectrometry, 2012, 314, 33-41. | 0.7 | 7 |
| 342 | Molecular docking of \hat{I}^3 -sitosterol with some targets related to diabetes. European Journal of Medicinal Chemistry, 2012, 47, 38-43. | 2.6 | 43 |
| 343 | Computational analysis of structure-based interactions and ligand properties can predict efflux effects on antibiotics. European Journal of Medicinal Chemistry, 2012, 52, 98-110. | 2.6 | 10 |
| 344 | A carbamate-based approach to primaquine prodrugs: Antimalarial activity, chemical stability and enzymatic activation. Bioorganic and Medicinal Chemistry, 2012, 20, 886-892. | 1.4 | 23 |
| 345 | QSAR studies for prediction of cross- \hat{l}^2 sheet aggregate binding affinity and selectivity. Bioorganic and Medicinal Chemistry, 2012, 20, 1434-1441. | 1.4 | 14 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 346 | Novel substituted 9-norbornylpurines and their activities against RNA viruses. Bioorganic and Medicinal Chemistry Letters, 2012, 22, 1963-1968. | 1.0 | 7 |
| 347 | THE INFLUENCE OF pH ON ALGAL CELL MEMBRANE PERMEABILITY AND ITS IMPLICATIONS FOR THE UPTAKE OF LIPOPHILIC METAL COMPLEXES (sup > 1 < /sup > . Journal of Phycology, 2012, 48, 293-302. | 1.0 | 32 |
| 348 | Estimation of the lipophilic character of flavonoids from the retention behavior in reversed phase liquid chromatography on different stationary phases: A comparative study. Journal of Pharmaceutical and Biomedical Analysis, 2012, 57, 82-93. | 1.4 | 18 |
| 349 | QSRR models for potential local anaesthetic drugs using high performance liquid chromatography. Journal of Pharmaceutical and Biomedical Analysis, 2012, 59, 209-216. | 1.4 | 21 |
| 350 | Intranasal drug delivery: An efficient and non-invasive route for systemic administration., 2012, 134, 366-379. | | 281 |
| 351 | Results of molecular docking as descriptors to predict human serum albumin binding affinity. Journal of Molecular Graphics and Modelling, 2012, 33, 35-43. | 1.3 | 22 |
| 352 | Synthesis and evaluation of DPPH and anti-inflammatory activities of 2,6-bisbenzylidenecyclohexanone and pyrazoline derivatives. Medicinal Chemistry Research, 2012, 21, 333-344. | 1.1 | 17 |
| 353 | The great descriptor melting pot: mixing descriptors for the common good of QSAR models. Journal of Computer-Aided Molecular Design, 2012, 26, 39-43. | 1.3 | 39 |
| 354 | The perspectives of computational chemistry modeling. Journal of Computer-Aided Molecular Design, 2012, 26, 135-136. | 1.3 | 25 |
| 355 | Binding efficiencies of carbohydrate ligands with different genotypes of cholera toxin B: molecular modeling, dynamics and docking simulation studies. Journal of Molecular Modeling, 2012, 18, 1-10. | 0.8 | 28 |
| 356 | Rationalization and prediction of drug resistant mutations in targets for clinical anti-tubercular drugs. Journal of Biomolecular Structure and Dynamics, 2013, 31, 44-58. | 2.0 | 3 |
| 357 | Analysis of 3â€methoxypterostilbene in biological fluids by highâ€performance liquid chromatography: application to preâ€clinical pharmacokinetics. Biomedical Chromatography, 2013, 27, 67-72. | 0.8 | 4 |
| 358 | Random forests for feature selection in QSPR Models - an application for predicting standard enthalpy of formation of hydrocarbons. Journal of Cheminformatics, 2013, 5, 9. | 2.8 | 60 |
| 359 | Modeling of non-additive mixture properties using the Online CHEmical database and Modeling environment (OCHEM). Journal of Cheminformatics, 2013, 5, 4. | 2.8 | 39 |
| 360 | Using Neural Networks to Predict the Red Electroluminescence of Materials. Journal of Superconductivity and Novel Magnetism, 2013, 26, 2533-2536. | 0.8 | 0 |
| 361 | Model for High-Throughput Screening of Multitarget Drugs in Chemical Neurosciences: Synthesis, Assay, and Theoretic Study of Rasagiline Carbamates. ACS Chemical Neuroscience, 2013, 4, 1393-1403. | 1.7 | 50 |
| 362 | Computational predictive models for organic semiconductors. Journal of Computational Electronics, 2013, 12, 790-795. | 1.3 | 8 |
| 363 | Glycosylated copper($\langle scp \rangle ii \langle scp \rangle$) ionophores as prodrugs for \hat{l}^2 -glucosidase activation in targeted cancer therapy. Dalton Transactions, 2013, 42, 2023-2034. | 1.6 | 57 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 364 | Exploring the Molecular Basis of Q $\langle sub \rangle o \langle sub \rangle (i) bc \langle i\rangle \langle sub \rangle 1 \langle sub \rangle Complex Inhibitors Activity to Find Novel Antimalarials Hits. Molecular Informatics, 2013, 32, 659-670.$ | 1.4 | 11 |
| 365 | Partition coefficient determination of a series of isoindolines-2-substituted and its correlation with their antiproliferative activity on HeLa cells. Medicinal Chemistry Research, 2013, 22, 4039-4045. | 1.1 | 8 |
| 366 | Synthesis of damnacanthal, a naturally occurring 9,10-anthraquinone and its analogues, and its biological evaluation against five cancer cell lines. Medicinal Chemistry Research, 2013, 22, 2093-2104. | 1.1 | 14 |
| 367 | Generation of artificial neural networks models in anticancer study. Neural Computing and Applications, 2013, 23, 577-582. | 3.2 | 1 |
| 368 | Tissue-to-blood distribution coefficients in the rat: Utility for estimation of the volume of distribution in man. European Journal of Pharmaceutical Sciences, 2013, 50, 526-543. | 1.9 | 7 |
| 370 | High-throughput nanoprecipitation of the organic antimicrobial triclosan and enhancement of activity against Escherichia coli. Journal of Materials Chemistry B, 2013, 1, 4455. | 2.9 | 15 |
| 371 | A new, fully validated and interpreted quantitative structure-activity relationship model of p-aminosalicylic acid derivatives as neuraminidase inhibitors. Chemical Papers, 2013, 67, . | 1.0 | 2 |
| 372 | Occurrence and dissipation of three azole biocides climbazole, clotrimazole and miconazole in biosolid-amended soils. Science of the Total Environment, 2013, 452-453, 377-383. | 3.9 | 38 |
| 373 | Utilization of reversed-phase TLC and topological indices to the lipophilicity investigations of naproxen. Pharmaceutical Methods, 2013, 4, 16-20. | 0.4 | 4 |
| 374 | A comparative study of the lipophilicity of 1,2,4-triazoles by reversed-phase and micellar TLC and OPLC. Journal of Planar Chromatography - Modern TLC, 2013, 26, 153-159. | 0.6 | 5 |
| 375 | Benzothiophen-pyrazine scaffold as a potential membrane targeting drug carrier. Journal of Luminescence, 2013, 140, 51-56. | 1.5 | 9 |
| 376 | Highly potent, synthetically accessible prostratin analogs induce latent HIV expression in vitro and ex vivo. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 11698-11703. | 3.3 | 130 |
| 377 | Physicochemical vs. Vibrational Descriptors for Prediction of Odor Receptor Responses. Molecular Informatics, 2013, 32, 855-865. | 1.4 | 19 |
| 378 | 17(E)-Picolinylidene androstane derivatives as potential inhibitors of prostate cancer cell growth: Antiproliferative activity and molecular docking studies. Bioorganic and Medicinal Chemistry, 2013, 21, 7257-7266. | 1.4 | 31 |
| 379 | Angiotensin-Converting Enzyme Inhibitory Effects by Plant Phenolic Compounds: A Study of Structure Activity Relationships. Journal of Agricultural and Food Chemistry, 2013, 61, 11832-11839. | 2.4 | 154 |
| 380 | Chemical predictive modelling to improve compound quality. Nature Reviews Drug Discovery, 2013, 12, 948-962. | 21.5 | 204 |
| 381 | 3,5-Bis(benzylidene)-4-piperidones and related N-acyl analogs: A novel cluster of antimalarials targeting the liver stage of Plasmodium falciparum. Bioorganic and Medicinal Chemistry, 2013, 21, 7250-7256. | 1.4 | 5 |
| 382 | Quantitative structure-property relationships of electroluminescent materials: Artificial neural networks and support vector machines to predict electroluminescence of organic molecules. Bulletin of Materials Science, 2013, 36, 1307-1313. | 0.8 | 5 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 383 | Estimation of influential points in any data set from coefficient of determination and its leave-one-out cross-validated counterpart. Journal of Computer-Aided Molecular Design, 2013, 27, 837-844. | 1.3 | 22 |
| 384 | 2-Heteroarylimino-5-arylidene-4-thiazolidinones as a new class of non-nucleoside inhibitors of HCV NS5B polymerase. European Journal of Medicinal Chemistry, 2013, 69, 931-941. | 2.6 | 39 |
| 385 | Quantitative structure–retention relationships applied to liquid chromatography gradient elution method for the determination of carbonyl-2,4-dinitrophenylhydrazone compounds. Journal of Chromatography A, 2013, 1276, 65-77. | 1.8 | 16 |
| 386 | Adsorption of nucleotides onto Fe–Mg–Al rich swelling clays. Geochimica Et Cosmochimica Acta, 2013, 120, 97-108. | 1.6 | 49 |
| 387 | SUPPORT RELATED DIFFERENTIAL IMPACT OF SUBSTITUENTS ON PERFORMANCE OF (ALKOXY-PHENYL)BENZAMIDES IN NORMAL PHASE TLC. Journal of Liquid Chromatography and Related Technologies, 2013, 36, 2363-2377. | 0.5 | 1 |
| 388 | In vitro digestion of fish oils rich in n-3 polyunsaturated fatty acids studied in emulsion and at the oil–water interface. Food and Function, 2013, 4, 231-239. | 2.1 | 35 |
| 389 | QSPR based on support vector machines to predict the glass transition temperature of compounds used in manufacturing OLEDs. Molecular Simulation, 2013, 39, 234-244. | 0.9 | 10 |
| 390 | Europium Coordination Complexes as Potential Anticancer Drugs: Their Partitioning and Permeation Into Lipid Bilayers as Revealed by Pyrene Fluorescence Quenching. Journal of Fluorescence, 2013, 23, 193-202. | 1.3 | 11 |
| 391 | Large, chemically diverse dataset of logP measurements for benchmarking studies. European Journal of Pharmaceutical Sciences, 2013, 48, 21-29. | 1.9 | 42 |
| 392 | Models for the prediction of PPARs agonistic activity of indanylacetic acids. Medicinal Chemistry Research, 2013, 22, 3213-3228. | 1.1 | 3 |
| 393 | Computational QSAR models with high-dimensional descriptor selection improve antitumor activity design of ARC-111 analogues. Medicinal Chemistry Research, 2013, 22, 278-286. | 1.1 | 4 |
| 395 | QSAR studies of macrocyclic diterpenes with P-glycoprotein inhibitory activity. European Journal of Pharmaceutical Sciences, 2013, 48, 542-553. | 1.9 | 24 |
| 396 | Sulfur incorporation generally improves Ricin inhibition in pterin-appended glycine-phenylalanine dipeptide mimics. Bioorganic and Medicinal Chemistry Letters, 2013, 23, 6799-6804. | 1.0 | 16 |
| 397 | Study of physicochemical interaction of aryloxyaminopropanol derivatives with teicoplanin and vancomycin phases in view of quantitative structure–property relationship studies. Journal of Chromatography A, 2013, 1301, 38-47. | 1.8 | 6 |
| 398 | New steroidal 7-azaindole platinum(II) antitumor complexes. Journal of Inorganic Biochemistry, 2013, 128, 48-56. | 1.5 | 24 |
| 399 | Prediction of anti-tuberculosis activity of 3-phenyl-2H-1,3-benzoxazine-2,4(3H)-dione derivatives. Chemical Papers, 2013, 67, . | 1.0 | 7 |
| 400 | Helical peptides from VEGF and Vammin hotspots for modulating the VEGF–VEGFR interaction. Organic and Biomolecular Chemistry, 2013, 11, 1896. | 1.5 | 27 |
| 401 | TOPS-MODE model of multiplexing neuroprotective effects of drugs and experimental-theoretic study of new 1,3-rasagiline derivatives potentially useful in neurodegenerative diseases. Bioorganic and Medicinal Chemistry, 2013, 21, 1870-1879. | 1.4 | 48 |

| # | Article | IF | Citations |
|-----|---|------|-----------|
| 402 | Structural Basis and SAR for G007-LK, a Lead Stage 1,2,4-Triazole Based Specific Tankyrase $1/2$ Inhibitor. Journal of Medicinal Chemistry, 2013, 56, 3012-3023. | 2.9 | 109 |
| 403 | Lipophilicity of oils and fats estimated by <scp>TLC</scp> . Journal of Separation Science, 2013, 36, 1317-1326. | 1.3 | 6 |
| 404 | The Lipophilic Bullet Hits the Targets: Medicinal Chemistry of Adamantane Derivatives. Chemical Reviews, 2013, 113, 3516-3604. | 23.0 | 517 |
| 405 | The influence of R and S configurations of a series of amphetamine derivatives on quantitative structure–activity relationship models. Analytica Chimica Acta, 2013, 759, 43-52. | 2.6 | 18 |
| 406 | IUPAC-NIST Solubility Data Series. 97. Solubility of Higher Acetylenes and Triple Bonded Derivatives. Journal of Physical and Chemical Reference Data, 2013, 42, . | 1.9 | 1 |
| 407 | Comparative analysis of local and consensus quantitative structure-activity relationship approaches for the prediction of bioconcentration factor. SAR and QSAR in Environmental Research, 2013, 24, 175-199. | 1.0 | 8 |
| 408 | A Review on Property Estimation Methods and Computational Schemes for Rational Solvent Design: A Focus on Pharmaceuticals. Industrial & Engineering Chemistry Research, 2013, 52, 6869-6893. | 1.8 | 25 |
| 409 | Malarial Kinases: Novel Targets for In Silico Approaches to Drug Discovery. Methods in Molecular Biology, 2013, 993, 205-229. | 0.4 | 8 |
| 410 | Towards predictable transmembrane transport: QSAR analysis of anion binding and transport. Chemical Science, 2013, 4, 3036. | 3.7 | 104 |
| 411 | Typical Azole Biocides in Biosolid-Amended Soils and Plants Following Biosolid Applications. Journal of Agricultural and Food Chemistry, 2013, 61, 6198-6206. | 2.4 | 27 |
| 412 | Identification of Electronic and Structural Descriptors of Adenosine Analogues Related to Inhibition of Leishmanial Glyceraldehyde-3-Phosphate Dehydrogenase. Molecules, 2013, 18, 5032-5050. | 1.7 | 10 |
| 413 | Predicting drug–target interaction networks of human diseases based on multiple feature information. Pharmacogenomics, 2013, 14, 1701-1707. | 0.6 | 13 |
| 414 | Synthesis, enzyme kinetics and computational evaluation of N-(\hat{l}^2 -d-glucopyranosyl) oxadiazolecarboxamides as glycogen phosphorylase inhibitors. Bioorganic and Medicinal Chemistry, 2013, 21, 5738-5747. | 1.4 | 17 |
| 415 | Molecular features related to the binding mode of PPAR $\langle b \rangle \hat{l}$ agonists from QSAR and docking analyses $\langle b \rangle$. SAR and QSAR in Environmental Research, 2013, 24, 157-173. | 1.0 | 7 |
| 416 | Comparison of Two Methods for the Estimation of Stability of Copper(II) Bis-Complexes with Aromatic Ligands Relevant to Alzheimer's Disease. Arhiv Za Higijenu Rada I Toksikologiju, 2013, 64, 539-545. | 0.4 | 3 |
| 417 | Pharmacometrics of 3-Methoxypterostilbene: A Component of Traditional Chinese Medicinal Plants. Evidence-based Complementary and Alternative Medicine, 2013, 2013, 1-11. | 0.5 | 6 |
| 418 | Application of QSPR for the prediction of gas to 1-octanol solvation enthalpy using support vector regression. Physics and Chemistry of Liquids, 2013, 51, 182-202. | 0.4 | 8 |
| 419 | LC–MS/MS approaches for the assay of bis-quaternary pyridinium oximes used as AChE reactivators in biological matrices. Bioanalysis, 2013, 5, 793-809. | 0.6 | 8 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 420 | Synthesis and preliminary investigations into norbornane-based amphiphiles and their self-assembly. New Journal of Chemistry, 2013, 37, 1895. | 1.4 | 9 |
| 421 | Theoretical Model for the Carboxylic Group Acidity Constant Based on Connectivity Index 3χ <i>v</i> Bulletin of the Chemical Society of Japan, 2013, 86, 594-599. | 2.0 | 1 |
| 422 | An Index for Characterization of Natural and Non-Natural Amino Acids for Peptidomimetics. PLoS ONE, 2013, 8, e67844. | 1.1 | 16 |
| 423 | Ligand Pose and Orientational Sampling in Molecular Docking. PLoS ONE, 2013, 8, e75992. | 1.1 | 139 |
| 424 | Synthesis, DNA Binding and Antitumor Evaluation of Styelsamine and Cystodytin Analogues. Marine Drugs, 2013, 11, 274-299. | 2.2 | 15 |
| 425 | Discovery and Evaluation of Thiazinoquinones as Anti-Protozoal Agents. Marine Drugs, 2013, 11, 3472-3499. | 2.2 | 18 |
| 426 | Development of QSPR Model Relating Solvent Structure to Crystal Morphology. Computer Aided Chemical Engineering, 2014, , 321-326. | 0.3 | 3 |
| 427 | Preclinical Development of Novel Rac1-GEF Signaling Inhibitors using a Rational Design Approach in Highly Aggressive Breast Cancer Cell Lines. Anti-Cancer Agents in Medicinal Chemistry, 2014, 14, 840-851. | 0.9 | 67 |
| 428 | A QSAR, Pharmacokinetic and Toxicological Study of New Artemisinin Compounds with Anticancer Activity. Molecules, 2014, 19, 10670-10697. | 1.7 | 24 |
| 429 | Improving genetic programming for the prediction of pharmacokinetic parameters. Memetic Computing, 2014, 6, 255-262. | 2.7 | 9 |
| 430 | Support Vector Machine Applied to Study on Quantitative Structure–Retention Relationships of Polybrominated Diphenyl Ether Congeners. Chromatographia, 2014, 77, 1387-1398. | 0.7 | 5 |
| 431 | Application of various methods to determine the lipophilicity parameters of the selected urea pesticides as predictors of their bioaccumulation. Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes, 2014, 49, 730-737. | 0.7 | 4 |
| 432 | Pattern Recognition Techniques Applied to the Study of Leishmanial Glyceraldehyde-3-Phosphate Dehydrogenase Inhibition. International Journal of Molecular Sciences, 2014, 15, 3186-3203. | 1.8 | 4 |
| 433 | Ga[NO2A-N-(\hat{l} ±-amino)propionate] chelates: synthesis and evaluation as potential tracers for ⁶⁸ Ga PET. Dalton Transactions, 2014, 43, 8037-8047. | 1.6 | 7 |
| 434 | Enzymatic fingerprinting of structurally similar homologous proteins using polyion complex library constructed by tuning PEGylated polyamine functionalities. Analyst, The, 2014, 139, 6100-6103. | 1.7 | 19 |
| 435 | Rules relating hepatotoxicity with structural attributes of drugs. Toxicological and Environmental Chemistry, 2014, 96, 594-613. | 0.6 | 8 |
| 436 | Correlations between Chromatographic Parameters and Bioactivity Predictors of Potential Herbicides. Journal of Chromatographic Science, 2014, 52, 676-684. | 0.7 | 7 |
| 437 | Atomic Insights into Distinct Hormonal Activities of Bisphenol A Analogues toward PPARÎ 3 and ERÎ $^\pm$ Receptors. Chemical Research in Toxicology, 2014, 27, 1769-1779. | 1.7 | 51 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 438 | Antioxidant activity of phosphatidyl derivatives of hydroxytyrosol in edible oils. European Journal of Lipid Science and Technology, 2014, 116, 1035-1043. | 1.0 | 7 |
| 439 | Selection of 2D/3D molecular descriptors and QSAR modeling of aromatic Morita–Baylis–Hillman adducts with leishmanicidal activities. Medicinal Chemistry Research, 2014, 23, 5328-5335. | 1.1 | 7 |
| 440 | Lost in Translation (<scp>LiT</scp>): <scp>IUPHAR</scp> Review 6. British Journal of Pharmacology, 2014, 171, 2269-2290. | 2.7 | 9 |
| 441 | Retention-property relationships of 1,2,4-triazoles by micellar and reversed-phase liquid chromatography. Journal of Separation Science, 2014, 37, 1419-1428. | 1.3 | 13 |
| 442 | Ribonucleaseâ€A Inhibition by Carboxymethylsulfonylâ€Modified Xylo―and Arabinopyrimidines. ChemMedChem, 2014, 9, 2138-2149. | 1.6 | 9 |
| 443 | 2- and 3-substituted imidazo[1,2-a]pyrazines as inhibitors of bacterial type IV secretion. Bioorganic and Medicinal Chemistry, 2014, 22, 6459-6470. | 1.4 | 30 |
| 444 | The Natural Diyne-Furan Fatty Acid EV-086 Is an Inhibitor of Fungal Delta-9 Fatty Acid Desaturation with Efficacy in a Model of Skin Dermatophytosis. Antimicrobial Agents and Chemotherapy, 2014, 58, 455-466. | 1.4 | 12 |
| 445 | Influence of ligand lipophilicity on the NO-donating ability of the binuclear tetranitrosyl iron complexes in an erythrocyte suspension. Russian Chemical Bulletin, 2014, 63, 2020-2025. | 0.4 | 5 |
| 446 | Model for Vaccine Design by Prediction of B-Epitopes of IEDB Given Perturbations in Peptide Sequence, In Vivo Process, Experimental Techniques, and Source or Host Organisms. Journal of Immunology Research, 2014, 2014, 1-15. | 0.9 | 24 |
| 447 | Classifying bio-concentration factor with random forest algorithm, influence of the bio-accumulative vs. non-bio-accumulative compound ratio to modelling result, and applicability domain for random forest model. SAR and QSAR in Environmental Research, 2014, 25, 967-981. | 1.0 | 13 |
| 448 | Tocopheramine succinate and tocopheryl succinate: Mechanism of mitochondrial inhibition and superoxide radical production. Bioorganic and Medicinal Chemistry, 2014, 22, 684-691. | 1.4 | 19 |
| 449 | Freeze-Anneal-Thaw Cycling of Unilamellar Liposomes: Effect on Encapsulation Efficiency. Pharmaceutical Research, 2014, 31, 97-103. | 1.7 | 90 |
| 450 | Design, synthesis, acetylcholinesterase inhibition and larvicidal activity of girgensohnine analogs on Aedes aegypti, vector of dengueÂfever. European Journal of Medicinal Chemistry, 2014, 78, 392-400. | 2.6 | 49 |
| 451 | Effect of PEGylation on Drug Entry into Lipid Bilayer. Journal of Physical Chemistry B, 2014, 118, 144-151. | 1.2 | 26 |
| 452 | Molecular modeling of pyridine derivatives for COX-2 inhibitors: quantitative structure–activity relationship study. Medicinal Chemistry Research, 2014, 23, 1865-1877. | 1.1 | 2 |
| 453 | A new sensitive method for the quantification of glyoxal and methylglyoxal in snow and ice by stir bar sorptive extraction and liquid desorption-HPLC-ESI-MS. Analytical and Bioanalytical Chemistry, 2014, 406, 2525-2532. | 1.9 | 14 |
| 454 | Prediction of human volume of distribution values for drugs using linear and nonlinear quantitative structure pharmacokinetic relationship models. Interdisciplinary Sciences, Computational Life Sciences, 2014, 6, 71-83. | 2.2 | 12 |
| 455 | Stability prediction of Cu2+, Ni2+ and Zn2+ N-salicylidene-aminoacidato complexes by models based on connectivity index 3 \ddagger v. Open Chemistry, 2014, 12, 74-79. | 1.0 | 4 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 456 | Semisynthesis, exâvivo evaluation, and SAR studies of coumarin derivatives as potential antiasthmatic drugs. European Journal of Medicinal Chemistry, 2014, 77, 400-408. | 2.6 | 63 |
| 457 | Heteroleptic Ru(II) complexes containing aroyl hydrazone and 2,2′-bipyridyl: Synthesis, X-ray crystal structures, electrochemical and DFT studies. Polyhedron, 2014, 72, 115-121. | 1.0 | 11 |
| 458 | Bioorthogonal cyclization-mediated in situ self-assembly of small-molecule probes for imaging caspase activity in vivo. Nature Chemistry, 2014, 6, 519-526. | 6.6 | 403 |
| 459 | SAMPL4 & DOCK3.7: lessons for automated docking procedures. Journal of Computer-Aided Molecular Design, 2014, 28, 201-209. | 1.3 | 20 |
| 460 | Species-dependent binding of tocainide analogues to albumin: Affinity chromatography and circular dichroism study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 968, 69-78. | 1.2 | 7 |
| 461 | Probing the aurone scaffold against Plasmodium falciparum: Design, synthesis and antimalarial activity. European Journal of Medicinal Chemistry, 2014, 80, 523-534. | 2.6 | 64 |
| 462 | Interaction of prenylated chalcones and flavanones from common hop with phosphatidylcholine model membranes. Biochimica Et Biophysica Acta - Biomembranes, 2014, 1838, 173-184. | 1.4 | 42 |
| 463 | Modeling Complex Metabolic Reactions, Ecological Systems, and Financial and Legal Networks with MIANN Models Based on Markov-Wiener Node Descriptors. Journal of Chemical Information and Modeling, 2014, 54, 16-29. | 2.5 | 22 |
| 464 | Effect of chirality and lipophilicity in the functional activity of evodiamine and its analogues at <scp>TRPV1</scp> channels. British Journal of Pharmacology, 2014, 171, 2608-2620. | 2.7 | 19 |
| 465 | Design and evaluation of switchable-hydrophilicity solvents. Green Chemistry, 2014, 16, 1187-1197. | 4.6 | 206 |
| 466 | Predictive QSAR study of chalcone derivatives cytotoxicity activity against HT-29 human colon adenocarcinoma cell lines. Chemometrics and Intelligent Laboratory Systems, 2014, 132, 18-29. | 1.8 | 14 |
| 467 | Development of a quantitative structure activity relations (QSAR) model to guide the design of fluorescent dyes for detecting amyloid fibrils. Biotechnic and Histochemistry, 2014, 89, 1-7. | 0.7 | 4 |
| 468 | 3D-MoRSE descriptors explained. Journal of Molecular Graphics and Modelling, 2014, 54, 194-203. | 1.3 | 121 |
| 469 | Migratory Dynamic Kinetic Resolution of Carbocyclic Allylic Alcohols. Organic Letters, 2014, 16, 5952-5955. | 2.4 | 16 |
| 470 | Drug–pathway interaction prediction via multiple feature fusion. Molecular BioSystems, 2014, 10, 2907-2913. | 2.9 | 15 |
| 471 | From the covalent linkage of drugs to novel inhibitors of ribonucleotide reductase: Synthesis and biological evaluation of valproic esters of 3′-C-methyladenosine. Bioorganic and Medicinal Chemistry Letters, 2014, 24, 5304-5309. | 1.0 | 4 |
| 472 | Nature and consequences of non-covalent interactions between flavonoids and macronutrients in foods. Food and Function, 2014, 5, 18-34. | 2.1 | 319 |
| 473 | Combined effects of estrogenic chemicals with the same mode of action using an estrogen receptor binding bioassay. Environmental Toxicology and Pharmacology, 2014, 38, 829-837. | 2.0 | 8 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 474 | Repurposing the Antihistamine Terfenadine for Antimicrobial Activity against <i>Staphylococcus aureus</i> . Journal of Medicinal Chemistry, 2014, 57, 8540-8562. | 2.9 | 40 |
| 475 | Cheminformatic Analysis of High-Throughput Compound Screens. Methods in Molecular Biology, 2014, 1056, 145-157. | 0.4 | 3 |
| 476 | Silicate Esters of Paclitaxel and Docetaxel: Synthesis, Hydrophobicity, Hydrolytic Stability, Cytotoxicity, and Prodrug Potential. Journal of Medicinal Chemistry, 2014, 57, 2368-2379. | 2.9 | 25 |
| 477 | Trimethoxybenzanilide-Based P-Glycoprotein Modulators: An Interesting Case of Lipophilicity Tuning by Intramolecular Hydrogen Bonding. Journal of Medicinal Chemistry, 2014, 57, 6403-6418. | 2.9 | 23 |
| 478 | A new neural network (tiling-contextual neural network for structures, TC-NNfS) enabling the treatment of relatively small datasets of therapeutic interest: An application to a small dataset of ACE inhibitors. Chemometrics and Intelligent Laboratory Systems, 2014, 137, 1-9. | 1.8 | 1 |
| 479 | Tetrasubstituted pyrazinones derived from the reaction of praziquantel with N-bromosuccinimide. Tetrahedron Letters, 2014, 55, 4463-4465. | 0.7 | 4 |
| 480 | Size and Surface Functionalization of Iron Oxide Nanoparticles Influence the Composition and Dynamic Nature of Their Protein Corona. ACS Applied Materials & Samp; Interfaces, 2014, 6, 15412-15419. | 4.0 | 88 |
| 481 | Cinnamaldehyde and cuminaldehyde thiosemicarbazones and their copper(II) and nickel(II) complexes: A study to understand their biological activity. Journal of Inorganic Biochemistry, 2014, 140, 111-125. | 1.5 | 72 |
| 482 | Incorporation of triphenylphosphonium functionality improves the inhibitory properties of phenothiazine derivatives in Mycobacterium tuberculosis. Bioorganic and Medicinal Chemistry, 2014, 22, 5320-5328. | 1.4 | 32 |
| 483 | Structural–functional evaluation of ionic liquid libraries for the design of co-solvents in lipase-catalysed reactions. Green Chemistry, 2014, 16, 4520-4523. | 4.6 | 40 |
| 484 | Chemo- and bioinformatics resources for inÂsilico drug discovery from medicinal plants beyond their traditional use: a critical review. Natural Product Reports, 2014, 31, 1585-1611. | 5.2 | 104 |
| 485 | Towards modelling of fluid flow and food breakage by the teeth in the oral cavity using smoothed particle hydrodynamics (SPH). European Food Research and Technology, 2014, 238, 185-215. | 1.6 | 41 |
| 486 | Prediction of Drug Distribution in Rat and Humans Using an Artificial Neural Networks Ensemble and a PBPK Model. Pharmaceutical Research, 2014, 31, 3313-3322. | 1.7 | 12 |
| 487 | NLP-inspired structural pattern recognition in chemical application. Pattern Recognition Letters, 2014, 45, 11-16. | 2.6 | 5 |
| 488 | Auristatin Antibody Drug Conjugate Physical Instability and the Role of Drug Payload. Bioconjugate Chemistry, 2014, 25, 656-664. | 1.8 | 167 |
| 489 | Structural Similarity Based Kriging for Quantitative Structure Activity and Property Relationship Modeling. Journal of Chemical Information and Modeling, 2014, 54, 1833-1849. | 2.5 | 13 |
| 490 | Wavefunction and reactivity study of benzo[a]pyrene diol epoxide and its enantiomeric forms. Structural Chemistry, 2014, 25, 1521-1533. | 1.0 | 370 |
| 491 | Prediction of the action of ligands of steroid hormone receptors. Biochemistry (Moscow) Supplement Series B: Biomedical Chemistry, 2014, 8, 53-58. | 0.2 | 2 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 492 | Thermal Gating in Lipid Membranes Using Thermoresponsive Cyclic Peptide–Polymer Conjugates. Journal of the American Chemical Society, 2014, 136, 8018-8026. | 6.6 | 85 |
| 493 | Uniting Cheminformatics and Chemical Theory To Predict the Intrinsic Aqueous Solubility of Crystalline Druglike Molecules. Journal of Chemical Information and Modeling, 2014, 54, 844-856. | 2.5 | 68 |
| 494 | Structure-Guided Design and Optimization of Small Molecules Targeting the Protein–Protein Interaction between the von Hippel–Lindau (VHL) E3 Ubiquitin Ligase and the Hypoxia Inducible Factor (HIF) Alpha Subunit with in Vitro Nanomolar Affinities. Journal of Medicinal Chemistry, 2014, 57, 8657-8663. | 2.9 | 287 |
| 495 | Design of Tunable Multicomponent Polymers as Modular Vehicles To Solubilize Highly Lipophilic Drugs. Macromolecules, 2014, 47, 6554-6565. | 2.2 | 33 |
| 496 | Synthesis, screening and docking of small heterocycles as Glycogen Phosphorylase inhibitors. European Journal of Medicinal Chemistry, 2014, 84, 584-594. | 2.6 | 12 |
| 497 | Specific Catalysis of Asparaginyl Deamidation by Carboxylic Acids: Kinetic, Thermodynamic, and Quantitative Structure–Property Relationship Analyses. Molecular Pharmaceutics, 2014, 11, 1345-1358. | 2.3 | 20 |
| 498 | 8-Hydroxyquinoline Schiff-base compounds as antioxidants and modulators of copper-mediated \hat{A}^2 peptide aggregation. Journal of Inorganic Biochemistry, 2014, 139, 106-116. | 1.5 | 76 |
| 499 | A novel p38 MAPK docking-groove-targeted compound is a potent inhibitor of inflammatory hyperalgesia. Biochemical Journal, 2014, 459, 427-439. | 1.7 | 13 |
| 500 | In silico design of small molecule inhibitors of CDK9/cyclin T1 interaction. Journal of Molecular Graphics and Modelling, 2014, 50, 100-112. | 1.3 | 9 |
| 501 | Novel and efficient solid to solid transphosphatidylation of two phenylalkanols in a biphasic GRAS medium. Journal of Molecular Catalysis B: Enzymatic, 2014, 99, 14-19. | 1.8 | 9 |
| 502 | Surface reactions on the cytoplasmatic membranesâ€"Mathematical modeling of reaction and diffusion systems in a cell. Journal of Computational and Applied Mathematics, 2014, 262, 244-260. | 1.1 | 7 |
| 503 | Influence of the alkylsulfonylamino substituent located at the 6-position of 2,2-dimethylchromans structurally related to cromakalim: From potassium channel openers to calcium entry blockers?. European Journal of Medicinal Chemistry, 2014, 80, 36-46. | 2.6 | 6 |
| 504 | Impact of 17-alpha-hydroxyprogesterone caproate on cytochrome P450s in primary cultures of human hepatocytes. American Journal of Obstetrics and Gynecology, 2014, 211, 412.e1-412.e6. | 0.7 | 3 |
| 505 | Effects of Antibiotic Physicochemical Properties on Their Release Kinetics from Biodegradable Polymer Microparticles. Pharmaceutical Research, 2014, 31, 3379-3389. | 1.7 | 39 |
| 506 | Functional organization of glomerular maps in the mouse accessory olfactory bulb. Nature Neuroscience, 2014, 17, 953-961. | 7.1 | 41 |
| 507 | Molecular determinants of Hv1 proton channel inhibition by guanidine derivatives. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 9971-9976. | 3.3 | 86 |
| 508 | More-powerful virus inhibitors from structure-based analysis of HEV71 capsid-binding molecules. Nature Structural and Molecular Biology, 2014, 21, 282-288. | 3.6 | 88 |
| 509 | Constructing a linear QSAR for some metabolizable drugs by human or pig flavin-containing monooxygenases using some molecular features selected by a genetic algorithm trained SVM. Journal of Theoretical Biology, 2014, 356, 85-97. | 0.8 | 2 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 510 | A comparative study of the molecular structure, lipophilicity, solubility, acidity, absorption and polar surface area of coumarinic anticoagulants and direct thrombin inhibitors. RSC Advances, 2014, 4, 8072-8084. | 1.7 | 14 |
| 511 | Predicting Biological Activity of 2,4,6-trisubstituted 1,3,5-triazines Using Random Forest. Advances in Intelligent Systems and Computing, 2014, , 101-110. | 0.5 | 1 |
| 512 | A liposomal fluorescence assay to study permeation kinetics of drug-like weak bases across the lipid bilayer. Journal of Controlled Release, 2014, 173, 102-109. | 4.8 | 49 |
| 513 | A SAR and QSAR Study of New Artemisinin Compounds with Antimalarial Activity. Molecules, 2014, 19, 367-399. | 1.7 | 38 |
| 514 | Biopharmaceutical Profiling of New Antitumor Pyrazole Derivatives. Molecules, 2014, 19, 16381-16401. | 1.7 | 12 |
| 515 | Potential groundwater age tracer found: Halonâ€1301 (CF ₃ Br), as previously identified as CFCâ€13 (CF ₃ Cl). Water Resources Research, 2014, 50, 7318-7331. | 1.7 | 9 |
| 516 | Determination of the <i>n</i> -octanol/water partition coefficients of weakly ionizable basic compounds by reversed-phase high-performance liquid chromatography with neutral model compounds. Journal of Separation Science, 2014, 37, 3226-3234. | 1.3 | 4 |
| 517 | Ligand-Based Virtual Screening using Random Walk Kernel and Empirical Filters. Procedia Computer Science, 2015, 57, 418-427. | 1.2 | 6 |
| 518 | Indirect relationship between lipophilicity and maximum residue limit of drugs determined for fatty tissue. Bulletin of the Veterinary Institute in Pulawy = Biuletyn Instytutu Weterynarii W Pulawach, 2015, 59, 383-391. | 0.4 | 6 |
| 519 | Preâ€clinical formulation screening, development and stability of acetyl aspartic acid for cosmetic application. International Journal of Cosmetic Science, 2015, 37, 28-33. | 1.2 | 5 |
| 520 | Graph-Theoretical Modelling of Stability Constants of Copper(II) Complexes with Tripeptides Containing Glycine, Glutamic acid, and Histidine. Bulletin of the Chemical Society of Japan, 2015, 88, 490-495. | 2.0 | 1 |
| 521 | Modelling of absorption, distribution and physicochemical properties of AT1 receptor antagonists / Modelovanie absorpcie, distribúcie a fyzikálnochemickù/2ch vlastnosti antagonistov AT1 receptorov. Acta Facultatis Pharmaceuticae Universitatis Comenianae, 2015, 62, 20-31. | 0.2 | 1 |
| 522 | Modelling of copper(II) binding to pentapeptides related to atrial natriuretic factor using the 3χv connectivity index / Modeliranje vezivanja bakra(II) za pentapeptide povezane s atrijalnim natriuretiÄkim faktorom pomoću indeksa povezanosti 3χv. Arhiv Za Higijenu Rada I Toksikologiju, 2015, 66, 165-170. | 0.4 | 1 |
| 523 | Probabilistic hazard assessment for skin sensitization potency by dose–response modeling using feature elimination instead of quantitative structure–activity relationships. Journal of Applied Toxicology, 2015, 35, 1361-1371. | 1.4 | 30 |
| 524 | Hexonic derivatives as human GABA-AT inhibitors: A molecular docking approach. Bangladesh Journal of Pharmacology, 2015, 10, . | 0.1 | 0 |
| 525 | Understanding the Odour Spaces: A Step towards Solving Olfactory Stimulus-Percept Problem. PLoS ONE, 2015, 10, e0141263. | 1.1 | 20 |
| 526 | Anion transport across varying lipid membranes – the effect of lipophilicity. Chemical Communications, 2015, 51, 4883-4886. | 2.2 | 37 |
| 527 | Synthesis and Biological Evaluation of Novel Olean-28,13β-lactams as Potential Antiprostate Cancer Agents. Journal of Medicinal Chemistry, 2015, 58, 4506-4520. | 2.9 | 27 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 528 | Supramolecular interaction of 6-shogaol, a therapeutic agent of Zingiber officinale with human serum albumin as elucidated by spectroscopic, calorimetric and molecular docking methods. Phytomedicine, 2015, 22, 621-630. | 2.3 | 26 |
| 529 | Synthesis and antiproliferative activity of \hat{l} ±-branched \hat{l} ±, \hat{l} 2-unsaturated ketones in human hematological and solid cancer cell lines. European Journal of Medicinal Chemistry, 2015, 98, 30-48. | 2.6 | 6 |
| 530 | Recent progresses in the exploration of machine learning methods as in-silico ADME prediction tools. Advanced Drug Delivery Reviews, 2015, 86, 83-100. | 6.6 | 69 |
| 531 | Going Out on a Limb: Delineating The Effects of \hat{l}^2 -Branching, <i>N</i> -Methylation, and Side Chain Size on the Passive Permeability, Solubility, and Flexibility of Sanguinamide A Analogues. Journal of Medicinal Chemistry, 2015, 58, 7409-7418. | 2.9 | 98 |
| 532 | Binding interaction of a novel fluorophore with serum albumins: steady state fluorescence perturbation and molecular modeling analysis. SpringerPlus, 2015, 4, 548. | 1.2 | 12 |
| 533 | Structure–retention behaviour of biologically active fused 1,2,4-triazinones – Correlation with in silico molecular properties. European Journal of Pharmaceutical Sciences, 2015, 68, 114-126. | 1.9 | 12 |
| 534 | Development of certain novel N-(2-(2-(2-oxoindolin-3-ylidene)hydrazinecarbonyl)phenyl)-benzamides and 3-(2-oxoindolin-3-ylideneamino)-2-substituted quinazolin-4(3H)-ones as CFM-1 analogs: Design, synthesis, QSAR analysis and anticancer activity. European Journal of Medicinal Chemistry, 2015, 92, 191-201. | 2.6 | 30 |
| 535 | Extending the range of switchable-hydrophilicity solvents. Physical Chemistry Chemical Physics, 2015, 17, 5308-5313. | 1.3 | 60 |
| 536 | FimH Antagonists: Bioisosteres To Improve the in Vitro and in Vivo PK/PD Profile. Journal of Medicinal Chemistry, 2015, 58, 2221-2239. | 2.9 | 84 |
| 537 | Activity of 2-Aryl-2-(3-indolyl)acetohydroxamates against Drug-Resistant Cancer Cells. Journal of Medicinal Chemistry, 2015, 58, 2206-2220. | 2.9 | 46 |
| 538 | Effects of a triplex mixture of <i>Peganum harmala, Rhus coriaria </i> , and <i>Urtica dioica </i> aqueous extracts on metabolic and histological parameters in diabetic rats. Pharmaceutical Biology, 2015, 53, 1104-1109. | 1.3 | 31 |
| 539 | Attachment of Ribonucleotides on α-Alumina as a Function of pH, Ionic Strength, and Surface Loading. Langmuir, 2015, 31, 240-248. | 1.6 | 27 |
| 540 | Aromatic isophthalamides aggregate in lipid bilayers: evidence for a cooperative transport mechanism. Organic and Biomolecular Chemistry, 2015, 13, 3136-3143. | 1.5 | 9 |
| 541 | Antiprotozoal Selectivity of Diimidazoline <i>N</i> -Phenylbenzamides. ACS Infectious Diseases, 2015, 1, 135-139. | 1.8 | 4 |
| 542 | A primary fish gill cell culture model to assess pharmaceutical uptake and efflux: Evidence for passive and facilitated transport. Aquatic Toxicology, 2015, 159, 127-137. | 1.9 | 49 |
| 543 | In silico molecular modeling and prediction of activity of substituted tetrahydropyrans as COX-2 inhibitor. Medicinal Chemistry Research, 2015, 24, 714-724. | 1.1 | 1 |
| 544 | Two dimensional quantitative structure activity relationship models for 5alpha-reductase type 2 inhibitors. Journal of Pharmaceutical Investigation, 2015, 45, 293-299. | 2.7 | 3 |
| 545 | Intravenous Lipid Emulsion in the Emergency Department: AÂSystematic Review of Recent Literature. Journal of Emergency Medicine, 2015, 48, 387-397. | 0.3 | 121 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 546 | Development and validation of a RP-HPLC method for quality control of oxantel pamoate, pyrantel pamoat and praziquantel in tablets. Marmara Pharmaceutical Journal, 2015, 1, 27-27. | 0.5 | 4 |
| 547 | Activities of <i>N</i> , <i>N</i> ′-Diarylurea MMV665852 Analogs against Schistosoma mansoni. Antimicrobial Agents and Chemotherapy, 2015, 59, 1935-1941. | 1.4 | 27 |
| 548 | Maximum <i>A Posteriori</i> Bayesian Estimation of Chromatographic Parameters by Limited Number of Experiments. Analytical Chemistry, 2015, 87, 7241-7249. | 3.2 | 20 |
| 549 | The Chaperoning Activity of Amino-oxyacetic Acid on Folding-Defective Variants of Human Alanine:Glyoxylate Aminotransferase Causing Primary Hyperoxaluria Type I. ACS Chemical Biology, 2015, 10, 2227-2236. | 1.6 | 19 |
| 550 | A polyion complex sensor array for markerless and noninvasive identification of differentiated mesenchymal stem cells from human adipose tissue. Chemical Science, 2015, 6, 5831-5836. | 3.7 | 31 |
| 551 | Molecular descriptors calculation as a tool in the analysis of the antileishmanial activity achieved by two series of diselenide derivatives. An insight into its potential action mechanism. Journal of Molecular Graphics and Modelling, 2015, 60, 63-78. | 1.3 | 7 |
| 552 | SANCDB: a South African natural compound database. Journal of Cheminformatics, 2015, 7, 29. | 2.8 | 77 |
| 553 | Surfactants from Itaconic Acid: Physicochemical Properties and Assessment of the Synthetic Strategies. ACS Sustainable Chemistry and Engineering, 2015, 3, 1579-1588. | 3.2 | 24 |
| 554 | Liquid chromatography coupled to quadrupole-time of flight tandem mass spectrometry based quantitative structure–retention relationships of amino acid analogues derivatized via n-propyl chloroformate mediated reaction. Journal of Chromatography A, 2015, 1403, 70-80. | 1.8 | 17 |
| 555 | Dansyl-carbazole AIEE material for selective recognition of thiourea derivatives. New Journal of Chemistry, 2015, 39, 1822-1826. | 1.4 | 10 |
| 556 | Critical evaluation of a simple retention time predictor based on LogKow as a complementary tool in the identification of emerging contaminants in water. Talanta, 2015, 139, 143-149. | 2.9 | 69 |
| 557 | Effects of multivalency and hydrophobicity of polyamines on enzyme hyperactivation of α-chymotrypsin. Journal of Molecular Catalysis B: Enzymatic, 2015, 115, 135-139. | 1.8 | 18 |
| 558 | Anti-trypanosomal activities and structural chemical properties of selected compound classes. Parasitology Research, 2015, 114, 501-512. | 0.6 | 6 |
| 559 | Lipophilicity Study of Salicylic and Acetylsalicylic Acids Using Both Experimental and Calculations Methods. Journal of Liquid Chromatography and Related Technologies, 2015, 38, 485-491. | 0.5 | 12 |
| 560 | Determination of Abraham model solute descriptors for the monomeric and dimeric forms of trans-cinnamic acid using measured solubilities from the Open Notebook Science Challenge. Chemistry Central Journal, 2015, 9, 11. | 2.6 | 21 |
| 561 | Nonlinear QSAR models with high-dimensional descriptor selection and SVR improve toxicity prediction and evaluation of phenols on Photobacterium phosphoreum. Chemometrics and Intelligent Laboratory Systems, 2015, 145, 30-38. | 1.8 | 10 |
| 562 | Assessing the toxicity and biodegradability of deep eutectic solvents. Chemosphere, 2015, 132, 63-69. | 4.2 | 308 |
| 563 | SEABED: Small molEcule activity scanner weB servicE baseD. Bioinformatics, 2015, 31, 773-775. | 1.8 | 8 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 564 | Lipophilicity study of fifteen fluoroquinolones by reversed-phase thin-layer chromatography. Analytical Methods, 2015, 7, 3841-3848. | 1.3 | 17 |
| 565 | The biological effect of the nitroimidazole derivative of a polypyridyl ruthenium complex on cancer and endothelial cells. Metallomics, 2015, 7, 553-566. | 1.0 | 34 |
| 566 | Linear and Nonlinear Structure-Retention Relationship Analysis of Different Classes of Pesticides Isolated From Groundwater. Journal of Liquid Chromatography and Related Technologies, 2015, 38, 1426-1434. | 0.5 | 0 |
| 567 | Determination of steroid hormones in sediments based on quick, easy, cheap, effective, rugged, and safe (modified-QuEChERS) extraction followed by liquid chromatography-tandem mass spectrometry (LC-MS/MS). Analytical Methods, 2015, 7, 9577-9586. | 1.3 | 7 |
| 568 | Nanoparticles Containing High Loads of Paclitaxel-Silicate Prodrugs: Formulation, Drug Release, and Anticancer Efficacy. Molecular Pharmaceutics, 2015, 12, 4329-4335. | 2.3 | 30 |
| 569 | Systems Biology Approach Reveals a Calcium-Dependent Mechanism for Basal Toxicity in <i>Daphnia magna</i> . Environmental Science & Environmental Scien | 4.6 | 28 |
| 570 | Suspect screening of large numbers of emerging contaminants in environmental waters using artificial neural networks for chromatographic retention time prediction and high resolution mass spectrometry data analysis. Science of the Total Environment, 2015, 538, 934-941. | 3.9 | 96 |
| 571 | Quantitative structure-chemiluminescence intensity relationships of 4-substituted phenols acting as luminol signal enhancers. Chemometrics and Intelligent Laboratory Systems, 2015, 146, 478-484. | 1.8 | 3 |
| 572 | Reactive oxygen species: Reactions and detection from photosynthetic tissues. Journal of Photochemistry and Photobiology B: Biology, 2015, 152, 176-214. | 1.7 | 95 |
| 573 | The rearrangement of tosylated flavones to $1\hat{a}\in^2$ -(alkylamino)aurones with primary amines. Tetrahedron, 2015, 71, 8953-8959. | 1.0 | 12 |
| 574 | Discovery of Novel Multifunctional Ligands with $\hat{l}/4\hat{l}$ Opioid Agonist/Neurokinin-1 (NK1) Antagonist Activities for the Treatment of Pain. Journal of Medicinal Chemistry, 2015, 58, 8573-8583. | 2.9 | 16 |
| 575 | Improving Cancer Chemoradiotherapy Treatment by Dual Controlled Release of Wortmannin and Docetaxel in Polymeric Nanoparticles. ACS Nano, 2015, 9, 8976-8996. | 7.3 | 67 |
| 576 | Deconstructing HPMCAS: Excipient Design to Tailor Polymer–Drug Interactions for Oral Drug Delivery. ACS Biomaterials Science and Engineering, 2015, 1, 978-990. | 2.6 | 42 |
| 577 | Chemical biology of compounds obtained from screening using disease models. Archives of Pharmacal Research, 2015, 38, 1651-1660. | 2.7 | 4 |
| 578 | Mononuclear iron(<scp>iii</scp>) complexes of tridentate ligands with efficient nuclease activity and studies of their cytotoxicity. Organic and Biomolecular Chemistry, 2015, 13, 11445-11458. | 1.5 | 18 |
| 579 | An Orally Bioavailable, Indole-3-glyoxylamide Based Series of Tubulin Polymerization Inhibitors Showing Tumor Growth Inhibition in a Mouse Xenograft Model of Head and Neck Cancer. Journal of Medicinal Chemistry, 2015, 58, 9309-9333. | 2.9 | 47 |
| 580 | Impact of the Halogen Substitution Pattern on the Biological Activity of Organoruthenium 8-Hydroxyquinoline Anticancer Agents. Organometallics, 2015, 34, 5658-5668. | 1.1 | 133 |
| 581 | In silico investigation of new binding pocket for mitogen activated kinase kinase (MEK): Development of new promising inhibitors. Computational Biology and Chemistry, 2015, 59, 185-198. | 1.1 | 8 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 582 | Design and synthesis of 2-oxindole based multi-targeted inhibitors of PDK1/Akt signaling pathway for the treatment of glioblastoma multiforme. European Journal of Medicinal Chemistry, 2015, 105, 274-288. | 2.6 | 37 |
| 583 | Chemometric analysis of correlations between electronic absorption characteristics and structural and/or physicochemical parameters for ampholytic substances of biological and pharmaceutical relevance. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2015, 138, 700-710. | 2.0 | 3 |
| 584 | Enzymatic production of glycerol acetate from glycerol. Enzyme and Microbial Technology, 2015, 69, 19-23. | 1.6 | 15 |
| 585 | Quantitative structure–activity relationships for chronic toxicity of alkyl-chrysenes and alkyl-benz[a]anthracenes to Japanese medaka embryos (Oryzias latipes). Aquatic Toxicology, 2015, 159, 109-118. | 1.9 | 56 |
| 586 | Radiosynthesis and ex vivo evaluation of [18F]-(S)-3-(6-(3-fluoropropoxy)benzo[d]isoxazol-3-yl)-5-(methoxymethyl)oxazolidin-2-one for imaging MAO-B with PET. Bioorganic and Medicinal Chemistry Letters, 2015, 25, 288-291. | 1.0 | 15 |
| 587 | Novel 4â€Thiazolidinones as Nonâ€Nucleoside Inhibitors of Hepatitis C Virus NS5B RNAâ€Dependent RNA Polymerase. Archiv Der Pharmazie, 2015, 348, 10-22. | 2.1 | 26 |
| 588 | Synthesis and biological evaluation of $5\hat{a}\in^2$ -glycyl derivatives of uridine as inhibitors of 1,4- \hat{l}^2 -galactosyltransferase. Bioorganic Chemistry, 2015, 58, 18-25. | 2.0 | 3 |
| 589 | Sorption and degradation of 17β-estradiol-17-sulfate in sterilized soil–water systems. Chemosphere, 2015, 119, 1322-1328. | 4.2 | 27 |
| 590 | Mixed 2D–3D-LQTA-QSAR study of a series of Plasmodium falciparum dUTPase inhibitors. Medicinal Chemistry Research, 2015, 24, 1098-1111. | 1.1 | 8 |
| 591 | Novel insights for permeant lead structures through in vitro skin diffusion assays of Prunus lusitanica L., the Portugal Laurel. Journal of Molecular Structure, 2015, 1079, 327-336. | 1.8 | 5 |
| 592 | Hydrophobe-free miniemulsion polymerization: towards high solid content of fatty acid-based poly(urethane-urea) latexes. Polymer Chemistry, 2015, 6, 213-217. | 1.9 | 7 |
| 593 | Synthesis and Evaluation of Aminothiazole-Paeonol Derivatives as Potential Anticancer Agents. Molecules, 2016, 21, 145. | 1.7 | 33 |
| 594 | Tox21Challenge to Build Predictive Models of Nuclear Receptor and Stress Response Pathways as Mediated by Exposure to Environmental Chemicals and Drugs. Frontiers in Environmental Science, 2016, 3, . | 1.5 | 106 |
| 595 | Theoretical Study of Molecular Structure and Physicochemical Properties of Novel Factor Xa Inhibitors and Dual Factor Xa and Factor Ila Inhibitors. Molecules, 2016, 21, 185. | 1.7 | 14 |
| 596 | The Structure–Antimicrobial Activity Relationships of a Promising Class of the Compounds Containing the N-Arylpiperazine Scaffold. Molecules, 2016, 21, 1274. | 1.7 | 13 |
| 597 | Immobilized Artificial Membrane HPLC Derived Parameters vs PAMPA-BBB Data in Estimating in Situ Measured Blood–Brain Barrier Permeation of Drugs. Molecular Pharmaceutics, 2016, 13, 2808-2816. | 2.3 | 27 |
| 598 | pH-Tunable Thermoresponsive PEO-Based Functional Polymers with Pendant Amine Groups. ACS Macro Letters, 2016, 5, 1391-1396. | 2.3 | 41 |
| 599 | The Use of an Enzyme-based Sensor Array to Fingerprint Proteomic Signatures of Sera from Different Mammalian Species. Analytical Sciences, 2016, 32, 237-240. | 0.8 | 8 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 600 | A Clickable Analogue of Ketamine Retains NMDA Receptor Activity, Psychoactivity, and Accumulates in Neurons. Scientific Reports, 2016, 6, 38808. | 1.6 | 13 |
| 601 | Reliable and Versatile Model for the Density of Liquids Based on Additive Volume Increments. Industrial & Chemistry Research, 2016, 55, 12970-12980. | 1.8 | 16 |
| 602 | A new chemometric tool to predict the boiling points of some cycloalkanes. , 2016, , . | | 0 |
| 603 | Binding interaction of a gamma-aminobutyric acid derivative with serum albumin: an insight by fluorescence and molecular modeling analysis. SpringerPlus, 2016, 5, 1121. | 1.2 | 20 |
| 604 | Multivariate assessment of lipophilicity scalesâ€"computational and reversed phase thin-layer chromatographic indices. Journal of Pharmaceutical and Biomedical Analysis, 2016, 127, 81-93. | 1.4 | 54 |
| 605 | Prediction of developmental chemical toxicity based on gene networks of human embryonic stem cells. Nucleic Acids Research, 2016, 44, 5515-5528. | 6.5 | 34 |
| 606 | KRAKENX: software for the generation of alignment-independent 3D descriptors. Journal of Molecular Modeling, 2016, 22, 93. | 0.8 | 15 |
| 607 | Optimizing the macrocyclic diterpenic core toward the reversal of multidrug resistance in cancer. Future Medicinal Chemistry, 2016, 8, 629-645. | 1.1 | 12 |
| 608 | Towards targeting anticancer drugs: ruthenium(<scp>ii</scp>)â€"arene complexes with biologically active naphthoquinone-derived ligand systems. Dalton Transactions, 2016, 45, 13091-13103. | 1.6 | 45 |
| 609 | Have artificial neural networks met expectations in drug discovery as implemented in QSAR framework?. Expert Opinion on Drug Discovery, 2016, 11, 627-639. | 2.5 | 30 |
| 610 | Fluorescent transmembrane anion transporters: shedding light on anionophoric activity in cells. Chemical Science, 2016, 7, 5069-5077. | 3.7 | 44 |
| 611 | Encoding alternatives for the prediction of polyacrylates glass transition temperature by quantitative structure–property relationships. Materials Chemistry and Physics, 2016, 172, 158-164. | 2.0 | 11 |
| 612 | Excised segments of rat small intestine in Ussing chamber studies: A comparison of native and stripped tissue viability and permeability to drugs. International Journal of Pharmaceutics, 2016, 505, 361-368. | 2.6 | 26 |
| 613 | Evaluation of structure-reactivity descriptors and biological activity spectra of 4-(6-methoxy-2-naphthyl)-2-butanone using spectroscopic techniques. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2016, 167, 142-156. | 2.0 | 11 |
| 614 | Trilinear analysis of thin-layer chromatography retention of 35 model compounds chromatographed on nine adsorbents with 20 pure solvents. Journal of Separation Science, 2016, 39, 4258-4262. | 1.3 | 2 |
| 615 | Pediatric Intestinal Failure–Associated Liver Disease: Challenges in Identifying Clinically Relevant Biomarkers. Journal of Parenteral and Enteral Nutrition, 2018, 42, 455-462. | 1.3 | 9 |
| 616 | Exploring the scope of new arylamino alcohol derivatives: Synthesis, antimalarial evaluation, toxicological studies, and target exploration. International Journal for Parasitology: Drugs and Drug Resistance, 2016, 6, 184-198. | 1.4 | 16 |
| 617 | Prediction of the normal boiling point of oxygen containing organic compounds using quantitative structure–property relationship strategy. Fluid Phase Equilibria, 2016, 427, 194-201. | 1.4 | 5 |

| # | Article | IF | Citations |
|-----|--|------|-----------|
| 618 | Metabolism of Carfentanil, an Ultra-Potent Opioid, in Human Liver Microsomes and Human Hepatocytes by High-Resolution Mass Spectrometry. AAPS Journal, 2016, 18, 1489-1499. | 2.2 | 69 |
| 619 | Potential antitumoral 3,4-dihydropyrimidin-2-(1H)-ones: synthesis, in vitro biological evaluation and QSAR studies. RSC Advances, 2016, 6, 84943-84958. | 1.7 | 21 |
| 620 | Artificial Modification of an Enzyme for Construction of Cross-Reactive Polyion Complexes To Fingerprint Signatures of Proteins and Mammalian Cells. Analytical Chemistry, 2016, 88, 9079-9086. | 3.2 | 29 |
| 621 | Synthesis, characterisation and in vitro investigation of photodynamic activity of 5-(4-octadecanamidophenyl)-10,15,20-tris(N-methylpyridinium-3-yl)porphyrin trichloride on HeLa cells using low light fluence rate. Photodiagnosis and Photodynamic Therapy, 2016, 15, 115-126. | 1.3 | 17 |
| 622 | Multicomponent Petasisâ€borono Mannich Preparation of Alkylaminophenols and Antimicrobial Activity Studies. ChemMedChem, 2016, 11, 2015-2023. | 1.6 | 31 |
| 623 | Quantitative structure-toxicity relationships and molecular highlights about Aedes aegypti larvicidal activity of monoterpenes and related compounds. Medicinal Chemistry Research, 2016, 25, 2171-2178. | 1.1 | 14 |
| 624 | QSPR study on normal boiling point of acyclic oxygen containing organic compounds by radial basis function artificial neural network. Chemometrics and Intelligent Laboratory Systems, 2016, 157, 127-132. | 1.8 | 13 |
| 625 | Simple graph-theoretical model for flavonoid binding to P-glycoprotein / Jednostavan graf-teorijski model vezivanja flavonoida za P-glikoprotein / Jednostavan graf-teorijski model vezivanja flavonoida za P-glikoprotein. Arhiv Za Higijenu Rada I Toksikologiju, 2016, 67, 55-60. | 0.4 | 0 |
| 626 | Applying medicinal chemistry strategies to understand odorant discrimination. Nature Communications, 2016, 7, 11157. | 5.8 | 25 |
| 627 | High-accuracy QSAR models of narcosis toxicities of phenols based on various data partition, descriptor selection and modelling methods. RSC Advances, 2016, 6, 106847-106855. | 1.7 | 4 |
| 628 | Toxic PR Poly-Dipeptides Encoded by the C9orf72 Repeat Expansion Target LC Domain Polymers. Cell, 2016, 167, 789-802.e12. | 13.5 | 363 |
| 629 | Zeolite Nanoparticles Inhibit Aβ–Fibrinogen Interaction and Formation of a Consequent Abnormal Structural Clot. ACS Applied Materials & Enterfaces, 2016, 8, 30768-30779. | 4.0 | 47 |
| 630 | pH-Regulated Nonelectrogenic Anion Transport by Phenylthiosemicarbazones. Journal of the American Chemical Society, 2016, 138, 8301-8308. | 6.6 | 75 |
| 631 | Synthetic Glycosphingolipids for Live-Cell Labeling. Bioconjugate Chemistry, 2016, 27, 1624-1637. | 1.8 | 15 |
| 632 | Annotated compound data for modulators of detergent-solubilised or lipid-reconstituted respiratory type II NADH dehydrogenase activity obtained by compound library screening. Data in Brief, 2016, 6, 275-278. | 0.5 | 2 |
| 633 | Equations for the Partition of Neutral Molecules, Ions and Ionic Species from Water to Water–Methanol Mixtures. Journal of Solution Chemistry, 2016, 45, 861-874. | 0.6 | 32 |
| 634 | Introduction to Cheminformatics. Current Protocols in Bioinformatics, 2016, 53, 14.1.1-14.1.21. | 25.8 | 15 |
| 635 | Vibrational studies, NMR analysis, modeling of electronic and thermodynamical parameters of 1,3-bis(4-benzamido)triazene. Russian Journal of Physical Chemistry A, 2016, 90, 1391-1404. | 0.1 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 636 | A new method for estimation of the overall mass transfer coefficient in pertraction. Chemical Engineering Research and Design, 2016, 106, 214-221. | 2.7 | 0 |
| 637 | Neuroprotective profile of pyridothiazepines with blocking activity of the mitochondrial Na+/Ca2+ exchanger. European Journal of Medicinal Chemistry, 2016, 109, 114-123. | 2.6 | 15 |
| 638 | A comparative differential scanning calorimetry study of the effects of cholesterol and various oxysterols on the thermotropic phase behavior of dipalmitoylphosphatidylcholine bilayer membranes. Chemistry and Physics of Lipids, 2016, 195, 21-33. | 1.5 | 9 |
| 639 | Mucus permeating thiolated self-emulsifying drug delivery systems. European Journal of Pharmaceutics and Biopharmaceutics, 2016, 98, 90-97. | 2.0 | 47 |
| 640 | Chrysin-piperazine conjugates as antioxidant and anticancer agents. European Journal of Pharmaceutical Sciences, 2016, 88, 166-177. | 1.9 | 36 |
| 641 | Lipophilicity analysis of newly synthetized quinobenzothiazines by use of TLC. Journal of Liquid Chromatography and Related Technologies, 2016, 39, 104-109. | 0.5 | 7 |
| 642 | New $3\hat{a}\in^2$ -O-aromatic acyl-5-fluoro- $2\hat{a}\in^2$ -deoxyuridine derivatives as potential anticancer agents. European Journal of Medicinal Chemistry, 2016, 115, 41-52. | 2.6 | 12 |
| 643 | Long Receptor Residence Time of C26 Contributes to Super Agonist Activity at the Human $\langle i \rangle \hat{l}^2 \langle i \rangle \langle sub \rangle 2 \langle sub \rangle$ Adrenoceptor. Molecular Pharmacology, 2016, 89, 467-475. | 1.0 | 12 |
| 644 | QSAR modeling and molecular interaction analysis of natural compounds as potent neuraminidase inhibitors. Molecular BioSystems, 2016, 12, 1667-1675. | 2.9 | 3 |
| 645 | Prodruggability of carbohydrates â€" oral FimH antagonists. Canadian Journal of Chemistry, 2016, 94, 909-919. | 0.6 | 6 |
| 646 | Solvates of Dasatinib: Diversity and Isostructurality. Journal of Pharmaceutical Sciences, 2016, 105, 1489-1495. | 1.6 | 16 |
| 647 | Pharmacophore based virtual screening for identification of marine bioactive compounds as inhibitors against macrophage infectivity potentiator (Mip) protein of Chlamydia trachomatis. RSC Advances, 2016, 6, 18946-18957. | 1.7 | 7 |
| 648 | The study of salting-out thin-layer chromatography and their application on QSRR/QSAR of some macrolide antibiotics. Monatshefte FÃ $\frac{1}{4}$ r Chemie, 2016, 147, 301-310. | 0.9 | 13 |
| 649 | Applying Hydrophilicity to PS/DVB-Beads Via Introduction of Protected Comonomers. Chromatographia, 2016, 79, 5-17. | 0.7 | 7 |
| 650 | Quantitative structure–retention relationships of flavonoids unraveled by immobilized artificial membrane chromatography. European Journal of Pharmaceutical Sciences, 2016, 88, 147-157. | 1.9 | 10 |
| 651 | Effect of NH Acidity on Transfer Hydrogenation of Noyori–lkariya Catalyst. Catalysis Letters, 2016, 146, 575-579. | 1.4 | 1 |
| 652 | Computational modeling of ionic liquids density by multivariate chemometrics. Journal of Molecular Liquids, 2016, 214, 276-282. | 2.3 | 7 |
| 653 | Development of a Fluorinated Class-I HDAC Radiotracer Reveals Key Chemical Determinants of Brain Penetrance. ACS Chemical Neuroscience, 2016, 7, 528-533. | 1.7 | 21 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 654 | Investigating the mechanisms of bioconcentration through QSAR classification trees. Environment International, 2016, 88, 198-205. | 4.8 | 32 |
| 655 | Structural and functional effects of benzimidazole/thioether–copper complexes with antitumor activity on cell membranes and molecular models. Journal of Inorganic Biochemistry, 2016, 156, 98-104. | 1.5 | 20 |
| 656 | Melatonin-based pickering emulsion for skin's photoprotection. Drug Delivery, 2016, 23, 1594-1607. | 2.5 | 45 |
| 657 | QSAR analysis of substituent effects on tambjamine anion transporters. Chemical Science, 2016, 7, 1600-1608. | 3.7 | 47 |
| 658 | Anticancer activity of ruthenium(II) polypyridine complexes bearing pyrrolidine substituents. Inorganica Chimica Acta, 2016, 443, 86-90. | 1.2 | 13 |
| 659 | Suspect screening of emerging pollutants and their major transformation products in wastewaters treated with fungi by liquid chromatography coupled to a high resolution mass spectrometry. Journal of Chromatography A, 2016, 1439, 124-136. | 1.8 | 32 |
| 660 | Synthesis and photochemical properties of PEGylated coumarin-caged ceramides for cell studies. Chemistry and Physics of Lipids, 2016, 194, 117-124. | 1.5 | 4 |
| 661 | Peroxidised phospholipid bilayers: insight from coarse-grained molecular dynamics simulations. Soft Matter, 2016, 12, 263-271. | 1.2 | 32 |
| 662 | Descriptors for ions and ion-pairs for use in linear free energy relationships. Journal of Chromatography A, 2016, 1430, 2-14. | 1.8 | 58 |
| 663 | UHPLC-QTOF MS screening of pharmaceuticals and their metabolites in treated wastewater samples from Athens. Journal of Hazardous Materials, 2017, 323, 26-35. | 6.5 | 111 |
| 664 | Design considerations to minimize the impact of drug absorption in polymer-based organ-on-a-chip platforms. Lab on A Chip, 2017, 17, 681-690. | 3.1 | 99 |
| 665 | Computer-Aided Discovery of Glycogen Phosphorylase Inhibitors Exploiting Natural Products. , 2017, , 29-62. | | 3 |
| 666 | Acidicâ€Aminoâ€Acidâ€Conjugated Dinucleosides as Ribonuclease A Inhibitors: Rational Design and Effect of Backbone Chirality on Enzyme Inhibition. ChemistrySelect, 2017, 2, 2106-2113. | 0.7 | 4 |
| 667 | Easy and rapid preparation of benzoylhydrazides and their diazene derivatives as inhibitors of 15-lipoxygenase. Bioorganic and Medicinal Chemistry Letters, 2017, 27, 1649-1653. | 1.0 | 15 |
| 668 | Immunomodulatory properties of 1,2-dihydro-4-hydroxy-2-oxo-1,8-naphthyridine-3-carboxamide derivative VL15. Biochimie, 2017, 135, 173-180. | 1.3 | 11 |
| 669 | Incorporating ToxCast and Tox21 datasets to rank biological activity of chemicals at Superfund sites in North Carolina. Environment International, 2017, 101, 19-26. | 4.8 | 19 |
| 670 | Constrained Photophysics of 5,7-dimethoxy-2,3,4,9-tetrahydro-1H-carbazol-1-one in the Bioenvironment of Serum Albumins: A Spectroscopic Endeavour Supported by Molecular Docking Analysis. Journal of Fluorescence, 2017, 27, 1547-1558. | 1.3 | 6 |
| 671 | Click Chemistry-Facilitated Structural Diversification of Nitrothiazoles, Nitrofurans, and Nitropyrroles Enhances Antimicrobial Activity against Giardia lamblia. Antimicrobial Agents and Chemotherapy, 2017, 61, . | 1.4 | 6 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 672 | Determination of in Vitro and in Silico Indexes for the Modeling of Blood–Brain Barrier Partitioning of Drugs via Micellar and Immobilized Artificial Membrane Liquid Chromatography. Journal of Medicinal Chemistry, 2017, 60, 3739-3754. | 2.9 | 27 |
| 673 | Synthesis, biological screening, POM, and 3D-QSAR analyses of some novel pyrazolic compounds. Medicinal Chemistry Research, 2017, 26, 1784-1795. | 1.1 | 17 |
| 674 | Divergent synthesis of biflavonoids yields novel inhibitors of the aggregation of amyloid β (1–42). Organic and Biomolecular Chemistry, 2017, 15, 4554-4570. | 1.5 | 11 |
| 675 | Urinary Tract Infection: Which Conformation of the Bacterial Lectin FimH Is Therapeutically Relevant?. Journal of Medicinal Chemistry, 2017, 60, 5646-5662. | 2.9 | 30 |
| 676 | Development and application of novel molecular descriptors for predicting biological activity. Medicinal Chemistry Research, 2017, 26, 1988-2006. | 1.1 | 5 |
| 677 | Design and drug-like properties of new 5-methoxysalicylaldehyde based hydrazones with anti-breast cancer activity. Journal of Applied Biomedicine, 2017, 15, 233-240. | 0.6 | 12 |
| 678 | pH-Sensitive Reversible Programmed Targeting Strategy by the Self-Assembly/Disassembly of Gold Nanoparticles. ACS Applied Materials & Samp; Interfaces, 2017, 9, 16767-16777. | 4.0 | 26 |
| 679 | Multiobjective Feature Selection Approach to Quantitative Structure Property Relationship Models for Predicting the Octane Number of Compounds Found in Gasoline. Energy & Ene | 2.5 | 8 |
| 680 | May glutamine addiction drive the delivery of antitumor cisplatin-based Pt(IV) prodrugs?. Journal of Inorganic Biochemistry, 2017, 167, 27-35. | 1.5 | 29 |
| 681 | A fatty acid solvent of switchable miscibility. Journal of Colloid and Interface Science, 2017, 504, 645-651. | 5.0 | 35 |
| 682 | Fungal treatment for the removal of endocrine disrupting compounds from reverse osmosis concentrate: Identification and monitoring of transformation products of benzotriazoles. Chemosphere, 2017, 184, 1054-1070. | 4.2 | 20 |
| 683 | Web Resources for Discovery and Development of New Medicines. Pharmaceutical Chemistry Journal, 2017, 51, 91-99. | 0.3 | 18 |
| 684 | Investigating the organic and conventional production type of olive oil with target and suspect screening by LC-QTOF-MS, a novel semi-quantification method using chemical similarity and advanced chemometrics. Analytical and Bioanalytical Chemistry, 2017, 409, 5413-5426. | 1.9 | 44 |
| 685 | Prediction of Collision Cross-Section Values for Small Molecules: Application to Pesticide Residue Analysis. Analytical Chemistry, 2017, 89, 6583-6589. | 3.2 | 93 |
| 686 | The advancement of multidimensional QSAR for novel drug discovery - where are we headed?. Expert Opinion on Drug Discovery, 2017, 12, 1-16. | 2.5 | 32 |
| 687 | Artificial neural network based predictions of cetane number for furanic biofuel additives. Fuel, 2017, 206, 171-179. | 3.4 | 60 |
| 688 | Redox behavior and biological properties of ferrocene bearing porphyrins. Journal of Inorganic Biochemistry, 2017, 171, 76-89. | 1.5 | 13 |
| 689 | Two-Dimensional Offline Chromatographic Fractionation for the Characterization of Humic-Like Substances in Atmospheric Aerosol Particles. Environmental Science & Environmental Science, 2017, 51, 5061-5070. | 4.6 | 15 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 690 | Consensus-based comparison of chromatographic and computationally estimated lipophilicity of benzothiepino [3,2-c] pyridine derivatives as potential antifungal drugs. Journal of Separation Science, 2017, 40, 2089-2096. | 1.3 | 15 |
| 691 | Kinetics of lipid bilayer permeation of a series of ionisable drugs and their correlation with human transporter-independent intestinal permeability. European Journal of Pharmaceutical Sciences, 2017, 104, 150-161. | 1.9 | 19 |
| 692 | Early preclinical evaluation of dihydropyrimidin(thi)ones as potential anticonvulsant drug candidates. European Journal of Pharmaceutical Sciences, 2017, 102, 264-274. | 1.9 | 17 |
| 693 | Monitoring a large number of pesticides and transformation products in water samples from Spain and Italy. Environmental Research, 2017, 156, 31-38. | 3.7 | 66 |
| 694 | Business rule engine for education in virtual laboratory CyberLabTrainSystem., 2017,,. | | 1 |
| 695 | Lipophilicity-antiproliferative activity relationship study leads to the preparation of a ruthenium(II) arene complex with considerable inÂvitro cytotoxicity against cancer cells and a lower inÂvivo toxicity in zebrafish embryos than clinically approved cis-platin. European Journal of Medicinal Chemistry, 2017. 132. 282-293. | 2.6 | 51 |
| 696 | Prediction and mechanism elucidation of analyte retention on phospholipid stationary phases (IAM-HPLC) by in silico calculated physico-chemical descriptors. European Journal of Pharmaceutical Sciences, 2017, 99, 173-184. | 1.9 | 25 |
| 697 | Systematic development of small molecules to inhibit specific microscopic steps of AÎ ² 42 aggregation in Alzheimer's disease. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, E200-E208. | 3.3 | 180 |
| 698 | Effects of structural changes of new organophosphorus cationic exchangers on a solvent extraction of cobalt, nickel and manganese from acidic chloride media. RSC Advances, 2017, 7, 5660-5668. | 1.7 | 36 |
| 699 | Antitumor activity of 3,4-ethylenedioxythiophene derivatives and quantitative structure-activity relationship analysis. Journal of Molecular Structure, 2017, 1133, 66-73. | 1.8 | 12 |
| 700 | Cytotoxic and antimicrobial effects of indium(<scp>iii</scp>) complexes with 2-acetylpyridine-derived thiosemicarbazones. Dalton Transactions, 2017, 46, 918-932. | 1.6 | 37 |
| 701 | Deciphering Structure–Activity Relationships in a Series of 2,2â€Dimethylchromans Acting as Inhibitors of Insulin Release and Smooth Muscle Relaxants. ChemMedChem, 2017, 12, 1810-1817. | 1.6 | 5 |
| 703 | The power of the ring: a pH-responsive hydrophobic epoxide monomer for superior micelle stability. Polymer Chemistry, 2017, 8, 7119-7132. | 1.9 | 21 |
| 704 | ChemBCPP: A freely available web server for calculating commonly used physicochemical properties. Chemometrics and Intelligent Laboratory Systems, 2017, 171, 65-73. | 1.8 | 8 |
| 705 | Rapid quantification of glutaminase 2 (GLS2)-related metabolites by HILIC-MS/MS. Analytical Biochemistry, 2017, 539, 39-44. | 1.1 | 4 |
| 706 | Prediction of liquid chromatography retention times of erectile dysfunction drugs and analogues using chemometric approaches. Journal of Liquid Chromatography and Related Technologies, 2017, 40, 790-797. | 0.5 | 7 |
| 707 | Dibrominated camphoric acid derived salen complexes: Synthesis, characterization and cytotoxic activity. Polyhedron, 2017, 137, 147-156. | 1.0 | 12 |
| 708 | Conformational stability, spectroscopic signatures and biological interactions of proton pump inhibitor drug lansoprazole based on structural motifs. RSC Advances, 2017, 7, 41573-41584. | 1.7 | 7 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 709 | Vibrational spectroscopic investigations and molecular docking studies of biologically active 2-[4-(4-phenylbutanamido)phenyl]-5-ethylsulphonyl-benzoxazole. Journal of Molecular Structure, 2017, 1148, 119-133. | 1.8 | 12 |
| 710 | Effect of charge of quaternary ammonium cations on lipophilicity and electroanalytical parameters: Task for ion transfer voltammetry. Journal of Electroanalytical Chemistry, 2017, 796, 66-74. | 1.9 | 11 |
| 711 | Influence of the Linker Length on the Cytotoxicity of Homobinuclear Ruthenium(II) and Gold(I) Complexes. Inorganic Chemistry, 2017, 56, 9617-9633. | 1.9 | 30 |
| 712 | Different encoding alternatives for the prediction of halogenated polymers glass transition temperature by quantitative structure–property relationships. International Journal of Polymer Analysis and Characterization, 2017, 22, 639-648. | 0.9 | 6 |
| 713 | Descriptor selection based on variable stability for predicting inhibitor activity. Journal of Theoretical and Computational Chemistry, 2017, 16, 1750074. | 1.8 | 0 |
| 714 | In vitro antiproliferative study of novel adamantyl pyridin-4-ones. Molecular Diversity, 2017, 21, 881-891. | 2.1 | 5 |
| 715 | ChemSAR: an online pipelining platform for molecular SAR modeling. Journal of Cheminformatics, 2017, 9, 27. | 2.8 | 45 |
| 716 | Combined Chemoinformatics Approach to Solvent Library Design Using clusterSim and Multidimensional Scaling. Journal of Chemical Information and Modeling, 2017, 57, 1807-1815. | 2.5 | 4 |
| 717 | Dihydrofolate reductase inhibitors: a quantitative structure–activity relationship study using 2D-QSAR and 3D-QSAR methods. Medicinal Chemistry Research, 2017, 26, 247-261. | 1.1 | 8 |
| 718 | Synthesis and in vitro antikinetoplastid activity of polyamine–hydroxybenzotriazole conjugates. Bioorganic and Medicinal Chemistry, 2017, 25, 84-90. | 1.4 | 8 |
| 719 | Public (Q)SAR Services, Integrated Modeling Environments, and Model Repositories on the Web: State of the Art and Perspectives for Future Development. Molecular Informatics, 2017, 36, 1600082. | 1.4 | 32 |
| 720 | Swarming behaviour of salps algorithm for predicting chemical compound activities. , 2017, , . | | 65 |
| 721 | NO-donating and hemolytic activity of tetranitrosyl iron complexes with ligands of the 2-mercaptopyridine series. Russian Chemical Bulletin, 2017, 66, 1510-1514. | 0.4 | 2 |
| 722 | New consensus multivariate models based on PLS and ANN studies of sigma-1 receptor antagonists. Journal of Molecular Modeling, 2017, 23, 302. | 0.8 | 4 |
| 723 | Changes of 1,2,4-triazole retention and lipophilicity descriptor values in RP-TLC and MLC—TLC systems in the presence of an external magnetic field. Journal of Planar Chromatography - Modern TLC, 2017, 30, 106-112. | 0.6 | 4 |
| 724 | Application of thin-layer chromatography to evaluate the lipophilicity of 5,8-quinolinedione compounds. Journal of Planar Chromatography - Modern TLC, 2017, 30, 219-224. | 0.6 | 7 |
| 725 | Biological Evaluation of Uridine Derivatives of 2-Deoxy Sugars as Potential Antiviral Compounds against Influenza A Virus. International Journal of Molecular Sciences, 2017, 18, 1700. | 1.8 | 8 |
| 726 | Assessment of Lipophilicity Indices Derived from Retention Behavior of Antioxidant Compounds in RP-HPLC. Molecules, 2017, 22, 550. | 1.7 | 19 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 727 | Structure-Activity and Lipophilicity Relationships of Selected Antibacterial Natural Flavones and Flavanones of Chilean Flora. Molecules, 2017, 22, 608. | 1.7 | 91 |
| 728 | Pharmacokinetic and Toxicodynamic Characterization of a Novel Doxorubicin Derivative. Pharmaceutics, 2017, 9, 35. | 2.0 | 26 |
| 729 | Deep Eutectic Solvents as Convenient Media for Synthesis of Novel Coumarinyl Schiff Bases and Their QSAR Studies. Molecules, 2017, 22, 1482. | 1.7 | 19 |
| 730 | Lipophilicity Studies on Thiosemicarbazide Derivatives. Molecules, 2017, 22, 952. | 1.7 | 8 |
| 731 | Theoretical Studies of Intracellular Concentration of Micro-organisms' Metabolites. Scientific Reports, 2017, 7, 9048. | 1.6 | 5 |
| 732 | Quantitative Structure–Activity Relationships. , 2017, , 379-392. | | 11 |
| 733 | Ezqsar: An R Package for Developing QSAR Models Directly From Structures. Open Medicinal Chemistry Journal, 2017, 11, 212-221. | 0.9 | 11 |
| 734 | Safety assessment of starch-based personal care products: Nanocapsules and pickering emulsions. Toxicology and Applied Pharmacology, 2018, 342, 14-21. | 1.3 | 25 |
| 735 | A molecular modeling study of combretastatin-like chalcones as anticancer agents using PLS, ANN and consensus models. Structural Chemistry, 2018, 29, 957-965. | 1.0 | 5 |
| 736 | Understanding and predicting the diffusivity of organic compounds in polydimethylsiloxane material for passive sampler applications using a simple quantitative structure–property relationship model. Environmental Toxicology and Chemistry, 2018, 37, 1291-1300. | 2.2 | 16 |
| 737 | Salts of Amoxapine with Improved Solubility for Enhanced Pharmaceutical Applicability. ACS Omega, 2018, 3, 2406-2416. | 1.6 | 20 |
| 738 | The influence of natural dissolved organic matter on herbicide toxicity to marine microalgae is species-dependent. Aquatic Toxicology, 2018, 198, 103-117. | 1.9 | 18 |
| 740 | Prediction of collision cross section and retention time for broad scope screening in gradient reversed-phase liquid chromatography-ion mobility-high resolution accurate mass spectrometry. Journal of Chromatography A, 2018, 1542, 82-88. | 1.8 | 67 |
| 741 | Potentiometric chemical sensors for the detection of paralytic shellfish toxins. Talanta, 2018, 181, 380-384. | 2.9 | 9 |
| 742 | Technologies for Measuring Pharmacokinetic Profiles. Annual Review of Analytical Chemistry, 2018, 11, 79-100. | 2.8 | 19 |
| 743 | Total Synthesis and Evaluation of Bâ€Homo Palmatine and Berberine Derivatives as p300 Histone Acetyltransferase Inhibitors. European Journal of Organic Chemistry, 2018, 2018, 1041-1052. | 1.2 | 23 |
| 744 | Functional odor classification through a medicinal chemistry approach. Science Advances, 2018, 4, eaao6086. | 4.7 | 40 |
| 745 | Screening therapeutics according to their uptake across the blood-brain barrier: A high throughput method based on immobilized artificial membrane liquid chromatography-diode-array-detection coupled to electrospray-time-of-flight mass spectrometry. European Journal of Pharmaceutics and Biopharmaceutics. 2018. 127. 72-84. | 2.0 | 16 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 746 | Active Mediated Transport of Chloramphenicol and Thiamphenicol in a Calu-3 Lung Epithelial Cell Model. Journal of Pharmaceutical Sciences, 2018, 107, 1178-1184. | 1.6 | 8 |
| 747 | Chromatographic and in silico assessment of $\log\langle i\rangle P\langle j\rangle$ measures for new spirohydantoin derivatives with anticancer activity. Journal of Chemometrics, 2018, 32, e2991. | 0.7 | 3 |
| 748 | Amino acid conjugated antimicrobial drugs: Synthesis, lipophilicity- activity relationship, antibacterial and urease inhibition activity. European Journal of Medicinal Chemistry, 2018, 145, 140-153. | 2.6 | 42 |
| 749 | Copper(<scp>i</scp>) complexes with phosphine derived from sparfloxacin. Part III: multifaceted cell death and preliminary study of liposomal formulation of selected copper(<scp>i</scp>) complexes. Dalton Transactions, 2018, 47, 1981-1992. | 1.6 | 36 |
| 750 | Convection enhanced delivery of chemotherapeutic drugs into brain tumour. Journal of Controlled Release, 2018, 271, 74-87. | 4.8 | 56 |
| 751 | ((S)-3-Mercapto-2-methylpropanamido)acetic acid derivatives as metallo- \hat{l}^2 -lactamase inhibitors: Synthesis, kinetic and crystallographic studies. European Journal of Medicinal Chemistry, 2018, 145, 649-660. | 2.6 | 44 |
| 752 | A Ratiometric Acoustogenic Probe for <i>in Vivo</i> Imaging of Endogenous Nitric Oxide. Journal of the American Chemical Society, 2018, 140, 1011-1018. | 6.6 | 172 |
| 753 | Cul and Cull complexes with phosphine derivatives of fluoroquinolone antibiotics – A comparative study on the cytotoxic mode of action. Journal of Inorganic Biochemistry, 2018, 181, 1-10. | 1.5 | 19 |
| 754 | Systematic analyses of drugs and disease indications in RepurposeDB reveal pharmacological, biological and epidemiological factors influencing drug repositioning. Briefings in Bioinformatics, 2018, 19, 656-678. | 3.2 | 81 |
| 755 | New antiglioma zwitterionic pronucleotides with an FdUMP framework. European Journal of Medicinal Chemistry, 2018, 144, 682-691. | 2.6 | 6 |
| 756 | Identification of curcumin derivatives as human LMTK3 inhibitors for breast cancer: a docking, dynamics, and MM/PBSA approach. 3 Biotech, 2018, 8, 228. | 1,1 | 30 |
| 757 | Structure-activity relationship of new antimalarial 1-aryl-3-susbtituted propanol derivatives: Synthesis, preliminary toxicity profiling, parasite life cycle stage studies, target exploration, and targeted delivery. European Journal of Medicinal Chemistry, 2018, 152, 489-514. | 2.6 | 4 |
| 758 | Outer Membrane Vesicles Facilitate Trafficking of the Hydrophobic Signaling Molecule CAI-1 between Vibrio harveyi Cells. Journal of Bacteriology, 2018, 200, . | 1.0 | 73 |
| 759 | QSPR modeling of decomposition temperature of energetic cocrystals using artificial neural network. Journal of Thermal Analysis and Calorimetry, 2018, 133, 1663-1672. | 2.0 | 12 |
| 760 | Prediction of density of energetic cocrystals based on QSPR modeling using artificial neural network. Structural Chemistry, 2018, 29, 1119-1128. | 1.0 | 19 |
| 761 | Novel medium-throughput technique for investigating drug-cyclodextrin complexation by pH-metric titration using the partition coefficient method. International Journal of Pharmaceutics, 2018, 542, 100-107. | 2.6 | 4 |
| 762 | Atomic insight into designed carbamate-based derivatives as acetylcholine esterase (AChE) inhibitors: a computational study by multiple molecular docking and molecular dynamics simulation. Journal of Biomolecular Structure and Dynamics, 2018, 36, 126-138. | 2.0 | 17 |
| 763 | Simultaneous quantification of five biflavonoids in rat plasma by LC-ESI–MS/MS and its application to a comparatively pharmacokinetic study of Selaginella doederleinii Hieron extract in rats. Journal of Pharmaceutical and Biomedical Analysis, 2018, 149, 80-88. | 1.4 | 26 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 764 | 2D-QSAR study, molecular docking, and molecular dynamics simulation studies of interaction mechanism between inhibitors and transforming growth factor-beta receptor I (ALK5). Journal of Biomolecular Structure and Dynamics, 2018, 36, 3705-3717. | 2.0 | 4 |
| 765 | QSAR studies on partition coefficients of organic compounds for polydimethylsiloxane of solid-phase microextraction devices. International Journal of Environmental Science and Technology, 2018, 15, 2141-2150. | 1.8 | 7 |
| 766 | Modeling and Prediction of Drug Dispersability in Polyvinylpyrrolidone-Vinyl Acetate Copolymer Using a Molecular Descriptor. Journal of Pharmaceutical Sciences, 2018, 107, 334-343. | 1.6 | 10 |
| 767 | Effects of polar substituents on the biological activity of thiosemicarbazone metal complexes. Journal of Inorganic Biochemistry, 2018, 179, 60-70. | 1.5 | 30 |
| 768 | xMaP—An Interpretable Alignment-Free Four-Dimensional Quantitative Structure–Activity Relationship Technique Based on Molecular Surface Properties and Conformer Ensembles. Journal of Chemical Information and Modeling, 2018, 58, 165-181. | 2.5 | 12 |
| 769 | Multiple QSAR models, pharmacophore pattern and molecular docking analysis for anticancer activity of \hat{l}_{\pm} , \hat{l}^{2} -unsaturated carbonyl-based compounds, oxime and oxime ether analogues. Journal of Molecular Structure, 2018, 1157, 89-96. | 1.8 | 15 |
| 770 | Simulation of the adsorption capacity of polar organic compounds and dyes from water onto activated carbons: Model development and validation. Sustainable Environment Research, 2018, 28, 57-64. | 2.1 | 3 |
| 771 | Cellulose-based amorphous solid dispersions enhance rifapentine delivery characteristics in vitro. Carbohydrate Polymers, 2018, 182, 149-158. | 5.1 | 16 |
| 772 | Development of Predictive QSAR Models of 4‶hiazolidinones Antitrypanosomal Activity Using Modern Machine Learning Algorithms. Molecular Informatics, 2018, 37, e1700078. | 1.4 | 13 |
| 773 | (Q)SPR Models for Prediction of Hydrophobicity of Isatins. International Journal of Quantitative Structure-Property Relationships, 2018, 3, 88-99. | 1.1 | 0 |
| 774 | [Regular Paper] Recovering a Chemotopic Feature Space from a Group of Fruit Fly Antenna Chemosensors. , $2018, \ldots$ | | 1 |
| 775 | Application of thin-layer chromatography to the lipophilicity analysis of selected anticancer quinobenzothiazine derivatives. Journal of Planar Chromatography - Modern TLC, 2018, 31, 105-111. | 0.6 | 3 |
| 776 | A Space Design Teaching Model Using Virtual Simulation Technology. International Journal of Emerging Technologies in Learning, 2018, 13, 163. | 0.8 | 6 |
| 777 | Why twenty amino acid residue types suffice(d) to support all living systems. PLoS ONE, 2018, 13, e0204883. | 1.1 | 6 |
| 778 | A rapid and sensitive method for the control of selected regulated and emerging mycotoxins in beer. World Mycotoxin Journal, 2018, 11, 503-517. | 0.8 | 7 |
| 779 | Atomic-level characterization and cilostazol affinity of poly(lactic acid) nanoparticles conjugated with differentially charged hydrophilic molecules. Beilstein Journal of Nanotechnology, 2018, 9, 1328-1338. | 1.5 | 6 |
| 780 | Deep Annotation of Hydroxycinnamic Acid Amides in Plants Based on Ultra-High-Performance Liquid Chromatography–High-Resolution Mass Spectrometry and Its In Silico Database. Analytical Chemistry, 2018, 90, 14321-14330. | 3.2 | 54 |
| 781 | Scaffold-Hopping from Synthetic Drugs by Holistic Molecular Representation. Scientific Reports, 2018, 8, 16469. | 1.6 | 24 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 782 | Antibiotic Molecular Design Using Multi-Objective Optimization. Computer Aided Chemical Engineering, 2018, , 169-174. | 0.3 | 3 |
| 783 | Dibasic Derivatives of Phenylcarbamic Acid Against Mycobacterial Strains: Old Drugs and New Tricks?. Molecules, 2018, 23, 2493. | 1.7 | 8 |
| 784 | SAR by kinetics for drug discovery in protein misfolding diseases. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 10245-10250. | 3.3 | 54 |
| 785 | (+)-epi-Epoformin, a Phytotoxic Fungal Cyclohexenepoxide: Structure Activity Relationships. Molecules, 2018, 23, 1529. | 1.7 | 13 |
| 786 | Targeting DNA Binding for NF-κB as an Anticancer Approach in Hepatocellular Carcinoma. Cells, 2018, 7, 177. | 1.8 | 11 |
| 787 | Quantification of phenolic acid metabolites in humans by LC–MS: a structural and targeted metabolomics approach. Bioanalysis, 2018, 10, 1591-1608. | 0.6 | 20 |
| 788 | In vitro cytotoxicity and structure-activity relationship approaches of ent-kaurenoic acid derivatives against human breast carcinoma cell line. Phytochemistry, 2018, 156, 214-223. | 1.4 | 21 |
| 789 | Allosteric potentiation of a ligand-gated ion channel is mediated by access to a deep membrane-facing cavity. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 10672-10677. | 3.3 | 31 |
| 790 | Relative Contributions of Solubility and Mobility to the Stability of Amorphous Solid Dispersions of Poorly Soluble Drugs: A Molecular Dynamics Simulation Study. Pharmaceutics, 2018, 10, 101. | 2.0 | 20 |
| 791 | Identification of Mycobacterium tuberculosis BioA inhibitors by using structure-based virtual screening. Drug Design, Development and Therapy, 2018, Volume 12, 1065-1079. | 2.0 | 13 |
| 792 | Novel antimalarial chloroquine- and primaquine-quinoxaline 1,4-di-N-oxide hybrids: Design, synthesis, Plasmodium life cycle stage profile, and preliminary toxicity studies. European Journal of Medicinal Chemistry, 2018, 158, 68-81. | 2.6 | 43 |
| 794 | Nano-LC/NSI MS Refines Lipidomics by Enhancing Lipid Coverage, Measurement Sensitivity, and Linear Dynamic Range. Analytical Chemistry, 2018, 90, 8093-8101. | 3.2 | 76 |
| 795 | The Remarkable Effect of Halogen Substitution on the Membrane Transport of Fluorescent Molecules in Living Cells. Angewandte Chemie - International Edition, 2018, 57, 8989-8993. | 7.2 | 33 |
| 796 | The Remarkable Effect of Halogen Substitution on the Membrane Transport of Fluorescent Molecules in Living Cells. Angewandte Chemie, 2018, 130, 9127-9131. | 1.6 | 13 |
| 797 | Automated techniques in pKa determination: Low, medium and high-throughput screening methods. Drug Discovery Today: Technologies, 2018, 27, 49-58. | 4.0 | 22 |
| 798 | Ethnomedicine claim directed in <i>Silico</i> prediction of anticancer activity. Ethiopian Journal of Health Sciences, 2018, 28, 83. | 0.2 | 4 |
| 799 | X-ray crystal structure guided discovery of new selective, substrate-mimicking sirtuin 2 inhibitors that exhibit activities against non-small cell lung cancer cells. European Journal of Medicinal Chemistry, 2018, 155, 806-823. | 2.6 | 38 |
| 800 | Controlling the polymerization of coniferyl alcohol with cyclodextrins. New Journal of Chemistry, 2018, 42, 11770-11775. | 1.4 | 6 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 801 | MetStabOnâ€"Online Platform for Metabolic Stability Predictions. International Journal of Molecular Sciences, 2018, 19, 1040. | 1.8 | 24 |
| 802 | MALDI Mass Spectrometry Imaging Reveals Heterogeneous Distribution of Tenofovir and Tenofovir Diphosphate in Colorectal Tissue of Subjects Receiving a Tenofovir-Containing Enema. Journal of Pharmacology and Experimental Therapeutics, 2018, 367, 40-48. | 1.3 | 15 |
| 803 | A non toxic natural food colorant and antioxidant †Peonidin†as a pH indicator: A TDDFT analysis. Computational Biology and Chemistry, 2018, 76, 202-209. | 1.1 | 8 |
| 804 | Computational modelling of drug delivery to solid tumour: Understanding the interplay between chemotherapeutics and biological system for optimised delivery systems. Advanced Drug Delivery Reviews, 2018, 132, 81-103. | 6.6 | 59 |
| 805 | Triplet state generation by furocoumarins revisited: a combined QSPR/DFT approach. New Journal of Chemistry, 2018, 42, 14424-14432. | 1.4 | 6 |
| 806 | Identification of Inhibitors of MMPS Enzymes via a Novel Computational Approach. International Journal of Biological Sciences, 2018, 14, 863-871. | 2.6 | 16 |
| 807 | Application of "Smart―Amine Donors for Rapid Screening and Scaleâ€Up of Transaminaseâ€Mediated Biotransformations. European Journal of Organic Chemistry, 2018, 2018, 5282-5284. | 1.2 | 15 |
| 808 | Anti-Hepatitis C Virus Activity of Uridine Derivatives of 2-Deoxy Sugars. Molecules, 2018, 23, 1547. | 1.7 | 3 |
| 809 | Investigation of Hydro-Lipophilic Properties of N-Alkoxyphenylhydroxynaphthalenecarboxamides â€. Molecules, 2018, 23, 1635. | 1.7 | 11 |
| 810 | Convection enhanced delivery of liposome encapsulated doxorubicin for brain tumour therapy. Journal of Controlled Release, 2018, 285, 212-229. | 4.8 | 53 |
| 811 | Novel triazoles of 3-acetylbetulin and betulone as anticancer agents. Medicinal Chemistry Research, 2018, 27, 2051-2061. | 1.1 | 39 |
| 812 | Leishmanicidal compounds of Nectria pseudotrichia, an endophytic fungus isolated from the plant Caesalpinia echinata (Brazilwood). Memorias Do Instituto Oswaldo Cruz, 2018, 113, 102-110. | 0.8 | 27 |
| 813 | In Silico Prediction of Chemical Toxicity for Drug Design Using Machine Learning Methods and Structural Alerts. Frontiers in Chemistry, 2018, 6, 30. | 1.8 | 152 |
| 814 | Mordred: a molecular descriptor calculator. Journal of Cheminformatics, 2018, 10, 4. | 2.8 | 622 |
| 815 | ADMETlab: a platform for systematic ADMET evaluation based on a comprehensively collected ADMET database. Journal of Cheminformatics, 2018, 10, 29. | 2.8 | 431 |
| 816 | Environmentally Friendly Approach to Knoevenagel Condensation of Rhodanine in Choline Chloride: Urea Deep Eutectic Solvent and QSAR Studies on Their Antioxidant Activity. Molecules, 2018, 23, 1897. | 1.7 | 21 |
| 817 | Binding of Nucleic Acid Components to the Serpentinite-Hosted Hydrothermal Mineral Brucite. Astrobiology, 2018, 18, 989-1007. | 1.5 | 18 |
| 818 | Nanoconjugates of a calixresorcinarene derivative with methoxy poly(ethylene glycol) fragments for drug encapsulation. Beilstein Journal of Nanotechnology, 2018, 9, 2057-2070. | 1.5 | 8 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 819 | The Utility of Calculated Proton Affinities in Drug Design: A DFT Study. Australian Journal of Chemistry, 2018, 71, 580. | 0.5 | 1 |
| 820 | An enzymatic system for decolorization of wastewater dyes using immobilized CueO laccaseâ€like multicopper oxidase on polyâ€3â€hydroxybutyrate. Microbial Biotechnology, 2018, 11, 881-892. | 2.0 | 30 |
| 821 | Novel insight into the molecular interaction of catalase and sucrose: A combination of in silico and in planta assays study. Computers and Electronics in Agriculture, 2018, 151, 258-263. | 3.7 | 4 |
| 822 | Gold(I) bis(Nâ€heterocyclic carbene) complexes: Metabolic stability, <i>in vitro</i> inhibition, and genotoxicity. Applied Organometallic Chemistry, 2018, 32, e4441. | 1.7 | 16 |
| 823 | Prediction of matrix metal proteinases-12 inhibitors by machine learning approaches. Journal of Biomolecular Structure and Dynamics, 2019, 37, 2627-2640. | 2.0 | 9 |
| 824 | Array-based Generation of Response Patterns with Common Fluorescent Dyes for Identification of Proteins and Cells. Analytical Sciences, 2019, 35, 99-102. | 0.8 | 2 |
| 825 | AqSolDB, a curated reference set of aqueous solubility and 2D descriptors for a diverse set of compounds. Scientific Data, 2019, 6, 143. | 2.4 | 82 |
| 826 | Sustained-release microparticle dry powders of chloramphenicol palmitate or thiamphenicol palmitate prodrugs for lung delivery as aerosols. European Journal of Pharmaceutical Sciences, 2019, 138, 105028. | 1.9 | 13 |
| 827 | Transfer Pathways and Fluxes of Water-Soluble Pesticides in Various Compartments of the Agricultural Catchment of the Canche River (Northern France). Water (Switzerland), 2019, 11, 1428. | 1.2 | 5 |
| 828 | Murine epithelial sodium (Na+) channel regulation by biliary factors. Journal of Biological Chemistry, 2019, 294, 10182-10193. | 1.6 | 12 |
| 829 | Novel Molecular Descriptors for the Liquid- and the Gas-Chromatography Analysis of Amino Acids Analogues Derivatized with n-Propyl Chloroformate. Chromatographia, 2019, 82, 1531-1539. | 0.7 | 0 |
| 830 | Mosaic representations of odors in the input and output layers of the mouse olfactory bulb. Nature Neuroscience, 2019, 22, 1306-1317. | 7.1 | 30 |
| 831 | Tailorable Degradation of pH-Responsive All-Polyether Micelles: Unveiling the Role of Monomer Structure and Hydrophilic–Hydrophobic Balance. Macromolecules, 2019, 52, 5884-5893. | 2.2 | 19 |
| 832 | Optimization of a Deep-Learning Method Based on the Classification of Images Generated by Parameterized Deep Snap a Novel Molecular-Image-Input Technique for Quantitative Structure–Activity Relationship (QSAR) Analysis. Frontiers in Bioengineering and Biotechnology, 2019, 7. 65. | 2.0 | 46 |
| 833 | Thiazolidinedione and thiazole derivatives potentiate norfloxacin activity against NorA efflux pump over expression in Staphylococcus aureus 1199B strains. Bioorganic and Medicinal Chemistry, 2019, 27, 3797-3804. | 1.4 | 18 |
| 834 | Insecticidal and repellent properties of novel trifluoromethylphenyl amides III. Pesticide Biochemistry and Physiology, 2019, 161, 5-11. | 1.6 | 3 |
| 835 | Mineralization and Biotransformation of Estrone in Simulated Poultry Litter and Cow Manure Runoff Water. Journal of Environmental Quality, 2019, 48, 1120-1125. | 1.0 | 6 |
| 836 | Evaluation of polyvinylpyrrolidone and block copolymer micelle encapsulation of serine chlorin e6 and chlorin e4 on their reactivity towards albumin and transferrin and their cell uptake. Journal of Controlled Release, 2019, 316, 150-167. | 4.8 | 17 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 837 | Nitrogen Rich CO2-Responsive Polymers as Forward Osmosis Draw Solutes. Industrial & Engineering Chemistry Research, 2019, 58, 22579-22586. | 1.8 | 16 |
| 838 | In vitro assessment of the cytotoxicity of Gallium(III) complexes with Isoniazid-Derived Hydrazones: Effects on clonogenic survival of HCT-116 cells. Inorganica Chimica Acta, 2019, 497, 119079. | 1.2 | 15 |
| 839 | Reversible and Photoresponsive Immobilization of Nonadherent Cells by Spiropyran-Conjugated PEG–Lipids. ACS Applied Bio Materials, 2019, 2, 33-38. | 2.3 | 9 |
| 840 | Synthesis, structural studies and biological properties of some phosphono-perfluorophenylalanine derivatives formed by S _N Ar reactions. RSC Advances, 2019, 9, 24117-24133. | 1.7 | 2 |
| 841 | MeLAD: an integrated resource for metalloenzyme-ligand associations. Bioinformatics, 2020, 36, 904-909. | 1.8 | 23 |
| 842 | Synthesis and in–vitro anti–HIV–1 evaluation of novel pyrazolo[4,3–c]pyridin–4–one derivatives. European Journal of Medicinal Chemistry, 2019, 183, 111714. | 2.6 | 18 |
| 843 | Integrating network pharmacology and bioinformatics analysis to explore the mechanism of Yupingfengsan in treating lung adenocarcinoma. European Journal of Integrative Medicine, 2019, 31, 100967. | 0.8 | 5 |
| 844 | The assemblage of covalent and metal binding dual functional scaffold for cross-class metallo-Î ² -lactamases inhibition. Future Medicinal Chemistry, 2019, 11, 2381-2394. | 1.1 | 15 |
| 845 | Effects of point mutations in the binding pocket of the mouse major urinary protein MUP20 on ligand affinity and specificity. Scientific Reports, 2019, 9, 300. | 1.6 | 18 |
| 846 | Mechanistic Study on the Antibacterial Activity of Self-Assembled Poly(aryl ether)-Based Amphiphilic Dendrimers. ACS Applied Bio Materials, 2019, 2, 3212-3224. | 2.3 | 34 |
| 847 | Recognition of early and late stages of bladder cancer using metabolites and machine learning. Metabolomics, 2019, 15, 94. | 1.4 | 34 |
| 848 | 2-Deoxyglycosylation towards more effective and bioavailable neuroprotective molecules inspired by nature. Pure and Applied Chemistry, 2019, 91, 1209-1221. | 0.9 | 5 |
| 849 | Limiting Diffusion Coefficients for Ions and Nonelectrolytes in Solvents Water, Methanol, Ethanol, Propan-1-ol, Butan-1-ol, Octan-1-ol, Propanone and Acetonitrile at 298ÂK, Analyzed Using Abraham Descriptors. Journal of Solution Chemistry, 2019, 48, 748-757. | 0.6 | 8 |
| 850 | Application of TLC for Evaluation of the Lipophilicity of Newly Synthetized Esters: Betulin Derivatives. Journal of Analytical Methods in Chemistry, 2019, 2019, 1-7. | 0.7 | 10 |
| 851 | Indole-Based Hydrazones Containing A Sulfonamide Moiety as Selective Inhibitors of Tumor-Associated Human Carbonic Anhydrase Isoforms IX and XII. International Journal of Molecular Sciences, 2019, 20, 2354. | 1.8 | 22 |
| 852 | Predicting complexation performance between cyclodextrins and guest molecules by integrated machine learning and molecular modeling techniques. Acta Pharmaceutica Sinica B, 2019, 9, 1241-1252. | 5.7 | 63 |
| 853 | Causative glaucoma treatment: promising targets and delivery systems. Drug Discovery Today, 2019, 24, 1606-1613. | 3.2 | 21 |
| 854 | QSAR modeling of benzoquinone derivatives as 5-lipoxygenase inhibitors. Food Science and Human Wellness, 2019, 8, 53-62. | 2.2 | 7 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 855 | The Effect of FG-Nup Phosphorylation on NPC Selectivity: A One-Bead-Per-Amino-Acid Molecular Dynamics Study. International Journal of Molecular Sciences, 2019, 20, 596. | 1.8 | 15 |
| 856 | Effects of Binary Mixtures and Transpiration on Accumulation of Pharmaceuticals by Spinach. Environmental Science & Environmen | 4.6 | 22 |
| 857 | A Refined Nontarget Workflow for the Investigation of Metabolites through the Prioritization by in Silico Prediction Tools. Analytical Chemistry, 2019, 91, 6321-6328. | 3.2 | 33 |
| 858 | Role of hydrophobicity in tuning the intracellular uptake of dendron-based fluorophores for in vitro metal ion sensing. Colloids and Surfaces B: Biointerfaces, 2019, 179, 180-189. | 2.5 | 2 |
| 859 | Multiple actions of fenamates and other nonsteroidal anti-inflammatory drugs on GABAA receptors. European Journal of Pharmacology, 2019, 853, 247-255. | 1.7 | 4 |
| 861 | Entry of therapeutics into the brain: Influence of exposed polarity calculated in silico and measured in vitro by supercritical fluid chromatography. International Journal of Pharmaceutics, 2019, 560, 294-305. | 2.6 | 10 |
| 862 | Opportunities and challenges in developing orally administered cannabis edibles. Current Opinion in Food Science, 2019, 28, 7-13. | 4.1 | 16 |
| 863 | 2,2-Dimethyl-3,4-dihydro-2 <i>H</i> -1,4-benzoxazines as isosteres of 2,2-dimethylchromans acting as inhibitors of insulin release and vascular smooth muscle relaxants. MedChemComm, 2019, 10, 431-438. | 3.5 | 3 |
| 864 | A half-sandwich Ta ^V dichlorido complex containing an ⟨i>O,⟨i>N,⟨i>O, cystal structure and ⟨i>in vitro cytotoxicity. Acta Crystallographica Section C, Structural Chemistry, 2019, 75, 248-254. | 0.2 | 4 |
| 865 | Transfer Learning Using Ensemble Neural Networks for Organic Solar Cell Screening. , 2019, , . | | 11 |
| 866 | Secondary Coordination Sphere Design to Modify Transport of Protons and CO ₂ . Inorganic Chemistry, 2019, 58, 16849-16857. | 1.9 | 19 |
| 867 | Towards a reliable prediction of the aquatic toxicity of dyes. Environmental Sciences Europe, 2019, 31, . | 2.6 | 12 |
| 868 | Bioaccumulation of Highly Hydrophobic Chemicals by Lumbriculus variegatus. Archives of Environmental Contamination and Toxicology, 2019, 76, 129-141. | 2.1 | 3 |
| 869 | Dermal Delivery of Selected Polyphenols from Silybum marianum. Theoretical and Experimental Study. Molecules, 2019, 24, 61. | 1.7 | 16 |
| 870 | Synthesis and biological assay of new 2'-deoxyuridine dimers containing a 1,2,3-triazole linker. Part I. Nucleosides, Nucleotides and Nucleic Acids, 2019, 38, 218-235. | 0.4 | 6 |
| 871 | Ecotoxicological characterization of possible degradation products of the polymeric flame retardant "Polymeric FR―using algae and Daphnia OECD tests. Science of the Total Environment, 2019, 656, 101-107. | 3.9 | 15 |
| 872 | A fugacity model assessment of ibuprofen, diclofenac, carbamazepine, and their transformation product concentrations in an aquatic environment. Environmental Science and Pollution Research, 2019, 26, 328-341. | 2.7 | 9 |
| 873 | Analysis of solvent-exposed and buried co-crystallized ligands: a case study to support the design of novel protein–protein interaction inhibitors. Drug Discovery Today, 2019, 24, 551-559. | 3.2 | 20 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 874 | Ciprofloxacin and Clinafloxacin Antibodies for an Immunoassay of Quinolones: Quantitative Structure–Activity Analysis of Cross-Reactivities. International Journal of Molecular Sciences, 2019, 20, 265. | 1.8 | 9 |
| 875 | Discovery of Novel Molecular Frameworks of Farnesoidâ€X Receptor Modulators by Ensemble Machine Learning. ChemistryOpen, 2019, 8, 3-3. | 0.9 | 2 |
| 876 | Estimating n-octanol-water partition coefficients for neutral highly hydrophobic chemicals using measured n-butanol-water partition coefficients. Chemosphere, 2019, 218, 616-623. | 4.2 | 20 |
| 877 | Discovery of Novel Molecular Frameworks of Farnesoidâ€X Receptor Modulators by Ensemble Machine Learning. ChemistryOpen, 2019, 8, 7-14. | 0.9 | 2 |
| 878 | The index of ideality of correlation: improvement of models for toxicity to algae. Natural Product Research, 2019, 33, 2200-2207. | 1.0 | 22 |
| 879 | Acrylamide Functional Group Incorporation Improves Drug-like Properties: An Example with EGFR Inhibitors. ACS Medicinal Chemistry Letters, 2019, 10, 22-26. | 1.3 | 13 |
| 880 | A QSAR Study for Analgesic and Antiâ€inflammatory Activities of 5â€/6â€Acylâ€3â€alkylâ€2â€Benzoxazolinone Derivatives. Molecular Informatics, 2019, 38, 1800090. | 1.4 | 3 |
| 881 | QSPR modelling of <i>ii vitro </i> degradation half-life of acyl glucuronides. Xenobiotica, 2019, 49, 1007-1014. | 0.5 | 6 |
| 882 | Synthesis, in vitro evaluation and QSAR modelling of potential antitumoral 3,4-dihydropyrimidin-2-(1H)-thiones. Arabian Journal of Chemistry, 2019, 12, 5086-5102. | 2.3 | 12 |
| 883 | Synthesis, anti-proliferative activity, theoretical and 1H NMR experimental studies of Morita–Baylis–Hillman adducts from isatin derivatives. Molecular Diversity, 2020, 24, 265-281. | 2.1 | 12 |
| 884 | Convection enhanced delivery of anti-angiogenic and cytotoxic agents in combination therapy against brain tumour. European Journal of Pharmaceutical Sciences, 2020, 141, 105094. | 1.9 | 21 |
| 885 | An Overview of Machine Learning and Big Data for Drug Toxicity Evaluation. Chemical Research in Toxicology, 2020, 33, 20-37. | 1.7 | 108 |
| 886 | Copper(I) complexes with phosphines P(p-OCH3-Ph)2CH2OH and P(p-OCH3-Ph)2CH2SarGly. Synthesis, multimodal DNA interactions, and prooxidative and in vitro antiproliferative activity. Journal of Inorganic Biochemistry, 2020, 203, 110926. | 1.5 | 29 |
| 887 | A drug-likeness toolbox facilitates ADMET study in drug discovery. Drug Discovery Today, 2020, 25, 248-258. | 3.2 | 202 |
| 888 | Antibacterial activity of metal complexes based on cinnamaldehyde thiosemicarbazone analogues. Journal of Inorganic Biochemistry, 2020, 203, 110888. | 1.5 | 36 |
| 889 | Mass Spectrometry Imaging of Specialized Metabolites for Predicting Lichen Fitness and Snail Foraging. Plants, 2020, 9, 70. | 1.6 | 5 |
| 890 | Free and conjugated estrogens detections in drainage tiles and wells beneath fields receiving swine manure slurry. Environmental Pollution, 2020, 256, 113384. | 3.7 | 20 |
| 891 | Quantitative Structure–Selectivity Relationships in Enantioselective Catalysis: Past, Present, and Future. Chemical Reviews, 2020, 120, 1620-1689. | 23.0 | 117 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 892 | Chromatographic and computational screening of anisotropic lipophilicity and pharmacokinetics of newly synthesized 1-aryl-3-ethyl-3-methylsuccinimides. Computational Biology and Chemistry, 2020, 84, 107161. | 1.1 | 6 |
| 893 | Risk Assessment of Cosmetic Preservatives Using QSAR. International Journal of Quantitative Structure-Property Relationships, 2020, 5, 44-62. | 1.1 | 1 |
| 894 | Mechanism studies of oxidation and hydrolysis of Cu(I)–NHC and Ag–NHC in solution under air. Journal of Organometallic Chemistry, 2020, 906, 121025. | 0.8 | 17 |
| 895 | Use of three-dimensional descriptors in molecular design for biologically active compounds. Current Opinion in Chemical Engineering, 2020, 27, 60-64. | 3.8 | 8 |
| 896 | Anionic Polymerization of Azidoalkyl Glycidyl Ethers and Post-Polymerization Modification. Macromolecules, 2020, 53, 355-366. | 2.2 | 20 |
| 897 | Application of cytochrome P450 reactivity on the characterization of chemical compounds and its association with repeated-dose toxicity. Toxicology and Applied Pharmacology, 2020, 388, 114854. | 1.3 | 5 |
| 898 | Is it time for biocatalysis in fragment-based drug discovery?. Chemical Science, 2020, 11, 11104-11112. | 3.7 | 20 |
| 899 | Generative Network Complex for the Automated Generation of Drug-like Molecules. Journal of Chemical Information and Modeling, 2020, 60, 5682-5698. | 2.5 | 79 |
| 900 | Tetrapodal Anion Transporters. Molecules, 2020, 25, 5179. | 1.7 | 7 |
| 901 | Prediction of liquid chromatographic retention time using quantitative structure-retention relationships to assist non-targeted identification of unknown metabolites of phthalates in human urine with high-resolution mass spectrometry. Journal of Chromatography A, 2020, 1634, 461691. | 1.8 | 15 |
| 902 | Kinetic Modeling of the Process of the Interaction of Nitric Oxide Donors with Erythrocytes. Russian Journal of Physical Chemistry B, 2020, 14, 571-578. | 0.2 | 1 |
| 903 | Anticancer potency of novel organometallic Ir(<scp>iii</scp>) complexes with phosphine derivatives of fluoroquinolones encapsulated in polymeric micelles. Inorganic Chemistry Frontiers, 2020, 7, 3386-3401. | 3.0 | 19 |
| 904 | Lipoxygenase Inhibition Activity of Coumarin Derivativesâ€"QSAR and Molecular Docking Study. Pharmaceuticals, 2020, 13, 154. | 1.7 | 22 |
| 905 | Alternative Isolation Protocol for Desulfo and Zwitterionic Cylindrospermopsin Alkaloids and Comparison of Their Toxicity in HepG2 Cells. Molecules, 2020, 25, 3027. | 1.7 | 7 |
| 906 | Fasudil Loaded PLGA Microspheres as Potential Intravitreal Depot Formulation for Glaucoma Therapy. Pharmaceutics, 2020, 12, 706. | 2.0 | 21 |
| 907 | Molecular Electrostatic Potential and Chemometric Techniques as Tools to Design Bioactive Compounds., 0,,. | | 1 |
| 908 | Evaluating Skin Sensitization Via Soft and Hard Multivariate Modeling. International Journal of Toxicology, 2020, 39, 547-559. | 0.6 | 5 |
| 909 | Tuning the hydrophobicity of a coarse grained model of 1,2-dipalmitoyl-sn-glycero-3-phosphatidylcholine using the experimental octanol-water partition coefficient. Journal of Molecular Liquids, 2020, 319, 114132. | 2.3 | 13 |

| # | ARTICLE | lF | CITATIONS |
|-----|--|-----|-----------|
| 910 | Optimization Rules for SARS-CoV-2 Mpro Antivirals: Ensemble Docking and Exploration of the Coronavirus Protease Active Site. Viruses, 2020, 12, 942. | 1.5 | 34 |
| 911 | In silico evaluation of inhibitory potential of novel triazole derivatives against therapeutic target myristoyl-CoA: protein N-myristoyltransferase (NMT) of Candida albicans. Network Modeling Analysis in Health Informatics and Bioinformatics, 2020, 9, 1. | 1.2 | 2 |
| 912 | A fluorophore's electron-deficiency does matter in designing high-performance near-infrared fluorescent probes. Chemical Science, 2020, 11, 11205-11213. | 3.7 | 10 |
| 913 | VAE-Sim: A Novel Molecular Similarity Measure Based on a Variational Autoencoder. Molecules, 2020, 25, 3446. | 1.7 | 23 |
| 914 | Chemometric methods in antimalarial drug design from 1,2,4,5-tetraoxanes analogues. SAR and QSAR in Environmental Research, 2020, 31, 677-695. | 1.0 | 43 |
| 915 | New Insights of the Zn(II)-Induced P2 × 4R Positive Allosteric Modulation: Role of Head Receptor Domain SS2/SS3, E160 and D170. International Journal of Molecular Sciences, 2020, 21, 6940. | 1.8 | 3 |
| 916 | Evaluation of conformational and spectral behavior and prediction of biological activity and chemical reactivity descriptors of Levosimendan. Journal of Molecular Structure, 2020, 1217, 128464. | 1.8 | 0 |
| 917 | Influence of acidâ€base dissociation equilibria during electromembrane extraction. Journal of Separation Science, 2020, 43, 3120-3128. | 1.3 | 3 |
| 918 | In-silico design of new enalapril analogs (ACE inhibitors) using QSAR and molecular docking models. Informatics in Medicine Unlocked, 2020, 19, 100336. | 1.9 | 8 |
| 919 | Physicochemical evaluation of new tetrahydroacridine and iodobenzoic acid hybrids as the next step in the design of potential drugs for treating Alzheimer's disease. Biomedical Chromatography, 2020, 34, e4906. | 0.8 | 2 |
| 920 | The effects of melatonin, serotonin, tryptophan and NAS on the biophysical properties of DPPC monolayers. Biochimica Et Biophysica Acta - Biomembranes, 2020, 1862, 183363. | 1.4 | 16 |
| 921 | Repositioning of 8565 Existing Drugs for COVID-19. Journal of Physical Chemistry Letters, 2020, 11, 5373-5382. | 2.1 | 78 |
| 922 | Chi-MIC-share: a new feature selection algorithm for quantitative structure–activity relationship models. RSC Advances, 2020, 10, 19852-19860. | 1.7 | 11 |
| 923 | Distinct binding of cetirizine enantiomers to human serum albumin and the human histamine receptor H1. Journal of Computer-Aided Molecular Design, 2020, 34, 1045-1062. | 1.3 | 8 |
| 924 | N1-Benzofused Modification of Fluoroquinolones Reduces Activity Against Gram-Negative Bacteria. ACS Omega, 2020, 5, 11923-11934. | 1.6 | 4 |
| 925 | <i>In Situ</i> Monitoring of the Unsaturated Phospholipid Monolayer Oxidation in Ambient Air by HD-SFG Spectroscopy. Journal of Physical Chemistry B, 2020, 124, 5246-5250. | 1.2 | 19 |
| 926 | lonic liquids for enzyme-catalyzed production of biodiesel., 2020,, 31-47. | | 3 |
| 927 | Computational design of substrate selective inhibition. PLoS Computational Biology, 2020, 16, e1007713. | 1.5 | 4 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 928 | Quantum Chemical Lipophilicities of Antimalarial Drugs in Relation to Terminal Half-Life. ACS Omega, 2020, 5, 6500-6515. | 1.6 | 1 |
| 929 | Drug design of new 5-HT6 antagonists: a QSAR study of arylsulfonamide derivatives. Structural Chemistry, 2020, 31, 1585-1597. | 1.0 | 4 |
| 930 | High-Throughput Synthesis and Screening of Rapidly Degrading Polyanhydride Nanoparticles. ACS Combinatorial Science, 2020, 22, 172-183. | 3.8 | 6 |
| 931 | Facile design of autogenous stimuli-responsive chitosan/hyaluronic acid nanoparticles for efficient small molecules to protein delivery. Journal of Materials Chemistry B, 2020, 8, 7275-7287. | 2.9 | 18 |
| 932 | The FDA-Approved Drug Nelfinavir Inhibits Lytic Cell-Free but Not Cell-Associated Nonlytic Transmission of Human Adenovirus. Antimicrobial Agents and Chemotherapy, 2020, 64, . | 1.4 | 16 |
| 933 | Modulation of estrogen-related receptors subtype selectivity: Conversion of an ERRÎ 2 /Î 3 selective agonist to ERRÎ 2 /Î 3 pan agonists. Bioorganic Chemistry, 2020, 102, 104079. | 2.0 | 10 |
| 934 | Exploring the In Vivo and In Vitro Anticancer Activity of Rhenium Isonitrile Complexes. Inorganic Chemistry, 2020, 59, 10285-10303. | 1.9 | 31 |
| 935 | Recent advances in non-targeted screening analysis using liquid chromatography - high resolution mass spectrometry to explore new biomarkers for human exposure. Talanta, 2020, 219, 121339. | 2.9 | 33 |
| 936 | Trazodone Loaded Lipid Core Poly (Î μ -caprolactone) Nanocapsules: Development, Characterization and in Vivo Antidepressant Effect Evaluation. Scientific Reports, 2020, 10, 1964. | 1.6 | 10 |
| 937 | In Silico Strategies in Tuberculosis Drug Discovery. Molecules, 2020, 25, 665. | 1.7 | 50 |
| 938 | Binding Constants of Substituted Benzoic Acids with Bovine Serum Albumin. Pharmaceuticals, 2020, 13, 30. | 1.7 | 10 |
| 939 | Discovery of Small-Molecule Activators for Glucose-6-Phosphate Dehydrogenase (G6PD) Using Machine Learning Approaches. International Journal of Molecular Sciences, 2020, 21, 1523. | 1.8 | 12 |
| 940 | D3R grand challenge 4: blind prediction of protein–ligand poses, affinity rankings, and relative binding free energies. Journal of Computer-Aided Molecular Design, 2020, 34, 99-119. | 1.3 | 81 |
| 941 | Application of TLC to Evaluate the Lipophilicity of Newly Synthesized Betulin Derivatives. Journal of Chromatographic Science, 2020, 58, 323-333. | 0.7 | 12 |
| 942 | Augmented polyhydrazone formation in water by template-assisted polymerization using dual-purpose supramolecular templates. Polymer Chemistry, 2020, 11, 1806-1819. | 1.9 | 7 |
| 943 | Guiding Lead Optimization for Solubility Improvement with Physics-Based Modeling. Molecular Pharmaceutics, 2020, 17, 666-673. | 2.3 | 17 |
| 944 | Targeted cerebrospinal fluid analysis for inborn errors of metabolism on an LCâ€MS/MS analysis platform. Journal of Inherited Metabolic Disease, 2020, 43, 712-725. | 1.7 | 10 |
| 945 | Computational exploration of molecular receptive fields in the olfactory bulb reveals a glomerulus-centric chemical map. Scientific Reports, 2020, 10, 77. | 1.6 | 5 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 946 | Selective chemiluminescent TURN-ON quantitative bioassay and imaging of intracellular hydrogen peroxide in human living cells. Analytical Biochemistry, 2020, 600, 113760. | 1.1 | 14 |
| 947 | Spatial Distribution Profiles of Emtricitabine, Tenofovir, Efavirenz, and Rilpivirine in Murine Tissues Following <i>In Vivo</i> Dosing Correlate with Their Safety Profiles in Humans. ACS Pharmacology and Translational Science, 2020, 3, 655-665. | 2.5 | 12 |
| 948 | Mechanism-based integrated assay systems for the prediction of drug-induced liver injury. Toxicology and Applied Pharmacology, 2020, 394, 114958. | 1.3 | 13 |
| 949 | Novel Quaternary Ammonium Derivatives of 4-Pyrrolidino Pyridine: Synthesis, Structural, Thermal, and Antibacterial Studies. Crystals, 2020, 10, 339. | 1.0 | 6 |
| 950 | Transmembrane anion transport mediated by halogen bonding and hydrogen bonding triazole anionophores. Chemical Science, 2020, 11, 4722-4729. | 3.7 | 44 |
| 951 | Finding distinctions between oral cancer and periodontitis using saliva metabolites and machine learning. Oral Diseases, 2021, 27, 484-493. | 1.5 | 32 |
| 952 | Near infrared lightâ€induced disassembly of polymeric micelles based on methylene blue conjugated polyethylene glycol. Journal of Applied Polymer Science, 2021, 138, 49665. | 1.3 | 5 |
| 953 | Radiosynthesis and evaluation of 18F-labeled dopamine D4-receptor ligands. Nuclear Medicine and Biology, 2021, 92, 43-52. | 0.3 | 1 |
| 954 | Factors associated with partitioning behavior of persistent organic pollutants in a feto-maternal system: A multiple linear regression approach. Chemosphere, 2021, 263, 128247. | 4.2 | 7 |
| 955 | Drug design of new sigma-1 antagonists against neuropathic pain: A QSAR study using partial least squares and artificial neural networks. Journal of Molecular Structure, 2021, 1223, 129156. | 1.8 | 5 |
| 956 | Evaluation of Amaryllidaceae alkaloids as inhibitors of human acetylcholinesterase by QSAR analysis and molecular docking. Journal of Molecular Structure, 2021, 1225, 129142. | 1.8 | 14 |
| 957 | Machine learning for high performance organic solar cells: current scenario and future prospects. Energy and Environmental Science, 2021, 14, 90-105. | 15.6 | 207 |
| 958 | Camphorquinone alters the expression of extracellular proteases in a 3D co-culture model of the oral mucosa. Dental Materials, 2021, 37, 236-248. | 1.6 | 1 |
| 959 | Miktoarm Star Polymers with Environmentâ€Selective ROS/GSH Responsive Locations: From Modular Synthesis to Tuned Drug Release through Micellar Partial Corona Shedding and/or Core Disassembly. Macromolecular Bioscience, 2021, 21, e2000305. | 2.1 | 20 |
| 960 | Activities of Quinoxaline, Nitroquinoxaline, and [1,2,4]Triazolo[4,3-a]quinoxaline Analogs of MMV007204 against Schistosoma mansoni. Antimicrobial Agents and Chemotherapy, 2021, 65, . | 1.4 | 7 |
| 961 | Synthesis, Pharmacological, and Biological Evaluation of 2-Furoyl-Based MIF-1 Peptidomimetics and the Development of a General-Purpose Model for Allosteric Modulators (ALLOPTML). ACS Chemical Neuroscience, 2021, 12, 203-215. | 1.7 | 11 |
| 962 | A "Drug Sweeping―State of the TriABC Triclosan Efflux Pump from Pseudomonas aeruginosa. Structure, 2021, 29, 261-274.e6. | 1.6 | 11 |
| 963 | Two models to estimate the density of organic cocrystals. RSC Advances, 2021, 11, 12066-12073. | 1.7 | 2 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 964 | Substantial Depletion of Vicine, Levodopa, and Tyramine in a Fava Bean Protein-Based Nutritional Product. International Journal of Food Science, 2021, 2021, 1-10. | 0.9 | 3 |
| 965 | Eutectic solvents with tuneable hydrophobicity: lipid dissolution and recovery. RSC Advances, 2021, 11, 8142-8149. | 1.7 | 9 |
| 966 | Aquatic toxicity (Pre)screening strategy for structurally diverse chemicals: global or local classification tree models?. Ecotoxicology and Environmental Safety, 2021, 208, 111738. | 2.9 | 11 |
| 967 | Tuning the electronic effects in designing ligands for the inhibition of rotamase activity of FK506 binding protein. Theoretical Chemistry Accounts, 2021, 140, 1. | 0.5 | 1 |
| 968 | Data types and resources. , 2021, , 27-60. | | 3 |
| 969 | Prediction of kinase inhibitors binding modes with machine learning and reduced descriptor sets. Scientific Reports, 2021, 11, 706. | 1.6 | 15 |
| 970 | Removal of Trace Organic Contaminants by Parallel Operation of Reverse Osmosis and Granular Activated Carbon for Drinking Water Treatment. Membranes, 2021, 11, 33. | 1.4 | 15 |
| 971 | Red-shifted tetra- <i>ortho</i> -halo-azobenzenes for photo-regulated transmembrane anion transport. Organic and Biomolecular Chemistry, 2021, 19, 9058-9067. | 1.5 | 26 |
| 972 | How Far Are We from the Rapid Prediction of Drug Resistance Arising Due to Kinase Mutations?. ACS Omega, 2021, 6, 1254-1265. | 1.6 | 4 |
| 973 | Synthesis and fluorine-18 radiolabeling of a phospholipid as a PET imaging agent for prostate cancer. Nuclear Medicine and Biology, 2021, 93, 37-45. | 0.3 | 2 |
| 975 | Study of Combinatorial Drug Synergy of Novel Acridone Derivatives With Temozolomide Using in-silico and in-vitro Methods in the Treatment of Drug-Resistant Glioma. Frontiers in Oncology, 2021, 11, 625899. | 1.3 | 6 |
| 976 | Exatecan Antibody Drug Conjugates Based on a Hydrophilic Polysarcosine Drug-Linker Platform. Pharmaceuticals, 2021, 14, 247. | 1.7 | 27 |
| 977 | Quantitative Structure Activity/Pharmacokinetics Relationship Studies of HIV-1 Protease Inhibitors Using Three Modelling Methods. Medicinal Chemistry, 2021, 17, 396-406. | 0.7 | 4 |
| 978 | Design, synthesis and bioactivity study on 5-phenylfuran derivatives as potent reversal agents against P-glycoprotein-mediated multidrug resistance in MCF-7/ADR cell. European Journal of Medicinal Chemistry, 2021, 216, 113336. | 2.6 | 21 |
| 979 | pH-Responsive Amphiphilic Polyether Micelles with Superior Stability for Smart Drug Delivery. Biomacromolecules, 2021, 22, 2043-2056. | 2.6 | 34 |
| 980 | QSAR Modeling and Prediction of Triptan Binding Affinities. International Journal of Quantitative Structure-Property Relationships, 2021, 6, 19-28. | 1.1 | 0 |
| 981 | New D2R partial agonist candidates: an in silico approach from statistical models, molecular docking, and ADME/Tox properties. Structural Chemistry, 2021, 32, 2019-2033. | 1.0 | 1 |
| 982 | Biocomputational Screening of Natural Compounds against Acetylcholinesterase. Molecules, 2021, 26, 2641. | 1.7 | 10 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 983 | 2,5-Disubstituted furan derivatives containing 1,3,4-thiadiazole moiety as potent \hat{l} ±-glucosidase and E.Âcoli \hat{l} 2-glucuronidase inhibitors. European Journal of Medicinal Chemistry, 2021, 216, 113322. | 2.6 | 13 |
| 984 | Artificial intelligence to deep learning: machine intelligence approach for drug discovery. Molecular Diversity, 2021, 25, 1315-1360. | 2.1 | 423 |
| 985 | Improving the solubility of anti-proliferative thieno [2,3-b] quinoline-2-carboxamides. Bioorganic and Medicinal Chemistry, 2021, 37, 116092. | 1.4 | 3 |
| 986 | Using Rotenone to Model Parkinson's Disease in Mice: A Review of the Role of Pharmacokinetics. Chemical Research in Toxicology, 2021, 34, 1223-1239. | 1.7 | 43 |
| 988 | Drug design of new 5-HT6R antagonists aided by artificial neural networks. Journal of Molecular Graphics and Modelling, 2021, 104, 107844. | 1.3 | 3 |
| 989 | Interpretable machine learning methods for in vitro pharmaceutical formulation development. Food Frontiers, 2021, 2, 195-207. | 3.7 | 10 |
| 990 | A machine learning platform to estimate anti-SARS-CoV-2 activities. Nature Machine Intelligence, 2021, 3, 527-535. | 8.3 | 45 |
| 991 | Computerâ€Aided Search for 5â€Arylideneimidazolone Anticancer Agents Able To Overcome ABCB1â€Based Multidrug Resistance. ChemMedChem, 2021, 16, 2386-2401. | 1.6 | 4 |
| 992 | Highly Active Halogen Bonding and Chalcogen Bonding Chloride Transporters with Nonâ€Protonophoric Activity. Chemistry - A European Journal, 2021, 27, 11738-11745. | 1.7 | 54 |
| 993 | Coumarin Derivatives Act as Novel Inhibitors of Human Dipeptidyl Peptidase III: Combined In Vitro and In Silico Study. Pharmaceuticals, 2021, 14, 540. | 1.7 | 9 |
| 994 | SYNTHESIS, IN SILICO ANALYSIS AND ANTICONVULSANT ACTIVITY OF NOVEL PYRIMIDINE DERIVATIVES. Indian Drugs, 2021, 58, 21-29. | 0.1 | 1 |
| 995 | Computational study of DMPC liposomes loaded with the N-(2-Hydroxyphenyl)-2-propylpentanamide (HO-AAVPA) and determination of its antiproliferative activity <i>in vitro</i> in NIH-3T3 cells. Journal of Biomolecular Structure and Dynamics, 2022, 40, 11448-11459. | 2.0 | 2 |
| 996 | Androgen receptor antagonists produced by Streptomyces overcome resistance to enzalutamide. Journal of Antibiotics, 2021, 74, 706-716. | 1.0 | 2 |
| 997 | Comparison of in-silico modelling and reversed-phase liquid chromatographic retention on an octadecyl silica column to predict skin permeability of pharmaceutical and cosmetic compounds. Journal of Pharmaceutical and Biomedical Analysis, 2021, 201, 114095. | 1.4 | 4 |
| 998 | Ligand Ratio Plays a Critical Role in the Design of Optimal Multifunctional Gold Nanoclusters for Targeted Gastric Cancer Therapy. ACS Nanoscience Au, 2021, 1, 47-60. | 2.0 | 7 |
| 999 | Structural modification and biological activity studies of tagitinin C and its derivatives. Tetrahedron, 2021, 92, 132248. | 1.0 | 2 |
| 1000 | Biological Activities Related to Plant Protection and Environmental Effects of Coumarin Derivatives: QSAR and Molecular Docking Studies. International Journal of Molecular Sciences, 2021, 22, 7283. | 1.8 | 9 |
| 1001 | The thiol-based reduction of $Bi(V)$ and $Sb(V)$ anti-leishmanial complexes. Journal of Inorganic Biochemistry, 2021, 221, 111470. | 1.5 | 2 |

| # | Article | IF | Citations |
|------|---|-----|-----------|
| 1002 | Probing impact of molecular structure on bulk modulus and impact sensitivity of energetic materials by machine learning methods. Chemometrics and Intelligent Laboratory Systems, 2021, 215, 104331. | 1.8 | 13 |
| 1003 | Exploring the Monoterpene Indole Alkaloid Scaffold for Reversing P-Glycoprotein-Mediated Multidrug Resistance in Cancer. Pharmaceuticals, 2021, 14, 862. | 1.7 | 8 |
| 1004 | Improving Dissolution Behavior and Oral Absorption of Drugs with pH-Dependent Solubility Using pH Modifiers: A Physiologically Realistic Mass Transport Analysis. Molecular Pharmaceutics, 2021, 18, 3326-3341. | 2.3 | 13 |
| 1005 | Development and Application of Liquid Chromatographic Retention Time Indices in HRMS-Based Suspect and Nontarget Screening. Analytical Chemistry, 2021, 93, 11601-11611. | 3.2 | 79 |
| 1006 | Dissolved organic matter modulates the impact of herbicides on a freshwater alga: A laboratory study of a three-way interaction. Science of the Total Environment, 2021, 782, 146881. | 3.9 | 2 |
| 1007 | Hydrolysis-Driven Viscoelastic Transition in Triblock Copolyether Hydrogels with Acetal Pendants. ACS Macro Letters, 2021, 10, 1080-1087. | 2.3 | 3 |
| 1008 | Web-Based Quantitative Structure–Activity Relationship Resources Facilitate Effective Drug Discovery. Topics in Current Chemistry, 2021, 379, 37. | 3.0 | 8 |
| 1009 | A partial least squares and artificial neural network study for a series of arylpiperazines as antidepressant agents. Journal of Molecular Modeling, 2021, 27, 297. | 0.8 | 5 |
| 1010 | Pre-Treatment of Industrial Tubing with Aqueous Hop Derived Metabolites Reduces Lactobacillus brevis Biofouling. Journal of the American Society of Brewing Chemists, 0, , 1-11. | 0.8 | 0 |
| 1011 | A Martini Coarse Grained Model of Citrate-Capped Gold Nanoparticles Interacting with Lipid Bilayers. Journal of Chemical Theory and Computation, 2021, 17, 6597-6609. | 2.3 | 22 |
| 1012 | Effect of environmental stressors on the mRNA expression of ecdysone cascade genes in Chironomus riparius. Environmental Science and Pollution Research, 2022, 29, 10210-10221. | 2.7 | 4 |
| 1013 | Rational design of phenyl thiophene (pyridine) derivatives that overcome P-glycoprotein mediated MDR in MCF-7/ADR cell. Bioorganic Chemistry, 2021, 114, 105075. | 2.0 | 8 |
| 1014 | Logistic regression and random forest unveil key molecular descriptors of druglikeness. Chem-Bio Informatics Journal, 2021, 21, 39-58. | 0.1 | 1 |
| 1015 | Data sharing in PredRet for accurate prediction of retention time: Application to plant food bioactive compounds. Food Chemistry, 2021, 357, 129757. | 4.2 | 12 |
| 1016 | How Substitution Combines with Non-Covalent Interactions to Modulate 1,4-Naphthoquinone and Its Derivatives Molecular Features—Multifactor Studies. International Journal of Molecular Sciences, 2021, 22, 10357. | 1.8 | 3 |
| 1017 | Optimization of the extraction procedure for quantitative analysis of saponarin and the artificial light condition for saponarin production from barley sprout. Journal of Applied Biological Chemistry, 2021, 64, 197-203. | 0.2 | 2 |
| 1018 | Thermo-acoustic, spectroscopic, and electrochemical investigation of sparfloxacin–ionic surfactant interactions. Journal of Molecular Liquids, 2021, 340, 117186. | 2.3 | 11 |
| 1019 | Applying Bayesian forecasting to predictive toxicology: The probability of innate carcinogenicity to humans of colorants synthesized from benzidine. Toxicology Letters, 2021, 351, 111-134. | 0.4 | 7 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1020 | Generating accurate in silico predictions of acute aquatic toxicity for a range of organic chemicals: Towards similarity-based machine learning methods. Chemosphere, 2021, 280, 130681. | 4.2 | 15 |
| 1021 | Prediction of non-radiative voltage losses in organic solar cells using machine learning. Solar Energy, 2021, 228, 175-186. | 2.9 | 13 |
| 1022 | A photosensitizing perylenediimide dye lights up cell nucleolus through visible light-mediated intracellular translocation. Dyes and Pigments, 2021, 196, 109722. | 2.0 | 4 |
| 1023 | Modern Tools and Techniques in Computer-Aided Drug Design. , 2021, , 1-30. | | 5 |
| 1024 | Molecular Structure, In Vitro Anticancer Study and Molecular Docking of New Phosphate Derivatives of Betulin. Molecules, 2021, 26, 737. | 1.7 | 19 |
| 1025 | Coarse-Grained Parameterization of Nucleotide Cofactors and Metabolites: Protonation Constants, Partition Coefficients, and Model Topologies. Journal of Chemical Information and Modeling, 2021, 61, 335-346. | 2.5 | 9 |
| 1026 | Development of $\hat{l}/4\hat{l}$ Opioid Ligands: Enkephalin Analogues Containing 4-Anilidopiperidine Moiety. Advances in Experimental Medicine and Biology, 2009, 611, 517-518. | 0.8 | 2 |
| 1027 | Investigating Problem Hardness of Real Life Applications. , 2008, , 107-124. | | 6 |
| 1028 | Structure-Based Computational Approaches for Small-Molecule Modulation of Protein-Protein Interactions. Methods in Molecular Biology, 2015, 1278, 77-92. | 0.4 | 5 |
| 1029 | Associative Neural Network. Methods in Molecular Biology, 2008, 458, 180-197. | 0.4 | 44 |
| 1030 | Genetic Programming and Other Machine Learning Approaches to Predict Median Oral Lethal Dose (LD50) and Plasma Protein Binding Levels (%PPB) of Drugs., 2007,, 11-23. | | 4 |
| 1031 | A Wrapper-Based Feature Selection Method for ADMET Prediction Using Evolutionary Computing. , 2008, , 188-199. | | 14 |
| 1032 | Using Operator Equalisation for Prediction of Drug Toxicity with Genetic Programming. Lecture Notes in Computer Science, 2009, , 65-76. | 1.0 | 10 |
| 1033 | Synthesis, cytotoxicity, and in vivo antitumor activity study of parthenolide semicarbazones and thiosemicarbazones. Bioorganic and Medicinal Chemistry, 2020, 28, 115557. | 1.4 | 17 |
| 1034 | Mediating K ⁺ /H ⁺ Transport on Organelle Membranes to Selectively Eradicate Cancer Stem Cells with a Small Molecule. Journal of the American Chemical Society, 2020, 142, 10769-10779. | 6.6 | 32 |
| 1035 | Early ADME/T Predictions: Toy or Tool?. , 2008, , 240-267. | | 4 |
| 1039 | Rodent Carcinogenicity Dataset. Dataset Papers in Medicine, 2013, 2013, 1-6. | 0.0 | 3 |
| 1040 | The log P Parameter as a Molecular Descriptor in the Computer-aided Drug Design – an Overview. Computational Methods in Science and Technology, 2012, 18, 81-88. | 0.3 | 65 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1041 | Mapping Drug Physico-Chemical Features to Pathway Activity Reveals Molecular Networks Linked to Toxicity Outcome. PLoS ONE, 2010, 5, e12385. | 1.1 | 14 |
| 1042 | Elimination of Endogenous Toxin, Creatinine from Blood Plasma Depends on Albumin Conformation: Site Specific Uremic Toxicity & Drug Binding. PLoS ONE, 2011, 6, e17230. | 1.1 | 108 |
| 1043 | A Method for Efficient Calculation of Diffusion and Reactions of Lipophilic Compounds in Complex Cell Geometry. PLoS ONE, 2011, 6, e23128. | 1.1 | 20 |
| 1044 | The Fungal Fast Lane: Common Mycorrhizal Networks Extend Bioactive Zones of Allelochemicals in Soils. PLoS ONE, 2011, 6, e27195. | 1.1 | 123 |
| 1045 | Identification by Virtual Screening and In Vitro Testing of Human DOPA Decarboxylase Inhibitors. PLoS ONE, 2012, 7, e31610. | 1.1 | 56 |
| 1046 | Chiral Hydroxylation at the Mononuclear Nonheme Fe(II) Center of 4-(S) Hydroxymandelate Synthase – A Structure-Activity Relationship Analysis. PLoS ONE, 2013, 8, e68932. | 1.1 | 11 |
| 1047 | A comparative study of the molecular lipophilicity indices of vitamins A and E, and of some precursors of vitamin A, estimated by HPLC and by different computation methods. Acta Chromatographica, 2009, 21, 237-250. | 0.7 | 12 |
| 1048 | Comparative study of the retention ofs-triazines on octadecylsilica, cyano, and amino HPTLC plates by use of a QSPR model. Journal of Planar Chromatography - Modern TLC, 2007, 20, 365-371. | 0.6 | 4 |
| 1049 | Partial least-squares study of the effects of organic modifier and physicochemical properties on the retention of some thiazoles. Journal of Planar Chromatography - Modern TLC, 2007, 20, 251-257. | 0.6 | 8 |
| 1050 | Application of electrotopological states in QSRR and QSAR analysis of isomeric methylphenols separated by RP-TLC. Journal of Planar Chromatography - Modern TLC, 2008, 21, 205-208. | 0.6 | 2 |
| 1053 | The In Silico Drug Discovery Toolbox: Applications in Lead Discovery and Optimization. Current Medicinal Chemistry, 2019, 26, 3838-3873. | 1.2 | 47 |
| 1054 | Design, Synthesis, Pharmacological Evaluation and Vascular Effects of Delphinidin Analogues. Current Pharmaceutical Design, 2019, 24, 5580-5589. | 0.9 | 5 |
| 1055 | The Applicability of Molecular Descriptors for Designing an Electrospray Ionization Mass Spectrometry Compatible Library for Drug Discovery. Combinatorial Chemistry and High Throughput Screening, 2012, 15, 806-815. | 0.6 | 8 |
| 1056 | QSAR of Antitrypanosomal Activities of Polyphenols and their Analogues Using Multiple Linear Regression and Artificial Neural Networks. Combinatorial Chemistry and High Throughput Screening, 2014, 17, 709-717. | 0.6 | 6 |
| 1057 | Intestinal Absorption and Presystemic Elimination of Various Chemical Constituents Present in GBE50 Extract, a Standardized Extract of Ginkgo biloba Leaves. Current Drug Metabolism, 2012, 13, 494-509. | 0.7 | 37 |
| 1058 | Development of MLR and SVM Aided QSAR Models to Identify Common SAR of GABA Uptake Herbal Inhibitors used in the Treatment of Schizophrenia. Current Neuropharmacology, 2017, 15, 1085-1092. | 1.4 | 17 |
| 1059 | Recent Advances on QSAR-Based Profiling of Agonist and Antagonist A3 Adenosine Receptor Ligands. Current Topics in Medicinal Chemistry, 2013, 13, 1048-1068. | 1.0 | 4 |
| 1060 | General Theory for Multiple Input-Output Perturbations in Complex Molecular Systems. 1. Linear QSPR Electronegativity Models in Physical, Organic, and Medicinal Chemistry. Current Topics in Medicinal Chemistry, 2013, 13, 1713-1741. | 1.0 | 83 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1061 | Recent Progress in Machine Learning-based Prediction of Peptide Activity for Drug Discovery. Current Topics in Medicinal Chemistry, 2019, 19, 4-16. | 1.0 | 31 |
| 1062 | Application of a Validated QSTR Model for Repurposing COX-2 Inhibitor Coumarin Derivatives as Potential Antitumor Agents. Current Topics in Medicinal Chemistry, 2019, 19, 1121-1128. | 1.0 | 4 |
| 1063 | Design, Synthesis and In Vitro Evaluation of Novel Anti-HIV 3-Pyrazol-3- yl-Pyridin-2-One Analogs. Medicinal Chemistry, 2019, 15, 561-570. | 0.7 | 11 |
| 1064 | An in silico Approach to Identify Potential NDM-1 Inhibitors to Fight Multidrug Resistant Superbugs. Current Drug Therapy, 2019, 14, 79-84. | 0.2 | 2 |
| 1065 | Graph-Based Processing of Macromolecular Information. Current Bioinformatics, 2015, 10, 606-631. | 0.7 | 4 |
| 1066 | Internet in Drug Design and Discovery. The Open Applied Informatics Journal, 2008, 2, 18-21. | 1.0 | 3 |
| 1067 | Molecular calculations on \hat{l}^2 -cyclodextrin inclusion complexes with five essential oil compounds from Ocimum basilicum (sweet basil). ScienceAsia, 2014, 40, 145. | 0.2 | 19 |
| 1068 | QSAR Studies of Some Thiazolo [4,5-b] pyridines as Novel Antioxidant Agents: Enhancement of Activity by Some Molecular Structure Parameters. Chemistry and Chemical Technology, 2013, 7, 397-404. | 0.2 | 11 |
| 1069 | In silico Modeling of $\hat{l}\pm 1$ A-Adrenoceptor: Interaction of its Normal and Mutated Active Sites with Noradrenaline as well as its Agonist and Antagonist. American Journal of Biochemistry and Biotechnology, 2007, 3, 216-224. | 0.1 | 10 |
| 1070 | New benzenesulphonohydrazide derivatives as potential antitumour agents. Oncology Letters, 2020, 20, 1-1. | 0.8 | 11 |
| 1071 | Drug Discovery. Advances in Medical Technologies and Clinical Practice Book Series, 2019, , 1-46. | 0.3 | 1 |
| 1072 | Application of Machine Leaning in Drug Discovery and Development., 2011,, 235-256. | | 4 |
| 1073 | Human Oral Bioavailability Prediction of Four Kinds of Drugs. International Journal of Computational Models and Algorithms in Medicine, 2012, 3, 29-42. | 0.4 | 1 |
| 1074 | Ranking Methods for the Prediction of Frequent Top Scoring Peptides from Proteomics Data. Journal of Proteomics and Bioinformatics, 2009, 02, 226-235. | 0.4 | 8 |
| 1075 | Age-dependent deterioration of nuclear pore assembly in mitotic cells decreases transport dynamics. ELife, 2019, 8, . | 2.8 | 60 |
| 1077 | Application of machine learning to a material library for modeling of relationships between material properties and tablet properties. International Journal of Pharmaceutics, 2021, 609, 121158. | 2.6 | 15 |
| 1078 | The Robust Models of Retention for Thin Layer Chromatography. Advances in Intelligent and Soft Computing, 2011, , 169-176. | 0.2 | 2 |
| 1079 | Application of Machine Leaning in Drug Discovery and Development. , 2012, , 1460-1482. | | 0 |

| # | ARTICLE | IF | Citations |
|------|--|-------------------|-----------|
| 1080 | Quantitative Structure-Activity Relationship Study of Curcumin Analogues as Anti-proliferative Agents of Human Prostate Cancer Cell Line (PC-3). Kimika, 2013, 24, 8-17. | 0.4 | 1 |
| 1082 | Rough Sets for Selection of Molecular Descriptors to Predict Biological Activity of Molecules. , 2014, , 105-129. | | 0 |
| 1083 | ĐœĐ¾Đ»ĐμĐ°ÑƒĐ»ÑÑ€Đ½Đ¸Đ¹ ĐƊ¾Đ°Ñ–Đ½Đ³ Đ¿Đ¾ÑÑ–ĐƊ½Đ¸Ñ ZSTK474 Ñа Đ¿Đ¾Ñ,ĐμĐ½Ñ†Ñ– | Đ ∂Đ 1½Đ¸Ñ | oÑ–Đ½Đ³ |
| 1084 | Measuring the Alkylation Kinetics and Drug Likeness of Four Candidate Antineoplastic Compounds. Archives of Current Research International, 2015, 2, 66-76. | 0.2 | 0 |
| 1085 | Prediction of blood-brain barrier penetration of meta-/para-Alkoxyphenylcarbamic acid Esters bearing substituted N-Phenylpiperazine fragment. Dhaka University Journal of Pharmaceutical Sciences, 2015, 13, 7-14. | 0.1 | O |
| 1086 | Sequence Retriever for Known, Discovered, and User-Specified Molecular Fragments. Advances in Intelligent Systems and Computing, 2016, , 51-58. | 0.5 | 0 |
| 1087 | Modelling of Normal Boiling Points of Hydroxyl Compounds by Radial Basis Networks. Modern Chemistry, 2016, 4, 24. | 0.2 | 2 |
| 1088 | In silico approaches for rational design of potential anticonvulsants among 5-substituted 2-(R-amino)-1,3,4-thiadiazoles. ScienceRise, 2016, 2, 44. | 0.1 | 1 |
| 1089 | Considering the Molecular Conformational Flexibility in QSAR Studies. , 2016, , 129-158. | | 0 |
| 1090 | A Survey of QSAR Studies. , 2016, , 281-303. | | 0 |
| 1091 | Computational Study of Natural Phenolic Acid Solubility and Their Interactions with Chitosan ., 0,,. | | 3 |
| 1092 | A Survey of QSAR Studies., 2017,, 281-303. | | 0 |
| 1093 | Common SAR Derived from Linear and Non-linear QSAR Studies on AChE Inhibitors used in the Treatment of Alzheimer's Disease. Current Neuropharmacology, 2017, 15, 1093-1099. | 1.4 | 9 |
| 1094 | Outer Membrane Vesicles Facilitate Trafficking of the Hydrophobic Signalling Molecule CAI-1 Between <i>Vibrio harveyi </i> Cells. SSRN Electronic Journal, 0, , . | 0.4 | O |
| 1097 | Virtuelle Materie., 2019,, 1-21. | | 0 |
| 1098 | Application Of L1- Regularization Approach In QSAR Problem. Linear Regression And Artificial Neural Networks. Methods and Objects of Chemical Analysis, 2019, 14, 79-90. | 0.4 | 1 |
| 1099 | Stability Studies of Rooperol and Analogues by In Vitro Metabolism with HPLC/MS Detection. FASEB Journal, 2019, 33, lb378. | 0.2 | 0 |
| 1100 | Role of ADMET Tools in Current Scenario: Application and Limitations. , 2020, , 71-87. | | 3 |

| # | Article | IF | Citations |
|------|---|----------------------|-----------|
| 1101 | QSAR-ANALYSIS OF POLYSUBSTITUTED FUNCTIONALIZED AMINOTHIAZOLES WITH ANTIHYPERTENSIVE ACTIVITY. International Journal of Medicine and Medical Research, 2020, 5, 98-104. | 0.0 | 1 |
| 1104 | Structure-based Virtual Screening Approach for the Discovery of Potent Inhibitors of Aminoglycoside 6'-N-Acetyltransferase Type Ib [AAC(6')-Ib] against K. pneumoniae Infections. Letters in Drug Design and Discovery, 2020, 17, 1027-1035. | 0.4 | 0 |
| 1105 | Machine Learning Strategies to Distinguish Oral Cancer from Periodontitis Using Salivary Metabolites. Advances in Intelligent Systems and Computing, 2021, , 511-526. | 0.5 | 3 |
| 1106 | Recycling of Catalysts from Surfactant Systems. Chemie-Ingenieur-Technik, 2021, 93, 31-41. | 0.4 | 5 |
| 1107 | Virtuelle Materie. , 2020, , 339-359. | | 0 |
| 1108 | Pascal Programming in Neural Data Server for Indonesian Elementary Schools. , 0, , . | | 0 |
| 1109 | Studies on the EC50 of Natural Monoterpenes as Fungal Inhibitors with Quantitative Structure-Activity Relationships (QSARs). Natural Products Journal, 2020, 10, 44-60. | 0.1 | 0 |
| 1110 | Polyether cyclization cascade alterations in response to monensin polyketide synthase mutations. ChemBioChem, 2021, , . | 1.3 | 0 |
| 1111 | Acidâ€Catalyzed RNAâ€Oligomerization from 3',5' GMP. Chemistry - A European Journal, 2021, 27, 1 | 75 8.1 7-1758 | 35.11 |
| 1112 | Human Oral Bioavailability Prediction of Four Kinds of Drugs. Advances in Bioinformatics and Biomedical Engineering Book Series, 0, , 141-154. | 0.2 | O |
| 1113 | Comparative QSAR analysis of cyclo-oxygenase2 inhibiting drugs. Bioinformation, 2012, 8, 353-8. | 0.2 | 4 |
| 1115 | Docking Analysis and Multidimensional Hybrid QSAR Model of 1,4-Benzodiazepine-2,5-Diones as HDM2 Antagonists. Iranian Journal of Pharmaceutical Research, 2012, 11, 807-30. | 0.3 | 8 |
| 1116 | 2D QSAR Study for Gemfibrozil Glucuronide as the Mechanism-based Inhibitor of CYP2C8. Indian Journal of Pharmaceutical Sciences, 2013, 75, 680-7. | 1.0 | 4 |
| 1119 | Potential sources and methodologies for the recovery of phenolic compounds from distillation residues of Mediterranean aromatic plants. An approach to the valuation of by-products of the essential oil market $\hat{a} \in A$ review. Industrial Crops and Products, 2022, 175, 114261. | 2.5 | 41 |
| 1121 | Understanding How Coacervates Drive Reversible Small Molecule Reactions to Promote Molecular Complexity. Langmuir, 2021, 37, 14323-14335. | 1.6 | 10 |
| 1122 | Coronene surface for delivery of Favipiravir: Computational approach. Inorganic Chemistry Communication, 2022, 136, 109133. | 1.8 | 3 |
| 1123 | Development of a QSAR model to predict comedogenic potential of some cosmetic ingredients. Computational Toxicology, 2022, 21, 100207. | 1.8 | 3 |
| 1124 | A Systematic Method for Selecting Molecular Descriptors as Features When Training Models for Predicting Physiochemical Properties. SSRN Electronic Journal, 0, , . | 0.4 | 0 |

| # | Article | IF | CITATIONS |
|------|---|--------------|-----------|
| 1126 | Evaluating micellar liquid chromatographic methods on octadecyl particle-based and monolithic columns to predict the skin permeation of drug and cosmetic molecules. Journal of Chromatography A, 2022, 1663, 462753. | 1.8 | 3 |
| 1127 | Exploring a Novel Fasudil-Phospholipid Complex Formulated as Liposomal Thermosensitive in situ Gel for Glaucoma. International Journal of Nanomedicine, 2022, Volume 17, 163-181. | 3.3 | 20 |
| 1128 | Industrial textile removal using date pit assisted CuO-MgO nanocomposite: Molecular dynamics and biosynthesis analysis. Journal of King Saud University - Science, 2022, 34, 101840. | 1.6 | 4 |
| 1129 | Drug delivery of 6-bromoindirubin-3'-glycerol-oxime ether employing poly(d,l-lactide-co-glycolide)-based nanoencapsulation techniques with sustainable solvents. Journal of Nanobiotechnology, 2022, 20, 5. | 4.2 | 7 |
| 1130 | Identification of novel xanthine oxidase inhibitors via virtual screening with enhanced characterization of molybdopterin binding groups. European Journal of Medicinal Chemistry, 2022, 230, 114101. | 2.6 | 5 |
| 1131 | In silico methods for the prediction of drug toxicity. , 2022, , 357-383. | | 4 |
| 1132 | Use of connectivity index and simple topological parameters for estimating the inhibition potency of acetylcholinesterase. Saudi Pharmaceutical Journal, 2022, 30, 369-376. | 1.2 | 3 |
| 1133 | Ligand-based modeling of semicarbazones and thiosemicarbazones derivatives as Cathepsin B, H, and L inhibitors: A multi-target approach. Journal of Molecular Structure, 2022, 1257, 132612. | 1.8 | 3 |
| 1134 | The Design and Optimization of Monomeric Multitarget Peptides for the Treatment of Multifactorial Diseases. Journal of Medicinal Chemistry, 2022, 65, 3685-3705. | 2.9 | 1 |
| 1135 | The Influence of Betulin and Its Derivatives EB5 and ECH147 on the Antioxidant Status of Human Renal Proximal Tubule Epithelial Cells. International Journal of Molecular Sciences, 2022, 23, 2524. | 1.8 | 7 |
| 1136 | Research Advancements on Fluorinated and Non-Fluorinated 4-Phenyl(thio)ureido-Substituted 2,2-Dimethylchromans Acting as Inhibitors of Insulin Release and Smooth Muscle Relaxants. Medicinal Chemistry, 2022, 18, . | 0.7 | О |
| 1137 | Characterizing Lipidâ€Coated Mesoporous Silica Nanoparticles as CD169â€Binding Delivery System for Rilpivirine and Cabotegravir. Advanced NanoBiomed Research, 2022, 2, . | 1.7 | 3 |
| 1138 | QSAR Applied to 4-Chloro-3-formylcoumarin Derivatives Targeting Human Thymidine Phosphorylase. Clinical Complementary Medicine and Pharmacology, 2022, 2, 100031. | 0.9 | 1 |
| 1139 | A Simulation Model for the Non-Electrogenic Uniport Carrier-Assisted Transport of lons across Lipid Membranes. Membranes, 2022, 12, 292. | 1.4 | 2 |
| 1140 | Methodological Considerations in Development of UV Imaging for Characterization of Intra-Tumoral Injectables Using cAMP as a Model Substance. International Journal of Molecular Sciences, 2022, 23, 3599. | 1.8 | 3 |
| 1141 | Alternatingly Amphiphilic Antimicrobial Oligoguanidines: Structure–Property Relationship and Usage as the Coating Material with Unprecedented Hemocompatibility. Chemistry of Materials, 2022, 34, 3670-3682. | 3 . 2 | 6 |
| 1142 | A systematic method for selecting molecular descriptors as features when training models for predicting physiochemical properties. Fuel, 2022, 321, 123836. | 3.4 | 19 |
| 1143 | In-silico Studies of Thiopyridine Compounds as Anti-Bacterial agents Targeting Enoyl - Acyl Carrier Protein Reductase. Biosciences, Biotechnology Research Asia, 2021, 18, 801-815. | 0.2 | 0 |

| # | Article | IF | Citations |
|------|--|-------------|-----------|
| 1144 | Interpreting the Physicochemical Meaning of a Molecular Descriptor Which Is Predictive of Amorphous Solid Dispersion Formation in Polyvinylpyrrolidone Vinyl Acetate. Molecular Pharmaceutics, 2022, 19, 303-317. | 2.3 | 8 |
| 1145 | Bioconjugation of Active Ingredients to Plant Viral Nanoparticles Is Enhanced by Preincubation with a Pluronic F127 Polymer Scaffold. ACS Applied Materials & Interfaces, 2021, 13, 59618-59632. | 4.0 | 10 |
| 1146 | Scaffold-Hopping Approach To Identify New Chemotypes of Dimpropyridaz. Journal of Agricultural and Food Chemistry, 2022, 70, 11109-11122. | 2.4 | 5 |
| 1151 | A History of the Development of Data Mining in Pharmaceutical Research. , 0, , 1-23. | | 0 |
| 1153 | Virtual Laboratories- A historical review and bibliometric analysis of the past three decades. Education and Information Technologies, 2022, 27, 11055-11087. | 3. 5 | 26 |
| 1154 | Bioisosteric-Replacement-Driven Lead Optimization of Tyclopyrazoflor. Journal of Agricultural and Food Chemistry, 2022, 70, 11123-11137. | 2.4 | 7 |
| 1156 | Predicting skin permeability of pharmaceutical and cosmetic compounds using retention on octadecyl, cholesterol-bonded and immobilized artificial membrane columns. Journal of Chromatography A, 2022, 1676, 463271. | 1.8 | 4 |
| 1157 | Prediction of Combined Sorbent and Catalyst Materials for SE-SMR, Using QSPR and Multitask Learning. Industrial & Engineering Chemistry Research, 2022, 61, 9218-9233. | 1.8 | 4 |
| 1158 | Predicting Solubility Limits of Organic Solutes for a Wide Range of Solvents and Temperatures. Journal of the American Chemical Society, 2022, 144, 10785-10797. | 6.6 | 31 |
| 1159 | Development of an RHEB-Targeting Peptide To Inhibit mTORC1 Kinase Activity. ACS Omega, 0, , . | 1.6 | 1 |
| 1160 | In-silico and in-vitro studies on the efficacy of mangiferin against colorectal cancer. BMC Chemistry, 2022, 16, . | 1.6 | 2 |
| 1161 | Photoactivatable Materials for Versatile Single-Cell Patterning Based on the Photocaging of Cell-Anchoring Moieties through Lipid Self-Assembly. Journal of the American Chemical Society, 2022, 144, 13154-13162. | 6.6 | 7 |
| 1162 | Lipophilicity prediction of 3 photosensitizers by liquidâ€liquid extraction, HPLC, and DFT methods. Luminescence, 0, , . | 1.5 | 0 |
| 1163 | Mapping odorant sensitivities reveals a sparse but structured representation of olfactory chemical space by sensory input to the mouse olfactory bulb. ELife, 0, 11, . | 2.8 | 13 |
| 1164 | Population pharmacokinetic model to generate mechanistic insights in bile acid homeostasis and drug-induced cholestasis. Archives of Toxicology, 2022, 96, 2717-2730. | 1.9 | 2 |
| 1165 | Dualâ€Modulated Release of a Cytotoxic Photosensitizer Using Photogenerated Reactive Oxygen Species and Glutathione. Angewandte Chemie, 0, , . | 1.6 | 1 |
| 1166 | MolPredictX: Online Biological Activity Predictions by Machine Learning Models. Molecular Informatics, 2022, 41, . | 1.4 | 5 |
| 1167 | Dualâ€Modulated Release of a Cytotoxic Photosensitizer Using Photogenerated Reactive Oxygen Species and Glutathione. Angewandte Chemie - International Edition, 2022, 61, . | 7.2 | 3 |

| # | Article | IF | CITATIONS |
|------|--|-------------------|---------------------------------|
| 1168 | Molecular dynamics insight into phase separation and transport in anion-exchange membranes: Effect of hydrophobicity of backbones. Journal of Membrane Science, 2022, 661, 120922. | 4.1 | 28 |
| 1169 | TLC–Densitometry for Determination of Omeprazole in Simple and Combined Pharmaceutical Preparations. Pharmaceuticals, 2022, 15, 1016. | 1.7 | 3 |
| 1170 | Chelation of Zinc with Biogenic Amino Acids: Description of Properties Using Balaban Index, Assessment of Biological Activity on Spirostomum Ambiguum Cellular Biosensor, Influence on Biofilms and Direct Antibacterial Action. Pharmaceuticals, 2022, 15, 979. | 1.7 | 7 |
| 1171 | Fucoxanthin: A Promising Phytochemical on Diverse Pharmacological Targets. Frontiers in Pharmacology, 0, 13, . | 1.6 | 19 |
| 1172 | The ROC skin model: A robust skin equivalent for permeation and live cell imaging studies. European Journal of Pharmaceutical Sciences, 2022, 178, 106282. | 1.9 | 3 |
| 1173 | Revisiting Cerebrospinal Fluid Flow Direction and Rate in Physiologically Based Pharmacokinetic Model. Pharmaceutics, 2022, 14, 1764. | 2.0 | 8 |
| 1174 | Triterpenes from Momordica balsamina (African pumpkin): ABCB1 inhibition and synergistic interaction with doxorubicin in resistant cancer cells. Phytochemistry, 2022, 203, 113354. | 1.4 | 3 |
| 1175 | Rapid-killing efficacy substantiates the antiseptic property of the synergistic combination of carvacrol and nerol against nosocomial pathogens. Archives of Microbiology, 2022, 204, . | 1.0 | 4 |
| 1176 | Rational design of molecular rotor-based fluorescent probes with bi-aromatic rings for efficient in vivo detection of amyloid- \hat{l}^2 plaques in Alzheimer's disease. European Journal of Medicinal Chemistry, 2022, 243, 114715. | 2.6 | 9 |
| 1177 | Surface composition of size-selected sea salt particles under the influence of organic acids studied <i>in situ</i> using synchrotron radiation X-ray photoelectron spectroscopy. Environmental Science Atmospheres, 2022, 2, 1032-1040. | 0.9 | 2 |
| 1178 | Effects of Lipophilicity and Structural Features on the Antiherpes Activity of <i>Digitalis</i> Cardenolides and Derivatives. Chemistry and Biodiversity, 0, , . | 1.0 | 1 |
| 1179 | Experimental and computational evaluation of dipeptidyl peptidase III inhibitors based on quinazolinone-Schiff's bases. Journal of Biomolecular Structure and Dynamics, 2023, 41, 7567-7581. | 2.0 | 0 |
| 1180 | The choroid plexus: a missing link in our understanding of brain development and function. Physiological Reviews, 2023, 103, 919-956. | 13.1 | 17 |
| 1181 | Fluoroquinolone Derivatives in the Treatment of Mycobacterium tuberculosis Infection. Pharmaceuticals, 2022, 15, 1213. | 1.7 | 1 |
| 1182 | Evaluation of the Key Structural Features of Various Butyrylcholinesterase Inhibitors Using Simple Molecular Descriptors. Molecules, 2022, 27, 6894. | 1.7 | 5 |
| 1183 | Prediction of Plasticizer Property Based on an Improved Genetic Algorithm. Polymers, 2022, 14, 4284. | 2.0 | 0 |
| 1184 | Systematic Investigation of Wet-Milling Kinetics and Colloidal Stability of Pharmaceutical Nanocrystals. Crystal Growth and Design, 2022, 22, 6928-6940. | 1.4 | 1 |
| 1185 | Prediction of Retention Time and Collision Cross Section (CCS _{H+} , CCS _{Hâ€"} , and) Tj E Chemical Information and Modeling, 2022, 62, 5425-5434. | TQq1 1 0.7 2.5 | 784314 rgB <mark>T</mark> 12 |

| # | Article | IF | Citations |
|------|--|-----|-----------|
| 1186 | Design, synthesis, molecular docking and biological evaluation of \hat{l}^2 -carboline derivatives as cholinesterase inhibitors. Journal of Molecular Structure, 2023, 1273, 134291. | 1.8 | 1 |
| 1187 | Indoor partitioning and potential thirdhand exposure to carbonyl flavoring agents added in e-cigarettes and hookah tobacco. Environmental Sciences: Processes and Impacts, 2022, 24, 2294-2309. | 1.7 | 2 |
| 1188 | Investigating and Comparing the Applicability of the R3m Molecular Descriptor and Solubility Parameter Estimation Approaches in Predicting Dispersion Formation Potential of APIs in a Random Co-Polymer Polyvinylpyrrolidone Vinyl Acetate and its Homopolymer. Journal of Pharmaceutical Sciences, 2023, 112, 318-327. | 1.6 | 2 |
| 1189 | Efficacy of novel SPAK inhibitor ZT-1a derivatives (1c, 1d, 1g & D) on improving post-stroke neurological outcome and brain lesion in mice. Neurochemistry International, 2023, 162, 105441. | 1.9 | 2 |
| 1190 | Comparative chemometric analysis, ranking and selection of lipophilicity parameters of 6-chloro-1,3,5-triazine derivatives with acyclic and cyclic substituents. Acta Periodica Technologica, 2022, , 88-99. | 0.5 | 0 |
| 1191 | An Activatable NIRâ€II Fluorescent Reporter for In Vivo Imaging of Amyloidâ€Î² Plaques. Angewandte Chemie - International Edition, 2023, 62, . | 7.2 | 29 |
| 1192 | Machine learning in accelerating microsphere formulation development. Drug Delivery and Translational Research, 2023, 13, 966-982. | 3.0 | 2 |
| 1193 | Activatable NIRâ€H Fluorescent Reporter for in Vivo Imaging of Amyloidâ€Î² Plaques. Angewandte Chemie, 0, , | 1.6 | O |
| 1194 | Entry of the antipsychotic drug, olanzapine, into the developing rat brain in mono- and combination therapies. F1000Research, 0, 11, 1417. | 0.8 | 0 |
| 1195 | Analysis of degradation products of Novichok agents in human urine by hydrophilic interaction liquid chromatography–tandem mass spectrometry. Forensic Toxicology, 2023, 41, 221-229. | 1.4 | 7 |
| 1196 | Protein Release by Controlled Desorption from Transiently Cationic Nanoparticles. ACS Applied Materials & Samp; Interfaces, 2023, 15, 50560-50573. | 4.0 | 1 |
| 1197 | A PLS study on the psychotropic activity for a series of cannabinoid compounds. Journal of Molecular Modeling, 2023, 29, . | 0.8 | 3 |
| 1198 | Developmental changes in the extent of drug binding to rat plasma proteins. Scientific Reports, 2023, 13, . | 1.6 | 3 |
| 1199 | Supramolecular organization and dynamics of mannosylated phosphatidylinositol lipids in the mycobacterial plasma membrane. Proceedings of the National Academy of Sciences of the United States of America, 2023, 120, . | 3.3 | 9 |
| 1200 | Flavones., 2023,, 1-48. | | 0 |
| 1201 | Nitrobenzoates and Nitrothiobenzoates with Activity against M. tuberculosis. Microorganisms, 2023, 11, 969. | 1.6 | 0 |
| 1202 | Fluorinated tetrapodal anion transporters. IScience, 2023, 26, 105988. | 1.9 | 1 |
| 1203 | Applications of New Generation Solvents for Extraction of Herbal Products Prior to Atomic and Molecular Analysis. Journal of the Turkish Chemical Society, Section A: Chemistry, 0, , 117-128. | 0.4 | 0 |

| # | Article | IF | CITATIONS |
|------|---|------|-----------|
| 1204 | Synthesis and biological evaluation of 2,5-disubstituted furan derivatives containing 1,3-thiazole moiety as potential l±â€glucosidase inhibitors. Bioorganic and Medicinal Chemistry Letters, 2023, 83, 129173. | 1.0 | 7 |
| 1205 | Physical properties of computationally informed phyto-engineered 2-D nanoscaled hydronium jarosite. Scientific Reports, 2023, 13, . | 1.6 | 3 |
| 1206 | Entry of the antipsychotic drug, olanzapine, into the developing rat brain in mono- and combination therapies. F1000Research, 0, 11, 1417. | 0.8 | 2 |
| 1207 | Nanomedicine strategies to improve therapeutic agents for the prevention and treatment of preterm birth and future directions. Nanoscale Advances, 2023, 5, 1870-1889. | 2.2 | 2 |
| 1208 | Quantitative Structure-Activity Relationship (QSAR) modelling of the activity of anti-colorectal cancer agents featuring quantum chemical predictors and interaction terms. Results in Chemistry, 2023, 5, 100888. | 0.9 | 2 |
| 1210 | Stimulating Transcription in Antibiotic-Tolerant Escherichia coli Sensitizes It to Fluoroquinolone and Nonfluoroquinolone Topoisomerase Inhibitors. Antimicrobial Agents and Chemotherapy, 2023, 67, | 1.4 | 1 |
| 1211 | A combined <i>in silico</i> approaches of 2D-QSAR, molecular docking, molecular dynamics and ADMET prediction of anti-cancer inhibitor activity for actinonin derivatives. Journal of Biomolecular Structure and Dynamics, 2024, 42, 119-133. | 2.0 | 1 |
| 1212 | Machine learning for synergistic network pharmacology: a comprehensive overview. Briefings in Bioinformatics, 2023, 24, . | 3.2 | 24 |
| 1213 | MOF-derived Co/Fe@NPC-500 with large amounts of low-valent metals as an electro-Fenton cathode for efficient degradation of ceftazidime. Applied Catalysis B: Environmental, 2023, 333, 122755. | 10.8 | 21 |
| 1214 | Pharmacophore Modeling Guided by Conformational Dynamics Reveals Potent Anticancer Agents. Journal of Natural and Applied Sciences, 2023, 27, 51-63. | 0.1 | 0 |
| 1215 | Spectroscopic (FT-IR, FT-Raman, UV-vis and NMR) Investigation, Molecular Structure, Docking and Chemical Reactivity Elucidation of Antifungal Drug Tioconazole. Polycyclic Aromatic Compounds, 0, , 1-25. | 1.4 | 0 |
| 1218 | Molecular Dynamics Simulations as a Tool to Understand Drug Solubilization in Pharmaceutical Systems. , 2024, , 865-885. | | 1 |
| 1223 | Recent Advances in Computational Modeling of Multi-targeting Inhibitors as Anti-Alzheimer Agents. Neuromethods, 2023, , 231-277. | 0.2 | 0 |
| 1234 | Flavones. , 2023, , 111-158. | | O |
| 1235 | In silico Approaches to Tyrosine Kinase Inhibitors' Development. , 2023, , 150-178. | | 0 |
| 1241 | Progress and future of the computational design of antimicrobial peptides (AMPs): bio-inspired functional molecules. , 0, , . | | 0 |