

CITATION REPORT

List of articles citing

The relationship between time since registration and measured incidence rates in the General Practice Research Database

DOI: 10.1002/pds.1115

Pharmacoepidemiology and Drug Safety, 2005, 14, 443-51.

Source: <https://exaly.com/paper-pdf/38555243/citation-report.pdf>

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
268	Current awareness: Pharmacoepidemiology and drug safety. <i>Pharmacoepidemiology and Drug Safety</i> , 2005 , 14, i-xii	2.6	
267	Women with a prior diagnosis of breast cancer are not at an increased risk for subsequent colorectal cancer. 2005 , 100, 2759-64		12
266	Incidence and risk factors for herpes zoster among patients with inflammatory bowel disease. <i>Clinical Gastroenterology and Hepatology</i> , 2006 , 4, 1483-90	6.9	145
265	Incidence of Guillain-Barré syndrome among patients with Campylobacter infection: a general practice research database study. 2006 , 194, 95-7		78
264	Long-term proton pump inhibitor therapy and risk of hip fracture. 2006 , 296, 2947-53		816
263	Guillain-Barré syndrome and preceding infection with campylobacter, influenza and Epstein-Barr virus in the general practice research database. <i>PLoS ONE</i> , 2007 , 2, e344	3.7	129
262	Risk for active tuberculosis in inflammatory bowel disease patients. <i>Clinical Gastroenterology and Hepatology</i> , 2007 , 5, 1070-5	6.9	50
261	Chronic proton pump inhibitor therapy and the risk of colorectal cancer. 2007 , 133, 748-54		91
260	Incidence of systemic lupus erythematosus in the United Kingdom, 1990-1999. 2007 , 57, 612-8		92
259	Validation studies of the health improvement network (THIN) database for pharmacoepidemiology research. <i>Pharmacoepidemiology and Drug Safety</i> , 2007 , 16, 393-401	2.6	462
258	Chronic statin therapy and the risk of colorectal cancer. <i>Pharmacoepidemiology and Drug Safety</i> , 2008 , 17, 869-76	2.6	46
257	Epidemiology of systemic lupus erythematosus in the United Kingdom: comment on the article by Somers et al. 2008 , 59, 297; author reply 297-8		1
256	Reply. 2008 , 59, 297-298		
255	Incidence and mortality of primary sclerosing cholangitis in the UK: a population-based cohort study. 2008 , 48, 939-44		99
254	Incidence and prevalence of cirrhosis in the United Kingdom, 1992-2001: a general population-based study. 2008 , 49, 732-8		128
253	Immunosuppressant medications and mortality in inflammatory bowel disease. 2008 , 103, 1428-35; quiz 1436		84
252	Bullous pemphigoid and pemphigus vulgaris--incidence and mortality in the UK: population based cohort study. <i>BMJ, The</i> , 2008 , 337, a180	5.9	382

251	The epidemiology of Takayasu arteritis in the UK. <i>Rheumatology</i> , 2009 , 48, 1008-11	3.9	154
250	Are individuals with an autoimmune disease at higher risk of a second autoimmune disorder?. 2009 , 169, 749-55		110
249	Use of self-controlled analytical techniques to assess the association between use of prescription medications and the risk of motor vehicle crashes. 2009 , 169, 761-8		77
248	Prevalence and incidence of Wegener's granulomatosis in the UK general practice research database. 2009 , 61, 1412-6		88
247	Cancer incidence in The Health Improvement Network. <i>Pharmacoepidemiology and Drug Safety</i> , 2009 , 18, 730-6	2.6	58
246	The epidemiology of haemochromatosis: a population-based study. <i>Alimentary Pharmacology and Therapeutics</i> , 2009 , 29, 183-92	6.1	23
245	A population-based study of perforated diverticular disease incidence and associated mortality. 2009 , 136, 1198-205		68
244	Recent trends in the incidence of recorded depression in primary care. <i>British Journal of Psychiatry</i> , 2009 , 195, 520-4	5.4	109
243	Factors associated with the use of corticosteroids in the initial management of idiopathic pulmonary fibrosis. <i>Pharmacoepidemiology and Drug Safety</i> , 2010 , 19, 756-62	2.6	5
242	Is there an anti-inflammatory effect of statins in rheumatoid arthritis? Analysis of a large routinely collected claims database. 2010 , 69, 85-94		16
241	Effect of treatment guidelines on the initial management of idiopathic pulmonary fibrosis. 2010 , 70, 118-25		4
240	Do selected drugs increase the risk of lupus? A matched case-control study. 2010 , 70, 588-96		44
239	The risk of depression, anxiety, and suicidality in patients with psoriasis: a population-based cohort study. 2010 , 146, 891-5		405
238	Survival of people with clinical diagnosis of dementia in primary care: cohort study. <i>BMJ, The</i> , 2010 , 341, c3584	5.9	141
237	Hip fracture risk in patients with a diagnosis of pernicious anemia. 2010 , 138, 1330-7		35
236	Concurrent drug use and the risk of perforated colonic diverticular disease: a population-based case-control study. <i>Gut</i> , 2011 , 60, 219-24	19.2	91
235	No increased risk of myocardial infarction among patients with ulcerative colitis or Crohn's disease. <i>Clinical Gastroenterology and Hepatology</i> , 2011 , 9, 875-80	6.9	60
234	Temporal and within practice variability in the health improvement network. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 948-55	2.6	17

233	Prevalence of long-term oral glucocorticoid prescriptions in the UK over the past 20 years. <i>Rheumatology</i> , 2011 , 50, 1982-90	3.9	155
232	Serum bilirubin and risk of respiratory disease and death. 2011 , 305, 691-7		137
231	Constituent country inequalities in myocardial infarction incidence and case fatality in men and women in the United Kingdom, 1996-2005. 2011 , 33, 131-8		10
230	Antibiotic exposure and IBD development among children: a population-based cohort study. 2012 , 130, e794-803		257
229	Incidence, mortality, and disease associations of pyoderma gangrenosum in the United Kingdom: a retrospective cohort study. 2012 , 132, 2166-70		134
228	Role of acute diverticulitis in the development of complicated colonic diverticular disease and 1-year mortality after diagnosis in the UK: population-based cohort study. <i>Gut</i> , 2012 , 61, 95-100	19.2	55
227	Comparing data-mining algorithms developed for longitudinal observational databases. 2012 ,		2
226	Defining upper gastrointestinal bleeding from linked primary and secondary care data and the effect on occurrence and 28 day mortality. 2012 , 12, 392		22
225	Trends in depression and antidepressant prescribing in children and adolescents: a cohort study in The Health Improvement Network (THIN). <i>PLoS ONE</i> , 2012 , 7, e33181	3.7	67
224	Recent trends in the incidence of anxiety diagnoses and symptoms in primary care. <i>PLoS ONE</i> , 2012 , 7, e41670	3.7	44
223	Prescription of antiviral therapy after herpes zoster in general practice: who receives therapy?. <i>British Journal of General Practice</i> , 2012 , 62, e808-14	1.6	8
222	Risk of cardiovascular events in people prescribed glucocorticoids with iatrogenic Cushing's syndrome: cohort study. <i>BMJ, The</i> , 2012 , 345, e4928	5.9	61
221	Colorectal cancer incidence on the General Practice Research Database. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 775-783	2.6	7
220	Incidence of infections in patients with giant cell arteritis: a cohort study. 2012 , 64, 581-8		39
219	Risk of myocardial infarction associated with chronic hepatitis C virus infection: a population-based cohort study. 2012 , 19, 271-7		51
218	Type 2 diabetes mellitus and survival in pancreatic adenocarcinoma: a retrospective cohort study. 2013 , 119, 404-10		31
217	Time trends in incidence of Parkinson's disease diagnosis in UK primary care. 2013 , 260, 1351-7		29
216	Comparison of algorithms that detect drug side effects using electronic healthcare databases. 2013 , 17, 2381-2397		12

215	The risk of cardiovascular disease in systemic sclerosis: a population-based cohort study. 2013 , 72, 1188-93		89
214	An excess of prior irritable bowel syndrome diagnoses or treatments in Celiac disease: evidence of diagnostic delay. 2013 , 48, 801-7		19
213	Identifying periods of acceptable computer usage in primary care research databases. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 64-9	2.6	106
212	Relative incidence of common cancers in people with severe mental illness. Cohort study in the United Kingdom THIN primary care database. <i>Schizophrenia Research</i> , 2013 , 143, 44-9	3.6	28
211	Prevalence and treatment patterns of psoriatic arthritis in the UK. <i>Rheumatology</i> , 2013 , 52, 568-75	3.9	87
210	First diagnosis and management of incontinence in older people with and without dementia in primary care: a cohort study using The Health Improvement Network primary care database. <i>PLoS Medicine</i> , 2013 , 10, e1001505	11.6	46
209	Stimulant treatment and injury among children with attention deficit hyperactivity disorder: an application of the self-controlled case series study design. 2013 , 19, 164-70		31
208	Metformin and survival in pancreatic cancer: a retrospective cohort study. 2013 , 42, 1054-9		50
207	Population-based study of presentation and adverse outcomes after femoral hernia surgery. 2013 , 100, 1827-32		22
206	Adverse events recorded in English primary care: observational study using the General Practice Research Database. <i>British Journal of General Practice</i> , 2013 , 63, e534-42	1.6	23
205	Incidence of community-acquired lower respiratory tract infections and pneumonia among older adults in the United Kingdom: a population-based study. <i>PLoS ONE</i> , 2013 , 8, e75131	3.7	110
204	Colorectal cancer risk reduction following macrogol exposure: a cohort and nested case control study in the UK. <i>PLoS ONE</i> , 2013 , 8, e83203	3.7	2
203	The incidence of other gastroenterological disease following diagnosis of irritable bowel syndrome in the UK: a cohort study. <i>PLoS ONE</i> , 2014 , 9, e106478	3.7	27
202	Refining Adverse Drug Reactions Using Association Rule Mining for Electronic Healthcare Data. <i>SSRN Electronic Journal</i> , 2014 ,	1	2
201	Digoxin use and the risk for colorectal cancer. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 1147-53	2.6	16
200	Risk of stroke following herpes zoster: a self-controlled case-series study. 2014 , 58, 1497-503		89
199	Quantification of risk factors for herpes zoster: population based case-control study. <i>BMJ, The</i> , 2014 , 348, g2911	5.9	133
198	Risk of fracture in urolithiasis: a population-based cohort study using the health improvement network. 2014 , 9, 2133-40		48

197	Refining Adverse Drug Reactions Using Association Rule Mining for Electronic Healthcare Data. 2014 ,		4
196	Incorporating Spontaneous Reporting System Data to Aid Causal Inference in Longitudinal Healthcare Data. 2014 ,		
195	New estimates of the burden of acute community-acquired infections among older people with diabetes mellitus: a retrospective cohort study using linked electronic health records. 2014 , 31, 606-14		61
194	Distinguishing incident and prevalent diabetes in an electronic medical records database. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 111-8	2.6	21
193	Diagnosis of pernicious anemia and the risk of pancreatic cancer. 2014 , 43, 422-6		4
192	Are IBD patients more likely to have a prior diagnosis of irritable bowel syndrome? Report of a case-control study in the General Practice Research Database. 2014 , 2, 505-12		31
191	Height as an independent anthropomorphic risk factor for colorectal cancer. 2014 , 26, 1422-7		6
190	1 and 5 year survival estimates for people with cirrhosis of the liver in England, 1998-2009: a large population study. 2014 , 60, 282-9		82
189	Chickenpox and risk of stroke: a self-controlled case series analysis. 2014 , 58, 61-8		50
188	Incidence and prevalence of celiac disease and dermatitis herpetiformis in the UK over two decades: population-based study. 2014 , 109, 757-68		178
187	Diagnosis of liver cirrhosis in England, a cohort study, 1998-2009: a comparison with cancer. 2014 , 109, 190-8		48
186	Injury among children and young adults with epilepsy. 2014 , 133, 827-35		29
185	A novel semisupervised algorithm for rare prescription side effect discovery. 2014 , 18, 537-47		4
184	A comparison of the recording of comorbidity in primary and secondary care by using the Charlson Index to predict short-term and long-term survival in a routine linked data cohort. <i>BMJ Open</i> , 2015 , 5, e007974	3	53
183	Smoke-free legislation and the incidence of paediatric respiratory infections and wheezing/asthma: interrupted time series analyses in the four UK nations. 2015 , 5, 15246		8
182	Monitoring of patients on long-term glucocorticoid therapy: a population-based cohort study. 2015 , 94, e647		22
181	Risk of community-acquired pneumonia in patients with a diagnosis of pernicious anemia: a population-based retrospective cohort study. 2015 , 27, 1259-64		6
180	Body mass index and all-cause mortality in patients with hypertension. 2015 , 23, 1712-20		12

179	Bariatric Surgery in the United Kingdom: A Cohort Study of Weight Loss and Clinical Outcomes in Routine Clinical Care. <i>PLoS Medicine</i> , 2015 , 12, e1001925	11.6	85
178	A Supervised Adverse Drug Reaction Signalling Framework Imitating Bradford Hill's Causality Considerations. <i>SSRN Electronic Journal</i> , 2015 ,	1	
177	Health Information Science. <i>Lecture Notes in Computer Science</i> , 2015 ,	0.9	2
176	The effect of past antibiotic exposure on diabetes risk. 2015 , 172, 639-48		107
175	Prediagnostic presentations of Parkinson's disease in primary care: a case-control study. 2015 , 14, 57-64		336
174	A supervised adverse drug reaction signalling framework imitating Bradford Hill's causality considerations. 2015 , 56, 356-68		12
173	Optimal systolic blood pressure target, time to intensification, and time to follow-up in treatment of hypertension: population based retrospective cohort study. <i>BMJ, The</i> , 2015 , 350, h158	5.9	91
172	Thyroid dysfunction, thyroid hormone replacement and colorectal cancer risk. 2015 , 107, djv084		25
171	Impact of antibiotic exposure on the risk of colorectal cancer. <i>Pharmacoepidemiology and Drug Safety</i> , 2015 , 24, 534-42	2.6	57
170	Anti-depressant therapy and cancer risk: a nested case-control study. 2015 , 25, 1147-57		14
169	Socioeconomic variation in the incidence of childhood coeliac disease in the UK. 2015 , 100, 466-73		30
168	Mental illness, challenging behaviour, and psychotropic drug prescribing in people with intellectual disability: UK population based cohort study. <i>BMJ, The</i> , 2015 , 351, h4326	5.9	153
167	Risk of tuberculosis in patients with diabetes: population based cohort study using the UK Clinical Practice Research Datalink. <i>BMC Medicine</i> , 2015 , 13, 135	11.4	34
166	How Does Cardiovascular Disease First Present in Women and Men? Incidence of 12 Cardiovascular Diseases in a Contemporary Cohort of 1,937,360 People. 2015 , 132, 1320-8		106
165	Recurrent antibiotic exposure may promote cancer formation--Another step in understanding the role of the human microbiota?. 2015 , 51, 2655-64		154
164	Disentangling the Association between Statins, Cholesterol, and Colorectal Cancer: A Nested Case-Control Study. <i>PLoS Medicine</i> , 2016 , 13, e1002007	11.6	35
163	Statin use and the risk of herpes zoster: a nested case-control study using primary care data from the U.K. Clinical Research Practice Datalink. <i>British Journal of Dermatology</i> , 2016 , 175, 1183-1194	4	18
162	The Association of Smoking and Surgery in Inflammatory Bowel Disease is Modified by Age at Diagnosis. 2016 , 7, e165		12

161	The risk of community-acquired pneumonia among 9803 patients with coeliac disease compared to the general population: a cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2016 , 44, 57-67	6.1	25
160	Reappraisal of risk factors for monoclonal gammopathy of undetermined significance. 2016 , 91, 581-4		10
159	Early real-world evidence of persistence on oral anticoagulants for stroke prevention in non-valvular atrial fibrillation: a cohort study in UK primary care. <i>BMJ Open</i> , 2016 , 6, e011471	3	41
158	The incidence, prevalence and mortality of granulomatosis with polyangiitis in the UK Clinical Practice Research Datalink. <i>Rheumatology</i> , 2017 , 56, 589-596	3.9	12
157	Parkinson's disease and colorectal cancer risk-A nested case control study. 2016 , 43, 9-14		15
156	Methodological challenges when carrying out research on CKD and AKI using routine electronic health records. 2016 , 90, 943-949		22
155	Pernicious anemia and colorectal cancer risk - A nested case-control study. 2016 , 48, 1386-1390		6
154	Computing disease incidence, prevalence and comorbidity from electronic medical records. 2016 , 63, 108-111		12
153	Pharmacosurveillance without borders: electronic health records in different countries can be used to address important methodological issues in estimating the risk of adverse events. 2016 , 77, 101-111		6
152	Ion channel blockers and glioblastoma risk and outcome: a nested case-control and retrospective cohort studies. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 1179-1185	2.6	1
151	The Pattern of Underlying Cause of Death in Patients with Inflammatory Bowel Disease in England: A Record Linkage Study. 2017 , 11, 578-585		6
150	An association between newly diagnosed cutaneous T cell lymphoma and prior impetigo: a nested case-control study. 2016 , 308, 661-664		2
149	Partner Bereavement and Risk of Herpes Zoster: Results from Two Population-Based Case-Control Studies in Denmark and the United Kingdom. 2017 , 64, 572-579		13
148	Validation of a coding algorithm for intra-abdominal surgeries and adhesion-related complications in an electronic medical records database. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 405-12	2.6	3
147	Obesity, Renin-Angiotensin System Blockade and Risk of Adverse Renal Outcomes: A Population-Based Cohort Study. 2016 , 43, 431-40		10
146	Backdating of events in electronic primary health care data: should one censor at the date of last data collection. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 378-84	2.6	7
145	The incidence and prevalence of systemic lupus erythematosus in the UK, 1999-2012. 2016 , 75, 136-41		141
144	Assessing the risk of incident hypertension and chronic kidney disease after exposure to shock wave lithotripsy and ureteroscopy. 2016 , 89, 185-92		38

143	A Risk Prediction Model for Sporadic CRC Based on Routine Lab Results. 2016 , 61, 2076-86		8
142	Changes in the incidence, prevalence and mortality of bronchiectasis in the UK from 2004 to 2013: a population-based cohort study. <i>European Respiratory Journal</i> , 2016 , 47, 186-93	13.6	275
141	Risk of Nonmelanoma Skin Cancer Associated With the Use of Immunosuppressant and Biologic Agents in Patients With a History of Autoimmune Disease and Nonmelanoma Skin Cancer. 2016 , 152, 164-72		88
140	Assessment of Sex Differences in Fracture Risk Among Patients With Anorexia Nervosa: A Population-Based Cohort Study Using The Health Improvement Network. 2017 , 32, 1082-1089		29
139	Rheumatoid arthritis is getting less frequent-results of a nationwide population-based cohort study. <i>Rheumatology</i> , 2017 , 56, 736-744	3.9	37
138	Proton pump inhibitors on pancreatic cancer risk and survival. 2017 , 46, 80-84		33
137	Association of Depression and Treated Depression With Epilepsy and Seizure Outcomes: A Multicohort Analysis. 2017 , 74, 533-539		93
136	Trends in the Diagnosis of Vitamin D Deficiency. 2017 , 139,		32
135	Assessing recording delays in general practice records to inform near real-time vaccine safety surveillance using the Clinical Practice Research Datalink (CPRD). <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 437-445	2.6	11
134	Prevalence, incidence, indication, and choice of antidepressants in patients with and without chronic kidney disease: a matched cohort study in UK Clinical Practice Research Datalink. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 792-801	2.6	11
133	Herpes zoster risk after 21 specific cancers: population-based case-control study. 2017 , 116, 1643-1651		33
132	Evaluation of algorithms to identify incident cancer cases by using French health administrative databases. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 935-944	2.6	10
131	Risk factors for developing acute kidney injury in older people with diabetes and community-acquired pneumonia: a population-based UK cohort study. 2017 , 18, 142		14
130	Trends in the incidence of chronic fatigue syndrome and fibromyalgia in the UK, 2001-2013: a Clinical Practice Research Datalink study. 2017 , 110, 231-244		26
129	Statin prescribing for people with severe mental illnesses: a staggered cohort study of Real-worldR impacts. <i>BMJ Open</i> , 2017 , 7, e013154	3	11
128	Impact of the national rotavirus vaccination programme on acute gastroenteritis in England and associated costs averted. <i>Vaccine</i> , 2017 , 35, 680-686	4.1	35
127	A Clinical Prediction Model to Assess Risk for Pancreatic Cancer Among Patients With New-Onset Diabetes. 2017 , 152, 840-850.e3		78
126	Trends in the burden of varicella in UK general practice. 2017 , 145, 2678-2682		2

125	Movement side effects of antipsychotic drugs in adults with and without intellectual disability: UK population-based cohort study. <i>BMJ Open</i> , 2017 , 7, e017406	3	37
124	Risk of Urolithiasis in Anorexia Nervosa: A Population-Based Cohort Study Using the Health Improvement Network. 2017 , 25, 406-410		4
123	Incidence, prevalence, and natural history of primary sclerosing cholangitis in the United Kingdom. 2017 , 96, e7116		36
122	Implementing near real-time vaccine safety surveillance using the Clinical Practice Research Datalink (CPRD). <i>Vaccine</i> , 2017 , 35, 6885-6892	4.1	7
121	Health care resource use by patients before and after a diagnosis of chronic fatigue syndrome (CFS/ME): a clinical practice research datalink study. 2017 , 18, 60		13
120	Increased rates of sequelae post-encephalitis in individuals attending primary care practices in the United Kingdom: a population-based retrospective cohort study. 2017 , 264, 407-415		18
119	Interval between onset of psoriasis and psoriatic arthritis comparing the UK Clinical Practice Research Datalink with a hospital-based cohort. <i>Rheumatology</i> , 2017 , 56, 2109-2113	3.9	38
118	Ethnicity and the first diagnosis of a wide range of cardiovascular diseases: Associations in a linked electronic health record cohort of 1 million patients. <i>PLoS ONE</i> , 2017 , 12, e0178945	3.7	40
117	Rheumatoid arthritis and excess mortality: down but not out. A primary care cohort study using data from Clinical Practice Research Datalink. <i>Rheumatology</i> , 2018 , 57, 977-981	3.9	29
116	An electronic health records cohort study on heart failure following myocardial infarction in England: incidence and predictors. <i>BMJ Open</i> , 2018 , 8, e018331	3	21
115	Proton-Pump Inhibitors and Long-Term Risk of Community-Acquired Pneumonia in Older Adults. 2018 , 66, 1332-1338		33
114	Medication class enrichment analysis: a novel algorithm to analyze multiple pharmacologic exposures simultaneously using electronic health record data. 2018 , 25, 780-789		2
113	Inequalities in zoster disease burden: a population-based cohort study to identify social determinants using linked data from the U.K. Clinical Practice Research Datalink. <i>British Journal of Dermatology</i> , 2018 , 178, 1324-1330	4	8
112	Signal Detection for Recently Approved Products: Adapting and Evaluating Self-Controlled Case Series Method Using a US Claims and UK Electronic Medical Records Database. 2018 , 41, 523-536		9
111	Promises and pitfalls of electronic health record analysis. 2018 , 61, 1241-1248		32
110	Mood Disorders and Risk of Herpes Zoster in 2 Population-Based Case-Control Studies in Denmark and the United Kingdom. 2018 , 187, 1019-1028		8
109	Novel insights into the aetiology of granulomatosis with polyangiitis-a case-control study using the Clinical Practice Research Datalink. <i>Rheumatology</i> , 2018 , 57, 1002-1010	3.9	8
108	Chronic therapy with selective serotonin reuptake inhibitors and survival in newly diagnosed cancer patients. 2018 , 27, e12666		8

107	Statin prescribing for prevention of cardiovascular disease amongst people with severe mental illness: Cohort study in UK primary care. <i>Schizophrenia Research</i> , 2018 , 192, 219-225	3.6	7
106	Sociodemographic inequalities in the management of depression in adults aged 55 and over: an analysis of English primary care data. 2018 , 48, 1504-1513		15
105	Incidence, Risk Factors, and Clinical Effects of Recurrent Diverticular Hemorrhage: A Large Cohort Study. 2018 , 155, 1416-1427		15
104	Incidence and risk of celiac disease after type 1 diabetes: A population-based cohort study using the health improvement network database. <i>Pediatric Diabetes</i> , 2018 , 19, 1422-1428	3.6	8
103	Do delays in data availability limit the implementation of near real-time vaccine safety surveillance using the Clinical Practice Research Datalink?. <i>Pharmacoepidemiology and Drug Safety</i> , 2018 , 27, 25-29	2.6	4
102	Severe and predominantly active atopic eczema in adulthood and long term risk of cardiovascular disease: population based cohort study. <i>BMJ, The</i> , 2018 , 361, k1786	5.9	54
101	Injury among children and young people with and without attention-deficit hyperactivity disorder in the community: The risk of fractures, thermal injuries, and poisonings. 2018 , 44, 871-878		10
100	The incidence, prevalence, and survival of systemic sclerosis in the UK Clinical Practice Research Datalink. 2018 , 37, 2103-2111		47
99	Decreasing incidence of pharmacologically and non-pharmacologically treated type 2 diabetes in Norway: a nationwide study. 2018 , 61, 2310-2318		26
98	Chronic kidney disease and cause-specific hospitalisation: a matched cohort study using primary and secondary care patient data. <i>British Journal of General Practice</i> , 2018 , 68, e512-e523	1.6	14
97	Risk of fracture among patients with polymyalgia rheumatica and giant cell arteritis: a population-based study. <i>BMC Medicine</i> , 2018 , 16, 4	11.4	31
96	Oral Antibiotic Exposure and Kidney Stone Disease. 2018 , 29, 1731-1740		65
95	Patterns and temporal trends of comorbidity among adult patients with incident cardiovascular disease in the UK between 2000 and 2014: A population-based cohort study. <i>PLoS Medicine</i> , 2018 , 15, e1002513	11.6	54
94	Do β -adrenoreceptor blocking drugs associate with reduced risk of symptomatic osteoarthritis and total joint replacement in the general population? A primary care-based, prospective cohort study using the Clinical Practice Research Datalink. <i>BMJ Open</i> , 2019 , 9, e032050	3	0
93	Incidence and prevalence of psoriasis in Israel between 2011 and 2017. 2019 , 33, 2075-2081		15
92	Factors associated with discontinuation of antidepressant treatment after a single prescription among patients aged 55 or over: evidence from English primary care. 2019 , 54, 1545-1553		4
91	Electronic Health Record Databases. 2019 , 241-289		2
90	Descriptive Analysis of Long- and Intermediate-Acting Insulin and Key Safety Outcomes in Adults with Type 2 Diabetes Mellitus. 2019 , 25, 1162-1171		1

89	Methods to generate and validate a Pregnancy Register in the UK Clinical Practice Research Datalink primary care database. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 923-933	2.6	24
88	Blood pressure and risk of dementia and its subtypes: a historical cohort study with long-term follow-up in 2.6 million people. 2019 , 26, 1479-1486		8
87	Proceed with Caution When Using Real World Data and Real World Evidence. 2019 , 34, e28		31
86	Predicting diagnosis of Parkinson's disease: A risk algorithm based on primary care presentations. <i>Movement Disorders</i> , 2019 , 34, 480-486	7	39
85	Socioeconomic deprivation and regional variation in Hodgkin's lymphoma incidence in the UK: a population-based cohort study of 10 million individuals. <i>BMJ Open</i> , 2019 , 9, e029228	3	2
84	Elevated Vitamin B12 Levels and Cancer Risk in UK Primary Care: A THIN Database Cohort Study. 2019 , 28, 814-821		23
83	Total Serum Cholesterol and Pancreatic Cancer: A Nested Case-Control Study. 2019 , 28, 363-369		8
82	Modifiable risk factors and the development of psoriatic arthritis in people with psoriasis. <i>British Journal of Dermatology</i> , 2020 , 182, 714-720	4	29
81	Atopic Eczema in Adulthood and Risk of Depression and Anxiety: A Population-Based Cohort Study. 2020 , 8, 248-257.e16		28
80	Inflammatory Bowel Diseases Are Associated With an Increased Risk for Chronic Kidney Disease, Which Decreases With Age. <i>Clinical Gastroenterology and Hepatology</i> , 2020 , 18, 2262-2268	6.9	14
79	Allergic disease, corticosteroid use, and risk of Hodgkin lymphoma: A United Kingdom nationwide case-control study. 2020 , 145, 868-876		6
78	The association between chronic kidney disease and tuberculosis; a comparative cohort study in England. 2020 , 21, 420		5
77	Factors associated with COVID-19-related death using OpenSAFELY. 2020 , 584, 430-436		2504
76	Twenty-year sociodemographic trends in lung cancer in non-smokers: A UK-based cohort study of 3.7 million people. 2020 , 67, 101771		5
75	Incidence and prevalence of inflammatory bowel disease in UK primary care: a population-based cohort study. <i>BMJ Open</i> , 2020 , 10, e036584	3	15
74	What are the implications of using individual and combined sources of routinely collected data to identify and characterise incident site-specific cancers? a concordance and validation study using linked English electronic health records data. <i>BMJ Open</i> , 2020 , 10, e037719	3	2
73	Validation study of bullous pemphigoid and pemphigus vulgaris recording in routinely collected electronic primary healthcare records in England. <i>BMJ Open</i> , 2020 , 10, e035934	3	3
72	Diet Quality and Health Service Utilization for Depression: A Prospective Investigation of Adults in Alberta's Tomorrow Project. 2020 , 12,		1

71	Association between chronic kidney disease and incident diagnosis of dementia in England: a cohort study in Clinical Practice Research Datalink. <i>BMJ Open</i> , 2020 , 10, e033811	3	1
70	Assessing the effects of beta-blockers on pancreatic cancer risk: A nested case-control study. <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 599-604	2.6	4
69	Can the Use of Bayesian Analysis Methods Correct for Incompleteness in Electronic Health Records Diagnosis Data? Development of a Novel Method Using Simulated and Real-Life Clinical Data. 2020 , 8, 54		10
68	Impact of obesity and metabolic health status in the development of non-alcoholic fatty liver disease (NAFLD): A United Kingdom population-based cohort study using the health improvement network (THIN). <i>BMC Endocrine Disorders</i> , 2020 , 20, 96	3.3	5
67	Nonindependence of patient data in the clinical practice research datalink: a case study in atrial fibrillation patients. <i>Journal of Comparative Effectiveness Research</i> , 2020 , 9, 395-403	2.1	1
66	Risk of herpes zoster after exposure to varicella to explore the exogenous boosting hypothesis: self controlled case series study using UK electronic healthcare data. <i>BMJ, The</i> , 2020 , 368, l6987	5.9	10
65	Ethnic differences in the severity and clinical management of type 2 diabetes at time of diagnosis: A cohort study in the UK Clinical Practice Research Datalink. <i>Diabetes Research and Clinical Practice</i> , 2020 , 160, 108006	7.4	3
64	Incidence, prevalence and mortality of autoimmune hepatitis in England 1997-2015. A population-based cohort study. <i>Liver International</i> , 2020 , 40, 1634-1644	7.9	15
63	Incidence, prevalence and mortality of bullous pemphigoid in England 1998-2017: a population-based cohort study. <i>British Journal of Dermatology</i> , 2021 , 184, 68-77	4	23
62	Epidemiology and outcomes of gastroparesis, as documented in general practice records, in the United Kingdom. <i>Gut</i> , 2021 , 70, 644-653	19.2	25
61	Incidence of osteoporosis and fragility fractures in asthma: a UK population-based matched cohort study. <i>European Respiratory Journal</i> , 2021 , 57,	13.6	3
60	Risk of osteoporosis and fragility fractures in asthma due to oral and inhaled corticosteroids: two population-based nested case-control studies. <i>Thorax</i> , 2021 , 76, 21-28	7.3	5
59	Digoxin use is associated with pancreatic cancer risk but does not affect survival. <i>Cancer Causes and Control</i> , 2021 , 32, 41-46	2.8	0
58	Incidence of acute complications of herpes zoster among immunocompetent adults in England: a matched cohort study using routine health data. <i>British Journal of Dermatology</i> , 2021 , 184, 1077-1084	4	3
57	Long-term systemic glucocorticoid therapy and weight gain: a population-based cohort study. <i>Rheumatology</i> , 2021 , 60, 1502-1511	3.9	2
56	Trends in generalised anxiety disorders and symptoms in primary care: UK population-based cohort study. <i>British Journal of Psychiatry</i> , 2021 , 218, 158-164	5.4	11
55	Changes in the pharmacological management of rheumatoid arthritis over two decades. <i>Rheumatology</i> , 2021 , 60, 4141-4151	3.9	2
54	Using electronic health records to inform trial feasibility in a rare autoimmune blistering skin disease in England. <i>BMC Medical Research Methodology</i> , 2021 , 21, 22	4.7	

53	Sex, Age, and Socioeconomic Differences in Nonfatal Stroke Incidence and Subsequent Major Adverse Outcomes. <i>Stroke</i> , 2021 , 52, 396-405	6.7	11
52	Characterization of Prevalent, Post-Endoscopy, and Incident Esophageal Cancer in the United States: A Large Retrospective Cohort Study. <i>Clinical Gastroenterology and Hepatology</i> , 2021 ,	6.9	3
51	Association Between Statin Use at the Time of Intra-abdominal Surgery and Postoperative Adhesion-Related Complications and Small-Bowel Obstruction. <i>JAMA Network Open</i> , 2021 , 4, e2036315	10.4	3
50	UK prevalence of underlying conditions which increase the risk of severe COVID-19 disease: a point prevalence study using electronic health records. <i>BMC Public Health</i> , 2021 , 21, 484	4.1	6
49	The incidence and prevalence of inflammatory bowel disease in UK primary care: a retrospective cohort study of the IQVIA Medical Research Database. <i>BMC Gastroenterology</i> , 2021 , 21, 139	3	9
48	Outcomes after non-operative management of perforated diverticular disease: a population-based cohort study. <i>BJS Open</i> , 2021 , 5,	3.9	0
47	Using Bayesian Networks to identify musculoskeletal symptoms influencing the risk of developing Psoriatic Arthritis in people with psoriasis. <i>Rheumatology</i> , 2021 ,	3.9	1
46	Accelerating diagnosis of Parkinson's disease through risk prediction. <i>BMC Neurology</i> , 2021 , 21, 201	3.1	1
45	The identification and validity of congenital malformation diagnoses in UK electronic health records: A systematic review. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 875-898	2.6	0
44	Real-world treatment escalation from metformin monotherapy in youth-onset Type 2 diabetes mellitus: A retrospective cohort study. <i>Pediatric Diabetes</i> , 2021 , 22, 861-871	3.6	0
43	Multi-morbidity and blood pressure trajectories in hypertensive patients: A multiple landmark cohort study. <i>PLoS Medicine</i> , 2021 , 18, e1003674	11.6	1
42	Mortality of People with Parkinson's Disease in a Large UK-Based Cohort Study: Time Trends and Relationship to Disease Duration. <i>Movement Disorders</i> , 2021 ,	7	1
41	Sex disparity in subsequent outcomes in survivors of coronary heart disease. <i>Heart</i> , 2022 , 108, 37-45	5.1	2
40	Risk for Post-Colonoscopy Irritable Bowel Syndrome in Patients With and Without Antibiotic Exposure: A Retrospective Cohort Study. <i>Clinical Gastroenterology and Hepatology</i> , 2021 ,	6.9	2
39	Medical Record Databases. 224-243		22
38	Identifying Candidate Risk Factors for Prescription Drug Side Effects Using Causal Contrast Set Mining. <i>Lecture Notes in Computer Science</i> , 2015 , 45-55	0.9	1
37	OpenSAFELY: factors associated with COVID-19-related hospital death in the linked electronic health records of 17 million adult NHS patients.		171
36	UK prevalence of underlying conditions which increase the risk of severe COVID-19 disease: a point prevalence study using electronic health records.		1

35	Oral glucocorticoid use and osteonecrosis in children and adults with chronic inflammatory diseases: a population-based cohort study. <i>BMJ Open</i> , 2017 , 7, e016788	3	20
34	Vitamin D prescribing in children in UK primary care practices: a population-based cohort study. <i>BMJ Open</i> , 2019 , 9, e031870	3	7
33	Variation in recorded child maltreatment concerns in UK primary care records: a cohort study using The Health Improvement Network (THIN) database. <i>PLoS ONE</i> , 2012 , 7, e49808	3.7	16
32	Recording of severe mental illness in United Kingdom primary care, 2000-2010. <i>PLoS ONE</i> , 2013 , 8, e82365	3.7	55
31	Depression as a Risk Factor for the Initial Presentation of Twelve Cardiac, Cerebrovascular, and Peripheral Arterial Diseases: Data Linkage Study of 1.9 Million Women and Men. <i>PLoS ONE</i> , 2016 , 11, e0153838	3.7	84
30	Changing practice in dementia care in the community: developing and testing evidence-based interventions, from timely diagnosis to end of life (EVIDEM). <i>Programme Grants for Applied Research</i> , 2015 , 3, 1-596	1.5	18
29	Discontinuation of antidepressant therapy among patients with major depressive disorder. <i>Open Journal of Psychiatry</i> , 2012 , 02, 272-280	0.2	8
28	Use of contraceptives and risk of inflammatory bowel disease: A nested case-control study. <i>Alimentary Pharmacology and Therapeutics</i> , 2021 ,	6.1	0
27	Rate of Hospitalizations and Underlying Reasons Among People with Parkinson's Disease: Population-Based Cohort Study in UK Primary Care. <i>Journal of Parkinson's Disease</i> , 2021 ,	5.3	1
26	Comparing Data-Mining Algorithms Developed for Longitudinal Observational Databases. <i>SSRN Electronic Journal</i> ,	1	1
25	Comparison of Algorithms That Detect Drug Side Effects Using Electronic Healthcare Databases. <i>SSRN Electronic Journal</i> ,	1	
24	Examples of Existing Automated Databases. 123-177		
23	A Novel Semi-Supervised Algorithm for Rare Prescription Side Effect Discovery. <i>SSRN Electronic Journal</i> ,	1	
22	Incorporating Spontaneous Reporting System Data to Aid Causal Inference in Longitudinal Healthcare Data. <i>SSRN Electronic Journal</i> ,	1	
21	Identifying Candidate Risk Factors for Prescription Drug Side Effects Using Causal Contrast Set Mining. <i>SSRN Electronic Journal</i> ,	1	
20	Association between cardiometabolic disease multimorbidity and all-cause mortality in 2 million women and men registered in UK general practices. <i>BMC Medicine</i> , 2021 , 19, 258	11.4	1
19	Electronic Health Record Databases. 2021 , 174-191		
18	Causes of death among people who used illicit opioids in England, 2001-18: a matched cohort study.. <i>Lancet Public Health</i> , 2021 ,	22.4	0

17	Investigating the optimal handling of uncertain pregnancy episodes in the CPRD GOLD Pregnancy Register: a methodological study using UK primary care data.. <i>BMJ Open</i> , 2022 , 12, e055773	3	
16	Change in the incidence of Parkinson's disease in a large UK primary care database.. <i>Npj Parkinsons Disease</i> , 2022 , 8, 23	9.7	0
15	Time Trends in Incidence of Reported Memory Concerns and Cognitive Decline: A Cohort Study in UK Primary Care.. <i>Clinical Epidemiology</i> , 2022 , 14, 395-408	5.9	1
14	Incidence and survival of haemophagocytic lymphohistiocytosis: A population-based cohort study from England. <i>Journal of Internal Medicine</i> , 2021 ,	10.8	2
13	Changes in ankylosing spondylitis incidence, prevalence and time to diagnosis over two decades. <i>RMD Open</i> , 2021 , 7,	5.9	1
12	Inflammatory marker testing in primary care in the year before Hodgkin lymphoma diagnosis in patients aged 50 and under: A UK population-based case-control study. <i>British Journal of General Practice</i> , BJGP.2021.0617	1.6	
11	Table_1.DOCX. 2020 ,		
10	Table_2.DOCX. 2020 ,		
9	Table_3.XLSX. 2020 ,		
8	Patient Factors Associated With Gastroesophageal Reflux Disease Diagnostic Evaluation Strategies: A Retrospective Cohort Study Using Real-World Evidence From a Large U.S. Medical Claims Database. 2022 , 1, 563-572		0
7	Safety of COVID-19 vaccination and acute neurological events: A self-controlled case series in England using the OpenSAFELY platform. <i>Vaccine</i> , 2022 ,	4.1	0
6	Developing and internally validating a prognostic model (P Risk) to improve the prediction of psychosis in a primary care population using electronic health records: The MAPPED study. <i>Schizophrenia Research</i> , 2022 , 246, 241-249	3.6	
5	Are infections associated with cognitive decline and neuroimaging outcomes? A historical cohort study using data from the UK Biobank study linked to electronic health records. 2022 , 12,		0
4	Age, sex, and socioeconomic differences in multimorbidity measured in four ways: UK primary care cross-sectional analysis. BJGP.2022.0405		0
3	Comparing pre- and post-diagnosis presentations of multiple sclerosis and other inflammatory diseases in primary care: an agnostic study of French and British health records..		0
2	The impact of varying the number and selection of conditions on estimated multimorbidity prevalence: a cross-sectional study using a large, primary care population dataset.		0
1	The impact of varying the number and selection of conditions on estimated multimorbidity prevalence: A cross-sectional study using a large, primary care population dataset. 2023 , 20, e1004208		0