

# CITATION REPORT

List of articles citing

## A method for localizing ligand binding pockets in protein structures

DOI: 10.1002/prot.20769

Proteins: Structure, Function and Bioinformatics, 2006  
, 62, 479-88.

**Source:** <https://exaly.com/paper-pdf/38555858/citation-report.pdf>

**Version:** 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
169	Interactions in native binding sites cause a large change in protein dynamics. <b>2006</b> , 358, 213-23		44
168	Automated method for predicting enzyme functional surfaces and locating key residues with accuracy and specificity. <b>2006</b> , 2006, 4552-5		1
167	LIGSITEcsc: predicting ligand binding sites using the Connolly surface and degree of conservation. <b>2006</b> , 6, 19		342
166	Computational proteomics of biomolecular interactions in the sequence and structure space of the tyrosine kinase: deciphering the molecular basis of the kinase inhibitors selectivity. <i>Proteins: Structure, Function and Bioinformatics</i> , <b>2007</b> , 66, 912-29	4.2	17
165	Understanding the cell in terms of structure and function: insights from structural genomics. <b>2006</b> , 17, 457-64		18
164	Residue centrality, functionally important residues, and active site shape: analysis of enzyme and non-enzyme families. <b>2006</b> , 15, 2120-8		113
163	Phylogeny-independent detection of functional residues. <i>Bioinformatics</i> , <b>2006</b> , 22, 1440-8	7.2	55
162	Integrating biological data through the genome. <b>2006</b> , 15 Spec No 1, R81-7		15
161	Cavity scaling: automated refinement of cavity-aware motifs in protein function prediction. <b>2007</b> , 5, 353-82		13
160	Analysis of binding site similarity, small-molecule similarity and experimental binding profiles in the human cytosolic sulfotransferase family. <i>Bioinformatics</i> , <b>2007</b> , 23, e104-9	7.2	30
159	LigASite--a database of biologically relevant binding sites in proteins with known apo-structures. <i>Nucleic Acids Research</i> , <b>2008</b> , 36, D667-73	20.1	69
158	Shape variation in protein binding pockets and their ligands. <b>2007</b> , 368, 283-301		167
157	Inference of macromolecular assemblies from crystalline state. <b>2007</b> , 372, 774-97		6659
156	Discovery of similar regions on protein surfaces. <b>2007</b> , 14, 285-99		20
155	The MASH pipeline for protein function prediction and an algorithm for the geometric refinement of 3D motifs. <b>2007</b> , 14, 791-816		35
154	Exploring the other side of biologically relevant chemical space: insights into carboxylic, sulfonic and phosphonic acid bioisosteric relationships. <b>2007</b> , 26, 728-39		34
153	PocketPicker: analysis of ligand binding-sites with shape descriptors. <b>2007</b> , 1, 7		228

152	Locating the active sites of enzymes using mechanical properties. <i>Proteins: Structure, Function and Bioinformatics</i> , <b>2007</b> , 67, 350-9	4.2	66
151	EADock: docking of small molecules into protein active sites with a multiobjective evolutionary optimization. <i>Proteins: Structure, Function and Bioinformatics</i> , <b>2007</b> , 67, 1010-25	4.2	131
150	Automated prediction of ligand-binding sites in proteins. <i>Proteins: Structure, Function and Bioinformatics</i> , <b>2008</b> , 70, 1506-17	4.2	94
149	Location and volume of the active site of chymotrypsin. <b>2007</b> , 72, 392-7		2
148	Relating destabilizing regions to known functional sites in proteins. <i>BMC Bioinformatics</i> , <b>2007</b> , 8, 141	3.6	26
147	A robust and efficient algorithm for the shape description of protein structures and its application in predicting ligand binding sites. <i>BMC Bioinformatics</i> , <b>2007</b> , 8 Suppl 4, S9	3.6	96
146	Functional insights from structural genomics. <b>2007</b> , 8, 37-44		27
145	Predicting enzyme functional surfaces and locating key residues automatically from structures. <b>2007</b> , 35, 1037-42		12
144	Cavity detection and matching for binding site recognition. <b>2008</b> , 408, 151-162		8
143	Bridging protein local structures and protein functions. <b>2008</b> , 35, 627-50		30
142	Fast dynamics perturbation analysis for prediction of protein functional sites. <b>2008</b> , 8, 5		25
141	Prediction of enzyme function based on 3D templates of evolutionarily important amino acids. <i>BMC Bioinformatics</i> , <b>2008</b> , 9, 17	3.6	60
140	PocketMatch: a new algorithm to compare binding sites in protein structures. <i>BMC Bioinformatics</i> , <b>2008</b> , 9, 543	3.6	116
139	Solution structure of the inner DysF domain of myoferlin and implications for limb girdle muscular dystrophy type 2b. <b>2008</b> , 379, 981-90		25
138	INTREPID--INformation-theoretic TREe traversal for Protein functional site IDentification. <i>Bioinformatics</i> , <b>2008</b> , 24, 2445-52	7.2	66
137	Detection of 3D atomic similarities and their use in the discrimination of small molecule protein-binding sites. <i>Bioinformatics</i> , <b>2008</b> , 24, i105-11	7.2	81
136	A threading-based method (FINDSITE) for ligand-binding site prediction and functional annotation. <b>2008</b> , 105, 129-34		241
135	Predicting small ligand binding sites in proteins using backbone structure. <i>Bioinformatics</i> , <b>2008</b> , 24, 2865-71		33

134	A structural biology view of target drugability. <b>2008</b> , 3, 391-401		43
133	Small-Molecule Inhibitors of Protein-Protein Interactions: Challenges and Prospects. <b>2008</b> , 199-233		2
132	De-orphaning the structural proteome through reciprocal comparison of evolutionarily important structural features. <i>PLoS ONE</i> , <b>2008</b> , 3, e2136	3.7	21
131	The application of 3D Zernike moments for the description of "model-free" molecular structure, functional motion, and structural reliability. <b>2009</b> , 16, 487-500		32
130	Fragment-based identification of druggable hot spots of proteins using Fourier domain correlation techniques. <i>Bioinformatics</i> , <b>2009</b> , 25, 621-7	7.2	338
129	MolLoc: a web tool for the local structural alignment of molecular surfaces. <i>Nucleic Acids Research</i> , <b>2009</b> , 37, W565-70	20.1	17
128	MetaPocket: a meta approach to improve protein ligand binding site prediction. <b>2009</b> , 13, 325-30		279
127	Predicting positive p53 cancer rescue regions using Most Informative Positive (MIP) active learning. <i>PLoS Computational Biology</i> , <b>2009</b> , 5, e1000498	5	41
126	Predicting protein ligand binding sites by combining evolutionary sequence conservation and 3D structure. <i>PLoS Computational Biology</i> , <b>2009</b> , 5, e1000585	5	283
125	FINDSITE: a combined evolution/structure-based approach to protein function prediction. <i>Briefings in Bioinformatics</i> , <b>2009</b> , 10, 378-91	13.4	79
124	Fpocket: an open source platform for ligand pocket detection. <i>BMC Bioinformatics</i> , <b>2009</b> , 10, 168	3.6	680
123	ResBoost: characterizing and predicting catalytic residues in enzymes. <i>BMC Bioinformatics</i> , <b>2009</b> , 10, 197	3.6	14
122	SitesIdentify: a protein functional site prediction tool. <i>BMC Bioinformatics</i> , <b>2009</b> , 10, 379	3.6	18
121	Predicting druggable binding sites at the protein-protein interface. <b>2009</b> , 14, 155-61		230
120	Blind docking of 260 protein-ligand complexes with EADock 2.0. <b>2009</b> , 30, 2021-30		46
119	Evaluation of the searching abilities of HBOP and HBSITE for binding pocket detection. <b>2009</b> , 30, 2728-37		13
118	Blind docking method combining search of low-resolution binding sites with ligand pose refinement by molecular dynamics-based global optimization. <b>2010</b> , 31, 1080-92		12
117	Computational approaches to identifying and characterizing protein binding sites for ligand design. <b>2010</b> , 23, 209-19		130

116	Prediction of 3D metal binding sites from translated gene sequences based on remote-homology templates. <i>Proteins: Structure, Function and Bioinformatics</i> , <b>2009</b> , 76, 365-74	4.2	37
115	Multiple solvent crystal structures of ribonuclease A: an assessment of the method. <i>Proteins: Structure, Function and Bioinformatics</i> , <b>2009</b> , 76, 861-81	4.2	35
114	Identification of protein functional surfaces by the concept of a split pocket. <i>Proteins: Structure, Function and Bioinformatics</i> , <b>2009</b> , 76, 959-76	4.2	20
113	Prediction of ligand binding sites using homologous structures and conservation at CASP8. <i>Proteins: Structure, Function and Bioinformatics</i> , <b>2009</b> , 77 Suppl 9, 147-51	4.2	39
112	Assessment of ligand binding residue predictions in CASP8. <i>Proteins: Structure, Function and Bioinformatics</i> , <b>2009</b> , 77 Suppl 9, 138-46	4.2	31
111	Form follows function: shape analysis of protein cavities for receptor-based drug design. <b>2009</b> , 9, 451-9		40
110	Charting the chemical space of target sites: insights into the binding modes of amine and amidine groups. <i>Journal of Chemical Information and Modeling</i> , <b>2009</b> , 49, 900-12	6.1	9
109	Crystal structure of the full-length sorbitol operon regulator SorC from <i>Klebsiella pneumoniae</i> : structural evidence for a novel transcriptional regulation mechanism. <b>2009</b> , 387, 759-70		11
108	Structural bioinformatics: deriving biological insights from protein structures. <b>2010</b> , 2, 347-66		8
107	Evolution: a guide to perturb protein function and networks. <i>Current Opinion in Structural Biology</i> , <b>2010</b> , 20, 351-9	8.1	22
106	A new protein binding pocket similarity measure based on comparison of clouds of atoms in 3D: application to ligand prediction. <i>BMC Bioinformatics</i> , <b>2010</b> , 11, 99	3.6	68
105	Druggable pockets and binding site centric chemical space: a paradigm shift in drug discovery. <b>2010</b> , 15, 656-67		214
104	Crystal contacts as nature's docking solutions. <b>2010</b> , 31, 133-43		218
103	Computational approaches for protein function prediction: a combined strategy from multiple sequence alignment to molecular docking-based virtual screening. <b>2010</b> , 1804, 1695-712		68
102	Assessing the structural conservation of protein pockets to study functional and allosteric sites: implications for drug discovery. <b>2010</b> , 10, 9		30
101	Sequence and structure continuity of evolutionary importance improves protein functional site discovery and annotation. <b>2010</b> , 19, 1296-311		18
100	<i>Mycobacterium tuberculosis</i> Rv2704 is a member of the YjgF/YER057c/UK114 family. <i>Proteins: Structure, Function and Bioinformatics</i> , <b>2010</b> , 78, 773-8	4.2	14
99	Detection of multiscale pockets on protein surfaces using mathematical morphology. <i>Proteins: Structure, Function and Bioinformatics</i> , <b>2010</b> , 78, 1195-211	4.2	136

98	3DLigandSite: predicting ligand-binding sites using similar structures. <i>Nucleic Acids Research</i> , <b>2010</b> , 38, W469-73	20.1	456
97	Analyzing the topology of active sites: on the prediction of pockets and subpockets. <i>Journal of Chemical Information and Modeling</i> , <b>2010</b> , 50, 2041-52	6.1	111
96	Evolutionary trace annotation of protein function in the structural proteome. <b>2010</b> , 396, 1451-73		32
95	Protein Interactions. <b>2010</b> , 247-302		0
94	Protein pockets: inventory, shape, and comparison. <i>Journal of Chemical Information and Modeling</i> , <b>2010</b> , 50, 589-603	6.1	55
93	Graphlet kernels for prediction of functional residues in protein structures. <b>2010</b> , 17, 55-72		36
92	Small-molecule inhibitors of IL-2/IL-2R: lessons learned and applied. <b>2011</b> , 348, 25-59		50
91	VASP-S: A Volumetric Analysis and Statistical Model for Predicting Steric Influences on Protein-Ligand Binding Specificity. <b>2011</b> ,		12
90	A statistical model of overlapping volume in ligand binding cavities. <b>2011</b> ,		7
89	SEGA: semiglobal graph alignment for structure-based protein comparison. <b>2011</b> , 8, 1330-43		6
88	AADS--an automated active site identification, docking, and scoring protocol for protein targets based on physicochemical descriptors. <i>Journal of Chemical Information and Modeling</i> , <b>2011</b> , 51, 2515-27	6.1	95
87	HemeBIND: a novel method for heme binding residue prediction by combining structural and sequence information. <i>BMC Bioinformatics</i> , <b>2011</b> , 12, 207	3.6	32
86	Assessment of ligand-binding residue predictions in CASP9. <i>Proteins: Structure, Function and Bioinformatics</i> , <b>2011</b> , 79 Suppl 10, 126-36	4.2	59
85	Prediction of ligand-binding sites of proteins by molecular docking calculation for a random ligand library. <b>2011</b> , 20, 95-106		27
84	INTEGRATING COMPUTATIONAL PROTEIN FUNCTION PREDICTION INTO DRUG DISCOVERY INITIATIVES. <b>2011</b> , 72, 4-16		4
83	Molecular docking: a powerful approach for structure-based drug discovery. <b>2011</b> , 7, 146-57		1083
82	A geometry-based generic predictor for catalytic and allosteric sites. <b>2011</b> , 24, 405-9		27
81	A regionalizable statistical model of intersecting regions in protein-ligand binding cavities. <b>2012</b> , 10, 1242004		5

80	Pharmacophore-based virtual screening to aid in the identification of unknown protein function. <b>2012</b> , 80, 828-42		8
79	Comparison of Structure-based Tools for the Prediction of Ligand Binding Site Residues in Apo-structures. <b>2012</b> , 11, 115-126		3
78	Functional prediction of binding pockets. <i>Journal of Chemical Information and Modeling</i> , <b>2012</b> , 52, 824-336.1		3
77	A strategy based on protein-protein interface motifs may help in identifying drug off-targets. <i>Journal of Chemical Information and Modeling</i> , <b>2012</b> , 52, 2273-86	6.1	22
76	Predicting binding sites by analyzing allosteric effects. <i>Methods in Molecular Biology</i> , <b>2012</b> , 796, 423-36	1.4	3
75	Structural biology and drug discovery of difficult targets: the limits of ligandability. <b>2012</b> , 19, 42-50		159
74	Modeling regionalized volumetric differences in protein-ligand binding cavities. <b>2012</b> , 10 Suppl 1, S6		7
73	Designing template-free predictor for targeting protein-ligand binding sites with classifier ensemble and spatial clustering. <b>2013</b> , 10, 994-1008		60
72	Rapid identification of ligand-binding sites by using an assignment-free NMR approach. <i>Journal of Medicinal Chemistry</i> , <b>2013</b> , 56, 9342-50	8.3	6
71	. <b>2013</b> ,		
70	TargetATPsite: a template-free method for ATP-binding sites prediction with residue evolution image sparse representation and classifier ensemble. <b>2013</b> , 34, 974-85		53
69	Are predicted protein structures of any value for binding site prediction and virtual ligand screening?. <i>Current Opinion in Structural Biology</i> , <b>2013</b> , 23, 191-7	8.1	29
68	Structure-based Methods for Computational Protein Functional Site Prediction. <i>Computational and Structural Biotechnology Journal</i> , <b>2013</b> , 8, e201308005	6.8	23
67	Recent advances in functional region prediction by using structural and evolutionary information - Remaining problems and future extensions. <i>Computational and Structural Biotechnology Journal</i> , <b>2013</b> , 8, e201308007	6.8	8
66	Identification of Similar Binding Sites to Detect Distant Polypharmacology. <i>Molecular Informatics</i> , <b>2013</b> , 32, 976-90	3.8	40
65	Exploiting structural information for drug-target assessment. <i>Future Medicinal Chemistry</i> , <b>2014</b> , 6, 319-314.1	4.1	19
64	Knowledge-based fragment binding prediction. <i>PLoS Computational Biology</i> , <b>2014</b> , 10, e1003589	5	18
63	VASP-E: specificity annotation with a volumetric analysis of electrostatic isopotentials. <i>PLoS Computational Biology</i> , <b>2014</b> , 10, e1003792	5	11

62	Computational method to identify druggable binding sites that target protein-protein interactions. <i>Journal of Chemical Information and Modeling</i> , <b>2014</b> , 54, 1391-400	6.1	18
61	Assessment of ligand binding site predictions in CASP10. <i>Proteins: Structure, Function and Bioinformatics</i> , <b>2014</b> , 82 Suppl 2, 154-63	4.2	26
60	Structural representation of data structures. <i>European Physical Journal Plus</i> , <b>2014</b> , 129, 1	3.1	
59	pocketZebra: a web-server for automated selection and classification of subfamily-specific binding sites by bioinformatic analysis of diverse protein families. <i>Nucleic Acids Research</i> , <b>2014</b> , 42, W344-9	20.1	22
58	Identification of single-stranded and double-stranded DNA binding proteins based on protein structure. <i>BMC Bioinformatics</i> , <b>2014</b> , 15 Suppl 12, S4	3.6	15
57	NRGsuite: a PyMOL plugin to perform docking simulations in real time using FlexAID. <i>Bioinformatics</i> , <b>2015</b> , 31, 3856-8	7.2	29
56	Determining binding sites of polycyclic aromatic small molecule-based amyloid-beta peptide aggregation modulators using sequence-specific antibodies. <i>Analytical Biochemistry</i> , <b>2015</b> , 470, 61-70	3.1	8
55	Predicting Ligand Binding Sites on Protein Surfaces by 3-Dimensional Probability Density Distributions of Interacting Atoms. <i>PLoS ONE</i> , <b>2016</b> , 11, e0160315	3.7	13
54	Improving the performance of the PLB index for ligand-binding site prediction using dihedral angles and the solvent-accessible surface area. <i>Scientific Reports</i> , <b>2016</b> , 6, 33232	4.9	5
53	Computational Methods to Support Fragment-based Drug Discovery. <i>Methods and Principles in Medicinal Chemistry</i> , <b>2016</b> , 197-222	0.4	4
52	Causes of evolutionary rate variation among protein sites. <i>Nature Reviews Genetics</i> , <b>2016</b> , 17, 109-21	30.1	162
51	GPCR-drug interactions prediction using random forest with drug-association-matrix-based post-processing procedure. <i>Computational Biology and Chemistry</i> , <b>2016</b> , 60, 59-71	3.6	20
50	Translational Bioinformatics and Drug Discovery. <i>Translational Medicine Research</i> , <b>2017</b> , 29-53		
49	Case Studies: Function Predictions of Structural Genomics Results. <b>2017</b> , 449-465		1
48	Deciphering Cryptic Binding Sites on Proteins by Mixed-Solvent Molecular Dynamics. <i>Journal of Chemical Information and Modeling</i> , <b>2017</b> , 57, 1388-1401	6.1	41
47	Evolutionary studies of ligand binding sites in proteins. <i>Current Opinion in Structural Biology</i> , <b>2017</b> , 45, 85-90	8.1	17
46	Identification of Protein-Ligand Binding Sites by Sequence Information and Ensemble Classifier. <i>Journal of Chemical Information and Modeling</i> , <b>2017</b> , 57, 3149-3161	6.1	46
45	Identification of Two Secondary Ligand Binding Sites in 14-3-3 Proteins Using Fragment Screening. <i>Biochemistry</i> , <b>2017</b> , 56, 3972-3982	3.2	25



44	Prediction, Analysis, and Comparison of Active Sites. <b>2018</b> , 283-311		1
43	Exploring Protein Cavities through Rigidity Analysis. <i>Molecules</i> , <b>2018</b> , 23,	4.8	3
42	Large-scale docking predicts that sORF-encoded peptides may function through protein-peptide interactions in <i>Arabidopsis thaliana</i> . <i>PLoS ONE</i> , <b>2018</b> , 13, e0205179	3.7	6
41	Sequence-based prediction of physicochemical interactions at protein functional sites using a function-and-interaction-annotated domain profile database. <i>BMC Bioinformatics</i> , <b>2018</b> , 19, 204	3.6	2
40	PROcket, an Efficient Algorithm to Predict Protein Ligand Binding Site. <i>Lecture Notes in Computer Science</i> , <b>2019</b> , 453-461	0.9	
39	Predicting binding sites from unbound versus bound protein structures. <i>Scientific Reports</i> , <b>2020</b> , 10, 15856	5.6	8
38	A Computer Vision Approach to Align and Compare Protein Cavities: Application to Fragment-Based Drug Design. <i>Journal of Medicinal Chemistry</i> , <b>2020</b> , 63, 7127-7142	8.3	4
37	Structural dynamics and allostery of Rab proteins: strategies for drug discovery and design. <i>Briefings in Bioinformatics</i> , <b>2021</b> , 22, 270-287	13.4	4
36	Advances in structure-based drug design. <b>2021</b> , 55-103		0
35	Predicting the functional consequences of genetic variants in co-stimulatory ligand B7-1 using in-silico approaches. <i>Human Immunology</i> , <b>2021</b> , 82, 103-120	2.3	0
34	Molecular docking and density functional theory studies of potent 1,3-disubstituted-9H-pyrido[3,4-b]indoles antifilarial compounds. <i>Structural Chemistry</i> , <b>2021</b> , 32, 1925-1947	1.8	1
33	Identification of protein-nucleotide binding residues via graph regularized k-local hyperplane distance nearest neighbor model. <i>Applied Intelligence</i> , 1	4.9	4
32	Methods for predicting protein-ligand binding sites. <i>Methods in Molecular Biology</i> , <b>2015</b> , 1215, 383-98	1.4	29
31	Binding site druggability assessment in fragment-based drug design. <i>Methods in Molecular Biology</i> , <b>2015</b> , 1289, 13-21	1.4	6
30	Molecular Dynamics and Related Computational Methods with Applications to Drug Discovery. <i>Springer Proceedings in Mathematics and Statistics</i> , <b>2018</b> , 267-285	0.2	1
29	A Supervised Approach to 3D Structural Classification of Proteins. <i>Lecture Notes in Computer Science</i> , <b>2013</b> , 326-335	0.9	3
28	Binding-site assessment by virtual fragment screening. <i>PLoS ONE</i> , <b>2010</b> , 5, e10109	3.7	48
27	Effects of Substitution of Carboxyl with Hydrazide Group on Position 3 of Ciprofloxacin on its Antimicrobial and Antitumor Activity. <i>International Journal of Pharmacology</i> , <b>2013</b> , 9, 416-429	0.7	5

26	Application of Docking Methodologies in QSAR-Based Studies. <i>Advances in Medical Technologies and Clinical Practice Book Series</i> , <b>2016</b> , 29-55	0.3	2
25	Protein-Ligand Docking Methodologies and Its Application in Drug Discovery. <b>2017</b> , 891-914		1
24	In Silico Protein Design and Virtual Screening. <b>2021</b> , 85-99		
23	Investigating Binding Area of Protein Surface using MCL Algorithm. <i>The KIPS Transactions PartD</i> , <b>2007</b> , 14D, 743-752		
22	Modern genome annotation: the BioSapiens network. <b>2008</b> , 213-238		
21	Harvesting the information from a family of proteins. <b>2008</b> , 263-279		
20	Coarse-Graining Protein Mechanics. <b>2008</b> , 317-327		
19	Towards Protein Interaction Analysis through Surface Labeling. <i>Lecture Notes in Computer Science</i> , <b>2009</b> , 604-612	0.9	
18	Computational Methods for the Prediction of Protein-Protein Interactions. <i>Lecture Notes in Computer Science</i> , <b>2011</b> , 13-16	0.9	
17	Background. <i>SpringerBriefs in Systems Biology</i> , <b>2012</b> , 5-25		
16	Protein Structural Blocks Representation and Search through Unsupervised NN. <i>Lecture Notes in Computer Science</i> , <b>2012</b> , 515-522	0.9	
15	3D Protein Surface Segmentation through Mathematical Morphology. <i>Communications in Computer and Information Science</i> , <b>2013</b> , 97-109	0.3	
14	Protein-Ligand Docking Methodologies and Its Application in Drug Discovery. <i>Advances in Medical Technologies and Clinical Practice Book Series</i> , <b>2016</b> , 196-219	0.3	
13	Application of Docking Methodologies in QSAR-Based Studies. <b>2017</b> , 850-876		
12	Large-scale docking predicts that sORF-encoded peptides may function through protein-peptide interactions in <i>Arabidopsis thaliana</i> .		
11	DeepBindPoc: a deep learning method to rank ligand binding pockets using molecular vector representation. <i>PeerJ</i> , <b>2020</b> , 8, e8864	3.1	3
10	Case Studies: Function Predictions of Structural Genomics Results. <b>2009</b> , 273-291		
9	Study of Functional and Allosteric Sites in Protein Superfamilies. <i>Acta Naturae</i> , <b>2015</b> , 7, 34-45	2.1	8

8	MeCOM: A Method for Comparing Three-Dimensional Metalloenzyme Active Sites.. <i>Journal of Chemical Information and Modeling</i> , <b>2022</b> ,	6.1	o
7	PDBspheres - a method for finding 3D similarities in local regions in proteins.		o
6	Draft Genome Assembly and Annotation for NICC30027, an Oleaginous Yeast Capable of Simultaneous Glucose and Xylose Assimilation.. <i>Mycobiology</i> , <b>2022</b> , 50, 69-81	1.7	o
5	Protein engineering of carbonyl reductases for asymmetric synthesis of ticagrelor precursor (1S)-2-chloro-1-(3,4-difluorophenyl)ethanol. <b>2022</b> , 108600		
4	General Strategies for Rational Design and Discovery of Multitarget Drugs. <b>2022</b> , 677-736		o
3	PDBspheres: a method for finding 3D similarities in local regions in proteins. <b>2022</b> , 4,		o
2	Estimating the Similarity between Protein Pockets. <b>2022</b> , 23, 12462		o
1	Shape Theory Applied to Molecular Docking and Automatic Localization of Ligand Binding Pockets in Large Proteins. <b>2022</b> , 7, 45991-46002		1