

CITATION REPORT

List of articles citing

Economic cost of illness due to Escherichia coli O157 infections in the United States

DOI: 10.4315/0362-028x-68.12.2623

Journal of Food Protection, 2005, 68, 2623-30.

Source: <https://exaly.com/paper-pdf/38596429/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
150	Thermal tolerance of acid-adapted and non-adapted <i>Escherichia coli</i> O157:H7 and <i>Salmonella</i> in ground beef during storage. 2006 , 3, 439-46		11
149	Activities, achievements, and lessons learned during the first 10 years of the Foodborne Diseases Active Surveillance Network: 1996-2005. 2007 , 44, 718-25		78
148	The growing threat of foodborne bacterial enteropathogens of animal origin. 2007 , 45, 1353-61		104
147	<i>Salmonella</i> phages and prophages--genomics and practical aspects. 2007 , 394, 133-75		51
146	Extraintestinal pathogenic <i>Escherichia coli</i> . 2007 , 4, 134-63		176
145	Enterohemorrhagic <i>Escherichia coli</i> biofilms are inhibited by 7-hydroxyindole and stimulated by isatin. 2007 , 73, 4100-9		156
144	Novel approaches to bacterial infection therapy by interfering with bacteria-to-bacteria signaling. 2007 , 5, 271-6		32
143	Outbreak of <i>Escherichia coli</i> O157:H7 infections associated with consumption of beef donair. <i>Journal of Food Protection</i> , 2007 , 70, 1483-8	2.5	23
142	Efficacy of aqueous ozone for the decontamination of <i>Escherichia coli</i> O157:H7 and <i>Salmonella</i> on raspberries and strawberries. <i>Journal of Food Protection</i> , 2007 , 70, 1088-92	2.5	37
141	Surveillance for Shiga toxin-producing <i>Escherichia coli</i> , Michigan, 2001-2005. <i>Emerging Infectious Diseases</i> , 2007 , 13, 318-21	10.2	53
140	Strategies to reduce person-to-person transmission during widespread <i>Escherichia coli</i> O157:H7 outbreak. <i>Emerging Infectious Diseases</i> , 2007 , 13, 860-6	10.2	29
139	Advances in defining etiology and new therapeutic approaches in acute diarrhea. 2007 , 55, 385-93		36
138	Prevalence of <i>Escherichia coli</i> O157 and O157:H7-infecting bacteriophages in feedlot cattle feces. 2007 , 45, 445-53		26
137	Influence of temperature fluctuations on <i>Escherichia coli</i> O157:H7 and <i>Salmonella enterica</i> serovar Typhimurium in cow manure. 2007 , 60, 419-28		110
136	Environmental Controls on the Fate of <i>Escherichia coli</i> in Soil. 2008 , 190, 143-155		29
135	Temporal regulation of enterohemorrhagic <i>Escherichia coli</i> virulence mediated by autoinducer-2. 2008 , 78, 811-9		63
134	Rapid and efficient identification of bacteria using gold-nanoparticle-poly(para-phenyleneethynylene) constructs. 2008 , 47, 2590-4		334

133	Effiziente Erkennung von Bakterien mit Goldnanopartikel-Poly(para-phenylenethinylen)-Konstrukten. 2008 , 120, 2628-2632		33
132	Fabrication of an electrochemical immunosensor with self-assembled peptide nanotubes. 2008 , 313-314, 95-99		27
131	Efficacy of pulsed UV-light for the decontamination of Escherichia coli O157:H7 and Salmonella spp. on raspberries and strawberries. 2008 , 73, M201-7		97
130	Estimation of the costs of acute gastrointestinal illness in British Columbia, Canada. 2008 , 127, 43-52		27
129	Ecology of E. coli O157:H7 and Salmonella enterica in the primary vegetable production chain. 2008 , 34, 143-61		178
128	Bacterial contamination of raw vegetables, vegetable-related water and river water in Ho Chi Minh City, Vietnam. 2008 , 58, 2403-11		13
127	Rapid identification of shiga toxin-producing Escherichia coli (STEC) using electric biochips. 2008 , 17, 179-84		8
126	Interaction of Escherichia coli O157:H7 with leafy green produce. <i>Journal of Food Protection</i> , 2009 , 72, 1531-7	2.5	84
125	Streamlined analysis for evaluating the use of preharvest interventions intended to prevent Escherichia coli O157:H7 illness in humans. 2009 , 6, 817-25		25
124	Development of Self-contained Microelectrochemical Array Assays for Whole Organisms. 2009 , 16, 165-176		2
123	Treatment options for HUS secondary to Escherichia coli O157:H7. 2009 , S62-6		65
122	Application of cranberry concentrate (<i>Vaccinium macrocarpon</i>) to control Escherichia coli O157:H7 in ground beef and its antimicrobial mechanism related to the downregulated slp, hdeA and cfa. <i>Food Microbiology</i> , 2009 , 26, 32-8	6	75
121	Detection of viable Escherichia coli O157:H7 by ethidium monoazide real-time PCR. 2009 , 107, 1719-28		48
120	Insights on Escherichia coli biofilm formation and inhibition from whole-transcriptome profiling. 2009 , 11, 1-15		151
119	Efficacy of novel antimicrobial gloves impregnated with antiseptic dyes in preventing the adherence of multidrug-resistant nosocomial pathogens. 2009 , 37, 294-300		21
118	Intestinal Pathogenic Escherichia coli. 2009 , 1013-1029		2
117	The economics of enteric infections: human foodborne disease costs. 2009 , 136, 1851-62		102
116	Long term risk for hypertension, renal impairment, and cardiovascular disease after gastroenteritis from drinking water contaminated with Escherichia coli O157:H7: a prospective cohort study. 2010 , 341, c6020		47

115	Studying the growth boundary and subsequent time to growth of pathogenic <i>Escherichia coli</i> serotypes by turbidity measurements. <i>Food Microbiology</i> , 2010 , 27, 819-28	6	19
114	Risk of pregnancy-related hypertension within 5 years of exposure to drinking water contaminated with <i>Escherichia coli</i> O157:H7. 2010 , 12, 613-20		7
113	A multifactorial risk prioritization framework for foodborne pathogens. 2010 , 30, 724-42		54
112	Increased adherence and expression of virulence genes in a lineage of <i>Escherichia coli</i> O157:H7 commonly associated with human infections. <i>PLoS ONE</i> , 2010 , 5, e10167	3.7	59
111	Food Hygiene Standard Satisfaction of Singaporean Diners. 2010 , 13, 156-177		12
110	Methods for genotyping verotoxin-producing <i>Escherichia coli</i> . <i>Zoonoses and Public Health</i> , 2010 , 57, 447-63		30
109	Factors influencing the persistence of <i>Escherichia coli</i> O157:H7 lineages in feces from cattle fed grain versus grass hay diets. 2010 , 56, 667-75		11
108	Economic costs of Shiga toxin-producing <i>Escherichia coli</i> infection in Australia. 2011 , 8, 55-62		20
107	Procedures to Investigate Foodborne Illness. 2011 ,		5
106	Evaluation of hha and hha sepB mutant strains of <i>Escherichia coli</i> O157:H7 as bacterins for reducing <i>E. coli</i> O157:H7 shedding in cattle. 2011 , 29, 5078-86		10
105	Risk Preferences and Food Consumption. 2011 , 74-98		
104	Cost of illness and disease burden in The Netherlands due to infections with Shiga toxin-producing <i>Escherichia coli</i> O157. <i>Journal of Food Protection</i> , 2011 , 74, 545-52	2.5	25
103	Characterization of an extremely heat-resistant <i>Escherichia coli</i> obtained from a beef processing facility. 2011 , 110, 840-9		57
102	Reduction of <i>Escherichia coli</i> O157:H7 viability on hard surfaces by treatment with a bacteriophage mixture. 2011 , 145, 37-42		57
101	Transcriptomic analysis for genetic mechanisms of the factors related to biofilm formation in <i>Escherichia coli</i> O157:H7. 2011 , 62, 1321-30		27
100	Development and Use of an Instrument to Measure Retail Foodservice Employees' Motivation for Following Food Safety Practices. 2011 , 14, 68-85		13
99	Determining the economic costs and global burden of foodborne disease. 2011 , 114-138		
98	Enterohemorrhagic <i>Escherichia coli</i> . 2011 , 111, 1-50		23

97	An estimate of the cost of acute health effects from food- and water-borne marine pathogens and toxins in the USA. 2011 , 9, 680-94		70
96	Burger preparation: what consumers say and do in the home. <i>Journal of Food Protection</i> , 2011 , 74, 1708-16		54
95	Deaths associated with bacterial pathogens transmitted commonly through food: foodborne diseases active surveillance network (FoodNet), 1996-2005. 2011 , 204, 263-7		119
94	Annual cost of illness and quality-adjusted life year losses in the United States due to 14 foodborne pathogens. <i>Journal of Food Protection</i> , 2012 , 75, 1292-302	2.5	394
93	Bacteriophage cocktail significantly reduces <i>Escherichia coli</i> O157:H7 contamination of lettuce and beef, but does not protect against recontamination. 2012 , 2, 178-185		83
92	Public health burden due to infections by verocytotoxin-producing <i>Escherichia coli</i> (VTEC) and <i>Campylobacter</i> spp. as estimated by cost of illness and different approaches to model disability-adjusted life years. 2012 , 40, 294-302		23
91	Novel Biosensor Based on Electrospun Nanofiber and Magnetic Nanoparticles for the Detection of <i>E. coli</i> O157:H7. 2012 , 11, 676-681		39
90	EVALUATION OF BACTERIOPHAGE AV-08 FOR SIMULTANEOUS BIOCONTROL OF SALMONELLA MONTEVIDEO AND ESCHERICHIA COLI O157:H7 IN EXPERIMENTALLY CONTAMINATED CHICKEN SKIN. 2012 , 32, 305-310		5
89	The economic efficiency of sampling size: the case of beef trim. 2013 , 33, 368-84		13
88	Hypertension in pregnancy after <i>Escherichia coli</i> O157:H7 gastroenteritis: a cohort study. 2013 , 32, 390-400		
87	Marked synergistic bactericidal effects and mode of action of medium-chain fatty acids in combination with organic acids against <i>Escherichia coli</i> O157:H7. 2013 , 79, 6552-60		73
86	Interventions for preventing diarrhea-associated hemolytic uremic syndrome: systematic review. 2013 , 13, 799		36
85	Enterohemorrhagic and other Shiga toxin-producing <i>Escherichia coli</i> . 2013 , 121-182		3
84	Survival of <i>Escherichia coli</i> O157:H7 during the Manufacture and Storage of Fruit Yogurt. 2013 , 33, 282-290		8
83	Fe ₂ O ₃ nanocolumns and nanorods fabricated by electron beam evaporation for visible light photocatalytic and antimicrobial applications. 2013 , 5, 2085-95		95
82	Ground beef handling and cooking practices in restaurants in eight States. <i>Journal of Food Protection</i> , 2013 , 76, 2132-40	2.5	30
81	Multilocus genotype analysis of <i>Escherichia coli</i> O157 isolates from Australia and the United States provides evidence of geographic divergence. 2013 , 79, 5050-8		38
80	The Foods Most Often Associated with Major Foodborne Pathogens. 2013 , 19-35		1

79	Characteristics of Foodborne Hazard and Diseases: Cost of Foodborne Diseases. 2014 , 208-216		
78	. 2014 ,		2
77	Verotoxigenic <i>Escherichia coli</i> : costs of illness in Canada, including long-term health outcomes. <i>Journal of Food Protection</i> , 2014 , 77, 216-26	2.5	6
76	Cattle production systems: Ecology of existing and emerging <i>Escherichia coli</i> types related to foodborne illness. 2014 , 2, 445-68		12
75	Development of a novel device for applying uniform doses of electron beam irradiation on carcasses. 2014 , 96, 373-8		10
74	Ginkgolic acids and Ginkgo biloba extract inhibit <i>Escherichia coli</i> O157:H7 and <i>Staphylococcus aureus</i> biofilm formation. 2014 , 174, 47-55		87
73	Simultaneous enrichment and optical detection of low levels of stressed <i>Escherichia coli</i> O157:H7 in food matrices. 2014 , 117, 537-46		22
72	Development of first generation in-situ pathogen detection system (Gen1-IPDS) based on NanoGene assay for near real time <i>E. coli</i> O157:H7 detection. 2014 , 54, 229-36		20
71	Detection of viable <i>Escherichia coli</i> O157:H7 in ground beef by propidium monoazide real-time PCR. 2014 , 170, 48-54		46
70	Optimization of furin inhibitors to protect against the activation of influenza hemagglutinin H5 and Shiga toxin. 2014 , 57, 29-41		22
69	A social-ecological framework for managing microbial services. 2014 , 12, 524-531		11
68	Disease-outcome trees, EQ-5D scores, and estimated annual losses of quality-adjusted life years (QALYs) for 14 foodborne pathogens in the United States. 2014 , 11, 395-402		58
67	Rapid and accurate detection of viable <i>Escherichia coli</i> O157:H7 in milk using a combined IMS, sodium deoxycholate, PMA and real-time quantitative PCR process. <i>Food Control</i> , 2014 , 36, 119-125	6.2	45
66	Coumarins reduce biofilm formation and the virulence of <i>Escherichia coli</i> O157:H7. 2014 , 21, 1037-42		89
65	The limits of food safety testing: A case study of <i>Escherichia coli</i> testing of beef trim. <i>Food Control</i> , 2014 , 38, 227-234	6.2	6
64	Risk Factors for Shiga Toxin-Producing <i>Escherichia coli</i> -Associated Human Diseases. 2014 , 2,		36
63	Molecular Characterization of Shiga Toxin-Producing <i>Escherichia coli</i> . 2014 , 275-302		
62	<i>Escherichia coli</i> O157 Outbreaks in the United States, 2003-2012. <i>Emerging Infectious Diseases</i> , 2015 , 21, 1293-1301	10.2	146

61	Dynamics of Escherichia coli Virulence Factors in Dairy Herds and Farm Environments in a Longitudinal Study in the United States. 2015 , 81, 4477-88		13
60	A probabilistic assessment of the contribution of wastewater-irrigated lettuce to Escherichia coli O157:H7 infection risk and disease burden in Kumasi, Ghana. 2015 , 13, 217-29		2
59	Shiga toxin 2-induced endoplasmic reticulum stress is minimized by activated protein C but does not correlate with lethal kidney injury. <i>Toxins</i> , 2015 , 7, 170-86	4.9	6
58	Perspectives on super-shedding of Escherichia coli O157:H7 by cattle. 2015 , 12, 89-103		45
57	Predictive model and optimization of a combined treatment of caprylic acid and citric acid for the reduction of Escherichia coli O157:H7 using the response surface methodology. 2015 , 197, 9-14		10
56	Enterohemorrhagic O157 in milk and dairy products from Libya: Isolation and molecular identification by partial sequencing of 16S rDNA. 2016 , 9, 1184-1189		14
55	Shiga Toxins as Multi-Functional Proteins: Induction of Host Cellular Stress Responses, Role in Pathogenesis and Therapeutic Applications. <i>Toxins</i> , 2016 , 8,	4.9	60
54	Some Like It Hot: Heat Resistance of in Food. 2016 , 7, 1763		47
53	Expression of Inflammatory and Cell Death Program Genes and Comet DNA Damage Assay Induced by Escherichia coli in Layer Hens. <i>PLoS ONE</i> , 2016 , 11, e0158314	3.7	9
52	Microbial Food Spoilage: Control Strategies for Shelf Life Extension. 2016 , 239-264		8
51	Effect of hydrostatic pressure and antimicrobials on survival of Listeria monocytogenes and enterohaemorrhagic Escherichia coli in beef. 2016 , 38, 321-327		23
50	Rapid screening of waterborne pathogens using phage-mediated separation coupled with real-time PCR detection. <i>Analytical and Bioanalytical Chemistry</i> , 2016 , 408, 4169-78	4.4	27
49	Escherichia coli O157:H7--Discerning Facts from Fiction: An Integrated Research and Extension Project for Multiple Audiences. <i>Zoonoses and Public Health</i> , 2016 , 63, 72-81	2.9	1
48	Defatted bovine milk fat globule membrane inhibits association of enterohaemorrhagic Escherichia coli O157:H7 with human HT-29 cells. <i>International Dairy Journal</i> , 2016 , 59, 36-43	3.5	18
47	Self-reporting hydrogels rapidly differentiate among enterohemorrhagic Escherichia coli (EHEC) and non-virulent Escherichia coli (K12). <i>European Polymer Journal</i> , 2016 , 81, 257-265	5.2	9
46	Effect of the food matrix on pressure resistance of Shiga-toxin producing Escherichia coli. <i>Food Microbiology</i> , 2016 , 57, 96-102	6	7
45	Phage display and Shiga toxin neutralizers. <i>Toxicon</i> , 2016 , 113, 60-9	2.8	4
44	In vitro and in vivo studies on the antimicrobial effect of lactoferrin against Escherichia coli O157:H7. <i>Veterinary Microbiology</i> , 2017 , 202, 23-28	3.3	13

43	A Review of the Current Status of Relevant Zoonotic Pathogens in Wild Swine (<i>Sus scrofa</i>) Populations: Changes Modulating the Risk of Transmission to Humans. <i>Transboundary and Emerging Diseases</i> , 2017 , 64, 68-88	4.2	58
42	Pulsed light and antimicrobial combination treatments for surface decontamination of cheese: Favorable and antagonistic effects. <i>Journal of Dairy Science</i> , 2017 , 100, 1664-1673	4	15
41	Janus Emulsions for the Detection of Bacteria. <i>ACS Central Science</i> , 2017 , 3, 309-313	16.8	54
40	Fate of <i>Escherichia coli</i> O157:H7 and bacterial diversity in corn silage contaminated with the pathogen and treated with chemical or microbial additives. <i>Journal of Dairy Science</i> , 2017 , 100, 1780-1794	4	43
39	Development of an HTS system to identify natural chemicals that specifically inhibit <i>Escherichia coli</i> O157:H7 adhesion to host cells. <i>Food Control</i> , 2017 , 73, 185-192	6.2	0
38	Potential of berry extracts to control foodborne pathogens. <i>Food Control</i> , 2017 , 73, 650-662	6.2	43
37	The influence of surface chemistry on the kinetics and thermodynamics of bacterial adhesion. <i>Scientific Reports</i> , 2018 , 8, 17247	4.9	64
36	Impact of soil clay minerals on growth, biofilm formation, and virulence gene expression of <i>Escherichia coli</i> O157:H7. <i>Environmental Pollution</i> , 2018 , 243, 953-960	9.3	25
35	Structural Basis for the Specific Neutralization of Stx2a with a Camelid Single Domain Antibody Fragment. <i>Toxins</i> , 2018 , 10,	4.9	10
34	Bacteriophage cocktail for biocontrol of <i>Escherichia coli</i> O157:H7: Stability and potential allergenicity study. <i>PLoS ONE</i> , 2018 , 13, e0195023	3.7	33
33	Estimate of incidence and cost of recreational waterborne illness on United States surface waters. <i>Environmental Health</i> , 2018 , 17, 3	6	57
32	The prevalence of <i>Escherichia coli</i> O157:H7 fecal shedding in feedlot pens is affected by the water-to-cattle ratio: A randomized controlled trial. <i>PLoS ONE</i> , 2018 , 13, e0192149	3.7	9
31	Aptamer-based SERS biosensor for whole cell analytical detection of <i>E. coli</i> O157:H7. <i>Analytica Chimica Acta</i> , 2019 , 1081, 146-156	6.6	55
30	Recognition of Bacterial DNA on SAW-Based Biosensors. 2019 , 117-146		1
29	Carbon Nanotube Chemical Sensors. <i>Chemical Reviews</i> , 2019 , 119, 599-663	68.1	444
28	Electrochemiluminescent detection of <i>Escherichia coli</i> O157:H7 based on Ru(bpy) /ZnO nanorod arrays. <i>Nanotechnology</i> , 2019 , 30, 025501	3.4	9
27	Using Nanospray Liquid Chromatography and Mass Spectrometry to Quantitate Shiga Toxin Production in Environmental <i>Escherichia coli</i> Recovered from a Major Produce Production Region in California. <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 1554-1562	5.7	1
26	Control of pathogenic and spoilage bacteria in meat and meat products by high pressure: Challenges and future perspectives. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2020 , 19, 3476-3500	16.4	10

25	Interplay between enterohaemorrhagic and nitric oxide during the infectious process. <i>Emerging Microbes and Infections</i> , 2020 , 9, 1065-1076	18.9	2
24	Direct and lost productivity costs associated with avoidable hospital admissions. <i>BMC Health Services Research</i> , 2020 , 20, 210	2.9	8
23	Shiga Toxin-Associated Hemolytic Uremic Syndrome: A Narrative Review. <i>Toxins</i> , 2020 , 12,	4.9	46
22	Realising the broader value of vaccines in the UK. <i>Vaccine: X</i> , 2021 , 8, 100096	3.8	1
21	Procedures to Investigate Foodborne Illness. 2011 , 1-164		3
20	Gender Differences in Emerging Infectious Diseases. 2010 , 497-515		0
19	Shiga toxin-producing Escherichia coli, Idaho. <i>Emerging Infectious Diseases</i> , 2007 , 13, 1262-4	10.2	19
18	Economic cost of foodborne illness in Ohio. <i>Journal of Food Protection</i> , 2009 , 72, 128-36	2.5	19
17	The unexhausted potential of E. coli. <i>ELife</i> , 2015 , 4,	8.9	158
16	References. 2013 , 217-250		
15	Risk Factors for Shiga Toxin-Producing Escherichia coli-Associated Human Diseases. 359-380		
14	Outbreaks of Shiga Toxin-Related Poisoning. 2017 , 5-19		
13	Introduction. 2017 , 1-4		
12	Economic Incentives for Innovation: E. coli O157:H7 in US Beef. 2018 , 177-207		
11	The key lethal effect existed in the antibacterial behavior of short, medium, and long chain fatty acid monoglycerides on Escherichia coli.		0
10	A brief overview of Escherichia coli O157:H7 and its plasmid O157. <i>Journal of Microbiology and Biotechnology</i> , 2010 , 20, 5-14	3.3	109
9	Nanoparticle immuno-fluorescent probes as a method for detection of viable E. coli O157:H7.. <i>Journal of Microbiological Methods</i> , 2022 , 193, 106403	2.8	1
8	Interventions for Shiga toxin-producing Escherichia coli gastroenteritis and risk of hemolytic uremic syndrome: A population-based matched case control study.. <i>PLoS ONE</i> , 2022 , 17, e0263349	3.7	1

- 7 Bacterial-fungal interactions: Bacteria take up residence in the house that Fungi built.. *Current Biology*, **2022**, 32, R327-R328 6.3 ○
- 6 Review of Escherichia coli O157:H7 Prevalence, Pathogenicity, Heavy Metal and Antimicrobial Resistance, African Perspective. Volume 15, 4645-4673 ○
- 5 Direct Outpatient Health Care Costs Among Commercially Insured Persons for Common Foodborne Pathogens and Acute Gastroenteritis, 2012-2015. **2022**, 19, 558-568
- 4 Regulation of flagellar motility and biosynthesis in enterohemorrhagic Escherichia coli O157:H7. **2022**, 14, ○
- 3 NaBiF₄ upconversion nanoparticle-based electrochemiluminescent biosensor for E. coli O157 : H7 detection. **2022**, 12, 30174-30180 ○
- 2 Microbial contamination and quantitative microbial risk assessment of high-density polyethylene (HDPE) film sachet drinking water in Ghana. **2022**, 20, 1587-1603 ○
- 1 Control of Escherichia coli O157:H7 using lytic bacteriophage and lactic acid on marinated and tenderized raw pork loins. **2023**, 196, 109030 ○