

Repulsive Guidance Molecule (RGMa), a DRAGON Homologous Protein Co-receptor

Journal of Biological Chemistry

280, 29820-29827

DOI: [10.1074/jbc.m503511200](https://doi.org/10.1074/jbc.m503511200)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 2 | BMP Signaling in the Cartilage Growth Plate. <i>Current Topics in Developmental Biology</i> , 2006, 76, 1-48. | 1.0 | 104 |
| 3 | The structural basis of TGF- β 2, bone morphogenetic protein, and activin ligand binding. <i>Reproduction</i> , 2006, 132, 179-190. | 1.1 | 119 |
| 4 | Mutations of TGF- β signaling molecules in human disease. <i>Annals of Medicine</i> , 2006, 38, 403-414. | 1.5 | 80 |
| 5 | Prion protein modifies TGF- β 2 induced signal transduction. <i>Biochemical and Biophysical Research Communications</i> , 2006, 349, 525-532. | 1.0 | 6 |
| 6 | Regulation of Iron Metabolism by Hepcidin. <i>Annual Review of Nutrition</i> , 2006, 26, 323-342. | 4.3 | 653 |
| 7 | Induction of repulsive guidance molecule in neurons following sciatic nerve injury. <i>Journal of Chemical Neuroanatomy</i> , 2006, 32, 74-77. | 1.0 | 12 |
| 8 | Juvenile hemochromatosis. <i>Journal of Hepatology</i> , 2006, 45, 892-894. | 1.8 | 16 |
| 9 | Neogenin interacts with RGMa and Netrin-1 to guide axons within the embryonic vertebrate forebrain. <i>Developmental Biology</i> , 2006, 296, 485-498. | 0.9 | 100 |
| 10 | TGF- β 2 receptors: Assembly, signalling, and disease relevance. <i>Signal Transduction</i> , 2006, 6, 301-313. | 0.7 | 0 |
| 11 | Yin and Yang in BMP signaling: Impact on the pathology of diseases and potential for tissue regeneration. <i>Signal Transduction</i> , 2006, 6, 314-328. | 0.7 | 15 |
| 12 | Iron metabolism meets signal transduction. <i>Nature Genetics</i> , 2006, 38, 503-504. | 9.4 | 36 |
| 13 | Bone morphogenetic protein signaling by hemojuvelin regulates hepcidin expression. <i>Nature Genetics</i> , 2006, 38, 531-539. | 9.4 | 921 |
| 14 | Regulation of iron acquisition and iron distribution in mammals. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2006, 1763, 690-699. | 1.9 | 189 |
| 15 | The role of repulsive guidance molecules in the embryonic and adult vertebrate central nervous system. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2006, 361, 1513-1529. | 1.8 | 43 |
| 16 | Genomic analyses facilitate identification of receptors and signalling pathways for growth differentiation factor 9 and related orphan bone morphogenetic protein/growth differentiation factor ligands. <i>Human Reproduction Update</i> , 2006, 12, 373-383. | 5.2 | 72 |
| 17 | Repulsive Guidance Molecule Plays Multiple Roles in Neuronal Differentiation and Axon Guidance. <i>Journal of Neuroscience</i> , 2006, 26, 6082-6088. | 1.7 | 111 |
| 18 | RGMa inhibition promotes axonal growth and recovery after spinal cord injury. <i>Journal of Cell Biology</i> , 2006, 173, 47-58. | 2.3 | 257 |
| 19 | Bone morphogenetic proteins 2, 4, and 9 stimulate murine hepcidin 1 expression independently of Hfe, transferrin receptor 2 (Tfr2), and IL-6. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 10289-10293. | 3.3 | 284 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 20 | Robust, bistable patterning of the dorsal surface of the Drosophila embryo. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 11613-11618. | 3.3 | 114 |
| 21 | Repulsive Guidance Molecule RGMa Alters Utilization of Bone Morphogenetic Protein (BMP) Type II Receptors by BMP2 and BMP4. Journal of Biological Chemistry, 2007, 282, 18129-18140. | 1.6 | 91 |
| 22 | Neogenin-RGMa Signaling at the Growth Cone Is Bone Morphogenetic Protein-independent and Involves RhoA, ROCK, and PKC. Journal of Biological Chemistry, 2007, 282, 16423-16433. | 1.6 | 77 |
| 23 | Evidence That Inhibition of Hemojuvelin Shedding in Response to Iron Is Mediated through Neogenin. Journal of Biological Chemistry, 2007, 282, 12547-12556. | 1.6 | 106 |
| 24 | Potential drug targets within bone morphogenetic protein signaling pathways. Current Opinion in Pharmacology, 2007, 7, 325-333. | 1.7 | 27 |
| 25 | Bone Morphogenetic Proteins and Their Receptors in the Eye. Experimental Biology and Medicine, 2007, 232, 979-992. | 1.1 | 85 |
| 26 | Transforming growth factor- β signaling in cancer invasion and metastasis. International Journal of Cancer, 2007, 121, 2119-2124. | 2.3 | 179 |
| 27 | Role of RGM coreceptors in bone morphogenetic protein signaling. Journal of Molecular Signaling, 2007, 2, 4. | 0.5 | 47 |
| 28 | Molecular regulation of hepatic expression of iron regulatory hormone hepcidin. Journal of Gastroenterology and Hepatology (Australia), 2007, 22, 1378-1387. | 1.4 | 18 |
| 29 | Bone morphogenetic protein-2/4 signalling pathway components are expressed in the human thymus and inhibit early T-cell development. Immunology, 2007, 121, 94-104. | 2.0 | 50 |
| 30 | RGMa inhibits neurite outgrowth of neuronal progenitors from murine enteric nervous system via the neogenin receptor in vitro. Journal of Neurochemistry, 2007, 103, 071023231229002-??? | 2.1 | 23 |
| 31 | Neogenin and repulsive guidance molecule signaling in the central nervous system. Current Opinion in Neurobiology, 2007, 17, 29-34. | 2.0 | 62 |
| 32 | Hepcidin ? central regulator of iron metabolism. European Journal of Haematology, 2007, 78, 1-10. | 1.1 | 97 |
| 33 | Molecular Evolution of Hemojuvelin and the Repulsive Guidance Molecule Family. Journal of Molecular Evolution, 2007, 65, 68-81. | 0.8 | 23 |
| 34 | Bone morphogenetic proteins and their antagonists. Reviews in Endocrine and Metabolic Disorders, 2007, 7, 51-65. | 2.6 | 296 |
| 35 | Overexpression of repulsive guidance molecule (RGM) a induces cell death through Neogenin in early vertebrate development. Journal of Molecular Histology, 2008, 39, 105-113. | 1.0 | 19 |
| 36 | Dorsomorphin inhibits BMP signals required for embryogenesis and iron metabolism. Nature Chemical Biology, 2008, 4, 33-41. | 3.9 | 930 |
| 37 | Bone Morphogenetic Protein Receptors and Actions. , 2008, , 1177-1196. | | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 38 | Repulsive guidance molecule A (RGM A) and its receptor neogenin during neural and neural crest cell development of <i>Xenopus laevis</i> . <i>Biology of the Cell</i> , 2008, 100, 659-677. | 0.7 | 14 |
| 39 | Intraretinal RGMa is involved in retino-tectal mapping. <i>Molecular and Cellular Neurosciences</i> , 2008, 37, 761-769. | 1.0 | 14 |
| 40 | Trophoblast Differentiation Defect in Human Embryonic Stem Cells Lacking PIG-A and GPI-Anchored Cell-Surface Proteins. <i>Cell Stem Cell</i> , 2008, 2, 345-355. | 5.2 | 50 |
| 41 | Soluble hemojuvelin is released by proprotein convertase-mediated cleavage at a conserved polybasic RNRR site. <i>Blood Cells, Molecules, and Diseases</i> , 2008, 40, 122-131. | 0.6 | 91 |
| 42 | Bone Morphogenetic Proteins Signal through the Transforming Growth Factor- β Type III Receptor. <i>Journal of Biological Chemistry</i> , 2008, 283, 7628-7637. | 1.6 | 161 |
| 43 | Functional Characterization of Bone Morphogenetic Protein Binding Sites and Smad1/5 Activation in Human Vascular Cells. <i>Molecular Pharmacology</i> , 2008, 73, 539-552. | 1.0 | 55 |
| 44 | Selective binding of RGMc/hemojuvelin, a key protein in systemic iron metabolism, to BMP-2 and neogenin. <i>American Journal of Physiology - Cell Physiology</i> , 2008, 294, C994-C1003. | 2.1 | 44 |
| 45 | Hemojuvelin regulates hepcidin expression via a selective subset of BMP ligands and receptors independently of neogenin. <i>Blood</i> , 2008, 111, 5195-5204. | 0.6 | 194 |
| 46 | ActRIIA and BMPRII Type II BMP Receptor Subunits Selectively Required for Smad4-Independent BMP7-Evoked Chemotaxis. <i>PLoS ONE</i> , 2009, 4, e8198. | 1.1 | 37 |
| 47 | Hemojuvelin-Neogenin Interaction Is Required for Bone Morphogenetic Protein-4-induced Hepcidin Expression. <i>Journal of Biological Chemistry</i> , 2009, 284, 22580-22589. | 1.6 | 71 |
| 48 | The extracellular regulation of bone morphogenetic protein signaling. <i>Development (Cambridge)</i> , 2009, 136, 3715-3728. | 1.2 | 181 |
| 49 | Incomplete penetrance and phenotypic variability characterize Gdf6-attributable oculo-skeletal phenotypes. <i>Human Molecular Genetics</i> , 2009, 18, 1110-1121. | 1.4 | 92 |
| 50 | Receptor oligomerization and beyond: a case study in bone morphogenetic proteins. <i>BMC Biology</i> , 2009, 7, 59. | 1.7 | 116 |
| 51 | DRAGON, a GPI-anchored membrane protein, inhibits BMP signaling in C2C12 myoblasts. <i>Genes To Cells</i> , 2009, 14, 695-702. | 0.5 | 23 |
| 52 | BMP6 is a key endogenous regulator of hepcidin expression and iron metabolism. <i>Nature Genetics</i> , 2009, 41, 482-487. | 9.4 | 678 |
| 53 | Stimulating neuroregeneration as a therapeutic drug approach for traumatic brain injury. <i>British Journal of Pharmacology</i> , 2009, 157, 675-685. | 2.7 | 35 |
| 54 | BMP modulators regulate the function of BMP during body patterning and disease progression. <i>BioFactors</i> , 2009, 35, 113-119. | 2.6 | 13 |
| 55 | The RGM/DRAGON family of BMP co-receptors. <i>Cytokine and Growth Factor Reviews</i> , 2009, 20, 389-398. | 3.2 | 102 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 56 | The emerging role of TGF- β 2 superfamily coreceptors in cancer. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2009, 1792, 954-973. | 1.8 | 224 |
| 57 | Frequent Inactivation of Axon Guidance Molecule RGMA in Human Colon Cancer Through Genetic and Epigenetic Mechanisms. <i>Gastroenterology</i> , 2009, 137, 176-187. | 0.6 | 43 |
| 58 | A general map of iron metabolism and tissue-specific subnetworks. <i>Molecular BioSystems</i> , 2009, 5, 422. | 2.9 | 74 |
| 59 | Regulation of Hepcidin and Iron-Overload Disease. <i>Annual Review of Pathology: Mechanisms of Disease</i> , 2009, 4, 489-515. | 9.6 | 155 |
| 60 | Molecular biology, genetics and biochemistry of the repulsive guidance molecule family. <i>Biochemical Journal</i> , 2009, 422, 393-403. | 1.7 | 54 |
| 61 | Neogenin inhibits HIV secretion and regulates BMP-induced hepcidin expression and iron homeostasis. <i>Blood</i> , 2010, 115, 3136-3145. | 0.6 | 117 |
| 62 | A Selection Fit Mechanism in BMP Receptor IA as a Possible Source for BMP Ligand-Receptor Promiscuity. <i>PLoS ONE</i> , 2010, 5, e13049. | 1.1 | 10 |
| 63 | Dragon Enhances BMP Signaling and Increases Transepithelial Resistance in Kidney Epithelial Cells. <i>Journal of the American Society of Nephrology: JASN</i> , 2010, 21, 666-677. | 3.0 | 32 |
| 64 | Soluble Repulsive Guidance Molecule c/Hemojuvelin Is a Broad Spectrum Bone Morphogenetic Protein (BMP) Antagonist and Inhibits both BMP2- and BMP6-mediated Signaling and Gene Expression. <i>Journal of Biological Chemistry</i> , 2010, 285, 24783-24792. | 1.6 | 31 |
| 65 | The RGM protein DRAG-1 positively regulates a BMP-like signaling pathway in <i>Caenorhabditis elegans</i> . <i>Development (Cambridge)</i> , 2010, 137, 2375-2384. | 1.2 | 39 |
| 66 | Bone morphogenetic protein receptors and signal transduction. <i>Journal of Biochemistry</i> , 2010, 147, 35-51. | 0.9 | 845 |
| 67 | BMP signaling in vascular development and disease. <i>Cytokine and Growth Factor Reviews</i> , 2010, 21, 287-298. | 3.2 | 114 |
| 68 | Neogenin Regulation of BMP-Induced Canonical Smad Signaling and Endochondral Bone Formation. <i>Developmental Cell</i> , 2010, 19, 90-102. | 3.1 | 109 |
| 69 | The repulsive guidance molecule, RGMA, promotes retinal ganglion cell survival in vitro and in vivo. <i>Neuroscience</i> , 2010, 169, 495-504. | 1.1 | 31 |
| 70 | Repulsive guidance molecule-A (RGM-A) inhibits leukocyte migration and mitigates inflammation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 6555-6560. | 3.3 | 55 |
| 71 | Antagonism of Activin by Activin Chimeras. <i>Vitamins and Hormones</i> , 2011, 85, 105-128. | 0.7 | 4 |
| 72 | Endogenous Bmp4 in myoblasts is required for myotube formation in C2C12 cells. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2011, 1810, 1127-1135. | 1.1 | 17 |
| 73 | Bone Morphogenetic Protein functions as a context-dependent angiogenic cue in vertebrates. <i>Seminars in Cell and Developmental Biology</i> , 2011, 22, 1012-1018. | 2.3 | 30 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 74 | Repulsive guidance molecules, novel bone morphogenetic protein co-receptors, are key regulators of the growth and aggressiveness of prostate cancer cells. <i>International Journal of Oncology</i> , 2011, 40, 544-50. | 1.4 | 17 |
| 75 | Different spatial and temporal protein expressions of repulsive guidance molecule a and neogenin in the rat optic nerve after optic nerve crush with and without lens injury. <i>Journal of Neuroscience Research</i> , 2011, 89, 490-505. | 1.3 | 17 |
| 76 | Dragon (Repulsive Guidance Molecule b) Inhibits IL-6 Expression in Macrophages. <i>Journal of Immunology</i> , 2011, 186, 1369-1376. | 0.4 | 49 |
| 77 | A Transmembrane Protein EIG121L Is Required for Epidermal Differentiation during Early Embryonic Development. <i>Journal of Biological Chemistry</i> , 2011, 286, 6760-6768. | 1.6 | 6 |
| 78 | Fenfluramine-Induced Gene Dysregulation in Human Pulmonary Artery Smooth Muscle and Endothelial Cells. <i>Pulmonary Circulation</i> , 2011, 1, 405-418. | 0.8 | 7 |
| 79 | Novel Roles of the Chemorepellent Axon Guidance Molecule RGMA in Cell Migration and Adhesion. <i>Molecular and Cellular Biology</i> , 2012, 32, 968-980. | 1.1 | 16 |
| 80 | Molecular Regulation of Systemic Iron Metabolism. , 2012, , 173-190. | | 2 |
| 81 | <i>RGMA</i> and <i>RGMB</i> expression pattern during chicken development suggest unexpected roles for these repulsive guidance molecules in notochord formation, somitogenesis, and myogenesis. <i>Developmental Dynamics</i> , 2012, 241, 1886-1900. | 0.8 | 9 |
| 82 | The hemochromatosis proteins HFE, TfR2, and HJV form a membrane-associated protein complex for hepcidin regulation. <i>Journal of Hepatology</i> , 2012, 57, 1052-1060. | 1.8 | 166 |
| 83 | Missense Mutations in GDF-5 Signaling: Molecular Mechanisms Behind Skeletal Malformation. , 2012, , . | | 0 |
| 84 | Expression of the Wnt signaling system in central nervous system axon guidance and regeneration. <i>Frontiers in Molecular Neuroscience</i> , 2012, 5, 5. | 1.4 | 40 |
| 85 | Signaling in Cell Differentiation and Morphogenesis. <i>Cold Spring Harbor Perspectives in Biology</i> , 2012, 4, a008151-a008151. | 2.3 | 121 |
| 86 | Dual roles of the chemorepellent axon guidance molecule RGMA in establishing pioneering axon tracts and neural fate decisions in embryonic vertebrate forebrain. <i>Developmental Neurobiology</i> , 2012, 72, 1458-1470. | 1.5 | 10 |
| 87 | Repulsive guidance molecule B (RGMB) plays negative roles in breast cancer by coordinating BMP signaling. <i>Journal of Cellular Biochemistry</i> , 2012, 113, 2523-2531. | 1.2 | 35 |
| 88 | BMP signaling in vascular diseases. <i>FEBS Letters</i> , 2012, 586, 1993-2002. | 1.3 | 236 |
| 89 | Overactive bone morphogenetic protein signaling in heterotopic ossification and Duchenne muscular dystrophy. <i>Cellular and Molecular Life Sciences</i> , 2013, 70, 407-423. | 2.4 | 36 |
| 90 | The neogenin/DCC homolog UNC-40 promotes BMP signaling via the RGM protein DRAG-1 in <i>C. elegans</i> . <i>Development (Cambridge)</i> , 2013, 140, 4070-4080. | 1.2 | 28 |
| 91 | Repulsive guidance molecules (RGMs) and neogenin in bone morphogenetic protein (BMP) signaling. <i>Molecular Reproduction and Development</i> , 2013, 80, 700-717. | 1.0 | 29 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 92 | Accumulation of a repulsive axonal guidance molecule RGMa in amyloid plaques: a possible hallmark of regenerative failure in Alzheimer's disease brains. <i>Neuropathology and Applied Neurobiology</i> , 2013, 39, 109-120. | 1.8 | 30 |
| 93 | Cardiomyocytes. <i>Biomathematical and Biomechanical Modeling of the Circulatory and Ventilatory Systems</i> , 2013, , 189-269. | 0.1 | 0 |
| 94 | Dragon (Repulsive Guidance Molecule RGMb) Inhibits E-cadherin Expression and Induces Apoptosis in Renal Tubular Epithelial Cells. <i>Journal of Biological Chemistry</i> , 2013, 288, 31528-31539. | 1.6 | 23 |
| 95 | The type III TGF β 2 receptor regulates filopodia formation via a Cdc42-mediated IRSp53 β -N-WASP interaction in epithelial cells. <i>Biochemical Journal</i> , 2013, 454, 79-89. | 1.7 | 16 |
| 96 | Proteomic analysis and molecular modelling characterize the iron-regulatory protein haemojuvelin/repulsive guidance molecule c. <i>Biochemical Journal</i> , 2013, 452, 87-95. | 1.7 | 7 |
| 97 | Caveolae regulate smad signaling as verified by novel imaging and system biology approaches. <i>Journal of Cellular Physiology</i> , 2013, 228, 1060-1069. | 2.0 | 13 |
| 98 | A novel validated enzyme-linked immunosorbent assay to quantify soluble hemojuvelin in mouse serum. <i>Haematologica</i> , 2013, 98, 296-304. | 1.7 | 15 |
| 99 | Generation of Glycosylphosphatidylinositol Anchor Protein-Deficient Blood Cells From Human Induced Pluripotent Stem Cells. <i>Stem Cells Translational Medicine</i> , 2013, 2, 819-829. | 1.6 | 18 |
| 101 | Axon guidance during development and regeneration. , 0, , 301-316. | | 0 |
| 102 | Hemojuvelin and bone morphogenetic protein (BMP) signaling in iron homeostasis. <i>Frontiers in Pharmacology</i> , 2014, 5, 104. | 1.6 | 84 |
| 103 | RGM Regulates BMP-Mediated Secondary Axis Formation in the Sea Anemone <i>Nematostella vectensis</i> . <i>Cell Reports</i> , 2014, 9, 1921-1930. | 2.9 | 50 |
| 104 | Linking cellular zinc status to body weight and fat mass: mapping quantitative trait loci in Znt7 knockout mice. <i>Mammalian Genome</i> , 2014, 25, 335-353. | 1.0 | 10 |
| 105 | BMP signaling in axon regeneration. <i>Current Opinion in Neurobiology</i> , 2014, 27, 127-134. | 2.0 | 37 |
| 106 | Tumour angiogenesis and repulsive guidance molecule b: A role in HGF- and BMP-7-mediated angiogenesis. <i>International Journal of Oncology</i> , 2014, 45, 1304-1312. | 1.4 | 15 |
| 107 | Repulsive Guidance Molecules a, b and c Are Skeletal Muscle Proteins, and Repulsive Guidance Molecule a Promotes Cellular Hypertrophy and Is Necessary for Myotube Fusion. <i>Cells Tissues Organs</i> , 2014, 200, 326-338. | 1.3 | 4 |
| 108 | Regulators and effectors of bone morphogenetic protein signalling in the cardiovascular system. <i>Journal of Physiology</i> , 2015, 593, 2995-3011. | 1.3 | 23 |
| 109 | Collaborative cross mice in a genetic association study reveal new candidate genes for bone microarchitecture. <i>BMC Genomics</i> , 2015, 16, 1013. | 1.2 | 39 |
| 110 | Study on expression of lncRNA RGMb-AS1 and repulsive guidance molecule b in non-small cell lung cancer. <i>Diagnostic Pathology</i> , 2015, 10, 63. | 0.9 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 111 | RGM co-receptors add complexity to BMP signaling. <i>Nature Structural and Molecular Biology</i> , 2015, 22, 439-440. | 3.6 | 15 |
| 112 | Repulsive guidance molecule is a structural bridge between neogenin and bone morphogenetic protein. <i>Nature Structural and Molecular Biology</i> , 2015, 22, 458-465. | 3.6 | 78 |
| 113 | GDF-5 can act as a context-dependent BMP-2 antagonist. <i>BMC Biology</i> , 2015, 13, 77. | 1.7 | 39 |
| 114 | Bone morphogenetic protein signaling in bone homeostasis. <i>Bone</i> , 2015, 80, 43-59. | 1.4 | 163 |
| 115 | Mechanisms of BMP Receptor Interaction and Activation. <i>Vitamins and Hormones</i> , 2015, 99, 1-61. | 0.7 | 10 |
| 116 | Bone Morphogenetic Protein 4 Signalling in Neural Stem and Progenitor Cells during Development and after Injury. <i>Stem Cells International</i> , 2016, 2016, 1-16. | 1.2 | 33 |
| 117 | Biochemistry and Biology of GDF11 and Myostatin. <i>Circulation Research</i> , 2016, 118, 1125-1142. | 2.0 | 155 |
| 118 | Repulsive Guidance Molecule b (RGMb) Is Dispensable for Normal Gonadal Function in Mice. <i>Biology of Reproduction</i> , 2016, 94, 78. | 1.2 | 5 |
| 120 | Structural Biology and Evolution of the TGF- β Family. <i>Cold Spring Harbor Perspectives in Biology</i> , 2016, 8, a022103. | 2.3 | 267 |
| 121 | Bone Morphogenetic Proteins. <i>Cold Spring Harbor Perspectives in Biology</i> , 2016, 8, a021899. | 2.3 | 356 |
| 122 | Repulsive guidance molecule a blockade exerts the immunoregulatory function in DCs stimulated with ABP and LPS. <i>Human Vaccines and Immunotherapeutics</i> , 2016, 12, 2169-2180. | 1.4 | 4 |
| 123 | Bone morphogenetic proteins in tumour associated angiogenesis and implication in cancer therapies. <i>Cancer Letters</i> , 2016, 380, 586-597. | 3.2 | 39 |
| 124 | Biochemical and Cellular Analysis Reveals Ligand Binding Specificities, a Molecular Basis for Ligand Recognition, and Membrane Association-dependent Activities of Cripto-1 and Cryptic. <i>Journal of Biological Chemistry</i> , 2017, 292, 4138-4151. | 1.6 | 12 |
| 125 | Therapeutic Potential for Bone Morphogenetic Protein 4 in Human Malignant Glioma. <i>Neoplasia</i> , 2017, 19, 261-270. | 2.3 | 25 |
| 126 | The Central Role of BMP Signaling in Regulating Iron Homeostasis. , 2017, , 345-356. | | 0 |
| 127 | BMP and BMP Regulation: Structure and Function. , 2017, , 73-111. | | 1 |
| 128 | RGMs: Structural Insights, Molecular Regulation, and Downstream Signaling. <i>Trends in Cell Biology</i> , 2017, 27, 365-378. | 3.6 | 83 |
| 129 | The BMP pathway: A unique tool to decode the origin and progression of leukemia. <i>Experimental Hematology</i> , 2018, 61, 36-44. | 0.2 | 33 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 130 | RGMa mediates reactive astrogliosis and glial scar formation through TGF β 1/Smad2/3 signaling after stroke. <i>Cell Death and Differentiation</i> , 2018, 25, 1503-1516. | 5.0 | 75 |
| 131 | TGF- β family co-receptor function and signaling. <i>Acta Biochimica Et Biophysica Sinica</i> , 2018, 50, 12-36. | 0.9 | 150 |
| 132 | Rgma-Induced Neo1 Proteolysis Promotes Neural Tube Morphogenesis. <i>Journal of Neuroscience</i> , 2019, 39, 7465-7484. | 1.7 | 10 |
| 133 | Regulators of hepcidin expression. <i>Vitamins and Hormones</i> , 2019, 110, 101-129. | 0.7 | 49 |
| 134 | Hemojuvelin is a novel suppressor for Duchenne muscular dystrophy and age-related muscle wasting. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2019, 10, 557-573. | 2.9 | 19 |
| 135 | Variation in the repulsive guidance molecule family in human populations. <i>Physiological Reports</i> , 2019, 7, e13959. | 0.7 | 3 |
| 136 | Inhibition of neogenin promotes neuronal survival and improved behavior recovery after spinal cord injury. <i>Neuroscience</i> , 2019, 408, 430-447. | 1.1 | 24 |
| 137 | Liver iron sensing and body iron homeostasis. <i>Blood</i> , 2019, 133, 18-29. | 0.6 | 196 |
| 138 | Bone morphogenetic proteins: New insights into their roles and mechanisms in CNS development, pathology and repair. <i>Experimental Neurology</i> , 2020, 334, 113455. | 2.0 | 18 |
| 139 | Bone morphogenetic protein receptors: Structure, function and targeting by selective small molecule kinase inhibitors. <i>Bone</i> , 2020, 138, 115472. | 1.4 | 65 |
| 140 | Repulsive guidance molecules lock growth differentiation factor 5 in an inhibitory complex. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 15620-15631. | 3.3 | 18 |
| 141 | Bone morphogenic proteins in iron homeostasis. <i>Bone</i> , 2020, 138, 115495. | 1.4 | 35 |
| 142 | Hepcidin Signaling in Health and Disease: Ironing Out the Details. <i>Hepatology Communications</i> , 2021, 5, 723-735. | 2.0 | 29 |
| 143 | RGMa can induce skeletal muscle cell hyperplasia via association with neogenin signalling pathway. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 2021, 57, 415-427. | 0.7 | 3 |
| 144 | TGF β 2 superfamily coreceptors in cancer. <i>Developmental Dynamics</i> , 2022, 251, 117-143. | 0.8 | 33 |
| 145 | Perspective: Treatment for Disease Modification in Chronic Neurodegeneration. <i>Cells</i> , 2021, 10, 873. | 1.8 | 12 |
| 146 | Coordination of iron homeostasis by bone morphogenetic proteins: Current understanding and unanswered questions. <i>Developmental Dynamics</i> , 2022, 251, 26-46. | 0.8 | 21 |
| 147 | View Point: Disease Modification and Cell Secretome Based Approaches in Parkinson's Disease: Are We on the Right Track?. <i>Biologics: Targets and Therapy</i> , 2021, Volume 15, 307-316. | 3.0 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 148 | Canonical TGF β ² Signaling and Its Contribution to Endometrial Cancer Development and Progression—Underestimated Target of Anticancer Strategies. <i>Journal of Clinical Medicine</i> , 2021, 10, 3900. | 1.0 | 12 |
| 149 | Elezanumab, a clinical stage human monoclonal antibody that selectively targets repulsive guidance molecule A to promote neuroregeneration and neuroprotection in neuronal injury and demyelination models. <i>Neurobiology of Disease</i> , 2021, 159, 105492. | 2.1 | 7 |
| 150 | TGF- β ² receptors: Assembly, signalling, and disease relevance. <i>Signal Transduction</i> , 2006, 6, 301-313. | 0.7 | 3 |
| 151 | Bone morphogenetic protein antagonists and kidney. , 2008, , 213-232. | | 2 |
| 152 | Bone morphogenetic protein signaling is fine-tuned on multiple levels. , 2008, , 81-114. | | 2 |
| 153 | Modulation of bone morphogenetic protein signaling in vivo regulates systemic iron balance. <i>Journal of Clinical Investigation</i> , 2007, 117, 1933-1939. | 3.9 | 401 |
| 154 | Repulsive Guidance Molecule (RGM) Family Proteins Exhibit Differential Binding Kinetics for Bone Morphogenetic Proteins (BMPs). <i>PLoS ONE</i> , 2012, 7, e46307. | 1.1 | 47 |
| 155 | Spatiotemporal Expression of Repulsive Guidance Molecules (RGMs) and Their Receptor Neogenin in the Mouse Brain. <i>PLoS ONE</i> , 2013, 8, e55828. | 1.1 | 23 |
| 156 | Long Noncoding RNA RGMB-AS1 Indicates a Poor Prognosis and Modulates Cell Proliferation, Migration and Invasion in Lung Adenocarcinoma. <i>PLoS ONE</i> , 2016, 11, e0150790. | 1.1 | 28 |
| 157 | Bone morphogenetic proteins and their receptor signaling in prostate cancer. <i>Histology and Histopathology</i> , 2007, 22, 1129-47. | 0.5 | 68 |
| 158 | Clinical and basic research papers — July 2005 selections. <i>BoneKEy Osteovision</i> , 2005, 2, 1-4. | 0.6 | 0 |
| 159 | The Role of Heparin in Iron Homeostasis. , 2009, , 51-64. | | 2 |
| 160 | Neural-inducing Factor Netrin-1 is Regulated in Chondrogenesis and Osteogenesis by BMP or Noggin. <i>Journal of Hard Tissue Biology</i> , 2012, 21, 141-150. | 0.2 | 0 |
| 161 | Bone Morphogenetic Protein Signaling Pathways in Heart Development and Disease. , 0, , . | | 2 |
| 162 | Bone morphogenetic proteins mediate crosstalk between cancer cells and the tumour microenvironment at primary tumours and metastases (Review). <i>International Journal of Oncology</i> , 2020, 56, 1335-1351. | 1.4 | 4 |
| 163 | ASB2 is a novel E3 ligase of SMAD9 required for cardiogenesis. <i>Scientific Reports</i> , 2021, 11, 23056. | 1.6 | 5 |
| 164 | Transcriptomic characterization of the molecular mechanisms induced by RGMa during skeletal muscle nuclei accretion and hypertrophy. <i>BMC Genomics</i> , 2022, 23, 188. | 1.2 | 2 |
| 165 | The context-dependent, combinatorial logic of BMP signaling. <i>Cell Systems</i> , 2022, 13, 388-407.e10. | 2.9 | 38 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|----|-----------|
| 166 | Anti-repulsive guidance molecule: An antibody treatment in spinal cord injury. , 2022, , 347-357. | | 0 |