

Role of Endothelin in Mediating Tumor Necrosis Factor Rats

Hypertension

46, 82-86

DOI: [10.1161/01.hyp.0000169152.59854.36](https://doi.org/10.1161/01.hyp.0000169152.59854.36)

Citation Report

#	ARTICLE	IF	CITATIONS
1	An emerging role for inflammatory cytokines in hypertension. American Journal of Physiology - Heart and Circulatory Physiology, 2006, 290, H923-H924.	1.5	74
2	Endothelin, the kidney, and hypertension. Current Hypertension Reports, 2006, 8, 298-303.	1.5	38
3	Enhanced Endothelin Synthesis by Endothelial Cells Exposed to Sera From Pregnant Rats With Decreased Uterine Perfusion. Hypertension, 2006, 47, 615-618.	1.3	74
4	Hypertension Produced by Reductions in Uterine Perfusion in the Pregnant Rat. Hypertension, 2006, 48, 711-716.	1.3	140
5	Neurovascular Mechanisms of Hypertension in Pregnancy. Current Neurovascular Research, 2006, 3, 131-148.	0.4	40
6	Dysregulation of the Circulating and Tissue-Based Renin-Angiotensin System in Preeclampsia. Hypertension, 2007, 49, 604-611.	1.3	235
7	Pathophysiology of Hypertension During Preeclampsia: Role of Inflammatory Cytokines. Current Hypertension Reviews, 2007, 3, 69-74.	0.5	2
8	Role of Sex Steroids in Modulating Tumor Necrosis Factor Alpha-Induced Changes in Vascular Function and Blood Pressure<xref ref-type="author-notes" rid="fn1">*</sup></xref>_{title /}. American Journal of Hypertension, 2007, 20, 1216-21.	1.0	13
9	Role of Cytokines and Inflammation in Hypertension. , 2007, , 229-239.		0
10	Role of the Kidney in Hypertension. , 2007, , 241-263.		2
11	Differential regulation of visfatin and adiponectin in pregnancies with normal and abnormal placental function. Clinical Endocrinology, 2007, 66, 434-439.	1.2	74
12	Functional Network Analysis of the Transcriptomes of Mesenchymal Stem Cells Derived from Amniotic Fluid, Amniotic Membrane, Cord Blood, and Bone Marrow. Stem Cells, 2007, 25, 2511-2523.	1.4	209
13	Inflammatory cytokines in the pathophysiology of hypertension during preeclampsia. Current Hypertension Reports, 2007, 9, 480-485.	1.5	178
14	Angiotensin receptor agonistic autoantibodies induce pre-eclampsia in pregnant mice. Nature Medicine, 2008, 14, 855-862.	15.2	450
15	Serum levels of the adipokine visfatin are increased in pre-eclampsia. Clinical Endocrinology, 2008, 69, 69-73.	1.2	78
16	Sleep-Disordered Breathing in Pregnancy. Sleep Medicine Clinics, 2008, 3, 81-95.	1.2	15
17	Pathophysiology of hypertension in response to placental ischemia during pregnancy: A central role for endothelin?. Gender Medicine, 2008, 5, S133-S138.	1.4	50
18	Pathophysiology of hypertension during preeclampsia: linking placental ischemia with endothelial dysfunction. American Journal of Physiology - Heart and Circulatory Physiology, 2008, 294, H541-H550.	1.5	432

#	ARTICLE	IF	CITATIONS
19	CaR activation increases TNF production by mTAL cells via a Gi-dependent mechanism. <i>American Journal of Physiology - Renal Physiology</i> , 2008, 294, F345-F354.	1.3	19
20	TNF- α inhibition reduces renal injury in DOCA-salt hypertensive rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2008, 294, R76-R83.	0.9	121
21	Hypertension in Response to Chronic Reductions in Uterine Perfusion in Pregnant Rats. <i>Hypertension</i> , 2008, 52, 1161-1167.	1.3	150
22	Recent Progress Toward the Understanding of the Pathophysiology of Hypertension During Preeclampsia. <i>Hypertension</i> , 2008, 51, 982-988.	1.3	134
23	Rosiglitazone decreases blood pressure and renal injury in a female mouse model of systemic lupus erythematosus. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2009, 296, R1282-R1289.	0.9	74
24	Interleukin-10 attenuates vascular responses to endothelin-1 via effects on ERK1/2-dependent pathway. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2009, 296, H489-H496.	1.5	29
25	Ghrelin protects mice against endotoxemia-induced acute kidney injury. <i>American Journal of Physiology - Renal Physiology</i> , 2009, 297, F1032-F1037.	1.3	76
26	Effects of 17-Hydroxyprogesterone on Tumor Necrosis Factor- α -Induced Hypertension During Pregnancy. <i>American Journal of Hypertension</i> , 2009, 22, 1120-1125.	1.0	41
27	Hypertension in Response to Autoantibodies to the Angiotensin II Type I Receptor (AT1-AA) in Pregnant Rats. <i>Hypertension</i> , 2009, 54, 905-909.	1.3	185
28	17-hydroxyprogesterone blunts the hypertensive response associated with reductions in uterine perfusion pressure in pregnant rats. <i>American Journal of Obstetrics and Gynecology</i> , 2009, 201, 324.e1-324.e6.	0.7	19
29	Is preeclampsia an autoimmune disease?. <i>Clinical Immunology</i> , 2009, 133, 1-12.	1.4	54
30	Comparison of the accuracy of dichlorophenolindophenol (DCIP), modified DCIP, and hemoglobin E tests to screen for the HbE trait in pregnant women. <i>International Journal of Gynecology and Obstetrics</i> , 2009, 107, 59-60.	1.0	10
31	Placental and umbilical cord levels of neurokinin B and neurokinin B receptor in preeclampsia. <i>International Journal of Gynecology and Obstetrics</i> , 2009, 107, 58-59.	1.0	4
32	Adipocytokines in Normal and Complicated Pregnancies. <i>Reproductive Sciences</i> , 2009, 16, 921-937.	1.1	161
33	Molecular and Vascular Targets in the Pathogenesis and Management of the Hypertension Associated with Preeclampsia. <i>Cardiovascular and Hematological Agents in Medicinal Chemistry</i> , 2010, 8, 204-226.	0.4	69
34	Endothelial Dysfunction and Insulin Resistance as Pathophysiologic Mechanisms in a Rat Model of Preeclampsia. <i>American Journal of Biochemistry and Biotechnology</i> , 2010, 6, 172-180.	0.1	2
35	Autoantibody-Mediated Angiotensin Receptor Activation Contributes to Preeclampsia Through Tumor Necrosis Factor- α Signaling. <i>Hypertension</i> , 2010, 55, 1246-1253.	1.3	87
36	Risk Factors and Mediators of the Vascular Dysfunction Associated with Hypertension in Pregnancy. <i>Cardiovascular & Hematological Disorders Drug Targets</i> , 2010, 10, 33-52.	0.2	44

#	ARTICLE	IF	CITATIONS
37	Interleukin-10 inhibits the in vivo and in vitro adverse effects of TNF- α on the endothelium of murine aorta. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010, 299, H1160-H1167.	1.5	51
38	TNFR1-deficient mice display altered blood pressure and renal responses to ANG II infusion. <i>American Journal of Physiology - Renal Physiology</i> , 2010, 299, F1141-F1150.	1.3	40
39	Circulating and Vascular Bioactive Factors During Hypertension in Pregnancy. <i>Current Bioactive Compounds</i> , 2010, 6, 60-75.	0.2	32
40	Recent insights into the pathophysiology of preeclampsia. <i>Expert Review of Obstetrics and Gynecology</i> , 2010, 5, 557-566.	0.4	81
41	Neurokinin B and urotensin II levels in pre-eclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 869-873.	0.7	4
42	Tumor necrosis factor α induces a model of preeclampsia in pregnant baboons (<i>Papio hamadryas</i>). <i>Cytokine</i> , 2011, 56, 192-199.	1.4	72
43	Is inflammation the cause of pre-eclampsia?. <i>Biochemical Society Transactions</i> , 2011, 39, 1619-1627.	1.6	97
44	Role of Endothelin and Inflammatory Cytokines in Pre-eclampsia - A Pilot North Indian Study. <i>American Journal of Reproductive Immunology</i> , 2011, 65, 428-432.	1.2	31
45	Animal Models of Pre-eclampsia. <i>American Journal of Reproductive Immunology</i> , 2011, 65, 533-541.	1.2	39
46	TNF- α inhibits trophoblast integration into endothelial cellular networks. <i>Placenta</i> , 2011, 32, 241-246.	0.7	66
47	Animal models of preeclampsia; uses and limitations. <i>Placenta</i> , 2011, 32, 413-419.	0.7	139
48	Endothelin type A receptor antagonist attenuates placental ischemia-induced hypertension and uterine vascular resistance. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 204, 330.e1-330.e4.	0.7	55
49	Mechanisms and Potential Therapies for Preeclampsia. <i>Current Hypertension Reports</i> , 2011, 13, 269-275.	1.5	69
50	Hypertension in Response to AT1-AA: Role of Reactive Oxygen Species in Pregnancy-Induced Hypertension. <i>American Journal of Hypertension</i> , 2011, 24, 835-840.	1.0	67
51	Hypertension in Response to Placental Ischemia During Pregnancy. <i>Hypertension</i> , 2011, 57, 865-871.	1.3	107
52	Induction of Heme Oxygenase 1 Attenuates Placental Ischemia-Induced Hypertension. <i>Hypertension</i> , 2011, 57, 941-948.	1.3	101
53	IL-6-induced pathophysiology during pre-eclampsia: potential therapeutic role for magnesium sulfate?. <i>International Journal of Interferon, Cytokine and Mediator Research</i> , 2011, 2011, 59.	1.1	59
54	Autoantibody-Mediated IL-6-Dependent Endothelin-1 Elevation Underlies Pathogenesis in a Mouse Model of Preeclampsia. <i>Journal of Immunology</i> , 2011, 186, 6024-6034.	0.4	84

#	ARTICLE	IF	CITATIONS
55	Endothelin: Key Mediator of Hypertension in Preeclampsia. American Journal of Hypertension, 2011, 24, 964-969.	1.0	158
56	Kupffer Cells. Molecular Pathology Library, 2011, , 81-95.	0.1	4
57	A model of preeclampsia in rats: the reduced uterine perfusion pressure (RUPOP) model. American Journal of Physiology - Heart and Circulatory Physiology, 2012, 303, H1-H8.	1.5	163
58	Hypertension in response to CD4+ T cells from reduced uterine perfusion pregnant rats is associated with activation of the endothelin-1 system. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2012, 303, R144-R149.	0.9	40
59	Tumor necrosis factor- α receptor type 1, not type 2, mediates its acute responses in the kidney. American Journal of Physiology - Renal Physiology, 2012, 302, F1650-F1657.	1.3	28
60	Linking Placental Ischemia and Hypertension in Preeclampsia. Hypertension, 2012, 60, 507-511.	1.3	51
61	Pre-eclampsia and offspring cardiovascular health: mechanistic insights from experimental studies. Clinical Science, 2012, 123, 53-72.	1.8	153
62	Eicosanoids and tumor necrosis factor-alpha in the kidney. Prostaglandins and Other Lipid Mediators, 2012, 98, 101-106.	1.0	13
63	Neutralization of Tumor Necrosis Factor-Alpha Reduces Renal Fibrosis and Hypertension in Rats with Renal Failure. American Journal of Nephrology, 2012, 36, 151-161.	1.4	54
64	Hypertension: Physiology and Pathophysiology. , 2012, 2, 2393-2442.		187
65	Vascular Mechanisms of Hypertension in the Pathophysiology of Preeclampsia. , 2012, , 1329-1337.		0
66	Tumor necrosis factor- α : regulation of renal function and blood pressure. American Journal of Physiology - Renal Physiology, 2013, 304, F1231-F1242.	1.3	123
67	Elucidating Immune Mechanisms Causing Hypertension During Pregnancy. Physiology, 2013, 28, 225-233.	1.6	78
68	TNF- α type 2 receptor mediates renal inflammatory response to chronic angiotensin II administration with high salt intake in mice. American Journal of Physiology - Renal Physiology, 2013, 304, F991-F999.	1.3	30
69	Progesterone blunts vascular endothelial cell secretion of endothelin-1 in response to placental ischemia. American Journal of Obstetrics and Gynecology, 2013, 209, 44.e1-44.e6.	0.7	39
70	Pathophysiology of hypertension in pre-eclampsia: a lesson in integrative physiology. Acta Physiologica, 2013, 208, 224-233.	1.8	160
71	Angiotensin II Type 1 Receptor Autoantibody (AT1-AA)-Mediated Pregnancy Hypertension. American Journal of Reproductive Immunology, 2013, 69, 413-418.	1.2	81
72	Excess LIGHT Contributes to Placental Impairment, Increased Secretion of Vasoactive Factors, Hypertension, and Proteinuria in Preeclampsia. Hypertension, 2014, 63, 595-606.	1.3	37

#	ARTICLE	IF	CITATIONS
73	Endothelin 1 Is Elevated in Plasma and Explants From Patients Having Uterine Leiomyomas. <i>Reproductive Sciences</i> , 2014, 21, 1196-1205.	1.1	23
74	IL-27 Activates Human Trophoblasts to Express IP-10 and IL-6: Implications in the Immunopathophysiology of Preeclampsia. <i>Mediators of Inflammation</i> , 2014, 2014, 1-10.	1.4	25
75	Maternally sequestered therapeutic polypeptides – a new approach for the management of preeclampsia. <i>Frontiers in Pharmacology</i> , 2014, 5, 201.	1.6	15
76	New Approaches for Managing Preeclampsia: Clues From Clinical and Basic Research. <i>Clinical Therapeutics</i> , 2014, 36, 1873-1881.	1.1	19
77	Downregulation of Microvascular Endothelial Type B Endothelin Receptor Is a Central Vascular Mechanism in Hypertensive Pregnancy. <i>Hypertension</i> , 2014, 64, 632-643.	1.3	63
78	The renal circulation in normal pregnancy and preeclampsia: is there a place for relaxin?. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 306, F1121-F1135.	1.3	73
79	Adaptive Regulation of Endothelin Receptor Type A and Type B in Vascular Smooth Muscle Cells during Pregnancy in Rats. <i>Journal of Cellular Physiology</i> , 2014, 229, 489-501.	2.0	14
80	Future therapies for preeclampsia: beyond treading water. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2014, 54, 3-8.	0.4	22
81	Placental ischemia induces changes in gene expression in chorionic tissue. <i>Mammalian Genome</i> , 2014, 25, 253-261.	1.0	11
82	Hypoxic treatment of human dual placental perfusion induces a preeclampsia-like inflammatory response. <i>Laboratory Investigation</i> , 2014, 94, 873-880.	1.7	28
83	Antihypertensive drugs methyl dopa, labetalol, hydralazine, and clonidine improve trophoblast interaction with endothelial cellular networks in vitro. <i>Journal of Hypertension</i> , 2014, 32, 1075-1083.	0.3	27
84	Blockade of CD40 ligand for intercellular communication reduces hypertension, placental oxidative stress, and AT ₁ -AA in response to adoptive transfer of CD4 ⁺ T lymphocytes from RUPP rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2015, 309, R1243-R1250.	0.9	17
85	Thrombosis during pregnancy: Risks, prevention, and treatment for mother and fetus – harvesting the power of omic technology, biomarkers and in vitro or in vivo models to facilitate the treatment of thrombosis. <i>Birth Defects Research Part C: Embryo Today Reviews</i> , 2015, 105, 209-225.	3.6	7
86	Plasma nitric oxide, endothelin-1, arginase and superoxide dismutase in the plasma and placenta from preeclamptic patients. <i>Anais Da Academia Brasileira De Ciencias</i> , 2015, 87, 713-719.	0.3	21
87	Immune Mechanisms Linking Obesity and Preeclampsia. <i>Biomolecules</i> , 2015, 5, 3142-3176.	1.8	69
88	Preeclampsia: long-term consequences for vascular health. <i>Vascular Health and Risk Management</i> , 2015, 11, 403.	1.0	116
89	Heme oxygenase induction attenuates TNF- α -induced hypertension in pregnant rodents. <i>Frontiers in Pharmacology</i> , 2015, 6, 165.	1.6	15
90	Bioactive factors in uteroplacental and systemic circulation link placental ischemia to generalized vascular dysfunction in hypertensive pregnancy and preeclampsia. <i>Biochemical Pharmacology</i> , 2015, 95, 211-226.	2.0	131

#	ARTICLE	IF	CITATIONS
91	Increased risk for the development of preeclampsia in obese pregnancies: weighing in on the mechanisms. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2015, 309, R1326-R1343.	0.9	99
92	Placental ischemia-induced increases in brain water content and cerebrovascular permeability: role of TNF- α . <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2015, 309, R1425-R1431.	0.9	41
93	An increased population of regulatory T cells improves the pathophysiology of placental ischemia in a rat model of preeclampsia. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2015, 309, R884-R891.	0.9	68
94	Linking the old and new "do angiotensin II type 1 receptor antibodies provide the missing link in the pathophysiology of preeclampsia?". <i>Hypertension in Pregnancy</i> , 2015, 34, 369-382.	0.5	6
95	Pregnant rats treated with a high-fat/prooxidant Western diet with ANG II and TNF- α are resistant to elevations in blood pressure and renal oxidative stress. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2015, 308, R945-R956.	0.9	1
96	Dual regulation of tumor necrosis factor- α on myosin light chain phosphorylation in vascular smooth muscle. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2015, 308, H398-H406.	1.5	11
97	Differential regulation of TNF receptors in maternal leukocytes is associated with severe preterm preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 869-875.	0.7	7
98	Hypothesis: Pentoxifylline explores new horizons in treatment of preeclampsia. <i>Medical Hypotheses</i> , 2015, 85, 468-474.	0.8	9
99	Chronic hyperleptinemia results in the development of hypertension in pregnant rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2015, 308, R855-R861.	0.9	27
100	Neurokinin 3 Receptor and Phosphocholine Transferase. <i>Hypertension</i> , 2015, 65, 430-439.	1.3	22
101	Aberrant maternal inflammation as a cause of pregnancy complications: A potential therapeutic target?. <i>Placenta</i> , 2015, 36, 960-966.	0.7	91
102	Genetic, immune and vasoactive factors in the vascular dysfunction associated with hypertension in pregnancy. <i>Expert Opinion on Therapeutic Targets</i> , 2015, 19, 1495-1515.	1.5	65
103	Identifying immune mechanisms mediating the hypertension during preeclampsia. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2016, 311, R1-R9.	0.9	74
104	Serelaxin improves the pathophysiology of placental ischemia in the reduced uterine perfusion pressure rat model of preeclampsia. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2016, 311, R1158-R1163.	0.9	30
105	Placental Ischemia and Resultant Phenotype in Animal Models of Preeclampsia. <i>Current Hypertension Reports</i> , 2016, 18, 38.	1.5	52
106	The paternal polymorphism rs5370 in the EDN1 gene decreases the risk of preeclampsia. <i>Pregnancy Hypertension</i> , 2016, 6, 327-332.	0.6	14
107	The effects of hydroxychloroquine on endothelial dysfunction. <i>Pregnancy Hypertension</i> , 2016, 6, 259-262.	0.6	40
108	Mechanisms of Endothelial Dysfunction in Hypertensive Pregnancy and Preeclampsia. <i>Advances in Pharmacology</i> , 2016, 77, 361-431.	1.2	156

#	ARTICLE	IF	CITATIONS
109	The role of inflammation in the pathology of preeclampsia. <i>Clinical Science</i> , 2016, 130, 409-419.	1.8	379
110	Differential body weight, blood pressure and placental inflammatory responses to normal versus high-fat diet in melanocortin-4 receptor-deficient pregnant rats. <i>Journal of Hypertension</i> , 2016, 34, 1998-2007.	0.3	8
111	Plasma ghrelin levels as a predictor of adverse renal events due to cisplatin-based chemotherapy in patients with esophageal cancer. <i>Japanese Journal of Clinical Oncology</i> , 2016, 46, 421-426.	0.6	2
112	Hypertension in an Animal Model of HELLP Syndrome is Associated With Activation of Endothelin 1. <i>Reproductive Sciences</i> , 2016, 23, 42-50.	1.1	30
113	Role of renal transporters and novel regulatory interactions in the TAL that control blood pressure. <i>Physiological Genomics</i> , 2017, 49, 261-276.	1.0	11
114	Matrix Metalloproteinases in Normal Pregnancy and Preeclampsia. <i>Progress in Molecular Biology and Translational Science</i> , 2017, 148, 87-165.	0.9	195
115	Proliferation of endogenous regulatory T cells improve the pathophysiology associated with placental ischaemia of pregnancy. <i>American Journal of Reproductive Immunology</i> , 2017, 78, e12724.	1.2	22
116	Reduction of Uterine Perfusion Pressure Induced Redistribution of Endothelin Receptor Type-B Between the Intima and Media Contributes to the Pathogenesis of Pregnancy-Induced Hypertension. <i>Cellular Physiology and Biochemistry</i> , 2017, 44, 1715-1725.	1.1	6
117	The Endothelin Type A Receptor as a Potential Therapeutic Target in Preeclampsia. <i>International Journal of Molecular Sciences</i> , 2017, 18, 522.	1.8	34
118	The Endothelin System: A Critical Player in the Pathophysiology of Preeclampsia. <i>Current Hypertension Reports</i> , 2018, 20, 32.	1.5	60
119	Preeclampsia: From Inflammation to Immunoregulation. <i>Plasmatology</i> , 2018, 11, 1179545X1775232.	4.0	120
120	Arachidonic acid metabolites of CYP4A and CYP4F are altered in women with preeclampsia. <i>Prostaglandins and Other Lipid Mediators</i> , 2018, 136, 15-22.	1.0	22
121	Treatment of preeclampsia with hydroxychloroquine: a review. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018, 31, 525-529.	0.7	18
122	Animal Models of Fetal Medicine and Obstetrics. , 0, , .		18
123	The role of interleukins in preeclampsia: A comprehensive review. <i>American Journal of Reproductive Immunology</i> , 2018, 80, e13055.	1.2	48
124	Evaluation of blood vessel injury, oxidative stress and circulating inflammatory factors in an L-NAME-induced preeclampsia-like rat model. <i>Experimental and Therapeutic Medicine</i> , 2018, 16, 585-594.	0.8	27
125	Renal-Specific Silencing of TNF (Tumor Necrosis Factor) Unmasks Salt-Dependent Increases in Blood Pressure via an NKCC2A (Na ⁺ -K ⁺ -2Cl ⁻ Cotransporter Isoform) Tj ETQq0130 rgBT /A overlock 1		
126	Interactions between the complement and endothelin systems in normal pregnancy and following placental ischemia. <i>Molecular Immunology</i> , 2019, 114, 10-18.	1.0	12

#	ARTICLE	IF	CITATIONS
127	Cross-Talk between Oxidative Stress and Inflammation in Preeclampsia. <i>Oxidative Medicine and Cellular Longevity</i> , 2019, 2019, 1-26.	1.9	130
128	Anti-Qa2 Animal Models for Preeclampsia Preclinical Studies: A Pathological Elevation of Blood Pressure and Proteinuria. <i>Folia Biologica</i> , 2019, 67, 69-78.	0.1	0
129	Perinatal Micro-Bleeds and Neuroinflammation in E19 Rat Fetuses Exposed to Utero-Placental Ischemia. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4051.	1.8	16
130	Immunomodulation and preeclampsia. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2019, 60, 87-96.	1.4	57
131	Placental CD4+ T cells isolated from preeclamptic women cause preeclampsia-like symptoms in pregnant nude-athymic rats. <i>Pregnancy Hypertension</i> , 2019, 15, 7-11.	0.6	13
132	Hydroxychloroquine treatment during pregnancy in lupus patients is associated with lower risk of preeclampsia. <i>Lupus</i> , 2019, 28, 722-730.	0.8	85
133	Preeclampsia link to gestational hypoxia. <i>Journal of Developmental Origins of Health and Disease</i> , 2019, 10, 322-333.	0.7	49
134	A perspective on pre-eclampsia and neurodevelopmental outcomes in the offspring: Does maternal inflammation play a role?. <i>International Journal of Developmental Neuroscience</i> , 2019, 77, 69-76.	0.7	19
135	Molecular determinants of microvascular dysfunction in hypertensive pregnancy and preeclampsia. <i>Microcirculation</i> , 2019, 26, e12508.	1.0	13
136	Interleukin-27 Inhibits Trophoblast Cell Invasion and Migration by Affecting the Epithelial-Mesenchymal Transition in Preeclampsia. <i>Reproductive Sciences</i> , 2019, 26, 928-938.	1.1	25
137	Nicotine Alleviates Cortical Neuronal Injury by Suppressing Neuroinflammation and Upregulating Neuronal PI3K-AKT Signaling in an Eclampsia-Like Seizure Model. <i>Neurotoxicity Research</i> , 2020, 38, 665-681.	1.3	5
138	Quercetin attenuates reduced uterine perfusion pressure -induced hypertension in pregnant rats through regulation of endothelin-1 and endothelin-1 type A receptor. <i>Lipids in Health and Disease</i> , 2020, 19, 180.	1.2	17
139	Tumor necrosis factor alpha (TNF- α) blockade improves natural killer cell (NK) activation, hypertension, and mitochondrial oxidative stress in a preclinical rat model of preeclampsia. <i>Hypertension in Pregnancy</i> , 2020, 39, 399-404.	0.5	19
140	Preeclampsia: Linking Placental Ischemia with Maternal Endothelial and Vascular Dysfunction. , 2020, 11, 1315-1349.		26
141	Inflammasomes—A Molecular Link for Altered Immunoregulation and Inflammation Mediated Vascular Dysfunction in Preeclampsia. <i>International Journal of Molecular Sciences</i> , 2020, 21, 1406.	1.8	35
142	Cyclosporin A ameliorates eclampsia seizure through reducing systemic inflammation in an eclampsia-like rat model. <i>Hypertension Research</i> , 2020, 43, 263-270.	1.5	7
143	First trimester inflammatory mediators in women with chronic hypertension. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020, 99, 1198-1205.	1.3	2
144	Preeclampsia: Pathophysiology and management. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2021, 50, 101975.	0.6	56

#	ARTICLE	IF	CITATIONS
145	CD4+ T cells cause renal and placental mitochondrial oxidative stress as mechanisms of hypertension in response to placental ischemia. <i>American Journal of Physiology - Renal Physiology</i> , 2021, 320, F47-F54.	1.3	15
146	Animal models of preeclampsia: investigating pathophysiology and therapeutic targets. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 226, S973-S987.	0.7	32
147	Effect of hydroxychloroquine on preeclampsia in lupus pregnancies: a propensity score-matched analysis and meta-analysis. <i>Archives of Gynecology and Obstetrics</i> , 2021, 303, 435-441.	0.8	9
148	Hypoxia-induced mitochondrial abnormalities in cells of the placenta. <i>PLoS ONE</i> , 2021, 16, e0245155.	1.1	19
149	Investigation of interleukin-2-mediated changes in blood pressure, fetal growth restriction, and innate immune activation in normal pregnant rats and in a preclinical rat model of preeclampsia. <i>Biology of Sex Differences</i> , 2021, 12, 4.	1.8	6
150	Progesterone-induced blocking factor improves blood pressure, inflammation, and pup weight in response to reduced uterine perfusion pressure (RUPP). <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2021, 320, R719-R727.	0.9	14
151	Association Between Endothelial Nitric Oxide Synthase (eNOS) ϵ^{786} T/C and 27-bp VNTR 4b/a Polymorphisms and Preeclampsia Development. <i>Reproductive Sciences</i> , 2021, 28, 3529-3539.	1.1	10
152	Selective Phosphodiesterase 1 Inhibition Ameliorates Vascular Function, Reduces Inflammatory Response, and Lowers Blood Pressure in Aging Animals. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2021, 378, 173-183.	1.3	9
153	Uteroplacental Circulation in Normal Pregnancy and Preeclampsia: Functional Adaptation and Maladaptation. <i>International Journal of Molecular Sciences</i> , 2021, 22, 8622.	1.8	16
154	Modulation by antenatal therapies of cardiovascular and renal programming in male and female offspring of preeclamptic rats. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2021, 394, 2273-2287.	1.4	5
155	TNF α blockade reverses vascular and uteroplacental matrix metalloproteinases imbalance and collagen accumulation in hypertensive pregnant rats. <i>Biochemical Pharmacology</i> , 2021, 193, 114790.	2.0	3
156	Low Dose of IL-2 Normalizes Hypertension and Mitochondrial Function in the RUPP Rat Model of Placental Ischemia. <i>Cells</i> , 2021, 10, 2797.	1.8	4
157	Progesterone Induced Blocking Factor Reduces Hypertension and Placental Mitochondrial Dysfunction in Response to sFlt-1 during Pregnancy. <i>Cells</i> , 2021, 10, 2817.	1.8	7
158	Placental Insufficiency: The Impact on Cardiovascular Health in the Mother and Her Offspring Across the Lifespan. , 2015, , 1315-1329.		0
161	The role of immune activation in contributing to vascular dysfunction and the pathophysiology of hypertension during preeclampsia. <i>Minerva Ginecologica</i> , 2010, 62, 105-20.	0.8	77
162	Endothelial dysfunction. An important mediator in the pathophysiology of hypertension during pre-eclampsia. <i>Minerva Ginecologica</i> , 2012, 64, 309-20.	0.8	70
163	Endothelin-1 is not a Mechanism of IL-17 Induced Hypertension during Pregnancy. <i>Medical Journal of Obstetrics and Gynecology</i> , 2013, 1, .	0.2	10
164	Manipulating CD4+ T Cell Pathways to Prevent Preeclampsia. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021, 9, 811417.	2.0	10

#	ARTICLE	IF	CITATIONS
165	Animal Models of Preeclampsia: Mechanistic Insights and Promising Therapeutics. <i>Endocrinology</i> , 2022, 163, .	1.4	9
166	Involvement of AGE and Its Receptors in the Pathogenesis of Hypertension in Elderly People and Its Treatment. <i>International Journal of Angiology</i> , 0, , .	0.2	0
167	Responses to Ang II (Angiotensin II), Salt Intake, and Lipopolysaccharide Reveal the Diverse Actions of TNF- α (Tumor Necrosis Factor- α) on Blood Pressure and Renal Function. <i>Hypertension</i> , 2022, 79, 2656-2670.	1.3	4
168	Echinochrome A Reverses Kidney Abnormality and Reduces Blood Pressure in a Rat Model of Preeclampsia. <i>Marine Drugs</i> , 2022, 20, 722.	2.2	2
169	Increased Ca ²⁺ -dependent intrinsic tone and arterial stiffness in mesenteric microvessels of hypertensive pregnant rats. <i>Biochemical Pharmacology</i> , 2023, 208, 115353.	2.0	1
170	Reliability of Rodent and Rabbit Models in Preeclampsia Research. <i>International Journal of Molecular Sciences</i> , 2022, 23, 14344.	1.8	4
171	The role of immune cells and mediators in preeclampsia. <i>Nature Reviews Nephrology</i> , 2023, 19, 257-270.	4.1	31
172	Role of blood-borne factors in sympathoexcitation-mediated hypertension: Potential neurally mediated hypertension in preeclampsia. <i>Life Sciences</i> , 2023, 320, 121351.	2.0	0
173	Setting a stage: Inflammation during preeclampsia and postpartum. <i>Frontiers in Physiology</i> , 0, 14, .	1.3	5
174	The Clinical Value of Rodent Models in Understanding Preeclampsia Development and Progression. <i>Current Hypertension Reports</i> , 2023, 25, 77-89.	1.5	1