Prevalence of mental disorders in the Zurich Cohort Study

Epidemiologia E Psichiatria Sociale 14, 68-76

DOI: 10.1017/s1121189x00006278

Citation Report

#	Article	IF	CITATIONS
1	Varying temporal criteria for generalized anxiety disorder: prevalence and clinical characteristics in a young age cohort. Psychological Medicine, 2006, 36, 1283-1292.	2.7	25
2	Prevalence of exposure to potentially traumatic events and PTSD. European Archives of Psychiatry and Clinical Neuroscience, 2006, 256, 151-158.	1.8	69
3	The Hypomania Checklist (HCL-32): its factorial structure and association to indices of impairment in German and Swedish nonclinical samples. Comprehensive Psychiatry, 2007, 48, 79-87.	1.5	73
4	Psychotic experiences in the general population: A twenty-year prospective community study. Schizophrenia Research, 2007, 92, 1-14.	1.1	265
5	The early manifestations of bipolar disorder: a longitudinal prospective study of the offspring of bipolar parents. Bipolar Disorders, 2007, 9, 828-838.	1.1	208
6	Early identification and high-risk strategies for bipolar disorder. Bipolar Disorders, 2007, 9, 324-338.	1.1	108
7	Parsing the clinical phenotype of depression: the need to integrate brief depressive episodes. Acta Psychiatrica Scandinavica, 2007, 115, 221-228.	2.2	15
8	Melancholia and atypical depression in the Zurich study: epidemiology, clinical characteristics, course, comorbidity and personality. Acta Psychiatrica Scandinavica, 2007, 115, 72-84.	2.2	89
9	The spectra of neurasthenia and depression: course, stability and transitions. European Archives of Psychiatry and Clinical Neuroscience, 2007, 257, 120-127.	1.8	15
10	Are hypomanics the happier normals?. Journal of Affective Disorders, 2008, 111, 235-243.	2.0	31
11	Specificity of Bipolar Spectrum Conditions in the Comorbidity of Mood and Substance Use Disorders. Archives of General Psychiatry, 2008, 65, 47.	13.8	157
12	Prevalence, Course, and Comorbidity of Insomnia and Depression in Young Adults. Sleep, 2008, 31, 473-480.	0.6	662
13	Antenatal depression predicts depression in adolescent offspring: Prospective longitudinal community-based study. Journal of Affective Disorders, 2009, 113, 236-243.	2.0	283
14	The generalized anxiety spectrum: prevalence, onset, course and outcome. European Archives of Psychiatry and Clinical Neuroscience, 2009, 259, 37-45.	1.8	81
15	Does psychomotor agitation in major depressive episodes indicate bipolarity?. European Archives of Psychiatry and Clinical Neuroscience, 2009, 259, 55-63.	1.8	44
16	Adult versus adolescent onset of smoking: how are mood disorders and other risk factors involved?. Addiction, 2009, 104, 1411-1419.	1.7	25
17	From psychoanalysis to epidemiology: autobiographical notes. Acta Psychiatrica Scandinavica, 2009, 119, 87-97.	2.2	4
18	Early course of bipolar disorder in high-risk offspring: prospective study. British Journal of Psychiatry, 2009, 195, 457-458.	1.7	108

#	Article	IF	Citations
20	Early stages in the development of bipolar disorder. Journal of Affective Disorders, 2010, 121, 127-135.	2.0	251
21	History of manic and hypomanic episodes and risk of incident cardiovascular disease: 11.5year follow-up from the Baltimore Epidemiologic Catchment Area Study. Journal of Affective Disorders, 2010, 125, 35-41.	2.0	45
22	The mental health of female sex workers. Acta Psychiatrica Scandinavica, 2010, 122, 143-152.	2.2	142
23	Subjective distress predicts treatment seeking for depression, bipolar, anxiety, panic, neurasthenia and insomnia severity spectra. Acta Psychiatrica Scandinavica, 2010, 122, 488-498.	2.2	46
24	Smoking and psychiatric disorders: Have subthreshold disorders been overlooked?. Nicotine and Tobacco Research, 2010, 12, 516-520.	1.4	9
25	What Is a Case? New Lessons From the Great Smoky Mountains Study. Journal of the American Academy of Child and Adolescent Psychiatry, 2011, 50, 213-215.	0.3	5
26	Reappraisal of the interplay between psychosis and depression symptoms in the pathogenesis of psychotic syndromes: results from a twenty-year prospective community study. European Archives of Psychiatry and Clinical Neuroscience, 2011, 261, 11-19.	1.8	14
27	Homicide–suicide and other violent deaths: An international comparison. Forensic Science International, 2011, 207, 70-76.	1.3	85
28	Magnitude, impact, and stability of primary headache subtypes: 30 year prospective Swiss cohort study. BMJ: British Medical Journal, 2011, 343, d5076-d5076.	2.4	35
29	Prevalence and Correlates of Eating Disorders in Adolescents. Archives of General Psychiatry, 2011, 68, 714.	13.8	1,252
30	The â€~true' prevalence of bipolar II disorder. Current Opinion in Psychiatry, 2012, 25, 19-23.	3.1	45
31	A new rating scale for adult ADHD based on the Symptom Checklist 90 (SCL-90-R). European Archives of Psychiatry and Clinical Neuroscience, 2012, 262, 519-528.	1.8	11
32	Cyclothymic disorder: A critical review. Clinical Psychology Review, 2012, 32, 229-243.	6.0	44
34	Deconstructing sub-clinical psychosis into latent-state and trait variables over a 30-year time span. Schizophrenia Research, 2013, 150, 197-204.	1.1	23
35	Comment constituer, au sein de la population générale, un échantillon de sujets cyclothymiques� Expérience à Strasbourg dans le cadre du projet PSYCHE. European Psychiatry, 2013, 28, 52-52.	0.1	0
36	Can protective factors moderate the detrimental effects of child maltreatment on personality functioning?. Journal of Psychiatric Research, 2013, 47, 1180-1186.	1.5	20
37	Aspects of mental health care provision of the elderly in Switzerland. Geriatric Mental Health Care, 2013, 1, 11-19.	0.3	4
38	Lifetime comorbidity of obsessive-compulsive disorder and sub-threshold obsessive-compulsive symptomatology in the community: impact, prevalence, socio-demographic and clinical characteristics. International Journal of Psychiatry in Clinical Practice, 2013, 17, 188-196.	1.2	67

#	ARTICLE	IF	Citations
39	Childhood adversity in association with personality disorder dimensions: New findings in an old debate. European Psychiatry, 2013, 28, 476-482.	0.1	70
40	Aggregation of lifetime Axis I psychiatric disorders through age 30: Incidence, predictors, and associated psychosocial outcomes Journal of Abnormal Psychology, 2013, 122, 573-586.	2.0	28
41	Remission of obsessive-compulsive disorders and syndromes; evidence from a prospective community cohort study over 30 years. International Journal of Psychiatry in Clinical Practice, 2013, 17, 179-187.	1.2	44
42	A prospective population-based cohort study of the prevalence, incidence and impact of obsessive-compulsive symptomatology. International Journal of Psychiatry in Clinical Practice, 2013, 17, 170-178.	1.2	64
43	Applicability of the Chinese Version of the Hypomania Symptom Checklist (HCL-32) Scale for Outpatients of Psychiatric Departments in General Hospitals. PLoS ONE, 2013, 8, e75631.	1.1	7
44	Help-Seeking in People with Exceptional Experiences: Results from a General Population Sample. Frontiers in Public Health, 2014, 2, 51.	1.3	14
45	An integrative examination of general personality dysfunction in a large community sample. Personality and Mental Health, 2014, 8, 276-289.	0.6	15
46	Independence of familial transmission of mania and depression: results of the NIMH family study of affective spectrum disorders. Molecular Psychiatry, 2014, 19, 214-219.	4.1	124
47	Effect of Psychoeducation on Relapses in Bipolar Disorder: A Systematic Review. Current Approaches in Psychiatry, 2014, 6, 1.	0.2	0
48	The ZInEP Epidemiology Survey: background, design and methods. International Journal of Methods in Psychiatric Research, 2014, 23, 451-468.	1.1	21
49	Lifetime prevalence and co-morbidity of externalizing disorders and depression in prospective assessment. Psychological Medicine, 2014, 44, 315-324.	2.7	38
50	Occupational functioning and work impairment in association with personality disorder trait-scores. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 327-335.	1.6	37
51	Interpersonal functioning deficits in association with DSM-IV personality disorder dimensions. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 317-325.	1.6	41
52	The role of sex on stability and change of depression symptom subtypes over 20Âyears: a latent transition analysis. European Archives of Psychiatry and Clinical Neuroscience, 2014, 264, 577-588.	1.8	31
53	Interventions for Youth at Risk of Bipolar Disorder. Current Treatment Options in Psychiatry, 2014, 1, 37-47.	0.7	6
54	Symptom-based subtypes of depression and their psychosocial correlates: A person-centered approach focusing on the influence of sex. Journal of Affective Disorders, 2014, 156, 92-103.	2.0	54
55	Fluid intelligence and empathy in association with personality disorder trait-scores: exploring the link. European Archives of Psychiatry and Clinical Neuroscience, 2014, 264, 441-448.	1.8	24
56	Suicidality in the prospective Zurich study: prevalence, risk factors and gender. European Archives of Psychiatry and Clinical Neuroscience, 2014, 264, 557-565.	1.8	35

#	ARTICLE	IF	CITATIONS
57	Impact of childhood adversity on the onset and course of subclinical psychosis symptoms — Results from a 30-year prospective community study. Schizophrenia Research, 2014, 153, 189-195.	1.1	30
58	The joint structure of normal and pathological personality: Further evidence for a dimensional model. Comprehensive Psychiatry, 2014, 55, 667-674.	1.5	25
59	Serum Testosterone Levels and Symptom-Based Depression Subtypes in Men. Frontiers in Psychiatry, 2015, 6, 61.	1.3	18
60	Cyclothymia reloaded: A reappraisal of the most misconceived affective disorder. Journal of Affective Disorders, 2015, 183, 119-133.	2.0	42
61	Suicidality in obsessive compulsive disorder (OCD): A systematic review and meta-analysis. Clinical Psychology Review, 2015, 39, 1-15.	6.0	118
62	Subclinical psychosis syndromes in the general population: results from a large-scale epidemiological survey among residents of the canton of Zurich, Switzerland. Epidemiology and Psychiatric Sciences, 2015, 24, 69-77.	1.8	27
63	Association Between Childhood Maltreatment and Normal Adult Personality Traits: Exploration of an Understudied Field. Journal of Personality Disorders, 2015, 29, 1-14.	0.8	76
64	Comparing two basic subtypes in OCD across three large community samples: a pure compulsive versus a mixed obsessive–compulsive subtype. European Archives of Psychiatry and Clinical Neuroscience, 2015, 265, 719-734.	1.8	9
65	Correlates of Mental Depression Among Female Sex Workers in Southern India. Asia-Pacific Journal of Public Health, 2015, 27, 809-819.	0.4	35
66	Predictors of burnout: results from a prospective community study. European Archives of Psychiatry and Clinical Neuroscience, 2015, 265, 19-25.	1.8	46
67	Relationship between personality and psychopathology in a longitudinal community study: a test of the predisposition model. Psychological Medicine, 2016, 46, 1693-1705.	2.7	48
68	Pure animal phobia is more specific than other specific phobias: epidemiological evidence from the Zurich Study, the ZInEP and the PsyCoLaus. European Archives of Psychiatry and Clinical Neuroscience, 2016, 266, 567-577.	1.8	9
69	Big Five personality traits may inform public health policy and preventive medicine: Evidence from a cross-sectional and a prospective longitudinal epidemiologic study in a Swiss community. Journal of Psychosomatic Research, 2016, 84, 44-51.	1.2	49
70	Latent Trajectories of Common Mental Health Disorder Risk Across 3 Decades of Adulthood in a Population-Based Cohort. JAMA Psychiatry, 2016, 73, 1023.	6.0	22
71	Does menopausal transition really influence mental health? Findings from the prospective longâ€ŧerm <scp>Z</scp> urich study. World Psychiatry, 2016, 15, 146-154.	4.8	32
72	The International College of Neuropsychopharmacology (CINP) Treatment Guidelines for Bipolar Disorder in Adults (CINP-BD-2017), Part 1: Background and Methods of the Development of Guidelines. International Journal of Neuropsychopharmacology, 2016, 20, pyw091.	1.0	28
73	Familial aggregation and heritability of the melancholic and atypical subtypes of depression. Journal of Affective Disorders, 2016, 204, 241-246.	2.0	21
74	Mismatch negativity: Alterations in adults from the general population who report subclinical psychotic symptoms. European Psychiatry, 2016, 34, 9-16.	0.1	7

#	Article	IF	Citations
75	Treated versus non-treated subjects with depression from a 30-year cohort study: prevalence and clinical covariates. European Archives of Psychiatry and Clinical Neuroscience, 2016, 266, 173-180.	1.8	7
76	The epidemiology of common mental disorders from age 20 to 50: results from the prospective Zurich cohort Study. Epidemiology and Psychiatric Sciences, 2016, 25, 24-32.	1.8	63
77	The gender difference in depressive prevalence is due to high prevalence of somatic depression among women who do not have depressed relatives. Journal of Affective Disorders, 2017, 210, 269-272.	2.0	19
78	Stability and change in reported age of onset of depression, back pain, and smoking over 29 years in a prospective cohort study. Journal of Psychiatric Research, 2017, 88, 105-112.	1.5	6
79	Efficacy and tolerability of lithium in treating acute mania in youth with bipolar disorder: protocol for a systematic review. International Journal of Bipolar Disorders, 2017, 5, 22.	0.8	5
80	Social determinants of mental health service utilization in Switzerland. International Journal of Public Health, 2017, 62, 85-93.	1.0	21
81	Factorial structure and familial aggregation of the Hypomania Checklist-32 (HCL-32): Results of the NIMH Family Study of Affective Spectrum Disorders. Comprehensive Psychiatry, 2018, 84, 7-14.	1.5	9
82	Articulation and testing of a personality-centred model of psychopathology: evidence from a longitudinal community study over 30Ayears. European Archives of Psychiatry and Clinical Neuroscience, 2018, 268, 443-454.	1.8	11
83	The Swiss Multiple Sclerosis Registry (SMSR): study protocol of a participatory, nationwide registry to promote epidemiological and patient-centered MS research. BMC Neurology, 2018, 18, 111.	0.8	44
84	Sleep Disturbances and Suicidality–A Longitudinal Analysis From a Representative Community Study Over 30 Years. Frontiers in Psychiatry, 2018, 9, 320.	1.3	11
85	Bipolar spectrum in major depressive disorders. European Archives of Psychiatry and Clinical Neuroscience, 2018, 268, 741-748.	1.8	25
86	Epidemiology of gastrointestinal symptoms in young and middle-aged Swiss adults: prevalences and comorbidities in a longitudinal population cohort over 28Âyears. BMC Gastroenterology, 2018, 18, 21.	0.8	42
87	Subtypes of stuttering determined by latent class analysis in two Swiss epidemiological surveys. PLoS ONE, 2018, 13, e0198450.	1.1	10
88	Reactivity, Intensity, Polarity and Stability questionnaire (RIPoSt-40) assessing emotional dysregulation: Development, reliability and validity. Journal of Affective Disorders, 2019, 257, 187-194.	2.0	21
89	Right care, first time: a highly personalised and measurementâ€based care model to manage youth mental health. Medical Journal of Australia, 2019, 211, S3-S46.	0.8	88
90	A Digital Platform Designed for Youth Mental Health Services to Deliver Personalized and Measurement-Based Care. Frontiers in Psychiatry, 2019, 10, 595.	1.3	65
91	Association between mood disorders and BMI/overweight using a family study approach. Journal of Affective Disorders, 2019, 248, 131-138.	2.0	10
92	Depression among Patients with HIV/AIDS: Research Development and Effective Interventions (GAPRESEARCH). International Journal of Environmental Research and Public Health, 2019, 16, 1772.	1.2	50

#	Article	IF	CITATIONS
93	Subtypes of alcohol use disorder in the general population: A latent class analysis. Psychiatry Research, 2020, 285, 112712.	1.7	12
94	Comorbidity and patterns of familial aggregation in attention-deficit/hyperactivity disorder and bipolar disorder in a family study of affective and anxiety spectrum disorders. Journal of Psychiatric Research, 2020, 130, 355-361.	1.5	5
95	Major depressive disorder subtypes and depression symptoms in multiple sclerosis: What is different compared to the general population?. Journal of Psychosomatic Research, 2021, 144, 110402.	1.2	5
96	In Memory of Hagop Akiskal. Clinical Practice and Epidemiology in Mental Health, 2021, 17, 48-51.	0.6	9
98	Classification and Epidemiology. , 2015, , 341-360.		4
99	Cannabis use during adolescence and the occurrence of depression, suicidality and anxiety disorder across adulthood: Findings from a longitudinal cohort study over 30 years. Journal of Affective Disorders, 2020, 272, 98-103.	2.0	36
100	Mood reactivity and affective dynamics in mood and anxiety disorders Journal of Abnormal Psychology, 2018, 127, 659-669.	2.0	66
101	Classification of mood disorders. Psychiatria Polska, 2015, 49, 663-671.	0.2	14
102	Análisis comparativo de los pacientes con y sin trastorno mental diagnosticable. Revista De La Asociación Española De NeuropsiquiatrÃa, 2011, 31, 421-435.	0.1	6
103	Suicides in the Canton of Zurich (Switzerland). Swiss Medical Weekly, 2010, 140, w13102.	0.8	13
105	Longitudinal reciprocal associations between depression, anxiety, and substance use disorders over three decades of life. Journal of Affective Disorders, 2022, 302, 315-323.	2.0	6
106	Psychological and contextual risk factors for firstâ€onset depression among adolescents and young people around the globe: A systematic review and metaâ€analysis. Microbial Biotechnology, 2023, 17, 5-20.	0.9	6
108	Comorbidity and Coaggregation of Major Depressive Disorder and Bipolar Disorder and Cannabis Use Disorder in a Controlled Family Study. JAMA Psychiatry, 2022, 79, 727.	6.0	3
109	Association of age and disease duration with comorbidities and disability: A study of the Swiss Multiple Sclerosis Registry. Multiple Sclerosis and Related Disorders, 2022, 67, 104084.	0.9	3
110	Cost of disorders of the brain in Switzerland wth a focus on mental disorders. Swiss Medical Weekly, 0, , .	0.8	5