

# Low-Grade Albuminuria and Incidence of Cardiovascular and Nondiabetic Individuals

Circulation

112, 969-975

DOI: [10.1161/circulationaha.105.538132](https://doi.org/10.1161/circulationaha.105.538132)

Citation Report

#	ARTICLE	IF	CITATIONS
2	Early nephropathy in type 1 diabetes: A new perspective on who will and who will not progress. <i>Current Diabetes Reports</i> , 2005, 5, 455-463.	1.7	50
4	Biomarkers of Cardiovascular Disease. <i>Circulation</i> , 2006, 113, 2335-2362.	1.6	1,030
5	2007 Guidelines for the management of arterial hypertension: The Task Force for the Management of Arterial Hypertension of the European Society of Hypertension (ESH) and of the European Society of Cardiology (ESC). <i>European Heart Journal</i> , 2006, 28, 1462-1536.	1.0	1,617
6	Brachial-Ankle Pulse Wave Velocity and Microalbuminuria. <i>Hypertension Research</i> , 2006, 29, 469-470.	1.5	1
7	Microalbuminuria as an Early Marker for Cardiovascular Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 2100-2105.	3.0	319
9	ACE gene insertion/deletion polymorphism modulates capillary permeability in hypertension. <i>Clinical Science</i> , 2006, 111, 357-364.	1.8	13
10	Proinsulin Concentration Is an Independent Predictor of All-Cause and Cardiovascular Mortality: An 11-Year Followup of the Hoorn Study. <i>Yearbook of Medicine</i> , 2006, 2006, 312-314.	0.1	0
11	Hypertensive renal vascular disease and cardiovascular endpoints. <i>Current Opinion in Cardiology</i> , 2006, 21, 305-309.	0.8	5
13	Update on microalbuminuria as a biomarker in renal and cardiovascular disease. <i>Current Opinion in Nephrology and Hypertension</i> , 2006, 15, 631-636.	1.0	65
14	“Hypertension”™ and “microalbuminuria”™: The bell tolls for thee. <i>Kidney International</i> , 2006, 69, 22-28.	2.6	64
15	Cross-sectional relations of serum aldosterone and urine sodium excretion to urinary albumin excretion in a community-based sample. <i>Kidney International</i> , 2006, 69, 2064-2069.	2.6	45
16	ADMA, proteinuria, and insulin resistance in non-diabetic stage I chronic kidney disease. <i>Kidney International</i> , 2006, 70, 781-787.	2.6	94
17	Time to abandon microalbuminuria?. <i>Kidney International</i> , 2006, 70, 1214-1222.	2.6	182
18	Microalbuminuria as a Target to Improve Cardiovascular and Renal Outcomes. <i>American Journal of Kidney Diseases</i> , 2006, 47, 927-946.	2.1	81
19	Letter Regarding Article by Arnlov et al, "Low-Grade Albuminuria and Incidence of Cardiovascular Disease Events in Nonhypertensive and Nondiabetic Individuals". <i>Circulation</i> , 2006, 113, e406-e407.	1.6	0
20	Association of low-grade urinary albumin excretion with left ventricular hypertrophy in the general population. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 2780-2787.	0.4	70
22	Surgical Menopause Increases Salt Sensitivity of Blood Pressure. <i>Hypertension</i> , 2006, 47, 1168-1174.	1.3	100
23	Prevention of Microalbuminuria in Type 2 Diabetes: Millimeters or Milligrams?. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 3276-3278.	3.0	7

#	ARTICLE	IF	CITATIONS
24	Does urinary tract infection cause proteinuria or microalbuminuria? A systematic review. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 3031-3037.	0.4	80
25	Prevalence of Renal Insufficiency in Individuals with Hypertension and Obesity/Overweight: The FATH Study. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, S194-S200.	3.0	24
26	Microalbuminuria and Risk for Cardiovascular Disease: Analysis of Potential Mechanisms. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 2106-2111.	3.0	368
27	Kidney Disease and Cardiovascular Risk. <i>Annual Review of Medicine</i> , 2007, 58, 123-139.	5.0	71
28	Guidelines for the diagnosis and treatment of non-ST-segment elevation acute coronary syndromes: The Task Force for the Diagnosis and Treatment of Non-ST-Segment Elevation Acute Coronary Syndromes of the European Society of Cardiology. <i>European Heart Journal</i> , 2007, 29, 277-278.	1.0	190
29	Microalbuminuria and Cardiovascular Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2007, 2, 581-590.	2.2	277
30	Microalbuminuria and early endothelial activation in essential hypertension. <i>Journal of Human Hypertension</i> , 2007, 21, 167-172.	1.0	28
31	Microalbuminuria in Type 2 diabetes indicates impaired microvascular vasomotion and perfusion. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007, 293, H3424-H3431.	1.5	45
32	The role of renal biopsy in women with kidney disease identified in pregnancy. <i>Nephrology Dialysis Transplantation</i> , 2007, 23, 201-206.	0.4	62
33	Association of low-grade urinary albumin excretion with left ventricular hypertrophy in the general population: a reply. <i>Nephrology Dialysis Transplantation</i> , 2007, 22, 1787-1788.	0.4	2
34	Low-grade albuminuria and the incidence of heart failure in a community-based cohort of elderly men. <i>European Heart Journal</i> , 2007, 28, 1739-1745.	1.0	68
35	High Plasma Norepinephrine Levels Associated with .BETA.2-Adrenoceptor Polymorphisms Predict Future Renal Damage in Nonobese Normotensive Individuals. <i>Hypertension Research</i> , 2007, 30, 503-511.	1.5	27
37	Frequency of albuminuria in primary care: a cross-sectional study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007, 14, 107-113.	3.1	25
38	Update on advances in atherothrombosis. <i>Nature Clinical Practice Cardiovascular Medicine</i> , 2007, 4, 78-89.	3.3	12
39	Central Obesity Is an Independent Risk Factor for Albuminuria in Nondiabetic South Asian Subjects. <i>Diabetes Care</i> , 2007, 30, 1840-1844.	4.3	70
40	2007 Guidelines for the Management of Arterial Hypertension. <i>Journal of Hypertension</i> , 2007, 25, 1105-1187.	0.3	4,778
41	Chronic Kidney Disease—The Promise and the Perils. <i>Journal of the American Society of Nephrology: JASN</i> , 2007, 18, 2803-2805.	3.0	48
42	Relation of Left Ventricular Hypertrophy With Systemic Inflammation and Endothelial Damage in Resistant Hypertension. <i>Hypertension</i> , 2007, 50, 723-728.	1.3	81

#	ARTICLE	IF	CITATIONS
43	Estimated Glomerular Filtration Rate and Urinary Albumin Excretion Are Independently Associated with Greater Arterial Stiffness: The Hoorn Study. <i>Journal of the American Society of Nephrology: JASN</i> , 2007, 18, 1942-1952.	3.0	182
44	Prevalence and Prognostic Impact of Subclinical Cardiovascular Disease in Individuals With the Metabolic Syndrome and Diabetes. <i>Diabetes</i> , 2007, 56, 1718-1726.	0.3	101
45	Impact of Telmisartan Versus Ramipril on Renal Endothelial Function in Patients With Hypertension and Type 2 Diabetes. <i>Diabetes Care</i> , 2007, 30, 1351-1356.	4.3	119
46	Exacerbation of Albuminuria and Renal Fibrosis in Subtotal Renal Ablation Model of Adiponectin-Knockout Mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2007, 27, 1910-1917.	1.1	178
47	Burden and Prognostic Importance of Subclinical Cardiovascular Disease in Overweight and Obese Individuals. <i>Circulation</i> , 2007, 116, 375-384.	1.6	55
48	Change in Albuminuria Is Predictive of Cardiovascular Outcome in Normotensive Patients With Type 2 Diabetes and Microalbuminuria. <i>Diabetes Care</i> , 2007, 30, 3119-3121.	4.3	25
49	Cross-Classification of Microalbuminuria and Reduced Glomerular Filtration Rate. <i>Archives of Internal Medicine</i> , 2007, 167, 1386.	4.3	107
50	Endothelial dysfunction and cardiovascular risk profile in long-term withdrawing alcoholics. <i>Journal of Hypertension</i> , 2007, 25, 367-373.	0.3	29
51	Albumin transport and processing by the proximal tubule: physiology and pathophysiology. <i>Current Opinion in Nephrology and Hypertension</i> , 2007, 16, 359-364.	1.0	64
52	Role of Asymmetric Dimethylarginine (ADMA) in Chronic Kidney Disease. <i>Current Enzyme Inhibition</i> , 2007, 3, 284-290.	0.3	0
53	Differential Impacts of Adiponectin on Low-Grade Albuminuria Between Obese and Nonobese Persons Without Diabetes. <i>Journal of Clinical Hypertension</i> , 2007, 9, 775-782.	1.0	62
54	The Differential Effects of Angiotensin II Type 1 Receptor Blockers on Microalbuminuria in Relation to Low-Grade Inflammation in Metabolic Hypertensive Patients. <i>American Journal of Hypertension</i> , 2007, 20, 565-572.	1.0	45
55	Microalbuminuria: utilidad cl�nica y manejo en la diabetes mellitus tipo 2 (parte I). <i>FMC Formacion Medica Continuada En Atencion Primaria</i> , 2007, 14, 162-166.	0.0	0
56	Guidelines for the diagnosis and treatment of non-ST-segment elevation acute coronary syndromes: The Task Force for the Diagnosis and Treatment of Non-ST-Segment Elevation Acute Coronary Syndromes of the European Society of Cardiology. <i>European Heart Journal</i> , 2007, 28, 1598-1660.	1.0	1,699
57	2007 ESH�ESC Guidelines for the management of arterial hypertension. <i>Blood Pressure</i> , 2007, 16, 135-232.	0.7	292
58	Evaluating the role of biomarkers for cardiovascular risk prediction: focus on CRP, BNP and urinary microalbumin. <i>Expert Review of Molecular Diagnostics</i> , 2007, 7, 793-804.	1.5	25
59	Cardiac biomarkers: myths, facts and future horizons. <i>Expert Review of Molecular Diagnostics</i> , 2007, 7, 693-697.	1.5	2
60	Diagnostic potential for urinary proteomics. <i>Pharmacogenomics</i> , 2007, 8, 237-255.	0.6	61

#	ARTICLE	IF	CITATIONS
61	Assessing the clinical utility of biomarkers in medicine. <i>Biomarkers in Medicine</i> , 2007, 1, 419-436.	0.6	37
63	Guía de Práctica Clínica para el diagnóstico y tratamiento del síndrome coronario agudo sin elevación del segmento ST. <i>Revista Española De Cardiología</i> , 2007, 60, 1070.e1-1070.e80.	0.6	29
64	Microalbuminuria, renal disease, metabolic syndrome and risks in diabetes. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2007, 1, 127-133.	1.8	6
66	Can we identify adolescents at high risk for nephropathy before the development of microalbuminuria?. <i>Diabetic Medicine</i> , 2007, 24, 131-136.	1.2	48
67	Asymmetric dimethylarginine may be a missing link between cardiovascular disease and chronic kidney disease (Review Article). <i>Nephrology</i> , 2007, 12, 582-590.	0.7	61
68	Microalbuminuria is a negative correlate for cognitive function in older adults with peripheral arterial disease: results from the U.S. National Health and Nutrition Examination Survey 1999-2002. <i>Journal of Internal Medicine</i> , 2007, 262, 562-570.	2.7	32
69	Albuminuria Within the "Normal" Range and Risk of Cardiovascular Disease and Death in American Indians: The Strong Heart Study. <i>American Journal of Kidney Diseases</i> , 2007, 49, 208-216.	2.1	50
70	25-Hydroxyvitamin D Levels and Albuminuria in the Third National Health and Nutrition Examination Survey (NHANES III). <i>American Journal of Kidney Diseases</i> , 2007, 50, 69-77.	2.1	255
71	Subclinical Cardiovascular Disease Markers Applicable to Studies of Oral Health: Multiethnic Study of Atherosclerosis. <i>Annals of the New York Academy of Sciences</i> , 2007, 1098, 269-287.	1.8	15
73	Asymmetric dimethylarginine (ADMA) is a novel emerging risk factor for cardiovascular disease and the development of renal injury in chronic kidney disease. <i>Clinical and Experimental Nephrology</i> , 2007, 11, 115-121.	0.7	51
74	Low-grade albuminuria and cardiovascular risk. <i>Clinical Research in Cardiology</i> , 2007, 96, 247-257.	1.5	99
75	Microalbuminuria as a target to improve cardiovascular and renal outcomes in diabetic patients. <i>Current Diabetes Reports</i> , 2007, 7, 439-442.	1.7	3
77	Low-grade urinary albumin excretion in normotensive/non-diabetic obstructive sleep apnea patients. <i>Sleep and Breathing</i> , 2008, 12, 217-222.	0.9	26
78	Analysis of molecular forms of albumin in urine. <i>Proteomics - Clinical Applications</i> , 2008, 2, 950-955.	0.8	13
79	Evidence for a need to mandate kidney transplant living donor registries. <i>Clinical Transplantation</i> , 2008, 22, 525-531.	0.8	8
80	The combined effect of albuminuria and inflammation on all-cause and cardiovascular mortality in nondiabetic persons. <i>Journal of Internal Medicine</i> , 2008, 264, 493-501.	2.7	13
81	Relation of Albuminuria to Left Ventricular Mass (from the HyperGEN Study). <i>American Journal of Cardiology</i> , 2008, 101, 212-216.	0.7	17
82	A Longitudinal Study of Risk Factors for Incident Albuminuria in Diabetic American Indians: The Strong Heart Study. <i>American Journal of Kidney Diseases</i> , 2008, 51, 415-424.	2.1	33

#	ARTICLE	IF	CITATIONS
83	Cross-sectional Association Between Fish Consumption and Albuminuria: The European Prospective Investigation of Cancer—Norfolk Study. <i>American Journal of Kidney Diseases</i> , 2008, 52, 876-886.	2.1	17
84	Identifying Early Cardiovascular Disease to Target Candidates for Treatment. <i>Journal of Clinical Hypertension</i> , 2008, 10, 226-231.	1.0	24
85	Microalbuminuria: Risk factor and potential therapeutic target for stroke?. <i>Journal of the Neurological Sciences</i> , 2008, 271, 21-28.	0.3	33
86	Renal Disease in Patients with HIV Infection. <i>Drugs</i> , 2008, 68, 963-980.	4.9	62
88	Critical evaluation of 1H NMR metabonomics of serum as a methodology for disease risk assessment and diagnostics. <i>Clinical Chemistry and Laboratory Medicine</i> , 2008, 46, 27-42.	1.4	96
90	Cardiovascular Implications of Chronic Kidney Disease in Older Adults. <i>Drugs and Aging</i> , 2008, 25, 241-253.	1.3	14
91	Vascular risk factors in South Asians. <i>International Journal of Cardiology</i> , 2008, 128, 5-16.	0.8	46
92	Biomarkers for cardiovascular disease: challenges and future directions. <i>Trends in Molecular Medicine</i> , 2008, 14, 261-267.	3.5	33
93	Chronic kidney disease, prevalence of premature cardiovascular disease, and relationship to short-term mortality. <i>American Heart Journal</i> , 2008, 156, 277-283.	1.2	160
94	Rosuvastatin improves basal nitric oxide activity of the renal vasculature in patients with hypercholesterolemia. <i>Atherosclerosis</i> , 2008, 196, 704-711.	0.4	28
95	Mild elevations of urine albumin excretion are associated with atherogenic lipoprotein abnormalities in the Multi-Ethnic Study of Atherosclerosis (MESA). <i>Atherosclerosis</i> , 2008, 197, 407-414.	0.4	33
96	Cardiovascular risk-factors predict progression of urinary albumin-excretion in a general, non-diabetic population. <i>Atherosclerosis</i> , 2008, 201, 398-406.	0.4	33
97	All-cause mortality attributable to chronic kidney disease: a prospective cohort study based on 462±293 adults in Taiwan. <i>Lancet, The</i> , 2008, 371, 2173-2182.	6.3	799
98	Importance of Low-Grade Albuminuria. <i>Mayo Clinic Proceedings</i> , 2008, 83, 806-812.	1.4	77
99	Comparison between Immunoturbidimetry, Size-Exclusion Chromatography, and LC-MS to Quantify Urinary Albumin. <i>Clinical Chemistry</i> , 2008, 54, 1504-1510.	1.5	42
100	Prevalence of Increased Albumin Excretion Rate in Young Saudi Adults. <i>Nephron Clinical Practice</i> , 2008, 108, c155-c162.	2.3	5
101	Microalbuminuria in Type 2 Diabetes and Hypertension. <i>Diabetes Care</i> , 2008, 31, S194-S201.	4.3	124
102	Heart Disease and Stroke Statistics—2008 Update. <i>Circulation</i> , 2008, 117, e25-146.	1.6	2,876

#	ARTICLE	IF	CITATIONS
103	Reactivity of Urinary Albumin (Microalbumin) Assays with Fragmented or Modified Albumin. <i>Clinical Chemistry</i> , 2008, 54, 61-68.	1.5	37
104	Albuminuria Assessed From First-Morning-Void Urine Samples Versus 24-Hour Urine Collections as a Predictor of Cardiovascular Morbidity and Mortality. <i>American Journal of Epidemiology</i> , 2008, 168, 897-905.	1.6	215
105	Being Overweight Modifies the Association Between Cardiovascular Risk Factors and Microalbuminuria in Adolescents. <i>Pediatrics</i> , 2008, 121, 37-45.	1.0	89
106	Albumin Excretion Rate in Normal Adolescents. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2008, 3, 998-1005.	2.2	25
107	Renal disease: a common and a silent killer. <i>Nature Clinical Practice Cardiovascular Medicine</i> , 2008, 5, S27-S35.	3.3	8
108	Screening and monitoring for albuminuria: the performance of the HemoCue point-of-care system. <i>Kidney International</i> , 2008, 74, 377-383.	2.6	11
109	Orthostatic Hypertension Detected by Self-Measured Home Blood Pressure Monitoring: A New Cardiovascular Risk Factor for Elderly Hypertensives. <i>Hypertension Research</i> , 2008, 31, 1509-1516.	1.5	41
110	Dietary sodium: the dark horse amongst cardiovascular and renal risk factors. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 2138-2141.	0.4	23
111	2132-2136.	0.0	0
112	Association of heart rate with microalbuminuria in cardiovascular risk patients: data from I-SEARCH. <i>Journal of Hypertension</i> , 2008, 26, 18-25.	0.3	62
113	Editorial [ Has the Time Come for a New Definition of Microalbuminuria? ]. <i>Current Vascular Pharmacology</i> , 2008, 6, 81-83.	0.8	6
114	Prevalence of microalbuminuria in the general population of Seychelles and strong association with diabetes and hypertension independent of renal markers. <i>Journal of Hypertension</i> , 2008, 26, 871-877.	0.3	22
115	Associations between microalbuminuria and animal foods, plant foods, and dietary patterns in the Multiethnic Study of Atherosclerosis. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 1825-1836.	2.2	106
116	Premicroalbuminuria in Women with Polycystic Ovary Syndrome: A Metabolic Risk Marker. <i>Endocrine Practice</i> , 2008, 14, 193-200.	1.1	21
117	Kidney Function and Estimated Vascular Risk in Patients with Primary Dyslipidemia. <i>Open Cardiovascular Medicine Journal</i> , 2009, 3, 57-68.	0.6	5
118	Effect of Modest Salt Reduction on Blood Pressure, Urinary Albumin, and Pulse Wave Velocity in White, Black, and Asian Mild Hypertensives. <i>Hypertension</i> , 2009, 54, 482-488.	1.3	217
119	Cardiovascular risk and management in chronic kidney disease. <i>Nature Reviews Nephrology</i> , 2009, 5, 287-296.	4.1	60
120	Microalbuminuria: do we need a new threshold?. <i>Journal of Human Hypertension</i> , 2009, 23, 146-149.	1.0	18

#	ARTICLE	IF	CITATIONS
121	Focus on Microalbuminuria to Improve Cardiac and Renal Protection. <i>Nephron Clinical Practice</i> , 2009, 111, c204-c211.	2.3	13
122	Glomerular filtration rate measurement and prediction equations. <i>Clinical Chemistry and Laboratory Medicine</i> , 2009, 47, 1023-32.	1.4	68
123	High Prevalence of Microalbuminuria in the Overweight and Obese Population: Data from a UK Population Screening Programme. <i>Nephron Clinical Practice</i> , 2009, 112, c205-c212.	2.3	18
124	Risk Factors for Development of Microalbuminuria in Diabetic and Nondiabetic Normoalbuminuric Hypertensives with High or Very High Cardiovascular Risk – A Twelve-Month Follow-Up Study. <i>Nephron Clinical Practice</i> , 2009, 113, c8-c15.	2.3	13
125	Proteinuria-Associated Endothelial Dysfunction Is Strain Dependent. <i>American Journal of Nephrology</i> , 2009, 30, 209-217.	1.4	13
126	Large artery stiffness and microalbuminuria: a causal relationship?. <i>Journal of Hypertension</i> , 2009, 27, 1355-1357.	0.3	2
127	Reducing cardiovascular risk: protecting the kidney. <i>European Heart Journal Supplements</i> , 2009, 11, F39-F46.	0.0	2
128	Microalbuminuria and Risk of Venous Thromboembolism. <i>JAMA - Journal of the American Medical Association</i> , 2009, 301, 1790.	3.8	159
130	Monitoring and Managing Urinary Albumin Excretion: Practical Advice for Primary Care Clinicians. <i>Postgraduate Medicine</i> , 2009, 121, 51-60.	0.9	11
131	Early renal and vascular changes in ADPKD patients with low-grade albumin excretion and normal renal function. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 2458-2463.	0.4	24
132	Assessment of Claims of Improved Prediction Beyond the Framingham Risk Score. <i>JAMA - Journal of the American Medical Association</i> , 2009, 302, 2345.	3.8	237
133	Pleiotropic Benefits of Moderate Salt Reduction. <i>Hypertension</i> , 2009, 54, 447-448.	1.3	1
134	Reappraisal of European guidelines on hypertension management: a European Society of Hypertension Task Force document. <i>Journal of Hypertension</i> , 2009, 27, 2121-2158.	0.3	1,236
135	Heart Disease and Stroke Statistics—2009 Update. <i>Circulation</i> , 2009, 119, e21-181.	1.6	2,039
136	Microalbuminuria and short-term prognosis in patients undergoing cardiac surgery†. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2009, 9, 484-490.	0.5	7
137	Impact of the PPAR- $\gamma$ 2 Pro12Ala Polymorphism and ACE Inhibitor Therapy on New-Onset Microalbuminuria in Type 2 Diabetes: Evidence From BENEDICT. <i>Diabetes</i> , 2009, 58, 2920-2929.	0.3	29
138	Changes in insulin sensitivity, renal function, and markers of endothelial dysfunction in hypertension—the impact of microalbuminuria: a 13-year follow-up study. <i>Metabolism: Clinical and Experimental</i> , 2009, 58, 408-415.	1.5	17
139	Awareness of Hypertension and Proteinuria in Randomly Selected Patients in 11 Italian Cities. A 2005 Report of the National Kidney Foundation of Italy. <i>Journal of Clinical Hypertension</i> , 2009, 11, 138-143.	1.0	5



#	ARTICLE	IF	CITATIONS
140	The Effects of Dietary Patterns on Urinary Albumin Excretion: Results of the Dietary Approaches to Stop Hypertension (DASH) Trial. <i>American Journal of Kidney Diseases</i> , 2009, 53, 638-646.	2.1	42
141	Albuminuria: What can we expect from the determination of nonimmunoreactive albumin?. <i>Current Hypertension Reports</i> , 2009, 11, 111-117.	1.5	8
142	Should albuminuria be a focus of antihypertensive therapy goals?. <i>Current Hypertension Reports</i> , 2009, 11, 354-362.	1.5	1
143	Very high doses of valsartan provide renoprotection independently of blood pressure in a type 2 diabetic nephropathy rat model. <i>Nephrology</i> , 2009, 14, 581-587.	0.7	13
144	Proteinuria without albuminuria: Urinary protein excretion by a subset of patients with burn injuries. <i>Clinica Chimica Acta</i> , 2009, 403, 42-46.	0.5	8
145	Cardiovascular risk factors in the Japanese northeastern rural population. <i>International Journal of Cardiology</i> , 2009, 137, 226-235.	0.8	40
147	Reappraisal of European guidelines on hypertension management: a European Society of Hypertension Task Force document. <i>Blood Pressure</i> , 2009, 18, 308-347.	0.7	351
148	Effect of pharmaceutical interventions targeting thromboxane receptors and thromboxane synthase in cardiovascular and renal diseases. <i>Future Cardiology</i> , 2009, 5, 479-493.	0.5	24
149	How should proteinuria be detected and measured?. <i>Annals of Clinical Biochemistry</i> , 2009, 46, 205-217.	0.8	198
150	A comprehensive review on salt and health and current experience of worldwide salt reduction programmes. <i>Journal of Human Hypertension</i> , 2009, 23, 363-384.	1.0	869
151	Heart Disease and Stroke Statistics—2009 Update. <i>Circulation</i> , 2009, 119, 480-486.	1.6	2,334
152	Albuminuria, metabolic syndrome and the risk of mortality and cardiovascular events. <i>Atherosclerosis</i> , 2009, 204, 503-508.	0.4	53
153	Gauging adequacy of cardiovascular disease treatment: importance of estimating glomerular filtration rate and time-varying albuminuria. <i>Journal of the American Society of Hypertension</i> , 2009, 3, 277-285.	2.3	2
154	Albuminuria in chronic heart failure: prevalence and prognostic importance. <i>Lancet, The</i> , 2009, 374, 543-550.	6.3	239
155	Wall-to-lumen ratio of retinal arterioles is related with urinary albumin excretion and altered vascular reactivity to infusion of the nitric oxide synthase inhibitor N-monomethyl-L-arginine. <i>Journal of Hypertension</i> , 2009, 27, 2201-2208.	0.3	42
156	Risk stratification with the risk chart from the European Society of Hypertension compared with SCORE in the general population. <i>Journal of Hypertension</i> , 2009, 27, 2351-2357.	0.3	39
157	2007 ESH/ESC Guidelines for the management of hypertension, from theory to practice: global cardiovascular risk concept. <i>Journal of Hypertension</i> , 2009, 27, S3-S11.	0.3	31
158	Albuminuria in heart failure: what do we really know?. <i>Current Opinion in Cardiology</i> , 2009, 24, 148-154.	0.8	20

#	ARTICLE	IF	CITATIONS
159	Albuminuria in children. <i>Current Opinion in Nephrology and Hypertension</i> , 2009, 18, 246-251.	1.0	70
160	Effects of angiotensin II receptor blockers on diabetic nephropathy. <i>Journal of Hypertension</i> , 2009, 27, S15-S21.	0.3	25
161	Nicorandil Improves Glomerular Injury in Rats With Mesangioproliferative Glomerulonephritis via Inhibition of Proproliferative and Profibrotic Growth Factors. <i>Journal of Pharmacological Sciences</i> , 2009, 111, 53-59.	1.1	21
163	Early High Pulse Pressure is Associated With Graft Dysfunction and Predicts Poor Kidney Allograft Survival. <i>Transplantation</i> , 2009, 88, 1088-1094.	0.5	14
164	Relationships of Beta2- and Beta3-Adrenoceptor Polymorphisms with Obesity, Hypertension and Metabolic Syndrome. <i>Current Hypertension Reviews</i> , 2010, 6, 118-129.	0.5	3
165	Microalbuminuria Is a Predictor of Chronic Renal Insufficiency in Patients without Diabetes and with Hypertension: The MAGIC Study. <i>Yearbook of Medicine</i> , 2010, 2010, 197-199.	0.1	0
166	Albuminuria, impaired kidney function and cardiovascular outcomes or mortality in the elderly. <i>Yearbook of Medicine</i> , 2010, 2010, 199-202.	0.1	0
167	Microalbuminuria as a risk factor: the influence of renin-angiotensin system blockade. <i>Journal of Hypertension</i> , 2010, 28, 1983-1994.	0.3	27
168	Renin inhibition and microalbuminuria development: meaningful predictor of kidney disease progression. <i>Current Opinion in Nephrology and Hypertension</i> , 2010, 19, 437-443.	1.0	4
169	High Prevalence and Diversity of Kidney Dysfunction in Patients With Type 2 Diabetes Mellitus and Coronary Artery Disease: The BARI 2D Baseline Data. <i>American Journal of the Medical Sciences</i> , 2010, 339, 401-410.	0.4	18
170	Cardiorenal Risk Factors. <i>American Journal of the Medical Sciences</i> , 2010, 340, 25-29.	0.4	7
171	Determinants of urinary albumin excretion within the normal range in patients with type 2 diabetes: the Randomised Olmesartan and Diabetes Microalbuminuria Prevention (ROADMAP) study. <i>Diabetologia</i> , 2010, 53, 49-57.	2.9	53
172	Deterioration of glomerular endothelial surface layer induced by oxidative stress is implicated in altered permeability of macromolecules in Zucker fatty rats. <i>Diabetologia</i> , 2010, 53, 2056-2065.	2.9	85
173	Racial and Ethnic Differences in Albuminuria in Individuals With Estimated GFR Greater Than 60 mL/min/1.73 m <sup>2</sup> : Results From the Kidney Early Evaluation Program (KEEP). <i>American Journal of Kidney Diseases</i> , 2010, 55, S15-S22.	2.1	33
174	Kidney Disease After Preeclampsia: A Systematic Review and Meta-analysis. <i>American Journal of Kidney Diseases</i> , 2010, 55, 1026-1039.	2.1	177
175	Reducing Population Salt Intake Worldwide: From Evidence to Implementation. <i>Progress in Cardiovascular Diseases</i> , 2010, 52, 363-382.	1.6	462
177	Urine Albumin Excretion, Within Normal Range, Reflects Increasing Prevalence of Metabolic Syndrome in Patients With Essential Hypertension. <i>Journal of Clinical Hypertension</i> , 2010, 12, 597-602.	1.0	14
178	Predictors of the early impairment of renal disease in human obesity. <i>International Journal of Obesity</i> , 2010, 34, 287-294.	1.6	14

#	ARTICLE	IF	CITATIONS
179	Pulsatile stress correlates with (micro-)albuminuria in renal transplant recipients. <i>Transplant International</i> , 2010, 23, 292-298.	0.8	14
181	Urine Albumin Creatinine Ratio is Associated with Carotid Atherosclerosis in a Community Based Cohort: Atherosclerosis Risk of Rural Area in Korean General Population Study. <i>Journal of Cardiovascular Imaging</i> , 2010, 18, 134.	0.8	12
182	Relationship between Urinary Albumin Excretion and Carotid Atherosclerosis in General Korean Population. <i>Journal of Cardiovascular Imaging</i> , 2010, 18, 146.	0.8	0
183	Microalbuminuria and the Hypertensive Disorders of Pregnancy. <i>Current Hypertension Reviews</i> , 2010, 6, 8-19.	0.5	1
184	Diabetic Kidney Disease. , 2010, , 39-56.		2
185	Augmentation pressure and subendocardial viability ratio are associated with microalbuminuria and with poor renal function in type 1 diabetes. <i>Diabetes and Vascular Disease Research</i> , 2010, 7, 216-224.	0.9	35
186	The L/N-Type Calcium Channel Blocker, Cilnidipine, Reduces Heart Rate and Albuminuria in Patients with Type 2 Diabetes. <i>Journal of International Medical Research</i> , 2010, 38, 602-610.	0.4	11
187	2010 ACCF/AHA Guideline for Assessment of Cardiovascular Risk in Asymptomatic Adults: Executive Summary. <i>Circulation</i> , 2010, 122, 2748-2764.	1.6	333
188	Albuminuria and the risk of incident stroke and stroke types in older adults. <i>Neurology</i> , 2010, 75, 1343-1350.	1.5	57
189	Albuminuria among Alaska Natives – Findings from the Genetics of Coronary Artery Disease in Alaska Natives (GOCADAN) Study. <i>Nephron Clinical Practice</i> , 2010, 115, c107-c113.	2.3	4
190	End Organ Damage In Hypertension. <i>Deutsches A&amp;#x0308;rztblatt International</i> , 2010, 107, 866-73.	0.6	102
191	Prevalence and Prognostic Value of Elevated Urinary Albumin Excretion in Patients With Chronic Heart Failure. <i>Circulation: Heart Failure</i> , 2010, 3, 65-72.	1.6	101
192	Epidemiology and Pathophysiology of Chronic Kidney Disease. , 2010, , 907-918.		7
193	Multimarker Approach for the Prediction of Heart Failure Incidence in the Community. <i>Circulation</i> , 2010, 122, 1700-1706.	1.6	123
194	The kidney in acromegaly: renal structure and function in patients with acromegaly during active disease and 1 year after disease remission. <i>European Journal of Endocrinology</i> , 2010, 162, 1035-1042.	1.9	40
195	Influence of genetic background on albuminuria and kidney injury in <i>Angiotensin II</i> (Akiita) mice. <i>American Journal of Physiology - Renal Physiology</i> , 2010, 298, F788-F795.	1.3	100
196	Effects of Potassium Chloride and Potassium Bicarbonate on Endothelial Function, Cardiovascular Risk Factors, and Bone Turnover in Mild Hypertensives. <i>Hypertension</i> , 2010, 55, 681-688.	1.3	138
197	Urinary albumin excretion is associated with true resistant hypertension. <i>Journal of Human Hypertension</i> , 2010, 24, 27-33.	1.0	60

#	ARTICLE	IF	CITATIONS
198	2010 ACCF/AHA Guideline for Assessment of Cardiovascular Risk in Asymptomatic Adults. <i>Circulation</i> , 2010, 122, e584-636.	1.6	1,009
199	Albuminuria, impaired kidney function and cardiovascular outcomes or mortality in the elderly. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 1560-1567.	0.4	80
200	Interrelationship between aortic stiffness and proteinuria in chronic kidney disease. <i>Journal of Human Hypertension</i> , 2010, 24, 593-599.	1.0	6
201	Very low-grade albuminuria reflects susceptibility to chronic kidney disease in combination with cardiovascular risk factors. <i>Hypertension Research</i> , 2010, 33, 573-578.	1.5	17
202	Low-Grade Albuminuria Is Associated with Carotid Intima-Media Thickness in Chinese Type 2 Diabetic Patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 5122-5128.	1.8	37
203	Prognostic Implications of the Urinary Albumin to Creatinine Ratio in Veterans of Different Ages With Diabetes. <i>Archives of Internal Medicine</i> , 2010, 170, 930.	4.3	51
204	Cardiorenal Interaction: Appropriate Treatment of Cardiovascular Risk Factors to Improve Outcomes in Chronic Kidney Disease. <i>Postgraduate Medicine</i> , 2010, 122, 25-34.	0.9	30
205	Should Targeting Albuminuria Be Part of a Cardiovascular Risk Reduction Paradigm?. <i>Cardiology Clinics</i> , 2010, 28, 437-445.	0.9	0
206	The Contribution of Early Nephropathy to Cardiovascular Risk. <i>Cardiology Clinics</i> , 2010, 28, 427-436.	0.9	4
207	Copeptin, a surrogate marker of vasopressin, is associated with microalbuminuria in a large population cohort. <i>Kidney International</i> , 2010, 77, 29-36.	2.6	105
208	Cardiorenal Continuum. , 2010, , 67-79.		0
209	2010 ACCF/AHA Guideline for Assessment of Cardiovascular Risk in Asymptomatic Adults. <i>Journal of the American College of Cardiology</i> , 2010, 56, e50-e103.	1.2	1,150
210	2010 ACCF/AHA Guideline for Assessment of Cardiovascular Risk in Asymptomatic Adults: Executive Summary. <i>Journal of the American College of Cardiology</i> , 2010, 56, 2182-2199.	1.2	133
211	p-Cresol and Cardiovascular Risk in Mild-to-Moderate Kidney Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2010, 5, 1182-1189.	2.2	265
212	Silent cerebral infarction is associated with the development and progression of nephropathy in patients with type 2 diabetes. <i>Hypertension Research</i> , 2010, 33, 1000-1003.	1.5	9
213	The Relationship Between Microalbuminuria and the Presence and Extent of Coronary Atherosclerosis. <i>Angiology</i> , 2010, 61, 184-191.	0.8	16
214	YKL-40: a new biomarker in cardiovascular disease?. <i>Biomarkers in Medicine</i> , 2010, 4, 591-600.	0.6	30
215	Low grade inflammation as measured by levels of YKL-40: Association with an increased overall and cardiovascular mortality rate in an elderly population. <i>International Journal of Cardiology</i> , 2010, 143, 35-42.	0.8	73

#	ARTICLE	IF	CITATIONS
216	Cystatin c and blood pressure: Results of 24h ambulatory blood pressure monitoring. <i>European Journal of Internal Medicine</i> , 2010, 21, 185-190.	1.0	14
217	Obesity and changes in urine albumin/creatinine ratio in patients with type 2 diabetes: The DEMAND Study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2010, 20, 110-116.	1.1	27
219	Heart Disease and Stroke Statistics—2010 Update. <i>Circulation</i> , 2010, 121, e46-e215.	1.6	4,053
220	Complications of Progression of CKD. <i>Advances in Chronic Kidney Disease</i> , 2011, 18, 400-405.	0.6	34
221	Implications of Proteinuria: CKD Progression and Cardiovascular Outcomes. <i>Advances in Chronic Kidney Disease</i> , 2011, 18, 258-266.	0.6	42
222	Heart Disease and Stroke Statistics—2011 Update. <i>Circulation</i> , 2011, 123, e18-e209.	1.6	4,379
223	Immunochemically unreactive albumin in urine: fiction or reality?. <i>Critical Reviews in Clinical Laboratory Sciences</i> , 2011, 48, 87-96.	2.7	10
224	Long-term effects of fosinopril and pravastatin on cardiovascular events in subjects with microalbuminuria. <i>American Heart Journal</i> , 2011, 161, 1171-1178.	1.2	41
225	Co-peptin: Role as a novel biomarker in clinical practice. <i>Clinica Chimica Acta</i> , 2011, 412, 22-28.	0.5	13
226	The association of urinary albumin excretion and metabolic complications in polycystic ovary syndrome. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2011, 154, 57-61.	0.5	13
227	Microalbuminuria, Indicated by Total versus Immunoreactive Urinary Albumins, in Acute Ischemic Stroke Patients. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2011, 20, 510-516.	0.7	10
228	Increased cardiovascular risk among type 2 diabetic patients with high-normal albuminuria and no evidence of kidney impairment. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2011, 21, e5-e6.	1.1	3
229	Prognostic importance of baseline and serial changes in microalbuminuria in patients with resistant hypertension. <i>Atherosclerosis</i> , 2011, 216, 199-204.	0.4	32
230	Hypertension-related factors in patients with active and inactive acromegaly. <i>Arquivos Brasileiros De Endocrinologia E Metabologia</i> , 2011, 55, 468-474.	1.3	16
231	Increased Prevalence of Albuminuria in HIV-Infected Adults with Diabetes. <i>PLoS ONE</i> , 2011, 6, e24610.	1.1	23
232	Association between an increment of 30-minute postchallenge plasma glucose and urine albumin excretion exists in postmenopausal women but not in premenopausal women. <i>Menopause</i> , 2011, 18, 1303-1308.	0.8	5
233	Low-Density Lipoprotein Cholesterol and the Risk of Cancer: A Mendelian Randomization Study. <i>Yearbook of Endocrinology</i> , 2011, 2011, 27-30.	0.0	0
234	Relation of Albuminuria to Angiographically Determined Coronary Arterial Narrowing in Patients With and Without Type 2 Diabetes Mellitus and Stable or Suspected Coronary Artery Disease. <i>Yearbook of Medicine</i> , 2011, 2011, 526-528.	0.1	0

#	ARTICLE	IF	CITATIONS
235	Relation of Albuminuria to Angiographically Determined Coronary Arterial Narrowing in Patients With and Without Type 2 Diabetes Mellitus and Stable or Suspected Coronary Artery Disease. Yearbook of Endocrinology, 2011, 2011, 25-27.	0.0	0
236	Estimated Glomerular Filtration Rate and Albuminuria as Predictors of Outcomes in Patients With High Cardiovascular Risk. Annals of Internal Medicine, 2011, 154, 310.	2.0	74
237	Increment of 30â€min postâ€challenge plasma glucose is associated with urine albumin excretion in men with normal glucose regulation. Diabetic Medicine, 2011, 28, 1323-1329.	1.2	2
238	Apolipoprotein B/A-I and total cholesterol/high-density lipoprotein cholesterol ratios both predict cardiovascular events in the general population independently of nonlipid risk factors, albuminuria and C-reactive protein. Journal of Internal Medicine, 2011, 269, 232-242.	2.7	63
239	Adherence to the Mediterranean diet and albuminuria levels in Greek adolescents: data from the Leontio Lyceum Albuminuria (3L study). European Journal of Clinical Nutrition, 2011, 65, 219-225.	1.3	51
240	Identification and Management of Albuminuria in the Primary Care Setting. Journal of Clinical Hypertension, 2011, 13, 438-449.	1.0	22
241	Cystatin C and Albuminuria as Risk Factors for Development of CKD Stage 3: The Multi-Ethnic Study of Atherosclerosis (MESA). American Journal of Kidney Diseases, 2011, 57, 832-840.	2.1	28
242	High-Normal Albuminuria and Risk of Heart Failure in the Community. American Journal of Kidney Diseases, 2011, 58, 47-55.	2.1	99
243	Relation of Albuminuria to Angiographically Determined Coronary Arterial Narrowing in Patients With and Without Type 2 Diabetes Mellitus and Stable or Suspected Coronary Artery Disease. American Journal of Cardiology, 2011, 107, 1144-1148.	0.7	37
244	Hypertension, left ventricular hypertrophy and chronic kidney disease. Heart Failure Reviews, 2011, 16, 615-620.	1.7	74
245	Obstructive sleep apnoea syndrome promotes reversal albuminuria during sleep. Sleep and Breathing, 2011, 15, 589-597.	0.9	22
246	Dynamic evaluation of renal resistive index in normoalbuminuric patients with newly diagnosed hypertension or type 2 diabetes. Diabetologia, 2011, 54, 2430-2439.	2.9	48
248	Target organ damage in a population at intermediate cardiovascular risk, with adjunctive major risk factors: Cardiovascular PREvention Sacco Study (CAPRESS). Internal and Emergency Medicine, 2011, 6, 337-347.	1.0	2
249	CUBN Is a Gene Locus for Albuminuria. Journal of the American Society of Nephrology: JASN, 2011, 22, 555-570.	3.0	208
250	The spectrum of albuminuria as a predictor of cardiorenal outcomes. Therapy: Open Access in Clinical Medicine, 2011, 8, 569-579.	0.2	0
251	Urinary Cystatin C as a Potential Risk Marker for Cardiovascular Disease and Chronic Kidney Disease in Patients with Obesity and Metabolic Syndrome. Clinical Journal of the American Society of Nephrology: CJASN, 2011, 6, 265-273.	2.2	39
252	Should eGFR and Albuminuria Be Added to the Framingham Risk Score Chronic Kidney Disease and Cardiovascular Disease Risk Prediction. Nephron Clinical Practice, 2011, 119, c171-c178.	2.3	46
253	Relationship between Red Cell Distribution Width and Microalbuminuria: A Population-Based Study of Multiethnic Representative US Adults. Nephron Clinical Practice, 2011, 119, c277-c282.	2.3	38

#	ARTICLE	IF	CITATIONS
254	Are Cubilin (CUBN) Variants at the Heart of Urinary Albumin Excretion?. Journal of the American Society of Nephrology: JASN, 2011, 22, 404-406.	3.0	3
255	Chronic Kidney Disease and Albuminuria in Children with Sickle Cell Disease. Clinical Journal of the American Society of Nephrology: CJASN, 2011, 6, 2628-2633.	2.2	113
256	An Emerging Role for Understanding Orthostatic Hypertension in the Cardiorenal Syndrome. CardioRenal Medicine, 2011, 1, 113-122.	0.7	8
257	Benefit assessment of dietary salt reduction: while the doctors study, should more people die?. Journal of Hypertension, 2011, 29, 829-831.	0.3	11
258	Associations of renal vascular resistance with albuminuria in adolescents and young adults. Nephrology Dialysis Transplantation, 2011, 26, 3943-3949.	0.4	8
259	Arterial stiffness, ambulatory blood pressure and low-grade albuminuria in non-diabetic African and Caucasian men: the SABPA study. Hypertension Research, 2011, 34, 862-868.	1.5	13
260	High-normal blood pressure is associated with microalbuminuria in the general population: the Watari study. Hypertension Research, 2011, 34, 1135-1140.	1.5	16
261	The contribution of chronic kidney disease to the global burden of major noncommunicable diseases. Kidney International, 2011, 80, 1258-1270.	2.6	1,105
262	Improving Prognosis Estimation in Patients with Heart Failure and the Cardiorenal Syndrome. International Journal of Nephrology, 2011, 2011, 1-11.	0.7	6
263	Cardiovascular and Renal Links along the Cardiorenal Continuum. International Journal of Nephrology, 2011, 2011, 1-8.	0.7	12
264	Hemodynamic Correlates of Proteinuria in Chronic Kidney Disease. Clinical Journal of the American Society of Nephrology: CJASN, 2011, 6, 2403-2410.	2.2	37
265	Urinary Albumin Excretion Is Associated With Nocturnal Systolic Blood Pressure in Resistant Hypertensives. Hypertension, 2011, 57, 556-560.	1.3	51
266	Microalbuminuria is associated with high adverse event rate following cardiac surgery. European Journal of Cardio-thoracic Surgery, 2011, 39, 932-938.	0.6	9
267	Increased urinary protein excretion in the "normal" range is associated with increased renin-angiotensin system activity. American Journal of Physiology - Renal Physiology, 2012, 302, F526-F532.	1.3	12
268	Urinary albumin excretion in heart failure with preserved ejection fraction: an interim analysis of the CHART 2 study. European Journal of Heart Failure, 2012, 14, 367-376.	2.9	52
269	Exposure to bisphenol A is associated with low-grade albuminuria in Chinese adults. Kidney International, 2012, 81, 1131-1139.	2.6	63
270	Understanding the effects of chronic kidney disease on cardiovascular risk: are there lessons to be learnt from healthy kidney donors?. Journal of Human Hypertension, 2012, 26, 141-148.	1.0	18
271	Influence of Urine Creatinine on the Relationship between the Albumin-to-Creatinine Ratio and Cardiovascular Events. Clinical Journal of the American Society of Nephrology: CJASN, 2012, 7, 595-603.	2.2	35

#	ARTICLE	IF	CITATIONS
272	Fasting Serum C-peptide Levels Predict Cardiovascular and Overall Death in Nondiabetic Adults. <i>Journal of the American Heart Association</i> , 2012, 1, e003152.	1.6	72
273	Determining the Optimal Cut-Off Value of the Urinary Albumin-To-Creatinine Ratio to Detect Atherosclerotic Vascular Diseases. <i>Kidney and Blood Pressure Research</i> , 2012, 36, 290-300.	0.9	6
274	Resting Heart Rate and the Risk of Microvascular Complications in Patients With Type 2 Diabetes Mellitus. <i>Journal of the American Heart Association</i> , 2012, 1, e002832.	1.6	59
275	Incipient Renal Impairment as a Predictor of Subclinical Atherosclerosis in HIV-Infected Patients. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2012, 59, 141-148.	0.9	14
276	Serum phosphorus as a predictor of low-grade albuminuria in a general population without evidence of chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 2799-2806.	0.4	16
277	Cardiovascular risk assessment beyond Systemic Coronary Risk Estimation. <i>Journal of Hypertension</i> , 2012, 30, 1056-1064.	0.3	86
278	Prevalence and determinants of coronary artery disease in first-degree relatives of premature coronary artery disease. <i>Coronary Artery Disease</i> , 2012, 23, 167-173.	0.3	6
279	Biochemical Cardiovascular Risk Factors After Hypertensive Pregnancy Disorders. <i>Obstetrical and Gynecological Survey</i> , 2012, 67, 792-808.	0.2	46
280	Sex hormones associated with subclinical kidney damage and atherosclerosis in South African men. <i>Journal of Hypertension</i> , 2012, 30, 2387-2394.	0.3	5
281	Microalbuminuria independently correlates to cardiovascular comorbidity burden in patients with hypertension. <i>Clinical Research in Cardiology</i> , 2012, 101, 761-766.	1.5	16
282	Endothelial dysfunction as an underlying pathophysiological condition of chronic kidney disease. <i>Clinical and Experimental Nephrology</i> , 2012, 16, 518-521.	0.7	62
283	Relation of Impaired Coronary Microcirculation to Increased Urine Albumin Excretion in Patients With Systemic Hypertension and No Epicardial Coronary Arterial Narrowing. <i>American Journal of Cardiology</i> , 2012, 109, 1026-1030.	0.7	12
284	Chronic inflammation, albuminuria, and functional disability in older adults with cardiovascular disease: The National Health and Nutrition Examination Survey, 1999-2008. <i>Atherosclerosis</i> , 2012, 222, 502-508.	0.4	27
285	DPP-4 Inhibition on Top of Angiotensin Receptor Blockade Offers a New Therapeutic Approach for Diabetic Nephropathy. <i>Kidney and Blood Pressure Research</i> , 2012, 36, 119-130.	0.9	136
286	Core Concepts in Renal Transplantation. , 2012, , .		4
287	Relation between proteinuria and acute kidney injury in patients with severe burns. <i>Critical Care</i> , 2012, 16, R172.	2.5	27
288	Measurable Urinary Albumin Predicts Cardiovascular Risk among Normoalbuminuric Patients with Type 2 Diabetes. <i>Journal of the American Society of Nephrology: JASN</i> , 2012, 23, 1717-1724.	3.0	80
289	Linkage disequilibrium analysis reveals an albuminuria risk haplotype containing three missense mutations in the cubilin gene with striking differences among European and African ancestry populations. <i>BMC Nephrology</i> , 2012, 13, 142.	0.8	7



#	ARTICLE	IF	CITATIONS
290	Relationships between serum MCP-1 and subclinical kidney disease: African American-Diabetes Heart Study. <i>BMC Nephrology</i> , 2012, 13, 148.	0.8	22
291	Proteinuria elevates asymmetric dimethylarginine levels via protein arginine methyltransferase-1 overexpression in a rat model of nephrotic syndrome. <i>Life Sciences</i> , 2012, 91, 301-305.	2.0	13
292	Effects of Stimulation of Soluble Guanylate Cyclase on Diabetic Nephropathy in Diabetic eNOS Knockout Mice on Top of Angiotensin II Receptor Blockade. <i>PLoS ONE</i> , 2012, 7, e42623.	1.1	31
293	Adding thiazide to a rennin-angiotensin blocker regimen to improve left ventricular relaxation in diabetes and nondiabetes patients with hypertension. <i>Drug Design, Development and Therapy</i> , 2012, 6, 225.	2.0	2
294	Microalbumin�ria � um marcador progn�stico independente em pacientes com insufici�ncia card�aca cr�nica. <i>Arquivos Brasileiros De Cardiologia</i> , 2012, 98, 62-69.	0.3	6
295	Clinical Significance of the Augmentation Index in Patients with Preserved Kidney Function. <i>Journal of Nippon Medical School</i> , 2012, 79, 422-429.	0.3	7
296	Multiple Biomarkers and Risk of Clinical and Subclinical Vascular Brain Injury. <i>Circulation</i> , 2012, 125, 2100-2107.	1.6	63
297	Heart Disease and Stroke Statistics�2012 Update. <i>Circulation</i> , 2012, 125, e2-e220.	1.6	4,096
298	Endothelial Dysfunction and High Cardiovascular Risk Profile in Severe Alcoholics Improve Only Partially Following a Medium-term Alcohol Withdrawal. <i>Alcoholism: Clinical and Experimental Research</i> , 2012, 36, 242-250.	1.4	16
300	Proteinuria after kidney transplantation. <i>Transplant International</i> , 2012, 25, 909-917.	0.8	50
302	Suboptimal blood pressure control in chronic kidney disease stage 3: baseline data from a cohort study in primary care. <i>BMC Family Practice</i> , 2013, 14, 88.	2.9	45
303	Low-grade albuminuria is associated with early but not late carotid atherosclerotic lesions in community-based patients with type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2013, 12, 110.	2.7	27
304	Renal complications of Fabry disease in children. <i>Pediatric Nephrology</i> , 2013, 28, 679-687.	0.9	46
305	Proteinuria in systemic sclerosis: reversal by ACE inhibition. <i>Rheumatology International</i> , 2013, 33, 2225-2230.	1.5	8
306	Urinary albumin concentration and long-term cardiovascular risk in acute coronary syndrome patients: a PROVE IT-TIMI 22 substudy. <i>Journal of Thrombosis and Thrombolysis</i> , 2013, 36, 233-239.	1.0	11
307	Glucose Intolerance Is Associated With Increased Intimal-Medial Thickness of the Carotid Artery and Increased Pulse-Wave Velocity in Renal Transplant Recipients. <i>Transplantation Proceedings</i> , 2013, 45, 1535-1539.	0.3	3
308	Albuminuria in the Normal Range. <i>Journal of the American College of Cardiology</i> , 2013, 61, 1634-1636.	1.2	1
309	Usefulness of Albuminuria as a Prognostic Indicator in Patients With Chronic Heart Failure Secondary to Ischemic or Idiopathic Dilated Cardiomyopathy. <i>American Journal of Cardiology</i> , 2013, 111, 1180-1186.	0.7	10

#	ARTICLE	IF	CITATIONS
311	Albuminuria in relation to the single and combined effects of systolic and diastolic blood pressure in Chinese. <i>Blood Pressure</i> , 2013, 22, 158-164.	0.7	6
312	Heart Disease and Stroke Statistics—2013 Update. <i>Circulation</i> , 2013, 127, e6-e245.	1.6	4,387
313	Tromsø eye study: prevalence and risk factors of diabetic retinopathy. <i>Acta Ophthalmologica</i> , 2013, 91, 716-721.	0.6	35
314	Kidney Disease in Hypertension. , 2013, , 270-279.		0
315	The Synergistic Relationship Between Estimated GFR and Microalbuminuria in Predicting Long-term Progression to ESRD or Death in Patients With Diabetes: Results From the Kidney Early Evaluation Program (KEEP). <i>American Journal of Kidney Diseases</i> , 2013, 61, S12-S23.	2.1	72
316	Low-grade albuminuria is associated with carotid atherosclerosis in normotensive and euglycemic Chinese middle-aged and elderly adults: The Shanghai Changfeng Study. <i>Atherosclerosis</i> , 2013, 228, 237-242.	0.4	23
317	Guía de práctica clínica de la ESH/ESC para el manejo de la hipertensión arterial (2013). <i>Revista Española De Cardiología</i> , 2013, 66, 880.e1-880.e64.	0.6	24
318	Influence of Urine Creatinine Concentrations on the Relation of Albumin-Creatinine Ratio With Cardiovascular Disease Events: The Multi-Ethnic Study of Atherosclerosis (MESA). <i>American Journal of Kidney Diseases</i> , 2013, 62, 722-729.	2.1	16
319	Outcomes Associated With Microalbuminuria. <i>Journal of the American College of Cardiology</i> , 2013, 61, 1626-1633.	1.2	44
320	Does the metabolic syndrome predict subclinical atherosclerotic damage in an asymptomatic population at intermediate cardiovascular risk?. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013, 23, 864-870.	1.1	1
321	Lifestyle-Related Factors, Obesity, and Incident Microalbuminuria: The CARDIA (Coronary Artery Risk) Study. <i>Journal of the American College of Cardiology</i> , 2013, 61, 184-191.	2.1	184
322	Effects of manidipine vs. amlodipine on intrarenal haemodynamics in patients with arterial hypertension. <i>British Journal of Clinical Pharmacology</i> , 2013, 75, 129-135.	1.1	25
323	AKI Transition of Care. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013, 8, 476-483.	2.2	181
324	Pathophysiology of proteinuria and its value as an outcome measure in chronic kidney disease. <i>British Journal of Clinical Pharmacology</i> , 2013, 76, 516-523.	1.1	133
325	Bon Appetit: Time to Eat for Better Kidney Health. <i>Advances in Chronic Kidney Disease</i> , 2013, 20, 118-120.	0.6	1
326	Goals of Therapy: Slowing Progression and Dyslipidemias. , 2013, , 287-297.		0
327	Insulin Resistance and Insulin Secretion in Renal Transplant Recipients With Hepatitis C. <i>Transplantation Proceedings</i> , 2013, 45, 1540-1543.	0.3	3
328	2013 ESH/ESC Guidelines for the management of arterial hypertension. <i>Blood Pressure</i> , 2013, 22, 193-278.	0.7	355

#	ARTICLE	IF	CITATIONS
329	2013 ESH/ESC Guidelines for the management of arterial hypertension. <i>European Heart Journal</i> , 2013, 34, 2159-2219.	1.0	5,681
330	Isolated microalbuminuria indicates a poor medical prognosis. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 1794-1801.	0.4	17
331	Preclinical Cardiorenal Interrelationships in Essential Hypertension. <i>CardioRenal Medicine</i> , 2013, 3, 38-47.	0.7	11
332	Urinary Albumin Excretion at Follow-Up Predicts Cardiovascular Outcomes in Subjects With Resistant Hypertension. <i>American Journal of Hypertension</i> , 2013, 26, 1148-1154.	1.0	11
333	New-onset microalbuminuria following allogeneic myeloablative SCT is a sign of near-term decrease in renal function. <i>Bone Marrow Transplantation</i> , 2013, 48, 972-976.	1.3	6
334	Arterial disease in chronic kidney disease. <i>Heart</i> , 2013, 99, 365-372.	1.2	119
335	2013 ESH/ESC Guidelines for the management of arterial hypertension. <i>Journal of Hypertension</i> , 2013, 31, 1281-1357.	0.3	4,251
336	A Piece of the Puzzle in the Cardiorenal Conundrum. <i>Journal of the American Society of Nephrology: JASN</i> , 2013, 24, 870-872.	3.0	0
337	The Impact of Blood Pressure on Kidney Function in the Elderly: A Cross-Sectional Study. <i>Kidney and Blood Pressure Research</i> , 2013, 38, 205-216.	0.9	12
338	Prevalence of microalbuminuria and associated risk factors among adult Korean hypertensive patients in a primary care setting. <i>Hypertension Research</i> , 2013, 36, 807-823.	1.5	23
339	Association between hypertensive disorders during pregnancy and end-stage renal disease: a population-based study. <i>Cmaj</i> , 2013, 185, 207-213.	0.9	130
340	Renal Tubulointerstitial Damage Is Associated With Short-Term Cardiovascular Events in Patients With Myocardial Infarction. <i>Circulation Journal</i> , 2013, 77, 484-489.	0.7	6
341	Hypoalbuminemia and Hyperalbuminuria as Major Factors Regulating Circadian Blood Pressure Rhythm in Normal Subjects and Non-diabetic Patients with Early Stages of Chronic Kidney Disease. <i>Journal of Hypertension: Open Access</i> , 2013, 03, .	0.2	1
342	Significance of Microalbuminuria in Relation to Subclinical Coronary Atherosclerosis in Asymptomatic Nonhypertensive, Nondiabetic Subjects. <i>Journal of Korean Medical Science</i> , 2013, 28, 409.	1.1	10
343	Hyperuricemia Is an Independent Risk Factor for New Onset Micro-Albuminuria in a Middle-Aged and Elderly Population: A Prospective Cohort Study in Taiwan. <i>PLoS ONE</i> , 2013, 8, e61450.	1.1	27
344	Prevalence of and Factors Associated with Albuminuria in the Korean Adult Population: The 2011 Korea National Health and Nutrition Examination Survey. <i>PLoS ONE</i> , 2013, 8, e83273.	1.1	28
345	Elevated Brachial-Ankle Pulse Wave Velocity Is Independently Associated with Microalbuminuria in a Rural Population. <i>Journal of Korean Medical Science</i> , 2014, 29, 941.	1.1	9
346	Assessment of Proteinuria in Patients with Chronic Kidney Disease Stage 3: Albuminuria and Non-Albumin Proteinuria. <i>PLoS ONE</i> , 2014, 9, e98261.	1.1	9

#	ARTICLE	IF	CITATIONS
347	The Urinary Albumin-to-Creatinine Ratio Is a Potential Predictor of Target Lesion Revascularization After Percutaneous Coronary Intervention With Coronary Stents. <i>International Heart Journal</i> , 2014, 55, 409-415.	0.5	2
348	Chapter 3. Principles of treatment. <i>Hypertension Research</i> , 2014, 37, 279-285.	1.5	1
350	The accuracy of predicting cardiovascular death based on one compared to several albuminuria values. <i>Kidney International</i> , 2014, 85, 1421-1428.	2.6	12
351	Blood Pressure Control Is Similar in Treated Hypertensive Patients With Optimal or With High-Normal Albuminuria. <i>American Journal of Hypertension</i> , 2014, 27, 1185-1190.	1.0	1
352	Urinary Albumin Excretion From Spot Urine Samples Predict All-Cause and Stroke Mortality in Africans. <i>American Journal of Hypertension</i> , 2014, 27, 811-818.	1.0	11
353	The association of a single-nucleotide polymorphism in CUBN and the risk of albuminuria and cardiovascular disease. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 342-347.	0.4	8
354	Urinary albumin excretion, blood pressure changes and hypertension incidence in the community: effect modification by kidney function. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 1538-1545.	0.4	11
355	Heart Disease and Stroke Statistics—2014 Update. <i>Circulation</i> , 2014, 129, e28-e292.	1.6	4,522
356	Albuminuria Is Independently Associated With Cardiac Remodeling, Abnormal Right and Left Ventricular Function, and Worse Outcomes in Heart Failure With Preserved Ejection Fraction. <i>JACC: Heart Failure</i> , 2014, 2, 586-596.	1.9	66
357	Cardiovascular Disease Risk Assessment: a Review of Risk Factor-based Algorithms and Assessments of Vascular Health. <i>Current Cardiovascular Risk Reports</i> , 2014, 8, 1.	0.8	0
358	Low-grade proteinuria is highly prevalent in HIV-positive patients on antiretroviral treatment. <i>Aids</i> , 2014, 28, 1783-1789.	1.0	23
359	Microalbuminuria, but not reduced eGFR, is associated with cardiovascular subclinical organ damage in type 2 diabetes. <i>Diabetes and Metabolism</i> , 2014, 40, 49-55.	1.4	24
360	Estimated Albumin Excretion Rate Versus Urine Albumin-Creatinine Ratio for the Assessment of Albuminuria: A Diagnostic Test Study From the Prevention of Renal and Vascular Endstage Disease (PREVEND) Study. <i>American Journal of Kidney Diseases</i> , 2014, 63, 415-421.	2.1	35
361	Association of Low-Grade Albuminuria With Adverse Cardiac Mechanics. <i>Circulation</i> , 2014, 129, 42-50.	1.6	70
362	Serum myeloid-related protein 8/14 complex is associated with microalbuminuria in patients with type 2 diabetes. <i>Therapeutic Advances in Cardiovascular Disease</i> , 2014, 8, 80-88.	1.0	8
363	Renin-Angiotensin-Aldosterone System Inhibition. <i>Primary Care - Clinics in Office Practice</i> , 2014, 41, 765-778.	0.7	24
364	Does CPAP therapy alter urinary albumin level in adult patients with moderate to severe obstructive sleep apnea syndrome?. <i>Sleep and Breathing</i> , 2014, 18, 525-532.	0.9	15
365	Non-linear association of serum 25-hydroxyvitamin D with urinary albumin excretion rate in normoalbuminuric subjects. <i>BMC Nephrology</i> , 2014, 15, 97.	0.8	5

#	ARTICLE	IF	CITATIONS
366	Low-grade albuminuria is associated with peripheral artery disease in Chinese diabetic patients. <i>Atherosclerosis</i> , 2014, 232, 285-288.	0.4	19
367	Frontiers in Diabetic Kidney Disease: Introduction. <i>American Journal of Kidney Diseases</i> , 2014, 63, S1-S2.	2.1	17
368	Microalbuminuria is associated with cardiovascular risk in prediabetes and prehypertension. <i>Journal of Indian College of Cardiology</i> , 2014, 4, 83-89.	0.1	0
369	Prognostic Impact of Subclinical Microalbuminuria in Patients With Chronic Heart Failure. <i>Circulation Journal</i> , 2014, 78, 2890-2898.	0.7	18
370	The prevalence, characteristics and clinical significance of abnormal albuminuria in patients with hypertension. <i>Scientific Reports</i> , 2014, 4, 3884.	1.6	13
371	Significance of normal range urinary albumin to creatinine ratio in Chinese subjects with metabolic syndrome. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2015, 35, 862-867.	1.0	1
372	Uric acid is associated with microalbuminuria and decreased glomerular filtration rate in the general population during 7 and 13 years of follow-up: The TromsÅ, Study. <i>BMC Nephrology</i> , 2015, 16, 210.	0.8	12
373	Discordant associations of lipid parameters with albuminuria and chronic kidney disease: a population-based study. <i>Lipids in Health and Disease</i> , 2015, 14, 152.	1.2	20
374	Anti-oxidative effect of the $\beta$ -blocker carvedilol on diabetic nephropathy in non-obese type 2 diabetic rats. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2015, 42, 972-978.	0.9	4
375	Association Between Hearing Impairment and Albuminuria in the Korean Adults. <i>Medicine (United Tj ETQq1 1 0.784314 rgBT<sub>5</sub>/Overlook</i>	0.4	5
376	Low-grade albuminuria associated with brachial-ankle pulse wave velocity in young adults with type 2 diabetes mellitus in China. <i>Diabetes/Metabolism Research and Reviews</i> , 2015, 31, 262-268.	1.7	13
377	Association between Low-Grade Albuminuria and Cardiovascular Risk in Korean Adults: The 2011-2012 Korea National Health and Nutrition Examination Survey. <i>PLoS ONE</i> , 2015, 10, e0118866.	1.1	14
378	Normal Range Albuminuria and Metabolic Syndrome in South Korea: The 2011-2012 Korean National Health and Nutrition Examination Survey. <i>PLoS ONE</i> , 2015, 10, e0125615.	1.1	11
379	Urine Albumin Excretion Is Associated with Cardiac Troponin T Detected with a Highly Sensitive Assay in a Community-Based Population. <i>PLoS ONE</i> , 2015, 10, e0135747.	1.1	6
380	Impact of Supervised Cardiac Rehabilitation on Urinary Albumin Excretion in Patients With Cardiovascular Disease. <i>International Heart Journal</i> , 2015, 56, 105-109.	0.5	12
381	Association of microalbuminuria with ischemic heart disease in non-diabetic Asian-Indians: A case control study. <i>Avicenna Journal of Medicine</i> , 2015, 05, 6-10.	0.3	4
382	Urinary albumin excretion in healthy adults: a cross sectional study of 24-hour versus timed overnight samples and impact of GFR and other personal characteristics. <i>BMC Nephrology</i> , 2015, 16, 8.	0.8	8
383	Residual Cardiovascular Risk in Chronic Kidney Disease: Role of High-density Lipoprotein. <i>Archives of Medical Research</i> , 2015, 46, 379-391.	1.5	42

#	ARTICLE	IF	CITATIONS
384	Point-of-care urine albumin in general practice offices: effect of participation in an external quality assurance scheme. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015, 53, 45-51.	1.4	9
385	Association between low-grade albuminuria and hearing impairment in a non-diabetic Korean population: The Korea National Health and Nutrition Examination Survey (2011-2013). <i>Annals of Medicine</i> , 2015, 47, 664-672.	1.5	6
386	Male Gender and Body Mass Index Are Associated With Hypertension and Reduced Kidney Function 5 or More Years After Living Kidney Donation. <i>Transplantation Proceedings</i> , 2015, 47, 2816-2821.	0.3	9
387	Albuminuria, renal dysfunction and circadian blood pressure rhythm in older men: a population-based longitudinal cohort study. <i>CKJ: Clinical Kidney Journal</i> , 2015, 8, 560-566.	1.4	7
388	Function and Size of the Residual Kidney After Treatment of Wilms Tumor. <i>Pediatric Hematology and Oncology</i> , 2015, 32, 11-17.	0.3	7
389	Impact of low-grade albuminuria on left ventricular diastolic dysfunction. <i>IJC Metabolic &amp; Endocrine</i> , 2015, 6, 13-16.	0.5	3
390	Heart Disease and Stroke Statistics—2015 Update. <i>Circulation</i> , 2015, 131, e29-322.	1.6	5,963
391	Timeliness in chronic kidney disease and albuminuria identification: a retrospective cohort study. <i>BMC Family Practice</i> , 2015, 16, 18.	2.9	20
392	Clinical associations between metabolic syndrome and the development of microalbuminuria in Korean men. <i>Diabetes Research and Clinical Practice</i> , 2015, 107, 407-414.	1.1	3
393	Prevalence of microalbuminuria in hypertensive patients with or without type 2 diabetes in a Portuguese primary care setting: The RACE (micRoAlbumin sCreening survEy) study. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2015, 34, 237-246.	0.2	7
394	Cardiovascular Biomarker Assessment Across Glycemic Status. , 2015, , 245-268.		1
395	Is albuminuria a myocardial infarction risk equivalent for atherothrombotic events?. <i>Atherosclerosis</i> , 2015, 240, 21-25.	0.4	12
396	A cohort study of incident microalbuminuria in relation to HOMA-IR in Korean men. <i>Clinica Chimica Acta</i> , 2015, 446, 111-116.	0.5	5
397	A prospective two-center study on the associations between microalbuminuria, coronary atherosclerosis and long-term clinical outcome in asymptomatic patients with type 2 diabetes mellitus: evaluation by coronary CT angiography. <i>International Journal of Cardiovascular Imaging</i> , 2015, 31, 193-203.	0.7	13
398	Prevalência da microalbuminúria em doentes hipertensos e/ou diabéticos tipo 2 nos Cuidados de Saúde Primários em Portugal: Estudo RACE (micRoAlbumin sCreening survEy). <i>Revista Portuguesa De Cardiologia</i> , 2015, 34, 237-246.	0.2	8
399	Independent correlates of urinary albumin excretion within the normoalbuminuric range in patients with type 2 diabetes: The Renal Insufficiency And Cardiovascular Events (RIACE) Italian Multicentre Study. <i>Acta Diabetologica</i> , 2015, 52, 971-981.	1.2	8
400	Low-grade Albuminuria Associated with Subclinical Left Ventricular Diastolic Dysfunction and Left Ventricular Remodeling. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2015, 123, 515-523.	0.6	10
401	Three-year incidence of elevated albuminuria and associated factors in a population-based cohort: The Taichung Community Health Study. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 788-797.	0.8	6

#	ARTICLE	IF	CITATIONS
402	Slight increase in urinary albumin excretion within the normal range predicts incident hypertension in a community-based Japanese population: the Takahata study. <i>Hypertension Research</i> , 2015, 38, 56-60.	1.5	18
403	Glycated haemoglobin A1c is associated with low-grade albuminuria in Chinese adults. <i>BMJ Open</i> , 2015, 5, e007429.	0.8	10
404	Chronic Kidney Disease in Congenital Heart Disease Patients: A Narrative Review of Evidence. <i>Canadian Journal of Kidney Health and Disease</i> , 2015, 2, 63.	0.6	56
405	Cornell product relates to albuminuria in hypertensive black adults independently of blood pressure: the SABPA study. <i>Journal of the American Society of Hypertension</i> , 2015, 9, 115-122.	2.3	2
406	Correlation between indices of kidney function (estimated Glomerular Filtration Rate and) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 587 To 2015, 67, 21-26.	0.4	0
408	Cardiac Myocyte-Derived Follistatin-Like 1 Prevents Renal Injury in a Subtotal Nephrectomy Model. <i>Journal of the American Society of Nephrology: JASN</i> , 2015, 26, 636-646.	3.0	46
409	Urinary Albumin Excretion and Vascular Function in Rheumatoid Arthritis. <i>Journal of Korean Medical Science</i> , 2016, 31, 382.	1.1	4
410	Urinary Albumin Excretion Reflects Cardiovascular Risk in Postmenopausal Women without Diabetes: The 2011 to 2013 Korean National Health and Nutrition Examination Survey. <i>Endocrinology and Metabolism</i> , 2016, 31, 537.	1.3	4
411	Sodium and Its Role in Cardiovascular Disease – The Debate Continues. <i>Frontiers in Endocrinology</i> , 2016, 7, 164.	1.5	48
412	Comparison between urine albumin-to-creatinine ratio and urine protein dipstick testing for prevalence and ability to predict the risk for chronic kidney disease in the general population (Iwate-KENCO study): a prospective community-based cohort study. <i>BMC Nephrology</i> , 2016, 17, 46.	0.8	11
413	Chronic kidney disease: identification and management in primary care. <i>Journal of Pragmatic and Observational Research</i> , 2016, Volume 7, 21-32.	1.1	88
414	Low-grade albuminuria and incidence of cardiovascular disease and all-cause mortality in nondiabetic and normotensive individuals. <i>Journal of Hypertension</i> , 2016, 34, 506-512.	0.3	53
415	Joint Effect of Early Microvascular Damage in the Eye & Kidney on Risk of Cardiovascular Events. <i>Scientific Reports</i> , 2016, 6, 27442.	1.6	13
416	Association between low-grade albuminuria and frailty among community-dwelling middle-aged and older people: a cross-sectional analysis from I-Lan Longitudinal Aging Study. <i>Scientific Reports</i> , 2016, 6, 39434.	1.6	22
417	Long-term changes in albuminuria. <i>Journal of Hypertension</i> , 2016, 34, 2081-2089.	0.3	4
418	Worsening of lipid metabolism after successful treatment of primary aldosteronism. <i>Endocrine</i> , 2016, 54, 198-205.	1.1	22
419	Albuminuria and cardiovascular events in patients with acute coronary syndromes: Results from the TRACER trial. <i>American Heart Journal</i> , 2016, 178, 1-8.	1.2	15
420	Modest Salt Reduction Lowers Blood Pressure and Albumin Excretion in Impaired Glucose Tolerance and Type 2 Diabetes Mellitus. <i>Hypertension</i> , 2016, 67, 1189-1195.	1.3	58

#	ARTICLE	IF	CITATIONS
421	Long-term renal and cardiovascular risk after preeclampsia: towards screening and prevention. <i>Clinical Science</i> , 2016, 130, 239-246.	1.8	73
422	Subclinical Kidney Damage in Hypertensive Patients: A Renal Window Opened on the Cardiovascular System. Focus on Microalbuminuria. <i>Advances in Experimental Medicine and Biology</i> , 2016, 956, 279-306.	0.8	43
423	Levels of albuminuria and risk of developing macroalbuminuria in type 2 diabetes: historical cohort study. <i>Scientific Reports</i> , 2016, 6, 26380.	1.6	19
424	Influence of Gender and Repeated Urine Sampling on the Association of Albuminuria with Coronary Events. <i>Nephron</i> , 2016, 133, 44-52.	0.9	2
425	Familial aggregation of albuminuria and arterial hypertension in an Aboriginal Australian community and the contribution of variants in ACE and TP53. <i>BMC Nephrology</i> , 2016, 17, 183.	0.8	14
426	Association between insurance status and mortality in individuals with albuminuria: an observational cohort study. <i>BMC Nephrology</i> , 2016, 17, 27.	0.8	8
427	Exercise-induced albuminuria is related to metabolic syndrome. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 310, F1192-F1196.	1.3	17
428	Glycated hemoglobin A1c level is associated with high urinary albumin/creatinine ratio in non-diabetic adult population. <i>Annals of Medicine</i> , 2016, 48, 477-484.	1.5	2
429	Urinary albumin excretion in patients with rheumatoid arthritis in a large cross-sectional study. <i>Clinical Rheumatology</i> , 2016, 35, 2421-2425.	1.0	1
430	Nonalcoholic fatty liver disease is associated with low-grade albuminuria in Chinese adults (change) Tj ETQq1 1 0.784314 rgBT /Overload 0,2 10	0.2	10
431	Urinary alpha-1 antitrypsin and CD59 glycoprotein predict albuminuria development in hypertensive patients under chronic renin-angiotensin system suppression. <i>Cardiovascular Diabetology</i> , 2016, 15, 8.	2.7	24
432	Heart Disease and Stroke Statistics—2016 Update. <i>Circulation</i> , 2016, 133, e38-360.	1.6	5,447
433	Increased microalbuminuria prevalence among patients with nonalcoholic fatty liver disease. <i>Renal Failure</i> , 2016, 38, 15-19.	0.8	9
434	Documentation of renal glomerular and tubular impairment and glomerular hyperfiltration in multitransfused patients with beta thalassemia. <i>Annals of Hematology</i> , 2016, 95, 375-381.	0.8	16
435	Comparative microRNA profiling in relation to urinary albumin excretion in newly diagnosed hypertensive patients. <i>Journal of Human Hypertension</i> , 2016, 30, 685-689.	1.0	11
436	Accurate estimation of protein/creatinine ratio on urine sample in CKD patients. <i>Clinical and Experimental Nephrology</i> , 2016, 20, 319-321.	0.7	1
437	Association between obesity measures and albuminuria: A population-based study. <i>Journal of Diabetes and Its Complications</i> , 2016, 30, 451-456.	1.2	14
438	Wrist circumference as a novel negative risk factor for cardiovascular disease among adult men: a median follow-up of 9 years. <i>Journal of Endocrinological Investigation</i> , 2016, 39, 763-768.	1.8	8



#	ARTICLE	IF	CITATIONS
439	Microalbuminuria in subjects with hypertension attending specialist blood pressure clinics. <i>Journal of Human Hypertension</i> , 2016, 30, 527-533.	1.0	6
440	Prevalence and distribution of (micro)albuminuria in toddlers. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 1686-1692.	0.4	16
441	Microalbuminuria is a late event in patients with hypertension: Do we need a lower threshold?. <i>Journal of the Saudi Heart Association</i> , 2017, 29, 30-36.	0.2	5
442	Heart Disease and Stroke Statisticsâ€”2017 Update: A Report From the American Heart Association. <i>Circulation</i> , 2017, 135, e146-e603.	1.6	7,085
443	Albuminuria in Rheumatoid Arthritis: Associations With Rheumatoid Arthritis Characteristics and Subclinical Atherosclerosis. <i>Arthritis Care and Research</i> , 2017, 69, 1799-1808.	1.5	2
444	Hypertensive nephropathy. Moving from classic to emerging pathogenetic mechanisms. <i>Journal of Hypertension</i> , 2017, 35, 205-212.	0.3	93
445	The Effects of Urinary Albumin and Hypertension on All-Cause and Cardiovascular Disease Mortality in Korea. <i>American Journal of Hypertension</i> , 2017, 30, 799-807.	1.0	6
446	Guidelines on the management of arterial hypertension and related comorbidities in Latin America. <i>Journal of Hypertension</i> , 2017, 35, 1529-1545.	0.3	58
447	The prevalence of hypertension in relation with the normal albuminuria range in type 2 diabetes mellitus within the South Korean population: The Korean National Health and Nutrition Examination Survey, 2011â€”2012. <i>Primary Care Diabetes</i> , 2017, 11, 281-287.	0.9	2
448	Cardiovascular risk factors burden in Saudi Arabia: The Africa Middle East Cardiovascular Epidemiological (ACE) study. <i>Journal of the Saudi Heart Association</i> , 2017, 29, 235-243.	0.2	82
449	Association of estimated glomerular filtration rate and urine albumin-to-creatinine ratio with incidence of cardiovascular diseases and mortality in chinese patients with type 2 diabetes mellitus â€” a population-based retrospective cohort study. <i>BMC Nephrology</i> , 2017, 18, 47.	0.8	27
450	Preeclampsia and the Long-term Risk of Kidney Failure. <i>American Journal of Kidney Diseases</i> , 2017, 69, 487-488.	2.1	6
451	Albuminuria changes are associated with subsequent risk of end-stage renal disease andÂmortality. <i>Kidney International</i> , 2017, 91, 244-251.	2.6	104
452	Low-grade albuminuria is associated with poor memory performance in the nondemented Chinese elderly with type 2 diabetes. <i>Metabolic Brain Disease</i> , 2017, 32, 1975-1981.	1.4	3
453	Immune system deregulation in hypertensive patients chronically RAS suppressed developing albuminuria. <i>Scientific Reports</i> , 2017, 7, 8894.	1.6	13
454	Eicosapentaenoic and Docosahexaenoic Acids Attenuate Progression of Albuminuria in Patients With Type 2 Diabetes Mellitus and Coronary Artery Disease. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	33
455	Sex difference in the risk for exercise-induced albuminuria correlates with hemoglobin A1C and abnormal exercise ECG test findings. <i>Cardiovascular Diabetology</i> , 2017, 16, 79.	2.7	14
456	Use of a proximity extension assay proteomics chip to discover new biomarkers associated with albuminuria. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 340-348.	0.8	14

#	ARTICLE	IF	CITATIONS
457	Prevalence of chronic kidney disease after preeclampsia. <i>Journal of Nephrology</i> , 2017, 30, 403-409.	0.9	39
458	Chronic kidney disease and coronary artery calcification in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Clinical Cardiology</i> , 2017, 40, 1309-1315.	0.7	10
459	Estimated Glomerular Filtration Rate, Proteinuria, and Risk of Cardiovascular Diseases and All-cause Mortality in Diabetic Population: a Community-based Cohort Study. <i>Scientific Reports</i> , 2017, 7, 17948.	1.6	10
460	Synergistic interaction between prolonged increased glycemic exposure and mildly increased urinary albumin excretion on diabetic retinopathy. <i>Medicine (United States)</i> , 2018, 97, e9351.	0.4	5
461	Chronic kidney damage in the adult Fontan population. <i>International Journal of Cardiology</i> , 2018, 257, 62-66.	0.8	42
462	Mild Albuminuria Is a Risk Factor for Faster GFR Decline in the Nondiabetic Population. <i>Kidney International Reports</i> , 2018, 3, 817-824.	0.4	22
463	Coronary Artery Disease. <i>Primary Care - Clinics in Office Practice</i> , 2018, 45, 45-61.	0.7	18
464	Associations between normal range albuminuria, renal function and cardiovascular function in a population-based imaging study. <i>Atherosclerosis</i> , 2018, 272, 94-100.	0.4	4
465	Acute kidney injury is a risk factor for subsequent proteinuria. <i>Kidney International</i> , 2018, 93, 460-469.	2.6	68
466	Effect of amlodipine, efonidipine, and trichlormethiazide on home blood pressure and upper-normal microalbuminuria assessed by casual spot urine test in essential hypertensive patients. <i>Clinical and Experimental Hypertension</i> , 2018, 40, 468-475.	0.5	2
467	Assessment of Potential Renal Dysfunction in Patients with Congenital Heart Disease after Biventricular Repair. <i>Korean Circulation Journal</i> , 2018, 48, 418.	0.7	4
468	Association of Albuminuria With Intraglomerular Hydrostatic Pressure and Insulin Resistance in Subjects With Impaired Fasting Glucose and/or Impaired Glucose Tolerance. <i>Diabetes Care</i> , 2018, 41, 2414-2420.	4.3	29
469	Impact of bariatric surgery on cardiovascular and renal complications of diabetes: a focus on clinical outcomes and putative mechanisms. <i>Expert Review of Endocrinology and Metabolism</i> , 2018, 13, 251-262.	1.2	33
470	Albumin-to-creatinine ratio as a predictor of all-cause mortality and hospitalization of congestive heart failure in Chinese elder hypertensive patients with high cardiovascular risks. <i>Clinical Hypertension</i> , 2018, 24, 12.	0.7	7
471	Risk of cardiovascular disease, end-stage renal disease, and stroke in postpartum women and their fetuses after a hypertensive pregnancy. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2018, 315, R521-R528.	0.9	52
472	Clinical impact of dipping and nocturnal blood pressure patterns in newly diagnosed, never-treated patients with essential hypertension. <i>Journal of the American Society of Hypertension</i> , 2018, 12, 850-857.	2.3	17
473	Urinary exosome miR-146a is a potential marker of albuminuria in essential hypertension. <i>Journal of Translational Medicine</i> , 2018, 16, 228.	1.8	58
474	Predisposing factors to heart failure in diabetic nephropathy: a look at the sympathetic nervous system hyperactivity. <i>Aging Clinical and Experimental Research</i> , 2019, 31, 321-330.	1.4	18

#	ARTICLE	IF	CITATIONS
475	Glucometabolic characteristics and higher vascular complication risk in Korean patients with type 2 diabetes with non-albumin proteinuria. <i>Journal of Diabetes and Its Complications</i> , 2019, 33, 585-591.	1.2	4
476	Number of parity is associated with low-grade albuminuria in middle-aged and elderly Chinese women. <i>BMC Women's Health</i> , 2019, 19, 117.	0.8	2
477	Association between Brachial-Ankle Pulse Wave Velocity and Microalbuminuria and to Predict the Risk for the Development of Microalbuminuria Using Brachial-Ankle Pulse Wave Velocity Measurement in Type 2 Diabetes Mellitus Patients. <i>Healthcare (Switzerland)</i> , 2019, 7, 111.	1.0	4
478	New Areas of Interest: Is There a Role for Omega-3 Fatty Acid Supplementation in Patients With Diabetes and Cardiovascular Disease?. <i>Current Diabetes Reports</i> , 2019, 19, 6.	1.7	2
479	Salt and health. , 2019, , 3-43.		2
480	Albuminuria in Patients with Morbid Obesity and the Effect of Weight Loss Following Bariatric Surgery. <i>Obesity Surgery</i> , 2019, 29, 3581-3588.	1.1	6
481	Future risk of cardiovascular disease risk factors and events in women after a hypertensive disorder of pregnancy. <i>Heart</i> , 2019, 105, 1273-1278.	1.2	139
482	Elevated triglycerides rather than other lipid parameters are associated with increased urinary albumin to creatinine ratio in the general population of China: a report from the REACTION study. <i>Cardiovascular Diabetology</i> , 2019, 18, 57.	2.7	13
483	Albuminuria, the High-Density Lipoprotein Proteome, and Coronary Artery Calcification in Type 1 Diabetes Mellitus. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2019, 39, 1483-1491.	1.1	20
484	Chronic renal dysfunction, proteinuria, and risk of Parkinson's disease in the elderly. <i>Movement Disorders</i> , 2019, 34, 1184-1191.	2.2	33
485	Carotid intima-media thickness is an independent predictor of all-cause mortality and cardiovascular morbidity in patients with diabetes mellitus type 2 and chronic kidney disease. <i>Renal Failure</i> , 2019, 41, 131-138.	0.8	36
486	Microvascular complications in diabetes: A growing concern for cardiologists. <i>International Journal of Cardiology</i> , 2019, 291, 29-35.	0.8	93
488	Urinary albumin excretion in rheumatoid arthritis is not associated with markers of vasculopathy in distal microvascular beds. <i>Microcirculation</i> , 2019, 26, e12514.	1.0	5
489	Arterial Hypertension and Cardiovascular Risk. , 2019, , 57-74.		0
490	Low-grade albuminuria in pulmonary arterial hypertension. <i>Pulmonary Circulation</i> , 2019, 9, 204589401882456.	0.8	11
491	Serum osteocalcin level as an indicator of low-grade albuminuria in Chinese men free of kidney disease. <i>Current Medical Research and Opinion</i> , 2019, 35, 667-673.	0.9	1
492	Chronic Kidney Disease in the Primary Care Setting: Cardiovascular Disease Risk and Management. <i>Contemporary Cardiology</i> , 2019, , 179-216.	0.0	0
493	Diastolic wall strain as a predictor of age-related cardiovascular events in patients with preserved left ventricular ejection fraction. <i>Heart and Vessels</i> , 2019, 34, 784-792.	0.5	2

#	ARTICLE	IF	CITATIONS
494	Disentangling the multiple links between renal dysfunction and cerebrovascular disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2020, 91, 88-97.	0.9	59
495	Beyond the Lungs: Systemic Manifestations of Pulmonary Arterial Hypertension. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020, 201, 148-157.	2.5	53
496	Intensive uric acid-lowering therapy in CKD patients: the protocol for a randomized controlled trial. <i>Clinical and Experimental Nephrology</i> , 2020, 24, 235-241.	0.7	1
497	Association of Longitudinal Trajectory of Albuminuria in Young Adulthood With Myocardial Structure and Function in Later Life. <i>JAMA Cardiology</i> , 2020, 5, 184.	3.0	18
498	Albuminuria and other target organ damage in Chinese patients with hypertension and diabetes: A data analysis based on the ATTEND study. <i>Journal of Diabetes and Its Complications</i> , 2020, 34, 107470.	1.2	6
499	Urinary prostaglandin E2 is a biomarker of early adaptive hyperfiltration in solitary functioning kidney. <i>Prostaglandins and Other Lipid Mediators</i> , 2020, 146, 106403.	1.0	8
500	Proteinuria is independently associated with the incidence of primary cardiovascular events in diabetic patients. <i>Journal of Cardiology</i> , 2020, 75, 387-393.	0.8	8
501	Mechanisms of sodium retention in nephrotic syndrome. <i>Current Opinion in Nephrology and Hypertension</i> , 2020, 29, 207-212.	1.0	25
502	Cardiovascular Risk Assessment Using Ultrasonographic Surrogate Markers of Atherosclerosis and Arterial Stiffness in Patients With Chronic Renal Impairment: A Narrative Review of the Evidence and a Critical View of Their Utility in Clinical Practice. <i>Canadian Journal of Kidney Health and Disease</i> , 2020, 7, 205435812095493.	0.6	4
503	Association of urine albumin-to-creatinine ratio with subclinical systolic dysfunction in hypertensive patients but not normotensive subjects: Danyang study. <i>Journal of Clinical Hypertension</i> , 2020, 22, 2230-2238.	1.0	2
504	Use of cardiac risk biomarker testing in a naturopathic medicine teaching center: Lessons on standard of care. <i>European Journal of Integrative Medicine</i> , 2020, 36, 101135.	0.8	1
505	Seasonal Variation in Masked Nocturnal Hypertension: The J-HOP Nocturnal Blood Pressure Study. <i>American Journal of Hypertension</i> , 2021, 34, 609-618.	1.0	15
506	Kidney Disease Biomarkers Improve Heart Failure Risk Prediction in the General Population. <i>Circulation: Heart Failure</i> , 2020, 13, e006904.	1.6	22
507	Patterns of urinary albumin and IgM associate with markers of vascular ageing in young to middle-aged individuals in the Malmö offspring study. <i>BMC Cardiovascular Disorders</i> , 2020, 20, 358.	0.7	4
508	Sex-Specific Associations of Risks and Cardiac Structure and Function With Microalbumin/Creatinine Ratio in Diastolic Heart Failure. <i>Frontiers in Cardiovascular Medicine</i> , 2020, 7, 579400.	1.1	2
509	Association of obesity and muscle mass with risk of albuminuria in renal transplant recipients. <i>Journal of Nephrology</i> , 2021, 34, 1315-1325.	0.9	5
510	Differential metabolic profile associated with the condition of normoalbuminuria in the hypertensive population. <i>Nefrologia</i> , 2020, 40, 439-445.	0.2	3
511	Effects of exercise training on proteinuria in adult patients with chronic kidney disease: a systematic review and meta-analysis. <i>BMC Nephrology</i> , 2020, 21, 172.	0.8	12

#	ARTICLE	IF	CITATIONS
512	A study on the correlation between remnant cholesterol and urinary albumin to creatinine ratio in Chinese community adults: A report from the <sc>REACTION</sc> study. Journal of Diabetes, 2020, 12, 870-880.	0.8	8
513	Exercise-induced albuminuria increases over time in individuals with impaired glucose metabolism. Cardiovascular Diabetology, 2020, 19, 90.	2.7	1
514	Low-grade albuminuria is associated with hearing loss in non-diabetic US males. Medicine (United Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.4	2
515	Increased Urinary Liver-Type Fatty Acid-Binding Protein Level Predicts Major Adverse Cardiovascular Events in Patients With Hypertension. American Journal of Hypertension, 2020, 33, 604-609.	1.0	5
516	Perfil metabólico diferenciador asociado a la condición de normoalbuminuria en la población hipertensa. Nefrología, 2020, 40, 440-445.	0.2	2
517	The epidemiology of chronic kidney disease (CKD) in rural East Africa: A population-based study. PLoS ONE, 2020, 15, e0229649.	1.1	27
518	Microalbuminuria assessment after thoracic surgery: Early identification of complication risks. Clinical Respiratory Journal, 2020, 14, 564-570.	0.6	2
519	Inferior Vena Cava Diameter Predicts Nephropathy in Patients Late After Fontan Palliation. Pediatric Cardiology, 2020, 41, 789-794.	0.6	4
520	Association between kidney disease measures and intracranial atherosclerosis. Neurology, 2020, 94, e2361-e2372.	1.5	4
521	Preeclampsia beyond pregnancy: long-term consequences for mother and child. American Journal of Physiology - Renal Physiology, 2020, 318, F1315-F1326.	1.3	122
522	Association between nonalcoholic fatty liver and increased low-level albuminuria in postmenopausal women in China: A cross-sectional study. Journal of Diabetes, 2021, 13, 494-505.	0.8	1
523	Urinary albumin-to-creatinine ratio within normal range and all-cause or cardiovascular mortality among U.S. adults enrolled in the NHANES during 1999-2015. Annals of Epidemiology, 2021, 55, 15-23.	0.9	16
524	How Clinically Relevant Is C-Reactive Protein for Blacks with Metabolic Syndrome to Predict Microalbuminuria?. Metabolic Syndrome and Related Disorders, 2021, 19, 39-47.	0.5	1
525	Spectrum of cancer patients receiving renal biopsy. Journal of the Formosan Medical Association, 2021, 121, 152-152.	0.8	0
526	Low-grade albuminuria is associated with high cardiovascular risk in <sc>CVD</sc>-free and normoalbuminuric Chinese adults: Results from the <sc>REACTION</sc> study. Journal of Diabetes, 2021, 13, 648-660.	0.8	3
527	Relationship between Hypertension and the Declining Renal Function in Korean Adults. Korean Journal of Clinical Laboratory Science, 2021, 53, 32-40.	0.1	0
528	Urinary albumin-to-creatinine ratio levels are associated with subclinical atherosclerosis and predict CVD events and all-cause deaths: a prospective analysis. BMJ Open, 2021, 11, e040890.	0.8	9
529	Urinary- and Plasma-Derived Exosomes Reveal a Distinct MicroRNA Signature Associated With Albuminuria in Hypertension. Hypertension, 2021, 77, 960-971.	1.3	32

#	ARTICLE	IF	CITATIONS
530	Cardiovascular Disease in Chronic Kidney Disease. <i>Circulation</i> , 2021, 143, 1157-1172.	1.6	680
531	Diagnostic accuracy of semiquantitative point of care urine albumin to creatinine ratio and urine dipstick analysis in a primary care resource limited setting in South Africa. <i>BMC Nephrology</i> , 2021, 22, 103.	0.8	7
532	Prediction of microalbuminuria from proteinuria in chronic kidney disease due to non-diabetic lifestyle-related diseases: comparison with diabetes. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 727-750.	0.7	1
533	Albuminuria increased the risk of left ventricular hypertrophy in type 2 diabetes patients with early renal insufficiency. <i>International Journal of Diabetes in Developing Countries</i> , 2021, 41, 621-627.	0.3	0
534	Insights into Glomerular Filtration and Albuminuria. <i>New England Journal of Medicine</i> , 2021, 384, 1437-1446.	13.9	96
535	Animal Fat Intake Is Associated with Albuminuria in Patients with Non-Alcoholic Fatty Liver Disease and Metabolic Syndrome. <i>Nutrients</i> , 2021, 13, 1548.	1.7	6
536	Urine albumin-to-creatinine ratio within the normal range and risk of hypertension in the general population: A meta-analysis. <i>Journal of Clinical Hypertension</i> , 2021, 23, 1284-1290.	1.0	9
537	TCA Cycle and Fatty Acids Oxidation Reflect Early Cardiorenal Damage in Normoalbuminuric Subjects with Controlled Hypertension. <i>Antioxidants</i> , 2021, 10, 1100.	2.2	6
538	Early renal and vascular damage within the normoalbuminuria condition. <i>Journal of Hypertension</i> , 2021, 39, 2220-2231.	0.3	7
539	Albuminuria Is Associated with Hepatic Iron Load in Patients with Non-Alcoholic Fatty Liver Disease and Metabolic Syndrome. <i>Journal of Clinical Medicine</i> , 2021, 10, 3187.	1.0	7
540	Introduction to Nephrocardiology. <i>Cardiology Clinics</i> , 2021, 39, 295-306.	0.9	4
541	Prevalence of Microalbuminuria and Its Association with Subclinical Carotid Atherosclerosis in Middle Aged, Nondiabetic, Low to Moderate Cardiovascular Risk Individuals with or without Hypertension. <i>Diagnostics</i> , 2021, 11, 1716.	1.3	3
542	Coronary endothelial dysfunction appears to be a manifestation of a systemic process: A report from the Women's Ischemia Syndrome Evaluation "Coronary Vascular Dysfunction (WISE-CVD) study. <i>PLoS ONE</i> , 2021, 16, e0257184.	1.1	11
543	Semiquantitative assessed proteinuria and risk of heart failure: analysis of a nationwide epidemiological database. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, 1691-1699.	0.4	12
544	Association of pulsatile stress in childhood with subclinical renal damage in adults: A 30-year prospective cohort study. <i>Journal of Clinical Hypertension</i> , 2021, 23, 1843-1851.	1.0	4
545	Kidney Function Tests. , 2012, , 669-707.		17
546	The progressive pathway of microalbuminuria: from early marker of renal damage to strong cardiovascular risk predictor. <i>Journal of Hypertension</i> , 2010, 28, 2357-2369.	0.3	73
547	Recognizing the Link Between CKD and CVD in the Primary Care Setting: Accurate and Early Diagnosis for Timely and Appropriate Intervention. <i>Southern Medical Journal</i> , 2007, 100, 499-505.	0.3	12

#	ARTICLE	IF	CITATIONS
548	Early identification and management of chronic kidney disease: summary of NICE guidance. <i>BMJ: British Medical Journal</i> , 2008, 337, a1530.	2.4	130
549	Association Between Periodontitis and Low-Grade Albuminuria in Non-Diabetic Adults. <i>Kidney and Blood Pressure Research</i> , 2017, 42, 338-346.	0.9	7
550	Letter Regarding Article by Arnlöv et al, "Low-Grade Albuminuria and Incidence of Cardiovascular Disease Events in Nonhypertensive and Nondiabetic Individuals". <i>Circulation</i> , 2006, 113, .	1.6	1
551	Microalbuminuria and cardiorenal risk: old and new evidence in different populations. <i>F1000Research</i> , 2019, 8, 1659.	0.8	15
552	Towards a Rational Screening Strategy for Albuminuria: Results from the Unreferred Renal Insufficiency Trial. <i>PLoS ONE</i> , 2010, 5, e13328.	1.1	7
553	Angiotensin-2 Is Associated with Albuminuria and Microinflammation in Chronic Kidney Disease. <i>PLoS ONE</i> , 2013, 8, e54668.	1.1	42
554	Low-Grade Albuminuria Is Associated with Metabolic Syndrome and Its Components in Middle-Aged and Elderly Chinese Population. <i>PLoS ONE</i> , 2013, 8, e65597.	1.1	22
555	Association of Renal Biomarkers with 3-Month and 1-Year Outcomes among Critically Ill Acute Stroke Patients. <i>PLoS ONE</i> , 2013, 8, e72971.	1.1	11
556	Prevalence and Control of Hypertension and Albuminuria in South Korea: Focus on Obesity and Abdominal Obesity in the Korean National Health and Nutrition Examination Survey, 2011-2012. <i>PLoS ONE</i> , 2014, 9, e111179.	1.1	5
557	Serum Gamma - Glutamyltransferase Is Associated with Albuminuria: A Population-Based Study. <i>PLoS ONE</i> , 2014, 9, e114970.	1.1	13
558	Elevated Circulating Interleukin 33 Levels in Stable Renal Transplant Recipients at High Risk for Cardiovascular Events. <i>PLoS ONE</i> , 2015, 10, e0142141.	1.1	10
559	Albuminuria Is Associated with Open-Angle Glaucoma in Nondiabetic Korean Subjects: A Cross-Sectional Study. <i>PLoS ONE</i> , 2016, 11, e0168682.	1.1	6
561	Factors Related to Microalbuminuria in Patients with Chronic Obstructive Pulmonary Disease. <i>Advances in Clinical and Experimental Medicine</i> , 2014, 23, 749-755.	0.6	7
562	Urinary exosomes reveal protein signatures in hypertensive patients with albuminuria. <i>Oncotarget</i> , 2017, 8, 44217-44231.	0.8	33
563	Cardiorenal continuum in hypertensive pregnancy. <i>Arterial Hypertension (Russian Federation)</i> , 2009, 15, 590-597.	0.1	2
564	Diminished Renal Function and the Incidence of Heart Failure. <i>Current Cardiology Reviews</i> , 2009, 5, 223-227.	0.6	7
565	Cardiorenal Syndrome in Hypertensive Rats: Microalbuminuria, Inflammation and Ventricular Hypertrophy. <i>Physiological Research</i> , 2012, 61, 13-24.	0.4	14
566	Albuminuria: When urine predicts kidney and cardiovascular disease. <i>Cleveland Clinic Journal of Medicine</i> , 2014, 81, 41-50.	0.6	22

#	ARTICLE	IF	CITATIONS
567	Differences in Factors Associated with Albuminuria according to Gender and Comorbidities of Hypertension and Diabetes. Korean Journal of Family Medicine, 2015, 36, 316.	0.4	3
568	Low-grade albuminuria reduction with angiotensin II type 1 receptor blocker in renal transplant recipients. Journal of Nephrology, 2011, 24, 515-521.	0.9	11
569	The prevalence of microalbuminuria and relevant cardiovascular risk factors in Turkish hypertensive patients. Turk Kardiyoloji Dernegi Arsivi, 2011, 39, 635-645.	0.6	7
570	Urinary albumin-to-creatinine ratio and the risk of first stroke in Chinese hypertensive patients treated with angiotensin-converting enzyme inhibitors. Hypertension Research, 2022, 45, 116-124.	1.5	4
571	Urine Albumin Excretion and Subclinical Cardiovascular Disease: The Multi-Ethnic Study of Atherosclerosis. Yearbook of Medicine, 2006, 2006, 311-312.	0.1	0
572	Kidney Disease in Hypertension. , 2007, , 351-360.		0
573	Insulin Resistance, Metabolic Syndrome, and Cardiovascular Disease. , 2008, , 75-84.		0
574	Protein�ria: Como valorizar o seu significado. Revista Portuguesa De Ci�nica Geral, 2008, 24, 235-247.	0.1	0
575	Increased Levels of Urinary Albumin: A Cardiovascular Risk Factor and a Target for Treatment. , 2010, , 105-116.		0
576	Microalbuminuria versus brain natriuretic peptide in cardiac hypertrophy of hypertensive rats. Physiological Research, 2010, 59, 871-880.	0.4	4
578	Medical Evaluation of the Living Kidney Donor. , 2012, , 43-57.		1
579	Assessment of Total Cardiovascular Risk in Hypertension: The Role of Subclinical Organ Damage. , 2012, , 199-211.		0
580	A study of the levels of urinary microalbumin in non-diabetic normotensive obese individuals. Advances in Biological Chemistry, 2012, 02, 171-175.	0.2	1
581	Analysis of experimental evidence that shows adverse effects of salt and its relation to hypertension. Medwave, 2012, 12, e5303-e5303.	0.2	0
582	Albuminuria-reducing effect of angiotensin II receptor blocker plus hydrochlorothiazide combination therapy in renal transplant recipients. Experimental and Therapeutic Medicine, 2012, 4, 105-108.	0.8	0
584	Reactive Oxygen Species in the Pathogenesis of Chronic Kidney Disease: Lessons Derived from Diabetic Nephropathy. , 2014, , 2675-2703.		0
585	A Guarantee of Arterial Wellness: New Era of Cardiovascular Medicine. Journal of Clinical & Experimental Cardiology, 2014, 05, .	0.0	1
586	Small Vessel Disease in CKD, Diabetes, Obesity and Hypertension. , 2015, , 13-18.		0



#	ARTICLE	IF	CITATIONS
587	Proteinuric Biomarkers in Chronic Kidney Disease. , 2015, , 1-20.		0
588	Determinação Quantitativa da Concentração de Sódio em Pães Tipo Bisnaguinha Comercializados na Cidade do Rio de Janeiro. Vigilância Sanitária Em Debate: Sociedade, Ciência & Tecnologia, 2015, .	0.3	0
589	Proteinuric Biomarkers in Chronic Kidney Disease. , 2016, , 1-20.		0
590	Proteinuric Biomarkers in Chronic Kidney Disease. , 2016, , 515-533.		0
591	Nephroprotective in patients with metabolic syndrome: approaches to the appointment of antihypertensive drugs. Systemic Hypertension, 2016, 13, 77-83.	0.1	0
593	INFLUENCE OF BLOOD PRESSURE VARIABILITY ON COGNITIVE FUNCTION IN PATIENTS WITH DYSIRCULATORY ENCEPHALOPATHY (LITERATURE REVIEW). , 2019, 4, 68-75.	0.3	0
594	Integrated management: chronic kidney disease, diabetes mellitus, hypertension. African Journal of Nephrology, 2013, 16, .	0.1	0
595	Assessment of Urinary Albumin/Creatinine Ratio in Non-Obese Non-Diabetic Patients with Nonalcoholic Fatty Liver Disease. Open Journal of Gastroenterology, 2020, 10, 61-71.	0.1	0
596	Ten-Year Risk-Prediction Equations for Incident Heart Failure Hospitalizations in Chronic Kidney Disease: Findings from the Chronic Renal Insufficiency Cohort Study and the Multi-Ethnic Study of Atherosclerosis. Journal of Cardiac Failure, 2022, 28, 540-550.	0.7	10
597	Acarbose Reduces Low-Grade Albuminuria Compared to Metformin in Chinese Patients with Newly Diagnosed Type 2 Diabetes. Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2021, Volume 14, 4451-4458.	1.1	3
598	Albuminuria in parents with type 2 diabetes is associated with age-related increase in low-density lipoprotein cholesterol and increased albuminuria in non-diabetic offspring. Nephrology Dialysis Transplantation, 2021, 36, 378-379.	0.4	0
600	Cardiovascular risk reduction by reversing endothelial dysfunction: ARBs, ACE inhibitors, or both? Expectations from the ONTARGET Trial Programme. Vascular Health and Risk Management, 2007, 3, 1-9.	1.0	53
601	Clinical commentary: how to choose blood pressure goals and treatment: influence of estimated glomerular filtration rate and albuminuria. Transactions of the American Clinical and Climatological Association, 2008, 119, 53-61; discussion 61-3.	0.9	0
602	Body Mass Index or Microalbuminuria, Which One is More Important for the Prediction and Prevention of Diastolic Dysfunction in Non-diabetic Hypertensive Patients?. International Journal of Preventive Medicine, 2012, 3, 211-20.	0.2	3
603	Albuminuria as a marker of cardiovascular risk in HIV-infected individuals receiving stable antiretroviral therapy. Hawai'i Journal of Medicine & Public Health: A Journal of Asia Pacific Medicine & Public Health, 2013, 72, 34-8.	0.4	3
604	Ethnicity and sex modify the association of serum c-reactive protein with microalbuminuria. Ethnicity and Disease, 2008, 18, 324-9.	1.0	6
605	Microalbuminuria in untreated prehypertension and hypertension without diabetes. International Journal of Clinical and Experimental Medicine, 2014, 7, 3420-9.	1.3	4
606	Proteinuria is independently associated with carotid atherosclerosis: a multicentric study. BMC Cardiovascular Disorders, 2021, 21, 554.	0.7	3

#	ARTICLE	IF	CITATIONS
607	Interactions Between Kidney Function and Cerebrovascular Disease: Vessel Pathology That Fires Together Wires Together. <i>Frontiers in Neurology</i> , 2021, 12, 785273.	1.1	12
608	Machine learning approach to predicting albuminuria in persons with type 2 diabetes: An analysis of the LOOK AHEAD Cohort. <i>Journal of Clinical Hypertension</i> , 2021, 23, 2137-2145.	1.0	6
609	The relationship between urinary albumin to creatinine ratio and all-cause mortality in the elderly population in the Chinese community: a 10-year follow-up study. <i>BMC Nephrology</i> , 2022, 23, 16.	0.8	8
610	Hypertension-mediated organ damage in masked hypertension. <i>Journal of Hypertension</i> , 2022, 40, 811-818.	0.3	3
611	Change in Cardiovascular Health Metrics and Risk for Proteinuria Development: Analysis of a Nationwide Population-Based Database. <i>American Journal of Nephrology</i> , 2022, 53, 240-248.	1.4	8
612	Diabetic kidney disease and risk of incident stroke among adults with type 2 diabetes. <i>BMC Medicine</i> , 2022, 20, 127.	2.3	11
613	Association between proteinuria and incident colorectal cancer: analysis of a nationwide population-based database. <i>BMJ Open</i> , 2022, 12, e056250.	0.8	5
614	Polymorphism rs10105606 of LPL as a Novel Risk Factor for Microalbuminuria. <i>Journal of Inflammation Research</i> , 2021, Volume 14, 6833-6844.	1.6	0
616	Analysis of cadmium accumulation in community adults and its correlation with low-grade albuminuria. <i>Science of the Total Environment</i> , 2022, 834, 155210.	3.9	12
618	Transiently Observed Trace Albuminuria on Urine Dipstick Test Is Associated With All-Cause Death, Cardiovascular Death, and Incident Chronic Kidney Disease: A National Health Insurance Service-National Sample Cohort in Korea. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 882599.	1.1	1
619	Association of the Atherogenic Index of Plasma with C-Reactive Protein and Urinary Albumin Excretion in a Normotensive Nondiabetic Population. <i>Metabolic Syndrome and Related Disorders</i> , 2022, 20, 421-427.	0.5	2
620	Correlation between microalbuminuria and atherosclerotic intracranial and extracranial arterial stenosis in patients with cerebral infarction. <i>Journal of Clinical Neuroscience</i> , 2022, 101, 118-123.	0.8	0
621	Association between depression symptoms and moderately increased levels of the inflammation marker albuminuria is explained by age and comorbidity. <i>Scientific Reports</i> , 2022, 12, .	1.6	1
622	High Normal Urinary Albumin Creatinine Ratio Is Associated With Hypertension, Type 2 Diabetes Mellitus, HTN With T2DM, Dyslipidemia, and Cardiovascular Diseases in the Chinese Population: A Report From the REACTION Study. <i>Frontiers in Endocrinology</i> , 2022, 13, .	1.5	8
624	Levels of blood pressure, cardiovascular biomarkers and their correlations in women with previous pre-eclamptic pregnancy within 7 years postpartum: a cross-sectional study in Thailand. <i>BMJ Open</i> , 2022, 12, e055534.	0.8	0
625	Oxidative stress contributes to reductions in microvascular endothelial- and nitric oxide-dependent dilation in women with a history of gestational diabetes. <i>Journal of Applied Physiology</i> , 2022, 133, 361-370.	1.2	2
626	Non-alcoholic fatty liver disease and sarcopenia is associated with the risk of albuminuria independent of insulin resistance, and obesity. <i>Journal of Diabetes and Its Complications</i> , 2022, 36, 108253.	1.2	5
627	CORRELATION BETWEEN CAROTID INTIMA-MEDIA THICKNESS WITH URINE ALBUMIN CREATININE RATIO IN PATIENTS WITH TYPE 2 DABETES MELLITUS. , 2022, , 11-14.		0

#	ARTICLE	IF	CITATIONS
628	Low-grade albuminuria and its relationship with cardiovascular disease risk in hypertensive and diabetic patients in primary health care. <i>BMC Nephrology</i> , 2022, 23, .	0.8	1
629	study on urine micro albuminuria as an isolated risk factor for cardiac morbidity and mortality in non-diabetics and non-hypertensives. <i>International Journal of Health Sciences</i> , 0, , 2423-2434.	0.0	0
630	Clonal Hematopoiesis of Indeterminate Potential and Kidney Function Decline in the General Population. <i>American Journal of Kidney Diseases</i> , 2023, 81, 329-335.	2.1	13
632	Establishment and validation of the cut-off values of estimated glomerular filtration rate and urinary albumin-to-creatinine ratio for diabetic kidney disease: A multi-center, prospective cohort study. <i>Frontiers in Endocrinology</i> , 0, 13, .	1.5	3
633	Protocol for a randomized study assessing the feasibility of home-based albuminuria screening among the general population: The THOMAS study. <i>PLoS ONE</i> , 2022, 17, e0279321.	1.1	5
634	Albuminuria and Heart Failure. <i>Journal of the American College of Cardiology</i> , 2023, 81, 270-282.	1.2	15
635	Longitudinal relationship between albuminuria in infancy and childhood. <i>Pediatric Nephrology</i> , 2023, 38, 2897-2900.	0.9	1
636	Sex differences in impact of cumulative systolic blood pressure from childhood to adulthood on albuminuria in midlife: a 30-year prospective cohort study. <i>BMC Public Health</i> , 2023, 23, .	1.2	0
637	Elevated urine albumin-to-creatinine ratio increases the risk of new-onset heart failure in patients with type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2023, 22, .	2.7	4
638	Association between urinary albumin creatinine ratio and cardiovascular disease. <i>PLoS ONE</i> , 2023, 18, e0283083.	1.1	3