

CITATION REPORT

List of articles citing

Ambulatory blood pressure and 10-year risk of cardiovascular and noncardiovascular mortality: the Ohasama study

DOI: 10.1161/01.hyp.0000152079.04553.2c
Hypertension, 2005, 45, 240-5.

Source: <https://exaly.com/paper-pdf/38814572/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
353	An updated clinical primer on large artery mechanics: implications of pulse waveform analysis and arterial tonometry. 2005 , 20, 275-81		87
352	Administration-time-dependent effects of antihypertensive treatment on the circadian pattern of blood pressure. 2005 , 14, 453-9		64
351	Bibliography Current World Literature. 2005 , 20, 324-368		
350	Bibliography. Current world literature. Imaging and echocardiography. 2005 , 20, 440-68		
349	[Twenty-four hour ambulatory blood pressure monitoring]. 2005 , 130, 2664-8		7
348	Decrease in urinary albumin excretion associated with the normalization of nocturnal blood pressure in hypertensive subjects. <i>Hypertension</i> , 2005 , 46, 960-8	8.5	100
347	Proyecto CRONOPRES: un nuevo enfoque para el control de la hipertensi3n arterial. 2005 , 22, 275-283		13
346	Proyecto CRONOPRES: Un nuevo enfoque para el control de la hipertensi3n arterial. 2005 , 22, 275-283		
345	Administration time-dependent effects of valsartan on ambulatory blood pressure in elderly hypertensive subjects. 2005 , 22, 755-76		47
344	Effects of time of day of treatment on ambulatory blood pressure pattern of patients with resistant hypertension. <i>Hypertension</i> , 2005 , 46, 1053-9	8.5	95
343	2007 Guidelines for the management of arterial hypertension: The Task Force for the Management of Arterial Hypertension of the European Society of Hypertension (ESH) and of the European Society of Cardiology (ESC). 2007 , 28, 1462-536		1418
342	El perfil de los pacientes con patr3n hipertensivo no dipper y su implicaci3n en la pr3ctica cl3nica en Atenci3n Primaria. 2006 , 32, 372-375		
341	Hipertensi3n Arterial y Cronoterapia. 2006 , 103, 19-29		2
340	[Effects of time-dependent administration of antihypertensive treatment in patients with resistant hypertension]. 2006 , 126, 364-72		3
339	[Chronotherapy of arterial hypertension]. 2006 , 126, 378-9		3
338	Comparative antihypertensive effects of hydrochlorothiazide and chlorthalidone on ambulatory and office blood pressure. <i>Hypertension</i> , 2006 , 47, 352-8	8.5	337
337	A comparison of home measurement and ambulatory monitoring of blood pressure in the adjustment of antihypertensive treatment. <i>American Journal of Hypertension</i> , 2006 , 19, 468-74	2.3	28

336	Temporal blood pressure patterns and cardiovascular events: Good night or Good morning . <i>Journal of Hypertension</i> , 2006 , 24, 1703-5	1.9	4
335	Prognostic significance of night-time, early morning, and daytime blood pressures on the risk of cerebrovascular and cardiovascular mortality: the Ohasama Study. <i>Journal of Hypertension</i> , 2006 , 24, 1841-8	1.9	65
334	Hypertension diagnosis and prognosis in chronic kidney disease with out-of-office blood pressure monitoring. 2006 , 15, 309-13		14
333	Bibliography. Current world literature. Renal immunology and pathology. 2006 , 15, 321-7		
332	Current World Literature. 2006 , 15, 537-559		
331	How should patients treated with alpha-blockers be followed? Insights from an ambulatory blood pressure monitoring database. <i>Journal of Hypertension</i> , 2006 , 24, 861-5	1.9	9
330	Daytime ambulatory systolic blood pressure is more effective at predicting mortality than clinic blood pressure. <i>Blood Pressure Monitoring</i> , 2006 , 11, 111-8	1.3	21
329	Blood pressure recordings within and outside the clinic and cardiovascular events in chronic kidney disease. 2006 , 26, 503-10		91
328	Racial and ethnic differences in blood pressure: biology and sociology. 2006 , 114, 2757-9		43
327	Ethnic and gender differences in ambulatory blood pressure trajectories: results from a 15-year longitudinal study in youth and young adults. 2006 , 114, 2780-7		154
326	Pre- and postdialysis blood pressures are imprecise estimates of interdialytic ambulatory blood pressure. 2006 , 1, 389-98		161
325	Comparison of the efficacy of morning versus evening administration of telmisartan in essential hypertension. <i>Hypertension</i> , 2007 , 50, 715-22	8.5	103
324	Ambulatory arterial stiffness index and 24-hour ambulatory pulse pressure as predictors of mortality in Ohasama, Japan. 2007 , 38, 1161-6		115
323	Chronotherapy in hypertensive patients: administration-time dependent effects of treatment on blood pressure regulation. 2007 , 5, 463-75		20
322	2007 Guidelines for the Management of Arterial Hypertension: The Task Force for the Management of Arterial Hypertension of the European Society of Hypertension (ESH) and of the European Society of Cardiology (ESC). <i>Journal of Hypertension</i> , 2007 , 25, 1105-87	1.9	3825
321	Masked hypertension: a review. <i>Hypertension Research</i> , 2007 , 30, 479-88	4.7	162
320	Blood Pressure Monitoring in Cardiovascular Medicine and Therapeutics. 2007 ,		8
319	Ambulatory blood pressure and cardiovascular outcome in relation to perceived sleep deprivation. <i>Hypertension</i> , 2007 , 49, 777-83	8.5	96

318	Prognostic significance of variability in ambulatory and home blood pressure from the Ohasama study. 2007 , 17, 109-13		42
317	Prognostic superiority of daytime ambulatory over conventional blood pressure in four populations: a meta-analysis of 7,030 individuals. <i>Journal of Hypertension</i> , 2007 , 25, 1554-64	1.9	266
316	Ambulatory blood pressure monitoring in hypertensive patients with high cardiovascular risk: a cross-sectional analysis of a 20,000-patient database in Spain. <i>Journal of Hypertension</i> , 2007 , 25, 977-84	1.9	85
315	Ambulatory blood pressure, blood pressure variability and the prevalence of carotid artery alteration: the Ohasama study. <i>Journal of Hypertension</i> , 2007 , 25, 1704-10	1.9	61
314	Bibliography. Current world literature. Renal immunology and pathology. 2007 , 16, 272-83		
313	Twenty-four-hour ambulatory blood pressure profiles of high-risk patients in general practice: data from an ambulatory blood pressure monitoring registry. <i>Journal of Hypertension</i> , 2007 , 25, 929-33	1.9	10
312	Low-dose aldosterone blockade as a new treatment paradigm for controlling resistant hypertension. <i>Journal of Clinical Hypertension</i> , 2007 , 9, 19-24	2.3	24
311	Should pulse pressure and day/night variations in blood pressure be seen as independent risk factors requiring correction or simply as markers to be taken into account when evaluating overall vascular risk?. 2007 , 33, 321-30		15
310	2007 ESH-ESC Guidelines for the management of arterial hypertension: the task force for the management of arterial hypertension of the European Society of Hypertension (ESH) and of the European Society of Cardiology (ESC). 2007 , 16, 135-232		247
309	The PAMELA (Pressioni Arteriose Monitorate E Loro Associazioni) Study. 2007 , 14, 83-88		2
308	Ambulatory blood pressure monitoring in the prediction of cardiovascular events and effects of chronotherapy: rationale and design of the MAPEC study. 2007 , 24, 749-75		118
307	Dose- and administration time-dependent effects of nifedipine gits on ambulatory blood pressure in hypertensive subjects. 2007 , 24, 471-93		41
306	[ESH/ESC 2007 Guidelines for the management of arterial hypertension]. 2007 , 60, 968.e1-94		29
305	Influencia de la edad y del índice de masa corporal en la presión arterial clínica y la presión arterial de 24 horas en pacientes tratados y no tratados de hipertensión arterial. 2007 , 54, 83-88		
304	Circadian variation of blood pressure: the basis for the chronotherapy of hypertension. 2007 , 59, 904-22		137
303	Chronotherapy of hypertension: administration-time-dependent effects of treatment on the circadian pattern of blood pressure. 2007 , 59, 923-39		119
302	The circadian nuances of hypertension: a reappraisal of 24-h ambulatory blood pressure measurement in clinical practice. 2007 , 176, 55-63; discussion 65-6		7
301	Ambulatory blood pressure-lowering effects of valsartan and enalapril after a missed dose in previously untreated patients with hypertension: a prospective, randomized, open-label, blinded end-point trial. 2008 , 30, 108-20		16

300	Prognostic value of nocturnal blood pressure and reverse-dipping status on the occurrence of cardiovascular events in hypertensive diabetic patients. 2008 , 34, 560-7		75
299	Administraci3n temporalizada de f3rmacos antihipertensivos. Primeros pasos desde una consulta rural de Atenci3n Primaria. 2008 , 25, 147-150		1
298	Resistant hypertension. 2008 , 35, 501-13, vii		2
297	Administraci3n temporalizada de f3rmacos antihipertensivos. Primeros pasos desde una consulta rural de Atenci3n Primaria. 2008 , 25, 147-150		
296	Resistant hypertension: diagnosis, evaluation, and treatment. A scientific statement from the American Heart Association Professional Education Committee of the Council for High Blood Pressure Research. <i>Hypertension</i> , 2008 , 51, 1403-19	8.5	1136
295	Chronotherapy improves blood pressure control and reverts the nondipper pattern in patients with resistant hypertension. <i>Hypertension</i> , 2008 , 51, 69-76	8.5	156
294	Blood pressure dipping and sleep disturbance in African-American and Caucasian men and women. <i>American Journal of Hypertension</i> , 2008 , 21, 826-31	2.3	73
293	Is "usual" blood pressure a proxy for 24-h ambulatory blood pressure in predicting cardiovascular outcomes?. <i>American Journal of Hypertension</i> , 2008 , 21, 994-1000	2.3	15
292	Location not quantity of blood pressure measurements predicts mortality in hemodialysis patients. 2008 , 28, 210-7		57
291	Nocturnal blood pressure versus nondipping pattern: what do they mean?. <i>Hypertension</i> , 2008 , 51, 41-2	8.5	48
290	The value of ambulatory blood pressure in older adults: the Dublin outcome study. <i>Age and Ageing</i> , 2008 , 37, 201-6	3	47
289	Chronotherapy with nifedipine GITS in hypertensive patients: improved efficacy and safety with bedtime dosing. <i>American Journal of Hypertension</i> , 2008 , 21, 948-54	2.3	66
288	Daytime and nighttime blood pressure as predictors of death and cause-specific cardiovascular events in hypertension. <i>Hypertension</i> , 2008 , 51, 55-61	8.5	547
287	Diurnal blood pressure abnormalities are related to endothelial dysfunction in patients with non-complicated type 1 diabetes. <i>Hypertension Research</i> , 2008 , 31, 2065-73	4.7	7
286	Resistant hypertension: diagnosis, evaluation, and treatment: a scientific statement from the American Heart Association Professional Education Committee of the Council for High Blood Pressure Research. 2008 , 117, e510-26		895
285	Assessment of the Circadian Cardiovascular Risk with Ambulatory BLOOD Pressure Measurement. 2008 , 63-75		1
284	Racial differences in diurnal blood pressure and heart rate patterns: results from the Dietary Approaches to Stop Hypertension (DASH) trial. 2008 , 168, 996-1002		27
283	Prognostic significance of ambulatory blood pressure in hypertensive patients with history of cardiovascular disease. <i>Blood Pressure Monitoring</i> , 2008 , 13, 325-32	1.3	57

282	Ambulatory blood pressure monitoring versus self-measurement of blood pressure at home: correlation with target organ damage. <i>Journal of Hypertension</i> , 2008 , 26, 1919-27	1.9	108
281	[The influence of programmed physical activity on blood pressure of hypertensive elderly patients on non-pharmacological treatment]. 2008 , 54, 328-33		10
280	Clinical approach in treatment of resistant hypertension. 2009 , 2, 9-23		3
279	Can nocturnal hypertension predict cardiovascular risk?. 2009 , 2, 25-37		32
278	Circadian pattern of ambulatory blood pressure in untreated hypertensive patients with and without metabolic syndrome. 2009 , 26, 1189-205		20
277	Blood pressure components and the risk for end-stage renal disease and death in chronic kidney disease. 2009 , 4, 830-7		84
276	Twenty-four hour ambulatory blood pressure for the management of antihypertensive treatment: a randomized controlled trial. <i>Journal of Human Hypertension</i> , 2009 , 23, 122-9	2.6	5
275	CIRCADIAN PATTERN OF AMBULATORY BLOOD PRESSURE IN UNTREATED HYPERTENSIVE PATIENTS WITH AND WITHOUT METABOLIC SYNDROME. 2009 , 26, 1189-1205		1
274	Association of (pro)renin receptor gene polymorphism with blood pressure in Japanese men: the Ohasama study. <i>American Journal of Hypertension</i> , 2009 , 22, 294-9	2.3	75
273	Does it matter when drugs are taken?. <i>Hypertension</i> , 2009 , 54, 23-4	8.5	9
272	Association of metabolic syndrome and blood pressure nondipping profile in untreated hypertension. <i>American Journal of Hypertension</i> , 2009 , 22, 307-13	2.3	32
271	Prevalence and factors associated with circadian blood pressure patterns in hypertensive patients. <i>Hypertension</i> , 2009 , 53, 466-72	8.5	270
270	Chronotherapy with the angiotensin-converting enzyme inhibitor ramipril in essential hypertension: improved blood pressure control with bedtime dosing. <i>Hypertension</i> , 2009 , 54, 40-6	8.5	106
269	Chronobiological analysis techniques. Application to blood pressure. 2009 , 367, 431-45		27
268	Married with children: the influence of parental status and gender on ambulatory blood pressure. <i>Annals of Behavioral Medicine</i> , 2009 , 38, 170-9	4.5	5
267	Association between HIV infection and attenuated diurnal blood pressure rhythm in untreated hypertensive individuals. 2009 , 10, 44-52		11
266	Administration-time-dependent effects of olmesartan on the ambulatory blood pressure of essential hypertension patients. 2009 , 26, 61-79		73
265	The influence of close relationships on nocturnal blood pressure dipping. 2009 , 71, 211-7		23

264	[Study of blood pressure variability in arterial hypertension and relation with glomerular filtration]. 2009 , 132, 180-3		1
263	[Special features of ambulatory blood pressure monitoring in the elderly]. 2009 , 133, 787-8		
262	Discrepancies between office and ambulatory blood pressure: clinical implications. 2009 , 122, 1136-41		37
261	Current options for the treatment of resistant hypertension. 2009 , 7, 1385-93		4
260	Nocturnal blood pressure profiles among normotensive, controlled hypertensive and refractory hypertensive subjects. 2009 , 25, e312-6		22
259	Presi3n arterial cl3nica y ambulatoria y su relaci3n con el grosor 3tima-media de car3tida (LOD-RISK Study). 2009 , 21, 1-10		
258	Hipertensi3n y arteriosclerosis: relaci3n entre el perfil circadiano de la presi3n arterial y el grosor 3tima-media carot3deo. 2009 , 21, 23-24		1
257	Out-of-office blood pressure monitoring in chronic kidney disease. <i>Blood Pressure Monitoring</i> , 2009 , 14, 2-11	1.3	58
256	The 24-h blood pressure measurement may predict mortality and cardiovascular events in hypertensive patients with coronary artery disease. <i>Blood Pressure Monitoring</i> , 2009 , 14, 99-102	1.3	6
255	Nurse-recorded auscultatory blood pressure at a single visit predicts target organ changes as well as ambulatory blood pressure. <i>Journal of Hypertension</i> , 2009 , 27, 287-97	1.9	74
254	Genetic influences on daytime and night-time blood pressure: similarities and differences. <i>Journal of Hypertension</i> , 2009 , 27, 2358-64	1.9	33
253	Pulse pressure and nocturnal fall in blood pressure are predictors of vascular, cardiac and renal target organ damage in hypertensive patients (LOD-RISK study). <i>Blood Pressure Monitoring</i> , 2009 , 14, 145-51	1.3	44
252	[Clinical, epidemiological and pharmacological research on cardiovascular disease based on blood pressure variability]. 2009 , 129, 699-708		1
251	References. <i>Hypertension Research</i> , 2009 , 32, 91-107		4-7
250	Reduction of morning blood pressure surge after treatment with nifedipine GITS at bedtime, but not upon awakening, in essential hypertension. <i>Blood Pressure Monitoring</i> , 2009 , 14, 152-9	1.3	27
249	Managing hypertension in obstructive sleep apnea: the interplay of continuous positive airway pressure, medication and chronotherapy. <i>Journal of Hypertension</i> , 2010 , 28, 875-82	1.9	24
248	Evening administration of antihypertensive drugs: filling a knowledge gap. <i>Journal of Hypertension</i> , 2010 , 28, 1390-2	1.9	6
247	Administration-time-dependent effects of blood pressure-lowering medications: basis for the chronotherapy of hypertension. <i>Blood Pressure Monitoring</i> , 2010 , 15, 173-80	1.3	129

246	Prognostic value of isolated nocturnal hypertension on ambulatory measurement in 8711 individuals from 10 populations. <i>Journal of Hypertension</i> , 2010 , 28, 2036-45	1.9	263
245	Nighttime blood pressure: a target for therapy?. 2010 , 12, 474-9		8
244	Central blood pressure and pulse wave velocity: relationship to target organ damage and cardiovascular morbidity-mortality in diabetic patients or metabolic syndrome. An observational prospective study. LOD-DIABETES study protocol. 2010 , 10, 143		26
243	Physical exercise, fitness and dietary pattern and their relationship with circadian blood pressure pattern, augmentation index and endothelial dysfunction biological markers: EVIDENT study protocol. 2010 , 10, 233		43
242	Increased nitric oxide and attenuated diastolic blood pressure variability in african americans with mildly impaired renal function. 2011 , 2010, 137206		11
241	Effects of Captopril on Specific Harmonic Indexes of the Peripheral Pressure Pulse Waveform. 2010		2
240	Effects of time of antihypertensive treatment on ambulatory blood pressure and clinical characteristics of subjects with resistant hypertension. <i>American Journal of Hypertension</i> , 2010 , 23, 432-9 ³		35
239	Administration-time-dependent effects of spirapril on ambulatory blood pressure in uncomplicated essential hypertension. 2010 , 27, 560-74		43
238	Self blood pressure monitoring: a worthy substitute for ambulatory blood pressure?. <i>Journal of Human Hypertension</i> , 2010 , 24, 801-6	2.6	25
237	Diurnal blood pressure variation and cardiovascular prognosis in a community-based study of Ohasama, Japan. <i>Hypertension Research</i> , 2010 , 33, 652-6	4.7	14
236	Blood pressure in chronic kidney disease stage 5D-report from a Kidney Disease: Improving Global Outcomes controversies conference. 2010 , 77, 273-84		125
235	Hipertensi3 arterial nocturna. 2010 , 27, 26-33		2
234	Justificaci3, objetivos y metodolog3 del estudio EVOLVE: del an3lisis transversal al estudio longitudinal. 2010 , 27, 64-68		
233	[Usefulness of ambulatory blood pressure monitoring for clinical decisions making]. 2010 , 135, 23-9		6
232	Influence of circadian time of hypertension treatment on cardiovascular risk: results of the MAPEC study. 2010 , 27, 1629-51		369
231	Serum magnesium, ambulatory blood pressure, and carotid artery alteration: the Ohasama study. <i>American Journal of Hypertension</i> , 2010 , 23, 1292-8	2.3	33
230	Chronotherapy with valsartan/amlodipine fixed combination: improved blood pressure control of essential hypertension with bedtime dosing. 2010 , 27, 1287-303		58
229	Chronotherapy with valsartan/hydrochlorothiazide combination in essential hypertension: improved sleep-time blood pressure control with bedtime dosing. 2011 , 28, 601-10		44

228	Effects of hormone therapy on ambulatory blood pressure in postmenopausal Korean women. 2011 , 14, 92-9		18
227	Persistent microalbuminuria after treatment with renin-angiotensin axis blockers: causes and results of treatment intensification. 2011 , 12, 333-9		7
226	Influence of time of day of blood pressure-lowering treatment on cardiovascular risk in hypertensive patients with type 2 diabetes. 2011 , 34, 1270-6		158
225	Circadian blood pressure variation in patients with type 2 diabetes--relationship to macro- and microvascular subclinical organ damage. 2011 , 5, 167-73		18
224	Arterial stiffness and 24 h ambulatory blood pressure monitoring in young healthy volunteers: the early vascular ageing Aristotle University Thessaloniki Study (EVA-ARIS Study). 2011 , 219, 194-9		57
223	Twenty-four-hour ambulatory blood pressure measurement in clinical practice and research: a critical review of a technique in need of implementation. 2011 , 269, 478-95		48
222	Central hemodynamics and cardiovascular risk in nondippers. <i>Journal of Clinical Hypertension</i> , 2011 , 13, 557-62	2.3	11
221	Office and ambulatory blood pressure-lowering effects of combination valsartan/hydrochlorothiazide vs. hydrochlorothiazide-based therapy in obese, hypertensive patients. <i>Journal of Clinical Hypertension</i> , 2011 , 13, 731-8	2.3	4
220	Understanding the connection between spiritual well-being and physical health: an examination of ambulatory blood pressure, inflammation, blood lipids and fasting glucose. 2011 , 34, 477-88		42
219	Peripheral and central arterial pressure and its relationship to vascular target organ damage in carotid artery, retina and arterial stiffness. Development and validation of a tool. The Vaso risk study. 2011 , 11, 266		16
218	Relationship between metabolic syndrome, circadian treatment time, and blood pressure non-dipping profile in essential hypertension. 2011 , 28, 509-19		17
217	Marked underestimation of blood pressure control with conventional vs. ambulatory measurements in an urban, developing community of African ancestry. <i>American Journal of Hypertension</i> , 2011 , 24, 789-95	2.3	10
216	Prognostic role of ambulatory blood pressure measurement in patients with nondialysis chronic kidney disease. 2011 , 171, 1090-8		207
215	Ambulatory blood pressure monitoring in diabetic patients: new data, new questions. <i>Journal of Hypertension</i> , 2011 , 29, 198-200	1.9	5
214	Chronotherapy in Nigerian hypertensives. 2011 , 5, 113-8		14
213	Increased nighttime blood pressure or nondipping profile for prediction of cardiovascular outcomes. <i>Journal of Human Hypertension</i> , 2011 , 25, 281-93	2.6	57
212	Circadian rhythms in blood pressure regulation and optimization of hypertension treatment with ACE inhibitor and ARB medications. <i>American Journal of Hypertension</i> , 2011 , 24, 383-91	2.3	116
211	Genetic influence on blood pressure measured in the office, under laboratory stress and during real life. <i>Hypertension Research</i> , 2011 , 34, 239-44	4.7	26

210	Non-dipping pattern relates to endothelial dysfunction in patients with uncontrolled resistant hypertension. <i>Journal of Human Hypertension</i> , 2011 , 25, 656-64	2.6	33
209	Ambulatory pulse pressure as a novel predictor for long-term prognosis in essential hypertensive patients. <i>Journal of Human Hypertension</i> , 2011 , 25, 444-50	2.6	15
208	Bedtime dosing of antihypertensive medications reduces cardiovascular risk in CKD. 2011 , 22, 2313-21		203
207	Effects of antihypertensive drugs on specific harmonic indices of the pulse waveform in normotensive Wistar Kyoto rats. 2012 , 34, 74-8		3
206	Ambulatory blood pressure monitoring in the elderly. 2012 , 2012, 548286		7
205	Nondipping pattern and carotid atherosclerosis in a middle-aged population: OPERA Study. <i>American Journal of Hypertension</i> , 2012 , 25, 60-6	2.3	44
204	Does a nondipping pattern impact the right ventricle in hypertensive patients?. <i>Blood Pressure Monitoring</i> , 2012 , 17, 47-54	1.3	12
203	J-Curve Phenomenon: Does It Exist?. 2012 , 295-308		1
202	Relationship of visit-to-visit and ambulatory blood pressure variability to vascular function in African Americans. <i>Hypertension Research</i> , 2012 , 35, 55-61	4.7	101
201	Association of early systolic blood pressure response to exercise with future cardiovascular events in patients with uncomplicated mild-to-moderate hypertension. <i>Hypertension Research</i> , 2012 , 35, 922-7	4.7	11
200	Comparison of the efficacy and safety of azilsartan with that of candesartan cilexetil in Japanese patients with grade I-II essential hypertension: a randomized, double-blind clinical study. <i>Hypertension Research</i> , 2012 , 35, 552-8	4.7	87
199	Nighttime home blood pressure and the risk of hypertensive target organ damage. <i>Hypertension</i> , 2012 , 60, 921-8	8.5	96
198	Blood pressure categories and long-term risk of cardiovascular disease according to age group in Japanese men and women. <i>Hypertension Research</i> , 2012 , 35, 947-53	4.7	87
197	Ambulatory blood pressure monitoring and development of cardiovascular events in high-risk patients included in the Spanish ABPM registry: the CARDIORISC Event study. <i>Journal of Hypertension</i> , 2012 , 30, 713-9	1.9	74
196	Association between asleep blood pressure and brain natriuretic peptide during antihypertensive treatment: the Japan Morning Surge-Target Organ Protection (J-TOP) study. <i>Journal of Hypertension</i> , 2012 , 30, 1015-21	1.9	13
195	Ambulatory blood pressure monitoring in Australia: 2011 consensus position statement. <i>Journal of Hypertension</i> , 2012 , 30, 253-66	1.9	94
194	Guidelines for the clinical use of 24 hour ambulatory blood pressure monitoring (ABPM) (JCS 2010): Digest version 2012 , 76, 508-19		69
193	Pulse transit time: validation of blood pressure measurement under positive airway pressure ventilation. 2012 , 16, 1105-12		24

192	Circadian rhythms and cardiovascular health. 2012 , 16, 151-66	188
191	Blood pressure variability, cardiovascular risk, and risk for renal disease progression. 2012 , 14, 421-31	93
190	Special Issues in Hypertension. 2012 ,	0
189	Sleep apnea and hypertension: a clinical perspective. 48-63	
188	Non-obstructive low attenuation coronary plaque predicts three-year acute coronary syndrome events in patients with hypertension: multidetector computed tomographic study. 2012 , 59, 167-75	19
187	Relationships of different blood pressure categories to indices of inflammation and platelet activity in sustained hypertensive patients with uncontrolled office blood pressure. 2013 , 30, 973-80	15
186	24-h-Langzeitblutdruckmessung (ABDM). 2013 , 7, 194-208	3
185	Chronotherapy improves blood pressure control and reduces vascular risk in CKD. 2013 , 9, 358-68	45
184	Protocol for assessing the hypotensive effect of evening administration of acetylsalicylic acid: study protocol for a randomized, cross-over controlled trial. 2013 , 14, 236	3
183	Circadian pattern of ambulatory blood pressure in hypertensive patients with and without type 2 diabetes. 2013 , 30, 99-115	83
182	Sleep-time blood pressure: prognostic value and relevance as a therapeutic target for cardiovascular risk reduction. 2013 , 30, 68-86	65
181	Cardiovascular risk of resistant hypertension: dependence on treatment-time regimen of blood pressure-lowering medications. 2013 , 30, 340-52	57
180	Administration-time differences in effects of hypertension medications on ambulatory blood pressure regulation. 2013 , 30, 280-314	71
179	Treatment-time regimen of hypertension medications significantly affects ambulatory blood pressure and clinical characteristics of patients with resistant hypertension. 2013 , 30, 192-206	31
178	Influence of age and hypertension treatment-time on ambulatory blood pressure in hypertensive patients. 2013 , 30, 176-91	34
177	Administration-time-dependent effects of hypertension treatment on ambulatory blood pressure in patients with chronic kidney disease. 2013 , 30, 159-75	43
176	Comparison of ambulatory blood pressure parameters of hypertensive patients with and without chronic kidney disease. 2013 , 30, 145-58	100
175	Differences between men and women in ambulatory blood pressure thresholds for diagnosis of hypertension based on cardiovascular outcomes. 2013 , 30, 221-32	37

174	Role of time-of-day of hypertension treatment on the J-shaped relationship between blood pressure and cardiovascular risk. 2013 , 30, 328-39		20
173	Ambulatory blood pressure monitoring for the early identification of hypertension in pregnancy. 2013 , 30, 233-59		28
172	Ambulatory blood pressure thresholds for diagnosis of hypertension in patients with and without type 2 diabetes based on cardiovascular outcomes. 2013 , 30, 132-44		11
171	Prevalence and clinical characteristics of isolated-office and true resistant hypertension determined by ambulatory blood pressure monitoring. 2013 , 30, 207-20		36
170	Blunted sleep-time relative blood pressure decline increases cardiovascular risk independent of blood pressure level--the "normotensive non-dipper" paradox. 2013 , 30, 87-98		113
169	Effects of time-of-day of hypertension treatment on ambulatory blood pressure and clinical characteristics of patients with type 2 diabetes. 2013 , 30, 116-31		34
168	Ambulatory blood pressure monitoring: importance of sampling rate and duration--48 versus 24 hours--on the accurate assessment of cardiovascular risk. 2013 , 30, 55-67		67
167	Ambulatory blood pressure monitoring: recent evidence and clinical pharmacy applications. 2013 , 33, 69-83		8
166	Assessment and management of blood-pressure variability. <i>Nature Reviews Cardiology</i> , 2013 , 10, 143-55	14.8	476
165	Assessment and interpretation of blood pressure variability in a clinical setting. 2013 , 22, 345-54		18
164	2013 ambulatory blood pressure monitoring recommendations for the diagnosis of adult hypertension, assessment of cardiovascular and other hypertension-associated risk, and attainment of therapeutic goals. 2013 , 30, 355-410		136
163	Effect of azilsartan versus candesartan on nocturnal blood pressure variation in Japanese patients with essential hypertension. 2013 , 22 Suppl 1, 22-8		14
162	Profile of ambulatory blood pressure in resistant hypertension. <i>Hypertension Research</i> , 2013 , 36, 565-9	4.7	8
161	Prognostic value of blood pressure variability and average blood pressure levels in patients with hypertension and diabetes. 2013 , 36 Suppl 2, S312-24		109
160	Night-time blood pressure is associated with the development of chronic kidney disease in a general population: the Ohasama Study. <i>Journal of Hypertension</i> , 2013 , 31, 2410-7	1.9	29
159	Renal denervation as therapy for hypertension: potentials and unanswered questions. 2013 , 20, 980-91		2
158	Arousals are frequent and associated with exacerbated blood pressure response in patients with primary hypertension. <i>American Journal of Hypertension</i> , 2013 , 26, 617-23	2.3	10
157	Nighttime vs. daytime blood pressure as a predictor of changes in left ventricular mass in hypertensive subjects. <i>Hypertension Research</i> , 2013 , 36, 967-71	4.7	8

156	A novel SNP associated with nighttime pulse pressure in young-onset hypertension patients could be a genetic prognostic factor for cardiovascular events in a general cohort in Taiwan. 2014 , 9, e97919		9
155	Chapter 1. Epidemiology of hypertension. <i>Hypertension Research</i> , 2014 , 37, 260-265	4.7	1
154	Nifedipine controlled-release 40 mg b.i.d. in Japanese patients with essential hypertension who responded insufficiently to nifedipine controlled-release 40 mg q.d.: a phase III, randomized, double-blind and parallel-group study. <i>Hypertension Research</i> , 2014 , 37, 69-75	4.7	197
153	Sleep-time ambulatory blood pressure as a novel therapeutic target for cardiovascular risk reduction. <i>Journal of Human Hypertension</i> , 2014 , 28, 567-74	2.6	27
152	Effect of catheter-based renal sympathetic denervation on 24-h ambulatory blood pressure in patients with resistant hypertension. 2014 , 23, 228-32		3
151	Sleep efficiency and nocturnal hemodynamic dipping in young, normotensive adults. 2014 , 307, R888-92		21
150	Relationship between target organ damage and blood pressure, retinal vessel calibre, oxidative stress and polymorphisms in VAV-2 and VAV-3 genes in patients with hypertension: a case-control study protocol (LOD-Hipertension). 2014 , 4, e005112		4
149	A study of renal function influence by integrating cloud-based manometers and physician order entry systems. 2014 , 77, 642-7		1
148	Chapter 2. Measurement and clinical evaluation of blood pressure. <i>Hypertension Research</i> , 2014 , 37, 266-278		12
147	Early changes of left ventricular function in young adults with never-treated hypertension and no left ventricular hypertrophy: relationships to ambulatory blood pressure monitoring. 2014 , 36, 517-23		15
146	Comparing the frequency of hypertension determined by peri-dialysis measurement and ABPM in hemodialysis patients. 2014 , 36, 682-6		1
145	The relationship between the 24 h blood pressure variability and carotid intima-media thickness: a compared study. 2014 , 2014, 303159		18
144	Chronotherapeutics of conventional blood pressure-lowering medications: simple, low-cost means of improving management and treatment outcomes of hypertensive-related disorders. 2014 , 16, 412		20
143	Abnormalities in chronic kidney disease of ambulatory blood pressure 24 h patterning and normalization by bedtime hypertension chronotherapy. 2014 , 29, 1160-7		25
142	Evaluation of carotid intima-media thickness and aortic elasticity in patients with nondipper hypertension. 2014 , 31, 663-8		11
141	Targeting nocturnal hypertension in type 2 diabetes mellitus. <i>Hypertension</i> , 2014 , 64, 1080-7	8.5	27
140	Nocturnal hypertension or nondipping: which is better associated with the cardiovascular risk profile?. <i>American Journal of Hypertension</i> , 2014 , 27, 680-7	2.3	78
139	Obstructive sleep apnea syndrome as a cause of resistant hypertension. <i>Hypertension Research</i> , 2014 , 37, 601-13	4.7	50

138	Around-the-clock ambulatory blood pressure monitoring is required to properly diagnose resistant hypertension and assess associated vascular risk. 2014 , 16, 445		5
137	Evaluation of the efficacy and tolerability of fixed-dose combination therapy of azilsartan and amlodipine besylate in Japanese patients with grade I to II essential hypertension. 2014 , 36, 711-21		9
136	Relationship between objectively measured physical activity and cardiovascular aging in the general population--the EVIDENT trial. 2014 , 233, 434-440		30
135	Effects of verapamil SR and atenolol on 24-hour blood pressure and heart rate in hypertension patients with coronary artery disease: an international verapamil SR-trandolapril ambulatory monitoring substudy. 2015 , 10, e0122726		3
134	Effect of Catheter-Based Renal Denervation on Morning and Nocturnal Blood Pressure: Insights From SYMPLICITY HTN-3 and SYMPLICITY HTN-Japan. <i>Hypertension</i> , 2015 , 66, 1130-7	8.5	34
133	Albuminuria, renal dysfunction and circadian blood pressure rhythm in older men: a population-based longitudinal cohort study. 2015 , 8, 560-6		5
132	Consequences of Circadian and Sleep Disturbances for the Cardiovascular System. 2015 , 31, 860-72		48
131	Stroke and Hypertension in High-Risk African Americans. 2015 , 71-93		
130	Blood pressure and mortality: using offspring blood pressure as an instrument for own blood pressure in the HUNT study. 2015 , 5, 12399		8
129	Improving the detection of preclinical organ damage in newly diagnosed hypertension: nocturnal hypertension versus non-dipping pattern. <i>Journal of Human Hypertension</i> , 2015 , 29, 689-95	2.6	16
128	Advantages of Ambulatory Blood Pressure Monitoring in Assessing the Efficacy of Antihypertensive Therapy. 2015 , 4, 5-17		6
127	Impact of Ambulatory Blood Pressure Monitoring on Control of Untreated, Undertreated, and Resistant Hypertension in Older People in Spain. 2015 , 16, 668-73		8
126	Optimal blood pressure targets in 2014 - Does the guideline recommendation match the evidence base?. 2015 , 32, 71-82		
125	Spinal NF- κ B and chemokine ligand 5 expression during spinal glial cell activation in a neuropathic pain model. 2015 , 10, e0115120		26
124	Should blood pressure medication be taken in the morning or evening?. <i>Journal of Hypertension</i> , 2015 , 33, 263-5	1.9	2
123	Blood pressure variability: assessment, predictive value, and potential as a therapeutic target. 2015 , 17, 537		119
122	Low systolic blood pressure and mortality from all-cause and vascular diseases among the rural elderly in Korea; Kangwha cohort study. 2015 , 94, e245		7
121	Effects of daily walking on office, home and 24-h blood pressure in hypertensive patients. 2015 , 37, 433-7		7

120	Short-term blood pressure variability in hypertensive patients with obstructive sleep apnea syndrome. 2015 , 13, 117-126		1
119	Effect of Olmesartan-Based Therapies on Therapeutic Indicators Obtained Through Out-of-Office Blood Pressure. 2015 , 4, 19-30		1
118	Ambulatory Blood Pressure Monitoring (ABPM) as the reference standard for diagnosis of hypertension and assessment of vascular risk in adults. 2015 , 32, 1329-42		44
117	[Chronotherapy in arterial hypertension]. 2015 , 32, 119-24		1
116	Treatment of hypertension with chronotherapy: is it time of drug administration?. 2015 , 49, 323-34		38
115	Prevalence of white-coat and masked hypertension in national and international registries. <i>Hypertension Research</i> , 2015 , 38, 1-7	4-7	72
114	Ambulatory Blood Pressure Monitoring: Five Decades of More Light and Less Shadows. 2016 , 106, 528-37		8
113	Development of a Triggered Nocturnal Blood Pressure Monitoring which Detects Nighttime Blood Pressure Surges in Sleep Apnea Syndrome. 2016 , 12, 27-31		7
112	The prognostic significance of ABPM in patients with acute stroke. 2016 , 2, 168-173		
111	Nocturnal indicators of increased cardiovascular risk in depressed adolescent girls. 2016 , 25, 216-24		5
110	Exaggerated exercise blood pressure response in middle-aged men as a predictor of future blood pressure: a 10-year follow-up. 2016 , 38, 696-700		6
109	The association between home vs. ambulatory night-time blood pressure and end-organ damage in the general population. <i>Journal of Hypertension</i> , 2016 , 34, 1730-7	1.9	23
108	Sleep-time ambulatory blood pressure as a prognostic marker of vascular and other risks and therapeutic target for prevention by hypertension chronotherapy: Rationale and design of the Hygia Project. 2016 , 33, 906-36		41
107	Non-Dipping and Cardiometabolic Profile: A Study on Normotensive Overweight Middle-Aged Men. 2016 , 25, 1218-1225		6
106	Low Systolic Blood Pressure and Vascular Mortality Among More Than 1 Million Korean Adults. 2016 , 133, 2381-90		27
105	Ambulatory blood pressure monitoring in daily clinical practice - the Spanish ABPM Registry experience. 2016 , 46, 92-8		24
104	A thin-film pressure transducer for implantable and intravascular blood pressure sensing. 2016 , 248, 38-45		16
103	Association Between High and Very High Albuminuria and Nighttime Blood Pressure: Influence of Diabetes and Chronic Kidney Disease. 2016 , 39, 1729-37		17

102	Office and ambulatory blood pressure control in hypertensive patients treated with different two-drug and three-drug combinations. 2016 , 38, 409-14		0
101	New diagnostics for hypertension in diabetes and the role of chronotherapy: a new perspective. 2016 , 5, 144-150		
100	Prehypertension in adolescents with cardiovascular risk: a comparison between type 1 diabetic patients and overweight subjects. 2016 , 9, 122		3
99	Between-person and within-person approaches to the prediction of ambulatory blood pressure: the role of affective valence and intensity. 2016 , 39, 757-66		7
98	Chronotherapy with conventional blood pressure medications improves management of hypertension and reduces cardiovascular and stroke risks. <i>Hypertension Research</i> , 2016 , 39, 277-92	4-7	82
97	Does sympathetic overactivation feature all hypertensives? Differences of sympathovagal balance according to night/day blood pressure ratio in patients with essential hypertension. <i>Hypertension Research</i> , 2016 , 39, 440-8	4-7	9
96	Circadian Clocks: Role in Health and Disease. 2016 ,		5
95	Chronotherapy of Blood Pressure Medications to Improve Management of Hypertension and Reduce Vascular Risk. 2016 , 295-334		
94	Sleep-time BP: prognostic marker of type 2 diabetes and therapeutic target for prevention. 2016 , 59, 244-54		25
93	Sleep-time blood pressure: Unique sensitive prognostic marker of vascular risk and therapeutic target for prevention. 2017 , 33, 17-27		36
92	Cardioprotective effects of SGLT2 inhibitors are possibly associated with normalization of the circadian rhythm of blood pressure. <i>Hypertension Research</i> , 2017 , 40, 535-540	4-7	24
91	Association of blood pressure in the supine position with target organ damage in subjects over 60 years old. 2017 , 45, 123-133		0
90	Ambulatory blood pressure variability: a conceptual review. <i>Blood Pressure Monitoring</i> , 2017 , 22, 53-58	1-3	13
89	Association of night-time home blood pressure with night-time ambulatory blood pressure and target-organ damage: a systematic review and meta-analysis. <i>Journal of Hypertension</i> , 2017 , 35, 442-452 ^{1.9}		48
88	Resistant Hypertension: Mechanisms and Treatment. 2017 , 19, 56		20
87	Novel Triggered Nocturnal Blood Pressure Monitoring for Sleep Apnea Syndrome: Distribution and Reproducibility of Hypoxia-Triggered Nocturnal Blood Pressure Measurements. <i>Journal of Clinical Hypertension</i> , 2017 , 19, 30-37	2-3	21
86	Relationship Between Short-Term Blood Pressure Variability and Incidence of Acute Kidney Injury in Critically Ill Patients. 2017 , 42, 1238-1246		9
85	Assessment of left atrial function: Another window to detect early cardiac impairment?. <i>Journal of Clinical Hypertension</i> , 2017 , 19, 1105-1107	2-3	1

84	[Ambulatory blood pressure monitoring for hypertension diagnosis?]. 2017 , 34 Suppl 1, 4-9		1
83	Twenty-Four-Hour Ambulatory Blood Pressure versus Clinic Blood Pressure Measurements and Risk of Adverse Outcomes in Children with CKD. 2018 , 13, 422-428		17
82	The impact of race on outcomes after carotid endarterectomy in the United States. 2018 , 68, 426-435		10
81	Relationship between Clinic and Ambulatory Blood-Pressure Measurements and Mortality. 2018 , 378, 1509-1520		327
80	Sleep Disturbances/Sleep Apnea. <i>Updates in Hypertension and Cardiovascular Protection</i> , 2018 , 259-287	0.1	
79	Black patients present with more severe vascular disease and a greater burden of risk factors than white patients at time of major vascular intervention. 2018 , 67, 549-556.e3		32
78	Nocturia and increase in nocturnal blood pressure: the Nagahama study. <i>Journal of Hypertension</i> , 2018 , 36, 2185-2192	1.9	15
77	Association between sex hormones and ambulatory blood pressure. <i>Journal of Hypertension</i> , 2018 , 36, 2237-2244	1.9	4
76	Night-time ambulatory blood pressure is the best pretreatment blood pressure predictor of 11-year mortality in treated older hypertensives. <i>Blood Pressure Monitoring</i> , 2018 , 23, 237-243	1.3	4
75	Polysomnography-derived sleep parameters as a determinant of nocturnal blood pressure profile in patients with obstructive sleep apnea. <i>Journal of Clinical Hypertension</i> , 2018 , 20, 1039-1048	2.3	19
74	[Mortality study from the Spanish Registry of ABPM. An appeal for the transition of ABPM to clinical practice]. 2018 , 35, 97-97		3
73	Understanding short-term blood-pressure-variability phenotypes: from concept to clinical practice. 2018 , 11, 241-254		33
72	Experimental Weight Gain Increases Ambulatory Blood Pressure in Healthy Subjects: Implications of Visceral Fat Accumulation. 2018 , 93, 618-626		15
71	The J-curve between Diastolic Blood Pressure and Risk of All-cause and Cardiovascular Death. 2018 , 48, 36-47		14
70	Circadian regulation of kidney function: finding a role for Bmal1. 2018 , 314, F675-F678		6
69	Effect of renal denervation on coronary flow reserve in patients with resistant hypertension. 2019 , 39, 15-21		
68	The Japanese Society of Hypertension Guidelines for the Management of Hypertension (JSH 2019). <i>Hypertension Research</i> , 2019 , 42, 1235-1481	4.7	468
67	Differences in blood pressure riser pattern in patients with acute heart failure with reduced mid-range and preserved ejection fraction. 2019 , 6, 1057-1067		12

66	Comparison of Chronic Hemodialysis Patients under Strict Volume Control with respect to Cardiovascular Disease. 2019 , 2019, 6430947		1
65	[Position statement on ambulatory blood pressure monitoring (ABPM) by the Spanish Society of Hypertension (2019)]. 2019 , 36, 199-212		10
64	Validation of a wrist-type home nocturnal blood pressure monitor in the sitting and supine position according to the ANSI/AAMI/ISO81060-2:2013 guidelines: Omron HEM-9600T. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 463-469	2.3	19
63	Non-dipping blood pressure pattern and new-onset diabetes in a 21-year follow-up. 2019 , 28, 300-308		2
62	Comparison of 24-Hour Ambulatory Central Blood Pressure Reduction Efficacy Between Fixed Amlodipine or Up-Titrated Hydrochlorothiazide Plus Losartan: The K-Central Study. <i>American Journal of Hypertension</i> , 2019 , 32, 992-1002	2.3	4
61	Patient with Isolated Nocturnal Hypertension. 2019 , 33-42		
60	Hypertension and 24-hour Ambulatory Blood Pressure Monitoring. 2019 ,		
59	Nondipping Pattern and Cardiovascular and Renal Damage in a Population-Based Study (The STANISLAS Cohort Study). <i>American Journal of Hypertension</i> , 2019 , 32, 620-628	2.3	12
58	Circadian-Regulated Cell Death in Cardiovascular Diseases. 2019 , 139, 965-980		47
57	Validation of an automatic device for the self-measurement of blood pressure in sitting and supine positions according to the ANSI/AAMI/ISO81060-2: 2013 guidelines: the Omron HEM-9700T. <i>Blood Pressure Monitoring</i> , 2019 , 24, 146-150	1.3	7
56	Serotonergic system may be involved in alterations of sleep homeostasis in spontaneously hypertensive rats. 2020 , 29, e12947		2
55	The relation of work-related factors with ambulatory blood pressure and nocturnal blood pressure dipping among aging workers. 2020 , 93, 563-570		1
54	Associations of awake and asleep blood pressure and blood pressure dipping with abnormalities of cardiac structure: the Coronary Artery Risk Development in Young Adults study. <i>Journal of Hypertension</i> , 2020 , 38, 102-110	1.9	8
53	Oral Salt Loading Test is Associated With 24-Hour Blood Pressure and Organ Damage in Primary Aldosteronism Patients. <i>Journal of the Endocrine Society</i> , 2020 , 4, bvaa116	0.4	1
52	Blood pressure during sleep is associated with arterial stiffness and urine microalbumin to creatinine ratio in youth with type 1 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2020 , 34, 107678 ^{3,2}		2
51	Exercise Reduces Ambulatory Blood Pressure in Patients With Hypertension: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. <i>Journal of the American Heart Association</i> , 2020 , 9, e018487	6	14
50	Deaths from total and premature cardiovascular disease associated with high normal blood pressure and hypertension in rural Chinese men and elderly people. <i>Journal of Human Hypertension</i> , 2021 , 35, 741-750	2.6	1
49	Role of the Immune System and the Circadian Rhythm in the Pathogenesis of Chronic Pancreatitis: Establishing a Personalized Signature for Improving the Effect of Immunotherapies for Chronic Pancreatitis. <i>Pancreas</i> , 2020 , 49, 1024-1032	2.6	13

48	Validation of a wrist-type home nocturnal blood pressure monitor in the sitting and supine position according to the ANSI/AAMI/ISO81060-2:2013 guidelines: Omron HEM-9601T. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 970-978	2.3	11
47	Control of 24-hour blood pressure with SGLT2 inhibitors to prevent cardiovascular disease. <i>Progress in Cardiovascular Diseases</i> , 2020 , 63, 249-262	8.5	21
46	Automatic detection algorithm for establishing standard to identify "surge blood pressure". <i>Medical and Biological Engineering and Computing</i> , 2020 , 58, 1393-1404	3.1	6
45	Lifestyle interventions for the prevention and treatment of hypertension. <i>Nature Reviews Cardiology</i> , 2021 , 18, 251-275	14.8	33
44	The value of ambulatory blood pressure measurement to detect masked diastolic hypotension in older patients treated for hypertension. <i>Age and Ageing</i> , 2021 , 50, 1229-1235	3	2
43	Defining the nocturnal period in 24-h ambulatory blood pressure monitoring: a comparison of three methods. <i>Blood Pressure Monitoring</i> , 2021 , 26, 207-214	1.3	1
42	Ambulatory blood pressure profile and stroke recurrence. <i>Stroke and Vascular Neurology</i> , 2021 , 6, 352-358	3.1	2
41	Reproducibility study of nocturnal blood pressure dipping in patients with high cardiovascular risk. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 1041-1050	2.3	3
40	Ambulatory Blood Pressure Monitoring to Diagnose and Manage Hypertension. <i>Hypertension</i> , 2021 , 77, 254-264	8.5	13
39	Home Blood Pressure Monitoring: Current Status and New Developments. <i>American Journal of Hypertension</i> , 2021 , 34, 783-794	2.3	10
38	Attended Automated Office Blood Pressure Measurement Versus Ambulatory Blood Pressure Monitoring in a Primary Healthcare Setting in Chile. <i>Southern Medical Journal</i> , 2021 , 114, 63-69	0.6	1
37	Historical Loss: Implications for Health of American Indians in the Blackfeet Community. <i>Annals of Behavioral Medicine</i> , 2021 ,	4.5	1
36	Sleep and cardiovascular outcomes in relation to nocturnal hypertension: the J-HOP Nocturnal Blood Pressure Study. <i>Hypertension Research</i> , 2021 , 44, 1589-1596	4.7	7
35	Home (Self) Monitoring of Blood Pressure. 2016 , 15-43		1
34	Home Blood Pressure Monitoring in Hypertension. 2012 , 103-120		1
33	Relationship between body mass and ambulatory blood pressure: comparison with office blood pressure measurement and effect of treatment. <i>Journal of Human Hypertension</i> , 2018 , 32, 122-128	2.6	3
32	Association of clinic and ambulatory heart rate parameters with mortality in hypertension. <i>Journal of Hypertension</i> , 2020 , 38, 2416-2426	1.9	6
31	Influence of rapid eye movement sleep on all-cause mortality: a community-based cohort study. <i>Ageing</i> , 2019 , 11, 1580-1588	5.6	14

30	Optimal timing for antihypertensive dosing: focus on valsartan. <i>Therapeutics and Clinical Risk Management</i> , 2007 , 3, 119-31	2.9	26
29	Application and Effects of Ambulatory Blood Pressure Monitoring in Primary Care. <i>Journal of the Minneapolis Heart Institute Foundation</i> , 2017 , 1, 101-107		1
28	Evaluation of Administration Time and Adherence Rates of Morning vs. Bedtime Dosing of Antihypertensive Medications. <i>Journal of Contemporary Pharmacy Practice</i> , 2019 , 66, 11-16	0.1	2
27	Blood Pressure Monitoring in Cardiovascular Disease. <i>AIMS Medical Science</i> , 2017 , 4, 164-191	0.4	1
26	Low systolic blood pressure and mortality from all causes and vascular diseases among older middle-aged men: Korean Veterans Health Study. <i>Journal of Preventive Medicine and Public Health</i> , 2015 , 48, 105-110	3.7	3
25	Exercise and Hypertension. 2007 , 469-475		
24	Resistant Hypertension. 2007 , 658-665		
23	Decisions for Management of High Blood Pressure: A Perspective. 2008 , 567-574		
22	Risk stratification of cardiovascular events in hypertensive patients with asymptomatic or symptomatic lacunar infarcts by 24-hour ambulatory blood pressure monitoring. <i>Nosotchu</i> , 2012 , 34, 1-7	0.1	
21	Obstructive Sleep Apnea. 2012 , 121-131		1
20	Sleep Apnea. <i>Updates in Hypertension and Cardiovascular Protection</i> , 2016 , 89-118	0.1	
19	Assessment of Hypertension in Chronic Kidney Disease. 2016 , 15-33		
18	SCORE Kardiyovasküler Risk Puanlama Sistemi ile Non-dipper Hipertansiyon Arasındaki İlişki. <i>Dicle Medical Journal</i> , 379-386	0	
17	Circadian Amplitude. 2019 , 1-9		
16	Acute Aerobic Exercise Induces Short-Term Reductions in Ambulatory Blood Pressure in Patients With Hypertension: A Systematic Review and Meta-Analysis. <i>Hypertension</i> , 2021 , 78, 1844-1858	8.5	1
15	Prognostic Value of Ambulatory Blood Pressure Monitoring. 2007 , 225-252		
14	[Cardiovascular preventive recommendations. PAPPS 2020 update]. <i>Atencion Primaria</i> , 2020 , 52 Suppl 2, 5-31	3.6	0
13	Taking blood pressure-lowering medications at night. <i>Canadian Family Physician</i> , 2012 , 58, 965	0.9	1

12	Encyclopedia of Gerontology and Population Aging. 2021 , 1003-1012		
11	Time-Variant Associations of Ambulatory Pulse Rate With Short-Term Neurologic Functional Outcomes Following Acute Ischaemic Stroke. <i>SSRN Electronic Journal</i> ,	1	
10	Increased mortality with intensive control in patients with higher baseline SBP and lower Framingham risk.. <i>Journal of Hypertension</i> , 2022 ,	1.9	
9	Role of ambulatory blood pressure on prediction of cardiovascular disease. A cohort study.. <i>Journal of Human Hypertension</i> , 2022 ,	2.6	0
8	Development of Small and Lightweight Beat-By-Beat Blood Pressure Monitoring Device Based on Tonometry. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2021 , 2021, 5455-5458	0.9	2
7	Nocturnal blood pressure surge in seconds is a new determinant of left ventricular mass index.. <i>Journal of Clinical Hypertension</i> , 2021 ,	2.3	2
6	The Utility of 24-h Ambulatory Blood Pressure Monitoring for the Diagnosis and Management of White Coat Hypertension in a Primary Care Setting. 2022 , 13, 215013192211234		0
5	A personal history of research on hypertension From an encounter with hypertension to the development of hypertension practice based on out-of-clinic blood pressure measurements.		0
4	Time-variant associations of ambulatory pulse rate with short-term neurologic functional outcomes following acute ischemic stroke.		0
3	Blood pressure responses are dependent on call type and related to hypertension status in firefighters. 2023 , 32,		0
2	Racial and Ethnic Disparities in Hypertension: Barriers and Opportunities to Improve Blood Pressure Control. 2023 , 25, 17-27		0
1	Twenty-Four-Hour Blood Pressure-Lowering Efficacy of Sacubitril/Valsartan Versus Olmesartan in Japanese Patients With Essential Hypertension Based on Nocturnal Blood Pressure Dipping Status: A Post Hoc Analysis of Data From a Randomized, Double-Blind Multicenter Study. 2023 , 12,		0