

CITATION REPORT

List of articles citing

The prognostic value of a nomogram for exercise capacity in women

DOI: 10.1056/nejmoa044154

New England Journal of Medicine, 2005, 353, 468-75.

Source: <https://exaly.com/paper-pdf/38850419/citation-report.pdf>

Version: 2024-04-10

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
340	Can the ST segment be saved?. 2005 , 12, 622-4		1
339	Exercise capacity in women: a new measure of survival?. 2005 , 20, 183		
338	Nomogram for exercise capacity in women. <i>New England Journal of Medicine</i> , 2005 , 353, 2301-3; author reply 2301-3	59.2	1
337	Where does fitness fit in?. <i>New England Journal of Medicine</i> , 2005 , 353, 517-9	59.2	14
336	Impact of spine surgery on signs and symptoms of spinal deformity. 2006 , 9, 318-39		47
335	Coronary artery disease: diagnostic and prognostic models for reducing patient risk. <i>Journal of Cardiovascular Nursing</i> , 2006 , 21, S2-16; quiz S17-9	2.1	9
334	Determinants of Percentage of Predicted Exercise Capacity in Premenopausal Women. 2006 , 38, S5		
333	Risk of Cardiovascular Disease by Hysterectomy Status, With and Without Oophorectomy: The Women's Health Initiative Observational Study. 2006 , 2006, 305-306		
332	Gender-specific prediction of cardiac disease: importance of risk factors and exercise variables. 2006 , 14, 281-5		14
331	Fast predators or fast food, the fit still survive. 2006 , 12, 46-7; discussion 47		11
330	How diabetes went to our heads. 2006 , 12, 47-9; discussion 49		57
329	The Finnish Cardiovascular Study (FINCAVAS): characterising patients with high risk of cardiovascular morbidity and mortality. 2006 , 6, 9		42
328	A reassessment of sexual dimorphism in human senescence: theory, evidence, and causation. 2006 , 18, 161-8		28
327	Risk factors for mortality in middle-aged women. 2006 , 166, 2469-77		49
326	Effects of a supervised home-based aerobic and progressive resistance training regimen in women infected with human immunodeficiency virus: a randomized trial. 2006 , 166, 1225-31		131
325	Association of long-distance corridor walk performance with mortality, cardiovascular disease, mobility limitation, and disability. 2006 , 295, 2018-26		618
324	Aerobic capacity in patients entering cardiac rehabilitation. <i>Circulation</i> , 2006 , 113, 2706-12	16.7	141

323	Exercise electrocardiogram testing: beyond the ST segment. <i>Circulation</i> , 2006 , 114, 2070-82	16.7	124
322	Limitations of current cardiovascular disease risk assessment strategies in women. 2006 , 15, 54-6		45
321	Exercise Stress Testing in Patients With Type 2 Diabetes: When Are Asymptomatic Patients Screened?. 2007 , 25, 126-130		4
320	A 52-Year-Old Woman With Hypertension and Diabetes Who Presents With Chest Pain. 2007 , 25, 115-118		
319	Interpretation of Hemodynamic Responses to Exercise Testing. 2007 , 51-85		1
318	Concentric and eccentric shoulder rehabilitation biomechanics. 2007 , 221, 237-49		4
317	Can self-reported tolerance of exercise intensity play a role in exercise testing?. 2007 , 39, 1193-9		24
316	An externally validated model for predicting long-term survival after exercise treadmill testing in patients with suspected coronary artery disease and a normal electrocardiogram. 2007 , 147, 821-8		52
315	Exercise capacity and cardiovascular/metabolic characteristics of overweight and obese individuals with type 2 diabetes: the Look AHEAD clinical trial. 2007 , 30, 2679-84		74
314	Dose-response relation between physical activity and fitness: even a little is good; more is better. 2007 , 297, 2137-9		60
313	Exercise limitation in patients with Fontan circulation: a review. 2007 , 8, 775-81		37
312	Diagnostic strategies for heart disease in women: an update on imaging techniques for optimal management. 2007 , 15, 279-87		7
311	Cardiolocomotor coupling in young and elderly people. 2007 , 62, 86-92		25
310	Creation of a model comparing 6-minute walk test to metabolic equivalent in evaluating treatment effects in pulmonary arterial hypertension. 2007 , 26, 732-8		34
309	Electrocardiographic exercise stress testing: an update beyond the ST segment. 2007 , 116, 285-99		29
308	Cardiorespiratory fitness and metabolic syndrome: US National Health and Nutrition Examination Survey 1999-2002. 2007 , 32, 143-7		10
307	Sedentarismo: tiempo de ocio activo frente a porcentaje del gasto energético. 2007 , 60, 244-250		28
306	Sedentary Lifestyle: Physical Activity Duration Versus Percentage of Energy Expenditure. 2007 , 60, 244-250		5

305	External prognostic validations and comparisons of age- and gender-adjusted exercise capacity predictions. <i>Journal of the American College of Cardiology</i> , 2007 , 50, 1867-75	15.1	57
304	Validity and reliability of the Siconolfi Step Test for assessment of physical fitness in patients with systemic lupus erythematosus. 2007 , 57, 1007-11		13
303	The predictive value of cardiorespiratory fitness combined with coronary risk evaluation and the risk of cardiovascular and all-cause death. 2007 , 262, 263-72		56
302	Estimated functional capacity predicts mortality in older adults. 2007 , 55, 1940-7		58
301	Utility of routine exercise treadmill testing early after percutaneous coronary intervention. 2007 , 7, 12		15
300	Gender comparison of efficacy and safety of ranolazine for chronic angina pectoris in four randomized clinical trials. <i>American Journal of Cardiology</i> , 2007 , 99, 11-8	3	37
299	Prognostic evaluation by clinical exercise test scores in patients treated with primary percutaneous coronary intervention or fibrinolysis for acute myocardial infarction (a Danish Trial in Acute Myocardial Infarction-2 Sub-Study). <i>American Journal of Cardiology</i> , 2007 , 100, 1074-80	3	5
298	Exercise prescription for patients with a Fontan circulation: current evidence and future directions. 2007 , 15, 142-7		32
297	[Risk stratification of asymptomatic subjects using resting ECG and stress ECG]. 2007 , 32, 362-70		3
296	Traditional and novel cardiovascular risk factors in school-aged children: A call for the further development of public health strategies with emphasis on fitness. 2007 , 15, 171-177		11
295	Biologically relevant sex differences for fitness-related parameters in active octogenarians. 2007 , 99, 533-40		7
294	Associations of birth size and duration of breast feeding with cardiorespiratory fitness in childhood: findings from the Avon Longitudinal Study of Parents and Children (ALSPAC). 2008 , 23, 411-22		55
293	Stroke prevention in women: challenges and opportunities. 2008 , 10, 347-53		6
292	Safety and feasibility of aerobic training on cardiopulmonary function and quality of life in postsurgical nonsmall cell lung cancer patients: a pilot study. 2008 , 113, 3430-9		114
291	Fitness, fatigue, disease activity, and quality of life in pediatric lupus. 2008 , 59, 537-45		57
290	The genetic tidal wave finally reached our shores: Will it be the catalyst for a critical overhaul of the way we think and do science?. 2008 , 1, 47-52		14
289	Ejercicio, piedra angular de la prevención cardiovascular. 2008 , 61, 514-528		21
288	Exercise as the Cornerstone of Cardiovascular Prevention. 2008 , 61, 514-528		1

287	The relationship between gender and clinical management after exercise stress testing. 2008 , 156, 301-7	10
286	Stress Test. 2008 , 221-255	2
285	Cardiorespiratory exercise testing in clinical oncology research: systematic review and practice recommendations. 2008 , 9, 757-65	171
284	The Preference for and Tolerance of the Intensity of Exercise Questionnaire: a psychometric evaluation among college women. 2008 , 26, 499-510	38
283	Association between muscular strength and mortality in men: prospective cohort study. 2008 , 337, a439	482
282	Survival of the Fittest: Impact of Cardiorespiratory Fitness on Mortality, Cardiac Risk, and its Relationship with Body Mass Index in Women. 2008 , 4, 222-226	
281	Association of exercise capacity on treadmill with future cardiac events in patients referred for exercise testing. 2008 , 168, 174-9	48
280	The joint impact of smoking and exercise capacity on clinical outcomes among women with suspected myocardial ischemia: the WISE study. 2009 , 18, 443-50	3
279	Cardiorespiratory fitness as a quantitative predictor of all-cause mortality and cardiovascular events in healthy men and women: a meta-analysis. 2009 , 301, 2024-35	1725
278	Exercise training and cardiac rehabilitation in primary and secondary prevention of coronary heart disease. 2009 , 84, 373-83	205
277	Adverse cardiovascular outcomes in women with nonobstructive coronary artery disease: a report from the Women's Ischemia Syndrome Evaluation Study and the St James Women Take Heart Project. 2009 , 169, 843-50	366
276	Role of lifestyle and aging on the longitudinal change in cardiorespiratory fitness. 2009 , 169, 1781-7	160
275	Value of exercise treadmill testing in the risk stratification of patients with pulmonary hypertension. 2009 , 2, 278-86	32
274	Detection of stress-induced myocardial ischemia from the depolarization phase of the cardiac cycle--a preliminary study. 2009 , 42, 240-7	19
273	Health enhancing strength training in nonagenarians (STRONG): rationale, design and methods. 2009 , 9, 152	9
272	Application of a nomogram for exercise capacity in women with systemic lupus erythematosus. 2009 , 28, 719-22	2
271	Association of exercise capacity and the heart rate profile during exercise stress testing with subclinical coronary atherosclerosis: data from the Heinz Nixdorf Recall study. 2009 , 98, 665-76	14
270	Physiologic considerations and pragmatic issues in the design and implementation of lifetime exercise programs to prevent and treat coronary artery disease in women. 2009 , 3, 211-218	

269	Exercise therapy across the lung cancer continuum. 2009 , 11, 255-62	31
268	Exercise in hypertrophic cardiomyopathy. 2009 , 2, 407-14	12
267	Screening asymptomatic patients with diabetes for unknown coronary artery disease: does it reduce risk? An open-label randomized trial comparing a strategy based on exercise testing aimed at revascularization with management based on pharmacological/behavioural treatment of traditional risk factors. DADDY-D Trial (Does coronary Atherosclerosis Deserve to be Diagnosed by Exercise workload, cardiovascular risk factor evaluation and the risk of stroke in middle-aged men. 2009 , 265, 229-37	7
266	Autonomic function and prognosis. 2009 , 76 Suppl 2, S18-22	6
265	Heart rate behavior during an exercise stress test in obese patients. 2009 , 19, 170-6	71
264	Continuous positive airway pressure improves exercise capacity and heart rate recovery in obstructive sleep apnea. 2009 , 132, 75-83	27
263	Women and ischemic heart disease: evolving knowledge. <i>Journal of the American College of Cardiology</i> , 2009 , 54, 1561-75	23
262	Effects of exercise intervention on myocardial function in type 2 diabetes. 2009 , 95, 1343-9	15.1 463
261	Impaired exercise capacity predicts sudden cardiac death in a low-risk population: enhanced specificity with heightened T-wave alternans. 2009 , 41, 380-9	58
260	Exercise intolerance in cancer and the role of exercise therapy to reverse dysfunction. 2009 , 10, 598-605	6
259	Exercise Training and Cardiac Rehabilitation in Primary and Secondary Prevention of Coronary Heart Disease. 2009 , 84, 373-383	213
258	Prevention of perioperative myocardial infarction. 2009 , 47, 13-36	150
257	Effects of pravastatin on functional capacity in patients with chronic obstructive pulmonary disease and pulmonary hypertension. 2009 , 116, 497-505	3
256	Test-retest reliability and validity of the 400-meter walk test in healthy, middle-aged women. 2010 , 7, 649-57	84
255	The limit to exercise tolerance in humans: mind over muscle?. 2010 , 109, 763-70	37
254	Exercise therapy in the management of solid tumors. 2010 , 11, 45-58	229
253	Erratum to: Exercise therapy in the management of solid tumors. 2010 , 11, 73-86	26
252		5

251	Noninvasive assessment of coronary artery disease in women: What's next?. 2010 , 12, 147-54		6
250	Incidence of myocardial infarction or stroke or death at 47-month follow-up in patients with diabetes and a predicted exercise capacity 85% during an exercise treadmill sestamibi stress test. 2010 , 13, 14-7		6
249	The future of aerobic exercise testing in clinical practice: is it the ultimate vital sign?. 2010 , 6, 325-42		54
248	Heart rate response to exercise stress testing in asymptomatic women: the st. James women take heart project. <i>Circulation</i> , 2010 , 122, 130-7	16.7	140
247	Mortality trends in the general population: the importance of cardiorespiratory fitness. 2010 , 24, 27-35		336
246	Cardiac risks associated with marathon running. 2010 , 2, 301-6		23
245	Physical activity and lung cancer survivorship. 2011 , 186, 255-74		18
244	Demographic, geographic, and expedition determinants of reaching the summit of denali. 2010 , 11, 223-9		3
243	Exercise stress testing in women: going back to the basics. <i>Circulation</i> , 2010 , 122, 2570-80	16.7	90
242	Heart rate response and chronotropic incompetence in exercise stress testing of asymptomatic women. 2010 , 6, 785-7		1
241	Contribution of exercise echocardiography to the diagnosis of heart failure with preserved ejection fraction (HFpEF). 2010 , 96, 1024-8		51
240	Resistin, exercise capacity, and inducible ischemia in patients with stable coronary heart disease: data from the Heart and Soul study. 2010 , 213, 604-10		14
239	Relationship between the percentage of predicted cardiorespiratory fitness and cardiovascular disease risk factors in premenopausal women: a MONET study. 2010 , 13, 347-54		6
238	Calculated metabolic equivalents: a tool for exercise prescription among African American women. 2011 , 20, 1151-5		
237	Gender differences in the prognostic value of exercise treadmill test characteristics. 2011 , 161, 908-14		26
236	Treadmill testing improves survival prediction models in pulmonary arterial hypertension. 2011 , 162, 1011-7		10
235	Analysis of ST/HR hysteresis improves long-term prognostic value of exercise ECG test. 2011 , 148, 64-9		4
234	Frequency and relevance of ischemic electrocardiographic findings in patients with chronic obstructive pulmonary disease. <i>American Journal of Cardiology</i> , 2011 , 108, 1669-74	3	33

233	Heart Rate Dynamics after Exercise in Cardiac Patients with and without Type 2 Diabetes. 2011 , 2, 57	9
232	Contribution of abnormal central blood pressure to left ventricular filling pressure during exercise in patients with heart failure and preserved ejection fraction. 2011 , 29, 1422-30	20
231	Stable angina in women: lessons from the National Heart, Lung and Blood Institute-sponsored Women's Ischemia Syndrome Evaluation. 2011 , 12, 85-7	11
230	QT restitution properties of middle-aged women with different exercise capacities. 2011 , 44, 340-5	1
229	Clinical role of the Duke Activity Status Index in the selection of the optimal type of stress myocardial perfusion imaging study in patients with known or suspected ischemic heart disease. 2011 , 18, 1015-20	19
228	Strenuous endurance exercise improves life expectancy: it's in our genes. 2011 , 45, 159-61	34
227	Signs and symptoms of suspected myocardial ischemia in women: results from the What is the Optimal Method for Ischemia Evaluation in Women? Trial. 2011 , 20, 1261-8	25
226	Effect of exercise training on peak oxygen consumption in patients with cancer: a meta-analysis. 2011 , 16, 112-20	199
225	Preoperative evaluation of the adult patient undergoing non-cardiac surgery: guidelines from the European Society of Anaesthesiology. 2011 , 28, 684-722	109
224	Long-term effects of changes in cardiorespiratory fitness and body mass index on all-cause and cardiovascular disease mortality in men: the Aerobics Center Longitudinal Study. <i>Circulation</i> , 2011 , 124, 2483-90	16.7 401
223	Should exercise myocardial perfusion imaging be the standard noninvasive approach for the initial evaluation of symptomatic women with suspected coronary artery disease?. <i>Circulation</i> , 2011 , 124, 1207-9	16.7 2
222	Gender differences in the variables of exercise treadmill test in type 2 diabetes mellitus. 2012 , 11, 96-102	3
221	Assessing fitness, predicting outcome, and the missing axis. 2012 , 109, 35-9	6
220	Kidney dysfunction, cardiorespiratory fitness, and the risk of death in women. 2012 , 21, 917-24	7
219	Impaired exercise tolerance is associated with increased urine albumin excretion in the early stages of essential hypertension. 2012 , 19, 452-9	2
218	2012 ACCF/AHA/ACP/AATS/PCNA/SCAI/STS guideline for the diagnosis and management of patients with stable ischemic heart disease: a report of the American College of Cardiology Foundation/American Heart Association task force on practice guidelines, and the American College of Physicians, American Association for Thoracic Surgery, Preventive Cardiovascular Nurses Association, Society for Cardiovascular Angiography and Interventions, and Society of Thoracic Surgeons. <i>Circulation</i> , 2012 , 126, e354-471	16.7 537
217	How accurate are 3 risk prediction models in US women?. <i>Circulation</i> , 2012 , 125, 1723-6	16.7 6
216	Weber classification in cardiac rehabilitation. 2012 , 67, 285-90	3

215	Diagnosis of stable ischemic heart disease: summary of a clinical practice guideline from the American College of Physicians/American College of Cardiology Foundation/American Heart Association/American Association for Thoracic Surgery/Preventive Cardiovascular Nurses Association/Society of Thoracic Surgeons. 2012 , 157, 723-31	44
214	2012 ACCF/AHA/ACP/AATS/PCNA/SCAI/STS Guideline for the diagnosis and management of patients with stable ischemic heart disease: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines, and the American College of Physicians, American Association for Thoracic Surgery, Preventive Cardiovascular Nurses Association, Society for Cardiovascular Angiography and Interventions, and Society of Thoracic Surgeons. 2012 , 60, e44-e164	15.1 1138
213	Skeletal Muscle and Exercise. 2012 , 303-346	
212	An Approach to Asymptomatic and Atypically or Typically Symptomatic Women with Cardiac Disease. 2012 , 1, 157-163	1
211	Independent association of left atrial function with exercise capacity in patients with preserved ejection fraction. 2012 , 98, 1311-7	73
210	Late gadolinium enhancement cardiovascular magnetic resonance predicts clinical worsening in patients with pulmonary hypertension. 2012 , 14, 11	152
209	Exercise training in chronic kidney disease patients. 2012 , 42, 473-88	35
208	Safety and feasibility of regadenoson use for suboptimal heart rate response during symptom-limited standard Bruce exercise stress test. 2012 , 19, 970-8	21
207	Recommendations for physical activity, recreation sport, and exercise training in paediatric patients with congenital heart disease: a report from the Exercise, Basic & Translational Research Section of the European Association of Cardiovascular Prevention and Rehabilitation, the European Congenital Heart and Lung Exercise Group, and the Association for European Paediatric Cardiology. 2012 , 2012, 542402	150
206	Determination of Best Criteria to Determine Final and Initial Speeds within Ramp Exercise Testing Protocols. 2012 , 2012, 542402	32
205	Exercise tolerance in asymptomatic patients with moderate-severe valvular heart disease and preserved ejection fraction. 2012 , 8, 1018-26	9
204	Preoperative risk assessment of vascular surgery patients. 10-21	
203	Physical Activity. 2012 , 56-58	
202	Myocardial ischemia in women: lessons from the NHLBI WISE study. 2012 , 35, 141-8	104
201	A prospective model of care for breast cancer rehabilitation: function. 2012 , 118, 2300-11	63
200	[Prevention by physical activity. The relevance of physical fitness]. 2012 , 53, 663-70	4
199	[Cardiovascular disease prevention and life style modifications]. 2012 , 61, 93-8	3
198	An update on exercise stress testing. 2012 , 37, 177-202	28

197	Selecting the best noninvasive imaging test to guide treatment after an inconclusive exercise test. 2012 , 14, 8-23		4
196	Categorical analysis of the impact of aerobic and resistance exercise training, alone and in combination, on cardiorespiratory fitness levels in patients with type 2 diabetes: results from the HART-D study. 2013 , 36, 3305-12		34
195	Limitations to exercise in female centenarians: evidence that muscular efficiency tempers the impact of failing lungs. 2013 , 35, 861-70		18
194	Environmental exposure to combustion-derived air pollution is associated with reduced functional capacity in apparently healthy individuals. 2013 , 102, 583-91		5
193	Exercise therapy as treatment for cardiovascular and oncologic disease after a diagnosis of early-stage cancer. 2013 , 40, 218-28		33
192	Peak oxygen consumption and prognosis in heart failure: 14 mL/kg/min is not a "gender-neutral" reference. 2013 , 167, 157-61		20
191	A risk score for predicting coronary artery disease in women with angina pectoris and abnormal stress test finding. <i>American Journal of Cardiology</i> , 2013 , 111, 781-5	3	4
190	Ischaemic heart disease in the ageing woman. 2013 , 27, 689-97		4
189	Physical activity and other health behaviors in adults with hypertrophic cardiomyopathy. <i>American Journal of Cardiology</i> , 2013 , 111, 1034-9	3	52
188	Impact of fitness versus obesity on routinely measured cardiometabolic risk in young, healthy adults. <i>American Journal of Cardiology</i> , 2013 , 111, 991-5	3	9
187	Benefits of intensive treadmill exercise training on cardiorespiratory function and quality of life in patients with pulmonary hypertension. 2013 , 143, 333-343		141
186	Effects of high-resistance circuit training in an elderly population. 2013 , 48, 334-40		47
185	Exercise standards for testing and training: a scientific statement from the American Heart Association. <i>Circulation</i> , 2013 , 128, 873-934	16.7	1060
184	At cancer diagnosis: a 'window of opportunity' for behavioural change towards physical activity. A randomised feasibility study in patients with colon and breast cancer. 2013 , 3, e003556		22
183	Physiological and exercise capacity improvements in women completing cardiac rehabilitation. 2013 , 33, 16-25		20
182	The quick and the dead. 2013 , 68, 799-803		2
181	Using Nomograms to Reduce Harm from Clinical Calculations. 2013 ,		4
180	Use of the exercise treadmill test for the assessment of cardiac risk markers in adults infected with HIV. 2013 , 12, 110-6		7

179 Diagnosis and Treatment of Ischemic Heart Disease in Women. **2013**, 975-989

178 Ischemic heart disease in women. **2013**, 106, 427-33

10

177 Importance of exercise capacity in predicting outcomes and determining optimal timing of surgery in significant primary mitral regurgitation. **2014**, 3, e001010

19

176 Role of noninvasive testing in the clinical evaluation of women with suspected ischemic heart disease: a consensus statement from the American Heart Association. *Circulation*, **2014**, 130, 350-79

16.7 170

175 Pre-operative co-morbidity and postoperative survival in the elderly: beyond one lunar orbit. **2014**, 69 Suppl 1, 17-25

17

174 A simple nonexercise model of cardiorespiratory fitness predicts long-term mortality. **2014**, 46, 1159-65

83

173 Cardiopulmonary exercise testing in adults with congenital heart disease. **2014**, 12, 863-72

20

172 Predicting long-term outcomes in asymptomatic or minimally symptomatic patients with HCM: back to basics. **2014**, 7, 37-9

2

171 Exercise echocardiography in asymptomatic HCM: exercise capacity, and not LV outflow tract gradient predicts long-term outcomes. **2014**, 7, 26-36

78

170 Exercise, heart rate variability, and longevity: the cocoon mystery?. *Circulation*, **2014**, 129, 2085-7

16.7 18

169 Relation of resting heart rate to risk for all-cause mortality by gender after considering exercise capacity (the Henry Ford exercise testing project). *American Journal of Cardiology*, **2014**, 114, 1701-6

3 40

168 Predicting long-term cardiovascular risk using the mayo clinic cardiovascular risk score in a referral population. *American Journal of Cardiology*, **2014**, 114, 704-10

3 2

167 Noninvasive stress testing for coronary artery disease. **2014**, 32, 387-404

7

166 Predictors of long-term outcomes in patients with significant myxomatous mitral regurgitation undergoing exercise echocardiography. *Circulation*, **2014**, 129, 1310-9

16.7 47

165 Longitudinal algorithms to estimate cardiorespiratory fitness: associations with nonfatal cardiovascular disease and disease-specific mortality. *Journal of the American College of Cardiology*, **2014**, 63, 2289-96

15.1 73

164 Effects of exercise training on outcomes in women with heart failure: analysis of HF-ACTION (Heart Failure-A Controlled Trial Investigating Outcomes of Exercise TraiNing) by sex. **2014**, 2, 180-6

31

163 Evaluation of suspected ischemic heart disease in symptomatic women. **2014**, 30, 729-37

9

162 Exercise-induced muscle vasodilatation and treadmill exercise test responses in individuals without overt heart disease. **2014**, 127, 38-44

2

161	Validation of long-term survival prediction for scheduled abdominal aortic aneurysm repair with an independent calculator using only pre-operative variables. 2015 , 70, 654-65	41
160	Osteoarthritis increases the risk of dementia: a nationwide cohort study in Taiwan. 2015 , 5, 10145	45
159	Beyond the Hospital Gates: Elucidating the Interactive Association of Social Support, Depressive Symptoms, and Physical Function with 30-Day Readmissions. 2015 , 94, 555-67	6
158	Women and Coronary Artery Disease. 2015 , 167-180	1
157	What nature used to allow to die, don't let modern habits damage after repair: preventable obesity risk in congenital heart disease. 2015 , 31, 109-11	5
156	Exercise training as therapy for heart failure: current status and future directions. 2015 , 8, 209-20	101
155	Does coronary Atherosclerosis Deserve to be Diagnosed earlyY in Diabetic patients? The DADDY-D trial. Screening diabetic patients for unknown coronary disease. 2015 , 26, 407-13	20
154	Impact of duration of mitral regurgitation on outcomes in asymptomatic patients with myxomatous mitral valve undergoing exercise stress echocardiography. 2015 , 4,	7
153	Relationships between Cardiorespiratory and Muscular Fitness with Cardiometabolic Risk in Adolescents. 2015 , 23, 227-39	20
152	Detection of coronary artery disease in postmenopausal women: the significance of integrated stress imaging tests in a 4-year prognostic study. 2015 , 104, 258-71	5
151	Does a test impact on a patient's life many years from now?. 2015 , 22, 55-6	
150	Exercise training in CKD: efficacy, adherence, and safety. 2015 , 65, 583-91	72
149	Preventive Cardiology: The Effects of Exercise. 2015 , 737-766	
148	Feasibility of Measuring Ventilatory Threshold in Adults With Stroke-Induced Hemiparesis: Implications for Exercise Prescription. 2015 , 96, 1779-84	14
147	Sex differences in the pathophysiology, treatment, and outcomes in IHD. 2015 , 17, 511	20
146	An Innovative Home-Based Cardiovascular Lifestyle Prevention Program for Women With Recent Gestational Diabetes: A Pilot Feasibility Study. 2015 , 39, 445-50	7
145	"Exercise is Medicine": curbing the burden of chronic disease and physical inactivity. 2015 , 27, NP600-5	21
144	Cardiorespiratory fitness and cardiovascular burden in chronic kidney disease. 2015 , 18, 492-7	29

143 Stable Coronary Artery Disease. **2016**, 50-85

142 Criterion validity and reliability of a smartphone delivered sub-maximal fitness test for people with type 2 diabetes. *BMC Sports Science, Medicine and Rehabilitation*, **2016**, 8, 31 2.4 13

141 Improved walking speed is associated with lower hospitalisation rates in patients in an exercise-based secondary prevention programme. **2016**, 102, 1902-1908 30

140 Combined Aerobic and Resistance Training Effects on Glucose Homeostasis, Fitness, and Other Major Health Indices: A Review of Current Guidelines. **2016**, 46, 1809-1818 24

139 Community Screening for Nonischemic Cardiomyopathy in Asymptomatic Subjects \geq 5 Years With Stage B Heart Failure. *American Journal of Cardiology*, **2016**, 117, 1959-65 3 16

138 Influence of cardiorespiratory fitness and physical activity levels on cardiometabolic risk factors during menopause transition: A MONET study. **2016**, 4, 277-82 6

137 The role of treadmill exercise testing in women. **2016**, 23, 991-996 4

136 The role of pharmacological stress testing in women. **2016**, 23, 997-1007 2

135 Predictors of Long-Term Outcomes in Asymptomatic Patients With Severe Aortic Stenosis and Preserved Left Ventricular Systolic Function Undergoing Exercise Echocardiography. **2016**, 9, 22

134 Asymptomatic Patients With Severe Aortic Stenosis Are Not All Created Equal: A Role for Stress Performance and Heart Rate Recovery During Stress Echocardiography?. **2016**, 9, 1

133 Psychosocial Variables Related to Why Women are Less Active than Men and Related Health Implications. **2016**, 9, 47-56 30

132 Optimising diagnostic accuracy with the exercise ECG: opportunities for women and men with stable ischaemic heart disease. **2016**, 8, 1-7 7

131 Primary Prevention of Atherosclerotic Cardiovascular Disease in Women. **2016**, 10, 1 15

130 Physical Activity. **2016**, 23-35

129 Clinical Management of Overweight and Obesity. **2016**, 23, 1-10 8

128 Noninvasive Stress Testing for Coronary Artery Disease. **2016**, 12, 65-82 7

127 Gender in cardiovascular diseases: impact on clinical manifestations, management, and outcomes. **2016**, 37, 24-34 333

126 Additive prognostic values of NT-proBNP and exercise stress echocardiography in asymptomatic patients with degenerative mitral regurgitation and preserved left ventricular ejection fraction. **2017**, 236, 387-392 4

125	Prognostic Value of Noninvasive Cardiovascular Testing in Patients With Stable Chest Pain: Insights From the PROMISE Trial (Prospective Multicenter Imaging Study for Evaluation of Chest Pain). <i>Circulation</i> , 2017 , 135, 2320-2332	16.7	196
124	Imaging of Heart Disease in Women. 2017 , 282, 34-53		6
123	Aerobic and resistance exercise reinforcement and discomfort tolerance predict meeting activity guidelines. 2017 , 170, 32-36		13
122	Utility of Imaging in Risk Stratification of Chest Pain in Women. 2017 , 19, 72		1
121	Role of Cardiac Imaging in Cardiovascular Diseases in Females. 2017 , 5, 1		
120	Sex differences in coronary heart disease risk factors: rename it ischaemic heart disease!. 2017 , 103, 1567-1568		9
119	Exercise-dependent regulation of the tumour microenvironment. 2017 , 17, 620-632		138
118	Prognostic value of electrocardiogram exercise testing for risk stratification in asymptomatic coronary artery disease. 2017 , 28, 664-669		3
117	A Comprehensive Review of Stress Testing in Hypertrophic Cardiomyopathy: Assessment of Functional Capacity, Identification of Prognostic Indicators, and Detection of Coronary Artery Disease. 2017 , 30, 829-844		15
116	Exercise Capacity, Heart Failure Risk, and Mortality in Older Adults: The Health ABC Study. 2017 , 52, 144-153		9
115	Application of Immersive Virtual Environment (IVE) in Occupant Energy-Use Behavior Studies Using Physiological Responses. 2017 ,		2
114	Computing in Civil Engineering 2017. 2017 ,		2
113	Quality of life in breast cancer survivors. 2017 , 63, 583-589		15
112	Feasibility of higher intensity exercise in patients with chronic kidney disease. 2018 , 58, 127-134		4
111	Gender Differences in the Pathogenesis and Management of Heart Disease. 2018 ,		1
110	Test Selection for Women with Suspected Stable Ischemic Heart Disease. 2018 , 27, 867-874		2
109	Diagn�stico y tratamiento de la cardiopat�a isqu�mica en mujeres. 2018 , 25, 84-90		
108	The prognostic significance of improvement in exercise capacity in heart failure patients who participate in cardiac rehabilitation programme. 2018 , 25, 354-361		21

107	Development and Validation of a Simple-to-Use Nomogram for Predicting 5-, 10-, and 15-Year Survival in Asymptomatic Adults Undergoing Coronary Artery Calcium Scoring. 2018 , 11, 450-458		23
106	State of Fitness: Overview of the Clinical Consequences of Low Cardiorespiratory Fitness. 2018 , 3-16		
105	Reprint of: Promoting Physical Activity and Exercise: JACC Health Promotion Series. <i>Journal of the American College of Cardiology</i> , 2018 , 72, 3053-3070	15.1	25
104	Disparities in Cardiac Care of Women: Current Data and Possible Solutions. 2018 , 20, 87		4
103	Promoting Physical Activity and Exercise: JACC Health Promotion Series. <i>Journal of the American College of Cardiology</i> , 2018 , 72, 1622-1639	15.1	217
102	Unsettled Issues and Future Directions for Research on Cardiovascular Diseases in Women. 2018 , 48, 792-812		7
101	Outcomes in Asymptomatic Severe Aortic Stenosis With Preserved Ejection Fraction Undergoing Rest and Treadmill Stress Echocardiography. 2018 , 7,		13
100	The role and outcome of cardiac rehabilitation program in patients with atrial fibrillation. 2018 , 41, 1170-1176		13
99	A 3-minute test of cardiorespiratory fitness for use in primary care clinics. 2018 , 13, e0201598		10
98	Lifestyle Interventions. 2018 , 250-269		
97	French Society of Cardiology guidelines on exercise tests (part 2): Indications for exercise tests in cardiac diseases. 2019 , 112, 56-66		11
96	The Avoiding Diabetes After Pregnancy Trial in Moms Program: Feasibility of a Diabetes Prevention Program for Women With Recent Gestational Diabetes Mellitus. 2019 , 43, 613-620		4
95	Exercise stress test in apparently healthy individuals - where to place the finish line? The Ferrari corporate wellness programme experience. 2019 , 26, 731-738		16
94	Comparison of Heart Rate Blood Pressure Product Versus Age-Predicted Maximum Heart Rate as Predictors of Cardiovascular Events During Exercise Stress Echocardiography. <i>American Journal of Cardiology</i> , 2019 , 124, 528-533	3	5
93	Characteristics and Outcomes in a Contemporary Group of Patients With Suspected Significant Mitral Stenosis Undergoing Treadmill Stress Echocardiography. 2019 , 12, e009062		4
92	Inducing incentive sensitization of exercise reinforcement among adults who do not regularly exercise-A randomized controlled trial. 2019 , 14, e0216355		3
91	The Obesity Paradox and Cardiorespiratory Fitness. 2019 , 251-263		
90	Prediction of maximal oxygen consumption using the Young Men's Christian Association-step test in Korean adults. 2019 , 119, 1245-1252		5

89	Reference Values for Cardiorespiratory Fitness in Healthy Koreans. 2019 , 8,	2
88	Clinical outcomes of discordant exercise electrocardiographic and echocardiographic findings compared with concordant findings in patients with chest pain and no history of coronary artery disease: An observational study. 2019 , 98, e17195	0
87	Case-control study of heart rate abnormalities across the breast cancer survivorship continuum. 2019 , 8, 447-454	4
86	The Duke treadmill score with bicycle ergometer: Exercise capacity is the most important predictor of cardiovascular mortality. 2019 , 26, 199-207	11
85	Exercise as a diagnostic and therapeutic tool for the prevention of cardiovascular dysfunction in breast cancer patients. 2019 , 26, 305-315	53
84	2019 ESC Guidelines for the diagnosis and management of chronic coronary syndromes. 2020 , 41, 407-477	1835
83	The Cardiovascular Stress Response as Early Life Marker of Cardiovascular Health: Applications in Population-Based Pediatric Studies-A Narrative Review. 2020 , 41, 1739-1755	2
82	Cardiovascular Biomarkers and Imaging in Older Adults: JACC Council Perspectives. <i>Journal of the American College of Cardiology</i> , 2020 , 76, 1577-1594	15.1 7
81	High Submaximal Exercise Heart Rate Impacts Exercise Intolerance in the Postural Orthostatic Tachycardia Syndrome. 2020 , 40, 195-201	2
80	Impact of Improvement in Walking Speed on Hospitalization and Mortality in Females with Cardiovascular Disease. 2020 , 9,	2
79	Sex-Based Considerations in the Evaluation of Chest Pain and Management of Obstructive Coronary Artery Disease. 2020 , 22, 39	3
78	Physical deterioration and adaptive recovery in physically inactive breast cancer patients during adjuvant chemotherapy: a randomised controlled trial. 2020 , 10, 9710	9
77	Dementia and Chronic Disease. 2020 ,	
76	Reduced exercise capacity and clinical outcomes following acute myocardial infarction. 2020 , 35, 1044-1050	6
75	Exercise Capacity, Coronary Artery Fatty Plaque, Coronary Calcium Score, and Cardiovascular Events in Subjects With Stable Coronary Artery Disease. 2020 , 9, e014919	5
74	Prognostic Value of Functional Capacity in Different Exercise Protocols. 2020 , 9, e015986	5
73	Relationship of left atrial expansion index to exercise tolerance, pretest probability of restenosis, and positive predictive value of treadmill test in coronary artery disease. 2020 , 37, 388-398	0
72	The influence of fitness on exercise blood pressure and its association with cardiac structure in adolescence. 2020 , 30, 1033-1039	3

71	Survival of the Fittest: Impact of Cardiorespiratory Fitness on Outcomes in Men and Women with Cardiovascular Disease. 2020 , 42, 385-392	4
70	Incentive sensitization for exercise reinforcement to increase exercise behaviors. 2021 , 26, 2487-2504	3
69	Coronary artery disease in women: a 2013 update. 2013 , 8, 105-12	56
68	Exercise Capacity and Risk of Death Across the Age Spectrum in 750,302 Male and Female US Veterans.	
67	Exercise, epigenetics, and aging. 2021 , 127-182	
66	Prolonged Elevation of Tricuspid Regurgitation Pressure Gradient After Exercise in Patients With Exercise-induced Pulmonary Hypertension. <i>American Journal of Cardiology</i> , 2021 , 142, 124-129	3
65	Comparing the characteristics and predicting the survival of patients with head and neck melanoma versus body melanoma: a population-based study. 2021 , 21, 420	4
64	Beneficial Effect on Exercise Tolerance of a Comprehensive Rehabilitation Program in Elderly Obese Patients Affected With Heart Disease. 2021 , 8, 652921	1
63	Cardiopulmonary exercise capacity and limitations 3 months after COVID-19 hospitalisation. 2021 , 58,	24
62	Role of Exercise Treadmill Testing in the Assessment of Coronary Microvascular Disease. 2021 , 15, 312-312	1
61	Exercise, Physical Activity and Cardiometabolic Health: Pathophysiologic Insights. 2021 ,	0
60	Associations between cardiorespiratory fitness, sex and long term mortality amongst adults undergoing exercise treadmill testing. 2021 , 342, 103-107	
59	Training und Körperfunktionen. 2021 , 91-120	
58	Cardiorespiratory Exercise Testing in Adult Cancer Patients. 2010 , 223-236	1
57	Reduced exercise capacity and clinical outcomes following acute myocardial infarction. 2020 , 35, 1044	1
56	Exercise Stress Testing. 2012 , 168-199	7
55	High-Intensity Interval Training for Adults With Chronic Stroke: A Pilot Feasibility Study. 2021 , 32, 20-29	1
54	Correlates and Determinants of Cardiorespiratory Fitness in Adults: a Systematic Review. 2019 , 5, 39	37

53	All-cause mortality and serious cardiovascular events in people with hip and knee osteoarthritis: a population based cohort study. 2014 , 9, e91286		144
52	Risk Assessment in Pulmonary Arterial Hypertension Patients: The Long and Short of it. 2018 , 16, 125-135		6
51	Predicting oxygen uptake responses during cycling at varied intensities using an artificial neural network. 2019 , 11, 60-68		6
50	The evolving role of coronary computed tomography in understanding sex differences in coronary atherosclerosis. <i>Journal of Cardiovascular Computed Tomography</i> , 2021 ,	2.8	0
49	Preventive Cardiology: The Effects of Exercise. 2007 , 2631-2648		
48	Design of Present-Day Epidemiologic Studies of Physical Activity and Health. 2008 , 100-123		
47	Coronary Heart Disease in Women. 2009 , 337-369		1
46	Belastungsuntersuchung bei Frauen. 2010 , 253-257		
45	Exercise Stress Testing in Asymptomatic Individuals and Its Relation to Subclinical Atherosclerotic Cardiovascular Disease. 2011 , 197-210		
44	Exercise Treadmill Stress Testing With and Without Imaging. 2011 , 489-502		1
43	Predictions of V O ₂ max Using Metabolic Responses in Submaximal Exercise and 1,200 m Running for Male, and the Validity of These Prediction Models. 2012 , 21, 231-242		1
42	Noninvasive Surrogates for Left Ventricular Filling Pressure in Patients with Valvular Heart Disease. 2015 , 06, 193-203		
41	Chest Pain in Women: Evaluation and Management. 2015 , 111-132		
40	Evaluation of the best environment for the six-minute walk test. <i>Fisioterapia Em Movimento</i> , 2015 , 28, 429-436	0.8	0
39	Koronare Herzkrankheit. 2016 , 169-255		
38	Impact of Co-morbidities, Physiological Status and Age on Survival. 2016 , 49-68		
37	Noninvasive Evaluation of Symptomatic Women with Suspected Coronary Artery Disease. <i>Methodist DeBakey Cardiovascular Journal</i> , 2017 , 13, 193-200	2.1	1
36	Angina and Ischemia in Women with No Obstructive Coronary Artery Disease. 2018 , 101-133		

35	A Nomogram for Prediction of Survival in Patients After Gastrectomy Within Enhanced Recovery After Surgery (ERAS): A Single-Center Retrospective Study. <i>Medical Science Monitor</i> , 2020 , 26, e926347	3.2	1
34	2021 AHA/ACC/AASE/CHEST/SAEM/SCCT/SCMR Guideline for the Evaluation and Diagnosis of Chest Pain: Executive Summary: A Report of the American College of Cardiology/American Heart Association Joint Committee on Clinical Practice Guidelines. <i>Circulation</i> , 2021 , 144, e368-e454	16.7	16
33	2021 AHA/ACC/AASE/CHEST/SAEM/SCCT/SCMR Guideline for the Evaluation and Diagnosis of Chest Pain: A Report of the American College of Cardiology/American Heart Association Joint Committee on Clinical Practice Guidelines. <i>Circulation</i> , 2021 , 144, e368-e454	16.7	30
32	2021 AHA/ACC/AASE/CHEST/SAEM/SCCT/SCMR Guideline for the Evaluation and Diagnosis of Chest Pain: A Report of the American College of Cardiology/American Heart Association Joint Committee on Clinical Practice Guidelines. <i>Journal of the American College of Cardiology</i> , 2021 , 78, e187-e285	15.1	28
31	2021 AHA/ACC/AASE/CHEST/SAEM/SCCT/SCMR Guideline for the Evaluation and Diagnosis of Chest Pain: Executive Summary: A Report of the American College of Cardiology/American Heart Association Joint Committee on Clinical Practice Guidelines. <i>Journal of the American College of Cardiology</i> , 2021 , 78, 2218-2261	15.1	2
30	Nomogram to Predict the Number of Thrombectomy Device Passes for Acute Ischemic Stroke with Endovascular Thrombectomy. <i>Risk Management and Healthcare Policy</i> , 2021 , 14, 4439-4446	2.8	
29	Exercise Electrocardiographic Stress Testing. <i>Contemporary Cardiology</i> , 2021 , 365-390	0.1	
28	Is downstream cardiac testing required in patients with reduced functional capacity and otherwise negative exercise stress test? A single center observational study. <i>Cardiology Journal</i> , 2019 , 26, 753-760	1.4	1
27	Management of Musculoskeletal Pain in Older Adults with Dementia. 2020 , 127-151		
26	Stress Procedures. 2008 , 53-75		
25	Women's Cardiac Health in 2020: A Systematic Review. <i>Journal of Cardiac Critical Care TSS</i> , 2020 , 4, 104-108		
24	High-sensitivity C-reactive protein levels and treadmill exercise test responses in men and women without overt heart disease. <i>Experimental and Clinical Cardiology</i> , 2013 , 18, 124-8		3
23	Pre-treatment neutrophils count as a prognostic marker to predict chemotherapeutic response and survival outcomes in glioma: a single-center analysis of 288 cases. <i>American Journal of Translational Research (discontinued)</i> , 2020 , 12, 90-104	3	8
22	Average Exercise Capacity in Men and Women >75 Years of Age Undergoing a Bruce Protocol Exercise Stress Test. <i>American Journal of Cardiology</i> , 2021 ,	3	0
21	2021 AHA/ACC/AASE/CHEST/SAEM/SCCT/SCMR Guideline for the Evaluation and Diagnosis of Chest Pain: A Report of the American College of Cardiology/American Heart Association Joint Committee on Clinical Practice Guidelines.. <i>Journal of Cardiovascular Computed Tomography</i> , 2021 ,	2.8	6
20	mHealth Intervention to Improve Cardiometabolic Health in Rural Hispanic Adults: A Pilot Study.. <i>Journal of Cardiovascular Nursing</i> , 2022 ,	2.1	0
19	Determinants of Exercise Capacity in Patients With Hypertrophic Cardiomyopathy.. <i>Journal of Korean Medical Science</i> , 2022 , 37, e62	4.7	
18	Feasibility of a tailored home-based exercise intervention during neoadjuvant chemotherapy in breast cancer patients.. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2022 , 14, 31	2.4	0

- 17 Sex Differences in Cardiac Rehabilitation Outcomes.. *Circulation Research*, **2022**, 130, 552-565 15.7 1
- 16 The relationship between multiple perfluoroalkyl substances and cardiorespiratory fitness in male adolescents.. *Environmental Science and Pollution Research*, **2022**, 1 5.1 0
- 15 Primary Prevention and Cardiovascular Risk Assessment in Women. *Contemporary Cardiology*, **2022**, 177-197 1.7 0
- 14 Estimation of maximal oxygen consumption using the 20 m shuttle run test in Korean adults aged 19-64 years. *Science and Sports*, **2022**, 0.8 0
- 13 Sex Differences in Blood Pressure: A Measured Relook at Measures. *JAMA Network Open*, **2022**, 5, e221552 1.4 1
- 12 Functional and Metabolic Imaging in Heart Failure with Preserved Ejection Fraction: Promises, Challenges, and Clinical Utility. *Cardiovascular Drugs and Therapy*, 3.9 0
- 11 Cardiorespiratory Fitness and Mortality Risk Across the Spectra of Age, Race, and Sex. **2022**, 80, 598-609 1
- 10 The Role of MR Assessments of Cardiac Morphology, Function, and Tissue Characteristics on Exercise Capacity in Well-Functioning Older Adults.
- 9 Moderate walking speed and survival association across 23-years follow-up in female patients with cardiovascular disease. **2022**, 0
- 8 Ischemia with no obstructive coronary artery disease (INOCA): A patient self-report quality of life survey from INOCA international. **2022**, 0
- 7 Cardiopulmonary and muscular effects of different doses of high-intensity physical training in substance use disorder patients: study protocol for a block allocated controlled endurance and strength training trial in an inpatient setting. **2022**, 12, e061014 0
- 6 Bruce Treadmill Vo2peak Prediction Equations Are Inaccurate for Cancer Survivors. **2022**, 11, 132-139 0
- 5 Impaired Left Ventricular Contractile Reserve in Patients With Hypertrophic Cardiomyopathy and Abnormal Blood Pressure Response: A Stress Echocardiographic Study. **2022**, 0
- 4 Cardiorespiratory Fitness Moderates the Age-Related Association Between Executive Functioning and Mobility: Evidence from Remote Assessments. 0
- 3 One-year Aerobic Interval Training Improves Endothelial Dysfunction in Patients with Atrial Fibrillation: A Randomized Trial. **2023**, 0
- 2 Exercise Testing and Its Role in Ischemic Heart Disease. **2023**, 191-207 0
- 1 Fitness Attenuates Long-term Cardiovascular Outcomes in Women with Ischemic Heart Disease and Metabolic Syndrome. **2023**, 100498 0