

**CHR11, a chromatin-remodeling factor essential for nuclear  
gametogenesis in *Arabidopsis thaliana***

Proceedings of the National Academy of Sciences of the United States of America  
102, 17231-17236

DOI: [10.1073/pnas.0508186102](https://doi.org/10.1073/pnas.0508186102)

Citation Report

#	ARTICLE	IF	CITATIONS
1	AGL80 Is Required for Central Cell and Endosperm Development in Arabidopsis. <i>Plant Cell</i> , 2006, 18, 1862-1872.	6.6	205
2	Involvement of the Arabidopsis SWI2/SNF2 Chromatin Remodeling Gene Family in DNA Damage Response and Recombination. <i>Genetics</i> , 2006, 173, 985-994.	2.9	143
3	Impact of Core Histone Modifications on Transcriptional Regulation and Plant Growth. <i>Critical Reviews in Plant Sciences</i> , 2007, 26, 243-263.	5.7	32
4	ISWI chromatin remodeling in ovarian somatic and germ cells: revenge of the NURFs. <i>Trends in Endocrinology and Metabolism</i> , 2007, 18, 215-224.	7.1	28
5	Complex life cycles of multicellular eukaryotes: New approaches based on the use of model organisms. <i>Gene</i> , 2007, 406, 152-170.	2.2	127
6	Identification of genes expressed in the Arabidopsis female gametophyte. <i>Plant Journal</i> , 2007, 51, 281-292.	5.7	250
7	Gamete formation without meiosis in Arabidopsis. <i>Nature</i> , 2008, 451, 1121-1124.	27.8	192
8	<i>AGL23</i> , a type I MADS-box gene that controls female gametophyte and embryo development in Arabidopsis. <i>Plant Journal</i> , 2008, 54, 1037-1048.	5.7	130
9	Snf2 proteins in plants: gene silencing and beyond. <i>Trends in Plant Science</i> , 2008, 13, 557-565.	8.8	104
10	Linkage mapping of putative regulator genes of barley grain development characterized by expression profiling. <i>BMC Plant Biology</i> , 2009, 9, 4.	3.6	10
11	Bridging the generation gap: flowering plant gametophytes and animal germlines reveal unexpected similarities. <i>Biological Reviews</i> , 2009, 84, 589-615.	10.4	39
12	Chapter 5 Nuclear Actin-Related Proteins in Epigenetic Control. <i>International Review of Cell and Molecular Biology</i> , 2009, 277, 157-215.	3.2	26
13	The infective cycle of Cabbage leaf curl virus (CaLCuV) is affected by CRUMPLED LEAF (CRL) gene in Arabidopsis thaliana. <i>Virology Journal</i> , 2009, 6, 169.	3.4	7
14	Behaviors of ATP-dependent chromatin remodeling factors during maturation of bovine oocytes in vitro. <i>Molecular Reproduction and Development</i> , 2010, 77, 126-135.	2.0	7
15	The MIDASIN and NOTCHLESS genes are essential for female gametophyte development in Arabidopsis thaliana. <i>Physiology and Molecular Biology of Plants</i> , 2010, 16, 3-18.	3.1	32
16	Identification of transcription-factor genes expressed in the Arabidopsis female gametophyte. <i>BMC Plant Biology</i> , 2010, 10, 110.	3.6	60
17	Control of female gamete formation by a small RNA pathway in Arabidopsis. <i>Nature</i> , 2010, 464, 628-632.	27.8	574
18	Embryo and Endosperm Inherit Distinct Chromatin and Transcriptional States from the Female Gametes in Arabidopsis. <i>Plant Cell</i> , 2010, 22, 307-320.	6.6	160

#	ARTICLE	IF	CITATIONS
19	Inactivation of a DNA Methylation Pathway in Maize Reproductive Organs Results in Apomixis-Like Phenotypes. <i>Plant Cell</i> , 2010, 22, 3249-3267.	6.6	188
20	Development and Function of the Female Gametophyte. , 2010, , 209-224.		3
21	Fertilization in Angiosperms. , 2010, , 283-300.		1
22	Female Gametophyte Development in Flowering Plants. <i>Annual Review of Plant Biology</i> , 2010, 61, 89-108.	18.7	159
23	The Female Gametophyte. <i>The Arabidopsis Book</i> , 2011, 9, e0155.	0.5	145
24	Sexual reproduction is the default mode in apomictic <i>Hieracium</i> subgenus <i>Pilosella</i> , in which two dominant loci function to enable apomixis. <i>Plant Journal</i> , 2011, 66, 890-902.	5.7	117
25	The Nucleosome Remodeling Factor. <i>FEBS Letters</i> , 2011, 585, 3197-3207.	2.8	70
26	CYP85A1 is required for the initiation of female gametogenesis in <i>Arabidopsis thaliana</i> . <i>Plant Signaling and Behavior</i> , 2011, 6, 321-326.	2.4	37
27	Identification of genes expressed in the angiosperm female gametophyte. <i>Journal of Experimental Botany</i> , 2011, 62, 1593-1599.	4.8	17
28	RPL1, a Gene Involved in Epigenetic Processes Regulates Phenotypic Plasticity in Rice. <i>Molecular Plant</i> , 2012, 5, 482-493.	8.3	32
29	Imitation Switch chromatin remodeling factors and their interacting RINGLET proteins act together in controlling the plant vegetative phase in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2012, 72, 261-270.	5.7	69
30	Expressed sequence-tag analysis of ovaries of <i>Brachiaria brizantha</i> reveals genes associated with the early steps of embryo sac differentiation of apomictic plants. <i>Plant Cell Reports</i> , 2012, 31, 403-416.	5.6	28
31	Pleiotropic phenotypes of the salt-tolerant and cytosine hypomethylated leafless inflorescence, evergreen dwarf and irregular leaf lamina mutants of <i>Catharanthus roseus</i> possessing Mendelian inheritance. <i>Journal of Genetics</i> , 2013, 92, 369-394.	0.7	7
32	<i>SLIDE</i> , The Protein Interacting Domain of Imitation Switch Remodelers, Binds <i>DDT</i> Domain Proteins of Different Subfamilies in Chromatin Remodeling Complexes. <i>Journal of Integrative Plant Biology</i> , 2013, 55, 928-937.	8.5	22
33	Ribosomal Protein RPL27a Promotes Female Gametophyte Development in a Dose-Dependent Manner. <i>Plant Physiology</i> , 2014, 165, 1133-1143.	4.8	34
34	Remodelling chromatin to shape development of plants. <i>Experimental Cell Research</i> , 2014, 321, 40-46.	2.6	50
35	ISWI proteins participate in the genome-wide nucleosome distribution in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2014, 78, 706-714.	5.7	89
36	Epigenetic role for the conserved Fe-S cluster biogenesis protein AtDRE2 in <i>Arabidopsis thaliana</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 13565-13570.	7.1	32

#	ARTICLE	IF	CITATIONS
37	Plastidial NAD-Dependent Malate Dehydrogenase Is Critical for Embryo Development and Heterotrophic Metabolism in Arabidopsis. <i>Plant Physiology</i> , 2014, 164, 1175-1190.	4.8	78
38	Roles and activities of chromatin remodeling <sc>ATP</sc>ases in plants. <i>Plant Journal</i> , 2015, 83, 62-77.	5.7	126
39	The chromatin remodeling factor At<sc>INO</sc>80 plays crucial roles in genome stability maintenance and in plant development. <i>Plant Journal</i> , 2015, 82, 655-668.	5.7	57
40	Chromatin dynamics during cellular differentiation in the female reproductive lineage of flowering plants. <i>Plant Journal</i> , 2015, 83, 160-176.	5.7	43
41	The ISWI remodeler in plants: protein complexes, biochemical functions, and developmental roles. <i>Chromosoma</i> , 2017, 126, 365-373.	2.2	18
42	Epigenetic Reprogramming During Plant Reproduction. <i>RNA Technologies</i> , 2017, , 405-425.	0.3	1
44	Chromatin Remodeling and Plant Immunity. <i>Advances in Protein Chemistry and Structural Biology</i> , 2017, 106, 243-260.	2.3	13
45	Genome-Wide Analysis of DNA Methylation During Ovule Development of Female-Sterile Rice <i>G3: Genes, Genomes, Genetics</i>, 2017, 7, 3621-3635.	1.8	13
46	Chromatin remodeling factor OsINO80 is involved in regulation of gibberellin biosynthesis and is crucial for rice plant growth and development. <i>Journal of Integrative Plant Biology</i> , 2018, 60, 144-159.	8.5	30
48	Chromatin-mediated feed-forward auxin biosynthesis in floral meristem determinacy. <i>Nature Communications</i> , 2018, 9, 5290.	12.8	73
49	Dynamics of the Pollen Sequestrome Defined by Subcellular Coupled Omics. <i>Plant Physiology</i> , 2018, 178, 258-282.	4.8	23
50	Novel Insights Into the Early Stages of Ratoon Stunting Disease of Sugarcane Inferred from Transcript and Protein Analysis. <i>Phytopathology</i> , 2018, 108, 1455-1466.	2.2	25
51	The Roles of Plant Hormones and Their Interactions with Regulatory Genes in Determining Meristem Activity. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4065.	4.1	67
52	REM34 and REM35 Control Female and Male Gametophyte Development in <i>Arabidopsis thaliana</i> . <i>Frontiers in Plant Science</i> , 2019, 10, 1351.	3.6	19
53	Epigenetic Mechanisms of Abiotic Stress Response and Memory in Plants. , 2019, , 1-64.		24
54	Did apomixis evolve from sex or was it the other way around?. <i>Journal of Experimental Botany</i> , 2019, 70, 2951-2964.	4.8	61
55	Organellar carbon metabolism is coordinated with distinct developmental phases of secondary xylem. <i>New Phytologist</i> , 2019, 222, 1832-1845.	7.3	11
56	Development and function of the flowering plant female gametophyte. <i>Current Topics in Developmental Biology</i> , 2019, 131, 401-434.	2.2	38

#	ARTICLE	IF	CITATIONS
57	Identification and characterization of a female gametophyte defect in <i>sdk1-7 +/- abi3-6 +/-</i> heterozygotes of <i>Arabidopsis thaliana</i> . <i>Plant Signaling and Behavior</i> , 2020, 15, 1780038.	2.4	1
58	Asynchrony of ovule primordia initiation in <i>Arabidopsis</i> . <i>Development (Cambridge)</i> , 2020, 147, .	2.5	25
59	Dual Recognition of H3K4me3 and DNA by the ISWI Component ARID5 Regulates the Floral Transition in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2020, 32, 2178-2195.	6.6	34
60	FHA2 is a plant-specific ISWI subunit responsible for stamen development and plant fertility. <i>Journal of Integrative Plant Biology</i> , 2020, 62, 1703-1716.	8.5	9
61	A plant-specific SWR1 chromatin remodeling complex couples histone H2A.Z deposition with nucleosome sliding. <i>EMBO Journal</i> , 2020, 39, e102008.	7.8	57
62	Occurrence of Apomixis in <i>Eleusine coracana</i> . <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2020, 265, 151575.	1.2	0
63	Gene Function Rather than Reproductive Mode Drives the Evolution of RNA Helicases in Sexual and Apomictic <i>Boechera</i> . <i>Genome Biology and Evolution</i> , 2020, 12, 656-673.	2.5	7
64	CHR721, interacting with OsRPA1a, is essential for both male and female reproductive development in rice. <i>Plant Molecular Biology</i> , 2020, 103, 473-487.	3.9	5
65	Heat memory in plants: histone modifications, nucleosome positioning and miRNA accumulation alter heat memory gene expression. <i>Genes and Genetic Systems</i> , 2021, 96, 229-235.	0.7	10
66	The chromatin remodeling complex imitation of switch controls stamen filament elongation by promoting jasmonic acid biosynthesis in <i>Arabidopsis</i> . <i>Journal of Genetics and Genomics</i> , 2021, 48, 123-133.	3.9	11
67	Immunity onset alters plant chromatin and utilizes EDA16 to regulate oxidative homeostasis. <i>PLoS Pathogens</i> , 2021, 17, e1009572.	4.7	10
68	One factor, many systems: the floral homeotic protein AGAMOUS and its epigenetic regulatory mechanisms. <i>Current Opinion in Plant Biology</i> , 2021, 61, 102009.	7.1	33
69	Deciphering the role of helicases and translocases: A multifunctional gene family safeguarding plants from diverse environmental adversities. <i>Current Plant Biology</i> , 2021, 26, 100204.	4.7	9
70	The Ins and Outs of Ovule Development. , 0, , 70-106.		3
71	The Maize Megagametophyte. , 2009, , 79-104.		15
73	The Autonomous Pathways for Floral Inhibition and Induction. , 2007, , 35-42.		1
74	Do Pollinators Discriminate between Different Floral Forms?. , 2007, , 181-191.		2
75	The Vernalization Pathway of Floral Induction and the Role of Gibberellin. , 2007, , 52-58.		0

#	ARTICLE	IF	CITATIONS
76	Historical Interpretations of Flower Induction and Flower Development. , 2007, , 10-20.		0
77	Enhancing Flower Colour. , 2007, , 158-168.		0
78	Changes at the Shoot Apical Meristem in Response to Floral Induction. , 2007, , 71-82.		0
79	Flower Induction in <i>Arabidopsis thaliana</i> . , 2007, , 25-34.		0
80	The Photoperiodic Pathway of Floral Induction. , 2007, , 43-51.		0
81	Are Flowers under Selective Pressure to Increase Pollinator Attention?. , 2007, , 171-180.		0
82	Integrating the <i>Arabidopsis thaliana</i> Flower Induction Pathways and Assessing the Extent to Which the Model Is Ubiquitous. , 2007, , 59-68.		0
84	Preventing Self-fertilization. , 2007, , 111-122.		0
85	Function and Development of Gametophytes. , 2007, , 103-110.		0
86	Colouring the Flower. , 2007, , 147-157.		0
87	Why Are Flowers Different? Pollination Syndromesâ€”The Theory. , 2007, , 127-137.		0
88	The ABC Model in Evolution. , 2007, , 95-102.		0
89	Pollination Syndromesâ€”The Evidence. , 2007, , 192-200.		0
90	Development of the Floral Organs. , 2007, , 83-94.		0
91	The Evolution of Flowers. , 2007, , 3-9.		0
92	Changing Floral Shape and Structure. , 2007, , 138-146.		0
93	ISWI chromatin remodeling factors repress PAD4-mediated plant immune responses in <i>Arabidopsis</i> . <i>Biochemical and Biophysical Research Communications</i> , 2021, 583, 63-70.	2.1	5
94	RNAi Technology: a Tool for Functional Validation of Novel Genes. , 2007, , 133-144.		1

#	ARTICLE	IF	CITATIONS
95	Epigenetic Modifications in Plant Development and Reproduction. <i>Epigenomes</i> , 2021, 5, 25.	1.8	11
96	The MSI1 member OsRBAP1 gene, identified by a modified MutMap method, is required for rice height and spikelet fertility. <i>Plant Science</i> , 2022, 320, 111201.	3.6	1
97	Chromatin remodeling complexes: Conserved and plant-specific subunits in <i>Arabidopsis</i> . <i>Journal of Integrative Plant Biology</i> , 2022, 64, 499-515.	8.5	36
102	Spatiotemporal formation of the large vacuole regulated by the BIN2-VLG module is required for female gametophyte development in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2023, 35, 1241-1258.	6.6	5
103	Molecular mapping of genomic regions and identification of possible candidate genes associated with gynoeious sex expression in bitter melon. <i>Frontiers in Plant Science</i> , 0, 14, .	3.6	2
105	Resistant cumin cultivar, GC-4 counters <i>Fusarium oxysporum</i> f. sp. <i>cumini</i> infection through up-regulation of steroid biosynthesis, limonene and pinene degradation and butanoate metabolism pathways. <i>Frontiers in Plant Science</i> , 0, 14, .	3.6	0
106	Genome-wide association analysis to identify genomic regions and predict candidate genes for bunch traits in grapes ( <i>Vitis vinifera</i> L.). <i>Scientia Horticulturae</i> , 2024, 328, 112882.	3.6	0
107	Differential expression and evolutionary diversification of RNA helicases in <i>Boechera</i> sexual and apomictic reproduction. <i>Journal of Experimental Botany</i> , 2024, 75, 2451-2469.	4.8	0