

Toll-like receptor 4 gene polymorphisms and susceptibility

Annals of the Rheumatic Diseases

64, 767-769

DOI: [10.1136/ard.2004.026930](https://doi.org/10.1136/ard.2004.026930)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Toll-like receptors and rheumatoid arthritis: is there a connection?. , 2006, , 19-40.		2
2	Genomic progress in pediatric arthritis: recent work and future goals. Current Opinion in Rheumatology, 2006, 18, 482-489.	2.0	12
3	Toll-like receptors: a new target in rheumatoid arthritis?. Expert Review of Clinical Immunology, 2006, 2, 585-599.	1.3	21
4	Assessment of the toll-like receptor 4 Asp299Gly, Thr399Ile and interleukin-8 -251 polymorphisms in the risk for the development of distal gastric cancer. BMC Cancer, 2007, 7, 70.	1.1	105
5	TLR4 haplotypes in multiple sclerosis: A case-control study in the Spanish population. Journal of Neuroimmunology, 2007, 192, 215-218.	1.1	13
6	A comprehensive review of the genetics of juvenile idiopathic arthritis. Pediatric Rheumatology, 2008, 6, 11.	0.9	119
7	A TLR2 polymorphism is associated with type 1 diabetes and allergic asthma. Genes and Immunity, 2009, 10, 181-187.	2.2	57
8	Targeting Toll-like Receptors in Autoimmunity. Current Drug Targets, 2009, 10, 1139-1155.	1.0	38
9	Toll-like receptor 4 signaling in liver injury and hepatic fibrogenesis. Fibrogenesis and Tissue Repair, 2010, 3, 21.	3.4	232
10	The role of Toll-like receptors in chronic inflammation. International Journal of Biochemistry and Cell Biology, 2010, 42, 506-518.	1.2	207
11	Quadruple-allele dipstick test for simultaneous visual genotyping of A896G (Asp299Gly) and C1196T (Thr399Ile) polymorphisms in the toll-like receptor-4 gene. Clinica Chimica Acta, 2011, 412, 1968-1972.	0.5	9
12	Lack of association of single nucleotide polymorphisms in toll-like receptors 2 and 4 with enthesitis-related arthritis category of juvenile idiopathic arthritis in Indian population. Rheumatology International, 2013, 33, 417-421.	1.5	11
13	Association of TLR2 Gene Polymorphisms With Ocular Behçet's Disease in a Chinese Han Population. , 2013, 54, 8384.		39
15	The relationship between SNPs in the genes of TLR signal transduction pathway downstream elements and rheumatoid arthritis susceptibility. Cytology and Genetics, 2014, 48, 155-159.	0.2	3
16	TLR4 polymorphisms associated with developing gastric pre-cancer lesions in a Chinese Han population. Human Immunology, 2014, 75, 176-181.	1.2	13
17	Single nucleotide polymorphism of toll-like receptor 4 (TLR4) is associated with juvenile spondyloarthritis in Croatian population. Clinical Rheumatology, 2015, 34, 2079-2086.	1.0	10
18	C-reactive protein gene and Toll-like receptor 4 gene polymorphisms can relate to the development of psoriatic arthritis. Clinical Rheumatology, 2015, 34, 301-306.	1.0	12
19	TLR4 rs41426344 increases susceptibility of rheumatoid arthritis (RA) and juvenile idiopathic arthritis (JIA) in a central south Chinese Han population. Pediatric Rheumatology, 2017, 15, 12.	0.9	21

#	ARTICLE	IF	CITATIONS
20	Roles of Interactions Between Toll-Like Receptors and Their Endogenous Ligands in the Pathogenesis of Systemic Juvenile Idiopathic Arthritis and Adult-Onset Still's Disease. <i>Frontiers in Immunology</i> , 2020, 11, 583513.	2.2	20
21	Monocyte response receptors in BCG driven delayed type hypersensitivity to tuberculin.. <i>Folia Histochemica Et Cytobiologica</i> , 2008, 46, 353-9.	0.6	8
23	The role of <scp>S100A12</scp> and <scp>Toll-like receptor 4</scp> in assessment of disease activity in familial Mediterranean fever and juvenile idiopathic arthritis. <i>International Journal of Rheumatic Diseases</i> , 0, , .	0.9	0