CITATION REPORT List of articles citing

Oxidative stress and antioxidant treatment in hypertension and the associated renal damage

DOI: 10.1159/000086411 American Journal of Nephrology, 2005, 25, 311-7.

Source: https://exaly.com/paper-pdf/39072073/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
136	Bibliography. Current world literature. Renal immunology and pathology. 2006 , 15, 321-7		
135	Current World Literature. 2006, 15, 537-559		
134	Atorvastatin prevented and partially reversed adrenocorticotropic hormone-induced hypertension in the rat. 2006 , 33, 369-73		3
133	Superoxide stimulates NaCl absorption in the thick ascending limb via activation of protein kinase C. <i>Hypertension</i> , 2006 , 48, 467-72	8.5	71
132	Renal NF-kappaB activation and TNF-alpha upregulation correlate with salt-sensitive hypertension in Dahl salt-sensitive rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2006 , 291, R1817-24	3.2	50
131	Mycophenolate mofetil treatment improves hypertension in patients with psoriasis and rheumatoid arthritis. 2006 , 17, S218-25		164
130	Dialysis membrane-induced oxidative stress: role of heme oxygenase-1. 2007 , 105, e24-32		4
129	Protective effect of potassium against the hypertensive cardiac dysfunction: association with reactive oxygen species reduction. <i>Hypertension</i> , 2006 , 48, 225-31	8.5	64
128	Reactive oxygen species and the regulation of renal Na+-K+-ATPase in opossum kidney cells. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2007 , 293, R1764-7	0 ^{3.2}	19
127	Inflammation and salt sensitivity in the early state of hypertension. 2007, 30, 105-7		2
126	Candidate genes that determine response to salt in the stroke-prone spontaneously hypertensive rat: congenic analysis. <i>Hypertension</i> , 2007 , 50, 1134-41	8.5	41
125	Spontaneous leukocyte activation and oxygen-free radical generation in end-stage renal disease. 2007 , 71, 167-72		90
124	Antihypertensive and antioxidant action of amlodipine and vitamin C in patients of essential hypertension. 2007 , 40, 141-7		36
123	Nitric Oxide. 2007 , 325-336		1
122	Metabolic syndrome and mitochondrial function: molecular replacement and antioxidant supplements to prevent membrane peroxidation and restore mitochondrial function. 2007 , 100, 1352-	69	85
121	Nitric oxide and superoxide interactions in the kidney and their implication in the development of salt-sensitive hypertension. 2007 , 34, 946-52		73
120	Reactive Oxygen Species, Oxidative Stress, and Vascular Biology in Hypertension. 2007 , 337-347		9

(2009-2007)

119	Ablation of the gene encoding p66Shc protects mice against AGE-induced glomerulopathy by preventing oxidant-dependent tissue injury and further AGE accumulation. 2007 , 50, 1997-2007		56
118	ABCB1 (P-glycoprotein) but not ABCC1 (MRP1) is downregulated in peripheral blood mononuclear cells of spontaneously hypertensive rats. 2008 , 456, 359-68		9
117	Kidney damage after renal ablation is worsened in endothelial nitric oxide synthase -/- mice and improved by combined administration of L-arginine and antioxidants. 2008 , 13, 218-27		25
116	Benidipine, an anti-hypertensive drug, inhibits reactive oxygen species production in polymorphonuclear leukocytes and oxidative stress in salt-loaded stroke-prone spontaneously hypertensive rats. 2008 , 580, 201-13		16
115	Long-term High Salt Diet Causes Hypertension and Decreases Renal Expression of Vascular Endothelial Growth Factor in Sprague-Dawley Rats. 2008 , 2, 275-85		33
114	Redox control of renal function and hypertension. 2008 , 10, 2047-89		127
113	Angiotensin II-dependent hypertension increases Na transport-related oxygen consumption by the thick ascending limb. <i>Hypertension</i> , 2008 , 52, 1091-8	8.5	43
112	Salutary effect of kallistatin in salt-induced renal injury, inflammation, and fibrosis via antioxidative stress. <i>Hypertension</i> , 2008 , 51, 1358-65	8.5	72
111	Blood pressure follows the kidney: Perinatal influences on hereditary hypertension. 2008, 4, 153-7		6
110	Kidney fibrosis in hypertensive rats: role of oxidative stress. <i>American Journal of Nephrology</i> , 2008 , 28, 548-54	4.6	53
109	Chemistry and antihypertensive effects of tempol and other nitroxides. 2008, 60, 418-69		285
108	Melatonin ameliorates oxidative stress, inflammation, proteinuria, and progression of renal damage in rats with renal mass reduction. 2008 , 294, F336-44		73
107	Hepatocyte nuclear factor 1 and hypertensive nephropathy. <i>Hypertension</i> , 2008 , 51, 1583-9	8.5	7
106	Oxidative stress causes renal dopamine D1 receptor dysfunction and salt-sensitive hypertension in Sprague-Dawley rats. <i>Hypertension</i> , 2008 , 51, 367-75	8.5	48
105	Inhibition of natriuretic factors increases blood pressure in rats. 2009 , 297, F397-402		11
104	Reactive oxygen species/oxidative stress contributes to progression of kidney fibrosis following transient ischemic injury in mice. 2009 , 297, F461-70		162
103	Characterization of a rat model of moderate chronic renal failurefocus on hematological, biochemical, and cardio-renal profiles. 2009 , 31, 833-42		8
102	Reduction of oxidative stress does not attenuate the development of angiotensin II-dependent hypertension in Ren-2 transgenic rats. 2009 , 51, 175-81		15

101	A multi-component model of the dynamics of salt-induced hypertension in Dahl-S rats. 2009 , 9, 20		4
100	Alpha/beta hydrolase 1 is upregulated in D5 dopamine receptor knockout mice and reduces O2-production of NADPH oxidase. 2009 , 379, 81-5		12
99	Serine protease inhibitor aprotinin ameliorates renal injury in a rat model of ischemia-perfusion injury. 2009 , 41, 1512-6		4
98	Niacin ameliorates oxidative stress, inflammation, proteinuria, and hypertension in rats with chronic renal failure. 2009 , 297, F106-13		80
97	The pathophysiology of hypertension in systemic lupus erythematosus. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2009 , 296, R1258-67	3.2	55
96	Glutathione system in young spontaneously hypertensive rats. 2010 , 66, 321-7		24
95	Losartan improved respiratory function and coenzyme Q content in brain mitochondria of young spontaneously hypertensive rats. 2010 , 30, 751-8		17
94	Protection of podocytes from hyperhomocysteinemia-induced injury by deletion of the gp91phox gene. 2010 , 48, 1109-17		40
93	Effect of dietary selenium on the progression of heart failure in the ageing spontaneously hypertensive rat. 2010 , 54, 1436-44		30
92	Tumor necrosis factor-alpha antagonist etanercept decreases blood pressure and protects the kidney in a mouse model of systemic lupus erythematosus. <i>Hypertension</i> , 2010 , 56, 643-9	8.5	119
91	Angiotensin II stimulates thick ascending limb superoxide production via protein kinase C(I) dependent NADPH oxidase activation. 2010 , 285, 21323-8		32
91 90			329
	C(I) dependent NADPH oxidase activation. 2010, 285, 21323-8 Contribution of impaired Nrf2-Keap1 pathway to oxidative stress and inflammation in chronic renal	3.2	
90	C(I-dependent NADPH oxidase activation. 2010, 285, 21323-8 Contribution of impaired Nrf2-Keap1 pathway to oxidative stress and inflammation in chronic renal failure. 2010, 298, F662-71 NOX2 is the primary source of angiotensin II-induced superoxide in the macula densa. American	3.2	329
90	Contribution of impaired Nrf2-Keap1 pathway to oxidative stress and inflammation in chronic renal failure. 2010, 298, F662-71 NOX2 is the primary source of angiotensin II-induced superoxide in the macula densa. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2010, 298, R707-12 Reactive oxygen species differently regulate renal tubular epithelial and interstitial cell	3.2	329
90 89 88	Contribution of impaired Nrf2-Keap1 pathway to oxidative stress and inflammation in chronic renal failure. 2010, 298, F662-71 NOX2 is the primary source of angiotensin II-induced superoxide in the macula densa. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2010, 298, R707-12 Reactive oxygen species differently regulate renal tubular epithelial and interstitial cell proliferation after ischemia and reperfusion injury. 2010, 298, F1118-29 From aldosteronism to oxidative stress: the role of excessive intracellular calcium accumulation.	3.2	329 33 41
90 89 88 87	Contribution of impaired Nrf2-Keap1 pathway to oxidative stress and inflammation in chronic renal failure. 2010, 298, F662-71 NOX2 is the primary source of angiotensin II-induced superoxide in the macula densa. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2010, 298, R707-12 Reactive oxygen species differently regulate renal tubular epithelial and interstitial cell proliferation after ischemia and reperfusion injury. 2010, 298, F1118-29 From aldosteronism to oxidative stress: the role of excessive intracellular calcium accumulation. 2010, 33, 1091-101	3.2	329 33 41 32

(2013-2010)

83	Mechanical strain-induced RhoA activation requires NADPH oxidase-mediated ROS generation in caveolae. 2010 , 13, 959-73	47
82	Antroquinonol reduces oxidative stress by enhancing the Nrf2 signaling pathway and inhibits inflammation and sclerosis in focal segmental glomerulosclerosis mice. 2011 , 50, 1503-16	64
81	Renal preservation effect of ubiquinol, the reduced form of coenzyme Q10. 2011 , 15, 30-3	26
80	Proteomics in investigation of protein nitration in kidney disease: technical challenges and perspectives from the spontaneously hypertensive rat. 2011 , 30, 121-41	10
79	Investigation of the oxidative effect of chronic hyperammonemia on the kidney and the possible protective effect of allopurinol. 2011 , 33, 61-5	4
78	Mineralocorticoid receptor-mediated DNA damage in kidneys of DOCA-salt hypertensive rats. 2011 , 25, 968-78	56
77	Aldosterone stimulates superoxide production in macula densa cells. 2011 , 301, F529-35	23
76	Angiotensin II stimulates superoxide production in the thick ascending limb by activating NOX4. 2012 , 303, C781-9	38
75	Downregulation of the renal and hepatic hydrogen sulfide (H2S)-producing enzymes and capacity in chronic kidney disease. 2012 , 27, 498-504	100
74	Amino acid and vitamin supplementation improved health conditions in elderly participants. 2012 , 50, 162-8	6
73	Erratum. 2012 , 44, 854-858	
7 2	Reactive Oxygen Species and the Cardiovascular System. 2012 , 4, 1-102	2
71	Oxidative stress, Noxs, and hypertension: experimental evidence and clinical controversies. 2012 , 44 Suppl 1, S2-16	129
70	Determinants of kidney oxygen consumption and their relationship to tissue oxygen tension in diabetes and hypertension. 2013 , 40, 123-37	159
69	Parathyroid hormone, a crucial mediator of pathologic cardiac remodeling in aldosteronism. 2013 , 27, 161-70	35
68	Effects of a hot-water extract of porcini (Boletus aestivalis) mushrooms on the blood pressure and heart rate of spontaneously hypertensive rats. 2013 , 77, 1769-72	11
67	The renoprotective effect of L-carnitine in hypertensive rats is mediated by modulation of oxidative stress-related gene expression. 2013 , 52, 1649-59	32
	Oxidative Stress-related gene expression. 2013, 32, 1049-39	

65	Real-time electrochemical detection of ATP and HDTelease in freshly isolated kidneys. 2013, 305, F134-41	29
64	Introgression of Brown Norway CYP4A genes on to the Dahl salt-sensitive background restores vascular function in SS-5(BN) consomic rats. 2013 , 124, 333-42	10
63	The association of oxidative stress with hypertensive retinopathy. 2013 , 35, 16-9	13
62	Orally active epoxyeicosatrienoic acid analog attenuates kidney injury in hypertensive Dahl salt-sensitive rat. <i>Hypertension</i> , 2013 , 62, 905-13	47
61	Effect of gum arabic on oxidative stress and inflammation in adenine-induced chronic renal failure in rats. <i>PLoS ONE</i> , 2013 , 8, e55242	80
60	Effect of the antihypertensive drug enalapril on oxidative stress markers and antioxidant enzymes in kidney of spontaneously hypertensive rat. <i>Oxidative Medicine and Cellular Longevity</i> , 2014 , 2014, 608512	43
59	The effects of supraphysiological supplementation of Etarotene in spontaneously hypertensive rats (SHR and SHR-sp). 2014 , 41, 351-5	1
58	Endogenous flow-induced superoxide stimulates Na/H exchange activity via PKC in thick ascending limbs. 2014 , 307, F800-5	10
57	Paradoxical cellular effects and biological role of the multifaceted compound nordihydroguaiaretic acid. 2014 , 347, 685-97	25
56	The synthetic triterpenoid RTA dh404 (CDDO-dhTFEA) restores Nrf2 activity and attenuates oxidative stress, inflammation, and fibrosis in rats with chronic kidney disease. 2014 , 44, 570-8	60
55	The relationship between deiodinase activity and inflammatory responses under the stimulation of uremic toxins. 2014 , 12, 239	8
54	Oxidative stress in hypertension: role of the kidney. 2014 , 20, 74-101	127
53	Effects of p67phox on the mitochondrial oxidative state in the kidney of Dahl salt-sensitive rats: optical fluorescence 3-D cryoimaging. 2015 , 309, F377-82	13
52	The Na+/Ca2+ exchanger: A possible link between oxidative stress and endogenous ouabain in hypertension. 2015 , 04, 127-137	
51	Chronic kidney disease influences multiple systems: describing the relationship between oxidative stress, inflammation, kidney damage, and concomitant disease. <i>Oxidative Medicine and Cellular Longevity</i> , 2015 , 2015, 806358	96
50	High Intensity Interval Training Favourably Affects Angiotensinogen mRNA Expression and Markers of Cardiorenal Health in a Rat Model of Early-Stage Chronic Kidney Disease. <i>BioMed Research</i> 3 International, 2015 , 2015, 156584	10
49	Null mutation of the nicotinamide adenine dinucleotide phosphate-oxidase subunit p67phox protects the Dahl-S rat from salt-induced reductions in medullary blood flow and glomerular filtration rate. <i>Hypertension</i> , 2015 , 65, 561-8	24
48	Assessment of Nephroprotective Potential of Histochrome during Induced Arterial Hypertension. 2015 , 160, 223-7	8

(2018-2015)

47	The serine protease inhibitor camostat mesilate attenuates the progression of chronic kidney disease through its antioxidant effects. 2015 , 129, 223-32		9
46	Reactive oxygen species as important determinants of medullary flow, sodium excretion, and hypertension. 2015 , 308, F179-97		73
45	Regulation of blood pressure, oxidative stress and AT1R by high salt diet in mutant human dopamine D5 receptor transgenic mice. 2015 , 38, 394-9	:	16
44	Renal autoregulation in health and disease. 2015 , 95, 405-511		256
43	High intensity interval training favourably affects antioxidant and inflammation mRNA expression in early-stage chronic kidney disease. 2015 , 89, 466-72	-	15
42	The progress of inflammation and oxidative stress in patients with chronic kidney disease. 2015 , 37, 45-9	,	44
41	Management of Hypertension in Chronic Kidney Disease. 2015 , 634-645	-	1
40	Luminal flow induces NADPH oxidase 4 translocation to the nuclei of thick ascending limbs. 2016 , 4, e1272	4 9	9
39	Comparative Bioactive Properties of Bivalve Clams Against Different Disease Molecular Targets. 2016 , 40, 593-602	-	17
38	Mechanism of the anti-hypertensive property of the naturally occurring phenolic, malabaricone C in DOCA-salt rats. 2016 , 50, 111-21	;	7
37	The protective effect of a buckwheat-enriched diet on renal injury in high salt-induced hypertension in rats. 2016 , 7, 3548-54	9	9
36	Proton channels and renal hypertensive injury: a key piece of the Dahl salt-sensitive rat puzzle?. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2016 , 310, R679-90	;	7
35	Evidence of the Importance of Nox4 in Production of Hypertension in Dahl Salt-Sensitive Rats. Hypertension, 2016 , 67, 440-50		63
34	Hypotensive Activity of Ethanolic Extracts of Morinda citrifolia L. Leaves and Fruit in Dexamethasone-Induced Hypertensive Rat. <i>Journal of Evidence-Based Complementary & Alternative Medicine</i> , 2017 , 22, 107-113	;	8
33	Antihypertensive and antioxidant activity of Cassytha filiformis L.: A correlative study. <i>Asian Pacific Journal of Tropical Biomedicine</i> , 2017 , 7, 614-618		3
32	Oxidative Stress in Hemodialysis Patients: A Review of the Literature. <i>Oxidative Medicine and Cellular Longevity</i> , 2017 , 2017, 3081856		109
31	The Effects of Long-Term Chaetomellic Acid A Administration on Renal Function and Oxidative Stress in a Rat Model of Renal Mass Reduction. <i>BioMed Research International</i> , 2017 , 2017, 5125980	:	2
30	Vaccarin alleviates hypertension and nephropathy in renovascular hypertensive rats. <i>Experimental and Therapeutic Medicine</i> , 2018 , 15, 924-932	;	7

29	Antihypertensive and antioxidant effects of protocatechuic acid in deoxycorticosterone acetate-salt hypertensive rats. <i>Biomedicine and Pharmacotherapy</i> , 2018 , 100, 147-155	7.5	23
28	Tempol, a superoxide dismutase mimetic agent, reduces cisplatin-induced nephrotoxicity in rats. Drug and Chemical Toxicology, 2019 , 42, 657-664	2.3	16
27	Effects of 12-Week Supplementation of a Polyherbal Formulation in Old Adults with Prehypertension/Hypertension: A Randomized, Double-Blind, Placebo-Controlled Trial. <i>Evidence-based Complementary and Alternative Medicine</i> , 2019 , 2019, 7056872	2.3	2
26	Current Opinion for Hypertension in Renal Fibrosis. <i>Advances in Experimental Medicine and Biology</i> , 2019 , 1165, 37-47	3.6	17
25	ADHD pathogenesis in the immune, endocrine and nervous systems of juvenile and maturating SHR and WKY rats. <i>Psychopharmacology</i> , 2019 , 236, 2937-2958	4.7	24
24	In vitro effect of oxidized and reduced glutathione peptides on angiotensin converting enzyme purified from human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2019 , 1104, 190-195	3.2	9
23	Long-chain fatty dihydropyridines: Docking calcium channel studies and antihypertensive activity. <i>Life Sciences</i> , 2020 , 259, 118210	6.8	1
22	High salt-induced weakness of anti-oxidative function of natriuretic peptide receptor-C and podocyte damage in the kidneys of Dahl rats. <i>Chinese Medical Journal</i> , 2020 , 133, 1182-1191	2.9	2
21	The early effects of uninephrectomy on rat kidney metabolic state using optical imaging. <i>Journal of Biophotonics</i> , 2020 , 13, e202000089	3.1	3
20	Exercise training delays renal disorders with decreasing oxidative stress and increasing production of 20-hydroxyeicosatetraenoic acid in Dahl salt-sensitive rats. <i>Journal of Hypertension</i> , 2020 , 38, 1336-1	3 4 8	5
19	Preventive Beneficial Effect of an Aqueous Extract of Phyllanthus amarus Schum. and Thonn. (Euphorbiaceae) on DOCA-Salt-Induced Hypertension, Cardiac Hypertrophy and Dysfunction, and Endothelial Dysfunction in Rats. <i>Journal of Cardiovascular Pharmacology</i> , 2020 , 75, 573-583	3.1	О
18	Temporal Expression and Cellular Localization of PAPPA2 in the Developing Kidney of Rat. <i>Journal of Histochemistry and Cytochemistry</i> , 2020 , 68, 209-222	3.4	1
17	Vascular pathologies in chronic kidney disease: pathophysiological mechanisms and novel therapeutic approaches. <i>Journal of Molecular Medicine</i> , 2021 , 99, 335-348	5.5	15
16	Pharmacotherapy against Oxidative Stress in Chronic Kidney Disease: Promising Small Molecule Natural Products Targeting Nrf2-HO-1 Signaling. <i>Antioxidants</i> , 2021 , 10,	7.1	19
15	The Associations of Plasma Biomarkers of Inflammation With Histopathologic Lesions, Kidney Disease Progression, and Mortality-The Boston Kidney Biopsy Cohort Study. <i>Kidney International Reports</i> , 2021 , 6, 685-694	4.1	5
14	Activation of G protein-coupled estrogen receptor 1 ameliorates proximal tubular injury and proteinuria in Dahl salt-sensitive female rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2021 , 320, R297-R306	3.2	O
13	Antioxidant Properties of Alpha-Lipoic (Thioctic) Acid Treatment on Renal and Heart Parenchyma in a Rat Model of Hypertension. <i>Antioxidants</i> , 2021 , 10,	7.1	4
12	A plant-based diet and hypertension. <i>Journal of Geriatric Cardiology</i> , 2017 , 14, 327-330	1.7	13

CITATION REPORT

11	Soluble guanylate cyclase stimulation prevents fibrotic tissue remodeling and improves survival in salt-sensitive Dahl rats. <i>PLoS ONE</i> , 2011 , 6, e21853	3.7	73
10	Perinatal Na+ overload programs raised renal proximal Na+ transport and enalapril-sensitive alterations of Ang II signaling pathways during adulthood. <i>PLoS ONE</i> , 2012 , 7, e43791	3.7	10
9	Comparative Evaluation of Conventional and Novel Extracts of Stem Bark of Terminalia arjuna for Antihypertensive Activity in BSO Induced Oxidative Stress based Rat Model. <i>Current Pharmaceutical Biotechnology</i> , 2019 , 20, 157-167	2.6	2
8	ROS production is increased in the kidney but not in the brain of Dahl rats with salt hypertension elicited in adulthood. <i>Physiological Research</i> , 2015 , 64, 303-12	2.1	7
7	Cytoprotective and antioxidant effects of human lactoferrin against H2O2-induced oxidative stress in human umbilical vein endothelial cells. <i>Advanced Biomedical Research</i> , 2015 , 4, 188	1.2	15
6	Salt-Sensitive Hypertension, Renal Injury, and Renal Vasodysfunction Associated With Dahl Salt-Sensitive Rats Are Abolished in Consomic SS.BN1 Rats. <i>Journal of the American Heart Association</i> , 2021 , 10, e020261	6	1
5	Finger Millet Ethanol Extracts Prevent Hypertension by Inhibiting the Angiotensin-Converting Enzyme Level and Enhancing the Antioxidant Capacity in Spontaneously Hypertensive Rats. <i>Antioxidants</i> , 2021 , 10,	7.1	1
4	Antihypertensive and antioxidant effects of a hydroalcoholic extract obtained from aerial parts of Otostegia persica (Burm.) Boiss. <i>Research in Pharmaceutical Sciences</i> , 2015 , 10, 192-9	2.6	8
3	Oxidative Stress-Induced Hypertension of Developmental Origins: Preventive Aspects of Antioxidant Therapy <i>Antioxidants</i> , 2022 , 11,	7.1	3
2	Marginolides A-B, polyether macrolide analogues from veined octopus: anti-hypertensive leads attenuate angiotensin-converting enzyme <i>Natural Product Research</i> , 2021 , 1-13	2.3	0
1	Blood pressure and blood sugar-lowering effects of purified gambir on diabetic hypertensive Wistar Kyoto rats <i>Journal of Complementary and Integrative Medicine</i> , 2022 ,	1.5	