

CITATION REPORT

List of articles citing

Monitoring health inequalities through general practice: the Second Dutch National Survey of General Practitioners

DOI: 10.1093/eurpub/cki116
European Journal of Public Health, 2005, 15, 59-65.

Source: <https://exaly.com/paper-pdf/39079936/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
237	Measuring mental health of the Dutch population: a comparison of the GHQ-12 and the MHI-5. 2004 , 2, 23		114
236	Predictors of outcome in neck and shoulder symptoms: a cohort study in general practice. 2005 , 30, E459-70		132
235	Nutritional deficiency in Dutch primary care: data from general practice research and registration networks. 2005 , 59 Suppl 1, S187-94		5
234	Course and prognosis of knee complaints in general practice. 2005 , 53, 920-30		41
233	Patient characteristics associated with prescribing of a newly introduced drug: the case of rofecoxib. 2005 , 61, 157-9		8
232	The actual role of general practice in the Dutch health-care system. 2005 , 13, 265-269		12
231	Health-related and overall quality of life of patients with chronic hip and knee complaints in general practice. <i>Quality of Life Research</i> , 2005 , 14, 795-803	3.7	28
230	The health status of the Dutch population as assessed by the EQ-6D. <i>Quality of Life Research</i> , 2005 , 14, 655-63	3.7	136
229	The trade-off between cardiovascular and gastrointestinal effects of rofecoxib. 2005 , 14, 437-41		8
228	The trade-off between cardiovascular and gastrointestinal effects of rofecoxib. 2005 , 14, 669-669		1
227	Determinants of prescribing of second-choice antibiotics for upper and lower respiratory tract episodes in Dutch general practice. 2005 , 56, 420-2		12
226	Do herpes zoster patients receive antivirals? A Dutch National Survey in General Practice. <i>Family Practice</i> , 2005 , 22, 523-8	1.9	20
225	Course and prognosis of elbow complaints: a cohort study in general practice. 2005 , 64, 1331-6		75
224	Consultation for and identification of child and adolescent psychological problems in Dutch general practice. <i>Family Practice</i> , 2005 , 22, 498-506	1.9	39
223	Shared help seeking behaviour within families: a retrospective cohort study. 2005 , 330, 882		47
222	Help-seeking for child psychopathology: pathways to informal and professional services in the Netherlands. 2005 , 44, 1292-300		59
221	Increased risk of common infections in patients with type 1 and type 2 diabetes mellitus. 2005 , 41, 281-8		627

220	Antibiotics for acute otitis media: a meta-analysis with individual patient data. 2006 , 368, 1429-35		234
219	Gender as an independent risk factor for herpes zoster: a population-based prospective study. 2006 , 16, 692-5		88
218	Comorbidity was associated with neurologic and psychiatric diseases: a general practice-based controlled study. 2006 , 59, 1274-84		99
217	Modeling predicted that tobacco control policies targeted at lower educated will reduce the differences in life expectancy. 2006 , 59, 1002-8		4
216	Disparities in stroke preventive care in general practice did not explain socioeconomic disparities in stroke. 2006 , 59, 1285-94		11
215	Using registries in general practice to estimate countrywide morbidity in The Netherlands. 2006 , 120, 923-36		30
214	Desigualdades sociais na prevalência de doenças crônicas no Brasil, PNAD-2003. 2006 , 11, 911-926		73
213	Sexual orientation and mental and physical health status: findings from a Dutch population survey. 2006 , 96, 1119-25		141
212	Treatment of heart failure in Dutch general practice. <i>BMC Family Practice</i> , 2006 , 7, 40	2.6	26
211	Moderately overweight and obese patients in general practice: a population based survey. <i>BMC Family Practice</i> , 2006 , 7, 43	2.6	45
210	Association between skin diseases and severe bacterial infections in children: case-control study. <i>BMC Family Practice</i> , 2006 , 7, 52	2.6	1
209	Changing patterns of home visiting in general practice: an analysis of electronic medical records. <i>BMC Family Practice</i> , 2006 , 7, 58	2.6	21
208	Does the attention General Practitioners pay to their patients' mental health problems add to their workload? A cross sectional national survey. <i>BMC Family Practice</i> , 2006 , 7, 71	2.6	6
207	Increasing incidence of skin disorders in children? A comparison between 1987 and 2001. 2006 , 6, 4		38
206	Has patients' involvement in the decision-making process changed over time?. 2006 , 9, 333-42		84
205	Impetigo: incidence and treatment in Dutch general practice in 1987 and 2001--results from two national surveys. <i>British Journal of Dermatology</i> , 2006 , 154, 239-43	4	25
204	Views on respiratory tract symptoms and antibiotics of Dutch general practitioners, practice staff and patients. 2006 , 61, 342-7		8
203	Change in children's emotional and behavioural problems over a one-year period: Associations with parental problem recognition and service use. 2006 , 15, 127-31		20

202	Physical and mental health of Afghan, Iranian and Somali asylum seekers and refugees living in the Netherlands. 2006 , 41, 18-26		257
201	Obstakels op de weg naar zorg. 2006 , 27, 90-98		1
200	Verwijzing van kinderen naar de specialist: een vergelijking tussen 1987 en 2001. 2006 , 49, 502-508		4
199	Welke kinderen met otitis media acuta hebben baat bij behandeling met antibiotica?. 2006 , 49, 926-933		1
198	Do homosexual persons use health care services more frequently than heterosexual persons: findings from a Dutch population survey. 2006 , 63, 2022-30		41
197	Incidence rates and management of urinary tract infections among children in Dutch general practice: results from a nation-wide registration study. 2006 , 6, 10		12
196	Vitamin G: effects of green space on health, well-being, and social safety. 2006 , 6, 149		248
195	Linking community pharmacy dispensing data to prescribing data of general practitioners. 2006 , 6, 18		18
194	Ethnic minorities and prescription medication; concordance between self-reports and medical records. 2006 , 6, 115		17
193	Comorbidity in patients with diabetes mellitus: impact on medical health care utilization. 2006 , 6, 84		146
192	Use of health care services by ethnic minorities in The Netherlands: do patterns differ?. <i>European Journal of Public Health</i> , 2006 , 16, 388-93	2.1	74
191	Prevalence estimates of asthma or COPD from a health interview survey and from general practitioner registration: what's the difference?. <i>European Journal of Public Health</i> , 2006 , 16, 101-5	2.1	42
190	Use of health care services by Afghan, Iranian, and Somali refugees and asylum seekers living in The Netherlands. <i>European Journal of Public Health</i> , 2006 , 16, 394-9	2.1	70
189	All in the family: headaches and abdominal pain as indicators for consultation patterns in families. 2006 , 4, 506-11		15
188	Which pharmacists contribute to high-level pharmacotherapy audit meetings with general practitioners?. 2006 , 40, 1640-6		7
187	Management of upper respiratory tract infections in Dutch general practice; antibiotic prescribing rates and incidences in 1987 and 2001. <i>Family Practice</i> , 2006 , 23, 175-9	1.9	26
186	Defining the patient population: one of the problems for palliative care research. 2006 , 20, 63-8		48
185	The incidences of and consultation rate for lower extremity complaints in general practice. 2006 , 65, 809-15		29

184	Green space, urbanity, and health: how strong is the relation?. 2006 , 60, 587-92		1052
183	Symptoms in patients receiving palliative care: a study on patient-physician encounters in general practice. 2007 , 21, 417-23		35
182	The health care system of the Netherlands. 2007 , 5, 17-21		
181	Predictors of pain and/or fever at 3 to 7 days for children with acute otitis media not treated initially with antibiotics: a meta-analysis of individual patient data. 2007 , 119, 579-85		39
180	The different stages and actors involved in the process leading to the use of adolescent mental health services. 2007 , 12, 567-82		31
179	The effect of pharmacotherapy audit meetings on early new drug prescribing by general practitioners. 2007 , 41, 319-24		19
178	Physical therapy management of low back pain has changed. 2007 , 80, 492-9		10
177	Are health benefits of physical activity in natural environments used in primary care by general practitioners in The Netherlands?. 2007 , 6, 227-233		22
176	Interdisciplinary cooperation of GPs in palliative care at home: a nationwide survey in The Netherlands. <i>Scandinavian Journal of Primary Health Care</i> , 2007 , 25, 226-31	2.7	29
175	Chronic abdominal pain in children. 2007 , 334, 997-1002		49
174	The workload of general practitioners does not affect their awareness of patients' psychological problems. 2007 , 67, 93-9		34
173	Active listening in medical consultations: development of the Active Listening Observation Scale (ALOS-global). 2007 , 68, 258-64		63
172	Patients with persistent medically unexplained symptoms in general practice: characteristics and quality of care. <i>BMC Family Practice</i> , 2007 , 8, 33	2.6	84
171	Do general practitioners adhere to the guideline on infectious conjunctivitis? Results of the Second Dutch National Survey of General Practice. <i>BMC Family Practice</i> , 2007 , 8, 54	2.6	17
170	Diagnostic labelling as determinant of antibiotic prescribing for acute respiratory tract episodes in general practice. <i>BMC Family Practice</i> , 2007 , 8, 55	2.6	16
169	Recently enlisted patients in general practice use more health care resources. <i>BMC Family Practice</i> , 2007 , 8, 64	2.6	3
168	Health disparities by occupation, modified by education: a cross-sectional population study. 2007 , 7, 196		29
167	Changes in the sociodemographic composition of the lowest socioeconomic group over time, 1987-2001. 2007 , 7, 305		

166	Determinants of the range of drugs prescribed in general practice: a cross-sectional analysis. 2007 , 7, 132		21
165	Patient risk profiles and practice variation in nonadherence to antidepressants, antihypertensives and oral hypoglycemics. 2007 , 7, 51		53
164	Indications for antidepressant drug prescribing in general practice in the Netherlands. 2007 , 98, 109-15		126
163	Cerebrovascular risk factors and subsequent depression in older general practice patients. 2007 , 99, 73-81		9
162	Onverklaarde chronische klachten verdwijnen niet altijd. 2007 , 50, 85-90		1
161	Behandeling van bovensteluchtweginfecties met antibiotica in de Nederlandse huisartsenpraktijk. 2007 , 50, 240-245		
160	Verschillen in preventieve zorg door huisartsen verklaren sociaal-economische verschillen in de incidentie van CVA niet. 2007 , 50, 313-321		
159	Het carpaletunnelsyndroom: incidentie en de rol van beroepsfactoren. 2007 , 50, 776-780		
158	Prevalence and predictors of health service use among Iraqi asylum seekers in the Netherlands. 2007 , 42, 837-44		78
157	Reported incidence and treatment of dermatophytosis in children in general practice: a comparison between 1987 and 2001. 2007 , 164, 271-8		2
156	Demographic characteristics and quality of life of patients with unexplained complaints: a descriptive study in general practice. <i>Quality of Life Research</i> , 2007 , 16, 1483-9	3.7	38
155	Definiëring van de patiëntenpopulatie: een probleem bij het onderzoek naar palliatieve zorg. 2008 , 51, 85-89		
154	Interactieve medische informatie van het Huisartsen Netwerk Utrecht en de Almere Zorggroep. 2008 , 51, 90-95		5
153	Wie zijn de chronische gebruikers van maagmiddelen?. 2008 , 51, 279-282		
152	Kinderen met hoesten, keelpijn en oorpijn: wie raadpleegt de huisarts?. 2008 , 51, 663-668		
151	Defining frequent attendance in general practice. <i>BMC Family Practice</i> , 2008 , 9, 21	2.6	37
150	Raising positive expectations helps patients with minor ailments: a cross-sectional study. <i>BMC Family Practice</i> , 2008 , 9, 38	2.6	20
149	Familiarity between patient and general practitioner does not influence the content of the consultation. <i>BMC Family Practice</i> , 2008 , 9, 51	2.6	4

148	Lifestyle counseling in hypertension-related visits--analysis of video-taped general practice visits. <i>BMC Family Practice</i> , 2008 , 9, 58	2.6	27
147	General practitioners Responses to the initial presentation of medically unexplained symptoms: a quantitative analysis. 2008 , 2, 22		15
146	Antibiotics in Dutch general practice: nationwide electronic GP database and national reimbursement rates. 2008 , 17, 378-83		27
145	External validation of EPICON: a grouping system for estimating morbidity rates using electronic medical records. 2008 , 15, 770-5		16
144	Physical activity as a possible mechanism behind the relationship between green space and health: a multilevel analysis. 2008 , 8, 206		241
143	Changes in health and primary health care use of Moroccan and Turkish migrants between 2001 and 2005: a longitudinal study. 2008 , 8, 40		7
142	Prescription of respiratory medication without an asthma diagnosis in children: a population based study. 2008 , 8, 16		45
141	The effects of involving a nurse practitioner in primary care for adult patients with urinary incontinence: the PromoCon study (Promoting Continence). 2008 , 8, 84		18
140	Development of a case-based system for grouping diagnoses in general practice. 2008 , 77, 431-9		23
139	Morbidity severity classifying routine consultations from English and Dutch general practice indicated physical health status. 2008 , 61, 386-393		8
138	The costs, effects and cost-effectiveness of counteracting overweight on a population level. A scientific base for policy targets for the Dutch national plan for action. 2008 , 46, 127-32		25
137	Self-reported prevalence of warts in children and GP consultation. 2008 , 14, 34-6		4
136	Urban Rural Health Differences and the Availability of Green Space. 2008 , 15, 307-316		53
135	Antibiotics for respiratory, ear and urinary tract disorders and consistency among GPs. 2008 , 62, 587-92		34
134	Lipid-lowering treatment for all could substantially reduce the burden of macrovascular complications of diabetes patients in the Netherlands. 2008 , 15, 521-5		11
133	What factors explain the differences in morbidity estimations among general practice registration networks in the Netherlands? A first analysis. 2008 , 14 Suppl 1, 53-62		21
132	Changes in the prevalence of chronic disease and the association with disability in the older Dutch population between 1987 and 2001. 2008 , 37, 187-93		55
131	The influence of specific chronic somatic conditions on the care for co-morbid depression in general practice. 2008 , 38, 265-77		17

130	Characteristics of children consulting for cough, sore throat, or earache. <i>British Journal of General Practice</i> , 2008 , 58, 248-54	1.6	8
129	Patient anxiety in the medical encounter. 2008 , 108, 373-383		18
128	Utilization of health resources due to low back pain: survey and registered data compared. 2008 , 33, 436-44		33
127	Diagnostic inaccuracy and subject exclusions render placebo and observational studies of acute otitis media inconclusive. 2008 , 27, 958-62		23
126	What drives prescribing of asthma medication to children? A multilevel population-based study. 2009 , 7, 32-40		19
125	A clinical prediction rule for urinary tract infections in patients with type 2 diabetes mellitus in primary care. 2009 , 137, 166-72		4
124	Striking trends in the incidence of health problems in The Netherlands (2002-05). Findings from a new strategy for surveillance in general practice. <i>European Journal of Public Health</i> , 2009 , 19, 290-6	2.1	13
123	Who can afford to look to the future? The relationship between socio-economic status and proactive coping. <i>European Journal of Public Health</i> , 2009 , 19, 412-7	2.1	26
122	Duration of antidepressant drug treatment and its influence on risk of relapse/recurrence: immortal and neglected time bias. 2009 , 170, 280-5		28
121	Foot problems in children presented to the family physician: a comparison between 1987 and 2001. <i>Family Practice</i> , 2009 , 26, 174-9	1.9	18
120	Gender differences in health and health care utilisation in various ethnic groups in the Netherlands: a cross-sectional study. 2009 , 9, 109		32
119	Uptake of health services for common mental disorders by first-generation Turkish and Moroccan migrants in the Netherlands. 2009 , 9, 307		21
118	Do list size and remuneration affect GPs' decisions about how they provide consultations?. 2009 , 9, 39		12
117	Is new drug prescribing in primary care specialist induced?. 2009 , 9, 6		24
116	Social contacts as a possible mechanism behind the relation between green space and health. 2009 , 15, 586-595		594
115	Coping styles as mediator of sexual orientation-related health differences. 2009 , 38, 253-63		41
114	Does age modify the relationship between morbidity severity and physical health in English and Dutch family practice populations?. <i>Quality of Life Research</i> , 2009 , 18, 209-20	3.7	14
113	Evaluation of the psychometric properties of the SF-36 health survey for use among Turkish and Moroccan ethnic minority populations in the Netherlands. <i>Quality of Life Research</i> , 2009 , 18, 753-64	3.7	12

112	An algorithm to identify antidepressant users with a diagnosis of depression from prescription data. 2009 , 18, 7-15		28
111	Prescribing of pain medication in palliative care. A survey in general practice. 2009 , 18, 16-23		30
110	Does burnout among doctors affect their involvement in patients' mental health problems? A study of videotaped consultations. <i>BMC Family Practice</i> , 2009 , 10, 60	2.6	16
109	Upper gastrointestinal symptoms, psychosocial co-morbidity and health care seeking in general practice: population based case control study. <i>BMC Family Practice</i> , 2009 , 10, 63	2.6	11
108	Labour intensity of guidelines may have a greater effect on adherence than GPs' workload. <i>BMC Family Practice</i> , 2009 , 10, 74	2.6	15
107	Warts in primary schoolchildren: prevalence and relation with environmental factors. <i>British Journal of Dermatology</i> , 2009 , 161, 148-52	4	100
106	Management of urinary incontinence in general practice: data from the Second Dutch National Survey. 2009 , 15, 341-5		6
105	Determinants of regional differences in the incidence of impetigo. 2009 , 109, 590-3		3
104	Do decision support systems influence variation in prescription?. 2009 , 9, 20		14
103	Musculoskeletal problems in overweight and obese children. 2009 , 7, 352-6		75
102	Beliefs about the causes of health complaints: a study in primary care. 2009 , 24, 346-50		4
101	Initiation of antidepressant therapy: do patients follow the GPs' prescription?. <i>British Journal of General Practice</i> , 2009 , 59, 81-7	1.6	85
100	A review of ecotherapy as an adjunct form of treatment for those who use mental health services. 2009 , 7, 23-35		17
99	Prevention of coronary heart disease and osteoporosis in women aged 45 to 49 years: a challenging role for general practitioners. 2010 , 17, 290-4		3
98	Acute niet-traumatische heupafwijkingen bij kinderen. 2010 , 53, 529-532		1
97	De relatie tussen positieve communicatiestrategieën en het beloop van alledaagse klachten. 2010 , 53, 265-271		2
96	Recurrence of medically certified sickness absence according to diagnosis: a sickness absence register study. 2010 , 20, 113-21		46
95	Do guidelines create uniformity in medical practice?. 2010 , 70, 209-16		19

94	Green space as a buffer between stressful life events and health. 2010 , 70, 1203-10		596
93	Diagnoses and visit length in complementary and mainstream medicine. 2010 , 10, 3		20
92	Quality of care for anxiety and depression in different ethnic groups by family practitioners in urban areas in the Netherlands. 2010 , 32, 368-76		17
91	Urban-rural health differences: primary care data and self reported data render different results. 2010 , 16, 893-902		26
90	Dizziness reported by elderly patients in family practice: prevalence, incidence, and clinical characteristics. <i>BMC Family Practice</i> , 2010 , 11, 2	2.6	90
89	Childhood abdominal pain in primary care: design and patient selection of the HONEUR abdominal pain cohort. <i>BMC Family Practice</i> , 2010 , 11, 27	2.6	16
88	Low hospital admission rates for respiratory diseases in children. <i>BMC Family Practice</i> , 2010 , 11, 76	2.6	12
87	Preferences and opinions of patients with Type 2 diabetes on education and self-care: a cross-sectional survey. 2010 , 27, 85-91		12
86	Current choices in the treatment of cutaneous warts: a survey among Dutch GP. <i>Family Practice</i> , 2010 , 27, 549-53	1.9	18
85	Acute non-traumatic hip pathology in children: incidence and presentation in family practice. <i>Family Practice</i> , 2010 , 27, 166-70	1.9	25
84	Cryotherapy with liquid nitrogen versus topical salicylic acid application for cutaneous warts in primary care: randomized controlled trial. 2010 , 182, 1624-30		86
83	Risk of recurrent acute lower urinary tract infections and prescription pattern of antibiotics in women with and without diabetes in primary care. <i>Family Practice</i> , 2010 , 27, 379-85	1.9	41
82	Echte of nepatifiĳten in het medisch onderwijs?. 2010 , 53, 298-298		
81	Limited concordance between teachers, parents and healthcare professionals on the presence of chronic diseases in ID-adolescents. 2010 , 31, 1645-51		5
80	Asthma prescription patterns for children: can GPs do better?. 2011 , 17, 109-15		5
79	Huisarts of ketenzorg: wat wilde de diabetespatiĳnt?. 2011 , 54, 238-243		2
78	[Trends in social and demographic inequalities in the prevalence of chronic diseases in Brazil. PNAD: 2003- 2008]. 2011 , 16, 3755-68		98
77	Multi-parametric evaluation of sit-to-stand and stand-to-sit transitions in elderly people. 2011 , 33, 1086-93		71

76	Costs and health effects of adding functional foods containing phytosterols/-stanols to statin therapy in the prevention of cardiovascular disease. 2011 , 668 Suppl 1, S91-100		9
75	Ontwikkelingen in de huisartsgeneeskunde tussen 1987 en 2001. 2011 , 54, 60-64		2
74	Behandeling van astma bij kinderen. 2011 , 54, 436-438		
73	The effectiveness of case management for comorbid diabetes type 2 patients; the CasCo study. Design of a randomized controlled trial. <i>BMC Family Practice</i> , 2011 , 12, 68	2.6	10
72	Estimating and comparing incidence and prevalence of chronic diseases by combining GP registry data: the role of uncertainty. 2011 , 11, 163		12
71	Epidemiological burden of minor, major and fatal trauma in a national injury pyramid. 2012 , 99 Suppl 1, 114-21		47
70	Opinions of patients with type 2 diabetes about responsibility, setting targets and willingness to take medication. A cross-sectional survey. 2011 , 84, 56-61		16
69	Benchmarking the burden of 100 diseases: results of a nationwide representative survey within general practices. <i>BMJ Open</i> , 2011 , 1, e000215	3	14
68	Changes in quality of life over time--Dutch haemodialysis patients and general population compared. 2011 , 26, 1984-9		28
67	Childhood nonspecific abdominal pain in family practice: incidence, associated factors, and management. 2011 , 9, 337-43		39
66	Importance of quality aspects of GP care among ethnic minorities: role of cultural attitudes, language and healthcare system of reference. 2012 , 40, 25-34		9
65	Is a Green Residential Environment Better for Health? If So, Why?. 2012 , 102, 996-1003		69
64	Looks vestibular: irrational prescribing of antivertiginous drugs for older dizzy patients in general practice. <i>British Journal of General Practice</i> , 2012 , 62, 518-20	1.6	5
63	Perceived discrimination outside health care settings and health care utilization of Turkish and Moroccan GP patients in the Netherlands. <i>European Journal of Public Health</i> , 2012 , 22, 473-8	2.1	17
62	Interventions for ingrowing toenails. 2012 , CD001541		32
61	Detection and classification of postural transitions in real-world conditions. 2012 , 20, 688-96		42
60	Health-related behavior as a mechanism behind the relationship between neighborhood social capital and individual health--a multilevel analysis. 2012 , 12, 116		76
59	An exploration of the enablers and barriers in access to the Dutch healthcare system among Ghanaians in Amsterdam. 2012 , 12, 75		24

58	Multiple environmental burdens and neighborhood-related health of city residents. 2012 , 32, 305-317	56
57	Verschillen in patiëntenmix tussen aios en hun opleiders. 2012 , 55, 290-295	
56	Functionele buikpijn bij kinderen en psychische factoren. 2012 , 55, 393-397	4
55	MenB health: a population-based study on social inequalities. 2012 , 28, 2133-42	2
54	Evaluation of primary care midwifery in The Netherlands: design and rationale of a dynamic cohort study (DELIVER). 2012 , 12, 69	46
53	Physical, social and societal functioning of children with congenital adrenal hyperplasia (CAH) and their parents, in a Dutch population. 2012 , 2012, 2	20
52	HPV type in plantar warts influences natural course and treatment response: secondary analysis of a randomised controlled trial. 2013 , 57, 227-32	29
51	Medication assessment tool to detect care issues from routine data: a pilot study in primary care. 2013 , 35, 1063-74	9
50	Introducing a telemonitoring platform for diabetic patients in primary care: will it increase the socio-digital divide?. 2013 , 7, 119-27	8
49	Multimorbidity in older women: the negative impact of specific combinations of chronic conditions on self-rated health. 2013 , 19, 117-22	14
48	Warts transmitted in families and schools: a prospective cohort. 2013 , 131, 928-34	43
47	The use of outpatient mental health care services of migrants vis-a-vis Dutch natives: equal access?. 2013 , 59, 342-50	24
46	Natural course of cutaneous warts among primary schoolchildren: a prospective cohort study. 2013 , 11, 437-41	44
45	Using spatial analysis to predict health care use at the local level: a case study of type 2 diabetes medication use and its association with demographic change and socioeconomic status. <i>PLoS ONE</i> , 2013 , 8, e72730	3.7 24
44	Changes in the remuneration system for general practitioners: effects on contact type and consultation length. 2014 , 15, 83-91	8
43	Besmetting met wrattenvirus in gezin en schoolklas. 2014 , 57, 110-113	
42	Challenges to the surveillance of non-communicable diseases--a review of selected approaches. 2015 , 15, 1243	25
41	Prevalence and management of osteoarthritis in primary care: an epidemiologic cohort study from the Canadian Primary Care Sentinel Surveillance Network. 2015 , 3, E270-5	41

40	Monochloroacetic acid application is an effective alternative to cryotherapy for common and plantar warts in primary care: a randomized controlled trial. 2015 , 135, 1261-1267		23
39	Dietary patterns in relation to quality-adjusted life years in the EPIC-NL cohort. 2015 , 77, 119-24		16
38	UK Biobank Urban Morphometric Platform (UKBUMP) is a nationwide resource for evidence-based healthy city planning and public health interventions. 2015 , 21, 135-148		26
37	High prevalence of cutaneous warts in elementary school children and the ubiquitous presence of wart-associated human papillomavirus on clinically normal skin. <i>British Journal of Dermatology</i> , 2015 , 172, 196-201	4	37
36	Perspectives on the Role and Synergies of Architecture and Social and Built Environment in Enabling Active Healthy Aging. <i>Journal of Aging Research</i> , 2016 , 2016, 6189349	2.3	8
35	Associations between Nausea, Vomiting, Fatigue and Health-Related Quality of Life of Women in Early Pregnancy: The Generation R Study. <i>PLoS ONE</i> , 2016 , 11, e0166133	3.7	35
34	Burden of COPD in patients treated in different care settings in the Netherlands. <i>Respiratory Medicine</i> , 2016 , 118, 76-83	4.6	15
33	Associations between proximity to livestock farms, primary health care visits and self-reported symptoms. <i>BMC Family Practice</i> , 2016 , 17, 22	2.6	13
32	The impact of comorbid chronic conditions on quality of life in type 2 diabetes patients. <i>Quality of Life Research</i> , 2016 , 25, 175-82	3.7	48
31	Prevalence and correlates of mental health problems in prostate cancer survivors: A case-control study comparing survivors with general population peers. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 531.e1-531.e7	2.8	11
30	Prevalence of primary aldosteronism in primary care: a cross-sectional study. <i>British Journal of General Practice</i> , 2018 , 68, e114-e122	1.6	23
29	New episodes of musculoskeletal conditions among employed people in Norway, sickness certification and return to work: a multiregister-based cohort study from primary care. <i>BMJ Open</i> , 2018 , 8, e017543	3	4
28	Shared decision-making in general practice: an observational study comparing 2007 with 2015. <i>Family Practice</i> , 2019 , 36, 357-364	1.9	7
27	A systematic review of reasons for and against asking patients about their socioeconomic contexts. <i>International Journal for Equity in Health</i> , 2019 , 18, 112	4.6	11
26	Decision tree-based methodology to select a proper approach for wart treatment. <i>Computers in Biology and Medicine</i> , 2019 , 108, 400-409	7	13
25	Self-reported health and the social body. <i>Social Theory and Health</i> , 2020 , 1	1.7	3
24	Psychological distress, cardiometabolic diseases and musculoskeletal pain: A cross-sectional, population-based study of syndemic ill health in a Dutch fishing village. <i>Journal of Global Health</i> , 2021 , 11, 04029	4.3	3
23	Association between lifestyle factors and quality-adjusted life years in the EPIC-NL cohort. <i>PLoS ONE</i> , 2014 , 9, e111480	3.7	18

22	IMPACT OF COMORBIDITY AND SOCIOECONOMIC STATUS ON QUALITY OF LIFE IN PATIENTS WITH CHRONIC DISEASES WHO ATTEND PRIMARY HEALTH CARE CENTRES. <i>Central European Journal of Public Health</i> , 2015 , 23, 188-94	1.2	19
21	Rugklachten. 2001 , 591-616		
20	Welke kinderen met otitis media acuta hebben baat bij behandeling met antibiotica?. 2008 , 77-91		
19	Buikpijn. 2009 , 16-46		
18	A Study of Nail Disorders in Children. <i>Journal of Mycology and Infection</i> , 2014 , 19, 93-104	0.1	
17	Acupuncture Treatment for Knee Osteoarthritis, an Experience from Egypt. <i>MOJ Orthopedics & Rheumatology</i> , 2015 , 3,	2	0
16	Comparison of the Effects of Salicylic Acid Solution (40%) versus Cryotherapy for the Treatment of Extra-genital Wart. <i>Avicenna Journal of Clinical Medicine</i> , 2018 , 25, 5-11	0	
15	Relaciones entre las desigualdades sociales y la Diabetes Mellitus tipo 2. <i>Revista Gerencia Y Politicas De Salud</i> , 19, 1-21	0.3	0
14	Dutch general practitionersReferral of children to specialists: a comparison between 1987 and 2001. <i>British Journal of General Practice</i> , 2004 , 54, 848-52	1.6	7
13	The workload of GPs: consultations of patients with psychological and somatic problems compared. <i>British Journal of General Practice</i> , 2005 , 55, 609-14	1.6	33
12	Epidemiology of unintentional injuries in childhood: a population-based survey in general practice. <i>British Journal of General Practice</i> , 2005 , 55, 630-3	1.6	18
11	Changes in patientsAttitudes towards the management of minor ailments. <i>British Journal of General Practice</i> , 2005 , 55, 516-21	1.6	8
10	Mental health in the Dutch population and in general practice: 1987-2001. <i>British Journal of General Practice</i> , 2005 , 55, 770-5	1.6	23
9	Prevalence of STI related consultations in general practice: results from the second Dutch National Survey of General Practice. <i>British Journal of General Practice</i> , 2006 , 56, 104-9	1.6	12
8	Carpal tunnel syndrome in general practice (1987 and 2001): incidence and the role of occupational and non-occupational factors. <i>British Journal of General Practice</i> , 2007 , 57, 36-9	1.6	83
7	Health problems of people with intellectual disabilities: the impact for general practice. <i>British Journal of General Practice</i> , 2007 , 57, 64-6	1.6	74
6	Illness behaviour and antibiotic prescription in patients with respiratory tract symptoms. <i>British Journal of General Practice</i> , 2007 , 57, 561-8	1.6	19
5	General practitionersExperiences with children and adolescents with functional gastro-intestinal disorders: a qualitative study in Norway.. <i>Scandinavian Journal of Primary Health Care</i> , 2021 , 39, 543-551	2.7	1

4	Factores predictivos de destino al alta tras una lesi3n medular. <i>Neurolog3a</i> , 2022 ,	1.4	
3	A Clinical Investigation to Evaluate the Safety and Performance of a Novel Self-Administered Treatment Kit for Ingrowing Toenail. <i>Journal of Cosmetics Dermatological Sciences and Applications</i> , 2022 , 12, 33-50	0.2	
2	Fifteen-year trajectories of multimorbidity and polypharmacy in Dutch primary care-A longitudinal analysis of age and sex patterns.. <i>PLoS ONE</i> , 2022 , 17, e0264343	3.7	o
1	Predictive factors of destination at discharge after spinal cord injury. 2023 ,		o