

CITATION REPORT

List of articles citing

Track 1: Workshop: Need for a more focused public health response to the injury epidemic

DOI: 10.1093/eurpub/cki537
European Journal of Public Health, 2005, 15, 59-60.

Source: <https://exaly.com/paper-pdf/39097844/citation-report.pdf>

Version: 2024-04-19

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
183	Predictors of outcome in neck and shoulder symptoms: a cohort study in general practice. 2005 , 30, E459-70		132
182	Course and prognosis of knee complaints in general practice. 2005 , 53, 920-30		41
181	[The actual role of general practice in the dutch health-care system. Results of the second dutch national survey of general practice]. 2005 , 100, 656-61		20
180	The trade-off between cardiovascular and gastrointestinal effects of rofecoxib. <i>Pharmacoepidemiology and Drug Safety</i> , 2005 , 14, 437-41	2.6	8
179	Determinants of prescribing of second-choice antibiotics for upper and lower respiratory tract episodes in Dutch general practice. 2005 , 56, 420-2		12
178	Do herpes zoster patients receive antivirals? A Dutch National Survey in General Practice. <i>Family Practice</i> , 2005 , 22, 523-8	1.9	20
177	Consultation for and identification of child and adolescent psychological problems in Dutch general practice. <i>Family Practice</i> , 2005 , 22, 498-506	1.9	39
176	Modeling the future burden of stroke in The Netherlands: impact of aging, smoking, and hypertension. 2005 , 36, 1648-55		68
175	Help-seeking for child psychopathology: pathways to informal and professional services in the Netherlands. 2005 , 44, 1292-300		59
174	Increased risk of common infections in patients with type 1 and type 2 diabetes mellitus. 2005 , 41, 281-8		627
173	Persistent presentation of medically unexplained symptoms in general practice. <i>Family Practice</i> , 2006 , 23, 414-20	1.9	144
172	Antibiotics for acute otitis media: a meta-analysis with individual patient data. 2006 , 368, 1429-35		234
171	Gender as an independent risk factor for herpes zoster: a population-based prospective study. 2006 , 16, 692-5		88
170	Comorbidity was associated with neurologic and psychiatric diseases: a general practice-based controlled study. 2006 , 59, 1274-84		99
169	Modeling predicted that tobacco control policies targeted at lower educated will reduce the differences in life expectancy. 2006 , 59, 1002-8		4
168	Disparities in stroke preventive care in general practice did not explain socioeconomic disparities in stroke. 2006 , 59, 1285-94		11
167	Using registries in general practice to estimate countrywide morbidity in The Netherlands. 2006 , 120, 923-36		30

166	Desigualdades sociais na prevalência de doenças crônicas no Brasil, PNAD-2003. <i>Ciencia E Saude Coletiva</i> , 2006 , 11, 911-926	2.2	73
165	Treatment of heart failure in Dutch general practice. <i>BMC Family Practice</i> , 2006 , 7, 40	2.6	26
164	Association between skin diseases and severe bacterial infections in children: case-control study. <i>BMC Family Practice</i> , 2006 , 7, 52	2.6	1
163	Increasing incidence of skin disorders in children? A comparison between 1987 and 2001. 2006 , 6, 4		38
162	Has patients' involvement in the decision-making process changed over time?. 2006 , 9, 333-42		84
161	Impetigo: incidence and treatment in Dutch general practice in 1987 and 2001--results from two national surveys. <i>British Journal of Dermatology</i> , 2006 , 154, 239-43	4	25
160	Views on respiratory tract symptoms and antibiotics of Dutch general practitioners, practice staff and patients. <i>Patient Education and Counseling</i> , 2006 , 61, 342-7	3.1	8
159	Change in children's emotional and behavioural problems over a one-year period: Associations with parental problem recognition and service use. 2006 , 15, 127-31		20
158	Physical and mental health of Afghan, Iranian and Somali asylum seekers and refugees living in the Netherlands. 2006 , 41, 18-26		257
157	Obstakels op de weg naar zorg. 2006 , 27, 90-98		1
156	Incidence rates and management of urinary tract infections among children in Dutch general practice: results from a nation-wide registration study. 2006 , 6, 10		12
155	Vitamin G: effects of green space on health, well-being, and social safety. <i>BMC Public Health</i> , 2006 , 6, 149	4.1	248
154	Linking community pharmacy dispensing data to prescribing data of general practitioners. 2006 , 6, 18		18
153	Ethnic minorities and prescription medication; concordance between self-reports and medical records. <i>BMC Health Services Research</i> , 2006 , 6, 115	2.9	17
152	Comorbidity in patients with diabetes mellitus: impact on medical health care utilization. <i>BMC Health Services Research</i> , 2006 , 6, 84	2.9	146
151	Use of health care services by ethnic minorities in The Netherlands: do patterns differ?. <i>European Journal of Public Health</i> , 2006 , 16, 388-93	2.1	74
150	Prevalence estimates of asthma or COPD from a health interview survey and from general practitioner registration: what's the difference?. <i>European Journal of Public Health</i> , 2006 , 16, 101-5	2.1	42
149	Use of health care services by Afghan, Iranian, and Somali refugees and asylum seekers living in The Netherlands. <i>European Journal of Public Health</i> , 2006 , 16, 394-9	2.1	70

148	Incidence of GP-diagnosed respiratory tract infections according to age, gender and high-risk co-morbidity: the Second Dutch National Survey of General Practice. <i>Family Practice</i> , 2006 , 23, 291-4	1.9	50
147	All in the family: headaches and abdominal pain as indicators for consultation patterns in families. <i>Annals of Family Medicine</i> , 2006 , 4, 506-11	2.9	15
146	Which pharmacists contribute to high-level pharmacotherapy audit meetings with general practitioners?. 2006 , 40, 1640-6		7
145	Management of upper respiratory tract infections in Dutch general practice; antibiotic prescribing rates and incidences in 1987 and 2001. <i>Family Practice</i> , 2006 , 23, 175-9	1.9	26
144	The incidences of and consultation rate for lower extremity complaints in general practice. 2006 , 65, 809-15		29
143	Green space, urbanity, and health: how strong is the relation?. 2006 , 60, 587-92		1052
142	Sexually transmitted infection health-care seeking behaviour in the Netherlands: general practitioner attends to the majority of sexually transmitted infection consultations. 2007 , 18, 374-9		20
141	Symptoms in patients receiving palliative care: a study on patient-physician encounters in general practice. 2007 , 21, 417-23		35
140	The health care system of the Netherlands. 2007 , 5, 17-21		
139	Predictors of pain and/or fever at 3 to 7 days for children with acute otitis media not treated initially with antibiotics: a meta-analysis of individual patient data. <i>Pediatrics</i> , 2007 , 119, 579-85	7.4	39
138	The different stages and actors involved in the process leading to the use of adolescent mental health services. 2007 , 12, 567-82		31
137	A prediction rule for elderly primary-care patients with lower respiratory tract infections. 2007 , 29, 969-75		37
136	The effect of pharmacotherapy audit meetings on early new drug prescribing by general practitioners. 2007 , 41, 319-24		19
135	Job demands, health perception and sickness absence. 2007 , 57, 499-504		15
134	Physical therapy management of low back pain has changed. 2007 , 80, 492-9		10
133	Are health benefits of physical activity in natural environments used in primary care by general practitioners in The Netherlands?. 2007 , 6, 227-233		22
132	Chronic abdominal pain in children. <i>BMJ, The</i> , 2007 , 334, 997-1002	5.9	49
131	Comorbidities associated with urinary incontinence: a case-control study from the Second Dutch National Survey of General Practice. 2007 , 20, 608-10		30

130	Active listening in medical consultations: development of the Active Listening Observation Scale (ALOS-global). <i>Patient Education and Counseling</i> , 2007 , 68, 258-64	3.1	63
129	Patients with persistent medically unexplained symptoms in general practice: characteristics and quality of care. <i>BMC Family Practice</i> , 2007 , 8, 33	2.6	84
128	Do general practitioners adhere to the guideline on infectious conjunctivitis? Results of the Second Dutch National Survey of General Practice. <i>BMC Family Practice</i> , 2007 , 8, 54	2.6	17
127	Diagnostic labelling as determinant of antibiotic prescribing for acute respiratory tract episodes in general practice. <i>BMC Family Practice</i> , 2007 , 8, 55	2.6	16
126	Recently enlisted patients in general practice use more health care resources. <i>BMC Family Practice</i> , 2007 , 8, 64	2.6	3
125	Health disparities by occupation, modified by education: a cross-sectional population study. <i>BMC Public Health</i> , 2007 , 7, 196	4.1	29
124	Changes in the sociodemographic composition of the lowest socioeconomic group over time, 1987-2001. <i>BMC Public Health</i> , 2007 , 7, 305	4.1	
123	Onverklaarde chronische klachten verdwijnen niet altijd. <i>Huisarts En Wetenschap</i> , 2007 , 50, 85-90	0.1	1
122	Behandeling van bovensteluchtweginfecties met antibiotica in de Nederlandse huisartsenpraktijk. <i>Huisarts En Wetenschap</i> , 2007 , 50, 240-245	0.1	
121	Verschillen in preventieve zorg door huisartsen verklaren sociaal-economische verschillen in de incidentie van CVA niet. <i>Huisarts En Wetenschap</i> , 2007 , 50, 313-321	0.1	
120	Het carpaletunnelsyndroom: incidentie en de rol van beroepsfactoren. <i>Huisarts En Wetenschap</i> , 2007 , 50, 776-780	0.1	
119	Prevalence and predictors of health service use among Iraqi asylum seekers in the Netherlands. 2007 , 42, 837-44		78
118	Reported incidence and treatment of dermatophytosis in children in general practice: a comparison between 1987 and 2001. 2007 , 164, 271-8		2
117	Demographic characteristics and quality of life of patients with unexplained complaints: a descriptive study in general practice. <i>Quality of Life Research</i> , 2007 , 16, 1483-9	3.7	38
116	Definiëring van de patiëntenpopulatie: een probleem bij het onderzoek naar palliatieve zorg. <i>Huisarts En Wetenschap</i> , 2008 , 51, 85-89	0.1	
115	Interactieve medische informatie van het Huisartsen Netwerk Utrecht en de Almere Zorggroep. <i>Huisarts En Wetenschap</i> , 2008 , 51, 90-95	0.1	5
114	Kinderen met hoesten, keelpijn en oorpijn: wie raadpleegt de huisarts?. <i>Huisarts En Wetenschap</i> , 2008 , 51, 663-668	0.1	
113	Defining frequent attendance in general practice. <i>BMC Family Practice</i> , 2008 , 9, 21	2.6	37

112	Raising positive expectations helps patients with minor ailments: a cross-sectional study. <i>BMC Family Practice</i> , 2008 , 9, 38	2.6	20
111	Familiarity between patient and general practitioner does not influence the content of the consultation. <i>BMC Family Practice</i> , 2008 , 9, 51	2.6	4
110	General practitioners' responses to the initial presentation of medically unexplained symptoms: a quantitative analysis. 2008 , 2, 22		15
109	Antibiotics in Dutch general practice: nationwide electronic GP database and national reimbursement rates. <i>Pharmacoepidemiology and Drug Safety</i> , 2008 , 17, 378-83	2.6	27
108	External validation of EPICON: a grouping system for estimating morbidity rates using electronic medical records. 2008 , 15, 770-5		16
107	Physical activity as a possible mechanism behind the relationship between green space and health: a multilevel analysis. <i>BMC Public Health</i> , 2008 , 8, 206	4.1	241
106	Changes in health and primary health care use of Moroccan and Turkish migrants between 2001 and 2005: a longitudinal study. <i>BMC Public Health</i> , 2008 , 8, 40	4.1	7
105	Prescription of respiratory medication without an asthma diagnosis in children: a population based study. <i>BMC Health Services Research</i> , 2008 , 8, 16	2.9	45
104	The effects of involving a nurse practitioner in primary care for adult patients with urinary incontinence: the PromoCon study (Promoting Continence). <i>BMC Health Services Research</i> , 2008 , 8, 84	2.9	18
103	Morbidity severity classifying routine consultations from English and Dutch general practice indicated physical health status. 2008 , 61, 386-393		8
102	Urban/Rural Health Differences and the Availability of Green Space. 2008 , 15, 307-316		53
101	Perceived job demands relate to self-reported health complaints. 2008 , 58, 58-63		53
100	Novel empirical disability weights to assess the burden of non-fatal injury. 2008 , 14, 5-10		30
99	Impact of preexisting depression on length of stay and discharge destination among patients hospitalized for acute stroke: linked register-based study. 2008 , 39, 132-8		30
98	Lipid-lowering treatment for all could substantially reduce the burden of macrovascular complications of diabetes patients in the Netherlands. 2008 , 15, 521-5		11
97	Prescribing patterns for upper respiratory tract infections in general practice in France and in the Netherlands. <i>European Journal of Public Health</i> , 2008 , 18, 312-6	2.1	12
96	Changes in the prevalence of chronic disease and the association with disability in the older Dutch population between 1987 and 2001. 2008 , 37, 187-93		55
95	The influence of specific chronic somatic conditions on the care for co-morbid depression in general practice. 2008 , 38, 265-77		17

94	Characteristics of children consulting for cough, sore throat, or earache. <i>British Journal of General Practice</i> , 2008 , 58, 248-54	1.6	8
93	Utilization of health resources due to low back pain: survey and registered data compared. 2008 , 33, 436-44		33
92	Diagnostic inaccuracy and subject exclusions render placebo and observational studies of acute otitis media inconclusive. 2008 , 27, 958-62		23
91	What drives prescribing of asthma medication to children? A multilevel population-based study. <i>Annals of Family Medicine</i> , 2009 , 7, 32-40	2.9	19
90	A clinical prediction rule for urinary tract infections in patients with type 2 diabetes mellitus in primary care. 2009 , 137, 166-72		4
89	Striking trends in the incidence of health problems in The Netherlands (2002-05). Findings from a new strategy for surveillance in general practice. <i>European Journal of Public Health</i> , 2009 , 19, 290-6	2.1	13
88	Who can afford to look to the future? The relationship between socio-economic status and proactive coping. <i>European Journal of Public Health</i> , 2009 , 19, 412-7	2.1	26
87	Duration of antidepressant drug treatment and its influence on risk of relapse/recurrence: immortal and neglected time bias. 2009 , 170, 280-5		28
86	Foot problems in children presented to the family physician: a comparison between 1987 and 2001. <i>Family Practice</i> , 2009 , 26, 174-9	1.9	18
85	Morbidity is related to a green living environment. 2009 , 63, 967-73		622
84	Gender differences in health and health care utilisation in various ethnic groups in the Netherlands: a cross-sectional study. <i>BMC Public Health</i> , 2009 , 9, 109	4.1	32
83	Uptake of health services for common mental disorders by first-generation Turkish and Moroccan migrants in the Netherlands. <i>BMC Public Health</i> , 2009 , 9, 307	4.1	21
82	Is new drug prescribing in primary care specialist induced?. <i>BMC Health Services Research</i> , 2009 , 9, 6	2.9	24
81	Social contacts as a possible mechanism behind the relation between green space and health. <i>Health and Place</i> , 2009 , 15, 586-595	4.6	594
80	Does age modify the relationship between morbidity severity and physical health in English and Dutch family practice populations?. <i>Quality of Life Research</i> , 2009 , 18, 209-20	3.7	14
79	Evaluation of the psychometric properties of the SF-36 health survey for use among Turkish and Moroccan ethnic minority populations in the Netherlands. <i>Quality of Life Research</i> , 2009 , 18, 753-64	3.7	12
78	An algorithm to identify antidepressant users with a diagnosis of depression from prescription data. <i>Pharmacoepidemiology and Drug Safety</i> , 2009 , 18, 7-15	2.6	28
77	Prescribing of pain medication in palliative care. A survey in general practice. <i>Pharmacoepidemiology and Drug Safety</i> , 2009 , 18, 16-23	2.6	30

76	Does burnout among doctors affect their involvement in patients' mental health problems? A study of videotaped consultations. <i>BMC Family Practice</i> , 2009 , 10, 60	2.6	16
75	Upper gastrointestinal symptoms, psychosocial co-morbidity and health care seeking in general practice: population based case control study. <i>BMC Family Practice</i> , 2009 , 10, 63	2.6	11
74	Labour intensity of guidelines may have a greater effect on adherence than GPs' workload. <i>BMC Family Practice</i> , 2009 , 10, 74	2.6	15
73	Warts in primary schoolchildren: prevalence and relation with environmental factors. <i>British Journal of Dermatology</i> , 2009 , 161, 148-52	4	100
72	Management of urinary incontinence in general practice: data from the Second Dutch National Survey. <i>Journal of Evaluation in Clinical Practice</i> , 2009 , 15, 341-5	2.5	6
71	Do decision support systems influence variation in prescription?. <i>BMC Health Services Research</i> , 2009 , 9, 20	2.9	14
70	Musculoskeletal problems in overweight and obese children. <i>Annals of Family Medicine</i> , 2009 , 7, 352-6	2.9	75
69	Beliefs about the causes of health complaints: a study in primary care. <i>Health Communication</i> , 2009 , 24, 346-50	3.2	4
68	Initiation of antidepressant therapy: do patients follow the GPs' prescription?. <i>British Journal of General Practice</i> , 2009 , 59, 81-7	1.6	85
67	A review of ecotherapy as an adjunct form of treatment for those who use mental health services. <i>Journal of Public Mental Health</i> , 2009 , 7, 23-35	0.7	17
66	Prevention of coronary heart disease and osteoporosis in women aged 45 to 49 years: a challenging role for general practitioners. <i>Menopause</i> , 2010 , 17, 290-4	2.5	3
65	Acute niet-traumatische heupafwijkingen bij kinderen. <i>Huisarts En Wetenschap</i> , 2010 , 53, 529-532	0.1	1
64	Recurrence of medically certified sickness absence according to diagnosis: a sickness absence register study. <i>Journal of Occupational Rehabilitation</i> , 2010 , 20, 113-21	3.6	46
63	Do guidelines create uniformity in medical practice?. <i>Social Science and Medicine</i> , 2010 , 70, 209-16	5.1	19
62	Green space as a buffer between stressful life events and health. <i>Social Science and Medicine</i> , 2010 , 70, 1203-10	5.1	596
61	Diagnoses and visit length in complementary and mainstream medicine. <i>BMC Complementary and Alternative Medicine</i> , 2010 , 10, 3	4.7	20
60	Quality of care for anxiety and depression in different ethnic groups by family practitioners in urban areas in the Netherlands. <i>General Hospital Psychiatry</i> , 2010 , 32, 368-76	5.6	17
59	Dizziness reported by elderly patients in family practice: prevalence, incidence, and clinical characteristics. <i>BMC Family Practice</i> , 2010 , 11, 2	2.6	90

58	Childhood abdominal pain in primary care: design and patient selection of the HONEUR abdominal pain cohort. <i>BMC Family Practice</i> , 2010 , 11, 27	2.6	16
57	Low hospital admission rates for respiratory diseases in children. <i>BMC Family Practice</i> , 2010 , 11, 76	2.6	12
56	Preferences and opinions of patients with Type 2 diabetes on education and self-care: a cross-sectional survey. <i>Diabetic Medicine</i> , 2010 , 27, 85-91	3.5	12
55	Current choices in the treatment of cutaneous warts: a survey among Dutch GP. <i>Family Practice</i> , 2010 , 27, 549-53	1.9	18
54	Acute non-traumatic hip pathology in children: incidence and presentation in family practice. <i>Family Practice</i> , 2010 , 27, 166-70	1.9	25
53	Cryotherapy with liquid nitrogen versus topical salicylic acid application for cutaneous warts in primary care: randomized controlled trial. <i>Cmaj</i> , 2010 , 182, 1624-30	3.5	86
52	Why Seek Complementary Medicine? An Observational Study in Homeopathic, Acupuncture, Naturopathic and Mainstream Medical Practice. <i>Journal of Complementary and Integrative Medicine</i> , 2010 , 7,	1.5	5
51	Risk of recurrent acute lower urinary tract infections and prescription pattern of antibiotics in women with and without diabetes in primary care. <i>Family Practice</i> , 2010 , 27, 379-85	1.9	41
50	Limited concordance between teachers, parents and healthcare professionals on the presence of chronic diseases in ID-adolescents. <i>Research in Developmental Disabilities</i> , 2010 , 31, 1645-51	2.7	5
49	Huisarts of ketenzorg: wat wilde de diabetespatiënt?. <i>Huisarts En Wetenschap</i> , 2011 , 54, 238-243	0.1	2
48	[Trends in social and demographic inequalities in the prevalence of chronic diseases in Brazil. PNAD: 2003- 2008]. <i>Ciencia E Saude Coletiva</i> , 2011 , 16, 3755-68	2.2	98
47	Multi-parametric evaluation of sit-to-stand and stand-to-sit transitions in elderly people. <i>Medical Engineering and Physics</i> , 2011 , 33, 1086-93	2.4	71
46	Ontwikkelingen in de huisartsgeneeskunde tussen 1987 en 2001. <i>Huisarts En Wetenschap</i> , 2011 , 54, 60-64.1	0.1	2
45	Behandeling van astma bij kinderen. <i>Huisarts En Wetenschap</i> , 2011 , 54, 436-438	0.1	
44	Estimating and comparing incidence and prevalence of chronic diseases by combining GP registry data: the role of uncertainty. <i>BMC Public Health</i> , 2011 , 11, 163	4.1	12
43	Epidemiological burden of minor, major and fatal trauma in a national injury pyramid. <i>British Journal of Surgery</i> , 2012 , 99 Suppl 1, 114-21	5.3	47
42	Epidemiological burden of minor, major and fatal trauma in a national injury pyramid (Br J Surg 2012; 99(Suppl 1): 114-121). <i>British Journal of Surgery</i> , 2012 , 99 Suppl 1, 121	5.3	2
41	Opinions of patients with type 2 diabetes about responsibility, setting targets and willingness to take medication. A cross-sectional survey. <i>Patient Education and Counseling</i> , 2011 , 84, 56-61	3.1	16

40	Treatments for common and plantar warts. <i>BMJ, The</i> , 2011 , 342, d3119	5.9	11
39	Benchmarking the burden of 100 diseases: results of a nationwide representative survey within general practices. <i>BMJ Open</i> , 2011 , 1, e000215	3	14
38	Changes in quality of life over time--Dutch haemodialysis patients and general population compared. <i>Nephrology Dialysis Transplantation</i> , 2011 , 26, 1984-9	4.3	28
37	Childhood nonspecific abdominal pain in family practice: incidence, associated factors, and management. <i>Annals of Family Medicine</i> , 2011 , 9, 337-43	2.9	39
36	Importance of quality aspects of GP care among ethnic minorities: role of cultural attitudes, language and healthcare system of reference. <i>Scandinavian Journal of Public Health</i> , 2012 , 40, 25-34	3	9
35	Is a Green Residential Environment Better for Health? If So, Why?. <i>Annals of the American Association of Geographers</i> , 2012 , 102, 996-1003		69
34	Looks vestibular: irrational prescribing of antivertiginous drugs for older dizzy patients in general practice. <i>British Journal of General Practice</i> , 2012 , 62, 518-20	1.6	5
33	Perceived discrimination outside health care settings and health care utilization of Turkish and Moroccan GP patients in the Netherlands. <i>European Journal of Public Health</i> , 2012 , 22, 473-8	2.1	17
32	Interventions for ingrowing toenails. <i>The Cochrane Library</i> , 2012 , CD001541	5.2	32
31	Health-related behavior as a mechanism behind the relationship between neighborhood social capital and individual health--a multilevel analysis. <i>BMC Public Health</i> , 2012 , 12, 116	4.1	76
30	An exploration of the enablers and barriers in access to the Dutch healthcare system among Ghanaians in Amsterdam. <i>BMC Health Services Research</i> , 2012 , 12, 75	2.9	24
29	Multiple environmental burdens and neighborhood-related health of city residents. <i>Journal of Environmental Psychology</i> , 2012 , 32, 305-317	6.7	56
28	Functionele buikpijn bij kinderen en psychische factoren. <i>Huisarts En Wetenschap</i> , 2012 , 55, 393-397	0.1	4
27	Men's health: a population-based study on social inequalities. <i>Cadernos De Saude Publica</i> , 2012 , 28, 2133-42		2
26	Evaluation of primary care midwifery in The Netherlands: design and rationale of a dynamic cohort study (DELIVER). <i>BMC Health Services Research</i> , 2012 , 12, 69	2.9	46
25	Physical, social and societal functioning of children with congenital adrenal hyperplasia (CAH) and their parents, in a Dutch population. <i>International Journal of Pediatric Endocrinology (Springer)</i> , 2012 , 2	1.5	20
24	HPV type in plantar warts influences natural course and treatment response: secondary analysis of a randomised controlled trial. <i>Journal of Clinical Virology</i> , 2013 , 57, 227-32	14.5	29
23	Introducing a telemonitoring platform for diabetic patients in primary care: will it increase the socio-digital divide?. <i>Primary Care Diabetes</i> , 2013 , 7, 119-27	2.4	8

22	Multimorbidity in older women: the negative impact of specific combinations of chronic conditions on self-rated health. <i>European Journal of General Practice</i> , 2013 , 19, 117-22	2.8	14
21	Warts transmitted in families and schools: a prospective cohort. <i>Pediatrics</i> , 2013 , 131, 928-34	7.4	43
20	Does prevention of risk behaviour in primary care require a gender-specific approach? A cross-sectional study. <i>Family Practice</i> , 2013 , 30, 179-84	1.9	14
19	The use of outpatient mental health care services of migrants vis-a-vis Dutch natives: equal access?. <i>International Journal of Social Psychiatry</i> , 2013 , 59, 342-50	8.5	24
18	Natural course of cutaneous warts among primary schoolchildren: a prospective cohort study. <i>Annals of Family Medicine</i> , 2013 , 11, 437-41	2.9	44
17	Using spatial analysis to predict health care use at the local level: a case study of type 2 diabetes medication use and its association with demographic change and socioeconomic status. <i>PLoS ONE</i> , 2013 , 8, e72730	3.7	24
16	Besmetting met wrattenvirus in gezin en schoolklas. <i>Huisarts En Wetenschap</i> , 2014 , 57, 110-113	0.1	
15	Challenges to the surveillance of non-communicable diseases--a review of selected approaches. <i>BMC Public Health</i> , 2015 , 15, 1243	4.1	25
14	Prevalence and management of osteoarthritis in primary care: an epidemiologic cohort study from the Canadian Primary Care Sentinel Surveillance Network. <i>CMAJ Open</i> , 2015 , 3, E270-5	2.5	41
13	Psychosocial, musculoskeletal and somatoform comorbidity in patients with chronic low back pain: original results from the Dutch Transition Project. <i>Family Practice</i> , 2015 , 32, 297-304	1.9	12
12	Monochloroacetic acid application is an effective alternative to cryotherapy for common and plantar warts in primary care: a randomized controlled trial. <i>Journal of Investigative Dermatology</i> , 2015 , 135, 1261-1267	4.3	23
11	UK Biobank Urban Morphometric Platform (UKBUMP) is a nationwide resource for evidence-based healthy city planning and public health interventions. <i>Annals of GIS</i> , 2015 , 21, 135-148	4.1	26
10	High prevalence of cutaneous warts in elementary school children and the ubiquitous presence of wart-associated human papillomavirus on clinically normal skin. <i>British Journal of Dermatology</i> , 2015 , 172, 196-201	4	37
9	Perspectives on the Role and Synergies of Architecture and Social and Built Environment in Enabling Active Healthy Aging. <i>Journal of Aging Research</i> , 2016 , 2016, 6189349	2.3	8
8	Associations between Nausea, Vomiting, Fatigue and Health-Related Quality of Life of Women in Early Pregnancy: The Generation R Study. <i>PLoS ONE</i> , 2016 , 11, e0166133	3.7	35
7	Associations between proximity to livestock farms, primary health care visits and self-reported symptoms. <i>BMC Family Practice</i> , 2016 , 17, 22	2.6	13
6	The impact of comorbid chronic conditions on quality of life in type 2 diabetes patients. <i>Quality of Life Research</i> , 2016 , 25, 175-82	3.7	48
5	Prevalence and correlates of mental health problems in prostate cancer survivors: A case-control study comparing survivors with general population peers. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 531.e1-531.e7	2.8	11

4	Prevalence of primary aldosteronism in primary care: a cross-sectional study. <i>British Journal of General Practice</i> , 2018 , 68, e114-e122	1.6	23
3	New episodes of musculoskeletal conditions among employed people in Norway, sickness certification and return to work: a multiregister-based cohort study from primary care. <i>BMJ Open</i> , 2018 , 8, e017543	3	4
2	Shared decision-making in general practice: an observational study comparing 2007 with 2015. <i>Family Practice</i> , 2019 , 36, 357-364	1.9	7
1	Decision tree-based methodology to select a proper approach for wart treatment. <i>Computers in Biology and Medicine</i> , 2019 , 108, 400-409	7	13