

CITATION REPORT

List of articles citing

Combination of high-fat diet-fed and low-dose streptozotocin-treated rat: a model for type 2 diabetes and pharmacological screening

DOI: 10.1016/j.phrs.2005.05.004

Pharmacological Research, 2005, 52, 313-20.

Source: <https://exaly.com/paper-pdf/39114730/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1278	Methylamine but not mafenide mimics insulin-like activity of the semicarbazide-sensitive amine oxidase-substrate benzylamine on glucose tolerance and on human adipocyte metabolism. <i>Pharmacological Research</i> , 2005 , 52, 475-84	10.2	23
1277	Effect of tempol on altered angiotensin II and acetylcholine-mediated vascular responses in thoracic aorta isolated from rats with insulin resistance. <i>Pharmacological Research</i> , 2006 , 53, 209-15	10.2	39
1276	Intracerebral streptozotocin model of type 3 diabetes: relevance to sporadic Alzheimer's disease. 2006 , 9, 13-33		356
1275	A new rat model of diabetic macrovascular complication. 2007 , 73, 504-11		16
1274	Preventive effects of fenofibrate on insulin resistance, hyperglycaemia, visceral fat accumulation in NIH mice induced by small-dose streptozotocin and lard. <i>Pharmacological Research</i> , 2007 , 55, 392-9	10.2	20
1273	PPAR gamma agonists partially restores hyperglycemia induced aggravation of vascular dysfunction to angiotensin II in thoracic aorta isolated from rats with insulin resistance. <i>Pharmacological Research</i> , 2007 , 55, 400-7	10.2	33
1272	Nongenetic model of type 2 diabetes: a comparative study. 2007 , 79, 243-9		36
1271	Diet-induced models for obesity and type 2 diabetes. 2007 , 4, 3-8		38
1270	Green tea, anti-diabetic or diabetogenic: a dose response study. 2007 , 29, 45-53		31
1269	Oral nanoparticulate atorvastatin calcium is more efficient and safe in comparison to Lipicure in treating hyperlipidemia. 2008 , 43, 231-41		33
1268	Dietary red chilli (<i>Capsicum frutescens</i> L.) is insulinotropic rather than hypoglycemic in type 2 diabetes model of rats. 2008 , 22, 1025-9		38
1267	Hypoglycaemic effects of antidiabetic drugs in streptozotocin-nicotinamide-induced mildly diabetic and streptozotocin-induced severely diabetic rats. 2008 , 103, 560-8		41
1266	In vivo inhibition of focal adhesion kinase causes insulin resistance. 2008 , 586, 3825-37		28
1265	Chinese cabbage (<i>Brassica campestris</i> L.) does not improve glucose tolerance, serum insulin, or blood lipid profiles in a rat model of type-2 diabetes. 2008 , 73, H213-7		2
1264	Effect of berberine on Cdk9 and cyclin T1 expressions in myocardium of diabetic rats. 2008 , 23, 45-51		1
1263	Comparative effects of dietary ginger (<i>Zingiber officinale</i>) and garlic (<i>Allium sativum</i>) investigated in a type 2 diabetes model of rats. 2008 , 11, 152-9		79
1262	Effects of dietary onion (<i>Allium cepa</i> L.) in a high-fat diet streptozotocin-induced diabetes rodent model. 2008 , 53, 6-12		27

1261	The characterization of high-fat diet and multiple low-dose streptozotocin induced type 2 diabetes rat model. 2008 , 2008, 704045	323
1260	Development and characterization of a novel rat model of type 2 diabetes mellitus: the UC Davis type 2 diabetes mellitus UCD-T2DM rat. 2008 , 295, R1782-93	72
1259	A review of islet of Langerhans degeneration in rodent models of type 2 diabetes. 2008 , 36, 529-51	44
1258	Alterations in the proangiogenic functions of adipose tissue-derived stromal cells isolated from diabetic rats. 2008 , 17, 669-80	30
1257	Chronic effects of berberine on blood, liver glucolipid metabolism and liver PPARs expression in diabetic hyperlipidemic rats. 2008 , 31, 1169-76	108
1256	Characterization of STZ-Induced Type 2 Diabetes in Zucker Fatty Rats. 2008 , 57, 335-45	15
1255	Modulatory effect of an isolated compound from <i>Syzygium cumini</i> seeds on biochemical parameters of diabetes in rats. 2009 , 3, 128	8
1254	Effect of an isolated active compound (Cg-1) of <i>Cassia glauca</i> leaf on blood glucose, lipid profile, and atherogenic index in diabetic rats. 2009 , 41, 182-6	4
1253	Protective effect of <i>Cassia glauca</i> Linn. on the serum glucose and hepatic enzymes level in streptozotocin induced NIDDM in rats. 2009 , 41, 19-22	19
1252	Interrelationship of dipeptidyl peptidase IV (DPP4) with the development of diabetes, dyslipidaemia and nephropathy: a streptozotocin-induced model using wild-type and DPP4-deficient rats. 2009 , 200, 53-61	65
1251	Interaction of diet and diabetes on cardiovascular function in rats. 2009 , 296, H282-92	54
1250	Effects of curcuminoid supplement on cardiac autonomic status in high-fat-induced obese rats. 2009 , 25, 870-8	41
1249	Westernized-like-diet-fed rats: effect on glucose homeostasis, lipid profile, and adipocyte hormones and their modulation by rosiglitazone and glimepiride. 2009 , 23, 199-208	49
1248	Protective effect of berberine on beta cells in streptozotocin- and high-carbohydrate/high-fat diet-induced diabetic rats. <i>European Journal of Pharmacology</i> , 2009 , 606, 262-8	5-3 131
1247	Effects of cocoa extract containing polyphenols and methylxanthines on biochemical parameters of obese-diabetic rats. 2009 , 89, 130-137	29
1246	Pharmacodynamic evaluation of oral estradiol nanoparticles in estrogen deficient (ovariectomized) high-fat diet induced hyperlipidemic rat model. 2009 , 26, 218-23	14
1245	<i>Astragalus</i> polysaccharides alleviates glucose toxicity and restores glucose homeostasis in diabetic states via activation of AMPK. 2009 , 30, 1607-15	59
1244	Hypoglycaemic and hypolipidaemic effects of emodin and its effect on L-type calcium channels in dyslipidaemic-diabetic rats. 2009 , 36, 29-34	29

1243	Angiotensin-converting enzyme inhibitors improve hepatic steatosis by modulating expression of tumour necrosis factor-alpha, interleukin-6 and adiponectin receptor-2 in rats with type 2 diabetes. 2009 , 36, 631-6	14
1242	Effect of saponins from <i>Helicteres isora</i> on lipid and glucose metabolism regulating genes expression. 2009 , 124, 426-33	31
1241	Antidiabetic effects of <i>Artemisia sphaerocephala</i> Krasch. gum, a novel food additive in China, on streptozotocin-induced type 2 diabetic rats. 2009 , 125, 410-6	74
1240	Expression of alpha-gustducin in the circumvallate papillae of taste buds of diabetic rats. 2009 , 111, 145-9	13
1239	High-fat diet results in postprandial insulin resistance that involves parasympathetic dysfunction. 2010 , 104, 1450-9	14
1238	Antidiabetic effect and mechanism of chitooligosaccharides. 2010 , 33, 1511-6	49
1237	Metabolic effects of various antidiabetic and hypolipidaemic agents on a high-fat diet and multiple low-dose streptozocin (MLDS) mouse model of diabetes. 2008 , 60, 1167-73	27
1236	Inhibition of protein tyrosine phosphatase 1B and regulation of insulin signalling markers by caffeoyl derivatives of chicory (<i>Cichorium intybus</i>) salad leaves. 2010 , 104, 813-23	35
1235	Effects of oleic acid on the tissue factor activity, blood lipids, antioxidant and oxidant parameters of streptozotocin induced diabetic rats fed a high-cholesterol diet. 2010 , 19, 1011-1024	9
1234	Beneficial effects of oligopeptides from marine salmon skin in a rat model of type 2 diabetes. 2010 , 26, 1014-20	56
1233	Antiobesity and lipid lowering effects of <i>Murraya koenigii</i> (L.) Spreng leaves extracts and mahanimbine on high fat diet induced obese rats. 2010 , 81, 1129-33	60
1232	Hepatic expression profiling shows involvement of PKC epsilon, DGK eta, Tnfaip, and Rho kinase in type 2 diabetic nephropathy rats. 2010 , 111, 944-54	19
1231	ANTIHYPERGLYCEMIC EFFECT OF AQUEOUS EXTRACT OF SEA BUCKTHORN (<i>HIPPOPHAE RHAMNOIDES</i> L.) SEED RESIDUES IN STREPTOZOTOCIN-TREATED AND HIGH FAT-DIET-FED RATS. 2010 , 34, no-no	1
1230	Effect of Fermented Yacon (<i>Smallanthus Sonchifolius</i>) Leaves Tea on Blood Glucose Levels and Glucose Metabolism in High-Fat Diet and Streptozotocin-Induced Type 2 Diabetic Mice. 2010 , 43, 333	9
1229	Production of a type 2 maternal diabetes rodent model using the combination of high-fat diet and moderate dose of streptozocin. 2010 , 35, 59-70	4
1228	Animal models in diabetes and pregnancy. 2010 , 31, 680-701	115
1227	Novel canine models of obese prediabetes and mild type 2 diabetes. 2010 , 298, E38-48	37
1226	Epigenetic changes and alteration of Fbn1 and Col3A1 gene expression under hyperglycaemic and hyperinsulinaemic conditions. 2010 , 432, 333-41	46

1225	Antidiabetic and antioxidant effects of extracts from <i>Potentilla discolor</i> Bunge on diabetic rats induced by high fat diet and streptozotocin. 2010 , 132, 518-24	79
1224	Antidiabetic effect of <i>Dodonaea viscosa</i> aerial parts in high fat diet and low dose streptozotocin-induced type 2 diabetic rats: a mechanistic approach. 2010 , 48, 1137-48	33
1223	Modulation of metabolic and cardiac dysfunctions by insulin sensitizers and angiotensin receptor blocker in rat model of type 2 diabetes mellitus. 2011 , 89, 216-26	9
1222	Increases in β -amyloid protein in the hippocampus caused by diabetic metabolic disorder are blocked by minocycline through inhibition of NF- κ B pathway activation. 2011 , 63, 381-91	47
1221	Pharmacokinetics of verapamil in diabetic rats induced by combination of high-fat diet and streptozotocin injection. 2011 , 41, 494-500	24
1220	Effect of pioglitazone on diabetic nephropathy and expression of HIF-1 α and VEGF in the renal tissues of type 2 diabetic rats. 2011 , 93, 63-9	24
1219	Evaluation of anti-diabetic potential of chromium(III) propionate complex in high-fat diet fed and STZ injected rats. 2011 , 49, 3217-23	46
1218	Sodium phenylbutyrate ameliorates focal cerebral ischemic/reperfusion injury associated with comorbid type 2 diabetes by reducing endoplasmic reticulum stress and DNA fragmentation. 2011 , 225, 110-6	34
1217	Animal Models of Diabetic Neuropathic Pain. 2011 , 147-169	7
1216	Role of insulin and testosterone in prostatic growth: who is doing what?. 2011 , 76, 474-8	5
1215	Antihyperglycemic activity of <i>Selaginella tamariscina</i> (Beauv.) Spring. 2011 , 133, 531-7	49
1214	Antidiabetic effect of <i>Symplocos cochinchinensis</i> (Lour.) S. Moore. in type 2 diabetic rats. 2011 , 134, 298-304	39
1213	Insulin-mediated upregulation of K(Ca) $_3$.1 channels promotes cell migration and proliferation in rat vascular smooth muscle. 2011 , 51, 51-7	26
1212	Reduced CGP12177 binding to cardiac β adrenoceptors in hyperglycemic high-fat-diet-fed, streptozotocin-induced diabetic rats. 2011 , 38, 1059-66	18
1211	Adverse metabolic effects of a hypercaloric, high-fat diet in rodents precede observable changes in body weight. 2011 , 31, 707-14	23
1210	Functional, metabolic, and morphologic characteristics of a novel rat model of type 2 diabetes-associated erectile dysfunction. 2011 , 78, 476.e1-8	47
1209	MicroRNA 144 impairs insulin signaling by inhibiting the expression of insulin receptor substrate 1 in type 2 diabetes mellitus. 2011 , 6, e22839	289
1208	Key details of the duodenal-jejunal bypass in type 2 diabetes mellitus rats. 2011 , 17, 5021-7	2

1207	Effects of angiotensin receptor blocker on phenotypic alterations of podocytes in early diabetic nephropathy. 2011 , 341, 207-14		22
1206	Intramuscular injection of soluble receptor for advanced glycation endproducts expression vector prevents the development of streptozotocin-induced diabetes mellitus in rats on high fat diet. 2011 , 3, 309-16		3
1205	Hypoglycemic and insulin-sensitizing effects of berberine in high-fat diet- and streptozotocin-induced diabetic rats. 2011 , 60, 298-305		103
1204	Insulin improves β cell function in glucose-intolerant rat models induced by feeding a high-fat diet. 2011 , 60, 1566-74		14
1203	Antiobesity and lipid lowering effects of Glycyrrhiza chalcones: experimental and computational studies. 2011 , 18, 795-801		82
1202	Effects of antidiabetic drugs in high-fat diet and streptozotocin-nicotinamide-induced type 2 diabetic mice. <i>European Journal of Pharmacology</i> , 2011 , 655, 108-16	5-3	55
1201	Effects of salvianolic acid A on plantar microcirculation and peripheral nerve function in diabetic rats. <i>European Journal of Pharmacology</i> , 2011 , 665, 40-6	5-3	25
1200	Effect of treatment of high fat fed/low dose streptozotocin-diabetic rats with Ilepatril on vascular and neural complications. <i>European Journal of Pharmacology</i> , 2011 , 668, 497-506	5-3	45
1199	Protective effect of berberine on antioxidant enzymes and positive transcription elongation factor b expression in diabetic rat liver. 2011 , 82, 184-9		60
1198	The screening toolbox of bioactive substances from natural products: a review. 2011 , 82, 1141-51		49
1197	Antioxidant effects of Artemis sphaerocephala Krasch. gum, on streptozotocin-induced type 2 diabetic rats. 2011 , 25, 207-213		25
1196	Up-regulation of PPAR α , heat shock protein-27 and -72 by naringin attenuates insulin resistance, β cell dysfunction, hepatic steatosis and kidney damage in a rat model of type 2 diabetes. 2011 , 106, 1713-23		126
1195	Involvement of vascular endothelial nitric oxide synthase in development of experimental diabetic nephropathy in rats. 2011 , 354, 57-66		16
1194	The effects of the Chinese medicine ZiBu PiYin recipe on the hippocampus in a rat model of diabetes-associated cognitive decline: a proteomic analysis. 2011 , 54, 1888-99		56
1193	Synthesis and evaluation of the hypoglycemic and hypolipidemic activity of novel 5-benzylidene-2,4-thiazolidinedione analogs in a type-2 diabetes model. 2011 , 20, 642-647		11
1192	Antidiabetic and antidyslipidemic activities of Cuminum cyminum L. in validated animal models. 2011 , 20, 1656-1666		25
1191	Inhibition of obesity-induced hepatic ER stress by early insulin therapy in obese diabetic rats. 2011 , 39, 235-41		15
1190	Protective effects of nanoparticulate coenzyme Q10 and curcumin on inflammatory markers and lipid metabolism in streptozotocin-induced diabetic rats: a possible remedy to diabetic complications. 2011 , 1, 448-55		24

1189	Tinospora cordifolia attenuates oxidative stress and distorted carbohydrate metabolism in experimentally induced type 2 diabetes in rats. 2011 , 65, 544-50	47
1188	Sympathetic nervous dysregulation in the absence of systolic left ventricular dysfunction in a rat model of insulin resistance with hyperglycemia. 2011 , 10, 75	47
1187	Onion peel extracts ameliorate hyperglycemia and insulin resistance in high fat diet/streptozotocin-induced diabetic rats. 2011 , 8, 18	89
1186	The glucose-lowering potential of exendin-4 orally delivered via a pH-sensitive nanoparticle vehicle and effects on subsequent insulin secretion in vivo. 2011 , 32, 2673-82	88
1185	Involvement of RhoA/ROCK in myocardial fibrosis in a rat model of type 2 diabetes. 2011 , 32, 999-1008	62
1184	Development of a nongenetic mouse model of type 2 diabetes. 2011 , 2011, 416254	79
1183	Hypolipidemic and Antiobesity-Like Activity of Standardised Extract of Hypericum perforatum L. in Rats. 2011 , 2011, 505247	26
1182	Effect of Wrightia tinctoria and Parthenocissus quinquefolia on blood glucose and insulin levels in the Zucker diabetic rat model. 2011 , 8,	6
1181	Augmentation of endoplasmic reticulum stress in cerebral ischemia/reperfusion injury associated with comorbid type 2 diabetes. 2011 , 33, 858-65	23
1180	Efficacy of auricular acupuncture on inflammatory markers and insulin resistance in type 2 diabetes model of rats: In light of cholinergic anti-inflammatory pathway. 2011 ,	
1179	Effect of piperine in the regulation of obesity-induced dyslipidemia in high-fat diet rats. 2011 , 43, 296-9	48
1178	Administration of a decoction of sucrose- and polysaccharide-rich radix astragali (huang qi) ameliorated insulin resistance and Fatty liver but affected Beta-cell function in type 2 diabetic rats. 2011 , 2011, 349807	21
1177	Rodent models for metabolic syndrome research. 2011 , 2011, 351982	228
1176	Cell apoptosis of taste buds in circumvallate papillae in diabetic rats. 2011 , 119, 480-3	6
1175	Alterations of calcium channels and cell excitability in intracardiac ganglion neurons from type 2 diabetic rats. 2012 , 302, C1119-27	21
1174	Enhanced effect of daytime restricted feeding on the circadian rhythm of streptozotocin-induced type 2 diabetic rats. 2012 , 302, E1027-35	11
1173	Effects of white rice, brown rice and germinated brown rice on antioxidant status of type 2 diabetic rats. 2012 , 13, 12952-69	43
1172	Effects of brown rice and white rice on expression of xenobiotic metabolism genes in type 2 diabetic rats. 2012 , 13, 8597-608	9

1171	Nerium oleander Distillate Improves Fat and Glucose Metabolism in High-Fat Diet-Fed Streptozotocin-Induced Diabetic Rats. 2012 , 2012, 947187	13
1170	Excess protein O-GlcNAcylation and the progression of diabetic cardiomyopathy. 2012 , 303, R689-99	72
1169	Effect of superfine grinding on antidiabetic activity of bitter melon powder. 2012 , 13, 14203-18	27
1168	Pyrrolidine dithiocarbamate enhances hepatic glycogen synthesis and reduces FoxO1-mediated gene transcription in type 2 diabetic rats. 2012 , 302, E409-16	12
1167	Therapeutic potential of VIP vs PACAP in diabetes. 2012 , 49, R157-67	35
1166	Adipose tissue-derived stem cells ameliorate diabetic bladder dysfunction in a type II diabetic rat model. 2012 , 21, 1391-400	59
1165	Antidiabetic and antioxidant effect of Semecarpus anacardium Linn. nut milk extract in a high-fat diet STZ-induced type 2 diabetic rat model. 2012 , 9, 19-33	8
1164	Partial replacement with menhaden oil improves peripheral neuropathy in high-fat-fed low-dose streptozotocin type 2 diabetic rat. 2012 , 2012, 950517	31
1163	Magnetic resonance diffusion tensor imaging for evaluation of histopathological changes in a rat model of diabetic nephropathy. 2012 , 47, 430-7	63
1162	Syzygium cumini ameliorates insulin resistance and β -cell dysfunction via modulation of PPAR, dyslipidemia, oxidative stress, and TNF- α in type 2 diabetic rats. 2012 , 119, 205-13	53
1161	Early intensive insulin therapy attenuates the p38 pathway in the renal cortex and indices of nephropathy in diabetic rats. 2012 , 59, 81-90	13
1160	Participation of antioxidant and cholinergic system in protective effect of naringenin against type-2 diabetes-induced memory dysfunction in rats. 2012 , 226, 62-72	72
1159	Metabolic stress response implicated in diabetic retinopathy: the role of calpain, and the therapeutic impact of calpain inhibitor. 2012 , 48, 556-67	51
1158	Amelioration of obesity, glucose intolerance, and oxidative stress in high-fat diet and low-dose streptozotocin-induced diabetic rats by combination consisting of "curcumin with piperine and quercetin". 2012 , 2012, 957283	25
1157	Anti-diabetic effect of Semecarpus anacardium Linn nut milk extract in a high fat diet STZ-induced type 2 diabetic rat model. 2012 , 21, 1395-1400	5
1156	Comparative pharmacokinetics of baicalin in normal and the type 2 diabetic rats after oral administration of the Radix scutellariae extract. 2012 , 83, 1435-42	43
1155	Relationship between urinary nephrin and urinary albumin changes in diabetic rats and effects of yiqiyangyinhuayutongluo recipe. 2012 , 32, 278-82	6
1154	Polyphenols in madhumega chooranam, a Siddha medicine, ameliorates carbohydrate metabolism and oxidative stress in type II diabetic rats. 2012 , 142, 331-6	5

- 1153 3-Bromo-7-nitroindazole attenuates brain ischemic injury in diabetic stroke via inhibition of endoplasmic reticulum stress pathway involving CHOP. **2012**, 90, 154-60 28
- 1152 Anti-diabetic properties of non-polar *Toona sinensis* Roem extract prepared by supercritical-CO₂ fluid. **2012**, 50, 779-89 29
- 1151 Effects of a high fat diet on long-chain fatty acids composition in rats serum and liver. **2012**, 45, 283-286
- 1150 Reduction of n-3 PUFAs, specifically DHA and EPA, and enhancement of peroxisomal beta-oxidation in type 2 diabetic rat heart. **2012**, 11, 126 28
- 1149 Ameliorating effect of *Semecarpus anacardium* Linn. nut milk extract on altered glucose metabolism in high fat diet STZ induced type 2 diabetic rats. **2012**, 5, 956-61 7
- 1148 Experimentally induced rodent models of type 2 diabetes. **2012**, 933, 161-74 62
- 1147 Using Diet to Induce Metabolic Disease in Rodents. **2012**, 333-350
- 1146 *Lagenaria siceraria* fruit extract ameliorate fat amassment and serum TNF- α in high-fat diet-induced obese rats. **2012**, 5, 698-702 4
- 1145 Antidiabetic activities of oligosaccharides of *Ophiopogonis japonicus* in experimental type 2 diabetic rats. **2012**, 51, 749-55 28
- 1144 Hesperidin and naringin attenuate hyperglycemia-mediated oxidative stress and proinflammatory cytokine production in high fat fed/streptozotocin-induced type 2 diabetic rats. **2012**, 26, 483-90 234
- 1143 Iron increases liver injury through oxidative/nitrative stress in diabetic rats: Involvement of nitrotyrosination of glucokinase. **2012**, 94, 2620-7 34
- 1142 Protection of long-term treatment with *huang-lian-jie-du-tang* on vascular endothelium in rats with type 2 diabetes mellitus. **2012**, 73, 174-85 13
- 1141 GLP-1 expression in von Ebner's gland of diabetic rats. **2012**, 38, 137-41 4
- 1140 The soybean peptide aglycin regulates glucose homeostasis in type 2 diabetic mice via IR/IRS1 pathway. **2012**, 23, 1449-57 49
- 1139 The orphan nuclear receptor Nur77 regulates LKB1 localization and activates AMPK. **2012**, 8, 897-904 108
- 1138 Hypoglycemic effects of *Ganoderma lucidum* polysaccharides in type 2 diabetic mice. **2012**, 35, 1793-801 60
- 1137 Fructose-fed streptozotocin-injected rat: an alternative model for type 2 diabetes. **2012**, 64, 129-39 156
- 1136 Effect of the best compatibility of components in *Corni Fructus* on WT1 expression in glomerular podocytes of type 2 diabetic rats with early nephropathy. **2012**, 40, 537-49 15

1135	Animal Models in Diabetes Research. 2012 ,		11
1134	Effects of exercise on AMPK signaling and downstream components to PI3K in rat with type 2 diabetes. 2012 , 7, e51709		41
1133	Hypoglycaemic and Hypolipidaemic Effects of an Ethylacetate Fraction of <i>Artocarpus heterophyllus</i> Leaves. 2012 ,		
1132	Indu de Diabetes Tipo 2 por dieta hiperlipica e baixa dose de estreptozotocina em ratas wistar. 2012 , 45, 436		8
1131	Changes in corneal innervation and sensitivity and acetylcholine-mediated vascular relaxation of the posterior ciliary artery in a type 2 diabetic rat. 2012 , 53, 1182-7		46
1130	Ameliorative effects of resveratrol on liver injury in streptozotocin-induced diabetic rats. 2012 , 26, 384-92		39
1129	Platyconic acid, a saponin from <i>Platycodi radix</i> , improves glucose homeostasis by enhancing insulin sensitivity in vitro and in vivo. 2012 , 51, 529-40		27
1128	Edaravone offers neuroprotection in a diabetic stroke model via inhibition of endoplasmic reticulum stress. 2012 , 110, 133-40		17
1127	Retinal changes in an experimental model of early type 2 diabetes in rats characterized by non-fasting hyperglycemia. 2012 , 236, 151-60		20
1126	Antidiabetic effect of <i>Ficus racemosa</i> Linn. stem bark in high-fat diet and low-dose streptozotocin-induced type 2 diabetic rats: a mechanistic study. 2012 , 132, 186-93		76
1125	Effect of inhibition of angiotensin converting enzyme and/or neutral endopeptidase on vascular and neural complications in high fat fed/low dose streptozotocin-diabetic rats. <i>European Journal of Pharmacology</i> , 2012 , 677, 180-7	5.3	36
1124	Grape seed proanthocyanidins ameliorate pancreatic beta-cell dysfunction and death in low-dose streptozotocin- and high-carbohydrate/high-fat diet-induced diabetic rats partially by regulating endoplasmic reticulum stress. 2013 , 10, 51		44
1123	Renoprotective effects of berberine and its possible molecular mechanisms in combination of high-fat diet and low-dose streptozotocin-induced diabetic rats. 2013 , 40, 2405-18		35
1122	Effect of barley flour, crude cinnamon, and their combination on glycemia, dyslipidemia, and adipose tissue hormones in type 2 diabetic rats. 2013 , 16, 656-62		23
1121	Exercise-induced changes of MCT1 in cardiac and skeletal muscles of diabetic rats induced by high-fat diet and STZ. 2013 , 69, 865-77		22
1120	Antidiabetic effect of total flavonoids from <i>Sanguis draxonis</i> in type 2 diabetic rats. 2013 , 149, 729-36		32
1119	Advanced glycation end products accelerate rat vascular calcification through RAGE/oxidative stress. 2013 , 13, 13		93
1118	Retinal upregulation of inflammatory and proangiogenic markers in a model of neonatal diabetic rats fed on a high-fat-diet. 2013 , 13, 14		19

1117	In vitro and in vivo anti-diabetic activity of Swertia kouitchensis extract. 2013 , 147, 622-30	37
1116	Amelioration in hepatic insulin sensitivity by reduced hepatic lipid accumulation at short-term after Roux-en-Y gastric bypass surgery in type 2 diabetic rats. 2013 , 23, 2033-41	15
1115	Blockade of the renin-angiotensin system improves cerebral microcirculatory perfusion in diabetic hypertensive rats. 2013 , 87, 41-9	26
1114	Evaluation of anti-obesity effect of Aegle marmelos leaves. 2013 , 20, 805-12	35
1113	Antihyperglycemic, antihyperlipidemic and antioxidant effects of ethanol and aqueous extracts of Cyclocarya paliurus leaves in type 2 diabetic rats. 2013 , 150, 1119-27	77
1112	CHOP/ORP150 ratio in endoplasmic reticulum stress: a new mechanism for diabetic peripheral neuropathy. 2013 , 32, 367-79	31
1111	Possible modulation of FAS and PTP-1B signaling in ameliorative potential of Bombax ceiba against high fat diet induced obesity. 2013 , 13, 281	12
1110	Cardiac metabolism in a new rat model of type 2 diabetes using high-fat diet with low dose streptozotocin. 2013 , 12, 136	80
1109	The effect of Chinese Jinzhida recipe on the hippocampus in a rat model of diabetes-associated cognitive decline. 2013 , 13, 161	8
1108	Proliferative retinopathy and neovascularization of the anterior segment in female type 2 diabetic rats. 2013 , 5, 68	3
1107	Antidiabetic effects of Swertia macrosperma extracts in diabetic rats. 2013 , 150, 536-44	22
1106	Atypical antipsychotics such as risperidone, but not paliperidone, worsen vascular endothelial function via upregulation of adhesion molecules VCAM-1, ICAM-1, and E-selectin in diabetic rats. 2013 , 91, 1119-26	16
1105	Anti-inflammatory and anti-hyperlipidemic effect of Semecarpus anacardium in a high fat diet: STZ-induced type 2 diabetic rat model. 2013 , 21, 37-46	30
1104	Potential antidiabetic effect of the Semecarpus anacardium in a type 2 diabetic rat model. 2013 , 21, 47-53	4
1103	Reduced epidermal thickness, nerve degeneration and increased pain-related behavior in rats with diabetes type 1 and 2. 2013 , 53, 33-40	19
1102	Effects of ghrelin on gastric distention sensitive neurons in the arcuate nucleus of hypothalamus and gastric motility in diabetic rats. 2013 , 48, 137-46	10
1101	Long-term supplementation of high pigmented rice bran oil (<i>Oryza sativa</i> L.) on amelioration of oxidative stress and histological changes in streptozotocin-induced diabetic rats fed a high fat diet; Riceberry bran oil. 2013 , 138, 501-8	46
1100	Sex differences in pain-related behavior and expression of calcium/calmodulin-dependent protein kinase II in dorsal root ganglia of rats with diabetes type 1 and type 2. 2013 , 115, 496-504	16

1099	PPAR's and Diosgenin a chemico biological insight in NIDDM. <i>Chemico-Biological Interactions</i> , 2013 , 206, 403-10	5	22
1098	A newly identified polysaccharide from <i>Ganoderma atrum</i> attenuates hyperglycemia and hyperlipidemia. 2013 , 57, 142-50		72
1097	Altered gene expression involved in insulin signaling pathway in type II diabetic osteoporosis rats model. 2013 , 43, 136-46		25
1096	Modulatory effect of green tea extract on hepatic key enzymes of glucose metabolism in streptozotocin and high fat diet induced diabetic rats. 2013 , 20, 577-84		48
1095	New multifunctional Di-tert-butylphenol octahydro(pyrido/benz)oxazine derivatives with antioxidant, antihyperlipidemic, and antidiabetic action. 2013 , 56, 3330-8		15
1094	Anti-diabetic activity of embelin: involvement of cellular inflammatory mediators, oxidative stress and other biomarkers. 2013 , 20, 797-804		47
1093	Renal distribution of ganglioside GM3 in rat models of types 1 and 2 diabetes. 2013 , 69, 727-35		12
1092	Endocrine Pharmacology. 2013 , 421-520		
1091	Increased glucagon-like peptide-1 secretion may be involved in antidiabetic effects of ginsenosides. 2013 , 217, 185-96		45
1090	NMR-based metabonomic study of Chinese medicine Gegen Qinlian Decoction as an effective treatment for type 2 diabetes in rats. 2013 , 9, 1228-1242		41
1089	Anti-diabetic activities of Gegen Qinlian Decoction in high-fat diet combined with streptozotocin-induced diabetic rats and in 3T3-L1 adipocytes. 2013 , 20, 221-9		50
1088	Effects of angiotensin II receptor blocker on myocardial endothelial-to-mesenchymal transition in diabetic rats. 2013 , 162, 92-9		48
1087	Antioxidant and anti-inflammatory effects of <i>Urtica pilulifera</i> extracts in type 2 diabetic rats. 2013 , 145, 269-77		20
1086	Exercise training prevents the development of cardiac dysfunction in the low-dose streptozotocin diabetic rats fed a high-fat diet. 2013 , 91, 80-9		30
1085	Protective effects of chronic resveratrol treatment on vascular inflammatory injury in streptozotocin-induced type 2 diabetic rats: Role of NF-kappa B signaling. <i>European Journal of Pharmacology</i> , 2013 , 720, 147-147	53	47
1084	3-nitrotyrosine, a biomarker for cardiomyocyte apoptosis induced by diabetic cardiomyopathy in a rat model. 2013 , 8, 989-94		9
1083	Hypoglycemic Activity and Antioxidative Stress of Extracts and Corymbiferin from <i>Swertia bimaculata</i> In Vitro and In Vivo. 2013 , 2013, 125416		3
1082	Spontaneous type 2 diabetic rodent models. 2013 , 2013, 401723		38

1081	Antioxidant and renoprotective effects of Spirogyra neglecta (Hassall) Kützinger extract in experimental type 2 diabetic rats. 2013 , 2013, 820786	14
1080	Alternanthera sessilis Red Ethyl Acetate Fraction Exhibits Antidiabetic Potential on Obese Type 2 Diabetic Rats. 2013 , 2013, 845172	12
1079	Assessment of impaired vascular reactivity in a rat model of diabetic nephropathy: effect of nitric oxide synthesis inhibition on intrarenal diffusion and oxygenation measured by magnetic resonance imaging. 2013 , 305, F1428-35	16
1078	Potential utility of sodium selenate as an adjunct to metformin in treating type II diabetes mellitus in rats: a perspective on protein tyrosine phosphatase. 2013 , 2013, 231378	4
1077	Antidiabetic and Hypolipidemic Activities of Curculigo latifolia Fruit:Root Extract in High Fat Fed Diet and Low Dose STZ Induced Diabetic Rats. 2013 , 2013, 601838	20
1076	The histopathological and biochemical effects of green tea extract on the liver of high-fat diet and streptozotocin diabetic female rats. 2013 , 3, 25-34	
1075	An experimental approach for selecting appropriate rodent diets for research studies on metabolic disorders. 2013 , 2013, 752870	23
1074	Effects of acute exercise and chronic exercise on the liver leptin-AMPK-ACC signaling pathway in rats with type 2 diabetes. 2013 , 2013, 946432	30
1073	Antidiabetic effects of Embelia ribes extract in high fat diet and low dose streptozotocin-induced type 2 diabetic rats. 2013 , 7, 186-196	25
1072	Sargassum polycystum reduces hyperglycaemia, dyslipidaemia and oxidative stress via increasing insulin sensitivity in a rat model of type 2 diabetes. 2013 , 93, 1772-8	34
1071	Expression of ghrelin and leptin during the development of type 2 diabetes mellitus in a rat model. 2013 , 7, 223-8	27
1070	Duodenal-jejunal bypass improves glycemia and decreases SGLT1-mediated glucose absorption in rats with streptozotocin-induced type 2 diabetes. 2013 , 258, 89-97	29
1069	Expression of calcium/calmodulin-dependent protein kinase II and pain-related behavior in rat models of type 1 and type 2 diabetes. 2013 , 116, 712-21	23
1068	Experimental Nonalcoholic Steatohepatitis Induced by Neonatal Streptozotocin Injection and a High-Fat Diet in Rats. 2013 , 6, 57-62	4
1067	Study of TNF- α , IL-1 β and LPS Levels in the Gingival Crevicular Fluid of a Rat Model of Diabetes Mellitus and Periodontitis. 2013 , 34, 295-304	45
1066	Multiple low-dose radiation prevents type 2 diabetes-induced renal damage through attenuation of dyslipidemia and insulin resistance and subsequent renal inflammation and oxidative stress. 2014 , 9, e92574	47
1065	Diabetes promotes DMH-induced colorectal cancer by increasing the activity of glycolytic enzymes in rats. 2014 , 9, e110455	3
1064	Effects of short term exposure of atrazine on the liver and kidney of normal and diabetic rats. 2014 , 2014, 536759	11

1063	Antidiabetic Effects of Carassius auratus Complex Formula in High Fat Diet Combined Streptozotocin-Induced Diabetic Mice. 2014 , 2014, 628473		6
1062	Antiobesity and Hypolipidemic Activity of Moringa oleifera Leaves against High Fat Diet-Induced Obesity in Rats. 2014 , 2014, 1-9		50
1061	Effects of Brown Seaweed (Sargassum polycystum) Extracts on Kidney, Liver, and Pancreas of Type 2 Diabetic Rat Model. 2014 , 2014, 379407		31
1060	Fatty-Sucroed Diet/Minimal Dose of Streptozotocin-Treated Rat: A Novel Model of Gestational Diabetes Mellitus, Metabolic and Inflammatory Insight. 2014 , 05,		1
1059	Altered Monoamine Metabolism in High Fat Diet Induced Neuropsychiatric Changes in Rats. 2014 , 04,		2
1058	Behavioral Neurobiology of Chronic Pain. 2014 ,		2
1057	QCM-4, a serotonergic type 3 receptor modulator attenuates depression co-morbid with obesity in mice: an approach based on behavioral and biochemical investigations. <i>European Journal of Pharmacology</i> , 2014 , 740, 611-8	5.3	16
1056	Effects of Atrazine on Reproductive Health of Nondiabetic and Diabetic Male Rats. 2014 , 2014, 676013		5
1055	The mitochondrial genome sequence of a diabetes disease Rattus norvegicus Wistar strain. 2016 , 27, 1804-5		1
1054	Carrot juice fermented with Lactobacillus plantarum NCU116 ameliorates type 2 diabetes in rats. 2014 , 62, 11884-91		82
1053	DPP-4 inhibitor and PPAR α agonist restore the loss of CA1 dendritic spines in obese insulin-resistant rats. 2014 , 45, 547-52		26
1052	Establishment of a rat model of type II diabetic neuropathic pain. 2014 , 15, 637-46		28
1051	Approach to assessing determinants of glucose homeostasis in the conscious mouse. 2014 , 25, 522-38		28
1050	Attenuation of inhibitory influence of hormones on adenylyl cyclase systems in the myocardium and brain of obese and type 2 diabetic rats as affected by the intranasal insulin treatment. <i>Journal of Evolutionary Biochemistry and Physiology</i> , 2014 , 50, 399-408	0.5	1
1049	Impairment of aldehyde dehydrogenase-2 by 4-hydroxy-2-nonenal adduct formation and cardiomyocyte hypertrophy in mice fed a high-fat diet and injected with low-dose streptozotocin. 2014 , 239, 610-8		45
1048	Insulin detemir causes lesser weight gain in comparison to insulin glargine: role on hypothalamic NPY and galanin. 2014 , 2014, 458104		12
1047	Effect of induced diabetes mellitus on the histological structure of the renal cortex of adult male albino rats and the possible protective role of licorice extract. 2014 , 37, 67-81		
1046	Evaluation of wound healing activity of ferulic acid in diabetic rats. 2014 , 11, 523-32		48

1045	Olive leaf extract suppresses messenger RNA expression of proinflammatory cytokines and enhances insulin receptor substrate 1 expression in the rats with streptozotocin and high-fat diet-induced diabetes. 2014 , 34, 450-7		32
1044	Drug metabolism enzymes in a steatotic model of rat treated with a high fat diet and a low dose of streptozotocin. 2014 , 70, 54-60		26
1043	Polysaccharides from <i>Liriope Radix</i> ameliorates hyperglycemia via various potential mechanisms in diabetic rats. 2014 , 94, 975-82		23
1042	Amelioration of diabetes-induced cognitive deficits by GSK-3 β inhibition is attributed to modulation of neurotransmitters and neuroinflammation. 2014 , 50, 390-405		55
1041	Animal models of diabetes-induced neuropathic pain. 2014 , 20, 147-70		16
1040	Differential expression and localization of neuropeptide Y peptide in pancreatic islet of diabetic and high fat fed rats. 2014 , 54, 33-8		17
1039	A role for diallyl trisulfide in mitochondrial antioxidative stress contributes to its protective effects against vascular endothelial impairment. <i>European Journal of Pharmacology</i> , 2014 , 725, 23-31	5-3	40
1038	Roux-en-Y esophagojejunostomy reduces serum and aortic inflammatory biomarkers in type 2 diabetic rats. 2014 , 24, 916-26		3
1037	Complications in the Coronary Circulation Associated with Diabetes. 2014 , 37-47		
1036	Polyphenols-rich <i>Cyamopsis tetragonoloba</i> (L.) Taub. beans show hypoglycemic and β cells protective effects in type 2 diabetic rats. 2014 , 66, 358-65		18
1035	Rosmarinic acid, a polyphenol, ameliorates hyperglycemia by regulating the key enzymes of carbohydrate metabolism in high fat diet STZ induced experimental diabetes mellitus. 2014 , 4, 431-437		31
1034	Mulberry leaf extract intake reduces hyperglycaemia in streptozotocin (STZ)-induced diabetic rats fed high-fat diet. <i>Journal of Functional Foods</i> , 2014 , 8, 9-17	5-1	78
1033	Hypoglycemic and hypolipidemic effects of oxymatrine in high-fat diet and streptozotocin-induced diabetic rats. 2014 , 21, 807-14		42
1032	Design, synthesis and characterization of zinc-morin, a metal flavonol complex and evaluation of its antidiabetic potential in HFD-STZ induced type 2 diabetes in rats. <i>Chemico-Biological Interactions</i> , 2014 , 219, 9-17	5	37
1031	Variations of thioredoxin system contributes to increased susceptibility to apoptosis in cardiomyocytes of type 2 diabetic rats. 2014 , 46, 318-29		5
1030	Effect of a selective cyclooxygenase type 2 inhibitor celecoxib on depression associated with obesity in mice: an approach using behavioral tests. 2014 , 39, 1395-402		11
1029	Naringenin inhibits α -glucosidase activity: a promising strategy for the regulation of postprandial hyperglycemia in high fat diet fed streptozotocin induced diabetic rats. <i>Chemico-Biological Interactions</i> , 2014 , 210, 77-85	5	89
1028	Berberine regulates the expression of E-prostanoid receptors in diabetic rats with nephropathy. 2014 , 41, 3339-47		19

1027	Hypolipidemic effect of the Chinese polyherbal Huanglian Jiedu decoction in type 2 diabetic rats and its possible mechanism. 2014 , 21, 615-23	36
1026	Editor's Note. 2014 , 15, 637.1-637	2
1025	The effect of high-fat diet and streptozotocin-induced diabetes and endurance training on plasma levels of calcitonin gene-related peptide and lactate in rats. 2014 , 38, 461-5	2
1024	Polydatin improves glucose and lipid metabolism in experimental diabetes through activating the Akt signaling pathway. <i>European Journal of Pharmacology</i> , 2014 , 745, 152-65	5-3 51
1023	Secoisolariciresinol diglucoside in high-fat diet and streptozotocin-induced diabetic nephropathy in rats: a possible renoprotective effect. 2014 , 70, 961-9	10
1022	Effect of endurance training on retinol-binding protein 4 gene expression and its protein level in adipose tissue and the liver in diabetic rats induced by a high-fat diet and streptozotocin. 2014 , 5, 484-91	15
1021	Anti-diabetic properties of <i>Daphniphyllum macropodum</i> fruit and its active compound. 2014 , 78, 1392-401	3
1020	Antidiabetic and antidyslipidemic nature of trigonelline, a major alkaloid of fenugreek seeds studied in high-fat-fed and low-dose streptozotocin-induced experimental diabetic rats. 2014 , 4, 475-480	26
1019	Cutaneous expression of calcium/calmodulin-dependent protein kinase II in rats with type 1 and type 2 diabetes. 2014 , 61-62, 140-6	3
1018	Decreased exposure of simvastatin and simvastatin acid in a rat model of type 2 diabetes. 2014 , 35, 1215-25	24
1017	Grape seed proanthocyanidin extracts ameliorate podocyte injury by activating peroxisome proliferator-activated receptor- α in low-dose streptozotocin-and high-carbohydrate/high-fat diet-induced diabetic rats. 2014 , 5, 1872-80	40
1016	Assessment of the prophylactic role of aspirin and/or clopidogrel on experimentally induced acute myocardial infarction in hypercholesterolemic rats. 2014 , 14, 233-9	11
1015	The effects of Yam (<i>Dioscorea bulbifera</i>) intake on small intestine morphology in streptozotocin-induced diabetic rats. 2014 , 49, 2711-2716	1
1014	Trigonelline and diosgenin attenuate ER stress, oxidative stress-mediated damage in pancreas and enhance adipose tissue PPAR α activity in type 2 diabetic rats. 2014 , 396, 161-74	66
1013	Protective effect of diosmin against diabetic neuropathy in experimental rats. 2014 , 12, 35-41	47
1012	The expression of calcium/calmodulin-dependent protein kinase II in the dorsal horns of rats with type 1 and type 2 diabetes. 2014 , 579, 151-6	3
1011	Antihyperglycemic, hypolipidemic, hepatoprotective and antioxidative effects of dietary clove (<i>Syzygium aromaticum</i>) bud powder in a high-fat diet/streptozotocin-induced diabetes rat model. 2014 , 94, 2726-37	76
1010	Ondansetron attenuates depression co-morbid with obesity in obese mice subjected to chronic unpredictable mild stress; an approach using behavioral battery tests. 2014 , 29, 701-10	22

1009	Neuroprotective role of Indirubin-3'-monoxime, a GSK-3 β inhibitor in high fat diet induced cognitive impairment in mice. 2014 , 452, 1009-15	36
1008	Modeling type 2 diabetes in rats using high fat diet and streptozotocin. 2014 , 5, 349-58	307
1007	Lipolytic and antiadipogenic effects of (3,3-dimethylallyl) halfordinol on 3T3-L1 adipocytes and high fat and fructose diet induced obese C57/BL6J mice. <i>European Journal of Pharmacology</i> , 2014 , 740, 714-21	17
1006	Effect of maternal use of flaxseed oil during pregnancy and lactation on glucose metabolism and pancreas histomorphometry of male offspring from diabetic rats. 2014 , 106, 634-42	5
1005	Effects of compound K on hyperglycemia and insulin resistance in rats with type 2 diabetes mellitus. 2014 , 95, 58-64	54
1004	Impaired survival of autologous fat grafts by diabetes mellitus in an animal model: a pilot study. 2014 , 34, 168-74	8
1003	Mid to distal small bowel resection with the preservation of the terminal ileum improves glucose homeostasis in diabetic rats by activating the hindgut-dependent mechanism. 2014 , 18, 1186-93	8
1002	Duodenal-jejunal bypass improves glucose homeostasis in association with decreased proinflammatory response and activation of JNK in the liver and adipose tissue in a T2DM rat model. 2014 , 24, 1453-62	7
1001	Pyrrolidine dithiocarbamate protects pancreatic β cells from oxidative damage through regulation of FoxO1 activity in type 2 diabetes rats. 2014 , 46, 582-9	10
1000	You are what you eat, or are you? The challenges of translating high-fat-fed rodents to human obesity and diabetes. 2014 , 4, e135	75
999	Roux-en-Y gastric bypass increases hepatic and peripheral insulin sensitivity in rats with type 2 diabetes mellitus. 2014 , 10, 485-93	10
998	Wounding the cornea to learn how it heals. 2014 , 121, 178-93	99
997	Renal function is ameliorated in a diabetic nephropathy rat model through a duodenal-jejunal bypass. 2014 , 103, 26-34	14
996	Evaluation of metabolic and immunological changes in streptozotocin-nicotinamide induced diabetic rats. 2014 , 289, 145-9	10
995	Development of an alternative non-obese non-genetic rat model of type 2 diabetes using caffeine and streptozotocin. 2014 , 66, 585-93	5
994	Oral salmon calcitonin enhances insulin action and glucose metabolism in diet-induced obese streptozotocin-diabetic rats. <i>European Journal of Pharmacology</i> , 2014 , 737, 91-6	53 13
993	Comparative metabolites in plasma and urine of normal and type 2 diabetic rats after oral administration of the traditional Chinese scutellaria-coptis herb couple by ultra performance liquid chromatography-tandem mass spectrometry. 2014 , 965, 27-32	21
992	Oral administration of soybean peptide Vglycin normalizes fasting glucose and restores impaired pancreatic function in Type 2 diabetic Wistar rats. 2014 , 25, 954-63	23

991	Comparative pharmacokinetic investigation on baicalin and wogonoside in type 2 diabetic and normal rats after oral administration of traditional Chinese medicine Huanglian Jiedu decoction. 2014 , 155, 334-42	31
990	Does omethoate have the potential to cause insulin resistance?. 2014 , 37, 284-90	7
989	Hypoglycemic and anti-depressant effects of Zuogui Jiangtang Jieyu formulation in a model of unpredictable chronic mild stress in rats with diabetes mellitus. 2014 , 8, 281-285	12
988	Modulation of diabetes and dyslipidemia in diabetic insulin-resistant rats by mangiferin: role of adiponectin and TNF- α . 2014 , 86, 1935-48	44
987	Kojibiose ameliorates arachidic acid-induced metabolic alterations in hyperglycaemic rats. 2015 , 114, 1395-402	11
986	Metformin prevents DMH-induced colorectal cancer in diabetic rats by reversing the warburg effect. 2015 , 4, 1730-41	29
985	Effects of autologous adipose-derived stem cell infusion on type 2 diabetic rats. 2015 , 62, 339-52	14
984	Relief of diabetes by duodenal-jejunal bypass sleeve implantation in the high-fat diet and streptozotocin-induced diabetic rat model is associated with an increase in GLP-1 levels and the number of GLP-1-positive cells. 2015 , 10, 1355-1363	7
983	Akt/hypoxia-inducible factor-1 signaling deficiency compromises skin wound healing in a type 1 diabetes mouse model. 2015 , 9, 2141-2146	11
982	Irisin inhibits hepatic gluconeogenesis and increases glycogen synthesis via the PI3K/Akt pathway in type 2 diabetic mice and hepatocytes. 2015 , 129, 839-50	190
981	A novel mice model of metabolic syndrome: the high-fat-high-fructose diet-fed ICR mice. 2015 , 64, 435-42	25
980	Evolution and Consumer Behavior. 122-151	4
979	SIRT1 protects against myocardial ischemia-reperfusion injury via activating eNOS in diabetic rats. 2015 , 14, 143	82
978	Umbelliferone Improves an Impaired Glucose and Lipid Metabolism in High-Fat Diet/Streptozotocin-Induced Type 2 Diabetic Rats. 2015 , 29, 1388-1395	26
977	Maternal use of flaxseed oil during pregnancy and lactation prevents morphological alterations in pancreas of female offspring from rat dams with experimental diabetes. 2015 , 96, 94-102	7
976	Effect of canagliflozin or metformin on metabolic disorders in obese diabetic rats. 2015 , 9, 1071-1079	3
975	Streptozotocin-induced type 1 diabetes in rodents as a model for studying mitochondrial mechanisms of diabetic cell glucotoxicity. 2015 , 8, 181-8	90
974	Effect of Stay-Green Wheat, a Novel Variety of Wheat in China, on Glucose and Lipid Metabolism in High-Fat Diet Induced Type 2 Diabetic Rats. 2015 , 7, 5143-55	15

973	Protective Effects of Red Guava on Inflammation and Oxidative Stress in Streptozotocin-Induced Diabetic Mice. 2015 , 20, 22341-50	15
972	S100A9: A Potential Biomarker for the Progression of Non-Alcoholic Fatty Liver Disease and the Diagnosis of Non-Alcoholic Steatohepatitis. 2015 , 10, e0127352	9
971	High-Fat Diet/Low-Dose Streptozotocin-Induced Type 2 Diabetes in Rats Impacts Osteogenesis and Wnt Signaling in Bone Marrow Stromal Cells. 2015 , 10, e0136390	62
970	Differential Telomere Shortening in Blood versus Arteries in an Animal Model of Type 2 Diabetes. 2015 , 2015, 153829	5
969	Rat Models of Diet-Induced Obesity and High Fat/Low Dose Streptozotocin Type 2 Diabetes: Effect of Reversal of High Fat Diet Compared to Treatment with Enalapril or Menhaden Oil on Glucose Utilization and Neuropathic Endpoints. 2015 , 2015, 307285	28
968	Ileal Interposition in Rats with Experimental Type 2 Like Diabetes Improves Glycemic Control Independently of Glucose Absorption. 2015 , 2015, 490365	11
967	Characterisation of pain responses in the high fat diet/streptozotocin model of diabetes and the analgesic effects of antidiabetic treatments. 2015 , 2015, 752481	30
966	Berberine in Combination with Insulin Has Additive Effects on Titanium Implants Osseointegration in Diabetes Mellitus Rats. 2015 , 2015, 824259	10
965	The Effect of Long-Term Intranasal Serotonin Treatment on Metabolic Parameters and Hormonal Signaling in Rats with High-Fat Diet/Low-Dose Streptozotocin-Induced Type 2 Diabetes. 2015 , 2015, 245459	42
964	Antidiabetic and renoprotective effects of Cladophora glomerata Kütz extract in experimental type 2 diabetic rats: a potential nutraceutical product for diabetic nephropathy. 2015 , 2015, 320167	16
963	Synthesis, Spectral Characterization, and Biochemical Evaluation of Antidiabetic Properties of a New Zinc-Diosmin Complex Studied in High Fat Diet Fed-Low Dose Streptozotocin Induced Experimental Type 2 Diabetes in Rats. 2015 , 2015, 350829	13
962	Swim Training Improves HOMA-IR in Type 2 Diabetes Induced by High Fat Diet and Low Dose of Streptozotocin in Male Rats. 2015 , 5, 379-84	22
961	RA abrogates hepatic gluconeogenesis and insulin resistance by enhancing IRS-1 and AMPK signalling in experimental type 2 diabetes. 2015 , 5, 44053-44067	17
960	Effects of selenium on endothelial dysfunction and metabolic profile in low dose streptozotocin induced diabetic rats fed a high fat diet. 2015 , 90, 506-15	24
959	Inhibition of cellular transdifferentiation by losartan minimizes but does not reverse type 2 diabetes-induced renal fibrosis. 2015 , 16, 469-80	6
958	Molecular and immunohistochemical effects of metformin in a rat model of type 2 diabetes mellitus. 2015 , 9, 1921-1930	21
957	Curcumin protects rat liver from streptozotocin-induced diabetic pathophysiology by counteracting reactive oxygen species and inhibiting the activation of p53 and MAPKs mediated stress response pathways. 2015 , 2, 365-376	74
956	Diosgenin reorganises hyperglycaemia and distorted tissue lipid profile in high-fat diet-streptozotocin-induced diabetic rats. 2015 , 95, 3177-82	32

955	Persistent cerebrovascular damage after stroke in type two diabetic rats measured by magnetic resonance imaging. 2015 , 46, 507-12		31
954	Isothiocyanate-rich <i>Moringa oleifera</i> extract reduces weight gain, insulin resistance, and hepatic gluconeogenesis in mice. 2015 , 59, 1013-24		94
953	Protective effect of rhGLP-1 (7-36) on brain ischemia/reperfusion damage in diabetic rats. 2015 , 1602, 153-9		21
952	High-fat diet combined with low-dose streptozotocin injections induces metabolic syndrome in <i>Macaca mulatta</i> . 2015 , 49, 659-68		9
951	Ameliorative effect of eprosartan on high-fat diet/streptozotocin-induced early diabetic nephropathy in rats. <i>European Journal of Pharmacology</i> , 2015 , 750, 90-7	5.3	17
950	Effect of metformin and pioglitazone on Eatenin and biochemical markers in sitagliptin-induced pancreatitis in diabetic rats. 2015 , 35, 332-339		1
949	Biological activities of salvianolic acid B from <i>Salvia miltiorrhiza</i> on type 2 diabetes induced by high-fat diet and streptozotocin. 2015 , 53, 1058-65		44
948	In vivo and in vitro antidiabetic effects of citrus flavonoids; a study on the mechanism of action. 2015 , 35, 250-263		28
947	Effects of omega-3 fatty acids and pioglitazone combination on insulin resistance through fibroblast growth factor 21 in type 2 diabetes mellitusPeer review under responsibility of Mansoura University.View all notes. 2015 , 2, 75-86		4
946	Diabetes mellitus affects activity of calcium/calmodulin-dependent protein kinase II alpha in rat trigeminal ganglia. 2015 , 64-65, 12-9		6
945	Roux-en-Y gastric bypass reduces lipid overaccumulation in liver by upregulating hepatic autophagy in obese diabetic rats. 2015 , 25, 109-18		13
944	Andrographolide derivative AL-1 improves insulin resistance through down-regulation of NF- κ B signalling pathway. <i>British Journal of Pharmacology</i> , 2015 , 172, 3151-8	8.6	26
943	Pharmacological activation of PPAR gamma ameliorates vascular endothelial insulin resistance via a non-canonical PPAR gamma-dependent nuclear factor-kappa B trans-repression pathway. <i>European Journal of Pharmacology</i> , 2015 , 754, 41-51	5.3	19
942	Rosmarinic acid modulates the antioxidant status and protects pancreatic tissues from glucolipotoxicity mediated oxidative stress in high-fat diet: streptozotocin-induced diabetic rats. 2015 , 404, 143-59		67
941	UPLC-MS based metabolite profiles of two major bioactive components in herb pair <i>scutellaria</i> optis metabolized by intestinal bacteria derived from healthy rats and rats with type 2 diabetes. 2015 , 7, 5574-5582		2
940	Ondansetron attenuates co-morbid depression and anxiety associated with obesity by inhibiting the biochemical alterations and improving serotonergic neurotransmission. 2015 , 136, 107-16		21
939	Antioxidant Activities of Nine Selected Culinary Spices from China. 2015 , 22, 50-57		4
938	Beta-adrenergic regulation of adenylyl cyclase signaling system in the myocardium and brain of rats with obesity and type 2 diabetes mellitus as affected by long-term intranasal insulin administration. <i>Journal of Evolutionary Biochemistry and Physiology</i> , 2015 , 51, 198-209	0.5	2

937	Involvement of NO-cGMP pathway in anti-hyperalgesic effect of PDE5 inhibitor tadalafil in experimental hyperalgesia. 2015 , 23, 187-94	10
936	Dysregulated miR-103 and miR-143 expression in peripheral blood mononuclear cells from induced prediabetes and type 2 diabetes rats. 2015 , 572, 95-100	29
935	Propolis restored adiponectin level in type 2 diabetes through PPAR α activation. 2015 , 2, 318-326	9
934	Chenodeoxycholic acid, an endogenous FXR ligand alters adipokines and reverses insulin resistance. 2015 , 414, 19-28	33
933	Effects of D-Pinitol on Insulin Resistance through the PI3K/Akt Signaling Pathway in Type 2 Diabetes Mellitus Rats. 2015 , 63, 6019-26	109
932	Comparative pharmacokinetics of arctigenin in normal and type 2 diabetic rats after oral and intravenous administration. 2015 , 105, 119-26	11
931	Anti-diabetic effects of shubat in type 2 diabetic rats induced by combination of high-glucose-fat diet and low-dose streptozotocin. 2015 , 169, 269-74	44
930	Angelica sinensis polysaccharide regulates glucose and lipid metabolism disorder in prediabetic and streptozotocin-induced diabetic mice through the elevation of glycogen levels and reduction of inflammatory factors. 2015 , 6, 902-9	39
929	The aggravation of mitochondrial dysfunction in nonalcoholic fatty liver disease accompanied with type 2 diabetes mellitus. 2015 , 50, 1152-9	7
928	Expedited Biliopancreatic Juice Flow to the Distal Gut Benefits the Diabetes Control After Duodenal-jejunal Bypass. 2015 , 25, 1802-9	15
927	Effect of different exercise intensities on the pancreas of animals with metabolic syndrome. 2015 , 8, 115-20	5
926	Comparative studies on exenatide-loaded poly (D,L-lactic-co-glycolic acid) microparticles prepared by a novel ultra-fine particle processing system and spray drying. 2015 , 132, 103-10	23
925	Antidiabetic mechanism of Coptis chinensis polysaccharide through its antioxidant property involving the JNK pathway. 2015 , 53, 1022-9	22
924	Poor outcome of experimental ischemic stroke in type 2 diabetic rats: impaired circulating endothelial progenitor cells mobilization. 2015 , 24, 980-7	5
923	Animal Models of Diabetic Retinopathy. 2015 , 40, 761-71	28
922	No effect of NOS inhibition on skeletal muscle glucose uptake during in situ hindlimb contraction in healthy and diabetic Sprague-Dawley rats. 2015 , 308, R862-71	11
921	Insulin sensitizing and cardioprotective effects of Esculetin and Telmisartan combination by attenuating Ang II mediated vascular reactivity and cardiac fibrosis. <i>European Journal of Pharmacology</i> , 2015 , 765, 591-7	5:3 10
920	Mild alcohol intake exacerbates metabolic syndrome in rodents: a putative role of GSK-3 β 2015 , 35, 592-9	

919	Fructose diet and low dose streptozotocin treatment induces the development of diabetic nephropathy in rats. 2015 , 15, 305-312		2
918	Down-Regulation of Renal Gluconeogenesis in Type II Diabetic Rats Following Roux-en-Y Gastric Bypass Surgery: A Potential Mechanism in Hypoglycemic Effect. 2015 , 8, 110-24		7
917	Preconditioning offers cardioprotection in hyperlipidemic rat hearts: possible role of Dopamine (D2) signaling. 2015 , 15, 77		5
916	Effect of combination therapy consisting of enalapril, lipoic acid, and menhaden oil on diabetic neuropathy in a high fat/low dose streptozotocin treated rat. <i>European Journal of Pharmacology</i> , 2015 , 765, 258-67	5-3	23
915	Effects of curcumin on TTX-R sodium currents of dorsal root ganglion neurons in type 2 diabetic rats with diabetic neuropathic pain. 2015 , 605, 59-64		13
914	Effect of wild Korean ginseng (<i>Panax ginseng</i>) extract on blood glucose and serum lipid contents in rats with multiple low-dose streptozotocin-induced diabetes. 2015 , 24, 1505-1511		8
913	Design, synthesis and biological evaluation of novel pyrazolo-pyrimidinones as DPP-IV inhibitors in diabetes. 2015 , 25, 4428-33		23
912	Hypoglycemic effects of <i>Grifola frondosa</i> (Maitake) polysaccharides F2 and F3 through improvement of insulin resistance in diabetic rats. 2015 , 6, 3567-75		41
911	Maternal exposure to diets containing flaxseed flour or flaxseed oil during pregnancy and lactation protects the aortic remodeling in adult male offspring of diabetic rat dams. 2015 , 95, 2973-80		7
910	C-Aryl Glucosides with Substituents at the Distal Aryl Ring as Sodium-Dependent Glucose Cotransporter Inhibitors for the Treatment of Diabetes Mellitus. 2015 , 86, 246-53		7
909	Hypoglycemic effect of deoxynojirimycin-polysaccharide on high fat diet and streptozotocin-induced diabetic mice via regulation of hepatic glucose metabolism. <i>Chemico-Biological Interactions</i> , 2015 , 225, 70-9	5	34
908	Vasonatin peptide attenuates myocardial ischemia-reperfusion injury in diabetic rats and underlying mechanisms. 2015 , 308, H281-90		44
907	Effects of <i>Grifola frondosa</i> non-polar bioactive components on high-fat diet fed and streptozotocin-induced hyperglycemic mice. 2015 , 53, 705-9		12
906	Fenugreek seed extract and its phytochemicals- trigonelline and diosgenin arbitrate their hepatoprotective effects through attenuation of endoplasmic reticulum stress and oxidative stress in type 2 diabetic rats. 2015 , 240, 223-232		11
905	QCM-4, a 5-HT _{2A} receptor antagonist ameliorates plasma HPA axis hyperactivity, leptin resistance and brain oxidative stress in depression and anxiety-like behavior in obese mice. 2015 , 456, 74-9		19
904	Histone deacetylase inhibitor, trichostatin A, improves learning and memory in high-fat diet-induced cognitive deficits in mice. 2015 , 56, 1-11		49
903	Evaluation of fish oil-rich in MUFAs for anti-diabetic and anti-inflammation potential in experimental type 2 diabetic rats. 2016 , 20, 581-593		10
902	NF- κ B Inhibition Resolves Cognitive Deficits in Experimental Type 2 Diabetes Mellitus through CREB and Glutamate/GABA Neurotransmitters Pathway. 2016 , 13, 22-32		28

901	Extract of <i>Sesbania grandiflora</i> Ameliorates Hyperglycemia in High Fat Diet-Streptozotocin Induced Experimental Diabetes Mellitus. 2016 , 2016, 4083568		7
900	ALOE-EMODIN GLYCOSIDES AMELIORATE GLUCOSE UTILIZATION VIA INSULIN DOWNSTREAM REGULATORS: AN IN VIVO INVESTIGATION. 2016 , 191		3
899	Central Administration of Galanin Receptor 1 Agonist Boosted Insulin Sensitivity in Adipose Cells of Diabetic Rats. 2016 , 2016, 9095648		8
898	Electroacupuncture Reduces Weight Gain Induced by Rosiglitazone through PPAR α and Leptin Receptor in CNS. 2016 , 2016, 8098561		8
897	In Vivo Interrelationship between Insulin Resistance and Interferon Gamma Production: Protective and Therapeutic Effect of Berberine. 2016 , 2016, 2039897		13
896	Development of an Experimental Model of Diabetes Co-Existing with Metabolic Syndrome in Rats. 2016 , 2016, 9463476		28
895	Animal Model of Gestational Diabetes Mellitus with Pathophysiological Resemblance to the Human Condition Induced by Multiple Factors (Nutritional, Pharmacological, and Stress) in Rats. 2016 , 2016, 9704607		21
894	Tissue Kallikrein Alleviates Cerebral Ischemia-Reperfusion Injury by Activating the B2R-ERK1/2-CREB-Bcl-2 Signaling Pathway in Diabetic Rats. <i>Oxidative Medicine and Cellular Longevity</i> , 2016 , 2016, 1843201	6.7	14
893	Naringenin Ameliorated Kidney Injury through Let-7a/TGFBR1 Signaling in Diabetic Nephropathy. 2016 , 2016, 8738760		35
892	C1q/TNF-Related Protein 9 Protects Diabetic Rat Heart against Ischemia Reperfusion Injury: Role of Endoplasmic Reticulum Stress. <i>Oxidative Medicine and Cellular Longevity</i> , 2016 , 2016, 1902025	6.7	27
891	Rosmarinic acid ameliorates hyperglycemia and insulin sensitivity in diabetic rats, potentially by modulating the expression of PEPCK and GLUT4. 2016 , 10, 2193-202		57
890	<i>Nigella sativa</i> Relieves the Altered Insulin Receptor Signaling in Streptozotocin-Induced Diabetic Rats Fed with a High-Fat Diet. <i>Oxidative Medicine and Cellular Longevity</i> , 2016 , 2016, 2492107	6.7	22
889	Quercetin-Rich Guava (<i>Psidium guajava</i>) Juice in Combination with Trehalose Reduces Autophagy, Apoptosis and Pyroptosis Formation in the Kidney and Pancreas of Type II Diabetic Rats. 2016 , 21, 334		45
888	Hexarelin Protects Rodent Pancreatic β Cells Function from Cytotoxic Effects of Streptozotocin Involving Mitochondrial Signalling Pathways In Vivo and In Vitro. 2016 , 11, e0149730		9
887	Tocotrienols and Whey Protein Isolates Substantially Increase Exercise Endurance Capacity in Diet-Induced Obese Male Sprague-Dawley Rats. 2016 , 11, e0152562		8
886	Antidiabetic and Antilipidemic Effect of <i>Musa balbisiana</i> Root Extract: A Potent Agent for Glucose Homeostasis in Streptozotocin-Induced Diabetic Rat. 2016 , 7, 102		26
885	Polyphenol Rich Extract of <i>Garcinia pedunculata</i> Fruit Attenuates the Hyperlipidemia Induced by High Fat Diet. 2016 , 7, 294		16
884	Endoplasmic reticulum stress and renal lesion in mice with combination of high-fat diet and streptozotocin-induced diabetes. 2016 , 31, 150-5		5

883	Anti-Diabetic Activity and Metabolic Changes Induced by Andrographis paniculata Plant Extract in Obese Diabetic Rats. 2016 , 21,	19
882	A novel herbal treatment reduces depressive-like behaviors and increases brain-derived neurotrophic factor levels in the brain of type 2 diabetic rats. 2016 , 12, 3051-3059	9
881	Effects of crocin on experimental obesity and type-2 diabetes. 2016 , 46, 1593-1602	25
880	Endoplasmic reticulum stress-induced neuronal inflammatory response and apoptosis likely plays a key role in the development of diabetic encephalopathy. 2016 , 7, 78455-78472	46
879	HYPOGLYCEMIC AND HYPOLIPIDEMIC EFFECTS OF PHENOLIC OLIVE TREE EXTRACT IN STREPTOZOTOCIN DIABETIC RATS. 2016 , 8, 287	7
878	Rosuvastatin Alleviates Type 2 Diabetic Atrial Structural and Calcium Channel Remodeling. 2016 , 67, 57-67	6
877	Overexpression of p53 Improves Blood Glucose Control in an Insulin Resistant Diabetic Mouse Model. 2016 , 45, 1010-7	8
876	Mechanism of sphingosine-1-phosphate induced cardioprotection against I/R injury in diabetic rat heart: Possible involvement of glycogen synthase kinase 3 β and mitochondrial permeability transition pore. 2016 , 43, 166-73	18
875	Cinnamaldehyde supplementation prevents fasting-induced hyperphagia, lipid accumulation, and inflammation in high-fat diet-fed mice. 2016 , 42, 201-11	62
874	The biosynthesis of DHA is increased in the liver of diabetic rats induced by high-fat diets and STZ, in correlation with increased activity of peroxisomal β oxidation. 2016 , 118, 137-146	3
873	Potent Antidiabetic Activity and Metabolite Profiling of Melicope Lunu-ankenda Leaves. 2016 , 81, C1080-90	18
872	Exploring nanobiotechnology in controlling malaria and cancer. 2016 ,	1
871	Sequential changes in autophagy in diabetic cardiac fibrosis. 2016 , 13, 327-32	9
870	Ability of dairy fat in inducing metabolic syndrome in rats. 2016 , 5, 2020	13
869	Protective effect of crocin and voluntary exercise against oxidative stress in the heart of high-fat diet-induced type 2 diabetic rats. 2016 , 103, 459-468	20
868	The effect of combined inositol hexakisphosphate and inositol supplement in streptozotocin-induced type 2 diabetic rats. 2016 , 97, 397-407	11
867	Inhibition of GSK-3 β signalling improves cognitive deficits and glutamate-excitotoxicity in diabetes through transcription regulation of CREB. 2016 , 26, S237	
866	Haloperidol-induced catalepsy, a model of acute antipsychotic-induced extrapyramidal side effects, is altered by inhibiting and inducing CYP2D in rat brain. 2016 , 26, S237-S238	

865	Suppression of connective tissue growth factor mediates the renoprotective effect of Sitagliptin rather than Pioglitazone in type 2 diabetes mellitus. 2016 , 153, 180-7	12
864	Effect of Combination of Angiotensin-Converting Enzyme Inhibitors and Vitamin D Receptor Activators on Cardiac Oxidative Stress in Diabetic Rats. 2016 , 352, 208-14	3
863	Liraglutide alters DPP4 in the circumvallate papillae of type 2 diabetic rats. 2016 , 57, 13-21	5
862	Potential impact of <i>Paracentrotus lividus</i> extract on diabetic rat models induced by high fat diet/streptozotocin. 2016 , 77, 8-20	12
861	Hypoglycemic effect of D-chiro-inositol in type 2 diabetes mellitus rats through the PI3K/Akt signaling pathway. 2016 , 433, 26-34	55
860	Evidence for the involvement of neuropeptide Y in the antidepressant effect of imipramine in type 2 diabetes. 2016 , 1646, 1-11	17
859	ROS-mediated glucose metabolic reprogram induces insulin resistance in type 2 diabetes. 2016 , 476, 204-211	41
858	Reversal of diabetes-induced behavioral and neurochemical deficits by cinnamaldehyde. 2016 , 23, 923-30	26
857	Adverse effect of DEHP exposure on the serum insulin level of Balb/c mice. 2016 , 12, 83-91	6
856	Roux-en-Y Gastric Bypass Surgery Suppresses Hepatic Gluconeogenesis and Increases Intestinal Gluconeogenesis in a T2DM Rat Model. 2016 , 26, 2683-2690	25
855	Alternatives to the Streptozotocin-Diabetic Rodent. 2016 , 127, 89-112	28
854	Effects of crocin and voluntary exercise, alone or combined, on heart VEGF-A and HOMA-IR of HFD/STZ induced type 2 diabetic rats. 2016 , 39, 1179-86	20
853	Determination of the regulatory properties of <i>Yucca schidigera</i> extracts on the biochemical parameters and plasma hormone levels associated with obesity. 2016 , 26, 246-250	8
852	Enhanced autophagy signaling in diabetic rats with ischemia-induced seizures. 2016 , 1643, 18-26	8
851	PD-PK evaluation of freeze-dried atorvastatin calcium-loaded poly-L-lactide nanoparticles. 2016 , 504, 70-9	24
850	Effect of canagliflozin and metformin on cortical neurotransmitters in a diabetic rat model. <i>Chemico-Biological Interactions</i> , 2016 , 258, 79-88	5 16
849	Bone morphogenetic protein 2 promotes osteogenesis of bone marrow stromal cells in type 2 diabetic rats via the Wnt signaling pathway. 2016 , 80, 143-153	16
848	Zinc oxide nanoparticles and a standard antidiabetic drug restore the function and structure of beta cells in Type-2 diabetes. 2016 , 84, 810-820	57

847	Effect of HFD/STZ on expression of genes involved in lipid, cholesterol and glucose metabolism in rats. 2016 , 166, 149-156	18
846	Comparative investigation on the pharmacokinetics of geniposide in type 2 diabetic and normal rats after oral administration of Fructus Gradeniae extract. 2016 , 1033-1034, 180-186	15
845	Effects of carvedilol on ventricular remodeling and the expression of β -adrenergic receptor in a diabetic rat model subjected myocardial infarction. 2016 , 222, 178-184	7
844	Chronic intermittent hypobaric hypoxia ameliorates diabetic nephropathy through enhancing HIF1 signaling in rats. 2016 , 118, 90-7	21
843	Antidiabetic effects of Kernel Flour-supplemented diet in streptozotocin-induced type 2 diabetes in rats. 2016 , 4, 828-839	24
842	Secoisolariciresinol diglucoside rich extract of <i>L. usitatissimum</i> prevents diabetic colon cancer through inhibition of CDK4. 2016 , 83, 733-739	12
841	Opposite roles of bradykinin B1 and B2 receptors during cerebral ischaemia-reperfusion injury in experimental diabetic rats. 2016 , 43, 53-65	16
840	Expression of NUCB2/nesfatin-1 in the taste buds of rats. 2016 , 63, 37-45	2
839	Melatonin attenuates the high-fat diet and streptozotocin-induced reduction in rat hippocampal neurogenesis. 2016 , 100, 97-109	22
838	Antihyperglycemic and antihyperlipidemic activities of protodioscin in a high-fat diet and streptozotocin-induced diabetic rats. 2016 , 6, 88640-88646	8
837	Animal models of insulin resistance: A review. 2016 , 68, 1165-1177	55
836	Goji fruit (<i>Lycium barbarum</i>) protects sciatic nerve function against crush injury in a model of diabetic stress. 2016 , 23, 169-79	1
835	Combined therapy with metformin and insulin attenuates systemic and hepatic alterations in a model of high-fat diet-/streptozotocin-induced diabetes. 2016 , 97, 266-77	10
834	Nephroprotective potential of <i>Quercus infectoria</i> galls against experimentally induced diabetic nephropathy in rats through inhibition of renal oxidative stress and TGF- β 2016 , 20, 193-202	2
833	Neurorestorative Responses to Delayed Human Mesenchymal Stromal Cells Treatment of Stroke in Type 2 Diabetic Rats. 2016 , 47, 2850-2858	31
832	Glutaredoxins concomitant with optimal ROS activate AMPK through S-glutathionylation to improve glucose metabolism in type 2 diabetes. 2016 , 101, 334-347	32
831	β -aminoisobutyric acid attenuates hepatic endoplasmic reticulum stress and glucose/lipid metabolic disturbance in mice with type 2 diabetes. 2016 , 6, 21924	52
830	Contribution of redox-dependent activation of endothelial Nlrp3 inflammasomes to hyperglycemia-induced endothelial dysfunction. 2016 , 94, 1335-1347	67

829	Effect of dietary supplementation of Padauk (<i>Pterocarpus soyauxii</i>) leaf on high fat diet/streptozotocin induced diabetes in rats' brain and platelets. 2016 , 84, 1194-1201		15
828	Effects of crude hydroalcoholic extract of <i>Syzygium cumini</i> (L.) Skeels leaves and continuous aerobic training in rats with diabetes induced by a high-fat diet and low doses of streptozotocin. 2016 , 194, 1012-1021		18
827	Sex differences in head shaking behavior during the rat forced swim test. 2016 , 26, S236-S237		
826	Resistin mediates tomato and broccoli extract effects on glucose homeostasis in high fat diet-induced obesity in rats. 2016 , 16, 225		13
825	Protective effects of phyllanthin, a lignan from <i>Phyllanthus amarus</i> , against progression of high fat diet induced metabolic disturbances in mice. 2016 , 6, 58343-58353		13
824	Exenatide suppresses 1,2-dimethylhydrazine-induced colon cancer in diabetic mice: Effect on tumor angiogenesis and cell proliferation. 2016 , 82, 106-16		10
823	Pioglitazone, a PPAR α agonist rescues depression associated with obesity using chronic unpredictable mild stress model in experimental mice. 2016 , 3, 114-121		23
822	Trans-11 vaccenic acid improves insulin secretion in models of type 2 diabetes in vivo and in vitro. 2016 , 60, 846-57		18
821	<i>Bauhinia variegata</i> (Caesalpiniaceae) leaf extract: An effective treatment option in type I and type II diabetes. 2016 , 83, 122-129		18
820	Epigenetic modifications by inhibiting histone deacetylases reverse memory impairment in insulin resistance induced cognitive deficit in mice. 2016 , 105, 285-297		38
819	Metabolic alteration in obese diabetes rats upon treatment with <i>Centella asiatica</i> extract. 2016 , 180, 60-9		45
818	In silico, in vitro and in vivo analyses of dipeptidyl peptidase IV inhibitory activity and the antidiabetic effect of sodium caseinate hydrolysate. 2016 , 7, 1122-8		20
817	Apigenin and naringenin regulate glucose and lipid metabolism, and ameliorate vascular dysfunction in type 2 diabetic rats. <i>European Journal of Pharmacology</i> , 2016 , 773, 13-23	5-3	107
816	Melatonin and L-carnitin improves endothelial dysfunction and oxidative stress in Type 2 diabetic rats. 2016 , 8, 199-204		44
815	Improvements of Glucose and Lipid Metabolism After Jejuno-ileal Circuit Procedure in a Non-obese Diabetic Rat Model. 2016 , 26, 1768-76		1
814	Challenges and issues with streptozotocin-induced diabetes - A clinically relevant animal model to understand the diabetes pathogenesis and evaluate therapeutics. <i>Chemico-Biological Interactions</i> , 2016 , 244, 49-63	5	135
813	Exercise Training Reverses Structural Microvascular Rarefaction and Improves Endothelium-Dependent Microvascular Reactivity in Rats with Diabetes. 2016 , 14, 298-304		15
812	Anti-diabetes effect of chronic intermittent hypobaric hypoxia through improving liver insulin resistance in diabetic rats. 2016 , 150, 1-7		20

811	Effects of Bariatric Surgery on Serum Bile Acid Composition and Conjugation in a Diabetic Rat Model. 2016 , 26, 2384-92	25
810	Mechanisms of echinochrome potency in modulating diabetic complications in liver. 2016 , 151, 41-49	24
809	The renal protective effects of Anoectochilus roxburghii polysaccharose on diabetic mice induced by high-fat diet and streptozotocin. 2016 , 178, 58-65	22
808	Experimental diabetes induced by alloxan and streptozotocin: The current state of the art. 2016 , 78, 13-31	117
807	Comparative Effects of Bile Diversion and Duodenal-jejunal Bypass on Glucose and Lipid Metabolism in Male Diabetic Rats. 2016 , 26, 1565-75	7
806	Ameliorative potential of gingerol: Promising modulation of inflammatory factors and lipid marker enzymes expressions in HFD induced obesity in rats. 2016 , 419, 139-47	59
805	Roux-en-Y Esophagojejunostomy Ameliorates Renal Function Through Reduction of Renal Inflammatory and Fibrotic Markers in Diabetic Nephropathy. 2016 , 26, 1402-13	7
804	Duodenal-jejunal Bypass Surgery Ameliorates Glucose Homeostasis and Reduces Endoplasmic Reticulum Stress in the Liver Tissue in a Diabetic Rat Model. 2016 , 26, 1002-9	11
803	Cardioprotective effect of pioglitazone in diabetic and non-diabetic rats subjected to acute myocardial infarction involves suppression of AGE-RAGE axis and inhibition of apoptosis. 2016 , 94, 463-76	25
802	A novel mouse model of diabetes mellitus using unilateral nephrectomy. 2016 , 50, 88-93	2
801	Intracerebroventricular Streptozotocin Injections as a Model of Alzheimer's Disease: in Search of a Relevant Mechanism. 2016 , 53, 1741-1752	159
800	White matter changes after stroke in type 2 diabetic rats measured by diffusion magnetic resonance imaging. 2017 , 37, 241-251	16
799	Suppression of Kv1.5 protects against endothelial apoptosis induced by palmitate and in type 2 diabetes mice. 2017 , 168, 28-37	12
798	Rosmarinic Acid Mediates Mitochondrial Biogenesis in Insulin Resistant Skeletal Muscle Through Activation of AMPK. 2017 , 118, 1839-1848	27
797	Effect of 2-hydroxychalcone on adiponectin level in type 2 diabetes induced experimentally in rats. 2017 , 4, 1-8	5
796	Antidiabetic effects of Morus alba fruit polysaccharides on high-fat diet- and streptozotocin-induced type 2 diabetes in rats. 2017 , 199, 119-127	102
795	Esculetin ameliorates hepatic fibrosis in high fat diet induced non-alcoholic fatty liver disease by regulation of FoxO1 mediated pathway. 2017 , 69, 666-672	17
794	Amelioration of high fat diet-induced nephropathy by cilostazol and rosuvastatin. 2017 , 40, 391-402	11

793	Novel 5-HT receptor antagonist QCM-4 attenuates depressive-like phenotype associated with obesity in high-fat-diet-fed mice. 2017 , 234, 1165-1179	10
792	Design, synthesis and anti-diabetic activity of triazolotriazine derivatives as dipeptidyl peptidase-4 (DPP-4) inhibitors. 2017 , 72, 345-358	23
791	Myoinositol ameliorates high-fat diet and streptozotocin-induced diabetes in rats through promoting insulin receptor signaling. 2017 , 88, 1098-1113	26
790	Inhibition of T-cell activation by the CTLA4-Fc Abatacept is sufficient to ameliorate proteinuric kidney disease. 2017 , 312, F748-F759	12
789	Streptozotocin-Treated High Fat Fed Mice: A New Type 2 Diabetes Model Used to Study Canagliflozin-Induced Alterations in Lipids and Lipoproteins. 2017 , 49, 400-406	14
788	Antihyperglycemic, antihyperlipidemic and antioxidant effects of standard ethanol extract of <i>Bombax ceiba</i> leaves in high-fat-diet- and streptozotocin-induced Type 2 diabetic rats. 2017 , 15, 168-177	19
787	CMD-05, a novel promising clinical anti-diabetic drug candidate, in vivo and vitro studies. 2017 , 7, 46628	9
786	Hypoglycemic and Hypolipidemic Effects of Leucine, Zinc, and Chromium, Alone and in Combination, in Rats with Type 2 Diabetes. 2017 , 180, 246-254	16
785	Development of a Novel Zebrafish Model for Type 2 Diabetes Mellitus. 2017 , 7, 1461	76
784	Experimental type 2 diabetes induction reduces serum vaspin, but not serum omentin, in Wistar rats. 2017 , 98, 26-33	17
783	Antidiabetic activity of <i>Ganoderma lucidum</i> polysaccharides F31 down-regulated hepatic glucose regulatory enzymes in diabetic mice. 2017 , 196, 47-57	79
782	Root bark of <i>Morus alba</i> ameliorates the depressive-like behaviors in diabetic rats. 2017 , 637, 136-141	10
781	Metabolic and neuroprotective effects of dapagliflozin and liraglutide in diabetic mice. 2017 , 234, 255-267	42
780	Prenatal Food Restriction with Postweaning High-fat Diet Alters Glucose Metabolic Function in Adult Rat Offspring. 2017 , 48, 35-45	4
779	Mechanistic insights into the effects of quercetin and/or GLP-1 analogue liraglutide on high-fat diet/streptozotocin-induced type 2 diabetes in rats. 2017 , 92, 331-339	34
778	Chronic treatment of (R)-lipoic acid reduces blood glucose and lipid levels in high-fat diet and low-dose streptozotocin-induced metabolic syndrome and type 2 diabetes in Sprague-Dawley rats. 2017 , 5, e00306	21
777	Consumption of guava may have beneficial effects in type 2 diabetes: A bioactive perspective. 2017 , 101, 543-552	20
776	Salusin- β contributes to oxidative stress and inflammation in diabetic cardiomyopathy. 2017 , 8, e2690	48

775	Multiplexing detection and measurement of diabetes biomarkers in mice treated with different concentrations of <i>Kappaphycus alvarezii</i> extract. 2017 , 29, 2097-2106	1
774	An excessive increase in glutamate contributes to glucose-toxicity in β cells via activation of pancreatic NMDA receptors in rodent diabetes. 2017 , 7, 44120	40
773	Deferoxamine-activated hypoxia-inducible factor-1 restores cardioprotective effects of sevoflurane postconditioning in diabetic rats. 2017 , 221, 98-114	12
772	A new method to evaluate the dose-effect relationship of a TCM formula Gegen Qinlian Decoction: "Focus" mode of integrated biomarkers. 2017 , 38, 1141-1149	7
771	Metabolite Variation in Lean and Obese Streptozotocin (STZ)-Induced Diabetic Rats via H NMR-Based Metabolomics Approach. 2017 , 182, 653-668	20
770	Histological evidence that metformin reverses the adverse effects of diabetes on orthodontic tooth movement in rats. 2017 , 48, 73-81	18
769	Antidiabetic activity of <i>Embelia ribes</i> , embelin and its derivatives: A systematic review and meta-analysis. 2017 , 86, 195-204	23
768	A New Method for Targeted and Sustained Induction of Type 2 Diabetes in Rodents. 2017 , 7, 14158	10
767	Pancreatic and renal function in streptozotocin-induced type 2 diabetic rats administered combined inositol hexakisphosphate and inositol supplement. 2017 , 96, 72-77	6
766	"2-(4-Fluorobenzamido)-4-methylthiazole-5-carboxylic acid" a novel thiazole compound, ameliorates insulin sensitivity and hyperlipidaemia in streptozotocin-induced diabetic rats: Plausible role of inflammatory and oxidative stress markers. 2017 , 95, 1232-1241	2
765	A new multifunctional hydroxytyrosol-fenofibrate with antidiabetic, antihyperlipidemic, antioxidant and antiinflammatory action. 2017 , 95, 1749-1758	18
764	<i>Lactobacillus rhamnosus</i> NCD17 ameliorates type-2 diabetes by improving gut function, oxidative stress and inflammation in high-fat-diet fed and streptozotocin-treated rats. 2017 , 8, 243-255	56
763	Type 2 Diabetes Mellitus Is Associated with Social Recognition Memory Deficit and Altered Dopaminergic Neurotransmission in the Amygdala. 2018 , 24, 212-220	10
762	Swertisin rich fraction from <i>Enicostema littorale</i> ameliorates hyperglycemia and hyperlipidemia in high-fat fed diet and low dose streptozotocin induced type 2 diabetes mellitus in rats. 2017 , 96, 1427-1437	10
761	Hybrid drug combination: Anti-diabetic treatment of type 2 diabetic Wistar rats with combination of ellagic acid and pioglitazone. 2017 , 37, 4-9	34
760	Parathyroid hormone (1-34) promotes fracture healing in ovariectomized rats with type 2 diabetes mellitus. 2017 , 28, 3043-3053	8
759	Protein extract from the fruit pulp of <i>Momordica charantia</i> potentiate glucose uptake by up-regulating GLUT4 and AMPK. <i>Journal of Functional Foods</i> , 2017 , 37, 507-512	5.1 7
758	Measurement of O-GlcNAcylated endothelial nitric oxide synthase by using 2',5'-ADP-Sepharose pull-down assay. 2017 , 537, 8-12	5

757	Peppermint essential oil alleviates hyperglycemia caused by streptozotocin- nicotinamide-induced type 2 diabetes in rats. 2017 , 95, 990-999		17
756	A practical guide for induction of type-2 diabetes in rat: Incorporating a high-fat diet and streptozotocin. 2017 , 95, 605-613		124
755	Targeted metabolome profiling by dual-probe microdialysis sampling and treatment using <i>Gardenia jasminoides</i> for rats with type 2 diabetes. 2017 , 7, 10105		19
754	Hepatoprotective effect of <i>Opuntia microdasys</i> (Lehm.) Pfeiff flowers against diabetes type II induced in rats. 2017 , 94, 79-87		18
753	Diphenylethylidene Mitigates Bupivacaine-Induced Sciatic Nerve Damage in a Diabetic Neuropathy Rat Model by Attenuating Oxidative Stress. 2017 , 125, 653-661		8
752	Protective effects of asiatic acid in a spontaneous type 2 diabetic mouse model. 2017 , 16, 1333-1339		9
751	Effects of combined inositol hexakisphosphate and inositol supplement on antioxidant activity and metabolic enzymes in the liver of streptozotocin-induced type 2 diabetic rats. <i>Chemico-Biological Interactions</i> , 2017 , 275, 108-115	5	16
750	Taraxerol, a pentacyclic triterpenoid, from <i>Abroma augusta</i> leaf attenuates diabetic nephropathy in type 2 diabetic rats. 2017 , 94, 726-741		32
749	Coadministration of isomalto-oligosaccharides augments metabolic health benefits of cinnamaldehyde in high fat diet fed mice. 2017 , 43, 821-835		12
748	Lychee seed extract protects against neuronal injury and improves cognitive function in rats with type II diabetes mellitus with cognitive impairment. 2018 , 41, 251-263		16
747	Developing potential agents against atherosclerosis: Design, synthesis and pharmacological evaluation of novel dual inhibitors of oxidative stress and Squalene Synthase activity. 2017 , 138, 748-760		11
746	Argatroban Attenuates Diabetic Cardiomyopathy in Rats by Reducing Fibrosis, Inflammation, Apoptosis, and Protease-Activated Receptor Expression. 2017 , 31, 255-267		18
745	Neu-P11, a novel MT1/MT2 agonist, reverses diabetes by suppressing the hypothalamic-pituitary-adrenal axis in rats. <i>European Journal of Pharmacology</i> , 2017 , 812, 225-233	5-3	9
744	ATP synthase β subunit abnormality in pancreas islets of rats with polycystic ovary syndrome and type 2 diabetes mellitus. 2017 , 37, 210-216		3
743	Effects of marine collagen peptides on glucose metabolism and insulin resistance in type 2 diabetic rats. 2017 , 54, 2260-2269		19
742	Isomalto-oligosaccharides, a prebiotic, functionally augment green tea effects against high fat diet-induced metabolic alterations via preventing gut dysbacteriosis in mice. <i>Pharmacological Research</i> , 2017 , 123, 103-113	10.2	67
741	A murine model of type 2 diabetes mellitus developed using a combination of high fat diet and multiple low doses of streptozotocin treatment mimics the metabolic characteristics of type 2 diabetes mellitus in humans. 2017 , 84, 20-30		57
740	Diabetes mellitus influences the expression of NPY and VEGF in neurons of rat trigeminal ganglion. 2017 , 62, 57-64		10

- 739 Parthenolide, an NF- κ B Inhibitor Ameliorates Diabetes-Induced Behavioural Deficit, Neurotransmitter Imbalance and Neuroinflammation in Type 2 Diabetes Rat Model. **2017**, 19, 101-112 23
- 738 Effect of mahanimbine, an alkaloid from curry leaves, on high-fat diet-induced adiposity, insulin resistance, and inflammatory alterations. **2017**, 43, 220-231 7
- 737 Ashanti pepper (*Piper guineense* Schumach et Thonn) attenuates carbohydrate hydrolyzing, blood pressure regulating and cholinergic enzymes in experimental type 2 diabetes rat model. **2017**, 28, 19-30 9
- 736 Triterpenoids-Enriched Extract from the Aerial Parts of *Salvia miltiorrhiza* Regulates Macrophage Polarization and Ameliorates Insulin Resistance in High-Fat Fed Mice. **2017**, 31, 100-107 13
- 735 Cinepazide Maleate Improves Cognitive Function and Protects Hippocampal Neurons in Diabetic Rats with Chronic Cerebral Hypoperfusion. **2017**, 40, 249-255 10
- 734 The effects of metformin on fibroblast growth factor 19, 21 and fibroblast growth factor receptor 1 in high-fat diet and streptozotocin induced diabetic rats. **2017**, 64, 543-552 10
- 733 Metformin affects thyroid function in male rats. **2017**, 8, 107589-107595 6
- 732 TRI-E α PREVENTS COGNITIVE IMPAIRMENT AND DEOXYRIBONUCLEIC ACID DAMAGE IN DIABETES MELLITUS. **2017**, 10, 373
- 731 Protopanaxadiol and Protopanaxatriol-Type Saponins Ameliorate Glucose and Lipid Metabolism in Type 2 Diabetes Mellitus in High-Fat Diet/Streptozocin-Induced Mice. **2017**, 8, 506 34
- 730 RhGLP-1 (7-36) protects diabetic rats against cerebral ischemia-reperfusion injury via up-regulating expression of Nrf2/HO-1 and increasing the activities of SOD. **2017**, 21, 475-485 8
- 729 Animal Models of Type 1 and Type 2 Diabetes Mellitus. **2017**, 245-265 4
- 728 Anti-Diabetic Potential of *Ocimum gratissimum* Leaf Fractions in Fortified Diet-Fed Streptozotocin Treated Rat Model of Type-2 Diabetes. **2017**, 4, 22
- 727 Chinese Olive (*Canarium album* L.) Fruit Extract Attenuates Metabolic Dysfunction in Diabetic Rats. **2017**, 9, 14
- 726 11 β HSD1 inhibition ameliorates diabetes-induced cardiomyocyte hypertrophy and cardiac fibrosis through modulation of EGFR activity. **2017**, 8, 96263-96275 8
- 725 Effects of Oliv. Leaf Extract on Glycolipid Metabolism and Antioxidant Capacity in Diabetic Model Mice. *Oxidative Medicine and Cellular Longevity*, **2017**, 2017, 7648505 6.7 7
- 724 Relationship between Immunological Abnormalities in Rat Models of Diabetes Mellitus and the Amplification Circuits for Diabetes. **2017**, 2017, 4275851 6
- 723 Antidiabetic Effect of Tibetan Medicine Tang-Kang-Fu-San on High-Fat Diet and Streptozotocin-Induced Type 2 Diabetic Rats. **2017**, 2017, 7302965 6
- 722 The effect of acetylsalicylic acid on vasopressin, serum insulin levels, insulin resistance, and biochemical parameters in rats induced with experimental diabetes type 2. **2017**, 47, 996-1001 2

721	Phloretin exerts hypoglycemic effect in streptozotocin-induced diabetic rats and improves insulin resistance in vitro. 2017 , 11, 313-324	25
720	Appropriate Insulin Level in Selecting Fortified Diet-Fed, Streptozotocin-Treated Rat Model of Type 2 Diabetes for Anti-Diabetic Studies. 2017 , 12, e0170971	21
719	Aliskiren effect on non-alcoholic steatohepatitis in metabolic syndrome. 2017 , 9, 82	5
718	Liraglutide attenuates atherosclerosis via inhibiting ER-induced macrophage derived microvesicles production in T2DM rats. 2017 , 9, 94	13
717	Investigation of aquaporins and apparent diffusion coefficient from ultra-high b-values in a rat model of diabetic nephropathy. 2017 , 1, 13	5
716	Biochemical characterization and H NMR based metabolomics revealed Melicope lunu-ankenda leaf extract a potent anti-diabetic agent in rats. 2017 , 17, 359	11
715	BENEFICIAL EFFECT OF BROMOCRIPTINE ON HIGH FAT DIET-INDUCED BODY WEIGHT GAIN, ADIPOSITY AND BIOCHEMICAL ANOMALIES IN WISTAR RATS. 2017 , 10, 354	
714	Histone deacetylase inhibition of cardiac autophagy in rats on a high-fat diet with low-dose streptozotocin-induced type 2 diabetes mellitus. 2018 , 17, 594-601	7
713	Investigation of hypoglycemic, hypolipidemic and anti-nephritic activities of Paecilomyces tenuipesN45 in diet/streptozotocin-induced diabetic rats. 2017 , 15, 2807-2813	2
712	ANTIOXIDANT PROPERTIES OF SINAPIC ACID: IN VITRO AND IN VIVO APPROACH. 2017 , 10, 255	5
711	HIV-based lentivirus-mediated vasoactive intestinal peptide gene delivery protects against DIO animal model of Type 2 diabetes. 2018 , 25, 269-283	8
710	Prebiotic prevents impaired kidney and renal Oat3 functions in obese rats. 2018 , 237, 29-42	18
709	Investigation of insulin resistance in the popularly used four rat models of type-2 diabetes. 2018 , 101, 155-161	42
708	Lixisenatide, a novel GLP-1 analog, protects against cerebral ischemia/reperfusion injury in diabetic rats. 2018 , 391, 705-717	17
707	Anti-Diabetic Effect of Fruits on Different Animal Model System. 2018 , 157-185	1
706	Coffee, type 2 diabetes and pancreatic islet function [A mini-review. <i>Journal of Functional Foods</i> , 2018 , 45, 409-416	5.1 5
705	Ameliorating effect of berbamine on hepatic key enzymes of carbohydrate metabolism in high-fat diet and streptozotocin induced type 2 diabetic rats. 2018 , 103, 539-545	18
704	Combined Administration of Monosodium Glutamate and High Sucrose Diet Accelerates the Induction of Type 2 Diabetes, Vascular Dysfunction, and Memory Impairment in Rats. 2018 , 37, 63-80	6

703	Conjugated linoleic acid enriched skim milk prepared with <i>Lactobacillus fermentum</i> DDHI27 endorsed antiobesity in mice. 2018 , 13, 1007-1020	5
702	Anti-inflammatory and insulin secretory activity in experimental type-2 diabetic rats treated orally with magnesium. 2018 , 29, 507-514	3
701	Liraglutide ameliorates early renal injury by the activation of renal FoxO1 in a type 2 diabetic kidney disease rat model. 2018 , 137, 173-182	22
700	The family Coriobacteriaceae is a potential contributor to the beneficial effects of Roux-en-Y gastric bypass on type 2 diabetes. 2018 , 14, 584-593	39
699	GABA dramatically improves glucose tolerance in streptozotocin-induced diabetic rats fed with high-fat diet. <i>European Journal of Pharmacology</i> , 2018 , 826, 75-84	5-3 29
698	New arguments for beneficial effects of alpha-lipoic acid on the cardiovascular system in the course of type 2 diabetes. 2018 , 117, 41-47	10
697	Development and biological evaluation of vesicles containing bile salt of telmisartan for the treatment of diabetic nephropathy. 2018 , 46, 532-539	9
696	Determination of peripheral neuropathy in high-fat diet fed low-dose streptozotocin-treated female C57Bl/6J mice and Sprague-Dawley rats. 2018 , 9, 1033-1040	20
695	Therapeutic Potential of Lentivirus-Mediated Glucagon-Like Peptide-1 Gene Therapy for Diabetes. 2018 , 29, 802-815	13
694	Dihydromyricetin improves type 2 diabetes-induced cognitive impairment via suppressing oxidative stress and enhancing brain-derived neurotrophic factor-mediated neuroprotection in mice. 2018 , 50, 298-306	20
693	Complex Glucomannan From <i>Ganoderma atrum</i> . 2018 , 205-294	
692	Efficacy and Safety Profiles of Oral Atorvastatin-Loaded Nanoparticles: Effect of Size Modulation on Biodistribution. 2018 , 15, 247-255	14
691	Evolution and consumer psychology. 2018 , 1, 4-21	14
690	Combination of high-fat/high-fructose diet and low-dose streptozotocin to model long-term type-2 diabetes complications. 2018 , 8, 424	73
689	Antioxidant, anti-inflammatory, and anti-apoptotic effects of zinc supplementation in testes of rats with experimentally induced diabetes. 2018 , 43, 1010-1018	9
688	Lipid accelerating the fibril of islet amyloid polypeptide aggravated the pancreatic islet injury in vitro and in vivo. 2018 , 17, 42	4
687	Evidence of insulin-dependent signalling mechanisms produced by <i>Citrus sinensis</i> (L.) Osbeck fruit peel in an insulin resistant diabetic animal model. 2018 , 116, 86-99	17
686	Evaluation of the antidiabetic activity of hydrolyzed peptides derived from <i>Juglans mandshurica</i> Maxim. fruits in insulin-resistant HepG2 cells and type 2 diabetic mice. 2018 , 42, e12518	20

685	Naringin enhances reverse cholesterol transport in high fat/low streptozocin induced diabetic rats. 2018 , 101, 430-437	22
684	Combined treatment with interleukin-1 and tumor necrosis factor-alpha antagonists improve type 2 diabetes in rats. 2018 , 96, 751-756	5
683	The metabolism of a natural product mogroside V, in healthy and type 2 diabetic rats. 2018 , 1079, 25-33	20
682	Dibutyl phthalate exposure aggravates type 2 diabetes by disrupting the insulin-mediated PI3K/AKT signaling pathway. 2018 , 290, 1-9	20
681	Modulating effects of omega-3 fatty acids and pioglitazone combination on insulin resistance through toll-like receptor 4 in type 2 diabetes mellitus. 2018 , 136, 123-129	12
680	Ganglioside GM3 content in skeletal muscles is increased in type 2 but decreased in type 1 diabetes rat models: Implications of glycosphingolipid metabolism in pathophysiology of diabetes. 2018 , 10, 130-139	10
679	Selective ER- α agonist alleviates vascular endothelial dysfunction in ovariectomized type 2 diabetic rats. 2018 , 460, 152-161	6
678	GTF-231, a Mixture of Gymnemic Acid, Trigonelline and Ferulic Acid Significantly Ameliorates Oxidative Stress in Experimental Type 2 Diabetes in Rats. 2018 , 42, 237-244	8
677	Superimposed effect of ovariectomy on type 2 diabetes mellitus in Wistar ratsPeer review under responsibility of Alexandria University Faculty of Medicine.View all notesAvailable online 12 June 2017View all notes. 2018 , 54, 129-137	3
676	Puerarin acts on the skeletal muscle to improve insulin sensitivity in diabetic rats involving μ opioid receptor. <i>European Journal of Pharmacology</i> , 2018 , 818, 115-123	5-3 19
675	Vitamin K alleviates type 2 diabetes in rats by induction of osteocalcin gene expression. 2018 , 47, 33-38	15
674	Eprosartan mesylate loaded bilosomes as potential nano-carriers against diabetic nephropathy in streptozotocin-induced diabetic rats. 2018 , 111, 409-417	26
673	Effect of Ischemic Postconditioning on Myocardial Function and Infarct Size Following Reperfusion Injury in Diabetic Rats Pretreated With Vildagliptin. 2018 , 23, 174-183	19
672	Time-dependent therapeutic roles of nitazoxanide on high-fat diet/streptozotocin-induced diabetes in rats: effects on hepatic peroxisome proliferator-activated receptor-gamma receptors. 2018 , 96, 485-497	6
671	Glycyrrhizin ameliorates high fat diet-induced obesity in rats by activating Nrf2 pathway. 2018 , 193, 159-170	32
670	A new promising simultaneous approach for attenuating type II diabetes mellitus induced neuropathic pain in rats: iNOS inhibition and neuroregeneration. <i>European Journal of Pharmacology</i> , 2018 , 818, 419-428	5-3 17
669	Deactivation of the NLRP3 inflammasome in infiltrating macrophages by duodenal-jejunal bypass surgery mediates improvement of beta cell function in type 2 diabetes. 2018 , 81, 1-12	17
668	Co-supplementation of isomalto-oligosaccharides potentiates metabolic health benefits of polyphenol-rich cranberry extract in high fat diet-fed mice via enhanced gut butyrate production. 2018 , 57, 2897-2911	29

- 667 Berberine Improves Diabetic Encephalopathy Through the SIRT1/ER Stress Pathway in db/db Mice. **2018**, 21, 200-209 28
- 666 Tranilast prevents renal interstitial fibrosis by blocking mast cell infiltration in a rat model of diabetic kidney disease. **2018**, 17, 7356-7364 11
- 665 Antioxidant Supplementation and Kidney Function Status of Wistar Rats Following High Fat Diet-Streptozotocin (HFT-STZ) Induced Type 2 Diabetes. **2018**, 04,
- 664 Ovariectomy and obesity have equal impact in causing mitochondrial dysfunction and impaired skeletal muscle contraction in rats. **2018**, 25, 1448-1458 7
- 663 Rodent Models of Obesity and Diabetes. **2018**,
- 662 Physical Exercise Improves Glycemic and Inflammatory Profile and Attenuates Progression of Periodontitis in Diabetic Rats (HFD/STZ). **2018**, 10, 14
- 661 BIOCHEMICAL EVALUATION OF ANTIDIABETIC PROPERTIES OF SWERTIAMARIN, A SECOIRIDOID GLYCOSIDE OF ENICOSTEMMA LITTORALE LEAVES, STUDIED IN HIGH-FAT DIET-INDUCED LOW-DOSE STREPTOZOTOCIN-INDUCED TYPE 2 DIABETIC RATS. **2018**, 11, 486 2
- 660 SYNTHESIS AND EVALUATION OF ANTIDIABETIC PROPERTIES OF A ZINC MIXED LIGAND COMPLEX IN HIGH-FAT DIET - LOW-DOSE STREPTOZOTOCIN-INDUCED DIABETIC RATS. **2018**, 11, 429 2
- 659 Effect of puerarin in promoting fatty acid oxidation by increasing mitochondrial oxidative capacity and biogenesis in skeletal muscle in diabetic rats. **2018**, 8, 1 41
- 658 The application of post-translational modification oriented serum proteomics to assess experimental diabetes with complications. **2018**, 13, e0206509 3
- 657 Metformin Regulates the Expression of SK2 and SK3 in the Atria of Rats With Type 2 Diabetes Mellitus Through the NOX4/p38MAPK Signaling Pathway. **2018**, 72, 205-213 5
- 656 Chronic Unpredictable Mild Stress Aggravates Mood Disorder, Cognitive Impairment, and Brain Insulin Resistance in Diabetic Rat. **2018**, 2018, 2901863 9
- 655 Artificially Cultivated Alleviates Diabetic Nephropathy and Its Podocyte Injury via Inhibiting P2X7R Expression and NLRP3 Inflammasome Activation. **2018**, 2018, 1390418 16
- 654 Hyperglycemia induced testicular damage in type 2 diabetes mellitus rats exhibiting microcirculation impairments associated with vascular endothelial growth factor decreased via PI3K/Akt pathway. **2018**, 9, 5321-5336 43
- 653 Metformin regulates atrial SK2 and SK3 expression through inhibiting the PKC/ERK signaling pathway in type 2 diabetic rats. **2018**, 18, 236 14
- 652 Phytochemical analysis and antidiabetic potential of *Elaeagnus umbellata* (Thunb.) in streptozotocin-induced diabetic rats: pharmacological and computational approach. **2018**, 18, 332 37
- 651 Involvement of Glucagon in Preventive Effect of Menthol Against High Fat Diet Induced Obesity in Mice. **2018**, 9, 1244 14
- 650 Voluntary alcohol consumption exacerbated high fat diet-induced cognitive deficits by NF- κ B-calpain dependent apoptotic cell death in rat hippocampus: Ameliorative effect of melatonin. **2018**, 108, 1393-1403 20

649	Biochanin A improves insulin sensitivity and controls hyperglycemia in type 2 diabetes. 2018 , 107, 1119-1127	38
648	Acclimation of CC myoblasts to physiological glucose concentrations for in vitro diabetes research. 2018 , 211, 238-244	9
647	Evaluation of antidiabetic activity of bud and flower of Avaram Senna (Cassia auriculata L.) In high fat diet and streptozotocin induced diabetic rats. 2018 , 108, 1495-1506	26
646	NEUROPROTECTIVE EFFECT OF EPALRESTAT ON MEMORY IMPAIRMENT IN STREPTOZOTOCIN-INDUCED TYPE-2 DIABETIC RATS USING DIFFERENT BEHAVIORAL MODELS.. 2018 , 11, 411	3
645	Tea Polypeptide Ameliorates Diabetic Nephropathy through RAGE and NF- κ B Signaling Pathway in Type 2 Diabetes Mice. 2018 , 66, 11957-11967	28
644	Anti-diabetic Effect of Flower Polyphenols Extract in Type 2 Diabetic Rats: Activation of Akt/GSK-3 β and Inhibition of IRE1 α /XBP1 Pathways. <i>Frontiers in Endocrinology</i> , 2018 , 9, 586	5-7 25
643	Sanhuang Xiexin Tang Ameliorates Type 2 Diabetic Rats via Modulation of the Metabolic Profiles and NF- κ B/PI-3K/Akt Signaling Pathways. 2018 , 9, 955	13
642	Possible therapeutic potential of berberine in the treatment of STZ plus HFD-induced diabetic osteoporosis. 2018 , 108, 280-287	21
641	Profile of three boron-containing compounds on the body weight, metabolism and inflammatory markers of diabetic rats. 2018 , 50, 424-429	8
640	Ethyl acetate leaf fraction of <i>Cnidioscolus aconitifolius</i> (Mill.) I. M. Johnston: antioxidant potential, inhibitory activities of key enzymes on carbohydrate metabolism, cholinergic, monoaminergic, purinergic, and chemical fingerprinting. 2018 , 21, 1697-1715	13
639	GPR30 Attenuates Myocardial Fibrosis in Diabetic Ovariectomized Female Rats: Role of iNOS Signaling. 2018 , 37, 821-830	8
638	Effect of boiling and roasting on the antidiabetic activity of <i>Abelmoschus esculentus</i> (Okra) fruits and seeds in type 2 diabetic rats. 2018 , 42, e12669	9
637	Western diet given to healthy rats mimics the human phenotype of diabetic cardiomyopathy. 2018 , 61, 140-146	7
636	The Hepatoprotective Effect of Jaboticaba Peel Powder in a Rat Model of Type 2 Diabetes Mellitus Involves the Modulation of Thiol/Disulfide Redox State through the Upregulation of Glutathione Synthesis. 2018 , 2018, 9794629	5
635	EFFECT OF SILYMARIN ON INTESTINAL ALKALINE PHOSPHATASE LEVEL IN A RAT MODEL OF TYPE 2 DIABETES MELLITUS: STREPTOZOTOCIN AND HIGH-FAT DIET TREATED WISTAR RATS. 2018 , 11, 304	2
634	High fat diet feeding induced insulin resistance exacerbates 6-OHDA mediated neurotoxicity and behavioral abnormalities in rats. 2018 , 351, 17-23	15
633	Anti-diabetic effect of baicalein is associated with the modulation of gut microbiota in streptozotocin and high-fat-diet induced diabetic rats. <i>Journal of Functional Foods</i> , 2018 , 46, 256-267	5-1 64
632	A gene catalogue of the Sprague-Dawley rat gut metagenome. 2018 , 7,	41

631	Metabolomic analysis and biochemical changes in the urine and serum of streptozotocin-induced normal- and obese-diabetic rats. 2018 , 74, 403-416		10
630	Downregulation of lncRNA MALAT1 contributes to renal functional improvement after duodenal-jejunal bypass in a diabetic rat model. 2018 , 74, 431-439		21
629	Repurposing of sodium valproate in colon cancer associated with diabetes mellitus: Role of HDAC inhibition. 2018 , 121, 188-199		22
628	Nyctanthes arbor-tristis leaf extract ameliorates hyperlipidemia- and hyperglycemia-associated nephrotoxicity by improving anti-oxidant and anti-inflammatory status in high-fat diet-streptozotocin-induced diabetic rats. 2018 , 26, 1415-1428		10
627	Antidiabetic potential of the ethyl acetate extract of Physalis alkekengi and chemical constituents identified by HPLC-ESI-QTOF-MS. 2018 , 225, 202-210		17
626	Preparation, characterization, and in vivo evaluation of nano formulations of ferulic acid in diabetic wound healing. 2018 , 44, 1783-1796		37
625	Honey and Diabetes: The Importance of Natural Simple Sugars in Diet for Preventing and Treating Different Type of Diabetes. <i>Oxidative Medicine and Cellular Longevity</i> , 2018 , 2018, 4757893	6.7	43
624	Effects of Modified Sanzi Yangqin Decoction on Tyrosine Phosphorylation of IRS-1 in Skeletal Muscle of Type 2 Diabetic Rats. 2018 , 2018, 7092140		2
623	Neuroprotective effect of epalrestat mediated through oxidative stress markers, cytokines and TAU protein levels in diabetic rats. 2018 , 207, 364-371		7
622	Grape seed proanthocyanidins protect against streptozotocin-induced diabetic nephropathy by attenuating endoplasmic reticulum stress-induced apoptosis. 2018 , 18, 1447-1454		13
621	Tiaolipiwei Acupuncture Reduces Albuminuria by Alleviating Podocyte Lesions in a Rat Model of Diabetic Nephropathy. 2018 , 2018, 1913691		2
620	Antifibrotic cardioprotection of berberine via downregulating myocardial IGF-1 receptor-regulated MMP-2/MMP-9 expression in diabetic rats. 2018 , 315, H802-H813		31
619	Effect of Red Ginseng Extract on the Pharmacokinetics and Efficacy of Metformin in Streptozotocin-Induced Diabetic Rats. 2018 , 10,		16
618	Upregulation of UDP-Glucuronosyltransferases 1a1 and 1a7 Are Involved in Altered Puerarin Pharmacokinetics in Type II Diabetic Rats. 2018 , 23,		7
617	Effect of Dietary Content of Menhaden Oil with or without Salsalate on Neuropathic Endpoints in High-Fat-Fed/Low-Dose Streptozotocin-Treated Sprague Dawley Rats. 2018 , 2018, 2967127		12
616	Carnosine Prevents Type 2 Diabetes-Induced Osteoarthritis Through the ROS/NF- κ B Pathway. 2018 , 9, 598		17
615	Medium-Chain Triglycerides Lower Blood Lipids and Body Weight in Streptozotocin-Induced Type 2 Diabetes Rats. 2018 , 10,		14
614	Simvastatin attenuates the aberrant expression of angiogenic factors induced by glucose variability. 2018 , 143, 245-253		1

613	Formononetin Treatment in Type 2 Diabetic Rats Reduces Insulin Resistance and Hyperglycemia. 2018 , 9, 739	46
612	The Protective Effect of Astaxanthin on Cognitive Function via Inhibition of Oxidative Stress and Inflammation in the Brains of Chronic T2DM Rats. 2018 , 9, 748	45
611	Involvement of microRNA-146a in diabetic peripheral neuropathy through the regulation of inflammation. 2018 , 12, 171-177	54
610	Antidiabetic Effect of Leaves Depends on the Contents of Antihyperglycemic Flavonoids and Antihyperlipidemic Triterpenoids. 2018 , 23,	31
609	Stability of a type 2 diabetes rat model induced by high-fat diet feeding with low-dose streptozotocin injection. 2018 , 19, 559-569	58
608	Intermittent streptozotocin administration induces behavioral and pathological features relevant to Alzheimer's disease and vascular dementia. 2018 , 137, 164-177	13
607	Bioorganic Phase in Natural Food: An Overview. 2018 ,	1
606	Silibinin decreases hepatic glucose production through the activation of gut-brain-liver axis in diabetic rats. 2018 , 9, 4926-4935	18
605	Wound Healing in Streptozotocin-Induced Diabetic Rats Using Atmospheric-Pressure Argon Plasma Jet. 2018 , 8, 12214	52
604	Synthesis of a New Zinc-Mixed Ligand Complex and Evaluation of Its Antidiabetic Properties in High Fat Diet: Low Dose Streptozotocin Induced Diabetic Rats. 2018 , 42, 244-248	4
603	Nuciferine ameliorates hepatic steatosis in high-fat diet/streptozocin-induced diabetic mice through a PPAR α /PPAR γ coactivator-1 β pathway. <i>British Journal of Pharmacology</i> , 2018 , 175, 4218-4228	8.6 67
602	Ursodeoxycholic acid suppresses the formation of fructose/streptozotocin-induced diabetic cataract in rats. 2018 , 32, 627-640	6
601	Effect of magnesium sulfate administration to improve insulin resistance in type 2 diabetes animal model: using the hyperinsulinemic-euglycemic clamp technique. 2018 , 32, 603-616	19
600	A Si-rhodamine-based near-infrared fluorescent probe for visualizing endogenous peroxynitrite in living cells, tissues, and animals. 2018 , 6, 4466-4473	26
599	Discovery of pancreastatin inhibitor PSTi8 for the treatment of insulin resistance and diabetes: studies in rodent models of diabetes mellitus. 2018 , 8, 8715	17
598	Comparative analysis on liver transcriptome profiles of different methods to establish type 2 diabetes mellitus models in Guangxi Bama mini-pig. 2018 , 673, 194-200	13
597	The possible antidiabetic effects of vitamin D receptors agonist in rat model of type 2 diabetes. 2019 , 450, 105-112	8
596	Rodent models of diet-induced type 2 diabetes mellitus: A literature review and selection guide. 2019 , 13, 195-200	9

595	Lipid-lowering effects of <i>Coffea arabica</i> pulp aqueous extract in Caco-2 cells and hypercholesterolemic rats. 2019 , 52, 187-197		16
594	Swim training affects bone canonical Wnt pathway in type 2 diabetes induced by high fat diet and low dose of streptozotocin in male rats. 2019 , 125, 465-469		4
593	GLP 1 Regulated Intestinal Cell's Insulin Expression and Selfadaptation before the Onset of Type 2 Diabetes. 2019 , 9, 325-330		0
592	Effect of 1-Deoxynojirimycin Isolated from Mulberry Leaves on Glucose Metabolism and Gut Microbiota in a Streptozotocin-Induced Diabetic Mouse Model. 2019 , 82, 2189-2200		18
591	Protective effect of <i>Betula utilis</i> bark extract on high fat diet induced obesity in Wistar rats. 2019 , 15, 100123		5
590	Effects of different dietary regimes alone or in combination with standardized <i>Aronia melanocarpa</i> extract supplementation on lipid and fatty acids profiles in rats. 2019 , 461, 141-150		3
589	L. Extract: Alpha-Amylase Inhibition against Metabolic Syndrome in Mice. 2019 , 11,		10
588	Design, synthesis and biological evaluation of theophylline containing variant acetylene derivatives as Amylase inhibitors. 2019 , 92, 103120		6
587	Detrusor contractility to parasympathetic mediators is differentially altered in the compensated and decompensated states of diabetic bladder dysfunction. 2019 , 317, F388-F398		6
586	African star apple fruit pulp-supplemented diet modulates fertility-related biomolecules in the testis and epididymis of high-fat diet/streptozotocin-induced diabetic rats. 2019 , 43, e12969		5
585	Reduction of cardiac and renal dysfunction by new inhibitor of DPP4 in diabetic rats. 2019 , 71, 1190-1200		3
584	Curcumin exerts beneficial role on insulin resistance through modulation of SOCS3 and Rac-1 pathways in type 2 diabetic rats. <i>Journal of Functional Foods</i> , 2019 , 60, 103430	5-1	5
583	An attempt to reverse cardiac lipotoxicity by aerobic interval training in a high-fat diet- and streptozotocin-induced type 2 diabetes rat model. 2019 , 11, 43		4
582	The effects of resistance exercise training followed by de-training on irisin and some metabolic parameters in type 2 diabetic rat model. 2019 , 1-8		9
581	Dihydromyricetin affects BDNF levels in the nervous system in rats with comorbid diabetic neuropathic pain and depression. 2019 , 9, 14619		13
580	Alterations of morphology and phosphorylated protein expression in the seminal vesicles of diabetic mice. 2019 , 51, e13406		8
579	Endothelial acid ceramidase in exosome-mediated release of NLRP3 inflammasome products during hyperglycemia: Evidence from endothelium-specific deletion of <i>Asah1</i> gene. 2019 , 1864, 158532		13
578	Combined Inositol Hexakisphosphate and Inositol Supplement Consumption Improves Serum Alpha-Amylase Activity and Hematological Parameters in Streptozotocin-Induced Type 2 Diabetic Rats. 2019 , 2019, 4143137		3

577	RAPHANUS SATIVUS LINN. A NEW ANTINOCICEPTIVE FOR DIABETIC NEUROPATHY IN RATS DETERMINED BY RANDALL SELITTO APPROACH. 2019 , 529-534		
576	Nanostructured lipid carriers for oral delivery of silymarin: Improving its absorption and in vivo efficacy in type 2 diabetes and metabolic syndrome model. 2019 , 572, 118838		19
575	Diabetes Type 2 and Kisspeptin: Central and Peripheral Sex-Specific Actions. 2019 , 30, 833-843		2
574	Dietary EPA Increases Rat Mortality in Diabetes Mellitus, A Phenomenon Which Is Compensated by Green Tea Extract. 2019 , 8,		1
573	Dietary Supplementation of Methyl Donor L-Methionine Alters Epigenetic Modification in Type 2 Diabetes. 2019 , 63, e1801401		14
572	Novel Pyrazolo[3,4-d]pyrimidine-Containing Amide Derivatives: Synthesis, Molecular Docking, In Vitro and In Vivo Antidiabetic Activity. 2019 , 4, 10072-10078		4
571	Development of a standardized combined plant extract containing nutraceutical formulation ameliorating metabolic syndrome components. 2019 , 1, 1		2
570	Swimming training by affecting the pancreatic Sirtuin1 (SIRT1) and oxidative stress, improves insulin sensitivity in diabetic male rats. 2019 , 40,		9
569	Potential prophylactic effect of chemical chaperones for alleviation of endoplasmic reticulum stress in experimental diabetic cataract. 2019 , 43,		6
568	Combination of mulberry leaf and oat bran possessed greater hypoglycemic effect on diabetic mice than mulberry leaf or oat bran alone. <i>Journal of Functional Foods</i> , 2019 , 61, 103503	5.1	7
567	Tetramethylpyrazine prevents diabetes by activating PI3K/Akt/GLUT-4 signalling in animal model of type-2 diabetes. 2019 , 236, 116836		15
566	Lentiviral-mediated Shh reverses the adverse effects of high glucose on osteoblast function and promotes bone formation via Sonic hedgehog signaling. 2019 , 20, 3265-3275		6
565	IGF-1R/Eatenin signaling axis is involved in type 2 diabetic osteoporosis. 2019 , 20, 838-848		5
564	Vanadium in high-fat diets sourced from egg yolk decreases growth and antioxidative status of Wistar rats. 2019 , 5, 307-313		2
563	Sanbai Melon Seed Oil Exerts Its Protective Effects in a Diabetes Mellitus Model via the Akt/GSK-3/Nrf2 Pathway. 2019 , 2019, 5734723		7
562	High Energy Intake Induced Overexpression of Transcription Factors and Its Regulatory Genes Involved in Acceleration of Hepatic Lipogenesis: A Rat Model for Type 2 Diabetes. 2019 , 7,		6
561	Crocic treatment decreased pancreatic atrophy, LOX-1 and RAGE mRNA expression of pancreas tissue in cholesterol-fed and streptozotocin-induced diabetic rats. 2019 , 17,		4
560	Nelumbo nucifera leaves extract attenuate the pathological progression of diabetic nephropathy in high-fat diet-fed and streptozotocin-induced diabetic rats. 2019 , 27, 736-748		20

559	Amelioration of Early Markers of Diabetic Nephropathy by Linagliptin in Fructose-Streptozotocin-Induced Type 2 Diabetic Rats. 2019 , 141, 273-286	4
558	Effect of Aqueous Extract of Azadirachta indica Leaves on Pharmacokinetics and Pharmacodynamics of Glipizide. 2019 , 13, 19-24	3
557	Exercise and Omentin: Their Role in the Crosstalk Between Muscle and Adipose Tissues in Type 2 Diabetes Rat Models. 2018 , 9, 1881	8
556	Smart karaya-locust bean gum hydrogel particles for the treatment of hypertension: Optimization by factorial design and pre-clinical evaluation. 2019 , 210, 274-288	21
555	MicroRNA-125b-5p improves pancreatic β cell function through inhibiting JNK signaling pathway by targeting DACT1 in mice with type 2 diabetes mellitus. 2019 , 224, 67-75	22
554	Antidiabetic effects of Olea europaea L. leaves in diabetic rats induced by high-fat diet and low-dose streptozotocin. 2019 , 235, 1-7	25
553	Hypoglycemic and Hypolipidemic Effects of Mycelial Extract from Solid-State Culture in A Rat Model of Type 2 Diabetes. 2019 , 11,	21
552	Effects of dietary supplementation of Chrysophyllum albidum fruit pulp powder on some biochemical parameters in a type 2 diabetes rat model. 2019 , 32, 190-199	5
551	Whole blueberry protects pancreatic beta-cells in diet-induced obese mouse. 2019 , 16, 34	14
550	High-Fat Diet Alters the Intestinal Microbiota in Streptozotocin-Induced Type 2 Diabetic Mice. 2019 , 7,	23
549	Pyridostigmine regulates glucose metabolism and mitochondrial homeostasis to reduce myocardial vulnerability to injury in diabetic mice. 2019 , 317, E312-E326	4
548	Vagal Nerve Stimulation for Glycemic Control in a Rodent Model of Type 2 Diabetes. 2019 , 29, 2869-2877	15
547	Antidiabetic effects of water-soluble Korean pine nut protein on type 2 diabetic mice. 2019 , 117, 108989	6
546	Adenovirus-mediated expression of SIK1 improves hepatic glucose and lipid metabolism in type 2 diabetes mellitus rats. 2019 , 14, e0210930	7
545	Metabolic Profiling of the Diabetic Heart: Toward a Richer Picture. 2019 , 10, 639	19
544	The combination of exercise training and sodium-glucose cotransporter-2 inhibition improves glucose tolerance and exercise capacity in a rodent model of type 2 diabetes. 2019 , 97, 68-80	3
543	Amelioration of thyroid dysfunction by magnesium in experimental diabetes may also prevent diabetes-induced renal impairment. 2019 , 5, e01660	4
542	Eggplant (Solanum spp) supplemented fruits diet modulated the activities of ectonucleoside triphosphate diphosphohydrolase (ENTPdase), monoamine oxidase (MAO), and cholinesterases (AChE/BChE) in the brain of diabetic Wistar male rats. 2019 , 43, e12910	5

541	Simultaneous determination of five isoflavones in rat plasma by LC-MS/MS: Comparative pharmacokinetic characteristics of Puerariae lobatae radix in normal and type 2 diabetic rats. 2019 , 42, 2592-2601	11
540	Mild hypothermia alleviates diabetes aggravated cerebral ischemic injury via activating autophagy and inhibiting pyroptosis. 2019 , 150, 1-12	26
539	Exaggerated pressor and sympathetic responses to stimulation of the mesencephalic locomotor region and exercise pressor reflex in type 2 diabetic rats. 2019 , 317, R270-R279	13
538	Dietary Supplementation of Vine Tea Ameliorates Glucose and Lipid Metabolic Disorder via Akt Signaling Pathway in Diabetic Rats. 2019 , 24,	8
537	DIBc, a nanochelating-based nano metal-organic framework, shows anti-diabetic effects in high-fat diet and streptozotocin-induced diabetic rats. 2019 , 14, 2145-2156	6
536	Ameliorative Effect and Mechanism of the Purified Anthraquinone-Glycoside Preparation from L. on Type 2 Diabetes Mellitus. 2019 , 24,	17
535	Novel propyl karaya gum nanogels for bosentan: In vitro and in vivo drug delivery performance. 2019 , 180, 263-272	14
534	Beneficial Effects of Bunge Water Extract on Inflammatory Cytokines Release and Gut Microbiota in High-Fat Diet and Streptozotocin-Induced Type 2 Diabetic Mice. 2019 , 11,	38
533	Methoxsalen and Bergapten Prevent Diabetes-Induced Osteoporosis by the Suppression of Osteoclastogenic Gene Expression in Mice. 2019 , 20,	10
532	In Vivo Rodent Models of Type 2 Diabetes and Their Usefulness for Evaluating Flavonoid Bioactivity. 2019 , 11,	45
531	The novel insight into anti-inflammatory and anxiolytic effects of psychobiotics in diabetic rats: possible link between gut microbiota and brain regions. 2019 , 58, 3361-3375	19
530	Minocycline reverses diabetes-associated cognitive impairment in rats. 2019 , 71, 713-720	5
529	High-fat diet and streptozotocin in the induction of type 2 diabetes mellitus: a new proposal. 2019 , 91, e20180314	59
528	High-fat and high-glucose microenvironment decreases Runx2 and TAZ expression and inhibits bone regeneration in the mouse. 2019 , 14, 55	5
527	Synthesis and biological evaluation of 3-substituted 2-oxindole derivatives as new glycogen synthase kinase 3 inhibitors. 2019 , 27, 1804-1817	16
526	Animal Models of Type 2 Diabetes, Obesity and Nonalcoholic Steatohepatitis [Clinical Translatability and Applicability in Preclinical Drug Development. 2019 , 369-403	2
525	Fermented Momordica charantia L. juice modulates hyperglycemia, lipid profile, and gut microbiota in type 2 diabetic rats. 2019 , 121, 367-378	27
524	Barley grass juice (Hordeum vulgare L.) inhibits obesity and improves lipid profile in high fat diet-induced rat model. 2019 , 238, 111843	12

523	Phase-Changeable Nanoemulsions for Oral Delivery of a Therapeutic Peptide: Toward Targeting the Pancreas for Antidiabetic Treatments Using Lymphatic Transport. 2019 , 29, 1809015		18
522	The Influence of Type 2 Diabetes Mellitus on the Osseointegration of Titanium Implants With Different Surface Modifications-A Histomorphometric Study in High-Fat Diet/Low-Dose Streptozotocin-Treated Rats. 2019 , 28, 11-19		5
521	Vaccarin ameliorates insulin resistance and steatosis by activating the AMPK signaling pathway. <i>European Journal of Pharmacology</i> , 2019 , 851, 13-24	5:3	17
520	Effect of ethanolic extract of <i>Cuscuta reflexa</i> on high fat diet- induced obesity in Wistar rats. 2019 , 14, 100082		4
519	Exogenous obestatin decreases beta-cell apoptosis and alfa-cell proliferation in high fat diet and streptozotocin induced type 2 diabetic rats. <i>European Journal of Pharmacology</i> , 2019 , 851, 36-42	5:3	3
518	<i>Allium tuberosum</i> alleviates diabetic nephropathy by supressing hyperglycemia-induced oxidative stress and inßammation in high fat diet/streptozotocin treated rats. 2019 , 112, 108678		27
517	Antidiabetic properties of aqueous and methanol extracts from the trunk bark of <i>Ceiba pentandra</i> in type 2 diabetic rat. 2019 , 120, 11573		2
516	ANTIDIABETIC EFFECTS OF [10]-GINGEROL IN STREPTOZOTOCIN- AND HIGH-FAT DIET-INDUCED DIABETIC RATS. 2019 , 77-80		0
515	Effects of DCM Leaf Extract of (<i>Fresen</i>) on Locomotor Activity, Anxiety, and Exploration-Like Behaviors in High-Fat Diet-Induced Obese Rats. 2019 , 2019, 7359235		11
514	HYPOGLYCEMIC EFFECT OF HIGH-RESISTANT STARCH ANALOG RICE THROUGH GLP-1 AND INSULIN OR HIGH-RESISTANT STARCH ANALOG RICE ATTENUATES BLOOD GLUCOSE LEVEL THROUGH ENHANCEMENT OF GLP-1 AND INSULIN. 2019 , 172-175		
513	Effect of Ishophloroglucin A, A Component of , on Glucose Homeostasis in the Pancreas and Muscle of High Fat Diet-Fed Mice. 2019 , 17,		5
512	Anti-obesity effects of dichloromethane leaf extract of in high fat diet-induced obese rats. 2019 , 5, e02800		5
511	Incipient Diabetes Treated with Long-Term Classical Prescription. 2019 , 2019, 3054213		
510	Streptozotocin-Induced Diabetes Mellitus in Neonatal Rats: An Insight into its Applications to Induce Diabetic Complications. 2019 , 16, 26-39		10
509	Recent Updates in Pharmacological Properties of Chitooligosaccharides. 2019 , 2019, 4568039		9
508	The cardioprotective effect of dexmedetomidine on regional ischemia/reperfusion injury in type 2 diabetic rat hearts. 2019 , 123, 1-6		13
507	Combined exercise and calorie restriction therapies restore contractile and mitochondrial functions in skeletal muscle of obese-insulin resistant rats. 2019 , 62, 74-84		9
506	Development and characterization of late-stage diabetes mellitus and -associated vascular complications. 2019 , 216, 295-304		10

505	Cinnamaldehyde ameliorates STZ-induced rat diabetes through modulation of IRS1/PI3K/AKT2 pathway and AGEs/RAGE interaction. 2019 , 392, 243-258	19
504	Enhanced Therapeutic Potency of Nanoemulsified Garlic Oil Blend Towards Renal Abnormalities in Pre-diabetic Rats. 2019 , 188, 338-356	4
503	Dapagliflozin attenuates early markers of diabetic nephropathy in fructose-streptozotocin-induced diabetes in rats. 2019 , 109, 910-920	17
502	Nutritional content of selected species of tropical eggplant fruit () diet Attenuates hepatic inflammation in high-fat fed male Wistar rats induced with streptozotocin. 2019 , 7, 109-119	3
501	Formononetin attenuates kidney damage in type 2 diabetic rats. 2019 , 219, 109-121	27
500	Biochemical and molecular evidence on the role of vaspin in early detection of the insulin resistance in a rat model of high-fat diet and use of diazinon. 2019 , 411, 1-14	25
499	Anti-hypertensive, anti-diabetic, hypocholesterolemic and antioxidant properties of prickly pear nopalitos in type 2 diabetic rats fed a high-fat diet. 2019 , 49, 476-490	11
498	Pre-Clinical Models. 2019 ,	6
497	An Analysis of the Intracellular Signal Transduction of Peripheral Blood Leukocytes in Animal Models of Diabetes Using Flow Cytometry. 2019 , 1916, 177-193	0
496	The nutraceutical potential of <i>Lepidium sativum</i> L. seed flavonoid-rich extract in managing metabolic syndrome components. 2019 , 43, e12725	5
495	Generation and Biological Characteristics of a Mouse Model of Breast Cancer that Copresents with Diabetes Mellitus. 2019 , 302, 269-277	2
494	Effect of exercise on type 2 diabetes-associated cognitive impairment in rats. 2019 , 129, 252-263	16
493	Chemoprotective effects of butanol fraction (Capparidaceae) against type 2 diabetes and oxidative stress in male Wistar rats. 2019 , 39,	4
492	<i>Moringa oleifera</i> standardised aqueous leaf extract-loaded hydrocolloid film dressing: in vivo dermal safety and wound healing evaluation in STZ/HFD diabetic rat model. 2019 , 9, 453-468	17
491	The impact of forced swimming on expression of RANKL and OPG in a type 2 diabetes mellitus rat model. 2019 , 125, 195-200	6
490	Insulin-Sensitizing Effect of Peroxisome Proliferator Activated Receptor Gamma Agonist on Serum Visfatin Levels in High Fat Diet Induced Type 2 Diabetes Mellitus. 2019 , 43, 433-441	
489	Ginseng-plus-Bai-Hu-Tang ameliorates diet-induced obesity, hepatic steatosis, and insulin resistance in mice. 2020 , 44, 238-246	9
488	Antidiabetic activity of Vahl. and Linn. leaf extracts. 2020 , 10, 124-131	10

487	Inulin from Jerusalem artichoke tubers alleviates hyperglycaemia in high-fat-diet-induced diabetes mice through the intestinal microflora improvement. 2020 , 123, 308-318	11
486	Dezhou donkey (<i>Equus asinus</i>) milk a potential treatment strategy for type 2 diabetes. 2020 , 246, 112221	15
485	Metformin alleviates oxidative stress and enhances autophagy in diabetic kidney disease via AMPK/SIRT1-FoxO1 pathway. 2020 , 500, 110628	75
484	Silibinin ameliorates STZ-induced impairment of memory and learning by up-regulating insulin signaling pathway and attenuating apoptosis. 2020 , 213, 112689	19
483	Ameliorative effect of combined low dose of Pioglitazone and omega-3 on spermatogenesis and steroidogenesis in diabetic rats. 2020 , 121, 1524-1540	9
482	RILP Restricts Insulin Secretion Through Mediating Lysosomal Degradation of Proinsulin. 2020 , 69, 67-82	9
481	Some molecular structural features of glycogen in the kidneys of diabetic rats. 2020 , 229, 115526	3
480	Exercise modulates heat shock protein 27 activity in diabetic cardiomyopathy. 2020 , 243, 117251	1
479	Beneficial effects of combination therapy of phloretin and metformin in streptozotocin-induced diabetic rats and improved insulin sensitivity in vitro. 2020 , 11, 392-403	14
478	A Novel Rhynchophylline Analog, Y396, Inhibits Endothelial Dysfunction Induced by Oxidative Stress in Diabetes Through Epidermal Growth Factor Receptor. 2020 , 32, 743-765	10
477	Vildagliptin reduces myocardial ischemia-induced arrhythmogenesis via modulating inflammatory responses and promoting expression of genes regulating mitochondrial biogenesis in rats with type-II diabetes. 2020 , 59, 517-526	1
476	Synergistic effect of novel chitosan combined metformin drug on streptozotocin-induced diabetes mellitus rat. 2020 , 153, 1335-1349	7
475	Glibenclamide mitigates cognitive impairment and hippocampal neuroinflammation in rats with type 2 diabetes and sporadic Alzheimer-like disease. 2020 , 379, 112359	19
474	Fluorescent Imaging of Reactive Oxygen and Nitrogen Species Associated with Pathophysiological Processes. 2020 , 6, 832-866	69
473	NLRP3 inhibitor glibenclamide attenuates high-fat diet and streptozotocin-induced non-alcoholic fatty liver disease in rat: studies on oxidative stress, inflammation, DNA damage and insulin signalling pathway. 2020 , 393, 705-716	13
472	Functional Anatomy and Physiology. 2020 , 91-132	3
471	Putative Mechanisms Responsible for the Antihyperglycemic Action of HII01 in Experimental Type 2 Diabetic Rats. 2020 , 12,	7
470	Electroacupuncture alleviates diabetic neuropathic pain in rats by suppressing P2X3 receptor expression in dorsal root ganglia. 2020 , 16, 491-502	6

469	Eurocristatine, a plant alkaloid from <i>Eurotium cristatum</i> , alleviates insulin resistance in db/db diabetic mice via activation of PI3K/AKT signaling pathway. <i>European Journal of Pharmacology</i> , 2020 , 887, 173557	5.3	8
468	Acupuncture attenuates the development of diabetic peripheral neuralgia by regulating P2X4 expression and inflammation in rat spinal microglia. 2020 , 70, 45		6
467	Botrops derived hemocoagulase formulation a probable agent for diabetic wound healing. <i>3 Biotech</i> , 2020 , 10, 443	2.8	0
466	Protective role of <i>Convolvulus pluricaulis</i> on lipid abnormalities in high-fat diet with low dose streptozotocin-induced experimental rat model. 2020 , 11, 426-431		4
465	Low-dose lixisenatide protects against early-onset nephropathy induced in diabetic rats. 2020 , 263, 118592		3
464	Water Extract of Bunge Improves Hepatic Glucose Homeostasis by Regulating Gluconeogenesis and Glycogen Synthesis in High-Fat Diet and Streptozotocin-Induced Type 2 Diabetic Mice. 2020 , 7, 161		4
463	Modified karaya gum colloidal particles for the management of systemic hypertension. 2020 , 164, 1889-1897		5
462	Extract of pre-germinated brown rice protects against cardiovascular dysfunction by reducing levels of inflammation and free radicals in a rat model of type II diabetes. <i>Journal of Functional Foods</i> , 2020 , 75, 104218	5.1	3
461	Modulation of metabolic alterations of obese diabetic rats upon treatment with <i>Salacca zalacca</i> fruits extract using H NMR-based metabolomics. 2020 , 137, 109547		3
460	Advances in Computational and Bio-Engineering. 2020 ,		1
459	The Herbal Medicine Alleviates Intestinal Mucosal Barrier Damage in Diabetic Rats by Inhibiting Inflammation and Modulating the Gut Microbiota. 2020 , 2020, 4568629		8
458	Hypoglycemic Effect of a Combined and Extract in Streptozocin-Induced Diabetic Rats. 2020 , 2020, 8856129		5
457	Dietary Ginsenoside T19 Supplementation Regulates Glucose and Lipid Metabolism via AMPK and PI3K Pathways and Its Effect on Intestinal Microbiota. 2020 , 68, 14452-14462		12
456	Effect of dietary <i>Acrocomia aculeata</i> kernel oil rich in medium chain fatty acids on type 2 diabetic rats. <i>Journal of Functional Foods</i> , 2020 , 75, 104295	5.1	5
455	Sesamol-Loaded PLGA Nanosuspension for Accelerating Wound Healing in Diabetic Foot Ulcer in Rats. 2020 , 15, 9265-9282		9
454	Synergistic Effect of Omega-3 Fatty Acids and Oral-Hypoglycemic Drug on Lipid Normalization through Modulation of Hepatic Gene Expression in High Fat Diet with Low Streptozotocin-Induced Diabetic Rats. 2020 , 12,		5
453	Bioactive Agent Discovery from the Natural Compounds for the Treatment of Type 2 Diabetes Rat Model. 2020 , 25,		7
452	Role of Nrf2 dysfunction in the pathogenesis of diabetic nephropathy: Therapeutic prospect of epigallocatechin-3-gallate. 2020 , 160, 227-238		10

451	Diet-induced rodent models of obesity-related metabolic disorders-A guide to a translational perspective. 2020 , 21, e13081	16
450	Liraglutide Effect on Ventricular Transient Outward K ⁺ Channel and Connexin-43 Protein Expression. 2021 , 129, 899-907	2
449	Validation of the antidiabetic potential of isolated and nanoemulsified endophytic fungal metabolite 2,4,6-triphenylaniline through AMPK activation pathway. 2020 , 316, 113836	1
448	Inclusion of L. and into bread formulations improves metabolic imbalances derived from a high-fat intake in hyperglycaemic mice. 2020 , 11, 7994-8002	4
447	Therapeutic Effectiveness of on Type 2 Diabetic Rats: Mass Spectrometry-Based Metabolomics Approach. 2020 , 68, 9673-9682	9
446	Effect of punicalagin on multiple targets in streptozotocin/high-fat diet-induced diabetic mice. 2020 , 11, 10617-10634	12
445	Celastrol slows the progression of early diabetic nephropathy in rats via the PI3K/AKT pathway. 2020 , 20, 321	6
444	Model for type 2 diabetes exhibits changes in vascular function and structure due to vascular oxidative stress and inflammation. 2021 , 96, 498-506	4
443	Sex-specific susceptibility to type 2 diabetes mellitus and preventive effect of linalyl acetate. 2020 , 260, 118432	2
442	Mechanism of antidiabetic effects of Plicosepalus Acaciae flower in streptozotocin-induced type 2 diabetic rats, as complementary and alternative therapy. 2020 , 20, 290	3
441	Modulation of gut microbiota in healthy rats after exposure to nutritional supplements. 2020 , 12, 1-28	7
440	Insulin Treatment Attenuates Small Nerve Fiber Damage in Rat Model of Type 2 Diabetes. 2020 , 2020, 9626398	0
439	Impact of hyperglycemia and treatment with metformin on ligature-induced bone loss, bone repair and expression of bone metabolism transcription factors. 2020 , 15, e0237660	3
438	PROTECTIVE ROLE OF BERBERINE IN AMELIORATING DIABETIC COMPLICATIONS IN STREPTOZOTOCIN-HIGH FAT DIET MODEL IN EXPERIMENTAL ANIMALS. 2020 , 41-48	2
437	Endogenous asymmetric dimethylarginine accumulation contributes to the suppression of myocardial mitochondrial biogenesis in type 2 diabetic rats. 2020 , 17, 72	1
436	Hypothalamic perineuronal net assembly is required for sustained diabetes remission induced by fibroblast growth factor 1 in rats. 2020 , 2, 1025-1033	11
435	Different Stages of Alveolar Bone Repair Process Are Compromised in the Type 2 Diabetes Condition: An Experimental Study in Rats. 2020 , 9,	2
434	Ameliorative effect of selegiline in high fat diet induced obesity rat model: Possible role of dopaminergic pathway. 2020 , 20, 100301	

433	Comparative evaluation of feeding effects of A1 and A2 cow milk derived casein hydrolysates in diabetic model of rats. <i>Journal of Functional Foods</i> , 2020 , 75, 104272	5.1	2
432	miR-363 Alleviates Detrusor Fibrosis via the TGF- β /Smad Signaling Pathway by Targeting Col1a2 in Rat Models of STZ-Induced T2DM. 2020 , 22, 1142-1153		3
431	Improved Renoprotection in Diabetes with Combination Therapy of Coccinia indica Leaf Extract and Low-Dose Pioglitazone. 2020 , 7, 58		0
430	And Inulin: Therapeutic Agents to Enhance Cardiac Ob Receptor Expression and Suppress Cardiac Apoptosis in Type 2 Diabetic Rats. 2020 , 2020, 4745389		7
429	Phenolics: therapeutic applications against oxidative injury in obesity and type 2 diabetes pathology. 2020 , 297-307		5
428	Neuroprotective role of alendronate against APP processing and neuroinflammation in mice fed a high fat diet. 2020 , 161, 197-212		8
427	The modulatory role of prime identified compounds in the bioactive fraction of Homalium zeylanicum in high-fat diet fed-streptozotocin-induced type 2 diabetic rats. 2020 , 260, 113099		5
426	Development of HFD-Fed/Low-Dose STZ-Treated Female Sprague-Dawley Rat Model to Investigate Diabetic Bone Fragility at Different Organization Levels. 2020 , 4, e10379		11
425	Animal Models of Diabetes-Associated Renal Injury. 2020 , 2020, 9416419		14
424	Vildagliptin ameliorates renal injury in type 2 diabetic rats by suppressing oxidative stress. <i>Journal of Diabetes and Metabolic Disorders</i> , 2020 , 19, 701-707	2.5	2
423	Adiponectin in onset and progression of T2DM with cardiac dysfunction in rats. 2020 , 39, 1463-1474		4
422	Potential application of nanoemulsified garlic oil blend in mitigating the progression of type 2 diabetes-mediated nephropathy in Wistar rats. <i>3 Biotech</i> , 2020 , 10, 272	2.8	3
421	Investigation of antioxidant and anti-inflammatory activities as well as the renal protective potential of green coffee extract in high fat-diet/streptozotocin-induced diabetes in male albino rats. <i>Journal of Functional Foods</i> , 2020 , 71, 103996	5.1	19
420	Untargeted metabolomics analysis on Cicer arietinum L.-Induced Amelioration in T2D rats by UPLC-Q-TOF-MS/MS. 2020 , 261, 113013		3
419	Rutaecarpine exhibits anti-diabetic potential in high fat diet-multiple low dose streptozotocin induced type 2 diabetic mice and in vitro by modulating hepatic glucose homeostasis. 2020 , 143, 307-314		6
418	Hyperoside Ameliorates Diabetic Retinopathy Anti-Oxidation, Inhibiting Cell Damage and Apoptosis Induced by High Glucose. 2020 , 11, 797		9
417	Green Extract Ameliorates Testicular Injury in High-Fat Diet/Streptozotocin-Induced Diabetes in Rats. 2020 , 2020, 6762709		11
416	Lipids, Weight Gain and Obesity. 2020 , 1-18		

415	Proanthocyanidins Ameliorated Deficits of Lipid Metabolism in Type 2 Diabetes Mellitus Via Inhibiting Adipogenesis and Improving Mitochondrial Function. 2020 , 21,	12
414	Trifolium pratense (Red Clover) Improve SIRT1 Expression and Glycogen Content in High Fat Diet-Streptozotocin Induced Type 2 Diabetes in Rats. 2020 , 17, e2000019	9
413	Role of MicroRNA-34a in Anti-Apoptotic Effects of Granulocyte-Colony Stimulating Factor in Diabetic Cardiomyopathy. 2020 , 44, 173-185	4
412	The effect of 8 weeks of high-intensity interval training and moderate-intensity continuous training on cardiac angiogenesis factor in diabetic male rats. 2020 , 76, 291-299	3
411	Effects of fasting on liver glycogen structure in rats with type 2 diabetes. 2020 , 237, 116144	4
410	Distinct cardiac energy metabolism and oxidative stress adaptations between obese and non-obese type 2 diabetes mellitus. 2020 , 10, 2675-2695	18
409	Neuroprotective effects of ranolazine versus pioglitazone in experimental diabetic neuropathy: Targeting Nav1.7 channels and PPAR- α 2020 , 250, 117557	7
408	Lipid-Based Gliclazide Nanoparticles for Treatment of Diabetes: Formulation, Pharmacokinetics, Pharmacodynamics and Subacute Toxicity Study. 2020 , 15, 1129-1148	16
407	Integrated metabolomics and gut microbiome to the effects and mechanisms of naoxintong capsule on type 2 diabetes in rats. 2020 , 10, 10829	9
406	Role of TNF- α and FGF-2 in the Fracture Healing Disorder of Type 2 Diabetes Model Induced by High Fat Diet Followed by Streptozotocin. 2020 , 13, 2279-2288	1
405	Protein extracts from Momordica charantia var. charantia and M. charantia var. muricata show anti-lipidemic and antioxidant properties in experimental type 2 diabetic rats. 2020 , 44, e13370	1
404	Antidiabetes constituents, cycloartenol and 24-methylenecycloartanol, from Ficus krishnae. 2020 , 15, e0235221	9
403	Preventive and Therapeutic Effects of Astaxanthin on Depressive-Like Behaviors in High-Fat Diet and Streptozotocin-Treated Rats. 2019 , 10, 1621	8
402	Cyclosporine-a attenuates retinal inflammation by inhibiting HMGB-1 formation in rats with type 2 diabetes mellitus. 2020 , 21, 9	4
401	Metabolic and Cognitive Effects of Ranolazine in Type 2 Diabetes Mellitus: Data from an in vivo Model. 2020 , 12,	10
400	Antihyperglycemic effect of rice husk derived xylooligosaccharides in high-fat diet and low-dose streptozotocin-induced type 2 diabetic rat model. 2020 , 8, 428-444	13
399	Anti-diabetic effects of Bifidobacterium animalis 01 through improving hepatic insulin sensitivity in type 2 diabetic rat model. <i>Journal of Functional Foods</i> , 2020 , 67, 103843	5.1 16
398	Enhancement of glucose homeostasis through the PI3K/Akt signaling pathway by dietary with Murrill in STZ-induced diabetic rats. 2020 , 8, 1104-1114	4

397	Olmесartan attenuates type 2 diabetes-associated liver injury: Cross-talk of AGE/RAGE/JNK, STAT3/SCOS3 and RAS signaling pathways. <i>European Journal of Pharmacology</i> , 2020 , 874, 173010	5.3	10
396	Vitamin D dietary supplementation ameliorates the complications associated with type 2 diabetes induced by streptozotocin. 2020 , 29, 591-598		3
395	Orally deliverable nanoformulation of liraglutide against type 2 diabetic rat model. 2020 , 56, 101513		3
394	Zengye Decoction Ameliorates Insulin Resistance by Promoting Glucose Uptake. 2020 , 23, 367-376		4
393	Lansoprazole enhances the antidiabetic effect of dapagliflozin in fortified diet-fed streptozotocin-treated diabetic rats. 2020 , 34, e22451		1
392	Effect of superparamagnetic iron oxide nanoparticles on glucose homeostasis on type 2 diabetes experimental model. 2020 , 245, 117361		10
391	Zhenqing recipe attenuates non-alcoholic fatty liver disease by regulating the SIK1/CRTC2 signaling in experimental diabetic rats. 2020 , 20, 27		5
390	Zinc deficient diet exacerbates the testicular and epididymal damage in type 2 diabetic rat: Studies on oxidative stress-related mechanisms. 2020 , 20, 191-201		4
389	Synthesis and evaluation of new 1,2,4-oxadiazole based trans- acrylic acid derivatives as potential PPAR-alpha/gamma dual agonist. 2020 , 100, 103867		6
388	Effects of Hydroxysafflor Yellow A on the PI3K/AKT Pathway and Apoptosis of Pancreatic ECells in Type 2 Diabetes Mellitus Rats. 2020 , 13, 1097-1107		11
387	Identification of components and metabolites in plasma of type 2 diabetic rat after oral administration of Jiao-Tai-Wan using ultra-performance liquid chromatography/quadrupole time-of-flight mass spectrometry. 2020 , 43, 2690-2707		2
386	Anti-diabetic effects of in Streptozotocin-induced diabetic rats. <i>Journal of Diabetes and Metabolic Disorders</i> , 2020 , 19, 605-616	2.5	2
385	The Elusive Link Between Cancer FDG Uptake and Glycolytic Flux Explains the Preserved Diagnostic Accuracy of PET/CT in Diabetes. 2020 , 13, 100752		4
384	Lung volume dependence of respiratory function in rodent models of diabetes mellitus. 2020 , 21, 82		5
383	From the gut to the heart: L. plantarum and inulin administration as a novel approach to control cardiac apoptosis via 5-HT2B and TrkB receptors in diabetes. 2021 , 40, 190-201		4
382	Zonisamide, an antiepileptic drug, alleviates diabetic cardiomyopathy by inhibiting endoplasmic reticulum stress. 2021 , 42, 393-403		9
381	4-Phenylbutyric acid and rapamycin improved diabetic status in high fat diet/streptozotocin-induced type 2 diabetes through activation of autophagy. 2021 , 127, 235-244		0
380	Effect of combined therapy of mesenchymal stem cells with GLP-1 receptor agonist, exenatide, on early-onset nephropathy induced in diabetic rats. <i>European Journal of Pharmacology</i> , 2021 , 892, 173721	5.3	6

379	Antidiabetic and antihyperlipidemic effects of and : Higher activity of the micellar nanoformulation over the crude extract. 2021 , 11, 259-267		2
378	Modulation of IR as a therapeutic target to prevent NASH using NRF from <i>Diceratella elliptica</i> (DC.) jonsell. Strong Nrf2 and leptin inducer as well as NF- κ B inhibitor. 2021 , 80, 153388		1
377	Preconception Alcohol Exposure Increases the Susceptibility to Diabetes in the Offspring. 2021 , 162,		2
376	QM/MM analysis, synthesis and biological evaluation of epalrestat based mutual-prodrugs for diabetic neuropathy and nephropathy. 2021 , 108, 104556		1
375	Dolichandrone serrulata flower extract ameliorates male reproductive damages in type 2 diabetic rats. 2021 , 53, e13911		5
374	Granulocyte colony-stimulating factor reduces the endoplasmic reticulum stress in a rat model of diabetic cardiomyopathy. 2021 , 68, 1293-1301		2
373	Therapeutic effect of Low intensity Extracorporeal Shock Wave Therapy (Li-ESWT) on diabetic bladder dysfunction in a rat model. 2021 , 18, 1423-1431		3
372	Diabetes diminishes a typical metabolite of litchi pericarp oligomeric procyanidins (LPOPC) in urine mediated by imbalanced gut microbiota. 2021 , 12, 5375-5386		3
371	Relationship Between Insulin-Receptor Substrate 1 and Langerhans' Islet in a Rat Model of Type 2 Diabetes Mellitus. 2021 , 35, 291-297		1
370	modulates the gut microbiota and improves inflammation in type 2 diabetic rats. 2021 , 12, 6809-6820		6
369	Neuroprotective validation of pectin in T2DM-induced allodynia and hyperalgesia in diabetic peripheral neuropathic pain. 2021 , 1-12		3
368	EVALUATION OF EFFECT OF SITAGLIPTIN AND COMBINATION THERAPY OF SITAGLIPTIN AND METFORMIN ON HIGH DENSITY LIPOPROTEIN(HDL) AND LOW DENSITY LIPOPROTEIN(LDL) IN DIABETIC RATS. 2021 , 9-10		
367	A Static Magnetic Field Improves Iron Metabolism and Prevents High-Fat-Diet/Streptozocin-Induced Diabetes. 2021 , 2, 100077		2
366	Characterization of Mechanical Allodynia and Skin Innervation in a Mouse Model of Type-2 Diabetes Induced by Cafeteria-Style Diet and Low-Doses of Streptozotocin. 2020 , 11, 628438		1
365	Phloridzin ameliorates type 2 diabetes-induced depression in mice by mitigating oxidative stress and modulating brain-derived neurotrophic factor. <i>Journal of Diabetes and Metabolic Disorders</i> , 2021 , 20, 341-348	2.5	2
364	Simultaneous determination of five alkaloids from <i>Rauvolfia vomitoria</i> in rat plasma by LC-MS/MS: Application to a comparative pharmacokinetic study in normal and type 2 diabetic rats. 2021 , 44, 1391-1403		0
363	A Powerful HPLC-ELSD Method for Simultaneous Determination of Fecal Bile Acids in T2DM Rats Interfered by Sanhuang Xiexin Tang. 2021 , 59, 871-876		
362	Effect of apple peel extract on diabetes-induced peripheral neuropathy and wound injury. <i>Journal of Diabetes and Metabolic Disorders</i> , 2021 , 20, 119-130	2.5	3

361	Neuroprotective Role of GLP-1 Analog for Retinal Ganglion Cells via PINK1/Parkin-Mediated Mitophagy in Diabetic Retinopathy. 2020 , 11, 589114	6
360	(Colebr.) Diels Leaf Aqueous Extract Inhibits Hepatic Glucose Production in HepG2 Cells and Type 2 Diabetic Rats. 2021 , 26,	3
359	Lactobacillus fermentum MCC2759 and MCC2760 Alleviate Inflammation and Intestinal Function in High-Fat Diet-Fed and Streptozotocin-Induced Diabetic Rats. 2021 , 13, 1068-1080	7
358	Antidiabetic activity of a Flavonoid-Rich extract from flowers of Wisteria sinensis in type 2 diabetic mice via activation of the IRS-1/PI3K/Akt/GLUT4 pathway. <i>Journal of Functional Foods</i> , 2021 , 77, 104338 ^{5.1}	7
357	Electronic Bypass for Diabetes: Optimization of Stimulation Parameters and Mechanisms of Glucagon-Like Peptide-1. 2021 ,	1
356	Failure of the brain glucagon-like peptide-1-mediated control of intestinal redox homeostasis in a rat model of sporadic Alzheimer's disease.	2
355	New insight into the role of isorhamnetin as a regulator of insulin signaling pathway in type 2 diabetes mellitus rat model: Molecular and computational approach. 2021 , 135, 111176	3
354	Fluorophore-Dapagliflozin Dyad for Detecting Diabetic Liver/Kidney Damages via Fluorescent Imaging and Treating Diabetes via Inhibiting SGLT2. 2021 , 93, 4647-4656	3
353	Hyperoside attenuates neuroinflammation, cognitive impairment and oxidative stress via suppressing TNF- α /NF- κ B/caspase-3 signaling in type 2 diabetes rats. 2021 , 1-11	14
352	Effects of 4-phenylbutyric acid on the development of diabetic retinopathy in diabetic rats: regulation of endoplasmic reticulum stress-oxidative activation. 2021 , 1-11	1
351	Selective ER- α agonists alleviate neuronal deficits in insulin-resistant estrogen-deficient rats. 2021 , 24, 415-420	1
350	Antidiabetic and Renoprotective Effects of Pulp Aqueous Extract through Preserving Organic Cation Transport System Mediated Oxidative Stress Pathway in Experimental Type 2 Diabetic Rats. 2021 , 26,	6
349	Morus alba leaves ethanol extract protects pancreatic islet cells against dysfunction and death by inducing autophagy in type 2 diabetes. 2021 , 83, 153478	6
348	Improvement of cognitive function, glucose and lipid homeostasis and serum osteocalcin levels by liraglutide in diabetic rats. 2021 , 35, 989-1003	3
347	IRS-2/Akt/GSK-3/Nrf2 Pathway Contributes to the Protective Effects of Chikusetsu Saponin IVa against Lipotoxicity. <i>Oxidative Medicine and Cellular Longevity</i> , 2021 , 2021, 8832318	6.7 1
346	High-Efficacy β -Dehydromonacolin S Improves Hepatic Steatosis and Suppresses Gluconeogenesis Pathway in High-Fat Diet-Induced Obese Rats. 2021 , 14,	0
345	Binahong (Tenore) Steen.) Leaf Extract Modulates Fatty Acids and Amino Acids to Lower Blood Glucose in High-Fat Diet-Induced Diabetes Mellitus Rats. 2021 , 2021, 8869571	0
344	TRPV1 (Transient Receptor Potential Vanilloid 1) Sensitization of Skeletal Muscle Afferents in Type 2 Diabetic Rats With Hyperglycemia. 2021 , 77, 1360-1371	4

343	Total polyphenols and antihyperglycemic activity of aqueous fruits extract of <i>Abelmoschus esculentus</i> : Modeling and optimization of extraction conditions. 2021 , 16, e0250405	5
342	Nanosuspension of flavonoid-rich fraction from <i>Psidium guajava</i> Linn for improved type 2-diabetes potential. 2021 , 62, 102358	1
341	The protective effect of hydrogen-rich water on rats with type 2 diabetes mellitus. 2021 , 476, 3089-3097	1
340	Time-based investigation of urinary metabolic markers for Type 2 diabetes: Metabolomics approach for diabetes management. 2021 , 47, 645-657	2
339	Fabrication of Layered Hydrogel Scaffold for the Co-delivery of PGDF-BB/Chlorhexidine to Regulate Proinflammatory Cytokines, Growth Factors, and MMP-9 in a Diabetic Skin Defect Albino Rat Model. 2021 , 22, 1885-1900	4
338	Associations Between Betatrophin with Irisin and Metabolic Factors: Effects of Two Exercise Trainings in Diabetic Rats. 2021 , 362, 496-505	2
337	Cathinone: An alkaloid of (Khat) exacerbated hyperglycemia in diabetes-induced rats. 2021 , 28, 4633-4643	0
336	A metabolomics approach to investigate the proceedings of mitochondrial dysfunction in rats from prediabetes to diabetes. 2021 , 28, 4762-4769	1
335	Compartmentally scavenging hepatic oxidants through AMPK/SIRT3-PGC1 α axis improves mitochondrial biogenesis and glucose catabolism. 2021 , 168, 117-128	5
334	Effect of (Salm-Dyck) flowers in liver of fructose-fed rats: Biochemicals, enzymatic and histological studies. 2021 , 40, 1998-2011	
333	Exercise training and de-training effects on serum leptin and TNF- α in high fat induced diabetic rats. 2021 , 13, 57	1
332	The intervention of -butylhydroquinone protects ethanol-induced gastric ulcer in type II diabetic rats: the role of Nrf2 pathway. 2021 , 99, 522-535	0
331	In vitro and In silico Analysis of the Anti-diabetic and Anti-microbial Activity of <i>Cichorium intybus</i> Leaf extracts. 2021 , 17, 173-186	1
330	Nuclear Factor- κ B in Mouse Pancreatic β Cells Plays a Crucial Role in Glucose Homeostasis by Regulating β Cell Mass and Insulin Secretion. 2021 , 70, 1703-1716	1
329	Protective Effects of Bariatric Surgery on Kidney Functions by Inhibiting Oxidative Stress Responses Through Activating PPAR α in Rats With Diabetes. 2021 , 12, 662666	4
328	Cinacalcet as a surrogate therapy for diabetic cardiomyopathy in rats through AMPK-mediated promotion of mitochondrial and autophagic function. 2021 , 421, 115533	2
327	Gamma-aminobutyric acid attenuates insulin resistance in type 2 diabetic patients and reduces the risk of insulin resistance in their offspring. 2021 , 138, 111440	6
326	Potential antidiabetic activity of benzimidazole derivative albendazole and lansoprazole drugs in different doses in experimental type 2 diabetic rats. 2021 , 51, 1579-1586	2

325	Iron reduces the anti-inflammatory effect of omega-3 polyunsaturated fatty acids on the heart of STZ- and HFD-induced diabetic rats. 2021 , 23, 101079		0
324	Gut modulation based anti-diabetic effects of carboxymethylated wheat bran dietary fiber in high-fat diet/streptozotocin-induced diabetic mice and their potential mechanisms. 2021 , 152, 112235		10
323	LC-MS-Based Untargeted Metabolomics Reveals Early Biomarkers in STZ-Induced Diabetic Rats With Cognitive Impairment. <i>Frontiers in Endocrinology</i> , 2021 , 12, 665309	5.7	3
322	Berberis kansuensis extract alleviates type 2 diabetes in rats by regulating gut microbiota composition. 2021 , 273, 113995		10
321	Mori Ramulus Inhibits Pancreatic β Cell Apoptosis and Prevents Insulin Resistance by Restoring Hepatic Mitochondrial Function. 2021 , 10,		1
320	Metformin in Combination with Malvidin Prevents Progression of Non-Alcoholic Fatty Liver Disease via Improving Lipid and Glucose Metabolisms, and Inhibiting Inflammation in Type 2 Diabetes Rats. 2021 , 15, 2565-2576		0
319	Electroacupuncture at ST36 Improve the Gastric Motility by Affecting Neurotransmitters in the Enteric Nervous System in Type 2 Diabetic Rats. 2021 , 2021, 6666323		2
318	Umbelliferone ameliorates oxidative stress and testicular injury, improves steroidogenesis and upregulates peroxisome proliferator-activated receptor gamma in type 2 diabetic rats. 2021 ,		2
317	Protective effects of BiP inducer X (BIX) against diabetic cardiomyopathy in rats. 2021 , 99, 644-653		1
316	Fatty acid synthase inhibition ameliorates diabetes induced liver injury in rodent experimental model. <i>European Journal of Pharmacology</i> , 2021 , 901, 174078	5.3	1
315	Cissus quadrangularis extract attenuates diabetic nephropathy by altering SIRT1/DNMT1 axis. 2021 , 73, 1442-1450		5
314	Ameliorative potential of against streptozotocin-induced diabetes in rats: biochemical and histopathological studies. <i>3 Biotech</i> , 2021 , 11, 309	2.8	1
313	Role of Autophagy in Granulocyte-Colony Stimulating Factor Induced Anti-Apoptotic Effects in Diabetic Cardiomyopathy. 2021 , 45, 594-605		1
312	Establishment of long-term high-fat diet and low dose streptozotocin-induced experimental type-2 diabetes mellitus model of insulin resistance and evaluation of seed extracts of <i>Syzygium cumini</i> . 2021 , 10, 331-338		2
311	Effect of type II diabetes-induced osteoarthritis on articular cartilage aging in rats: A study in vivo and in vitro. 2021 , 150, 111354		0
310	Network Pharmacology-Based Analysis and Experimental Exploration of Antidiabetic Mechanisms of Gegen Qinlian Decoction. 2021 , 12, 649606		3
309	Anti-Diabetic Activity of Heuksoojeongchal Bran Preethanol Extract in HFD/STZ-Induced Diabetic Mice. 2021 , 50, 655-663		
308	Altered Jagged1-Notch1 Signaling in Enhanced Dysfunctional Neovascularization and Delayed Angiogenesis After Ischemic Stroke in HFD/STZ Induced Type 2 Diabetes Rats. 2021 , 12, 687947		0

307	Electroacupuncture Alleviates Diabetic Peripheral Neuropathy by Regulating Glycolipid-Related GLO/AGEs/RAGE Axis. <i>Frontiers in Endocrinology</i> , 2021 , 12, 655591	5-7	2
306	Anthocyanin-rich fraction from black rice, <i>Oryza sativa</i> L. var. indica "Luem Pua," bran extract attenuates kidney injury induced by high-fat diet involving oxidative stress and apoptosis in obese rats. 2021 , 35, 5189-5202		2
305	Failure of the Brain Glucagon-Like Peptide-1-Mediated Control of Intestinal Redox Homeostasis in a Rat Model of Sporadic Alzheimer's Disease. 2021 , 10,		5
304	Amelioration of Hippocampal Insulin Resistance Reduces Tau Hyperphosphorylation and Cognitive Decline Induced by Isoflurane in Mice. 2021 , 13, 686506		3
303	Synergic effects of ultrasound and laser therapies on mesentery for management of obesity and diabetes in rats. 2021 , 14, e202100109		1
302	Swimming exercise decreases depression-like behaviour and inflammatory cytokines in a mouse model of type 2 diabetes. 2021 , 106, 1981-1991		1
301	Effects of Fermented Thunb. on Diabetic Rats Induced by a High-Fat Diet with Streptozotocin and on Insulin Resistance in 3T3-L1 Adipocytes. 2021 , 2021, 6936025		2
300	Hippocampus kuda protein hydrolysate improves male reproductive dysfunction in diabetic rats. 2021 , 140, 111760		3
299	Water-soluble fullerene derivatives: the inhibition effect on polyol pathway enzymes and antidiabetic potential on high-fat diet/low-dose streptozotocin-induced diabetes in rats. 2021 , 23, 1		0
298	Reduction in TNF alpha and oxidative stress by liraglutide: Impact on ketamine-induced cognitive dysfunction and hyperlocomotion in rats. 2021 , 278, 119523		5
297	Comparative effects of incretin-based therapy on early-onset diabetic nephropathy in rats: Role of TNF- α , TGF- β and c-caspase-3. 2021 , 278, 119624		0
296	Eucaryophyllene ameliorated obesity-associated airway hyperresponsiveness through some non-conventional targets. 2021 , 89, 153610		0
295	Streptozotocin-induced type 1 and 2 diabetes in rodents: a model for studying diabetic cardiac autonomic neuropathy. 2021 , 21, 719-727		4
294	Protective Effects of Purple Rice Husk against Diabetic Nephropathy by Modulating PGC-1 α /SIRT3/SOD2 Signaling and Maintaining Mitochondrial Redox Equilibrium in Rats. 2021 , 11,		3
293	Swimming exercise attenuates anxiety-like behavior by reducing brain oxidative stress in type 2 diabetic mice. 2021 , 237, 113449		1
292	Study of long non-coding RNA and mitochondrial dysfunction in diabetic rats. 2021 , 71, 101516		1
291	Metformin inhibits MAPK signaling and rescues pancreatic aquaporin 7 expression to induce insulin secretion in type 2 diabetes mellitus. 2021 , 297, 101002		5
290	New complexes of metformin based on the copolymer of N-vinylpyrrolidone with triethylene glycol dimethacrylate and their activity in experimental type 2 diabetes mellitus. 2021 , 28, 1		0

289	Noninvasive assessment of coronary microvascular dysfunction using SPECT myocardial perfusion imaging and myocardial perfusion entropy quantification in a rodent model of type 2 diabetes. 2021, 1		1
288	Cardioprotective Effects and In-Silico Antioxidant Mechanism of L-Ergothioneine In Experimental Type-2 Diabetic Rats. 2021,		2
287	Myristic acid defends against testicular oxidative stress, inflammation, apoptosis: Restoration of spermatogenesis, steroidogenesis in diabetic rats. 2021, 278, 119605		8
286	Combination of TRP channel dietary agonists induces energy expending and glucose utilizing phenotype in HFD-fed mice. 2021,		2
285	L-ergothioneine and its combination with metformin attenuates renal dysfunction in type-2 diabetic rat model by activating Nrf2 antioxidant pathway. 2021, 141, 111921		2
284	Lagerstroemia speciosa extract ameliorates oxidative stress in rats with diabetic nephropathy by inhibiting AGEs formation. 2021, 33, 101493		3
283	Cognition enhancing abilities of vitamin D, epalrestat and their combination in diabetic rats with and without scopolamine induced amnesia.. 2022, 16, 483-495		0
282	YiQi YangYin Decoction Attenuates Nonalcoholic Fatty Liver Disease in Type 2 Diabetes Rats. 2021, 2021, 5511019		0
281	L-ergothioneine and metformin alleviates liver injury in experimental type-2 diabetic rats via reduction of oxidative stress, inflammation, and hypertriglyceridemia. 2021, 99, 1137-1147		0
280	Effect of Water Caltrop (<i>Trapa bispinosa</i> Roxb.) Pericarp Extract on Improving Insulin Resistance in STZ-induced Diabetic Mice. 2021, 100015		1
279	Curcumin activation of nuclear factor E2-related factor 2 gene (Nrf2): Prophylactic and therapeutic effect in nonalcoholic steatohepatitis (NASH). 2021, 285, 119983		1
278	Intervention of Gastrodin in Type 2 Diabetes Mellitus and Its Mechanism. 2021, 12, 710722		1
277	Impact of protocatechuic acid on high fat diet-induced metabolic syndrome sequelae in rats. <i>European Journal of Pharmacology</i> , 2021, 907, 174257	5-3	3
276	Sphenocentrum jollyanum root and leaf extracts enhanced wound closure by improving the glycemic state of diabetic rats induced by high-fat diet/streptozotocin. 1		1
275	Effect of Nigella sativa, atorvastatin, or L-Carnitine on high fat diet-induced obesity in adult male Albino rats. 2021, 141, 111818		3
274	Antidiabetic and antilipidemic effect of Clerodendrum paniculatum flower ethanolic extract. An in vivo investigation in Albino Wistar rats. 2021, 36, 102095		2
273	Characteristics of Food Protein-Derived Antidiabetic Bioactive Peptides: A Literature Update. 2021, 22,		3
272	High fat diet and its effects on cognitive health: alterations of neuronal and vascular components of brain. 2021, 240, 113528		3

271	30-Day spexin treatment of mice with diet-induced obesity (DIO) and type 2 diabetes (T2DM) increases insulin sensitivity, improves liver functions and metabolic status. 2021 , 536, 111420		11
270	Burdock fructooligosaccharide as an α-glucosidase inhibitor and its antidiabetic effect on high-fat diet and streptozotocin-induced diabetic mice. <i>Journal of Functional Foods</i> , 2021 , 86, 104703	5.1	6
269	Thirty days of combined consumption of a high-fat diet and fructose-rich beverages promotes insulin resistance and modulates inflammatory response and histomorphometry parameters of liver, pancreas, and adipose tissue in Wistar rats. 2021 , 91-92, 111403		
268	Effects of omega-3 fatty acids and metformin combination on diabetic cardiomyopathy in rats through autophagic pathway. 2021 , 97, 108798		1
267	Antidiabetic effect of konjac glucomannan via insulin signaling pathway regulation in high-fat diet and streptozotocin-induced diabetic rats. 2021 , 149, 110664		4
266	Homalium zeylanicum attenuates streptozotocin-induced hyperglycemia and cellular stress in experimental rats via attenuation of oxidative stress imparts inflammation. 2022 , 283, 114649		1
265	Foxtail millet supplementation improves glucose metabolism and gut microbiota in rats with high-fat diet/streptozotocin-induced diabetes. 2022 , 11, 119-128		1
264	Regional functional and structural abnormalities within the aorta as a potential driver of vascular disease in metabolic syndrome. 2021 , 106, 771-788		0
263	Acute effect of high-intensity interval training exercise on redox status in the ovaries of rats fed a high-fat diet. 2021 , 33, 713-724		1
262	Treatment with a dual amylin and calcitonin receptor agonist improves metabolic health in an old, obese, and ovariectomized rat model. 2021 , 28, 423-430		
261	Combination of cafeteria diet with intraperitoneally streptozotocin in rats. A type-2 diabetes model. 2021 , 36, e360702		
260	Effect of honey and insulin treatment on oxidative stress and nerve conduction in an experimental model of diabetic neuropathy Wistar rats. 2021 , 16, e0245395		2
259	Increased Sestrin3 Contributes to Post-ischemic Seizures in the Diabetic Condition. 2020 , 14, 591207		1
258	Synergistic actions of vitamin D and metformin on skeletal muscles and insulin resistance of type 2 diabetic rats. 2018 , 233, 5768-5779		18
257	Effect of Acrocomia aculeata Kernel Oil on Adiposity in Type 2 Diabetic Rats. 2018 , 73, 61-67		15
256	In vivo antioxidant and anti-inflammatory effects of soluble dietary fiber Konjac glucomannan in type-2 diabetic rats. 2020 , 159, 1186-1196		10
255	Effects of DCM leaf Extract of Gnidia glauca (Fresen) on Locomotor Activity, Anxiety and Exploration-Like Behaviors in High Fat Diet-Induced Obese Rats.		1
254	Glucagon-Like Peptide-1 (GLP-1) Treatment Ameliorates Cognitive Impairment by Attenuating Arc Expression in Type 2 Diabetic Rats. 2017 , 23, 4334-4342		6

253	Strontium Ranelate Combined with Insulin Is as Beneficial as Insulin Alone in Treatment of Fracture Healing in Ovariectomized Diabetic Rats. 2018 , 24, 6525-6536	2
252	AMPK-mediated hypoglycemic Effect of Banana Stem Juice on Type 2 Diabetes. 2020 , 17, 79-83	1
251	Vinpocetine attenuates neointimal hyperplasia in diabetic rat carotid arteries after balloon injury. 2014 , 9, e96894	12
250	Involvement of increased endogenous asymmetric dimethylarginine in the hepatic endoplasmic reticulum stress of type 2 diabetic rats. 2014 , 9, e97125	15
249	Role of metformin in suppressing 1,2-dimethylhydrazine-induced colon cancer in diabetic and non-diabetic mice: effect on tumor angiogenesis and cell proliferation. 2014 , 9, e100562	45
248	Endoplasmic reticulum stress impairs insulin receptor signaling in the brains of obese rats. 2015 , 10, e0126384	26
247	Obesity and Hepatic Steatosis Are Associated with Elevated Serum Amyloid Beta in Metabolically Stressed APP ^{swE} /PS1 ^{dE9} Mice. 2015 , 10, e0134531	13
246	Beneficial Effects of Sarpogrelate and Rosuvastatin in High Fat Diet/Streptozotocin-Induced Nephropathy in Mice. 2016 , 11, e0153965	22
245	<i>Sansevieria roxburghiana</i> Schult. & Schult. F. (Family: Asparagaceae) Attenuates Type 2 Diabetes and Its Associated Cardiomyopathy. 2016 , 11, e0167131	12
244	Oxidative stress and expression of insulin signaling proteins in the brain of diabetic rats: Role of <i>Nigella sativa</i> oil and antidiabetic drugs. 2017 , 12, e0172429	25
243	Combination of Vildagliptin and Ischemic Postconditioning in Diabetic Hearts as a Working Strategy to Reduce Myocardial Reperfusion Injury by Restoring Mitochondrial Function and Autophagic Activity. 2018 , 8, 319-329	14
242	Cardiac fibrosis and down regulation of GLUT4 in experimental diabetic cardiomyopathy are ameliorated by chronic exposures to intermittent altitude. 2016 , 8, 26-33	15
241	Effect of Crocin and Voluntary Exercise on P53 Protein in Pancreas of Type2 Diabetic Rats. 2017 , 23, 182-188	9
240	Effects of <i>Sparganii Rhizoma</i> Extract on High Fat/High Sucrose Diet and Streptozotocin Administration-Induced Diabetic Rats. 2016 , 16, 92-100	3
239	The Tellurium compound, AS101, increases SIRT1 level and activity and prevents type 2 diabetes. 2012 , 4, 436-47	27
238	Caveolin-3 protects diabetic hearts from acute myocardial infarction/reperfusion injury through β AR, cAMP/PKA, and BDNF/TrkB signaling pathways. 2020 , 12, 14300-14313	4
237	Recent Developments in Alpha-Glucosidase Inhibitors for Management of Type-2 Diabetes: An Update. 2019 , 25, 2510-2525	20
236	The Role of Glyoxalase in Glycation and Carbonyl Stress Induced Metabolic Disorders. 2020 , 21, 846-859	8

235	Effects of citral on oxidative stress and hepatic key enzymes of glucose metabolism in streptozotocin/high-fat-diet induced diabetic dyslipidemic rats. 2019 , 22, 49-57	9
234	A rat model of diabetic artery calcification. 2012 , 35, 497-503	10
233	Chitosan-Stabilized Selenium Nanoparticles and Metformin Synergistically Rescue Testicular Oxidative Damage and Steroidogenesis-Related Genes Dysregulation in High-Fat Diet/Streptozotocin-Induced Diabetic Rats. 2020 , 10,	11
232	Antiobesity Effects of Extract from Griseb in Adipocytes and High-Fat Diet-Induced Obese Rats. 2020 , 12,	9
231	Streptozotocin-induced expression of Ngn3 and Pax4 in neonatal rat pancreatic β cells. 2011 , 17, 2812-20	22
230	Yi-Qi-Zeng-Min-Tang, a Chinese medicine, ameliorates insulin resistance in type 2 diabetic rats. 2011 , 17, 987-95	9
229	Peroxiredoxin 1 deficiency increases pancreatic β cell apoptosis after streptozotocin stimulation via the AKT/GSK3 β signaling pathway. 2020 , 22, 1831-1838	4
228	Lipolytic Effects of Zingerone in Adipocytes Isolated from Normal Diet-Fed Rats and High Fat Diet-Fed Rats. 2011 , 7, 629-634	14
227	Antihyperglycemic Effects of Nephelium lappaceum Rind Extract in High Fat-Induced Diabetic Rats. 2015 , 11, 542-551	4
226	Antidiabetic, Antihyperlipidemic and Antioxidant Effects of Artemisia herba alba Extract on Experimental Diabetes. 2015 , 11, 552-560	4
225	Lipolytic Effects of Genistein and Daidzein in Adipocytes Derived from Normal Diet-fed Rats and High Fat Diet-fed Rats. 2010 , 10, 754-760	6
224	Preventive and Curative Potential of Vigna mungo against Metabolic Syndrome in Acute and Chronic Rat Models. 2015 , 15, 85-91	1
223	The effects of oral vitamin E on induction and consequence of experimental diabetes mellitus in rats. 2008 , 11, 633-7	6
222	Antidiabetic and antihyperlipidemic activities of a novel polyherbal formulation in high fat diet/streptozotocin induced diabetic rat model. 2015 , 47, 509-13	17
221	Anti-diabetic activity of methanolic extract of Alpinia galanga Linn. aerial parts in streptozotocin induced diabetic rats. 2015 , 36, 91-5	9
220	Novel High-Fat Diet Formulation and Streptozotocin Treatment for Induction of Prediabetes and Type 2 Diabetes in Rats. 2018 , 7, 107	20
219	Ondansetron ameliorates depression associated with obesity in high-fat diet fed experimental mice: An investigation-based on the behavioral, biochemical, and molecular approach. 2017 , 49, 290-296	3
218	Effects of Bofutsushosan and Gardeniae Fructus on Diabetic Serum Parameters in Streptozotocin-Induced Diabetic Mice. 2011 , 02, 130-137	4

217	Effectiveness of Telmisartan as an Adjunct to Metformin in Treating Type II Diabetes Mellitus in Rats. 2013 , 03, 186-196	2
216	Influence of 10-(6-plastoquinonyl) decyltriphenylphosphonium on free-radical homeostasis in the heart and blood serum of rats with streptozotocin-induced hyperglycemia. 2019 , 10, 546-559	4
215	Berberine improves glucose homeostasis in streptozotocin-induced diabetic rats in association with multiple factors of insulin resistance. 2011 , 2011, 519371	31
214	Aqueous Extract from Pepino (<i>Solanum muricatum</i> Ait.) Attenuated Hyperlipidemia and Cardiac Oxidative Stress in Diabetic Mice. 2012 , 2012, 490870	2
213	Comparison of male reproductive parameters in mice with type 1 and type 2 diabetes. 2020 , 47, 20-33	4
212	Therapeutic potential of traditionally used medicinal plant <i>Andrographis paniculata</i> (Burm. F.) against diabetes: An experimental study in rats. 2014 , 4, 7.1-7.8	4
211	Cardioprotective and anti-hypertensive effects of <i>Prosopis glandulosa</i> in rat models of pre-diabetes. 2013 , 24, 10-6	15
210	Antidiabetic Potential of Kefir Combination from Goat Milk and Soy Milk in Rats Induced with Streptozotocin-Nicotinamide. 2015 , 35, 847-58	16
209	Exenatide Inhibits the K3.1 Channels of Aortic Vascular Smooth Muscle in Diabetic Rats. 2017 , 33, 648-655	3
208	p-Coumaric acid attenuates high-fat diet-induced oxidative stress and nephropathy in diabetic rats. 2021 ,	2
207	Maackiain Protects the Kidneys of Type 2 Diabetic Rats via Modulating the Nrf2/HO-1 and TLR4/NF- κ B/Caspase-3 Pathways. 2021 , 15, 4339-4358	4
206	Hepatorenal protective efficacy of flavonoids from <i>Ocimum basilicum</i> extract in diabetic albino rats: A focus on hypoglycemic, antioxidant, anti-inflammatory and anti-apoptotic activities. 2021 , 144, 112287	9
205	Postmortem mitochondrial membrane permeability transition assessment of apoptotic cell death in brain and liver of insulin resistant, ovariectomised rats.. 2021 , 11, 156-163	
204	Heart failure in diabetes. 2021 , 125, 154910	15
203	Change of myocardium FAT/CD36 expression in rats with type 2 diabete and its influence on fatty acid metabolism. 2010 , 30, 576-578	
202	[Analysis of gene expression profile of peripheral ganglia in early stage type II diabetic rats]. 2012 , 34, 198-207	
201	High fat diet-induced obese rats and diabetic rats: a comparative study of glucose and lipid metabolism. 2012 , 32, 342-344	
200	High Carbohydrate Diet with 30% Sucrose Solution: An Optimized Rodent Model for Simulating Human Insulin Resistance. 2013 , 4, 157-163	

- 199 Altered Gene Expression of Inflammatory Cytokines in Adipose Tissue of Streptozotocin-induced Diabetic C57BL/6 Mice. **2013**, 23, 825-831
- 198 Effect of Diabetes Mellitus and Its Control on Myocardial Contractile Function in Rats. **2014**, 2, 431-438
- 197 Effect of Exercise Training on Signaling of Interleukin-6 in Skeletal Muscles of Type 2 Diabetic Rats. **2016**, 13, 197-206 2
- 196 Effects of Green Tea Polyphenol and Vitamin C on Type 2 Diabetic Rats Induced by Low Dose Streptozotocin Following High Fat Diet. **2016**, 45, 167-173 0
- 195 References. **2016**, 441-567
- 194 References. **2016**, 301-380
- 193 Hypoglycemic and Antioxidative Effects of *Glossogyne tenuifolia* on Streptozotocin-Nicotinamide-Induced Diabetic Rats. **2017**, 08, 1170-1181 0
- 192 Sinapic Acid Regulates Glucose Homeostasis by Modulating the Activities of Carbohydrate Metabolizing Enzymes in High Fat Diet Fed-Low Dose STZ Induced Experimental Type 2 Diabetes in Rats. 054-061 1
- 191 Lipid Lowering Potential of *Malakwang* (& *Hibiscus*) Species Leaf Extract in Hyperlipidaemia-Induced Rats. **2018**, 09, 145-159
- 190 Adenovirus-mediated expression of SIK1 improves hepatic glucose and lipid metabolism in type 2 diabetes mellitus rats. 1
- 189 Effects of Maternal Flaxseed Supplementation on Female Offspring of Diabetic Rats in Serum Concentration of Glucose, Insulin, and Thyroid Hormones. **2019**, 89, 45-54 0
- 188 [Streptozotocin-induced Alzheimer's disease as an independent risk factor for the development of hyperglycemia in Wistar rats]. **2019**, 65, 351-361 0
- 187 VASPIN, ADIPONECTIN AND LEPTIN LEVELS IN TYPE 1 DIABETIC RATS INDUCED BY STREPTOZOTOCIN. **2020**, 16, 136-141
- 186 A Statistical Study on Analysing Repeated Measures of Data of Hyperlipidemia Cases. **2020**, 613-631
- 185 Cyclosporine-A Attenuates Retinal Inflammation by Inhibiting HMGB-1 Formation in Rats with Type 2 Diabetes Mellitus.
- 184 Zinc Supplementation Improved Neuropeptide Y, Nesfatin-1, Leptin, C-reactive protein, and HOMA-IR of Diet-Induced Obese Rats. **2021**, 1 0
- 183 Effect of Phytopreparations Based on Bioreactor-Grown Cell Biomass of , and on Carbohydrate and Lipid Metabolism in Type 2 Diabetes Mellitus. **2021**, 13, 5
- 182 Effect of fruit pulp powder on antioxidant and proinflammatory genes in non-diabetic and type 2 diabetic rats.. *Journal of Diabetes and Metabolic Disorders*, **2021**, 20, 1663-1674 2.5

181	Beneficial Effects of Algerian Green Alga and Its Hydroethanolic Extract on Insulin Resistance and Cholesterol Reverse Transport in High-Fat/Streptozotocin Diabetic Rats. 2020 , 25, 353-361	2
180	Using multimodal MRI to investigate alterations in brain structure and function in the BBZDR/Wor rat model of type 2 diabetes. 2020 , 3, 285-294	1
179	Escitalopram Ameliorates Cardiomyopathy in Type 2 Diabetic Rats via Modulation of Receptor for Advanced Glycation End Products and Its Downstream Signaling Cascades. 2020 , 11, 579206	0
178	The neurogenic effects of rosmarinic acid in a mouse model of type 2 diabetes mellitus. 56,	
177	Cyclosporine-A Attenuates Retinal Inflammation by Inhibiting HMGB-1 Formation in Rats with Type 2 Diabetes Mellitus.	
176	Ameliorative effect of <i>Tinospora tuberculata</i> in insulin resistance: Potential roles of oxidative stress resistance and heat shock protein 70 (Hsp 70) modulation. 2020 , 16, 769	
175	Paeoniflorin ameliorates glycemic variability-induced oxidative stress and platelet activation in HUVECs and DM rats. 2020 , 10, 42605-42612	0
174	Type 2 diabetes mellitus alters cardiac mitochondrial content and function in a non-obese mice model. 2020 , 92, e20191340	3
173	Scope of Honey in Diabetes and Metabolic Disorders. 2020 , 195-217	0
172	Effects of propofol on LC3II and mTOR/p-mTOR expression during ischemia-reperfusion myocardium injury in rats with type 2 diabetes mellitus. 2020 , 19, 2441-2448	4
171	Metabolic changes in female rats exposed to intrauterine Hyperglycemia and post-weaning consumption of high-fat diet. 2021 ,	3
170	A novel UPLC-MS/MS method for simultaneous quantification of trigonelline, 4-hydroxyisoleucine, and diosgenin from <i>Trigonella foenum-graecum</i> extract: Application to pharmacokinetic study in healthy and type 2 diabetic rats. 2021 , e5275	3
169	L-arabinose alleviates diabetes-aggravated cerebral ischemic injury by repairing the blood-brain barrier via downregulating NF- κ B signals. <i>Journal of Functional Foods</i> , 2021 , 87, 104839	5.1
168	Rat model of food-induced non-obese-type 2 diabetes mellitus: comparative pathophysiology and histopathology. 2012 , 4, 51-8	12
167	Levo-carnitine reduces oxidative stress and improves contractile functions of fast muscles in type 2 diabetic rats. 2013 , 17, 29-35	4
166	Effects on high cholesterol-fed to liver, retina, hippocampus, and Harderian gland in Goto-Kakizaki rat. 2013 , 6, 639-49	8
165	Protective Effect of <i>Gymnema sylvestre</i> Ethanol Extract on High Fat Diet-induced Obese Diabetic Wistar Rats. 2014 , 76, 315-22	6
164	Losartan reduces myocardial interstitial fibrosis in diabetic cardiomyopathy rats by inhibiting JAK/STAT signaling pathway. 2015 , 8, 466-73	21

163	Endoplasmic reticulum membrane potassium channel dysfunction in high fat diet induced stress in rat hepatocytes. 2014 , 13, 1075-87	3
162	High-fat diet induced insulin resistance in pregnant rats through pancreatic pax6 signaling pathway. 2015 , 8, 5196-202	15
161	Effects of preventative application of metformin on bile acid metabolism in high fat-fed/streptozotocin-diabetic rats. 2015 , 8, 5450-6	6
160	Resveratrol attenuates visfatin and vaspin genes expression in adipose tissue of rats with type 2 diabetes. 2015 , 18, 537-43	14
159	Embelia ribes extract reduces high fat diet and low dose streptozotocin-induced diabetic nephrotoxicity in rats. 2013 , 12, 858-71	11
158	Sitagliptin downregulates retinol-binding protein 4 and upregulates glucose transporter type 4 expression in a type 2 diabetes mellitus rat model. 2015 , 8, 17902-11	6
157	Hematological alterations in diabetic rats - Role of adipocytokines and effect of citrus flavonoids. 2013 , 12, 647-57	35
156	Relation between anti-atherosclerotic effects of IRAK4 and modulation of vascular smooth muscle cell phenotype in diabetic rats. 2016 , 8, 899-910	5
155	Anti-oxidant and anti-hyperlipidemic activity of in rats fed with high-fat diet. 2016 , 6, 516-525	3
154	Extract Modulates Gene Expression, Hepatic and Renal Changes in a Rat Model of Type 2 Diabetes. 2016 , 15, 45-54	11
153	Effect of aluminum chloride on blood glucose level and lipid profile in normal, diabetic and treated diabetic rats. 2017 , 49, 357-365	3
152	Role of adenylyl cyclase activator in controlling experimental diabetic nephropathy in rats. 2018 , 10, 144-153	1
151	Effect of local application of biphosphonates on improving peri-implant osseointegration in type-2 diabetic osteoporosis. 2019 , 11, 5417-5437	4
150	[Effect of Angelica sinensis polysaccharide on the osteogenic differentiation of bone marrow mesenchymal stem cells of rats with high glucose levels]. 2019 , 37, 193-199	1
149	Antidiabetic Activity of Gagnep. Extract against High-Fat Diet and Alloxan-Induced Type 2 Diabetes in Mice. 2021 , 2021, 8648209	
148	Comparatively analyzing the liver-specific transcriptomic profiles in Kunming mice afflicted with streptozotocin- and natural food-induced type 2 diabetes mellitus. 2021 , 1	
147	Type 2 diabetes mellitus combined with estrogen deficiency delays fracture healing in rats. 2021 , 112, 664-666	
146	Hypoglycemic Effect of Electroacupuncture at ST25 Through Neural Regulation of the Pancreatic Intrinsic Nervous System. 2021 , 59, 703	1

145	Development and characterization of a high fat diet-streptozotocin induced type 2 diabetes model in nude athymic rats.		
144	Ameliorative potential of phloridzin in type 2 diabetes-induced memory deficits in rats. <i>European Journal of Pharmacology</i> , 2021 , 913, 174645	53	2
143	Gentiopicroside targets PAQR3 to activate PI3K/AKT signaling pathway and ameliorate glucose and lipid metabolism. 2022 ,		0
142	Diacerein versus adipoRon as adiponectin modulators in experimentally-induced end-stage type 2 Diabetes Mellitus in rats.. 2021 , 90, 103806		0
141	The effect of etanercept and anakinra on experimental type 2 diabetes pathology in rats. 2021 , 90, 421-429		0
140	Assessment of antidiabetic effect of 4-HIL in type 2 diabetic and healthy Sprague Dawley rats.. 2022 , 41, 9603271211061873		1
139	Beneficial effects of MgSO on TFAM, UPC3 and FNDC5 mRNA expressions in skeletal muscle of type 2 diabetic rats: a possible mechanism to improve insulin resistance.. 2022 , 49, 2795		1
138	LCZ696 Protects against Diabetic Cardiomyopathy-Induced Myocardial Inflammation, ER Stress, and Apoptosis through Inhibiting AGEs/NF- κ B and PERK/CHOP Signaling Pathways.. 2022 , 23,		1
137	Effect of Combined Treatment with Catechin and Quercetin on Hepatic Glucose Metabolism in Diabetic Rats. 2022 , 51, 12-18		0
136	Selection of experimental models mimicking human pathophysiology for diabetic microvascular complications. 2022 , 137-177		
135	Virgin Coconut Oil (VCO) Ameliorates High Fat Diet (HFD)-Induced Obesity, Dyslipidemia and Bestows Cardiovascular Protection in Rats. 1		
134	Therapeutic potential of policosanol in the concurrent management of dyslipidemia and non-alcoholic fatty liver disease. 2022 , 8,		2
133	Alpha-lipoic acid preconditioning plus ischemic postconditioning provides additional protection against myocardial reperfusion injury of diabetic rats: modulation of autophagy and mitochondrial function.. 2022 , 49, 1773		1
132	Tannins in the Treatment of Diabetic Neuropathic Pain: Research Progress and Future Challenges.. 2021 , 12, 805854		0
131	Biochemical characterization of high fat diet fed and low dose streptozotocin induced diabetic Wistar rat model.. 2021 , 113, 107144		2
130	Epigenetic regulation and autophagy modulation debilitates insulin resistance associated Alzheimer's disease condition in rats.. 2022 , 1		1
129	Development and characterisation of a rat model that exhibits both metabolic dysfunction and neurodegeneration seen in type 2 diabetes.. 2022 ,		
128	Diabetes: Risk Factor and Translational Therapeutic Implications for Alzheimer's Disease.. 2022 ,		0

127	Spinal cord-wide structural disruption in type 2 diabetes rescued by exenatide "a glucagon-like peptide-1 analogue" via down-regulating inflammatory, oxidative stress and apoptotic signaling pathways.. 2022 , 121, 102079	0
126	L-Methionine supplementation attenuates high-fat fructose diet-induced non-alcoholic steatohepatitis by modulating lipid metabolism, fibrosis, and inflammation in rats.. 2022 ,	0
125	Chitooligosaccharides: Preparation and Applications in Food and Nutraceuticals. 2022 , 203-221	1
124	Glycosides and flavonoids from the extract of Benth leaf alleviate type 2 diabetes in high-fat diet plus streptozotocin-induced mice by modulating the gut microbiota.. 2022 ,	2
123	RIPK1-RIPK3 mediates myocardial fibrosis in type 2 diabetes mellitus by impairing autophagic flux of cardiac fibroblasts.. 2022 , 13, 147	1
122	Combination Therapy with GABA and MgSO Improves Insulin Sensitivity in Type 2 Diabetic Rat.. 2022 , 2022, 2144615	0
121	Targeting Gut Microbiota With Natural Polysaccharides: Effective Interventions Against High-Fat Diet-Induced Metabolic Diseases.. 2022 , 13, 859206	2
120	Cholesterol Sulfate Exerts Protective Effect on Pancreatic β Cells by Regulating β Cell Mass and Insulin Secretion.. 2022 , 13, 840406	0
119	Expanding arsenal against diabetes mellitus through nanoformulations loaded with glimepiride and simvastatin: A comparative study.. 2022 , 1	1
118	Capsicum annum L. cv. DANGJO ameliorated hyperglycemia in type 2 diabetes animal model induced by high-fat diet and streptozotocin. 1	
117	Peran Serbuk Kunyit dan Kurkumin Terhadap Diferensial Leukosit Tikus Putih (<i>Rattus norvegicus</i>) yang Diberi Pakan Hiperlipid. 2022 , 7, 42-50	
116	Why consumers have everything but happiness: An evolutionary mismatch perspective.. 2022 , 46, 101347	1
115	Advanced Glycosylation End Products Induced Synaptic Deficits and Cognitive Decline Through ROS-JNK-p53/miR-34c/SYT1 Axis in Diabetic Encephalopathy.. 2022 ,	0
114	Effect of aqueous extract from root and leaf of <i>Sphenocentrum jollyanum pierre</i> on wounds of diabetic rats: Influence on wound tissue cytokines, vascular endothelial growth factor and microbes.. 2022 , 115266	0
113	Cognitive impairments in type 1 diabetes mellitus model mice are associated with synaptic protein disorders.. 2022 , 777, 136587	0
112	Human adipose-derived stem cell-loaded small intestinal submucosa as a bioactive wound dressing for the treatment of diabetic wounds in rats. 2022 , 212793	2
111	Anti-diabetic effect of <i>Stachytarpheta jamaicensis</i> on low dose streptozotocin-induced diabetic rats fed on a high-fat diet. 2021 , 7,	0
110	Distinctive quality control method for solid-state fermented <i>Isaria cicadae</i> from strain Ic-17-7 and application in a rat model of type 2 diabetes.. 2021 , 19, 921-929	1

- 109 Effect of verapamil on bone mass, microstructure and mechanical properties in type 2 diabetes mellitus rats.. **2022**, 23, 363 ○
- 108 Tangshen Decoction Enhances Podocytes Autophagy to Relieve Diabetic Nephropathy through Modulation of p-AMPK/p-ULK1 Signaling.. **2022**, 2022, 3110854 ○
- 107 A Favorable Aspects of Silymarin: In Linezolid Treatment Against Diabetic Methicillin-resistant Staphylococcus aureus (MRSA) Infected Rats.. **2022**, 19,
- 106 DataSheet_1.doc. **2020**,
- 105 Image_1.TIF. **2018**,
- 104 Data_Sheet_1.docx. **2020**,
- 103 Image_1.tif. **2020**,
- 102 Data_Sheet_1.docx. **2018**,
- 101 Hypoglycemic and Hypolipidemic Swords: Synthesis and Biological Assessment of 5-benzylidene-2,4-thiazolidinediones.. **2021**, 20, 188-201
- 100 Selenium nanoparticles stimulate osteoblast differentiation via BMP-2/MAPKs/Eatenin pathway in diabetic osteoporosis.. **2022**, ○
- 99 The Effects of Exercise on Cerebellar Growth-Associated Protein 43 and Adenylyl Cyclase-Associated Protein 1 Gene Expression and Proteins in Diabetic-Induced Neuropathy and Healthy Male Wistar Rats.. **2021**, 12, 137
- 98 Animal Models Used for Studying the Benefits of Probiotics in Metabolic Disorders. **2022**, 261-275
- 97 Curcumin Protects Diabetic Mice against Isoproterenol-Induced Myocardial Infarction by Modulating CB2 Cannabinoid Receptors. **2022**, 12, 624 ○
- 96 Ameliorative Effect of Benth on Diabetic, Apoptotic, and Adipogenic Biomarkers of Diabetic Rats and 3T3-L1 Fibroblasts Assisted by In Silico Approach.. **2022**, 27, 1
- 95 Selenium-Enriched Probiotic Alleviates Western Diet-Induced Non-alcoholic Fatty Liver Disease in Rats via Modulation of Autophagy Through AMPK/SIRT-1 Pathway.. **2022**, 1 ○
- 94 Chilean pepper (*Schinus polygamus*) ameliorates the adverse effects of hyperglycaemia/dyslipidaemia in high fat diet/streptozotocin-induced type 2 diabetic rat model. **2022**, 183, 114953 1
- 93 Isolation of Thymol from Fruits for Treatment of Diabetes and Diabetic Neuropathy in STZ-Induced Rats.. **2022**, 2022, 8263999 ○
- 92 Characterization of the Skin Bacteriome and Histology Changes in Diabetic Pigs.. **2022**, 15347346221100887

- 91 Human amniotic fluid stem cell therapy can help regain bladder function in type 2 diabetic rats. **2022**, 14, 330-346 ○
- 90 Whey protein and xylitol complex alleviate type 2 diabetes in C57BL/6 mice by regulating the intestinal microbiota. **2022**, 111454 ○
- 89 The Assessment of Glucose Homeostasis in Rodents: Glucose, Insulin and Pyruvate Tolerance Tests. **2022**, 33-52
- 88 Alterations of Liver Functions and Morphology in a Rat Model of Prediabetes After a Short-term Treatment of a High-fat High-glucose and Low-dose Streptozotocin. **2022**, 10, 668-674
- 87 Jiangtang Tongmai Prescription Reduced Diabetic Lung Injury Through SnoN and TGF- β /Smads Signaling Pathway. *Frontiers in Endocrinology*, 13, 5-7
- 86 Effects of Fermented Camel Milk Supplemented with Sidr Fruit (*Ziziphus spina-christi* L.) Pulp on Hyperglycemia in Streptozotocin-Induced Diabetic Rats. **2022**, 8, 269 ○
- 85 Establishment of type 2 diabetes mellitus models using streptozotocin after 3 months high-fat diet in Bama minipigs. 1-18
- 84 Chronic high-fat diet consumption exacerbates pyroptosis- and necroptosis-mediated HMGB1 signaling in the brain after ischemia and reperfusion injury. ○
- 83 Terminalia catappa aqueous leaf extract reverses insulin resistance, improves glucose transport and activates PI3K/AKT signalling in high fat/streptozotocin-induced diabetic rats. **2022**, 12, 3
- 82 ViphyllinTM, a Standardized Black Pepper Extract Exerts Antihyperglycemic Effect and Improves Sciatic Nerve Conduction in High Fat Diet/Streptozotocin-Induced Diabetic Model Rats. Volume 15, 1819-1829
- 81 Amelioration of high-fat diet (HFD) + CCl₄ induced NASH/NAFLD in CF-1 mice by activation of SIRT-1 using cinnamoyl sulfonamide hydroxamate derivatives: in-silico molecular modelling and in-vivo prediction. *3 Biotech*, **2022**, 12, 2.8
- 80 Resveratrol attenuates behavioural impairment associated with learning and memory in HFD-STZ induced diabetic rats. *British Journal of Pharmacology*, 8.6 ○
- 79 Cinnamaldehyde Mitigates Atherosclerosis Induced by High-Fat Diet via Modulation of Hyperlipidemia, Oxidative Stress, and Inflammation. *Oxidative Medicine and Cellular Longevity*, **2022**, 1-15, 6.7 1
- 78 Role of olmesartan in ameliorating diabetic nephropathy in rats by targeting the AGE/PKC, TLR4/P38-MAPK and SIRT-1 autophagic signaling pathways. *European Journal of Pharmacology*, **2022**, 928, 175117, 5.3
- 77 Inhibition of autophagy with expression of NADPH oxidase subunit p22phox in preneoplastic lesions in a high-fat diet and streptozotocin-related hepatocarcinogenesis rat model. *Journal of Toxicological Sciences*, **2022**, 47, 289-300, 1.9
- 76 Biomarkers in Experimental Diabetes: Studies with *Syzygium Cumini* (L.) and Links with the Sulfonylurea 1 Receptor. *Biomarkers in Disease*, **2022**, 1-28
- 75 Effects of Metabolic Disorders and Streptozotocin-Induced Diabetes on Cerebral Circulation in Rats on a High-Fat Diet. *Journal of Evolutionary Biochemistry and Physiology*, **2022**, 58, 915-921, 0.5
- 74 Noninvasive NMR/MRS Metabolic Parameters to Evaluate Metabolic Syndrome in Rats. *Diagnostics*, **2022**, 12, 1621, 3.8

73	Linagliptin in Combination With Metformin Ameliorates Diabetic Osteoporosis Through Modulating BMP-2 and Sclerostin in the High-Fat Diet Fed C57BL/6 Mice. <i>Frontiers in Endocrinology</i> , 13,	5.7	0
72	Metformin inhibits cardiometabolic syndrome associated cognitive deficits in high fat diet rats. <i>Journal of Diabetes and Metabolic Disorders</i> ,	2.5	
71	Binge alcohol consumption exacerbates high-fat diet-induced neurobehavioral anomalies: Possible underlying mechanisms. <i>Chemico-Biological Interactions</i> , 2022 , 110039	5	0
70	Ameliorating mechanism of nuciferine on high-fat diet-induced dyslipidemia and hepatic steatosis by regulating intestinal absorption and serum extracellular vesicles in rats. <i>Journal of Functional Foods</i> , 2022 , 95, 105182	5.1	0
69	Anti-oxidative effects of functional food, <i>Lignosus rhinocerus sclerotia</i> (TM02 cultivar) using a type 2 diabetes mellitus rodent model. 2022 , 49, 101944		0
68	Novel hit of DPP-4Is as promising antihyperglycemic agents with dual antioxidant/anti-inflammatory effects for type 2 diabetes with/without COVID-19. 2022 , 128, 106092		
67	Fecal metabolomics reveals the positive effect of ethanol extract of propolis on T2DM mice. 2023 , 12, 161-172		1
66	Hypoglycemic activity in vitro and vivo of a water-soluble polysaccharide from <i>Astragalus membranaceus</i> .		0
65	Hypoglycemic effect of the polysaccharides from <i>Astragalus membranaceus</i> on type 2 diabetic mice based on the gut microbiota mucosal barrier 2022 , 13, 10121-10133		0
64	Dietary fiber konjac glucomannan exerts an antidiabetic effect via inhibiting lipid absorption and regulation of PPAR- α and gut microbiome. 2023 , 403, 134336		1
63	Potential Medical Applications of Chitooligosaccharides. 2022 , 14, 3558		0
62	Camel milk ameliorates diabetes in pigs by preventing oxidative stress, inflammation and enhancing beta cell function.		1
61	Biomarkers in Experimental Diabetes: Studies with <i>Syzygium Cumini</i> (L.) and Links with the Sulfonylurea 1 Receptor. 2023 , 1111-1138		0
60	Integrating experimental model, LC-MS/MS chemical analysis, and systems biology approach to investigate the possible antidiabetic effect and mechanisms of <i>Matricaria aurea</i> (Golden Chamomile) in type 2 diabetes mellitus. 13,		0
59	Primaquine activates Keratin 7 to treat diabetes and its complications.		0
58	Exosomes derived from human umbilical cord mesenchymal stem cells (HUCMSC-EXO) regulate autophagy through AMPK-ULK1 signaling pathway to ameliorate diabetic cardiomyopathy. 2022 ,		0
57	Improvement of Cognitive Dysfunction by a novel phosphodiesterase type 5 inhibitor, Tadalafil.		0
56	<i>Morchella esculenta</i> mushroom polysaccharide attenuates diabetes and modulates intestinal permeability and gut microbiota in a type 2 diabetic mice model. 9,		1

- 55 Diabetes mellitus e o sistema purin gico. **2021**, 257-286 ○
- 54 Involvement of Inducible Nitric Oxide Synthase in Pial Arterial Tone Formation under Metabolic Disorders and Streptozotocin-Induced Diabetes in Rats Kept on a High-Fat Diet. **2022**, 58, 1482-1490 ○
- 53 Nanocarrier-Assisted Delivery of Metformin Boosts Remodeling of Diabetic Periodontal Tissue via Cellular Exocytosis-Mediated Regulation of Endoplasmic Reticulum Homeostasis. ○
- 52 Mechanistic Insights into the Ameliorative Effect of Cichoriin on Diabetic Rats Assisted with an In Silico Approach. **2022**, 27, 7192 ○
- 51 Type 2 Diabetes Mellitus: Pathogenic Features and Experimental Models in Rodents. **2022**, 14, 57-68 ○
- 50 Evaluating the role of type 2 diabetes mellitus in rotator cuff tendinopathy: Development and analysis of a novel rat model. 13, ○
- 49 Investigation of the Chemical Composition, Antihyperglycemic and Antilipidemic Effects of *Bassia eriophora* and Its Derived Constituent, Umbelliferone on High-Fat Diet and Streptozotocin-Induced Diabetic Rats. **2022**, 27, 6941 ○
- 48 Dehydrozingerone promotes healing of diabetic foot ulcers: a molecular insight. ○
- 47 *Dolichandrone serrulata* flower improves seminal biochemical parameters and proteins in T2DM rats induced by a high-fat diet and streptozotocin. **2022**, 60, 1935-1943 ○
- 46 Augmentation and Evaluation of an Olive Oil Based Polyherbal Combination against Diabetic Cardiomyopathy in Experimental Model of Rodents. **2022**, 3, 561-582 ○
- 45 Resveratrol improves diabetic cardiomyopathy by preventing asymmetric dimethylarginine-caused peroxisome proliferator-activated receptor- α acetylation. **2022**, 936, 175342 ○
- 44 Characterization of the structural, oxidative, and immunological features of testis tissue from Zucker diabetic fatty rats. **2022**, 17, 1383-1397 ○
- 43 Exploring the mechanism by which aqueous *Gynura divaricata* inhibits diabetic foot based on network pharmacology, molecular docking and experimental verification. ○
- 42 BHF177 Suppresses Diabetic Neuropathic Pain by Blocking PKC/CaMKII/ERK1/2/CREB Signaling Pathway through Activating GABAB Receptor. **2022**, 2022, 1-10 ○
- 41 Effects of Eight Weeks of High-Intensity Interval Training on the Expression of the Nkx2.5 and Tbx5 Genes in the Heart Tissue of Type 2 Male Diabetic Rats. **2022**, 30, 71-81 ○
- 40 Semaphorin 3A delivered by a rapidly polymerizing click hydrogel overcomes impaired implant osseointegration in a rat type 2 diabetes model. **2022**, 1 ○
- 39 The multiscale characterization and constitutive modeling of healthy and type 2 diabetes mellitus Sprague Dawley rat skin. **2022**, ○
- 38 Attenuation of streptozotocin induced high fat diet exacerbated dyslipidemia mediated hepatic and aortic injuries in male pigs by camel milk. **2023**, 10, 107-122 ○

- 37 Design, Synthesis, and Biological Evaluation of Coixol-based Derivatives as Potential Antidiabetic Agents. **2022**, 134861 ○
- 36 Uncovering the gene regulatory network of type 2 diabetes through multi-omic data integration. **2022**, 20, ○
- 35 Multiomics Analyses Combined with Systems Pharmacology Reveal the Renoprotection of Mangiferin Monosodium Salt in Rats with Diabetic Nephropathy: Focus on Improvements in Renal Ferroptosis, Renal Inflammation, and Podocyte Insulin Resistance. ○
- 34 Discovery and evaluation of biphenyl derivatives of 2-iminobenzimidazoles as prototype dual PTP1B inhibitors and AMPK activators with in vivo antidiabetic activity. ○
- 33 Pharmacodynamics, Pharmacokinetics, and Kidney Distribution of Raw and Wine-Steamed Ligustri Lucidi Fructus Extracts in Diabetic Nephropathy Rats. **2023**, 28, 791 ○
- 32 Psidium cattleianum fruit extract prevents systemic alterations in an animal model of type 2 diabetes mellitus: comparison with metformin effects. 1-11 ○
- 31 Characterization, antibacterial, antioxidant, antidiabetic, and anti-inflammatory activities of green synthesized silver nanoparticles using Phragmanthera austroarabica A. G. Mill and J. A. Nyberg extract. 13, ○
- 30 Combined Gamma Conglutin and Lupanine Treatment Exhibits In Vivo an Enhanced Antidiabetic Effect by Modulating the Liver Gene Expression Profile. **2023**, 16, 117 ○
- 29 Calcitriol-enhanced autophagy in gingival epithelium attenuates periodontal inflammation in rats with type 2 diabetes mellitus. 13, 1
- 28 The medicinal mushroom Ganoderma neo-japonicum (Imazeki) polysaccharide extract prevents obesity-induced diabetes in C57BL/6J mice. **2023**, ○
- 27 Effects of dietary wild bitter melon (*Momordica charantia* var. abbreviate Ser.) extract on glucose and lipid metabolism in HFD/STZ-induced type 2 diabetic rats. **2023**, 116154 ○
- 26 Erythrina subumbrans leaves extracts improved Diabetic condition by reducing MDA and 8-OHdG on Rat model. **2022**, 5651-5658 ○
- 25 Exploring the mechanism by which aqueous *Gynura divaricata* inhibits diabetic foot based on network pharmacology, molecular docking and experimental verification. **2023**, 29, ○
- 24 Exploring the Epigenetic Regulated Modulation of Fibroblast Growth Factor 21 Involvement in High-Fat Diet Associated Parkinson Disease in Rats. ○
- 23 Effects of electroacupuncture at ST36 and BL20 on the diabetic rat testis. 096452842211461 ○
- 22 Repositioning of simvastatin for diabetic colon cancer: role of CDK4 inhibition and apoptosis. ○
- 21 Ultrasound Stimulation Potentiates Management of Diabetic Hyperglycemia. **2023**, 49, 1259-1267 ○
- 20 DoseResponse Evaluation of Scopoletin, a Phytochemical, in a High-Fructose High-Fat Diet-Induced Dyslipidemia Model in Wistar Rats. ○

- 19 Betulin prevents high fat diet-induced non-alcoholic fatty liver disease by mitigating oxidative stress and upregulating Nrf2 and SIRT1 in rats. **2023**, 322, 121688 ○
- 18 The effect and a mechanistic evaluation of polystyrene nanoplastics on a mouse model of type 2 diabetes. **2023**, 173, 113642 ○
- 17 Effects of somatostatin receptor type 2 antagonism during insulin-induced hypoglycaemia in male rats with prediabetes. ○
- 16 Candesartan protects against unilateral peripheral limb ischemia in type-2 diabetic rats: Possible contribution of PI3K-Akt-eNOS-VEGF angiogenic signaling pathway. **2023**, 116, 109817 ○
- 15 Rodent models for diabetes. **2023**, 13, ○
- 14 Vitexin isolated from *Acanthus ilicifolius* L. leaf enhances GLUT-4 translocation in experimental diabetic rats. ○
- 13 Improvement effect of a next-generation probiotic *L. plantarum*-pMG36e-GLP-1 on type 2 diabetes mellitus via the gut-pancreas-liver axis. **2023**, 14, 3179-3195 ○
- 12 *Acacia nilotica* stem bark extract ameliorates obesity, hyperlipidemia, and insulin resistance in a rat model of high fat diet-induced obesity. **2023**, 1 ○
- 11 SGLT2 Inhibitor Dapagliflozin Attenuates Diabetes-Induced Renal Injury by Regulating Inflammation through a CYP4A/20-HETE Signaling Mechanism. **2023**, 15, 965 ○
- 10 Scopoletin Improves Glucose Homeostasis in the High-Fructose High-Fat Diet-Induced Diabetes Model in Wistar Rats. **2023**, 26, 270-274 ○
- 9 Effects of photobiomodulation on oxidative stress in rats with type 2 diabetes mellitus. **2023**, 38, ○
- 8 Mechanism-Based Physiological Effects of Piperine: A Review. ○
- 7 High-fat diet causes undesirable bone regeneration by altering the bone marrow environment in rats. 14, ○
- 6 Dimethyl fumarate-mediated Nrf2/ARE pathway activation and glibenclamide-mediated NLRP3 inflammasome cascade inhibition alleviate type II diabetes-associated fatty liver in rats by mitigating oxidative stress and inflammation. ○
- 5 Sacha Inchi (*Plukenetia volubilis* L.) Oil Improves Hepatic Insulin Sensitivity and Glucose Metabolism through Insulin Signaling Pathway in a Rat Model of Type 2 Diabetes. **2023**, 28, 30-42 ○
- 4 Canagliflozin protects diabetic cardiomyopathy by mitigating fibrosis and preserving the myocardial integrity with improved mitochondrial function. **2023**, 175720 ○
- 3 Heartwood Extract of *Neolamarckia Cadamba* Ameliorates Oxidative Stress Linked Type II Diabetes in Wistar Albino Rats. **2023**, 1121-1126 ○
- 2 Luteolin Mitigates Diabetic Dyslipidemia in Rats by Modulating ACAT-2, PPAR α -SREBP-2 Proteins, and Oxidative Stress. ○

- 1 Assessing the hepatoprotective effects of hesperidin on liver-associated disorders in albino rats with experimentally induced obesity and type II diabetes: A histological and biochemical study. **2023**, 9, e16031

o