

CITATION REPORT

List of articles citing

Nanocrystalline Titanium Oxide Electrodes for Photovoltaic Applications

DOI: 10.1111/j.1151-2916.1997.tb03245.x

Journal of the American Ceramic Society, 2005, 80, 3157-3171.

Source: <https://exaly.com/paper-pdf/39144687/citation-report.pdf>

Version: 2024-04-19

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1318	Applications of functionalized transition metal complexes in photonic and optoelectronic devices. 1998 , 177, 347-414		1242
1317	Solid-state dye-sensitized mesoporous TiO ₂ solar cells with high photon-to-electron conversion efficiencies. 1998 , 395, 583-585		3083
1316	Porous Coral-like TiO ₂ Structures Produced by Templating Polymer Gels. 1998 , 14, 6333-6336		86
1315	Self-Organization in Nanoparticle Titanium Dioxide Thin Films. 1998 , 519, 59		1
1314	Structural Control of Porous Nano-Space in Dye-Sensitized TiO ₂ Solar Cells*. 1999 , 212, 31-38		9
1313	Spatially distributed p-n heterojunction based on nanoporous TiO ₂ and CuSCN. 1999 , 75, 692-694		39
1312	RU(II) sensitized Nb ₂ O ₅ solar cell made by the sol-gel process. 1999 , 351, 290-294		105
1311	Novel electrochromic devices based on complementary nanocrystalline TiO ₂ and WO ₃ thin films. 1999 , 350, 269-275		74
1310	Photoelectrochemical studies of dye-sensitized polycrystalline titanium oxide thin films prepared by sputtering. 1999 , 342, 148-152		35
1309	A glucose biosensor based on enzyme entrapment within polypyrrole films electrodeposited on mesoporous titanium dioxide. 1999 , 469, 176-181		132
1308	Mesoporous oxide junctions and nanostructured solar cells. 1999 , 4, 314-321		160
1307	Influence of oxygen and water related surface defects on the dye sensitized TiO ₂ solar cell. 1999 , 56, 153-165		112
1306	A contribution to the optical design of dye-sensitized nanocrystalline solar cells. 1999 , 58, 321-336		239
1305	Nanocrystalline electrochromic displays. 1999 , 20, 137-144		111
1304	Dye-Sensitized TiO ₂ Solar Cells: Structural and Photoelectrochemical Characterization of Nanocrystalline Electrodes Formed from the Hydrolysis of TiCl ₄ . 1999 , 103, 3308-3314		327
1303	Continuous-time random-walk model of electron transport in nanocrystalline TiO ₂ electrodes. 1999 , 59, 15374-15380		558
1302	Dye-sensitized solid state photovoltaic cell based on composite zinc oxide/tin (IV) oxide films. 1999 , 32, 374-379		90

1301	Electrochemical Synthesis for the Control of γ -Fe ₂ O ₃ Nanoparticle Size. Morphology, Microstructure, and Magnetic Behavior. 1999 , 11, 141-147	295
1300	Evaluation of the Charge-Collection Efficiency of Dye-Sensitized Nanocrystalline TiO ₂ Solar Cells. 1999 , 103, 782-791	376
1299	Origin of Photovoltage and Photocurrent in the Nanoporous Dye-Sensitized Electrochemical Solar Cell. 1999 , 103, 5743-5746	130
1298	Electrical and defect thermodynamic properties of nanocrystalline titanium dioxide. 1999 , 85, 897-902	157
1297	Dye-Sensitized Photocells with Meso-Macroporous TiO ₂ Film Electrodes. 2000 , 73, 2609-2614	31
1296	Preparation of Colloidal Anatase TiO ₂ Secondary Submicroparticles by Hydrothermal Sol-Gel Method. 2000 , 29, 70-71	21
1295	Fabrication and Characterization of Meso-Macroporous Anatase TiO ₂ Films. 2000 , 73, 1933-1938	16
1294	Functionalising nanocrystalline TiO ₂ films: dye sensitised solar cells and optical biosensors. 2000 , 16, 1345-1348	7
1293	TiO ₂ thin film deposition from solution using microwave heating. 2000 , 365, 12-18	42
1292	Electroceramic materials. 2000 , 48, 151-178	329
1291	High efficiency dye-sensitized nanocrystalline solar cells based on sputter deposited Ti oxide films. 2000 , 64, 385-392	57
1290	Mesoporous electrodes having tight agglomeration of single-phase anatase TiO ₂ nanocrystallites: Application to dye-sensitized solar cells. 2000 , 61, 427-441	85
1289	Ion beam analysis of nanoporous surfaces produced by He-implantation and oxidised by plasma-immersion ion-implantation. 2000 , 161-163, 1048-1053	14
1288	Preparation and characterization of nanocrystalline doped TiO ₂ . 2000 , 11, 211-220	17
1287	Low-Temperature Sintering of TiO ₂ Colloids: Application to Flexible Dye-Sensitized Solar Cells. 2000 , 16, 5626-5630	209
1286	Cooperative Effect of Adsorbed Cations and Iodide on the Interception of Back Electron Transfer in the Dye Sensitization of Nanocrystalline TiO ₂ . 2000 , 104, 1791-1795	322
1285	Influence of Electrical Potential Distribution, Charge Transport, and Recombination on the Photopotential and Photocurrent Conversion Efficiency of Dye-Sensitized Nanocrystalline TiO ₂ Solar Cells: A Study by Electrical Impedance and Optical Modulation Techniques. 2000 , 104, 2044-2052	734
1284	.	1

1283	Alternating current characterization of sputter deposited Ti oxide films. 2000 , 33, 24-27	
1282	Highly stable dye-sensitized solid-state solar cell with the semiconductor $4\text{CuBr } 3\text{S}(\text{C}_4\text{H}_9)_2$ as the hole collector. 2000 , 77, 2367-2369	81
1281	Interaction of an Oxa- and Thiocarbocyanine Dye and Silver Halide Nanoparticles Synthesized in a Microemulsion System 2000 , 16, 1602-1611	10
1280	TEM study of TiO_2 nanocrystals with different particle size and shape. 2000 , 44, 228-232	66
1279	Photocatalytic hydrogen evolution with fibrous titania prepared by the solvothermal reactions of protonic layered tetratitanate ($\text{H}_2\text{Ti}_4\text{O}_9$). 2000 , 2, 325-331	38
1278	Doubling Exponent Models for the Analysis of Porous Film Electrodes by Impedance. Relaxation of TiO_2 Nanoporous in Aqueous Solution. 2000 , 104, 2287-2298	311
1277	Dye-Sensitized Nanocrystalline Titanium-Oxide-Based Solar Cells Prepared by Sputtering: Influence of the Substrate Temperature During Deposition. 2000 , 104, 8712-8718	34
1276	The Effect of the Preparation Condition of TiO_2 Colloids on Their Surface Structures. 2000 , 104, 4130-4133	170
1275	Suppression of recombinations in a dye-sensitized photoelectrochemical cell made from a film of tin IV oxide crystallites coated with a thin layer of aluminium oxide. 2001 , 34, 868-873	105
1274	Surface Photovoltage Spectroscopy of Dye-Sensitized Solar Cells with TiO_2 , Nb_2O_5 , and SrTiO_3 Nanocrystalline Photoanodes: Indication for Electron Injection from Higher Excited Dye States. 2001 , 105, 6347-6352	314
1273	Photocurrent Enhancement of Hemicyanine Dyes Containing RSO_3^- Group through Treating TiO_2 Films with Hydrochloric Acid. 2001 , 105, 9210-9217	150
1272	Electron Transfer Dynamics in Dye Sensitized Nanocrystalline Solar Cells Using a Polymer Electrolyte. 2001 , 105, 7517-7524	148
1271	Dye-Sensitized Nanocrystalline TiO_2 Solar Cells Based on Ruthenium(II) Phenanthroline Complex Photosensitizers. 2001 , 17, 5992-5999	162
1270	Relation between Particle Coordination Number and Porosity in Nanoparticle Films: Implications to Dye-Sensitized Solar Cells. 2001 , 105, 12433-12436	143
1269	Engineering of efficient panchromatic sensitizers for nanocrystalline TiO_2 -based solar cells. 2001 , 123, 1613-24	2308
1268	Hybrid solar cells based on dye-sensitized nanoporous TiO_2 electrodes and conjugated polymers as hole transport materials. 2001 , 125, 279-287	148
1267	Mobility size development and the crystallization path during aerosol decomposition synthesis of TiO_2 particles. 2001 , 32, 615-630	24
1266	Trap-limited recombination in dye-sensitized nanocrystalline metal oxide electrodes. 2001 , 63,	357

1265	Computer Simulations of Charge Transport in Dye-Sensitized Nanocrystalline Photovoltaic Cells. 2001 , 105, 4577-4583	36
1264	Ordered Macroporous Particles by Colloidal Templating. 2001 , 13, 2613-2618	100
1263	Factors that Affect Protein Adsorption on Nanostructured Titania Films. A Novel Spectroelectrochemical Application to Sensing. 2001 , 17, 7899-7906	164
1262	Nanocrystalline TiO ₂ Electrodes Prepared by Water-Medium Screen Printing Technique. 2001 , 30, 1042-1043	28
1261	Comparison of the microstructure of titanium oxide films deposited on silicon and LTI-carbon. 2001 , 137, 6-11	3
1260	Surface photovoltage spectra and photoelectrochemical properties of semiconductor-sensitized nanostructured TiO ₂ electrodes. 2001 , 385, 152-161	63
1259	Aerosol synthesis of TiO ₂ powders via in-droplet hydrolysis of titanium alkoxide. 2001 , 315, 113-121	31
1258	Electrode coatings from sprayed titanium dioxide nanoparticles behaviour in NaOH solutions. 2001 , 3, 390-394	34
1257	Photosensitization of nanocrystalline TiO ₂ electrodes with II B group metal-ion-bridged self-assembled films of 3,4,9,10-perylenetetra-carboxylic acid. 2001 , 140, 255-262	8
1256	New Ru(II) phenanthroline complex photosensitizers having different number of carboxyl groups for dye-sensitized solar cells. 2001 , 145, 117-122	44
1255	Influence of electrolytes on the photovoltaic performance of organic dye-sensitized nanocrystalline TiO ₂ solar cells. 2001 , 70, 151-161	138
1254	Local conductivity study of TiO ₂ electrodes by atomic force microscopy. 2001 , 32, 125-129	6
1253	Immobilisation and bioelectrochemistry of proteins on nanoporous TiO ₂ and ZnO films. 2001 , 517, 20-27	246
1252	Oxygen and hydrogen profiles in metal surfaces following plasma immersion ion implantation of helium. 2001 , 136, 217-222	17
1251	A channel flow cell system specifically designed to test the efficiency of redox shuttles in dye sensitized solar cells. 2001 , 70, 85-101	26
1250	New photoelectrochromic device. 2001 , 46, 2131-2136	118
1249	Photoelectrochemical cells. 2001 , 414, 338-44	11071
1248	Direct conversion of TiO ₂ sol to nanocrystalline anatase at 85 °C. 2002 , 17, 1507-1512	38

1247	Thin Films of Titanium Dioxide Prepared by Chemical Routes using Novel Precursors. 2002 , 755, 1	1
1246	Preparation and Characterization of Anatase (TiO ₂) Nanoceramics. 2002 , 756, 1	
1245	Solid State Dye-sensitized Solar Cells An Alternative Route Towards Low-Cost Photovoltaic Devices. 2002 ,	
1244	Assembly of Highly Ordered Three-Dimensional Porous Structure with Nanocrystalline TiO ₂ Semiconductors. 2002 , 14, 83-88	103
1243	Crystal Phase Control for Titanium Dioxide Films by Direct Deposition in Aqueous Solutions. 2002 , 14, 609-614	171
1242	Design, Synthesis, and Application of Amphiphilic Ruthenium Polypyridyl Photosensitizers in Solar Cells Based on Nanocrystalline TiO ₂ Films. 2002 , 18, 952-954	226
1241	Electrochemically assisted deposition of titanium dioxide on aluminium cathodes. 2002 , 12, 2769-2773	24
1240	Electron Dynamics in Nanocrystalline ZnO and TiO ₂ Films Probed by Potential Step Chronoamperometry and Transient Absorption Spectroscopy. 2002 , 106, 7605-7613	123
1239	The effect of chemisorbed dyes on the I _V tunnel characteristics of nanocrystalline anatase TiO ₂ observed in scanning tunnelling spectroscopy. 2002 , 148, 145-151	3
1238	Photoelectrochemical Properties of J Aggregates of Benzothiazole Merocyanine Dyes on a Nanostructured TiO ₂ Film. 2002 , 106, 1363-1371	334
1237	Dye-Sensitized CoreShell Nanocrystals: Improved Efficiency of Mesoporous Tin Oxide Electrodes Coated with a Thin Layer of an Insulating Oxide. 2002 , 14, 2930-2935	697
1236	Solid-state organic/inorganic hybrid solar cells based on conjugated polymers and dye-sensitized TiO ₂ electrodes. 2002 , 403-404, 271-274	78
1235	Charge Generation in a Dye-Sensitized Solid-State Cell under Different Modes of Illumination. 2002 , 166, 142-147	34
1234	Patterns of efficiency and degradation in dye sensitization solar cells measured with imaging techniques. 2002 , 73, 163-173	125
1233	Charge transport in porous nanocrystalline titanium dioxide. 2002 , 14, 197-202	79
1232	Surface photovoltage measurements: a useful tool for the detection of electron injection processes in extremely thin absorber (ETA) solar cells. 2002 , 14, 233-236	7
1231	A solvent-free composite polymer/inorganic oxide electrolyte for high efficiency solid-state dye-sensitized solar cells. 2002 , 149, 191-198	130
1230	Photoconductivity and charge trapping in porous nanocrystalline titanium dioxide. 2002 , 148, 25-31	83

1229	Transport and interfacial transfer of electrons in dye-sensitized nanocrystalline solar cells. 2002 , 524-525, 127-136	121
1228	Influence of the Electrolytes on Electron Transport in Mesoporous TiO ₂ Electrolyte Systems. 2002 , 106, 2967-2972	253
1227	Conversion and Storage of Solar Energy using Dye-sensitized Nanocrystalline TiO ₂ Cells. 2003 , 719-758	13
1226	Influence of the Percolation Network Geometry on Electron Transport in Dye-Sensitized Titanium Dioxide Solar Cells. 2003 , 107, 7759-7767	451
1225	Silver-modified titanium dioxide thin films for efficient photodegradation of methyl orange. 2003 , 42, 187-201	393
1224	Studies of optical absorption and electron transport in nanocrystalline TiO ₂ electrodes. 2003 , 438-439, 167-170	49
1223	Functionalizing nanocrystalline metal oxide electrodes with robust synthetic redox proteins. 2003 , 4, 1332-9	47
1222	Influence of alkylpyridine additives in electrolyte solution on the performance of dye-sensitized solar cell. 2003 , 80, 167-179	107
1221	Synthesis of rutile and anatase films with high surface areas in aqueous solutions containing urea. 2003 , 434, 86-93	53
1220	Influence of chemical treatments on the photoinduced charge carrier kinetics of nanocrystalline porous TiO ₂ films. 2003 , 159, 41-45	2
1219	Thick titanium dioxide films for semiconductor photocatalysis. 2003 , 160, 185-194	186
1218	Influence of pyrimidine additives in electrolytic solution on dye-sensitized solar cell performance. 2003 , 160, 171-179	44
1217	Preparation and properties of nanostructured TiO ₂ electrode by a polymer organic-medium screen-printing technique. 2003 , 5, 369-372	76
1216	Dye-sensitized nanocrystalline TiO ₂ solar cells based on novel coumarin dyes. 2003 , 77, 89-103	227
1215	Reproducible manufacturing of dye-sensitized solar cells on a semi-automated baseline. 2003 , 11, 207-220	143
1214	An approach for utilization of organic polymer as a sensitizer in solid-state cells. 2003 , 77, 15-24	28
1213	Efficient sensitization of nanocrystalline TiO ₂ films with cyanine and merocyanine organic dyes. 2003 , 80, 47-71	271
1212	Fabrication of TiO ₂ nanospheres by template replication in porous carbon networks. 2003 , 18, 780-783	7

1211	Preparation of Size-Controlled TiO ₂ Nanoparticles and Derivation of Optically Transparent Photocatalytic Films. 2003 , 15, 3326-3331	257
1210	Structural, magnetic, and optoelectronic properties of (diimine)(dithiolato)platinum(II) and -palladium(II) complexes and their charge-transfer adducts with nitrile acceptors. 2003 , 42, 4714-23	64
1209	New Correlation for the Effects of the Crystallite Size and Calcination Temperature on the Single Iron Oxide Nanocrystallites. 2003 , 3, 215-219	15
1208	Core/Shell Nanoporous Electrode for Dye Sensitized Solar Cells: the Effect of the SrTiO ₃ Shell on the Electronic Properties of the TiO ₂ Core. 2003 , 107, 1977-1981	270
1207	The Growth Kinetics of TiO ₂ Nanoparticles from Titanium(IV) Alkoxide at High Water/Titanium Ratio. 2003 , 107, 1734-1738	282
1206	Molecular engineering on semiconductor surfaces: design, synthesis and application of new efficient amphiphilic ruthenium photosensitizers for nanocrystalline TiO ₂ solar cells. 2003 , 138, 333-339	60
1205	Sub-10 nm Electron Beam Nanolithography Using Spin-Coatable TiO ₂ Resists. 2003 , 3, 1587-1591	91
1204	Sensitization of TiO ₂ by Polypyridine Dyes. 2003 , 150, E155	97
1203	Preparation and characterisation of novel thick sol-gel titania film photocatalysts. 2003 , 2, 591-6	99
1202	Light scattering characteristic of TiO ₂ nanocrystalline porous films. 2003 , 48, 856-858	2
1201	Analysis of Energy Conversion Efficiency with an Empirical Model in Dye-Sensitized Nanocrystalline Solar Cells. 2003 , 6, A236	7
1200	Novel and Efficient Organic Liquid Electrolytes for Dye-sensitized Solar Cells Based on a Ru(II) Terpyridyl Complex Photosensitizer. 2003 , 32, 1014-1015	11
1199	Pore Size Distribution and Porosities of Nano-TiO ₂ Films Made by Using Cellulosic Thickener and Their Influence on Performance of Dye-Sensitized Solar Cells. 2003 , 76, 2415-2418	9
1198	Improved Performance of Solid-State Grätzel Solar Cell by Cosensitization of Quantum Dot and Dye. 2004 , 21, 1391-1393	7
1197	Electrical and Morphological Characterization of Electrochemically Deposited ZnO/dye Hybrid Films. 2004 , 822, S3.18.1	
1196	The Development and Evaluation of TiO ₂ Nanoparticle Films for Conductometric Gas Sensing on MEMS Microhotplate Platforms. 2004 , 828, 307	1
1195	Hydrothermal Preparation of Nanosized Brookite Powders. <i>Journal of the American Ceramic Society</i> , 2004 , 83, 2634-2636	3.8 55
1194	Controllable Crystalline Nano-TiO ₂ by Homogeneous Hydrolysis with Toluene-p-Sulfonic Acid. <i>Journal of the American Ceramic Society</i> , 2004 , 88, 168-171	3.8 4

1193	Electrochemical comparative study of titania (anatase, brookite and rutile) nanoparticles synthesized in aqueous medium. 2004 , 451-452, 86-92	133
1192	Photocatalytic degradation of isothiazolin-3-ones in water and emulsion paints containing nanocrystalline TiO ₂ and ZnO catalysts. 2004 , 48, 101-111	140
1191	Photocatalytic degradation of atrazine using suspended and supported TiO ₂ . 2004 , 51, 107-116	193
1190	Properties of TiO ₂ film prepared from titanium tetrachloride. 2004 , 10, 423-427	8
1189	Correlation between dispersion properties of TiO ₂ colloidal sols and photoelectric characteristics of TiO ₂ films. 2004 , 279, 479-83	8
1188	Nanostructured ZrO ₂ -Coated TiO ₂ Electrodes for Dye-Sensitized Solar Cells. 2004 , 32, 363-366	38
1187	Microstructure characterization of titanium dioxide nanodispersions and thin films for dye-sensitized solar cell devices. 2004 , 79, 1819-1828	16
1186	Influence of benzimidazole additives in electrolytic solution on dye-sensitized solar cell performance. 2004 , 162, 441-448	58
1185	Spark-plasma-sintering (SPS) of nanostructured and submicron titanium oxide powders. 2004 , 381, 16-19	56
1184	Influence of alkylaminopyridine additives in electrolytes on dye-sensitized solar cell performance. 2004 , 81, 87-99	66
1183	Fabrication of n-p junction electrodes made of n-type SnO ₂ and p-type NiO for control of charge recombination in dye sensitized solar cells. 2004 , 81, 429-437	91
1182	Influence of aminothiazole additives in [I ³⁺ /I ²⁺] redox electrolyte solution on Ru(II)-dye-sensitized nanocrystalline TiO ₂ solar cell performance. 2004 , 82, 457-465	20
1181	Morphology control of mesoporous TiO ₂ nanocrystalline films for performance of dye-sensitized solar cells. 2004 , 83, 1-13	118
1180	Dye-sensitized solar cells, from cell to module. 2004 , 84, 125-133	68
1179	Multi-colored dye-sensitized solar cells. 2004 , 164, 67-73	77
1178	Influence of aminotriazole additives in electrolytic solution on dye-sensitized solar cell performance. 2004 , 164, 103-110	47
1177	Hydrothermal preparation of porous nano-crystalline TiO ₂ electrodes for flexible solar cells. 2004 , 164, 159-166	98
1176	Preparation and photoelectrochemical characterization of a red sensitive osmium complex containing 4,4',4''-tricarboxy-2,2':6,2''-terpyridine and cyanide ligands. 2004 , 164, 15-21	75

1175	Preparation of a porous ITO electrode. 2004 , 164, 173-177	15
1174	Performances characteristics of dye-sensitized solar cells based on counter electrodes with Pt films of different thickness. 2004 , 164, 179-182	101
1173	Photosensitization of nanostructured TiO ₂ with CdSe quantum dots: effects of microstructure and electron transport in TiO ₂ substrates. 2004 , 164, 75-80	121
1172	Influence of quinoline derivatives in [13]redox electrolyte solution on the performance of Ru(II)-dye-sensitized nanocrystalline TiO ₂ solar cell. 2004 , 165, 157-163	21
1171	Effect of the thickness of the Pt film coated on a counter electrode on the performance of a dye-sensitized solar cell. 2004 , 570, 257-263	319
1170	Properties of several types of novel counter electrodes for dye-sensitized solar cells. 2004 , 574, 77-83	178
1169	Low-temperature synthesis and microstructural control of titania nano-particles. 2004 , 177, 1372-1381	181
1168	Correlation of morphology and device performance in inorganic-organic TiO ₂ -polythiophene hybrid solid-state solar cells. 2004 , 248, 1491-1499	50
1167	Significant influence of TiO ₂ photoelectrode morphology on the energy conversion efficiency of N719 dye-sensitized solar cell. 2004 , 248, 1381-1389	977
1166	Electrons in nanostructured TiO ₂ solar cells: transport, recombination and photovoltaic properties. 2004 , 248, 1165-1179	711
1165	Synthetic routes to homoleptic and heteroleptic ruthenium(II) complexes incorporating bidentate imine ligands. 2004 , 248, 1329-1341	87
1164	Characterization of Nanostructured TiO ₂ Electrodes Sensitized with CdSe Quantum Dots Using Photoacoustic and Photoelectrochemical Current Methods. 2004 , 43, 2946-2951	58
1163	Manufacture of Dye Sensitized Solar Cell Using Titania Sol Prepared at Room Temperature by the Sol-Gel Method. 2004 , 43, 1231-1235	13
1162	Laser processing of nanocrystalline TiO ₂ films for dye-sensitized solar cells. 2004 , 85, 464-466	79
1161	Mechanism of Molecular Control of Recombination Dynamics in Dye-Sensitized Nanocrystalline Semiconductor Films. 2004 , 108, 8385-8389	34
1160	Photoinduced Ultrafast Dynamics of Ru(dcbpy) ₂ (NCS) ₂ -Sensitized Nanocrystalline TiO ₂ Films: The Influence of Sample Preparation and Experimental Conditions. 2004 , 108, 6365-73	85
1159	Beneficial role of cetyltrimethylammonium bromide in the enhancement of photovoltaic properties of dye-sensitized rutile TiO ₂ solar cells. 2004 , 20, 6853-7	34
1158	Electron Transport and Back Reaction in Nanocrystalline TiO ₂ Films Prepared by Hydrothermal Crystallization. 2004 , 108, 2227-2235	184

1157	Templated Assembly of Semiconductor and Insulator Nanoparticles at the Surface of Covalently Modified Multiwalled Carbon Nanotubes. 2004 , 16, 3780-3790	78
1156	Morphological and photoelectrochemical characterization of core-shell nanoparticle films for dye-sensitized solar cells: Zn-O type shell on SnO ₂ and TiO ₂ cores. 2004 , 20, 4246-53	145
1155	Electrochromic Performance of Viologen-Modified Periodic Mesoporous Nanocrystalline Anatase Electrodes. 2004 , 4, 1231-1235	117
1154	Photoelectrochemical properties of supramolecular species containing porphyrin and ruthenium complexes on TiO ₂ films. 2004 , 3, 56-62	37
1153	Tandem dye-sensitized solar cell for improved power conversion efficiencies. 2004 , 84, 3397-3399	175
1152	Electrospun TiO ₂ electrodes for dye-sensitized solar cells. 2004 , 15, 1861-1865	269
1151	Dye-sensitized solar cells employing a highly conductive and mechanically robust nanocomposite gel electrolyte. 2004 , 144, 291-296	68
1150	Low-Temperature Fabrication of Dye-Sensitized Plastic Electrodes by Electrophoretic Preparation of Mesoporous TiO ₂ Layers. 2004 , 151, A1767	207
1149	Preparation of Nanocrystalline TiO ₂ with Mixed Template and Its Application for Dye-Sensitized Solar Cells. 2004 , 151, A1653	33
1148	Resonance micro-Raman spectrophotoelectrochemistry on nanocrystalline TiO ₂ thin film electrodes sensitized by Ru(II) complexes. 2004 , 248, 1407-1420	61
1147	Chapter 7 Time-resolved spectroscopy and microscopy on nanocrystalline TiO ₂ and ZnO films. 2004 , 103-117	
1146	Photooxidized Polysilane Binders for Low Temperature Fabrication of Dye-sensitized Solar Cells. 2005 , 34, 650-651	4
1145	The Use of TiCl ₄ Treatment to Enhance the Photocurrent in a TaON Photoelectrode under Visible Light Irradiation. 2005 , 34, 1162-1163	76
1144	Incorporation of innovative compounds in nanostructured photoelectrochemical cells. 2005 , 161, 107-112	11
1143	Photocatalytic activity of platinum loaded fibrous titania prepared by solvothermal process. 2005 , 169, 89-94	38
1142	Influence of nitrogen-containing heterocyclic additives in a redox electrolytic solution on the performance of Ru-dye-sensitized nanocrystalline TiO ₂ solar cell. 2005 , 169, 169-176	67
1141	Electrophoretically deposited TiO ₂ photo-electrodes for use in flexible dye-sensitized solar cells. 2005 , 173, 1-6	98
1140	New low-temperature preparation method of the TiO ₂ porous photoelectrode for dye-sensitized solar cells using UV irradiation. 2005 , 175, 165-171	98

1139	Effect of rutile-type content on nanostructured anatase-type TiO ₂ electrode sensitized with CdSe quantum dots characterized with photoacoustic and photoelectrochemical current spectroscopies. 2005 , 25, 853-857	10
1138	Ultraviolet photoelectron spectroscopy of nanocrystalline TiO ₂ films sensitized with (2,2'-bipyridyl)ruthenium(II) dyes for photovoltaic applications. 2005 , 6, 55-64	21
1137	Enhanced efficiency of dye-sensitized TiO ₂ solar cells (DSSC) by doping of metal ions. 2005 , 283, 482-7	244
1136	Growth of nanocrystalline TiO ₂ films by MOCVD using a novel precursor. 2005 , 284, 388-395	21
1135	Self-organization of nanoparticles in a TiO ₂ thin film on a glass substrate. 2005 , 80, 108-112	4
1134	Nanocrystalline anatase TiO ₂ thin films: preparation and crystallite size-dependent properties. 2005 , 472, 114-124	71
1133	Flexible counter electrodes based on metal sheet and polymer film for dye-sensitized solar cells. 2005 , 472, 242-245	130
1132	Influence of the binder on the electron transport in the dye-sensitized TiO ₂ electrode. 2005 , 484, 346-351	17
1131	Influence of pyrazole derivatives in [Ni]/[Co] redox electrolyte solution on Ru(II)-dye-sensitized TiO ₂ solar cell performance. 2005 , 85, 333-344	34
1130	Solid-state dye-sensitized solar cell with p-type NiO as a hole collector. 2005 , 85, 385-390	195
1129	Single- and double-layered mesoporous TiO ₂ /P25 TiO ₂ electrode for dye-sensitized solar cell. 2005 , 86, 269-282	65
1128	A photovoltaic cell incorporating a dye-sensitized ZnS/ZnO composite thin film and a hole-injecting PEDOT layer. 2005 , 86, 229-241	47
1127	Minimisation of the cost of generated electricity from dye-sensitised solar cells using numerical analysis. 2005 , 87, 133-148	8
1126	On the structural variations of Ru(II) complexes for dye-sensitized solar cells. 2005 , 87, 357-367	22
1125	An equivalent circuit approach to the modelling of the dynamics of dye sensitized solar cells. 2005 , 87, 613-628	33
1124	Mix-solvent-thermal method for the synthesis of anatase nanocrystalline titanium dioxide used in dye-sensitized solar cell. 2005 , 85, 457-465	14
1123	Challenges of producing TiO ₂ films by microwave heating. 2005 , 198, 20-23	19
1122	Characterization of nanostructured core-shell working electrodes for application in dye-sensitized solar cells. 2005 , 198, 118-122	20

1121	Wavelet analysis of the surface morphologic of nanocrystalline TiO ₂ thin films. 2005 , 579, 37-46	16
1120	Optical modeling of nanocrystalline TiO ₂ films. 2005 , 109, 2591-6	20
1119	Molecular approaches to solar energy conversion with coordination compounds anchored to semiconductor surfaces. 2005 , 44, 6852-64	216
1118	Solar energy conversion by dye-sensitized photovoltaic cells. 2005 , 44, 6841-51	2874
1117	Electrochemical impedance spectroscopic analysis of dye-sensitized solar cells. 2005 , 109, 14945-53	1732
1116	Low-temperature fabrication of dye-sensitized solar cells by transfer of composite porous layers. 2005 , 4, 607-11	349
1115	Improvement of the Zirconia shell in nanostructured titania core-shell working electrodes for dye-sensitized solar cells. 2005 , 59, 1893-1896	22
1114	Immobilization and Electrochemistry of Negatively Charged Proteins on Modified Nanocrystalline Metal Oxide Electrodes. 2005 , 17, 1035-1041	36
1113	Novel Conjugated Organic Dyes for Efficient Dye-Sensitized Solar Cells. <i>Advanced Functional Materials</i> , 2005 , 15, 246-252	15.6 389
1112	Formation of [Ga ₂ O ₃ /TiO ₂] Nanobarcodes from Core-Shell Nanowires. 2005 , 17, 241-245	38
1111	Novel carboxylated oligothiophenes as sensitizers in photoelectric conversion systems. 2005 , 11, 6272-6	90
1110	Versatile preparation method for mesoporous TiO ₂ electrodes suitable for solid-state dye sensitized photocells. 2005 , 28, 635-641	13
1109	Thick titania films for semiconductor photocatalysis. 2005 , 35, 641-653	36
1108	A novel hybrid nanocrystalline TiO ₂ electrode for the dye-sensitized nanocrystalline solar cells. 2005 , 40, 4921-4923	13
1107	Influence of Particle Coordination Number in Nanoporous TiO ₂ Films on the Performance of Dye-Sensitized Solar Cell Modules. 2005 , 22, 493-495	3
1106	Implication of device functioning due to back reaction of electrons via the conducting glass substrate in dye sensitized solar cells. 2005 , 87, 263504	53
1105	Photoelectrochemical deoxyribonucleic acid sensing on a nanostructured TiO ₂ electrode. 2005 , 87, 213901	93
1104	OPTICAL BAND GAP EXCITATION AND PHOTOELECTRON GENERATION IN TITANIUM DIOXIDE-BASED SOLID STATE SOLAR CELLS. 2005 , 12, 681-689	3

1103	NANOSTRUCTURED TiO ₂ FILMS IN DYE-SENSITIZED SOLAR CELLS. 2005 , 04, 785-793	
1102	Influence of 4-guanidinobutyric acid as coadsorbent in reducing recombination in dye-sensitized solar cells. 2005 , 109, 21818-24	255
1101	Transient absorption studies and numerical modeling of iodine photoreduction by nanocrystalline TiO ₂ films. 2005 , 109, 142-50	83
1100	Optimization of TiO ₂ /substrate for dye-sensitized solar cells.	
1099	Annealing Temperature Effects on Synthesis of n-TiO ₂ /dye/p-CuI Solid-State Solar Cells. 2005 , 44, 2560-2567	3
1098	Sol-gel synthesis of TiO ₂ nanocrystals for application in dye-sensitized solar cells.	
1097	Aged titania nanoparticles: the simultaneous control of local and long-range properties. 2005 , 109, 4448-54	22
1096	Oriented crystal growth model explains the formation of titania nanotubes. 2005 , 109, 17781-3	148
1095	Response to Comment on The photocapacitor: An efficient self-charging capacitor for direct storage of solar energy [Appl. Phys. Lett. 86, 196101 (2005)]. 2005 , 86, 196102	7
1094	Enhancement of the photocurrent generation in dye-sensitized solar cell based on electrospun TiO ₂ electrode by surface treatment. 2005 , 155, 635-638	64
1093	Charge transport versus recombination in dye-sensitized solar cells employing nanocrystalline TiO ₂ and SnO ₂ films. 2005 , 109, 12525-33	365
1092	Impedance Analysis of Internal Resistance Affecting the Photoelectrochemical Performance of Dye-Sensitized Solar Cells. 2005 , 152, E68	294
1091	Preparation of nanoporous MgO-coated TiO ₂ nanoparticles and their application to the electrode of dye-sensitized solar cells. 2005 , 21, 10332-5	181
1090	Nanocrystalline TiO ₂ /ZnO thin films: fabrication and application to dye-sensitized solar cells. 2005 , 109, 24254-9	225
1089	A high-voltage dye-sensitized photocapacitor of a three-electrode system. 2005 , 3346-8	121
1088	Spatial electron distribution and its origin in the nanoporous TiO ₂ network of a dye solar cell. 2005 , 109, 20444-8	23
1087	Langmuir-Schaefer films of Nafion with incorporated TiO ₂ nanoparticles. 2005 , 21, 172-7	27
1086	Conduction and photoelectrochemical properties of monomeric and electropolymerized tetra-ruthenated porphyrin films. 2005 , 4, 359-66	23

1085	Dye-sensitized TiO ₂ nanotube solar cells: fabrication and electronic characterization. 2005 , 7, 4157-63	265
1084	Diffusion properties of dye molecules in nanoporous TiO ₂ networks. 2005 , 109, 3967-70	32
1083	Electrospinning processed nanofibrous TiO(2) membranes for photovoltaic applications. 2006 , 17, 1026-31	182
1082	TiO ₂ surface modification and characterization with nanosized PbS in dye-sensitized solar cells. 2006 , 110, 14406-9	82
1081	High molar extinction coefficient heteroleptic ruthenium complexes for thin film dye-sensitized solar cells. 2006 , 128, 4146-54	512
1080	Femtosecond fluorescence dynamics of porphyrin in solution and solid films: the effects of aggregation and interfacial electron transfer between porphyrin and TiO ₂ . 2006 , 110, 410-9	89
1079	TiO ₂ micro/nano-composite structured electrodes for quasi-solid-state dye-sensitized solar cells. 2006 , 17, 2090-2097	60
1078	Retardation of interfacial charge recombination by addition of quaternary ammonium cation and its application to low temperature processed dye-sensitized solar cells. 2006 , 5, 389-94	25
1077	Influence of cation on charge recombination in dye-sensitized TiO ₂ electrodes. 2006 , 110, 9619-26	22
1076	Light intensity, temperature, and thickness dependence of the open-circuit voltage in solid-state dye-sensitized solar cells. 2006 , 74,	152
1075	Nanostructured Photovoltaic Cell of the Type Titanium Dioxide, Cadmium Sulfide Thin Coating, and Copper Thiocyanate Showing High Quantum Efficiency. 2006 , 18, 1688-1696	201
1074	Highly efficient dye-sensitized solar cells composed of mesoporous titanium dioxide. 2006 , 16, 1287	153
1073	Physical properties of porous titania films composed of nanoparticle aggregates. 2006 , 21, 1738-1746	4
1072	Toward exceeding the Shockley-Queisser limit: photoinduced interfacial charge transfer processes that store energy in excess of the equilibrated excited state. 2006 , 128, 8234-45	72
1071	Impact of Hydrothermal Processing Conditions on High Aspect Ratio Titanate Nanostructures. 2006 , 18, 6059-6068	85
1070	Ion coordinating sensitizer for high efficiency mesoscopic dye-sensitized solar cells: influence of lithium ions on the photovoltaic performance of liquid and solid-state cells. 2006 , 6, 769-73	154
1069	Synthesis of Nanocrystalline TiO ₂ and Reduced Titanium Oxides via Rapid and Exothermic Metathesis Reactions. 2006 , 18, 2381-2388	24
1068	Evidence for the assembly of carboxyphenylethynyl zinc porphyrins on nanocrystalline TiO ₂ surfaces. 2006 , 1430-2	39

1067	Electron Transport in Nanocrystalline TiO ₂ Films Sensitized with [NBu ₄] ₂ [cis-Ru(Hdcbpy) ₂ (NCS) ₂] (N719; [NBu ₄] ⁺ = Tetrabutyl Ammonium Cation; H ₂ dc bpy = 4,4'-Dicarboxy-2,2'-bipyridine) and [NBu ₄] ₂ [Ru(Htcterpy)(NCS) ₃] (B-dye; H ₃ tcterpy = 4,4',4'-Tricarboxy-2,2':6',2'-terpyridine). 2006 , 35, 336-337	6
1066	Growth of TiO ₂ nanocrystals in the presence of alkylpyridinium salts: the interplay between hydrophobic and hydrophilic interactions. 2006 , 38, 452-457	6
1065	Environmentally friendly Lil/ethanol based gel electrolyte for dye-sensitized solar cells. 2006 , 8, 170-172	31
1064	Dependence of electron transport in nanocrystalline TiO ₂ films sensitized with [NBu ₄] ₂ [Ru(Htcterpy)(NCS) ₃] ([NBu ₄] ⁺ = tetrabutylammonium cation; H ₃ tcterpy = 4,4',4'-tricarboxy-2,4':2',4':2'-terpyridine) on the properties of TiO ₂ nanoparticles. 2006 , 51, 3993-4002	12
1063	Effects of electrolyte in dye-sensitized solar cells and evaluation by impedance spectroscopy. 2006 , 51, 5286-5294	113
1062	Viewing nanocrystalline TiO ₂ photoelectrodes as three-dimensional electrodes: Effect of the electrolyte upon the photocurrent efficiency. 2006 , 52, 694-703	19
1061	Mesostructured self-assembled titania films for photovoltaic applications. 2006 , 88, 304-311	45
1060	Electronic properties of nanoporous TiO ₂ films investigated in real space by means of scanning tunnelling spectroscopy. <i>Applied Surface Science</i> , 2006 , 252, 3903-3911	6.7 7
1059	Photoelectrochemical characterisation of TiO ₂ thin films derived from microwave hydrothermally processed nanocrystalline colloids. 2006 , 179, 305-313	26
1058	Quasi-solid state dye-sensitized solar cells-based gel polymer electrolytes with poly(acrylamide)/poly(ethylene glycol) composite. 2006 , 181, 333-337	65
1057	Reverse electron transfer at the interface of semiconductor film in dye-sensitized solar cells. 2006 , 182, 288-295	12
1056	Thin film TiO ₂ electrodes derived by sol-gel process for photovoltaic applications. 2006 , 159, 353-356	38
1055	Mesoporous nanoparticle TiO ₂ thin films for conductometric gas sensing on microhotplate platforms. 2006 , 113, 445-453	95
1054	Solvothermal synthesis and characterization of anatase TiO ₂ nanocrystals with ultrahigh surface area. 2006 , 302, 530-6	99
1053	Computer simulations of light scattering and mass transport of dye-sensitized nanocrystalline solar cells. 2006 , 588, 51-58	23
1052	The effect of pre-thermal treatment of TiO ₂ nano-particles on the performances of dye-sensitized solar cells. 2006 , 90, 967-981	81
1051	Influence of scattering layers on efficiency of dye-sensitized solar cells. 2006 , 90, 1176-1188	433
1050	An analytical study of the porosity effect on dye-sensitized solar cell performance. 2006 , 90, 1331-1344	104

1049	The effects of hydrothermal temperature and thickness of TiO ₂ film on the performance of a dye-sensitized solar cell. 2006 , 90, 2391-2397	142
1048	The influence of surface morphology of TiO ₂ coating on the performance of dye-sensitized solar cells. 2006 , 90, 2398-2404	72
1047	Electrical properties and defect chemistry of anatase (TiO ₂). 2006 , 177, 229-236	79
1046	Nd-doped TiO ₂ nanorods: preparation and application in dye-sensitized solar cells. 2006 , 1, 737-41	40
1045	Dynamic NMR spectroscopy in studies of the kinetics of photoinduced chemical exchange in solutions. 2006 , 55, 1691-1702	1
1044	Dielectric properties of nanocrystalline TiO ₂ prepared using spark plasma sintering. 2006 , 17, 913-917	8
1043	Preparation of nanocrystalline TiO ₂ porous films from terpineol-ethanol-PEG system. 2006 , 41, 2067-2073	11
1042	Microwave processing of TiO ₂ blocking layers for dye-sensitized solar cells. 2006 , 40, 45-54	30
1041	Laser-sintered mesoporous TiO ₂ electrodes for dye-sensitized solar cells. 2006 , 83, 73-76	86
1040	Nanostructured TiO ₂ films for dye-sensitized solar cells. 2006 , 67, 1308-1311	18
1039	One-step microwave calcination of ZrO ₂ -coated TiO ₂ electrodes for use in dye-sensitized solar cells. 2006 , 9, 713-716	16
1038	Effect of excitation wavelength on electron injection efficiency in dye-sensitized nanocrystalline TiO ₂ and ZrO ₂ films. 2006 , 9, 639-644	20
1037	Photocatalytic effect of carbon-modified n-TiO ₂ nanoparticles under visible light illumination. 2006 , 64, 312-317	155
1036	Room-Temperature Synthesis of Porous Nanoparticulate TiO ₂ Films for Flexible Dye-Sensitized Solar Cells. <i>Advanced Functional Materials</i> , 2006 , 16, 1228-1234	15.6 228
1035	Parameters Influencing Charge Separation in Solid-State Dye-Sensitized Solar Cells Using Novel Hole Conductors. <i>Advanced Functional Materials</i> , 2006 , 16, 1832-1838	15.6 189
1034	Generation of Self-Assembled 3D Mesostructured SnO ₂ Thin Films with Highly Crystalline Frameworks. <i>Advanced Functional Materials</i> , 2006 , 16, 1433-1440	15.6 89
1033	All-Solid-State Dye-Sensitized Nanoporous TiO ₂ Hybrid Solar Cells with High Energy-Conversion Efficiency. 2006 , 18, 2579-2582	115
1032	Amplified Photochemistry with Slow Photons. 2006 , 18, 1915-1919	292

1031	Nanostructured ETA-Solar Cells. 2006 , 447-484	7
1030	Efficient Organic-Dye-Sensitized Nanocrystalline TiO ₂ Solar Cells. 2006 ,	1
1029	Solid-state dye-sensitized mesoporous TiO ₂ and doped carbazole derivative molecular glasses solar cell. 2006 ,	2
1028	One-step aerosol synthesis of nanoparticle agglomerate films: simulation of film porosity and thickness. 2006 , 17, 4783-4795	110
1027	Dye-Sensitized Solar Cells Fabricated by Electrospray Coating Using TiO ₂ Nanocrystal Dispersion Solution. 2006 , 153, A826	27
1026	Utilization of Titanate Nanotubes as an Electrode Material in Dye-Sensitized Solar Cells. 2006 , 153, A1232	91
1025	Heme-Mediated Reduction of Organohalide Pollutants at Nanocrystalline TiO ₂ Thin-Film Interfaces. 2007 , 24, 31-44	7
1024	Persistent photoconductivity in highly porous ZnO films. 2007 , 101, 013709	88
1023	Structure-intact TiO ₂ nanoparticles for efficient electron transport in dye-sensitized solar cells. 2007 , 91, 173102	30
1022	Dielectric and structural properties of iron doped titanate nano-composites. 2007 ,	0
1021	Titania Nanocrystals Mixture for Cloths Finishing. 2007 , 121-123, 1217-1220	3
1020	Pore architecture affects photocatalytic activity of periodic mesoporous nanocrystalline anatase thin films. 2007 , 17, 82-89	99
1019	A Novel Efficient, Iodide-Free Redox Mediator for Dye-Sensitized Solar Cells. 2007 , 1013, 1	1
1018	Design and Preparation of Nano-Electrodes for Dye-Sensitized Solar Cell. 2007 , 336-338, 474-476	1
1017	Effect of sintering on microstructure of TiO ₂ ceramics□This project has been performed as part of R&D Program on Solar Hydrogen.. 2007 , 106, 57-62	9
1016	Plastic Dye-sensitized Photovoltaic Cells and Modules Based on Low-temperature Preparation of Mesoscopic Titania Electrodes. 2007 , 75, 2-12	38
1015	A Dye-sensitized Solar Cell Using a Red Ruthenium(II) Complex with 9,9-Bis(4-methoxyphenyl)-4,5-diazafluorene. 2007 , 36, 892-893	7
1014	Highly Efficient Plastic Dye-sensitized Photoelectrodes Prepared by Low-temperature Binder-free Coating of Mesoscopic Titania Pastes. 2007 , 36, 190-191	91

1013	Co-sensitization of organic dyes for efficient ionic liquid electrolyte-based dye-sensitized solar cells. 2007 , 23, 10906-9	189
1012	Dynamics of efficient electron-hole separation in TiO ₂ nanoparticles revealed by femtosecond transient absorption spectroscopy under the weak-excitation condition. 2007 , 9, 1453-60	234
1011	Bioinspired Synthesis of Crystalline TiO ₂ : Effect of Amino Acids on Nanoparticles Structure and Shape. 2007 , 7, 2696-2704	93
1010	Modification of mesoporous TiO ₂ electrodes by surface treatment with titanium(IV), indium(III) and zirconium(IV) oxide precursors: preparation, characterization and photovoltaic performance in dye-sensitized nanocrystalline solar cells. 2007 , 18, 125608	56
1009	Effect of the Particle Size on the Electron Injection Efficiency in Dye-Sensitized Nanocrystalline TiO ₂ Films Studied by Time-Resolved Microwave Conductivity (TRMC) Measurements. 2007 , 111, 10741-10746	82
1008	Transition Metal Complexes for Photovoltaic and Light Emitting Applications. 2007 , 113-175	128
1007	Microstructure design of nanoporous TiO ₂ photoelectrodes for dye-sensitized solar cell modules. 2007 , 111, 358-62	166
1006	Enhanced photoelectrical performance of TiO ₂ electrodes integrated with microtube-network structures. 2007 , 17, 5084	42
1005	Solar energy harvesting in photoelectrochemical solar cells. 2007 , 17, 3205	30
1004	Reverse Electron Transfer from TiO ₂ to I ₂ in Nanocrystalline TiO ₂ Film Electrodes with Coadsorbed Bipyridine and Biquinoline Ruthenium Complexes. 2007 , 111, 201-209	20
1003	Relaxation Dynamics of Ruthenium Complexes in Solution, PMMA and TiO ₂ Films: The Roles of Self-Quenching and Interfacial Electron Transfer. 2007 , 111, 13288-13296	23
1002	Effects of Guanidinoalkyl Acids as Coadsorbents in Dye-Sensitized Solar Cells. 2007 , 111, 398-403	105
1001	QUASI-SOLID-STATE DYE-SENSITIZED SOLAR CELLS BASED ON ZnO PHOTOANODE. 2007 , 195, 375-385	3
1000	Multi-core cable-like TiO ₂ nanofibrous membranes for dye-sensitized solar cells. 2007 , 18, 165604	76
999	Nanoscale Additives Tailor Energetic Materials. 2007 , 7, 2157-2161	110
998	Photovoltaic Performance of Plastic Dye-Sensitized Electrodes Prepared by Low-Temperature Binder-Free Coating of Mesoscopic Titania. 2007 , 154, A455	166
997	Optimizing the photocatalytic properties of hydrothermal TiO ₂ by the control of phase composition and particle morphology. a systematic approach. 2007 , 129, 3564-75	394
996	Laser Forward Transfer of Electronic and Power Generating Materials. 2007 , 339-373	9

995	Size and shape control of nanocrystallites in mesoporous TiO ₂ films. 2007 , 17, 3216		36
994	Titania Particle Size Effect on the Overall Performance of Dye-Sensitized Solar Cells. 2007 , 111, 6296-6302		164
993	Theoretical investigation of the excited states of coumarin dyes for dye-sensitized solar cells. 2007 , 111, 5544-8		152
992	Charge Transport in Dye-sensitized Systems. 2007 ,		
991	New Ruthenium Complexes Containing Oligoalkylthiophene-Substituted 1,10-Phenanthroline for Nanocrystalline Dye-Sensitized Solar Cells. <i>Advanced Functional Materials</i> , 2007 , 17, 29-36	15.6	113
990	A Multilayered Polymer Light-Emitting Diode Using a Nanocrystalline Metal-Oxide Film as a Charge-Injection Electrode. 2007 , 19, 683-687		115
989	New Amphiphilic Polypyridyl Ruthenium(II) Sensitizer and Its Application in Dye-Sensitized Solar Cells. 2007 , 25, 168-171		18
988	TiO ₂ (2) porous electrodes with hierarchical branched inner channels for charge transport in viscous electrolytes. 2007 , 8, 856-61		41
987	Influence of the preparation conditions of TiO ₂ electrodes on the performance of solid-state dye-sensitized solar cells with CuI as a hole collector. 2007 , 81, 717-722		31
986	Data mining assisted by theoretical calculations for improving dye-sensitized solar cell performance. 2007 , 91, 76-78		3
985	A comparison of microwave and conventional heat treatments of nanocrystalline TiO ₂ . 2007 , 91, 6-16		51
984	Optical simulation of transmittance into a nanocrystalline anatase TiO ₂ film for solar cell applications. 2007 , 91, 201-206		37
983	Dye-sensitized titania aerogels as photovoltaic electrodes for electrochemical solar cells. 2007 , 91, 1066-1074		32
982	A study on the electron transport properties of TiO ₂ electrodes in dye-sensitized solar cells. 2007 , 91, 1416-1420		103
981	A comparative study of gel polymer electrolytes based on PVDF-HFP and liquid electrolytes, containing imidazolium ionic liquids of different carbon chain lengths in DSSCs. 2007 , 91, 1467-1471		32
980	On the use of triethylamine hydroiodide as a supporting electrolyte in dye-sensitized solar cells. 2007 , 91, 1432-1437		11
979	Using modified poly(3,4-ethylene dioxythiophene): Poly(styrene sulfonate) film as a counter electrode in dye-sensitized solar cells. 2007 , 91, 1472-1477		199
978	Photovoltaic properties of new cyanine-phthalimide dyads synthesized by click chemistry. 2007 , 48, 2461-2465		65

977	Bilirubin adsorption on nanocrystalline titania films. 2007 , 515, 3344-3351	36
976	Carrier leakage blocking effect of high temperature sputtered TiO ₂ film on dye-sensitized mesoporous photoelectrode. 2007 , 515, 8045-8049	45
975	Effect of pH on absorption spectra of photogenerated holes in nanocrystalline TiO ₂ films. 2007 , 438, 268-273	46
974	Preparation of titania/carbon nanotube composites using supercritical ethanol and their photocatalytic activity for phenol degradation under visible light irradiation. 2007 , 45, 1795-1801	320
973	Influence of solvent on the poly (acrylic acid)-oligo-(ethylene glycol) polymer gel electrolyte and the performance of quasi-solid-state dye-sensitized solar cells. 2007 , 52, 7128-7135	42
972	Reaction of holes in nanocrystalline TiO ₂ films evaluated by highly sensitive transient absorption spectroscopy. 2007 , 120, 214-219	32
971	New resists for proton beam writing. 2007 , 260, 460-463	29
970	Effect of solvents in liquid electrolyte on the photovoltaic performance of dye-sensitized solar cells. 2007 , 173, 585-591	68
969	Thin film TiO ₂ photoanodes for water photolysis prepared by dc magnetron sputtering. 2007 , 173, 774-780	30
968	High energy lithium batteries by molecular wiring and targeting approaches. 2007 , 174, 408-413	12
967	Synthesis of TiO ₂ nanoparticles by hydrolysis and peptization of titanium isopropoxide solution. 2007 , 189, 296-300	267
966	From TiCl ₃ to TiO ₂ nanoparticles (anatase, brookite and rutile): Thermohydrolysis and oxidation in aqueous medium. 2007 , 68, 695-700	84
965	Nanocrystalline anatase TiO ₂ derived from a titanate-directed route for dye-sensitized solar cells. 2007 , 188, 19-24	61
964	Improved performance of Black-dye-sensitized solar cells with nanocrystalline anatase TiO ₂ photoelectrodes prepared from TiCl ₄ and ammonium carbonate. 2007 , 189, 100-104	17
963	Preparation of TiO ₂ nanocrystalline with 38nm and application for dye-sensitized solar cell. 2007 , 189, 314-321	53
962	Microwave dielectric properties of nanocrystalline TiO ₂ prepared using spark plasma sintering. 2007 , 27, 2937-2940	27
961	Influence of synthesis parameters on morphology and phase composition of porous titania layers prepared via water based chemical solution deposition. 2007 , 27, 4537-4546	15
960	Preparation of a porous nanocrystalline TiO ₂ layer by deposition of hydrothermally synthesized nanoparticles. 2007 , 27, 4529-4535	18

959	Determining enediol compounds in tea using surface-assisted laser desorption/ionization mass spectrometry with titanium dioxide nanoparticle matrices. 2007 , 21, 2023-30		81
958	Stable, high-efficiency ionic-liquid-based mesoscopic dye-sensitized solar cells. 2007 , 3, 2094-102		182
957	Synthesis and Application of Stable Copper Oxide Nanoparticle Suspensions for Nanoparticulate Film Fabrication. <i>Journal of the American Ceramic Society</i> , 2007 , 90, 107-110	3.8	58
956	Low-temperature hydrothermal synthesis of phase-pure rutile titania nanocrystals: Time temperature tuning of morphology and photocatalytic activity. 2007 , 42, 1691-1704		45
955	Effect of binders on microstructure and photoelectrochemical properties of the TiO ₂ film photoelectrodes. 2007 , 61, 1922-1925		8
954	Titanium dioxide nanomaterials: synthesis, properties, modifications, and applications. 2007 , 107, 2891-959		8515
953	Low temperature crystallization behavior of TiO ₂ derived from a sol-gel process. 2007 , 42, 107-117		13
952	Novel counter electrodes based on NiP-plated glass and Ti plate substrate for dye-sensitized solar cells. 2007 , 42, 5281-5285		11
951	Characteristics of nanostructure and electrical properties of Ti thin films as a function of substrate temperature and film thickness. 2007 , 42, 2603-2611		8
950	Wall thickness and charge transport properties of nano-honeycomb TiO ₂ structures prepared by photoetching. 2007 , 52, 4325-4333		10
949	Structural properties of single and multilayer ITO and TiO ₂ films deposited by reactive pulsed laser ablation deposition technique. <i>Applied Surface Science</i> , 2007 , 253, 6508-6511	6.7	45
948	Liquid dynamics in ZrO ₂ nanoporous films. 2007 , 341, 11-20		9
947	On the η measurement of dye-sensitized solar cell: Effect of cell geometry on photovoltaic parameters. 2007 , 91, 1749-1754		50
946	Hydrothermal synthesis of titanium dioxides from peroxotitanate solution using basic additive and their photocatalytic activity on the decomposition of orange II. 2008 , 69, 1457-1460		14
945	Interfacial electron transfer on cytochrome-c sensitised conformally coated mesoporous TiO ₂ films. 2008 , 74, 142-8		21
944	The effect of temperature on the charge transport and transient absorption properties of K27 sensitized DSSC. 2008 , 92, 1047-1053		23
943	Effect of synthesis conditions on the preparation of titanium dioxides from peroxotitanate solution and their photocatalytic activity. 2008 , 93, 333-341		3
942	Development of TiO ₂ pastes modified with Pechini sol-gel method for high efficiency dye-sensitized solar cell. 2008 , 48, 156-162		38

941	A Monte Carlo and continuum study of mechanical properties of nanoparticle based films. 2008 , 10, 31-39	7
940	Synthesis, characterization of Cr-doped TiO ₂ nanotubes with high photocatalytic activity. 2008 , 10, 871-875	91
939	Enhancement of photocurrent of polymer-gelled dye-sensitized solar cell by incorporation of exfoliated montmorillonite nanoplatelets. 2008 , 46, 47-53	50
938	Recent developments in solid-state dye-sensitized solar cells. 2008 , 1, 699-707	268
937	Preparation of Brookite-Type TiO ₂ /Carbon Nanocomposite Electrodes for Application to Li Ion Batteries. 2008 , 2008, 878-882	68
936	Aggregation of ZnO nanocrystallites for high conversion efficiency in dye-sensitized solar cells. 2008 , 47, 2402-6	576
935	Organic dye-sensitized ionic liquid based solar cells: remarkable enhancement in performance through molecular design of indoline sensitizers. 2008 , 47, 1923-7	368
934	Hybrid Solar Cells from a Blend of Poly(3-hexylthiophene) and Ligand-Capped TiO ₂ Nanorods. <i>Advanced Functional Materials</i> , 2008 , 18, 622-633	15.6 132
933	Nano-embossed Hollow Spherical TiO ₂ as Bifunctional Material for High-Efficiency Dye-Sensitized Solar Cells. 2008 , 20, 195-199	531
932	Aggregation of ZnO Nanocrystallites for High Conversion Efficiency in Dye-Sensitized Solar Cells. 2008 , 120, 2436-2440	117
931	Organic Dye-Sensitized Ionic Liquid Based Solar Cells: Remarkable Enhancement in Performance through Molecular Design of Indoline Sensitizers. 2008 , 120, 1949-1953	50
930	Selective preparation of nanorods and micro-octahedrons of Fe ₂ O ₃ and their catalytic performances for thermal decomposition of ammonium perchlorate. 2008 , 185, 176-180	140
929	Novel thixotropic gel electrolytes based on dicationic bis-imidazolium salts for quasi-solid-state dye-sensitized solar cells. 2008 , 175, 692-697	91
928	Low-temperature oxygen plasma treatment of TiO ₂ film for enhanced performance of dye-sensitized solar cells. 2008 , 175, 914-919	78
927	Chemical sintering of graded TiO ₂ film at low-temperature for flexible dye-sensitized solar cells. 2008 , 195, 247-253	67
926	New functional triethoxysilanes as iodide sources for dye-sensitized solar cells. 2008 , 198, 186-191	16
925	Surface properties and photocatalytic activity of nanocrystalline titania films. 2008 , 200, 192-200	74
924	Structure and micro-mechanical properties of helium-implanted layer on Ti by plasma-based ion implantation. <i>Applied Surface Science</i> , 2008 , 254, 6837-6841	6.7 10

923	A new strategy of molecular overcharge protection shuttles for lithium ion batteries. 2008 , 10, 651-654		11
922	Controlled repeated chemical growth of ZnO films for dye-sensitized solar cells. 2008 , 8, 549-553		26
921	Performance of gelled-type dye-sensitized solar cells associated with glass transition temperature of the gelatinizing polymers. 2008 , 44, 608-614		52
920	CTAB facilitated spherical rutile TiO ₂ particles and their advantage in a dye-sensitized solar cell. 2008 , 82, 1042-1048		44
919	DFT investigation of the TiO ₂ band shift by nitrogen-containing heterocycle adsorption and implications on dye-sensitized solar cell performance. 2008 , 92, 84-87		58
918	Photovoltaic performance of hybrid solar cell with TiO ₂ nanotubes arrays fabricated through liquid deposition using ZnO template. 2008 , 92, 1445-1449		50
917	Photosensitization of nanoporous TiO ₂ film with porphyrin-linked fullerene. 2008 , 516, 1204-1208		16
916	Hydrazone based molecular glasses for solid-state dye-sensitized solar cells. 2008 , 516, 7260-7265		28
915	Molecular imprinting and adsorption of metallothionein on nanocrystalline titania membranes. <i>Applied Surface Science</i> , 2008 , 254, 4457-4461	6.7	14
914	EIS analysis on low temperature fabrication of TiO ₂ porous films for dye-sensitized solar cells. 2008 , 53, 7514-7522		196
913	Size-dependent scattering efficiency in dye-sensitized solar cell. 2008 , 361, 677-683		238
912	A new ion-coordinating ruthenium sensitizer for mesoscopic dye-sensitized solar cells. 2008 , 361, 699-706		52
911	Phase-pure TiO(2) nanoparticles: anatase, brookite and rutile. 2008 , 19, 145605		821
910	Simultaneous removal of NO and SO ₂ in a plasma reactor packed with TiO ₂ -coated glass beads. 2008 , 34, 309-318		12
909	TiO ₂ band shift by nitrogen-containing heterocycles in dye-sensitized solar cells: a periodic density functional theory study. 2008 , 24, 4411-9		152
908	Preparation of nanocrystalline anatase TiO ₂ using basic sol-gel method. 2008 , 62,		5
907	Anatase TiO ₂ single crystals with a large percentage of reactive facets. 2008 , 453, 638-41		3391
906	A facile solvothermal route to photocatalytically active nanocrystalline anatase TiO ₂ from peroxide precursors. 2008 , 10, 864-872		10

905	Performance and electron transport properties of TiO ₂ nanocomposite dye-sensitized solar cells. 2008 , 19, 105702	73
904	Merocyanines: Synthesis and Application. 2008 , 75-105	38
903	Coumarin dyes for dye-sensitized solar cells: A long-range-corrected density functional study. 2008 , 129, 214703	152
902	Reaction Pathway to the Synthesis of Anatase via the Chemical Modification of Titanium Isopropoxide with Acetic Acid. 2008 , 20, 143-150	123
901	Rough conical-shaped TiO ₂ -nanotube arrays for flexible backilluminated dye-sensitized solar cells. 2008 , 93, 133107	53
900	Dye-sensitized nickel(II)oxide photocathodes for tandem solar cell applications. 2008 , 19, 295304	149
899	A Numerical Simulation and Impedance Study of the Electron Transport and Recombination in Binder-Free TiO ₂ Film for Flexible Dye-Sensitized Solar Cells. 2008 , 112, 13744-13753	39
898	Fabrication and Characterization of Anodic Titanium Oxide Nanotube Arrays of Controlled Length for Highly Efficient Dye-Sensitized Solar Cells. 2008 , 112, 19151-19157	127
897	Photovoltaic properties of three new cyanine dyes for dye-sensitized solar cells. 2008 , 7, 63-8	69
896	Crystal Morphology of Anatase Titania Nanocrystals Used in Dye-Sensitized Solar Cells. 2008 , 8, 247-252	83
895	Mass Transport of Polypyridyl Cobalt Complexes in Dye-Sensitized Solar Cells with Mesoporous TiO ₂ Photoanodes. 2008 , 112, 18255-18263	192
894	Spectral Response of Opal-Based Dye-Sensitized Solar Cells. 2008 , 112, 13-17	131
893	The effect of different pH modifier on formation of CdS nanoparticles. 2008 , 465, 534-539	20
892	Catalysis of recombination and its limitation on open circuit voltage for dye sensitized photovoltaic cells using phthalocyanine dyes. 2008 , 130, 2906-7	296
891	Controllable formation of nanoscale patterns on TiO ₂ by conductive-AFM nanolithography. 2008 , 24, 8944-9	9
890	A Study of DSC Using Ultrasonic and Thermal Treatment on Nano-Crystalline TiO ₂ Surface. 2008 , 1690-1694	
889	Rapid Photoelectrochemical Method for in Situ Determination of Effective Diffusion Coefficient of Organic Compounds. 2008 , 112, 3875-3880	29
888	Dielectric Band Edge Enhancement of Energy Conversion Efficiency in Photonic Crystal Dye-Sensitized Solar Cell. 2008 , 112, 8735-8740	30

887	Trap-State Distributions and Carrier Transport in Pure and Mixed-Phase TiO ₂ : Influence of Contacting Solvent and Interphasial Electron Transfer. 2008 , 112, 12786-12794	185
886	Effect of thickness on structural, electrical, and electrochemical properties of platinum/titanium bilayer counterelectrode. 2008 , 104, 034910	13
885	Preparation, Characterisation, and Photocatalytic Behaviour of Co-TiO ₂ with Visible Light Response. 2008 , 2008, 1-9	34
884	Preparation and Characterization of Nanocrystalline Pt/TCG Counterelectrodes for Dye-Sensitized Solar Cells. 2008 , 130,	2
883	Electron transport in back contact dye-sensitized solar cells. 2008 , 104, 064307	20
882	The Influence of Particle Sizes on the Optical Characteristics of Nanocrystalline TiO ₂ Films for Dye-Sensitized Solar Cells. 2008 , 1101, 1	
881	TiO ₂ Nanotube Arrays by using ZnO Nanorod Template through Liquid Phase Deposition for Organic-Inorganic Hybrid Photovoltaic Cells. 2008 , 1113, 1	
880	Ultrafast nonresonant response of TiO ₂ nanostructured films. 2008 , 128, 244718	9
879	Highly active nanocrystalline TiO ₂ photoelectrodes. 2008 , 19, 115201	13
878	Effect of structure and surface morphology of sol-gel derived TiO ₂ photoelectrode on the performance of dye-sensitized solar cells. 2008 , 26, 1007-1011	3
877	Effect of Heat-Treatment on Electron Transport Process in TiO ₂ Nanotube Arrays Prepared Through Liquid Phase Deposition for Dye-Sensitized Solar Cells. 2009 , 156, H803	6
876	Enhanced Efficiency Dye Sensitized Solar Cells Through Acid Pre-treatment. 2009 , 1211, 1	
875	Achievement of 6.03% conversion efficiency of dye-sensitized solar cells with single-crystalline rutile TiO ₂ nanorod photoanode. 2009 , 95, 133121	41
874	Pore-Filling of Spiro-OMeTAD in Solid-State Dye Sensitized Solar Cells: Quantification, Mechanism, and Consequences for Device Performance. <i>Advanced Functional Materials</i> , 2009 , 19, 2431-2436	15.6 243
873	Mesoporous Anatase TiO ₂ Beads with High Surface Areas and Controllable Pore Sizes: A Superior Candidate for High-Performance Dye-Sensitized Solar Cells. 2009 , 21, 2206-2210	858
872	ZnO Nanostructures for Dye-Sensitized Solar Cells. 2009 , 21, 4087-4108	1482
871	Highly efficient photocatalyst: TiO ₂ microspheres produced from TiO ₂ nanosheets with a high percentage of reactive {001} facets. 2009 , 15, 12576-9	138
870	Ultrafast photoinduced processes in alizarin-sensitized metal oxide mesoporous films. 2009 , 10, 384-91	35

869	Influence of iodide concentration on the efficiency and stability of dye-sensitized solar cell containing non-volatile electrolyte. 2009 , 10, 1834-8	47
868	Enhancing electron collection efficiency and effective diffusion length in dye-sensitized solar cells. 2009 , 10, 2698-702	68
867	Synthesis, structural and optical properties of well dispersed anatase TiO ₂ nanoparticles by non-hydrothermal method. 2009 , 44, 484-488	27
866	Direct spectroelectrochemistry of peroxidases immobilised on mesoporous metal oxide electrodes: Towards reagentless hydrogen peroxide sensing. 2009 , 648, 2-6	21
865	Enhanced efficiency of dye-sensitized solar cells by UV _{D3} treatment of TiO ₂ layer. 2009 , 9, 404-408	55
864	Modeling of Dye sensitized solar cells using a finite element method. 2009 , 8, 398-409	27
863	Fabrication of MgO-coated TiO ₂ nanotubes and application to dye-sensitized solar cells. 2009 , 23, 146-149	15
862	Fabrication of mesoporous titania aerogel film via supercritical drying. 2009 , 44, 3997-4002	19
861	Nanocrystalline TiO ₂ thin film electrodes for dye-sensitized solar cell applications. 2009 , 61, 52-57	12
860	Homogeneous self-cleaning coatings on cellulose materials derived from TIP/TiO ₂ P25. 2009 , 10, 716-723	28
859	Enhanced photoelectrochemical performance of ZnO photoanode with scattering hollow cavities. 2009 , 96, 473-479	11
858	Metal Oxides for Dye-Sensitized Solar Cells. <i>Journal of the American Ceramic Society</i> , 2009 , 92, 289-301 3.8	505
857	Control of the porosity of anatase thin films prepared by EISA: Influence of thickness and heat treatment. 2009 , 117, 292-296	23
856	Mesoporous titania nanocrystals prepared using hexadecylamine surfactant template: Crystallization progress monitoring, morphological characterization and application in dye-sensitized solar cells. 2009 , 124, 52-58	30
855	Progresses in dye-sensitized solar cells. 2009 , 161, 2-7	15
854	Structure and tribological performance of helium-implanted layer on Ti6Al4V alloy by plasma-based ion implantation. 2009 , 267, 482-486	4
853	Sintering of titania nanoceramic: Densification and grain growth. 2009 , 35, 685-691	67
852	Improved efficiency of TiO ₂ nanotubes in dye sensitized solar cells by decoration with TiO ₂ nanoparticles. 2009 , 11, 1001-1004	178

851	Microstructure, optical and optoelectrical properties of mesoporous nc-TiO ₂ films by hydrolysis-limited sol-gel process with different inhibitors. 2009 , 517, 5634-5640	24
850	Thin film encapsulation of DSSCs on plastic substrate. 2009 , 517, 4207-4210	9
849	Glancing angle deposited titania films for dye-sensitized solar cells. 2009 , 518, 1590-1594	39
848	Unique TiO ₂ paste for high efficiency dye-sensitized solar cells. 2009 , 93, 379-381	106
847	Recent research progress on polymer electrolytes for dye-sensitized solar cells. 2009 , 93, 1167-1175	183
846	Formation of ultrafast-switching viologen-anchored TiO ₂ electrochromic device by introducing Sb-doped SnO ₂ nanoparticles. 2009 , 93, 2108-2112	22
845	Continuous supercritical hydrothermal synthesis of controlled size and highly crystalline anatase TiO ₂ nanoparticles. 2009 , 50, 276-282	50
844	Kinetics of lead dioxide electrodeposition from nitrate solutions containing colloidal TiO ₂ . 2009 , 632, 192-196	45
843	High performance dye-sensitized solar cells containing 1-methyl-3-propyl imidazolium iodide-effect of additives and solvents. 2009 , 633, 146-152	28
842	Preparations of TiO ₂ pastes and its application to light-scattering layer for dye-sensitized solar cells. 2009 , 15, 724-729	54
841	High temperature Raman spectroscopy of titanate nanotubes. 2009 , 924-926, 183-191	64
840	NMR studies of photo-induced chemical exchange. 2009 , 54, 183-194	13
839	A high-performance counter electrode based on poly(3,4-alkylenedioxythiophene) for dye-sensitized solar cells. 2009 , 188, 313-318	163
838	Influences of different TiO ₂ morphologies and solvents on the photovoltaic performance of dye-sensitized solar cells. 2009 , 188, 635-641	94
837	Morphological and phase evolution of TiO ₂ nanocrystals prepared from peroxotitanate complex aqueous solution: Influence of acetic acid. 2009 , 182, 749-756	57
836	Effects of paste storage on the properties of nanostructured thin films for the development of dye-sensitized solar cells. 2009 , 34, 1759-1764	34
835	Adsorption and photo-oxidation of 3,4-dihydroxy-cinnamic acid on TiO ₂ films. 2009 , 144, 149-153	6
834	Low temperature fabrication of efficient porous carbon counter electrode for dye-sensitized solar cells. 2009 , 11, 1346-1349	102

833	Enhancing the performance of dye-sensitized solar cells based on an organic dye by incorporating TiO ₂ nanotube in a TiO ₂ nanoparticle film. 2009 , 54, 4123-4130		42
832	Detection of nicotine based on molecularly imprinted TiO ₂ -modified electrodes. 2009 , 633, 119-26		52
831	Influence of the OH groups on the photocatalytic activity and photoinduced hydrophilicity of microwave assisted sol-gel TiO ₂ film. <i>Applied Surface Science</i> , 2009 , 255, 8054-8062	6.7	144
830	Electron Injection Efficiency and Diffusion Length in Dye-Sensitized Solar Cells Derived from Incident Photon Conversion Efficiency Measurements. 2009 , 113, 1126-1136		198
829	Influence of TiCl ₄ treatment on back contact dye-sensitized solar cells sensitized with black dye. 2009 , 2, 1205		74
828	Femtosecond Transient Absorption of Zinc Porphyrins with Oligo(phenylethynyl) Linkers in Solution and on TiO ₂ Films. 2009 , 113, 11524-11531		61
827	CBD grown ZnO-based gas sensors and dye-sensitized solar cells. 2009 , 475, 304-311		85
826	Novel Photoanode Structure Templated from Butterfly Wing Scales. 2009 , 21, 33-40		182
825	Solvothermal synthesis and photoreactivity of anatase TiO ₂ nanosheets with dominant {001} facets. 2009 , 131, 4078-83		1149
824	Parameters influencing the efficiency of electron injection in dye-sensitized solar cells. 2009 , 131, 4808-18		534
823	Shape-controlled synthesis of highly crystalline titania nanocrystals. 2009 , 3, 3737-43		365
822	Optical description of solid-state dye-sensitized solar cells. I. Measurement of layer optical properties. 2009 , 106, 073111		35
821	Optical description of solid-state dye-sensitized solar cells. II. Device optical modeling with implications for improving efficiency. 2009 , 106, 073112		13
820	Preparation of ZnO Nanospheres and Their Applications in Dye-Sensitized Solar Cells. 2009 , 26, 038201		19
819	Controlling Atomic Layer Deposition of TiO ₂ in Aerogels through Surface Functionalization. 2009 , 21, 1989-1992		26
818	Solvothermal Synthesis of TiO ₂ Nanocrystal Colloids from Peroxotitanate Complex Solution and Their Photocatalytic Activities. 2009 , 113, 18778-18783		64
817	Charge Transport Characteristics of High Efficiency Dye-Sensitized Solar Cells Based on Electrospun TiO ₂ Nanorod Photoelectrodes. 2009 , 113, 21453-21457		194
816	TiO ₂ /Nafion Photoelectrode Hybridized with Carbon Nanotubes for Sensitized Photochemical Activity. 2009 , 113, 20974-20979		18

815	Structural and luminescent properties of europium doped TiO ₂ thick films synthesized by the ultrasonic spray pyrolysis technique. 2009 , 42, 095102	19
814	Large-Scale, Noncurling, and Free-Standing Crystallized TiO ₂ Nanotube Arrays for Dye-Sensitized Solar Cells. 2009 , 113, 6310-6314	194
813	Optimization the solid-state electrolytes for dye-sensitized solar cells. 2009 , 2, 283-291	77
812	Structure/function relationships in dyes for solar energy conversion: a two-atom change in dye structure and the mechanism for its effect on cell voltage. 2009 , 131, 3541-8	218
811	Ru(II)-phthalocyanine sensitized solar cells: the influence of co-adsorbents upon interfacial electron transfer kinetics. 2009 , 19, 5016	90
810	Block copolymer morphologies in dye-sensitized solar cells: probing the photovoltaic structure-function relation. 2009 , 9, 2813-9	156
809	Charge Recombination Kinetics at an in Situ Chemical Bath-Deposited CdS/Nanocrystalline TiO ₂ Interface. 2009 , 113, 6852-6858	54
808	A comprehensive study of the influence of the stoichiometry on the physical properties of TiO _x films prepared by ion beam deposition. 2010 , 108, 064912	15
807	Sintering characteristics of TiO ₂ nanoparticles by microwave processing. 2010 , 27, 645-650	16
806	High-efficiency dye-sensitized solar cells: the influence of lithium ions on exciton dissociation, charge recombination, and surface states. 2010 , 4, 6032-8	492
805	Novel ZnO-Based Film with Double Light-Scattering Layers as Photoelectrodes for Enhanced Efficiency in Dye-Sensitized Solar Cells. 2010 , 22, 928-934	163
804	Dye-sensitized solar cells. 2010 , 110, 6595-663	7291
803	Growth of nanocrystalline TiO ₂ films by pulsed-laser-induced liquid-deposition method and preliminary applications for dye-sensitized solar cells. 2010 , 100, 1169-1176	9
802	An efficient light-harvesting ruthenium dye for solar cell application. 2010 , 84, 95-101	37
801	Anatase TiO ₂ spheres with high surface area and mesoporous structure via a hydrothermal process for dye-sensitized solar cells. 2010 , 55, 4637-4641	56
800	Enhanced photocatalysis on TiO ₂ nanotube arrays modified with molecularly imprinted TiO ₂ thin film. 2010 , 182, 912-8	87
799	Thermal annealing synthesis of titanium-dioxide nanowire-nanoparticle hetero-structures. 2010 , 183, 2268-2273	25
798	Preparation and characterization of nanocrystalline TiO ₂ thin films. 2010 , 174, 102-104	43

797	Preparation and performance of dye-sensitized solar cells based on ZnO-modified TiO ₂ electrodes. 2010 , 17, 92-97	35
796	A highly efficient electric additive for enhancing photovoltaic performance of dye-sensitized solar cells. 2010 , 53, 1352-1357	7
795	Recent progress in interface modification for dye-sensitized solar cells. 2010 , 53, 1669-1678	18
794	Study of phase transition of TiO ₂ /TaO system. 2010 , 16, 239-244	6
793	Materials Chemistry Shape-preserving chemical transformation of micro-to-macroscopic 3-D structures. 2010 , 62, 32-43	16
792	Influence of Surface Modification with Carboxylic Acids on Performance of Polymer/Titania Photovoltaic Devices. 2010 , 39, 1-7	7
791	Surface-Modified Titania Nanoparticles with Conjugated Polymer for Hybrid Photovoltaic Devices. 2010 , 39, 2346-2351	14
790	PF127 aided preparation of super-porous TiO ₂ film used in highly efficient quasi-solid-state dye-sensitized solar cell. 2010 , 21, 1000-1004	5
789	Sponge-like TiO ₂ layers for dye-sensitized solar cells. 2010 , 53, 647-654	33
788	In situ synthesis and characterization of TiO ₂ nanoarray films. 2010 , 36, 17-26	6
787	Anode growth of DSSCs by flat-flame chemical vapor deposition method. 2010 , 120, 181-186	16
786	Ternary Ag ₂ S polycrystalline films deposited using chemical bath deposition for photoelectrochemical applications. 2010 , 120, 307-312	36
785	Quantum-dot-sensitized solar cells. 2010 , 11, 2290-304	757
784	Comparison of trap-state distribution and carrier transport in nanotubular and nanoparticulate TiO ₂ electrodes for dye-sensitized solar cells. 2010 , 11, 2140-5	44
783	An advanced model for determining charge recombination kinetic parameters in dye-sensitized solar cells. 2010 , 41, 676-681	11
782	New materials for hybrid dye-sensitized solar cells. 2010 , 32, 1583-1586	7
781	Dye-sensitized solar cells using anodic TiO ₂ mesosponge: Improved efficiency by TiCl ₄ treatment. 2010 , 12, 574-578	57
780	Effect of pyridine in electrolyte on the current-voltage characteristics in dye-sensitized solar cells. 2010 , 55, 3491-3496	13

779	Study on photocatalytic deposition of bismuth onto nanocrystalline TiO ₂ by quartz crystal microbalance and electrochemical method. 2010 , 55, 4995-4999	7
778	Effects of mesoscopic poly(3,4-ethylenedioxythiophene) films as counter electrodes for dye-sensitized solar cells. 2010 , 518, 1716-1721	76
777	Effect of TiCl ₄ treatment on the photoelectrochemical properties of LaTiO ₂ N electrodes for water splitting under visible light. 2010 , 518, 5855-5859	62
776	Vapor deposited sculptured nano-porous titania films by glancing angle deposition for efficiency enhancement in dye-sensitized solar cells. 2010 , 519, 1717-1722	23
775	Highly ordered mesoporous carbon arrays from natural wood materials as counter electrode for dye-sensitized solar cells. 2010 , 12, 924-927	57
774	Effect of anodization voltage on the formation of phase pure anatase nanotubes with doped carbon. 2010 , 46, 377-382	6
773	Transmission of light in crystals with different homogeneity: using Shannon index in photonic media. 2010 , 5,	9
772	Synthesis of titanium dioxide-based, visible-light induced photocatalysts by mechanochemical doping. 2010 , 304-330	3
771	A New Microstructured DSC Photoelectrode for Potential High Power Conversion Efficiency. 2010 , 57, 1119-1126	1
770	Study in the porosity of the TiO ₂ films prepared by magnetron sputtering deposition. 2010 ,	
769	Improved performance of dye-sensitized solar cells by tuning the properties of ruthenium complexes containing conjugated bipyridine ligands. 2010 , 1, 025001	17
768	Influence of Dye Adsorption Solvent on the Performance of a Mesoporous TiO ₂ Dye-Sensitized Solar Cell Using Infrared Organic Dye. 2010 , 132,	17
767	Direct imprinting of high resolution TiO(2) nanostructures. 2010 , 21, 285303	32
766	Construction of nanocrystalline film on nanowire array via swelling electrospun polyvinylpyrrolidone-hosted nanofibers for use in dye-sensitized solar cells. 2010 , 4, 5679-84	44
765	Holographically defined TiO ₂ electrodes for dye-sensitized solar cells. 2010 , 2, 2970-3	17
764	Effects of Annealing Temperature on the Charge-Collection and Light-Harvesting Properties of TiO ₂ Nanotube-Based Dye-Sensitized Solar Cells. 2010 , 114, 13433-13441	104
763	Improving photoresponse characterization of dye-sensitized solar cells: application to the laser beam-induced current technique. 2010 , 21, 075702	1
762	Novel Preparation Method of TiO ₂ -Nanorod-Based Photoelectrodes for Dye-Sensitized Solar Cells with Improved Light-Harvesting Efficiency. 2010 , 114, 4228-4236	93

761	Synthesis of Hierarchical Porous ZnO Disklike Nanostructures for Improved Photovoltaic Properties of Dye-Sensitized Solar Cells. 2010 , 114, 13157-13161	50
760	Effect of the Compact TiO ₂ Layer on Charge Transfer between N3 Dyes and TiO ₂ Investigated by Raman Spectroscopy. 2010 , 114, 3185-3189	34
759	Influence of Hydrothermal Pressure during Crystallization on the Structure and Electron-Conveying Ability of TiO ₂ Colloids for Dye-Sensitized Solar Cells. 2010 , 114, 15625-15632	31
758	Simultaneous Transient Absorption and Transient Electrical Measurements on Operating Dye-Sensitized Solar Cells: Elucidating the Intermediates in Iodide Oxidation. 2010 , 114, 1953-1958	81
757	Preparation of Titanium Dioxide Paste for Dye Sensitized Solar Cells (DSSCs). 2010 , 139-141, 153-156	5
756	Surface-Nitrided Nickel with Bifunctional Structure As Low-Cost Counter Electrode for Dye-Sensitized Solar Cells. 2010 , 114, 13397-13401	135
755	Ultrafast Terahertz Conductivity Dynamics in Mesoporous TiO ₂ : Influence of Dye Sensitization and Surface Treatment in Solid-State Dye-Sensitized Solar Cells. 2010 , 114, 1365-1371	73
754	Application of high surface area tin-doped indium oxide nanoparticle films as transparent conducting electrodes. 2010 , 49, 8179-81	105
753	Optimization of nanostructured titania photoanodes for dye-sensitized solar cells: Study and experimentation of TiCl ₄ treatment. 2010 , 356, 1958-1961	81
752	Preparation of TiO ₂ films using nanopowder synthesized by flat-flame chemical vapor condensation method for DSSCs. 2010 , 490, 493-498	19
751	The mechanochemical stability of hydrogen titanate nanostructures. 2010 , 499, 113-120	8
750	Preparation of TiO ₂ films by layer-by-layer assembly and their application in solar cell. 2010 , 505, 579-583	15
749	Large, solution-processable graphene quantum dots as light absorbers for photovoltaics. 2010 , 10, 1869-73	764
748	Chemically binding carboxylic acids onto TiO ₂ nanoparticles with adjustable coverage by solvothermal strategy. 2010 , 26, 9539-46	99
747	Electron Transport Patterns in TiO ₂ Nanocrystalline Films of Dye-Sensitized Solar Cells. 2010 , 114, 6762-6769	86
746	Adjusting the Crystal Phase and Morphology of Titania via a Soft Chemical Process. 2010 , 10, 2185-2191	22
745	Polycrystalline TiO ₂ Anatase with a Large Proportion of Crystal Facets (001): Lithium Insertion Electrochemistry. 2010 , 157, A1108	41
744	Improvement of Dye-Sensitized Solar Cell Through TiCl ₄ -Treated TiO ₂ Nanotube Arrays. 2010 , 157, B354	35

743	Increasing the Oxygen Vacancy Density on the TiO ₂ Surface by La-Doping for Dye-Sensitized Solar Cells. 2010 , 114, 18396-18400	131
742	Fibrous CdS/CdSe quantum dot co-sensitized solar cells based on ordered TiO ₂ nanotube arrays. 2010 , 21, 375201	102
741	Solvothermally controllable synthesis of anatase TiO ₂ nanocrystals with dominant {001} facets and enhanced photocatalytic activity. 2010 , 12, 2219	169
740	Controllable Synthesis of TiO ₂ Single Crystals with Tunable Shapes Using Ammonium-Exchanged Titanate Nanowires as Precursors. 2010 , 10, 2111-2115	109
739	Laser welding of nanoparticulate TiO ₂ and transparent conducting oxide electrodes for highly efficient dye-sensitized solar cell. 2010 , 21, 345203	37
738	Monolithic route to efficient dye-sensitized solar cells employing diblock copolymers for mesoporous TiO ₂ . 2010 , 20, 1261-1268	40
737	Influence of Applied Potential on Titanium Oxide Nanotube Growth. 2010 , 157, K243	18
736	TiO ₂ nanoparticle generation by flame pyrolysis FFESS system. 2010 ,	
735	Transparent electrodes of ordered opened-end TiO ₂ -nanotube arrays for highly efficient dye-sensitized solar cells. 2010 , 20, 1073-1077	155
734	Nanostructure evolution of titanium dioxide layers from titanium thin films using hydrothermal treatment. 2010 ,	
733	A novel parallel configuration of dye-sensitized solar cells with double-sided anodic nanotube arrays. 2011 , 4, 2240	39
732	Bifunctional single-crystalline rutile nanorod decorated heterostructural photoanodes for efficient dye-sensitized solar cells. 2011 , 13, 15918-24	21
731	A facile way to fabricate highly efficient photoelectrodes with chemical sintered scattering layers for dye-sensitized solar cells. 2011 , 21, 15552	28
730	Study of photoconductivity of nanocrystalline titanium dioxide used in dye sensitized solar cell. 2011 ,	
729	Facile construction of high-electrocatalytic bilayer counter electrode for efficient dye-sensitized solar cells. 2011 , 3, 3916-20	12
728	Role of One-Dimensional Ribbonlike Nanostructures in Dye-Sensitized TiO ₂ -Based Solar Cells. 2011 , 115, 7104-7113	36
727	Photoluminescence of dense nanocrystalline titanium dioxide thin films: effect of doping and thickness and relation to gas sensing. 2011 , 3, 2281-8	108
726	Catalyst-Free Growth of Zinc Oxide Nanorod Arrays on Sputtered Aluminum-Doped Zinc Oxide for Photovoltaic Applications. 2011 , 115, 3539-3543	14

725	ALD Grown Aluminum Oxide Submonolayers in Dye-Sensitized Solar Cells: The Effect on Interfacial Electron Transfer and Performance. 2011 , 115, 16720-16729	52
724	Fluctuation-Induced Tunneling Conductivity in Nanoporous TiO ₂ Thin Films. 2011 , 2, 1931-1936	16
723	A flexible photoelectrode for CdS/CdSe quantum dot-sensitized solar cells (QDSSCs). 2011 , 47, 2664-6	88
722	Fabrication and Characterization of Tailored TiO ₂ and WO ₃ /MWCNT Composites for Methylene Blue Decomposition. 2011 , 32, 926-932	23
721	Rapid Microwave Synthesis of Porous TiO ₂ Spheres and Their Applications in Dye-Sensitized Solar Cells. 2011 , 115, 10419-10425	103
720	Visible-light-response iodine-doped titanium dioxide nanocrystals for dye-sensitized solar cells. 2011 , 21, 3877	69
719	A composite catalytic film of PEDOT:PSS/TiN@TiO ₂ on a flexible counter-electrode substrate for a dye-sensitized solar cell. 2011 , 21, 19021	68
718	Oxidative, photo-activated TiO ₂ nanoparticles in the catalytic acetylation of primary alcohols. 2011 , 1, 54	6
717	Solution-derived ZnO nanostructures for photoanodes of dye-sensitized solar cells. 2011 , 4, 818-841	227
716	Synthesis of ZnO coated activated carbon aerogel by simple sol-gel route. 2011 , 21, 330-333	30
715	TiO ₂ nanorod arrays grown from a mixed acid medium for efficient dye-sensitized solar cells. 2011 , 4, 2145	121
714	TiO ₂ multilayer thick films (up to 4 μ m) with ordered mesoporosity: influence of template on the film mesostructure and use as high efficiency photoelectrode in DSSCs. 2011 , 21, 7356	49
713	Hydrothermal Stability of {001} Faceted Anatase TiO ₂ . 2011 , 23, 3486-3494	146
712	Honeycomb-like CoS Counter Electrodes for Transparent Dye-Sensitized Solar Cells. 2011 , 14, D41	67
711	Solution processed transition metal sulfides: application as counter electrodes in dye sensitized solar cells (DSCs). 2011 , 13, 19307-9	113
710	Modification of nonlinear optical dyes for dye sensitized solar cells: a new use for a familiar acceptor. 2011 , 21, 4242	19
709	Sodium fluoride-assisted modulation of anodized TiO ₂ nanotube for dye-sensitized solar cells application. 2011 , 3, 1585-93	39
708	Highly efficient CdS/CdSe-sensitized solar cells controlled by the structural properties of compact porous TiO ₂ photoelectrodes. 2011 , 13, 4659-67	257

707	Influence of triazole dendritic additives in electrolytes on dye-sensitized solar cell (DSSC) performance. 2011 , 21, 7700	31
706	Quick-low-temperature hydrothermal synthesis of nano-TiO ₂ powders for large area dye-sensitized solar cell. 2011 ,	1
705	Dye-Sensitized Solar Cells. 2011 , 642-674	5
704	Photocatalysis of PbS quantum dots in a quantum dot-sensitized solar cell: photovoltaic performance and characteristics. 2011 , 13, 2656-8	21
703	Fabrication and enhanced visible-light photocatalytic activity of carbon self-doped TiO ₂ sheets with exposed {001} facets. 2011 , 21, 1049-1057	360
702	Charge Recombination and Band-Edge Shift in the Dye-Sensitized Mg ²⁺ -Doped TiO ₂ Solar Cells. 2011 , 115, 16418-16424	69
701	Periodic Mesoporous Materials: Holes Filled with Opportunities. 2011 , 69-125	3
700	High Temperature Aerosols: Measurement and Deposition of Nanoparticle Films. 2011 , 723-738	2
699	Electrophoretic Deposition of Titanium Oxide Nanoparticle Films for Dye-Sensitized Solar Cell Applications. 2011 , 02, 1427-1431	8
698	Effects of 1,3-Alkylimidazolium Iodide on Electrolytes for Dye-Sensitized Solar Cell. 2011 , 79, 943-946	2
697	Low Temperature Fabrication of Titanium Oxide Composite Films by Hot-Water Treatment and Application for Dye-Sensitized Solar Cells. 2011 , 79, 817-820	2
696	Surfactant directed self-assembly of size-tunable mesoporous titanium dioxide microspheres and their application in quasi-solid state dye-sensitized solar cells. 2011 , 196, 10806-10816	35
695	Annealing temperature effects on sol-gel nanostructured mesoporous TiO ₂ /SiO ₂ and its photocatalytic activity. 2011 , 126, 188-194	20
694	Effect of TiO ₂ electrode thickness on photovoltaic properties of dye sensitized solar cell based on randomly oriented Titania nanotubes. 2011 , 127, 95-101	34
693	SiO ₂ mesoporous thin films containing Ag and NiO nanoparticles synthesized combining sol-gel and impregnation techniques. 2011 , 131, 313-319	9
692	. 2011 , 58, 3179-3188	19
691	Filling TiO ₂ nanoparticles in the channels of TiO ₂ nanotube membranes to enhance the efficiency of dye-sensitized solar cells. 2011 , 513, 108-111	29
690	Conducting polymer-based counter electrode for a quantum-dot-sensitized solar cell (QDSSC) with a polysulfide electrolyte. 2011 , 57, 277-284	111

689	Cathodic electrodeposition of highly porous cobalt sulfide counter electrodes for dye-sensitized solar cells. 2011 , 56, 8818-8826	150
688	Influence of NH ₃ ·H ₂ O additive on the photovoltaic performance of dye-sensitized solar cells with chemical sintered scattering layers. 2011 , 56, 9926-9930	5
687	Nanocrystalline TiO ₂ films treated with acid and base catalysts for dye-sensitized solar cells. 2011 , 22, 771-776	16
686	A novel preparation of small TiO ₂ nanoparticle and its application to dye-sensitized solar cells with binder-free paste at low temperature. 2011 , 3, 3900-6	22
685	Quantifying Regeneration in Dye-Sensitized Solar Cells. 2011 , 115, 2439-2447	179
684	ZnO/CdS Hierarchical Nanospheres for Photoelectrochemical Sensing of Cu ²⁺ . 2011 , 115, 17958-17964	146
683	Tunable hierarchical TiO ₂ nanostructures by controlled annealing of electrospun fibers: formation mechanism, morphology, crystallographic phase and photoelectrochemical performance analysis. 2011 , 21, 9784	47
682	Organic solvent based TiO ₂ dispersion paste for dye-sensitized solar cells prepared by industrial production level procedure. 2011 , 46, 1341-1350	23
681	Effect of salt composition on photovoltaic performance of the dye-sensitized solar cells prepared from nano anatase TiO ₂ powder using NaCl/Na ₂ HPO ₄ ·2H ₂ O salt matrices. 2011 , 46, 7611-7619	1
680	Performance of dye-sensitized solar cells with various carbon nanotube counter electrodes. 2011 , 174, 73-79	33
679	Growth of TiO ₂ nanosheet-array thin films by quick chemical bath deposition for dye-sensitized solar cells. 2011 , 105, 769-774	17
678	A low cost universal photoelectrochemical detector for organic compounds based on photoelectrocatalytic oxidation at a nanostructured TiO ₂ photoanode. 2011 , 656, 211-217	13
677	Single-step fabrication of phase-controllable nanocrystalline TiO ₂ films for enhanced photoelectrochemical water splitting and dye-sensitized solar cells. 2011 , 196, 4865-4869	6
676	TiO ₂ /modified natural clay semiconductor as a potential electrode for natural dye-sensitized solar cell. 2011 , 37, 659-663	15
675	Formation of efficient dye-sensitized solar cells by introducing an interfacial layer of hierarchically ordered macro-mesoporous TiO ₂ film. 2011 , 54, 930-935	17
674	Ultrafast near infrared sintering of TiO ₂ layers on metal substrates for dye-sensitized solar cells. 2011 , 19, 482-486	43
673	Nanoparticle/Dye Interface Optimization in Dye-Sensitized Solar Cells. <i>Advanced Functional Materials</i> , 2011 , 21, 3268-3274	15.6 28
672	Laser-induced control of TiO ₂ porosity for enhanced photovoltaic behavior. 2011 , 23, 3974-8	34

671	Improving Microstructured TiO ₂ Photoanodes for Dye Sensitized Solar Cells by Simple Surface Treatment. 2011 , 1, 879-887	32
670	TiO ₂ Nanocrystals Synthesized by Laser Pyrolysis for the Up-Scaling of Efficient Solid-State Dye-Sensitized Solar Cells. 2011 , 1, 908-916	29
669	Recent Progress in Dye-Sensitized Solar Cells Using Nanocrystallite Aggregates. 2011 , 1, 988-1001	80
668	Dye-Sensitized Solar Cells Based on Large-Pore Mesoporous TiO ₂ with Controllable Pore Diameters. 2011 , 2011, 4730-4737	11
667	Ruthenium Polypyridyl Sensitisers in Dye Solar Cells Based on Mesoporous TiO ₂ . 2011 , 2011, 4509-4526	118
666	Transition from anodic titania nanotubes to nanowires: arising from nanotube growth to application in dye-sensitized solar cells. 2011 , 12, 3634-41	21
665	Biotemplated materials for sustainable energy and environment: current status and challenges. 2011 , 4, 1344-87	127
664	Synthesis and characterization of mesoporous TiO ₂ nanostructured films prepared by a modified sol-gel method for application in dye solar cells. 2011 , 37, 1017-1024	87
663	Deposition of TiO ₂ layers for dye-sensitized solar cells using nano-particle deposition system. 2011 , 11, S122-S126	8
662	Incorporation of plasma-functionalized carbon nanocapsules into a nanocrystalline TiO ₂ photoanode for use in dye-sensitized solar cells. 2011 , 49, 4898-4910	11
661	Remarkable improvement of visible light photocatalysis with PANI modified core-shell mesoporous TiO ₂ microspheres. 2011 , 102, 126-131	120
660	Visible light sensitization effect of polyaminobenzoate adsorbed on TiO ₂ nanocrystal surface. <i>Applied Surface Science</i> , 2011 , 257, 2126-2133	6.7 11
659	Observation of Significant enhancement in the efficiency of a DSSC by InN nanoparticles over TiO ₂ -nanoparticle films. 2011 , 510, 126-130	11
658	Polyaniline nanofiber/carbon film as flexible counter electrodes in platinum-free dye-sensitized solar cells. 2011 , 56, 4624-4630	97
657	Titanium dioxide sols synthesized by hydrothermal methods using tetrabutyl titanate as starting material and the application in dye sensitized solar cells. 2011 , 56, 4308-4314	19
656	Doping saturation in dye-sensitized solar cells based on ZnO:Ga nanostructured photoanodes. 2011 , 56, 6503-6509	30
655	The effect of compression on electron transport and recombination in plastic TiO ₂ photoanodes. 2011 , 56, 6401-6405	15
654	Preparation of sol-gel TiO ₂ /purified Na-bentonite composites and their photovoltaic application for natural dye-sensitized solar cells. 2011 , 52, 2815-2818	20

653	Optical characterization of anatase TiO ₂ films patterned by direct ultraviolet-assisted nanoimprint lithography. 2011 , 88, 923-928		12
652	Enhanced visible light photocatalytic properties of Fe-doped TiO ₂ nanorod clusters and monodispersed nanoparticles. <i>Applied Surface Science</i> , 2011 , 257, 8121-8126	6.7	55
651	Improved efficiency of betanin-based dye-sensitized solar cells. 2011 , 221, 90-97		97
650	Facile synthesis and electrochemical characterization of porous and dense TiO ₂ nanospheres for lithium-ion battery applications. 2011 , 196, 6394-6399		70
649	Nanostructured photoelectrodes for dye-sensitized solar cells. 2011 , 6, 91-109		561
648	Fabrication of dye-sensitized solar cells by transplanting highly ordered TiO ₂ nanotube arrays. 2011 , 95, 184-189		102
647	Fabrication of large-area and high-quality colloidal crystal films on nanocrystalline porous substrates by a room temperature floating self-assembly method. 2011 , 519, 1798-1802		8
646	The Effect of TiO _x Blocking Layer on the Performance of Dye-Sensitized Titanium Dioxide Solar Cells. 2011 , 551, 172-180		3
645	Synthesis and Characterization of Nanocrystalline TiO ₂ Thin Films for Use as Photoelectrodes in Dye Sensitized Solar Cell Application. 2011 , 70, 173-177		11
644	Aqueous Solution Synthesis of Crystalline Anatase Nanocolloids for the Fabrication of DSC Photoanodes. 2011 , 158, H224		19
643	Solution-chemistry approach to graphene nanostructures. 2011 , 21, 3295		59
642	Slow Aggregation of Titania Nanocrystals in Acidic Hydrosols. 2011 , 1352, 27		1
641	Influence from Covering TiO ₂ Nanoparticles with Dense Films upon Electron Transport in Dye-Sensitized Solar Cells. 2011 , 399-401, 1399-1402		
640	Oxygen ion-beam irradiation of TiO ₂ films reduces oxygen vacancies and improves performance of dye-sensitized solar cells. 2011 , 26, 1012-1017		6
639	High Rate Reactive Sputter Deposition of TiO ₂ Films for Photocatalyst and Dye-Sensitized Solar Cells. 2011 , 50, 045802		
638	One-Dimensional Nanostructure Arrays for Dye-Sensitized Solar Cells. 2011 , 133,		4
637	Pure anatase TiO ₂ Nanoglue—An inorganic binding agent to improve nanoparticle interconnections in the low-temperature sintering of dye-sensitized solar cells. 2011 , 98, 103301		47
636	Comparison of the Long-Term Stability of TiO ₂ Hydrosols with Different Concentration of Nanoparticles. 2012 , 77, 53-58		1

- 635 Preparation of Nanostructured TiO₂ Electrode by an Organic-Medium Screen Printing Technique. **2012**, 532-533, 157-160
- 634 Effect of Polymeric p-Type Semiconductor on Photovoltaic Properties in Dye-Sensitized Solar Cell. **2012**, 567, 1-8 2
- 633 Facile solvothermal synthesis of single-crystalline anatase nanorods for efficient dye-sensitized solar cells. **2012**, 85, 417-425 3
- 632 Study on Properties of Dye-Sensitized TiO₂ Films. **2012**, 602-604, 1492-1496
- 631 Addressing Bottlenecks in Dye-sensitized Solar Cell Manufacture Using Rapid Near-infrared Heat Treatments. **2012**, 1447, 78 2
- 630 Enhanced optical absorption of dye-sensitized solar cells with microcavity-embedded TiO₂ photoanodes. **2012**, 20 Suppl 2, A168-76 21
- 629 Power and composition dependent non linear optical switching of TiO₂-SiO₂ nano composites. **2012**,
- 628 Effect of Acetic Acid in TiCl₄ Post-Treatment on Nanoporous TiO₂ Electrode in Dye-Sensitized Solar Cell. **2012**, 51, 09MA05 1
- 627 Rapid, low-temperature processing of dye-sensitized solar cells. **2012**, 42-66 3
- 626 Effects of Electrospun TiO₂ Nanowires Mixed in Nanoparticle-Based Electrode for Dye-Sensitized Solar Cells. **2012**, 51, 044106 2
- 625 Preparation and characterization of low temperature sintering nanocrystalline TiO₂ prepared via the sol-gel method using titanium(IV) butoxide applicable to flexible dye sensitized solar cells. **2012**, 103, 347-351 15
- 624 DUAL-FUNCTION LAYER OF MESOPOROUS STRUCTURE ANATASE TiO₂ FOR HIGH PERFORMANCE DYE-SENSITIZED SOLAR CELLS. **2012**, 05, 1250017 6
- 623 Effect of p-Type Semiconductor Electrode on Photovoltaic Properties in n/p Tandem-Type Dye-Sensitized Solar Cell. **2012**, 566, 193-201 3
- 622 Domain formation in anatase TiO₂ thin films on LaAlO₃ substrates. **2012**, 101, 191602 14
- 621 Acid Treatment of Titania Pastes to Create Scattering Layers in Dye-Sensitized Solar Cells. **2012**, 2012, 1-8 8
- 620 Solution-growth and optoelectronic performance of ZnO : Cl/TiO₂ and ZnO : Cl/Zn_xTiO_y/TiO₂ core-shell nanowires with tunable shell thickness. **2012**, 45, 415301 24
- 619 Laser-printed micro- and meso-scale power generating devices. **2012**, 526-549 1
- 618 Synthesis of Pyrene-Based Ester Dendrimers for Applications in Dye-Sensitized Solar Cells. **2012**, 85, 902-911 7

617	Mesoporous titania: From synthesis to application. 2012 , 7, 344-366	230
616	Surface-plasmon resonance for photoluminescence and solar-cell applications. 2012 , 8, 351-364	23
615	Review on dye-sensitized solar cells (DSSCs): Fundamental concepts and novel materials. 2012 , 16, 5848-5860	609
614	Nanocrystalline brookite with enhanced stability and photocatalytic activity: influence of lanthanum(III) doping. 2012 , 4, 752-60	22
613	Synthesis and characterization of TiO ₂ /Rh ³⁺ nanoparticulate sols, xerogels and cryogels for photocatalytic applications. 2012 , 63, 408-415	13
612	Applications of light scattering in dye-sensitized solar cells. 2012 , 14, 14982-98	187
611	Improvement of dye-sensitized solar cells' performance through introducing suitable heterocyclic groups to triarylamine dyes. 2012 , 14, 2809-15	26
610	Core-shell Au@TiO ₂ nanoarchitectures formed by pulsed laser deposition for enhanced efficiency in dye sensitized solar cells. 2012 , 2, 3791	35
609	Self-organized film of ultra-fine TiO ₂ nanotubes and its application to dye-sensitized solar cells on a flexible Ti-foil substrate. 2012 , 22, 4681	26
608	Multi-functional photoanode films using mesoporous TiO ₂ aggregate structure for efficient dye sensitized solar cells. 2012 , 22, 10873	41
607	TiO ₂ nanoparticles synthesized by the molten salt method as a dual functional material for dye-sensitized solar cells. 2012 , 2, 5123	38
606	Photoelectrochemical cells for hydrogen generation. 2012 , 91-146e	3
605	Voltage enhancement in dye-sensitized solar cell using (001)-oriented anatase TiO ₂ nanosheets. 2012 , 16, 2993-3001	61
604	Anatase TiO ₂ pillar-nanoparticle composite fabricated by layer-by-layer assembly for high-efficiency dye-sensitized solar cells. 2012 , 41, 12683-9	14
603	Titania Nanostructures for Dye-sensitized Solar Cells. 2012 , 4, 253-266	21
602	Modeling Diffusion of Tin into the Mesoporous Titanium Dioxide Layer of a Dye-Sensitized Solar Cell Photoanode. 2012 , 116, 18327-18333	10
601	Enhanced Efficiency in Dye-Sensitized Solar Cells Based on TiO ₂ Nanotube Scattering Layer. 2012 , 565, 124-130	2
600	Dye-sensitized solar cells based on a donor-functionalized spiro-perylenecarboximide. 2012 , 162, 888-892	2

599	Preparation of TiO ₂ paste using poly(vinylpyrrolidone) for dye sensitized solar cells. 2012 , 520, 7018-7021	13
598	The effect of Li ⁺ intercalation on different sized TiO ₂ nanoparticles and the performance of dye-sensitized solar cells. 2012 , 520, 7011-7017	19
597	Enhanced Performance of CdS/CdSe Quantum Dot Cosensitized Solar Cells via Homogeneous Distribution of Quantum Dots in TiO ₂ Film. 2012 , 116, 18655-18662	158
596	Holographic modification of TiO ₂ nanostructure for enhanced charge transport in dye-sensitized solar cell. 2012 , 112, 043110	5
595	Enhanced photovoltaic properties of TiO ₂ film prepared by polycondensation in sol reaction. 2012 , 2, 3034	21
594	Effects of TiCl ₄ Treatment of Nanoporous TiO ₂ Films on Morphology, Light Harvesting, and Charge-Carrier Dynamics in Dye-Sensitized Solar Cells. 2012 , 116, 21285-21290	119
593	Synthesis of Various Sized CuInS ₂ Quantum Dots and Their Photovoltaic Properties as Sensitizers for TiO ₂ Photoanodes. 2012 , 2012, 5239-5244	39
592	Morphology controllable fabrication of Pt counter electrodes for highly efficient dye-sensitized solar cells. 2012 , 22, 3948	52
591	Pump-Probe Spectroscopy at Terahertz Frequencies. 2012 , 251-271	1
590	Hollow anatase TiO ₂ porous microspheres with V-shaped channels and exposed (101) facets: Anisotropic etching and photovoltaic properties. 2012 , 22, 6002	48
589	Location of Hole and Electron Traps on Nanocrystalline Anatase TiO ₂ . 2012 , 116, 10796-10804	151
588	Solution Combustion Synthesis of TiO ₂ and Its Use for Fabrication of Photoelectrode for Dye-sensitized Solar Cell. 2012 , 28, 713-722	30
587	Effects of tethering alkyl chains for amphiphilic ruthenium complex dyes on their adsorption to titanium oxide and photovoltaic properties. 2012 , 386, 359-65	21
586	Improved performance of dye-sensitized solar cells: An TiO ₂ /nano-SiO ₂ hybrid photoanode with post-treatment of TiCl ₄ aqueous solution. <i>Applied Surface Science</i> , 2012 , 261, 8-13	6.7 19
585	Mesoporous titania hollow spheres applied as scattering layers in quantum dots sensitized solar cells. 2012 , 136, 1060-1066	15
584	Adsorption and photocatalysis of spherical TiO ₂ particles prepared by hydrothermal reaction. 2012 , 89, 212-215	7
583	Fabrication and reliability of dye solar cells: A resonance Raman scattering study. 2012 , 52, 2487-2489	12
582	Effects of thermal preoxidation on reductive leaching of ilmenite. 2012 , 39, 99-105	13

581	Glycine assisted synthesis of flower-like TiO ₂ hierarchical spheres and its application in photocatalysis. 2012 , 177, 1664-1671	31
580	Barrier Layer Effect on the Electron Transport of the Dye-Sensitized Solar Cells Based on TiO ₂ Nanotube Arrays. 2012 , 116, 7213-7218	39
579	Shell Thickness Dependent Photocatalytic Properties of ZnO/CdS Core/Shell Nanorods. 2012 , 116, 23653-23662	18
578	Siliconized triaryl amines as redox mediator in dye-sensitized solar cells. 2012 , 4, 6211-5	11
577	Size-controlled anatase titania single crystals with octahedron-like morphology for dye-sensitized solar cells. 2012 , 6, 10862-73	80
576	Optimized photonic crystal structure for DSSC. 2012 , 86, 3430-3437	11
575	Dye-sensitized solar cells based on a single layer deposition of TiO ₂ from a new formulation paste and their photovoltaic performance. 2012 , 86, 2654-2664	51
574	Monodisperse TiO ₂ hierarchical hollow spheres assembled by nanospindles for dye-sensitized solar cells. 2012 , 22, 11665	94
573	Enhanced Charge Transport Properties of Dye-Sensitized Solar Cells Using TiN _x O _y Nanostructure Composite Photoanode. 2012 , 116, 19659-19664	8
572	Synthesis and application of core-shell Au@TiO ₂ nanowire photoanode materials for dye sensitized solar cells. 2012 , 2, 573-582	41
571	Pomegranate dye as a green energy material. 2012 ,	
570	Enlarging the application of potassium titanate nanowires as titanium source for preparation of TiO ₂ nanostructures with tunable phases. 2012 , 14, 3019	16
569	Designed architecture of multiscale porous TiO ₂ nanofibers for dye-sensitized solar cells photoanode. 2012 , 4, 5287-92	78
568	Solid-state dye-sensitized and bulk heterojunction solar cells using TiO ₂ and ZnO nanostructures: recent progress and new concepts at the borderline. 2012 , 61, 355-373	86
567	Improving open-circuit voltage in DSSCs using Cu-doped TiO ₂ as a semiconductor. 2012 , 209, 378-385	46
566	Impedance Spectroscopy Analysis of the Effect of TiO ₂ Blocking Layers on the Efficiency of Dye Sensitized Solar Cells. 2012 , 116, 12415-12421	64
565	Enhanced conversion efficiency of flexible dye-sensitized solar cells by optimization of the nanoparticle size with an electrophoretic deposition technique. 2012 , 2, 7074	26
564	The electrochemistry of nanostructured titanium dioxide electrodes. 2012 , 13, 2824-75	210

563	Effect of Diffuse Light Scattering Designs on the Efficiency of Dye Solar Cells: An Integral Optical and Electrical Description. 2012 , 116, 11426-11433	47
562	High performance all-solid-state dye-sensitized solar cells based on cyanobiphenyl-functionalized imidazolium-type ionic crystals. 2012 , 22, 12842	36
561	A hybrid density functional study on the electron and hole trap states in anatase titanium dioxide. 2012 , 14, 589-98	59
560	Direct growth of TiO ₂ nanosheet arrays on carbon fibers for highly efficient photocatalytic degradation of methyl orange. 2012 , 24, 4761-4	225
559	Molecular modification on dye-sensitized solar cells by phosphonate self-assembled monolayers. 2012 , 22, 2915-2921	24
558	Slow aggregation and disaggregation of TiO ₂ nanocrystals in aqueous HCl solutions. 2012 , 63, 162-167	2
557	Controllable hydrothermal synthesis of nanocrystal TiO ₂ particles and their use in dye-sensitized solar cells. 2012 , 55, 1308-1313	10
556	The effect of dispersion of TiO ₂ nanoparticles on preparation of flexible dye-sensitized photoanodes. 2012 , 55, 1203-1209	2
555	Formation of Pore Structure and Its Influence on the Mass Transport Property of Vacuum Cold Sprayed TiO ₂ Coatings Using Strengthened Nanostructured Powder. 2012 , 21, 505-513	13
554	Effect of hydrolysis conditions on hydrous TiO ₂ polymorphs precipitated from a titanyl sulfate and sulfuric acid solution. 2012 , 19, 642-650	10
553	A low-cost counter electrode of ITO glass coated with a graphene/Nafion® composite film for use in dye-sensitized solar cells. 2012 , 50, 4192-4202	71
552	Effect of poly (ethylene glycol) on coarsening dynamics of titanium dioxide nanocrystallites in hydrothermal reaction and the application in dye sensitized solar cells. 2012 , 374, 9-17	24
551	Photovoltaic performance enhancement of dye-sensitized solar cells by formation of blocking layers via molecular electrostatic effect. 2012 , 59, 207-212	18
550	The influence of nitric acid on electron transport and recombination for non-sintering TiO ₂ photoanodes. 2012 , 67, 62-66	4
549	Mesoporous TiO ₂ nanowires as bi-functional materials for dye-sensitized solar cells. 2012 , 74, 83-86	11
548	Enhanced efficiency in dye sensitized solar cells with nanostructured Pt decorated multiwalled carbon nanotube based counter electrode. 2012 , 72, 199-206	28
547	Photocatalytic disinfection of bacterial pollutants using suspended and immobilized TiO ₂ powders. 2012 , 88, 728-35	27
546	Structural characterisation and antibacterial activity of PP/TiO ₂ nanocomposites prepared by an in situ sol-gel method. 2012 , 134, 399-406	43

545	A bifunctional TiO ₂ sol for convenient low-temperature fabrication of dye-sensitized solar cells. 2012 , 67, 60-63	2
544	Low temperature preparation of TiO ₂ films by cold isostatic pressing for flexible dye-sensitized solar cells. 2012 , 68, 493-496	17
543	A novel nanocomposite TiO ₂ photoanode for highly efficient dye-sensitized solar cells. 2012 , 203, 297-301	25
542	Synergistic effects of ZnO compact layer and TiCl ₄ post-treatment for dye-sensitized solar cells. 2012 , 204, 257-264	49
541	Self-ordering anodized nanotubes: Enhancing the performance by surface plasmon for dye-sensitized solar cell. 2012 , 189, 101-107	32
540	Microstructural evolution of a TiO ₂ mesoporous single layer film under calcination: Effect of stabilization and repeated thermal treatments on the film crystallization and surface area. 2012 , 520, 5272-5276	8
539	Efficient dye regeneration in solid-state dye-sensitized solar cells fabricated with melt processed hole conductors. 2012 , 13, 23-30	25
538	Photosensitized growth of TiO ₂ nanoparticles improved the charge transfer dynamics of a bichromophoric dye. 2012 , 132, 2182-2187	5
537	A solvothermal single-step route towards shape-controlled titanium dioxide nanocrystals. 2012 , 90, 8-17	16
536	Morphology-controlled synthesis of CuO nano- and microparticles using microwave irradiation. 2012 , 29, 243-248	20
535	Effect of milling on properties and consolidation of TiO ₂ by high-frequency induction heated sintering. 2013 , 9, 219-225	18
534	The effect of thermal treatment in TiO ₂ photocatalytic activity. 2013 , 112, 621-628	8
533	Preparation of large-area dye-sensitized solar cells based on hydrothermally synthesized nitrogen-doped TiO ₂ powders. 2013 , 39, 1623-1631	6
532	Hydrothermal preparation, characterization and photocatalytic activity of TiO ₂ /Fe ³⁺ TiO ₂ composite catalysts. 2013 , 39, 5785-5793	20
531	High-speed atmospheric atomic layer deposition of ultra thin amorphous TiO ₂ blocking layers at 100 °C for inverted bulk heterojunction solar cells. 2013 , 21, 393-400	45
530	Infiltration of polymer hole-conductor into mesoporous titania structures for solid-state dye-sensitized solar cells. 2013 , 5, 719-29	41
529	Dielectric properties of Fe-doped TiO ₂ nanoparticles synthesised by sol-gel route. 2013 , 8, 171-183	21
528	Funnel-structured TiO ₂ electrode for improved charge extraction in dye-sensitized solar cell. <i>Applied Surface Science</i> , 2013 , 282, 566-570	6.7 3

527	Surfactant-assisted hydrothermal synthesis of titania nanoparticles for solar cell applications. 2013 , 24, 3189-3194	20
526	Solution processed metal-oxides for organic electronic devices. 2013 , 1, 4796	116
525	Mesoscopic Dye-Sensitized Solar Cells. 2013 , 579-597	1
524	Influence of acid/base co-catalyst on the photoelectrochemical properties of TiO ₂ thin films in dye-sensitized solar cells. 2013 , 107, 619-623	4
523	Effects of controlled surface treatment on titanium dioxide electrode nanostructure for dye-sensitized solar cells. 2013 , 112, 371-380	6
522	Semiconductor hierarchically structured flower-like clusters for dye-sensitized solar cells with nearly 100% charge collection efficiency. 2013 , 5, 11220-6	25
521	Electrophoretic deposition of reduced graphene oxide nanosheets on TiO ₂ nanotube arrays for dye-sensitized solar cells. 2013 , 111, 216-222	55
520	Effect of TiO ₂ rutile nanorods on the photoelectrodes of dye-sensitized solar cells. 2013 , 8, 37	31
519	An analytical method for dye-sensitized solar cell geometric design. 2013 , 90, 475-481	2
518	Modifying TiO ₂ surface architecture by oxygen plasma to increase dye sensitized solar cell efficiency. 2013 , 545, 521-526	14
517	Surfactant influence in the performance of titanium dioxide photoelectrodes for dye-sensitized solar cells. 2013 , 91, 263-272	29
516	OPV Tandems with CNTs: Why Are Parallel Connections Better Than Series Connections. 2013 , 179-204	1
515	Bulky dendritic triarylamine-based organic dyes for efficient co-adsorbent-free dye-sensitized solar cells. 2013 , 237, 195-203	36
514	Begonia dye as an efficient anthocyanin sensitizer. 2013 , 5, 043115	5
513	Influence of Cationic Precursors on CdS Quantum-Dot-Sensitized Solar Cell Prepared by Successive Ionic Layer Adsorption and Reaction. 2013 , 117, 26948-26956	71
512	Photovoltaic Performance of Vertically Grown ZnO Nanorods in Dye-sensitized Solar Cells. 2013 , 581, 116-125	1
511	X-ray Characterization of Dye Adsorption in Coadsorbed Dye-Sensitized Solar Cells. 2013 , 117, 17033-17038	14
510	Mesoporous titanium dioxide (TiO ₂) with hierarchically 3D dendrimeric architectures: formation mechanism and highly enhanced photocatalytic activity. 2013 , 394, 252-62	11

509	Size effect on thermal stability of nanocrystalline anatase TiO ₂ . 2013 , 46, 255303	17
508	Synergistic assembly of nanoparticle aggregates and texture nanosheets into hierarchical TiO ₂ core-shell structures for enhanced light harvesting in dye-sensitized solar cells. 2013 , 1, 6175	9
507	Toward tunable adsorption properties, structure, and crystallinity of titania obtained by block copolymer and scaffold-assisted templating. 2013 , 29, 12549-59	19
506	Visible light photoactive titanium dioxide aqueous colloids and coatings. 2013 , 230, 188-194	21
505	Perovskite ferroelectric nanomaterials. 2013 , 5, 8752-80	140
504	Photocatalytic reduction of CO ₂ for fuel production: Possibilities and challenges. 2013 , 308, 168-175	227
503	High photocatalytic activity enhancement of titania inverse opal films by slow photon effect induced strong light absorption. 2013 , 1, 15491	76
502	Brief air heating of TiO ₂ /dye films, to 120±50 °C; the effect on resulting liquid junction dye sensitised solar cells (DSSCs) and melt-processed solid-state DSSCs. 2013 , 1, 14154	4
501	Unusual particle-size-induced promoter-to-poison transition of ZrN in counter electrodes for dye-sensitized solar cells. 2013 , 1, 14350	66
500	Synthesis of square-like anatase TiO ₂ nanocrystals based on TiOF ₂ quantum dots. 2013 , 550, 475-478	8
499	Graphene oxide as auxiliary binder for TiO ₂ nanoparticle coating to more effectively fabricate dye-sensitized solar cells. 2013 , 222, 161-168	36
498	Verification of necessity of one-dimensional titania nanoscale materials for dye-sensitized solar cells. 2013 , 226, 94-100	11
497	Light harvesting enhancement for Ti-based dye-sensitized solar cells by introducing a grooved texture underlayer. 2013 , 3, 2216	4
496	Evaluation of N719 amount in TiO ₂ films for DSSC by thermogravimetric analysis. 2013 , 111, 453-458	9
495	Nanocrystalline solar cells with an antimony sulfide solid absorber by atomic layer deposition. 2013 , 6, 67-71	73
494	Effect of hydrothermal growth temperature on structural and optical properties of TiO ₂ nanoparticles. 2013 , 24, 553-558	3
493	Mesoporous thin films: properties and applications. 2013 , 42, 4198-216	227
492	Hierarchical rutile TiO ₂ flower cluster-based high efficiency dye-sensitized solar cells via direct hydrothermal growth on conducting substrates. 2013 , 9, 312-21	109

491	Novel nanostructure zinc zirconate, zinc oxide or zirconium oxide pastes coated on fluorine doped tin oxide thin film as photoelectrochemical working electrodes for dye-sensitized solar cell. 2013 , 104, 197-202	34
490	Separation of anatase phase from commercially available P25 powder for dye-sensitized solar cells. 2013 , 114, 681-687	11
489	Highly dispersed mesoporous TiO ₂ spheres via acid treatment and its application for dye-sensitized solar cells. 2013 , 243, 130-138	17
488	Retarded hydrolysis-condensing reactivity of tetrabutyl titanate by acetylacetone and the application in dye-sensitized solar cells. 2013 , 48, 4351-4356	8
487	Enhancement of the efficiency of dye-sensitized solar cells with highly ordered Pt-decorated nanostructured silicon nanowires based counter electrodes. 2013 , 96, 61-65	16
486	Dye-Sensitized Solar Cells. 2013 , 159-184	
485	Photovoltaic performance of ruthenium complex dye associated with number and position of carboxyl groups on bipyridine ligands. 2013 , 142, 420-427	5
484	A viscous titania paste with a single coating-sintering step for 804 nm thick, high-haze, high-quality TiO ₂ films of dye-sensitized solar cells. 2013 , 97, 266-272	4
483	Hierarchical TiO ₂ microspheres comprised of anatase nanospindles for improved electron transport in dye-sensitized solar cells. 2013 , 5, 324-30	65
482	Controllable synthesis of anatase TiO ₂ crystals for high-performance dye-sensitized solar cells. 2013 , 1, 5347	27
481	Highly efficient dye-sensitized solar cells: progress and future challenges. 2013 , 6, 1443	549
480	Photocatalytic WO ₃ and TiO ₂ Films on Brass. <i>International Journal of Applied Ceramic Technology</i> , 2013 , 10, 26-32	2 5
479	Ruthenium complex dye with designed ligand capable of chelating triiodide anion for dye-sensitized solar cells. 2013 , 1, 3463	14
478	Recent trends in mesoscopic solar cells based on molecular and nanopigment light harvesters. 2013 , 16, 11-18	108
477	Application of hierarchical TiO ₂ spheres as scattering layer for enhanced photovoltaic performance in dye sensitized solar cell. 2013 , 15, 3351	52
476	Impurity-Free Synthesis of Cube-Like Single-Crystal Anatase TiO ₂ for High Performance Dye-Sensitized Solar Cell. 2013 , 52, 4098-4102	17
475	Preparation of a highly-reflective TiO ₂ /SiO ₂ /Ag thin film with self-cleaning properties by magnetron sputtering for solar front reflectors. 2013 , 113, 7-12	31
474	Formation of size-tunable dandelion-like hierarchical rutile titania nanospheres for dye-sensitized solar cells. 2013 , 3, 559-565	20

473	Low temperature chemically synthesized rutile TiO ₂ photoanodes with high electron lifetime for organic dye-sensitized solar cells. 2013 , 49, 2921-3		35
472	Molecular Engineering of Organic Dyes for Improved Recombination Lifetime in Solid-State Dye-Sensitized Solar Cells. 2013 , 25, 1519-1525		58
471	Evaluating the Critical Thickness of TiO ₂ Layer on Insulating Mesoporous Templates for Efficient Current Collection in Dye-Sensitized Solar Cells. <i>Advanced Functional Materials</i> , 2013 , 23, 2775-2781	15.6	55
470	D-D- π A organic dyes containing 4,4'-di(2-thienyl)triphenylamine moiety for efficient dye-sensitized solar cells. 2013 , 15, 634-41		63
469	Preparation and characterization of chemically bonded aramid-titania hybrids using isocyanatopropyltrimethoxysilane. 2013 , 65, 243-254		3
468	Size-controlled synthesis of anisotropic TiO ₂ single nanocrystals using microwave irradiation and their application for dye-sensitized solar cells. 2013 , 42, 3295-9		23
467	Anatase TiO ₂ nanocrystals enclosed by well-defined crystal facets and their application in dye-sensitized solar cell. 2013 , 15, 516-523		34
466	Hydrothermal synthesis of a concentrated and stable dispersion of TiO ₂ nanoparticles. 2013 , 223, 135-144		28
465	The influence of sintering temperature on the engineered nanoporous titaniaceramics. 2013 , 96, 146-148		57
464	Dispersion and surface functionalization of oxide nanoparticles for transparent photocatalytic and UV-protecting coatings and sunscreens. 2013 , 14, 023001		201
463	Spectroelectrochemical Photoluminescence of Trap States of Nanocrystalline TiO ₂ in Aqueous Media. 2013 , 117, 13654-13662		42
462	Transition-metal nitride nanoparticles embedded in N-doped reduced graphene oxide: superior synergistic electrocatalytic materials for the counter electrodes of dye-sensitized solar cells. 2013 , 1, 3340		57
461	ZnO/TiO ₂ nanocable structured photoelectrodes for CdS/CdSe quantum dot co-sensitized solar cells. 2013 , 5, 936-43		115
460	Integration of Nanomaterials in Capillary and Microchip Electrophoresis as a Flexible Tool. 2013 , 327-357		4
459	Flexible dye-sensitized solar cell fabricated on plastic substrate by laser-detachment and press method. <i>Applied Surface Science</i> , 2013 , 270, 462-466	6.7	14
458	TiO ₂ rutile π anatase core π shell nanorod and nanotube arrays for photocatalytic applications. 2013 , 3, 3566		42
457	Synthesis and Characterization of Photoanode of Nanostructured TiO ₂ Sensitized by Natural Dyes for Application in DSSC. 2013 , 503-513		
456	Formulations and processing of nanocrystalline TiO ₂ films for the different requirements of plastic, metal and glass dye solar cell applications. 2013 , 24, 255401		15

455	Fully Plastic Dye Solar Cell Devices by Low-Temperature UV-Irradiation of both the Mesoporous TiO ₂ Photo- and Platinized Counter-Electrodes. 2013 , 3, 1292-1298	60
454	Facile Tailoring of Anatase TiO ₂ Morphology by Use of H ₂ O ₂ : From Microflowers with Dominant {101} Facets to Microspheres with Exposed {001} Facets. 2013 , 52, 6704-6712	36
453	A simple template-free 'sputtering deposition and selective etching' process for nanoporous thin films and its application to dye-sensitized solar cells. 2013 , 24, 365604	10
452	TiO ₂ nanocrystals coated rutile nanorod microspheres as the scattering layers for dye-sensitized solar cells. 2013 ,	1
451	Synthesis of high surface area TiO ₂ coatings on stainless steel by electrophoretic deposition. 2013 , 28, 2023-2030	15
450	. 2013 , 5, 2202811-2202811	7
449	Alignment ofTiO ₂ (Anatase) Crystal of Dye-Sensitized Solar Cells by External Magnetic Field. 2013 , 2013, 1-6	
448	The Influence of TiO ₂ Photoanode Morphology for Scattering Enhanced Properties of Dye-Sensitized Solar Cell. 2013 , 667, 425-434	3
447	Synthesis and Characterization of Titania Nanoparticles Functionalized With Hyperbranched Polymer Via Self-Condensing Vinyl Polymerization. 2013 , 43, 1034-1039	5
446	Influence of TiCl ₄ Treatment on Structure and Performance of Dye-Sensitized Solar Cells. 2013 , 52, 075002	24
445	Study the effect of TiO ₂ annealing and TiCl ₄ treatment on the performance of dye-sensitized solar cells. 2013 ,	1
444	Morphology and structure of heat-treated titania nanotubes. 2013 , 2, 35-41	5
443	Influence of Line Defects on the Electrical Properties of Single Crystal TiO ₂ . <i>Advanced Functional Materials</i> , 2013 , 23, 1798-1806	15.6 53
442	Optical modeling-assisted characterization of dye-sensitized solar cells using TiO ₂ nanotube arrays as photoanodes. 2014 , 5, 895-902	8
441	Characteristics of the Dye-Sensitized Solar Cells Using TiO ₂ Nanotubes Treated with TiCl ₄ 2014 , 7, 3522-3532	51
440	Investigation of the influence of coadsorbent dye upon the interfacial structure of dye-sensitized solar cells. 2014 , 141, 174709	5
439	Alignment of energy levels in dye/semiconductor interfaces by GW calculations: Effects due to coadsorption of solvent molecules. 2014 , 90,	11
438	Effect of TiO ₂ microbead pore size on the performance of DSSCs with a cobalt based electrolyte. 2014 , 6, 13787-94	17

437	Improved Efficiency of Dye-Sensitized Solar Cells Based on a Single Layer Deposition of Skein-Like TiO ₂ Nanotubes. <i>Journal of the American Ceramic Society</i> , 2014 , 97, 2873-2879	3.8	5
436	Simply synthesized TiO ₂ nanorods as an effective scattering layer for quantum dot sensitized solar cells. 2014 , 23, 047302		11
435	Augmented photocatalytic activity and luminescence response of Tb ³⁺ doped nanoscale titania systems. 2014 , 116, 144902		5
434	SalenZn-bridged D- π A Dyes For Dye-Sensitized Solar Cells. 2014 , 32, 513-520		18
433	Green-engineered all-substrate mesoporous TiO ₂ (2) photoanodes with superior light-harvesting structure and performance. 2014 , 7, 813-21		17
432	Diffraction-Grating-Embedded Dye-Sensitized Solar Cells with Good Light Harvesting. 2014 , 4, 1300978		16
431	Enhanced efficiency and improved photocatalytic activity of 1 : 1 composite mixture of TiO ₂ nanoparticles and nanotubes in dye-sensitized solar cell. 2014 , 37, 1489-1496		6
430	Triton Facilitated Spherical TiO ₂ Nanoparticles and Their Advantage in a Dye-Sensitized Solar Cell. 2014 , 04, 29-32		4
429	Performance of TiO ₂ Nanoparticles Synthesized at pH 2 as Photoelectrode in Dye Solar Cell. 2014 , 875-877, 77-81		
428	Size-tunable TiO ₂ nanocrystals from titanium (IV) bis (ammonium lactato) dihydroxide and towards enhance the performance of dye-sensitized solar cells. 2014 , 117, 268-275		13
427	Periodic density functional theory study on the interaction mode and mechanism of typical additives with TiO ₂ substrates for dye-sensitized solar cell applications. 2014 , 246, 10-18		16
426	Dependence of Dye Regeneration and Charge Collection on the Pore-Filling Fraction in Solid-State Dye-Sensitized Solar Cells. <i>Advanced Functional Materials</i> , 2014 , 24, 668-677	15.6	27
425	Capacitive contribution to Li-storage in TiO ₂ (B) and TiO ₂ (anatase). 2014 , 246, 103-109		68
424	The structural, morphological, and surface properties of tungsten-doped TiO ₂ nanopowders and their contribution to the photocatalytic activity. 2014 , 40, 115-126		11
423	Highly connected hierarchical textured TiO ₂ spheres as photoanodes for dye-sensitized solar cells. 2014 , 2, 8902-8909		52
422	Mesoporous microspheres composed of carbon-coated TiO ₂ nanocrystals with exposed {001} facets for improved visible light photocatalytic activity. 2014 , 147, 958-964		104
421	Synthesis, characterization, and comparative study of CdSe@TiO ₂ nanowires and CdSe@TiO ₂ nanoparticles. 2014 , 106, 109-117		18
420	A periodic density functional theory study of tetrazole adsorption on anatase surfaces: potential application of tetrazole rings in dye-sensitized solar cells. 2014 , 20, 2086		9

419	Effect of synthesis temperature on properties of nanoscale rutile with high surface area. 2014 , 9, 21-25	2
418	The influence of process parameters on the laser-induced coloring of titanium. 2014 , 115, 1003-1013	57
417	Clean and time-effective synthesis of anatase TiO ₂ nanocrystalline by microwave-assisted solvothermal method for dye-sensitized solar cells. 2014 , 247, 444-451	19
416	Dye-sensitized solar cells with reduced graphene oxide as the counter electrode prepared by a green photothermal reduction process. 2014 , 15, 1175-81	53
415	Titanium Dioxide Mesoporous Electrodes for Solid-State Dye-Sensitized Solar Cells: Cross-Analysis of the Critical Parameters. 2014 , 4, 1301362	7
414	Mesoporous TiO ₂ film modified with a sol-gel based interconnecting network for boosting the dye-sensitized solar cell performance. 2014 , 570, 268-272	8
413	Plasmon-enhanced Performance of Dye-sensitized Solar Cells Based on Electrodeposited Ag Nanoparticles. 2014 , 30, 1-7	31
412	High-temperature hydrogenation of pure and silver-decorated titanate nanotubes to increase their solar absorbance for photocatalytic applications. 2014 , 591, 147-155	30
411	Gold nanoparticles and poly(3,4-ethylenedioxythiophene) (PEDOT) hybrid films as counter-electrodes for enhanced efficiency in dye-sensitized solar cells. 2014 , 125, 601-605	19
410	Controlled synthesis of TiO ₂ nanoparticles and nanospheres using a microwave assisted approach for their application in dye-sensitized solar cells. 2014 , 2, 1662-1667	69
409	Theoretical and Experimental Study of a Dye-Sensitized Solar Cell. 2014 , 53, 5234-5247	25
408	Influence of co-existing species on charge transfer in dye-sensitized nanocrystalline oxide semiconductors in aqueous suspension for H ₂ evolution under visible light. 2014 , 147, 770-778	19
407	Characterization of the TiO ₂ /dye/electrolyte interfaces in dye-sensitized solar cells by means of a titania-binding nitroxide. 2014 , 30, 13570-80	4
406	An efficient photoanode consisting of TiO ₂ nanoparticle-filled TiO ₂ nanotube arrays for dye sensitized solar cells. 2014 , 268, 941-949	39
405	Quantitative electron tomography investigation of a TiO ₂ based solar cell photoanode. 2014 , 522, 012063	1
404	Synthesis of single crystalline sub-micron rutile TiO ₂ rods using hydrothermal treatment in acidic media. 2014 , 16, 8486-8491	9
403	An N-doped anatase/rutile TiO ₂ hybrid from low-temperature direct nitridization: enhanced photoactivity under UV-/visible-light. 2014 , 4, 420-427	38
402	Remarkable photocurrent of p-type dye-sensitized solar cell achieved by size controlled CuGaO ₂ nanoplates. 2014 , 2, 2968-2976	83

401	Controllable synthesis of spherical anatase mesocrystals for lithium ion batteries. 2014 , 38, 4754-4759	7
400	Monodisperse TiO ₂ mesoporous spheres with core-shell structure: candidate photoanode materials for enhanced efficiency dye sensitized solar cells. 2014 , 4, 23396	17
399	Melt-infiltration of spiro-OMeTAD and thermal instability of solid-state dye-sensitized solar cells. 2014 , 16, 4864-70	66
398	Tuning the crystallinity parameters in macroporous titania films. 2014 , 2, 6504	18
397	Quasi-photonic crystal effect of TiCl ₄ electrolyte matrix in unipolar dye-absorber devices. 2014 , 6, 14399-404	5
396	The effects of the solvent ratio on the electron transport for non-sintering flexible TiO ₂ photoanodes. 2014 , 146, 164-170	2
395	Flexible, transferable, and thermal-durable dye-sensitized solar cell photoanode consisting of TiO ₂ nanoparticles and electrospun TiO ₂ /SiO ₂ nanofibers. 2014 , 6, 15925-32	37
394	CdSe-CdS quantum dots co-sensitized ZnO hierarchical hybrids for solar cells with enhanced photo-electrical conversion efficiency. 2014 , 6, 13135-44	22
393	Nanocomposite Graphene/Pt Electrocatalyst as Economical Counter Electrode for Dye-Sensitized Solar Cells. 2014 , 1, 416-425	34
392	2D-ice templated titanium oxide films as advanced conducting platforms for electrical stimulation. 2014 , 2, 2806-2814	12
391	Spray deposited copper zinc tin sulphide (Cu ₂ ZnSnS ₄) film as a counter electrode in dye sensitized solar cells. 2014 , 16, 23993-9	64
390	A Highly Efficient Dye-sensitized Solar Cell with a Blocking Layer and TiCl ₄ Treatment to Suppress Dark Reaction. 2014 , 36, 1810-1817	2
389	Photoreduction of CO ₂ over the well-crystallized ordered mesoporous TiO ₂ with the confined space effect. 2014 , 9, 50-60	110
388	Effect of acidic additives on the structure and performance of TiO ₂ films prepared by a commercial nanopowder for dye-sensitized solar cells. 2014 , 72, 164-173	23
387	A review on materials for light scattering in dye-sensitized solar cells. 2014 , 4, 17615-17638	108
386	Ultrathin Exfoliated TiO ₂ Nanosheets Modified with ZrO ₂ for Dye-Sensitized Solar Cells. 2014 , 118, 18917-18923	23
385	Nanoarchitecture Effects on Persistent Room Temperature Photoconductivity and Thermal Conductivity in Ceramic Semiconductors: Mesoporous, Yolk-shell, and Hollow ZnO Spheres. 2014 , 14, 4593-4601	21
384	Hydrothermal synthesis of rutile anatase TiO ₂ nanobranched arrays for efficient dye-sensitized solar cells. <i>Applied Surface Science</i> , 2014 , 320, 487-493	6.7 32

- 383 Grape pigment (malvidin-3-fructoside) as natural sensitizer for dye-sensitized solar cells. **2014**, 3, 1 9
- 382 Dye sensitized solar cells as optically random photovoltaic media. **2014**, 7, 689 32
- 381 New layer-by-layer Nb₂O₅/TiO₂ film as an effective underlayer in dye-sensitized solar cells. **2014**, 4, 10310-10316 16
- 380 High-efficiency AgInS₂-modified ZnO nanotube array photoelectrodes for all-solid-state hybrid solar cells. **2014**, 6, 17119-25 50
- 379 TiO₂ and TiO₂/SiO₂ nanoparticles obtained by sol-gel method and applied on dye sensitized solar cells. **2014**, 72, 273-281 17
- 378 Photovoltaic response of dye-sensitized solar cell using 2',7'-dichlorofluorescein as an organic dye. **2014**, 28, 77-83 11
- 377 Efficient Panchromatic Light Harvesting with Co-Sensitization of Zinc Phthalocyanine and Bithiophene-Based Organic Dye for Dye-Sensitized Solar Cells. **2014**, 2, 718-725 63
- 376 Micro-Raman analysis of reverse bias stressed dye-sensitized solar cells. **2014**, 4, 12366 20
- 375 Low temperature sintering of binder-containing TiO₂/metal peroxide pastes for dye-sensitized solar cells. **2014**, 2, 11134-11143 13
- 374 Multiwalled Carbon Graphene Oxide Nanoribbon as the Counter Electrode for Dye-Sensitized Solar Cells. **2014**, 118, 16626-16634 66
- 373 Density of state determination of two types of intra-gap traps in dye-sensitized solar cells and its influence on device performance. **2014**, 16, 11626-32 24
- 372 Submicrometer@nano Bimodal TiO₂ Particles as Easily Sintered, Crack-Free, and Current-Contributed Scattering Layers for Dye-Sensitized Solar Cells. **2014**, 118, 16951-16958 5
- 371 Controllable synthesis of TiO₂ hierarchical and their applications in lithium ion batteries. **2014**, 4, 42772-42778 3
- 370 Spectral radiative property control method based on filling solution. **2014**, 132, 61-69 2
- 369 Stability of templated and nanoparticles dye-sensitized solar cells: photovoltaic and electrochemical investigation of degradation mechanisms at the photoelectrode interface. **2014**, 115, 478-486 6
- 368 Influence of microwave plasma pre-treatments of TiO₂ electrodes on dye-sensitized solar cell efficiencies. **2014**, 725, 12-18 4
- 367 Application of monodisperse TiO₂ nanoparticles with the size of 80 nm in dye-sensitized solar cells. **2014**, 31, 33-36 4
- 366 A light addressable electrode with a TiO₂ nanocrystalline film for localized electrical stimulation of cultured neurons. **2014**, 192, 393-398 23

365	Mesoporous TiO ₂ beads for high efficiency CdS/CdSe quantum dot co-sensitized solar cells. 2014 , 2, 2517	96
364	Electron transport in dye-sensitized solar cells based on TiO ₂ nanowires. 2014 , 57, 892-897	5
363	Polymorphic phase transition among the titania crystal structures using a solution-based approach: from precursor chemistry to nucleation process. 2014 , 6, 11574-632	183
362	All-nano-TiO ₂ compact film for high-performance dye-sensitized solar cells. 2014 , 6, 10421-8	17
361	Preparation of layered nanoporous Ti/TiO ₂ /Ni ₂ W electrode for electrocatalytic reduction of coal. 2014 , 134, 151-158	9
360	Iodide-conducting plastic crystals based on N,N-dimethyl-2-(methylsilyloxy) ethanaminium cations (MESEAn ⁺) for application in dye-sensitized solar cells. 2014 , 39, 2896-2903	6
359	Dense Core/Mesoporous Outer Layer Scattering Beads for Dye-sensitized Solar Cells. 2014 , 43, 1896-1898	2
358	Engineering of Self-Organizing Electrochemistry: Porous Alumina and Titania Nanotubes. 2015 , 145-192	3
357	Creation of advanced optical responsive functionality of ceramics by green processes. 2015 , 123, 823-834	27
356	Fabrication of dye sensitized solar cells with different photoanode compositions using hydrothermally grown and P25 TiO ₂ nanocrystals. 2015 , 69, 20401	8
355	Optimization of Titania Post-Necking Treatment of TaON Photoanodes to Enhance Water-Oxidation Activity under Visible-Light Irradiation. 2015 , 2, 1270-1278	14
354	CdSeTe@CdS@ZnS Quantum-Dot-Sensitized Macroporous Tio Film: A Multisignal-Amplified Photoelectrochemical Platform. 2015 , 16, 2826-2835	14
353	Correlation between Energy and Spatial Distribution of Intragap Trap States in the TiO ₂ Photoanode of Dye-Sensitized Solar Cells. 2015 , 16, 2253-9	25
352	Synthesis and Electrochemical Properties of Transparent Nanostructured BaTiO ₃ Film Electrodes. 2015 , 05, 30-39	1
351	Synergistic effect of TiCl ₄ /ZnO treated TiO ₂ nanotubes in dye-sensitized solar cell. 2015 , 54, 06FK02	2
350	Synthesis of PbS/Ni ²⁺ doped CdS quantum dots cosensitized solar cells: Enhanced power conversion efficiency and durability. 2015 , 173, 812-818	19
349	3,4-Ethylenedioxythiophene-based cobalt complex: an efficient co-mediator in dye-sensitized solar cells with poly(3,4-ethylenedioxythiophene) counter-electrode. 2015 , 179, 237-240	11
348	Spectroscopic Investigations on Degradative Processes of cis-Bis(isothiocyanato)bis(2,2'-bipyridyl-4,4'-dicarboxylato) Ruthenium(II) Anchored on Anatase TiO ₂ Surface. 2015 , 622, 158-163	

- 347 Characterization of the photoelectron behavior of working electrodes modified with a titanium-dioxide window layer in dye-sensitized solar cells. **2015**, 67, 1899-1903
- 346 The Synthesis, Characterisation, Photophysical and Thermal Properties, and Photovoltaic Performance of 7-Coumarinoxy-4-Methyltetrasubstituted Metallophthalocyanines. **2015**, 68, 1025 12
- 345 Multi-layered architecture of electrodes containing uniform TiO₂ aggregates layers for improving the light scattering efficiency of dye-sensitized solar cells. **2015**, 26, 9808-9816 7
- 344 Polyiodides formation in solvent based Dye Sensitized Solar Cells under reverse bias stress. **2015**, 287, 87-95 23
- 343 Fabrication and characterization of a multi-walled carbon nanotube-based counter electrode for dye-sensitized solar cells. **2015**, 30, 391-396 11
- 342 Based on Cu(II) silicotungstate modified photoanode with long electron lifetime and enhanced performance in dye sensitized solar cells. **2015**, 278, 527-533 23
- 341 Recent progress in organic sensitizers for dye-sensitized solar cells. **2015**, 5, 23810-23825 181
- 340 Multi-dimensional titanium dioxide with desirable structural qualities for enhanced performance in quantum-dot sensitized solar cells. **2015**, 282, 202-210 40
- 339 Atmospheric-pressure-plasma-jet sintered dual-scale porous TiO₂ using an economically favorable NaCl solution. **2015**, 281, 252-257 10
- 338 Performance Enhancement in Dye-Sensitized Solar Cells with Composite Mixtures of TiO₂ Nanoparticles and TiO₂ Nanotubes. **2015**, 28, 354-361 12
- 337 Photocatalytic properties of titania/porous carbon fibers composites prepared by self-template method. **2015**, 50, 2921-2931 13
- 336 Electrical conductivity and phase transition studies of TiO₂-BaO system. **2015**, 89, 136-143 1
- 335 Ordered porous TiO₂ films obtained by freezing and the application in dye sensitized solar cells. **2015**, 15, 662-668 21
- 334 Design of organic dyes for dye-sensitized solar cells: Extending π -conjugation backbone via Click reaction to improve photovoltaic performances. **2015**, 117, 108-115 7
- 333 Mixed P25 nanoparticles and large rutile particles as a top scattering layer to enhance performance of nanocrystalline TiO₂ based dye-sensitized solar cells. *Applied Surface Science*, **2015**, 337, 188-194 6.7 26
- 332 Low temperature preparation of TiO₂ nanoparticle chains without hydrothermal treatment for highly efficient dye-sensitized solar cells. **2015**, 3, 4477-4483 19
- 331 The role of oxygen and titanium related defects on the emission of TiO₂:Tb³⁺ nano-phosphor for blue lighting applications. **2015**, 46, 510-516 42
- 330 Design of TiO₂ dye-sensitized solar cell photoanode electrodes with different microstructures and arrangement modes of the layers. **2015**, 76, 666-678 19

329	Mechanical properties of epoxy nanocomposites using titanium dioxide as reinforcement [A review]. 2015 , 95, 506-524	92
328	A new strategy on utilizing nitrogen doped TiO ₂ in nanostructured solar cells: Embedded multifunctional N-TiO ₂ scattering particles in mesoporous photoanode. 2015 , 72, 64-69	9
327	Assessment of Novel Water-Borne Coatings Obtained from Composite Latex Particles and Reinforced with TiO ₂ Nanotubes. 2015 , 54, 730-740	1
326	Effect of reaction time on the formation of TiO ₂ nanotubes prepared by hydrothermal method. 2015 , 126, 2491-2494	24
325	Well-connected TiO ₂ nanocrystals via solid-state reaction for dye-sensitized solar cells. 2015 , 176, 480-487	6
324	Self-assembled ultrathin titania nanosheets as blocking layers for significantly enhanced photocurrent and photovoltage of dye-sensitized solar cells. 2015 , 3, 17042-17049	7
323	Zirconium Oxide Post-treatment for TiO ₂ Photoelectrodes in Dye-Sensitized Solar Cells. 2015 , 174, 502-507	9
322	Electroabsorption spectra of push-pull porphyrins in solution and in solid films. 2015 , 19, 527-534	
321	The influence of the preparation method of NiOx photocathodes on the efficiency of p-type dye-sensitized solar cells. 2015 , 304-305, 179-201	73
320	Dye-sensitized solar cells based on hierarchically structured porous TiO ₂ filled with nanoparticles. 2015 , 3, 11320-11329	30
319	Efficiency enhancement in dye-sensitized solar cells with a novel PAN-based gel polymer electrolyte with ternary iodides. 2015 , 19, 2353-2359	25
318	Development of an aqueous TiO ₂ paste in terms of morphological manipulation of nanostructured photoanode electrode of dye-sensitized solar cells. 2015 , 75, 447-459	5
317	Limited Crystallite Growth upon Isothermal Annealing of Nanocrystalline Anatase. 2015 , 15, 2282-2290	13
316	Optical properties of a conjugated-polymer-sensitized solar cell: the effect of interfacial structure. 2015 , 17, 14489-94	
315	Photonic design of embedded dielectric scatterers for dye sensitized solar cells. 2015 , 5, 33098-33104	9
314	New insights into electrolyte-component biased and transfer- and transport-limited charge recombination in dye-sensitized solar cells. 2015 , 5, 84959-84966	5
313	Synthesis of Nanoparticles via Solvothermal and Hydrothermal Methods. 2015 , 1-28	23
312	The role of printing techniques for large-area dye sensitized solar cells. 2015 , 30, 104003	65

311	Plasmonic enhancement of low cost mesoporous Fe ₂ O ₃ -TiO ₂ loaded with palladium, platinum or silver for dye sensitized solar cells (DSSCs). <i>Applied Surface Science</i> , 2015 , 359, 315-322	6.7	27
310	Improving interfacial electron transfer and light harvesting in dye-sensitized solar cells by using Ag nanowire/TiO ₂ nanoparticle composite films. 2015 , 5, 70172-70177		24
309	Effect of TiCl ₄ treatment on the refractive index of nanoporous TiO ₂ films. <i>Applied Surface Science</i> , 2015 , 357, 659-665	6.7	5
308	Sandwich-like design of TiO ₂ electrodes containing multiple light scattering layers for dye-sensitized solar cells applications. 2015 , 594, 88-95		5
307	Anodized aluminum-silicon alloy counter electrode substrates for next generation solar cell applications. <i>Applied Surface Science</i> , 2015 , 356, 317-324	6.7	9
306	The effects of gold colloid concentration on photoanode electrodes to enhance plasmonic dye-sensitized solar cells performance. 2015 , 26, 6276-6284		8
305	Size effects of platinum nanoparticles on the electrocatalytic ability of the counter electrode in dye-sensitized solar cells. 2015 , 17, 241-253		38
304	Effects of different treatment of TiO ₂ electrodes on photovoltaic characteristics of dye-sensitized solar cells. 2015 , 51, 394-400		3
303	Adsorption of porphyrin and carminic acid on TiO ₂ nanoparticles: A photo-active nano-hybrid material for hybrid bulk heterojunction solar cells. 2015 , 153, 397-404		18
302	Synthesis of mesoporous TiO ₂ spheres and aggregates by sol-gel method for dye-sensitized solar cells. 2015 , 141, 259-262		14
301	Rapid construction of TiO ₂ aggregates using microwave assisted synthesis and its application for dye-sensitized solar cells. 2015 , 5, 8622-8629		44
300	Improvement of light harvesting and device performance of dye-sensitized solar cells using rod-like nanocrystal TiO ₂ overlay coating on TiO ₂ nanoparticle working electrode. 2015 , 151, 330-336		12
299	Facile self-assembly and stabilization of metal oxide nanoparticles. 2015 , 442, 110-9		8
298	Structural and photovoltaic characteristics of hierarchical ZnO nanostructures electrodes. <i>Applied Surface Science</i> , 2015 , 334, 145-150	6.7	8
297	Facile preparation of stable aqueous titania sols for fabrication of highly active TiO ₂ photocatalyst films. 2015 , 3, 1688-1695		33
296	Nanotubular Cr-doped TiO ₂ for use as high-temperature NO ₂ gas sensor. 2015 , 217, 78-87		72
295	A novel nanocomposite based on TiO ₂ /Cu ₂ O/reduced graphene oxide with enhanced solar-light-driven photocatalytic activity. <i>Applied Surface Science</i> , 2015 , 324, 419-431	6.7	70
294	Nitrogen doped TiO ₂ -Cu(x)O core-shell mesoporous spherical hybrids for high-performance dye-sensitized solar cells. 2015 , 17, 563-74		23

293	Anatase TiO ₂ hierarchical structures composed of ultra-thin nano-sheets exposing high percentage {001} facets and their application in quantum-dot sensitized solar cells. 2015 , 624, 94-99	39
292	Photo-conversion efficiency measurement of dye-sensitized solar cell using nanocrystalline TiO ₂ thin film as photo-anodes. 2015 , 61, 21-26	7
291	Thin Film Co ₃ O ₄ /TiO ₂ Heterojunction Solar Cells. 2015 , 5, 1401007	66
290	Recent advances in dye-sensitized solar cells: from photoanodes, sensitizers and electrolytes to counter electrodes. 2015 , 18, 155-162	511
289	Phase formation mechanism of the zinc titanate precursor powders prepared at various pH using a hydrothermal process. 2015 , 41, 2028-2041	6
288	Defects in Porous Networks of WO ₃ Particle Aggregates. 2016 , 3, 658-667	9
287	Fabrication of Nanostructured TiO ₂ Using a Solvothermal Reaction for Lithium-ion Batteries. 2016 , 6, 15	7
286	Iron Pyrite/Titanium Dioxide Photoanode for Extended Near Infrared Light Harvesting in a Photoelectrochemical Cell. 2016 , 6, 20397	23
285	Interplay between mass-impurity and vacancy phonon scattering effects on the thermal conductivity of doped cadmium oxide. 2016 , 108, 021901	18
284	Influence of ball milling on textural and morphological properties of TiO ₂ and TiO ₂ /SiO ₂ xerogel powders applied in photoanodes for solar cells. 2016 , 20, 1731-1741	8
283	Structural and electronic properties of Mg and Mg-Nb co-doped TiO ₂ (101) anatase surface. <i>Applied Surface Science</i> , 2016 , 384, 298-303	6.7 16
282	Influence of DNA and DNA-PEDOT: PSS on dye sensitized solar cell performance. 2016 , 627, 38-48	10
281	Synthesis and characterization of Cr ³⁺ doped TiO ₂ nanometric powders. 2016 , 42, 1862-1869	7
280	Quasi-monodispersed anatase TiO ₂ submicrospheres as current-contributed scattering particles for dye-sensitized solar cells. 2016 , 204, 227-234	7
279	Porous TaON Photoanodes Loaded with Cobalt-Based Cocatalysts for Efficient and Stable Water Oxidation Under Visible Light. 2016 , 59, 740-749	12
278	Effect of different fuels on surface morphology and microstructure of TiO ₂ (Ti 0.98 Si 0.2)O ₂ composite nanoparticles. 2016 , 42, 10099-10104	4
277	Inverted organic photovoltaic cells. 2016 , 45, 2937-75	153
276	Co ₃ O ₄ Based All-Oxide PV: A Numerical Simulation Analyzed Combinatorial Material Science Study. 2016 , 120, 9053-9060	21

275	Synthesis and characterization of DSSC by using Pt nano-counter electrode: photosensor applications. 2016 , 122, 1		5
274	Comprehensive review on material requirements, present status, and future prospects for building-integrated semitransparent photovoltaics (BISTPV). 2016 , 4, 8512-8540		71
273	Biodegradable electronics: cornerstone for sustainable electronics and transient applications. 2016 , 4, 5531-5558		124
272	Observation of phase-retention behavior of the $\text{HC}(\text{NH}_2)_2\text{PbI}_3$ black perovskite polymorph upon mesoporous TiO_2 scaffolds. 2016 , 52, 7273-5		37
271	Mesoporous TiO_2 nanosheet with a large amount of exposed {001} facets as sulfur host for high-performance lithium-sulfur batteries. 2016 , 20, 2161-2168		20
270	Electronic Coupling/Decoupling-Dependent Single-Molecule Interfacial Electron Transfer Dynamics in Electrostatically Attached Porphyrin on TiO_2 Nanoparticles. 2016 , 120, 12313-12324		3
269	Pore Size Dependent Hysteresis Elimination in Perovskite Solar Cells Based on Highly Porous TiO_2 Films with Widely Tunable Pores of 15-40 nm. 2016 , 28, 7134-7144		41
268	Correlations of Optical Absorption, Charge Trapping, and Surface Roughness of TiO_2 Photoanode Layer Loaded with Neat Ag-NPs for Efficient Perovskite Solar Cells. 2016 , 8, 21522-30		24
267	Eu doped down shifting TiO layer for efficient dye-sensitized solar cells. 2016 , 484, 24-32		35
266	Fabrication and characterization of an immobilized titanium dioxide (TiO_2) nanofiber photocatalyst. <i>Materials Today: Proceedings</i> , 2016 , 3, 1582-1591	1.4	8
265	Hierarchical rutile TiO_2 aggregates: A high photonic strength material for optical and optoelectronic devices. 2016 , 119, 92-103		26
264	Application of Three-Dimensionally Ordered Mesoporous TiO_2 Particles as Dual-function Scatterers in Dye-Sensitized Solar Cells. 2016 , 222, 1079-1085		7
263	Research of obtaining TiO_2 by sol-gel method using titanium isopropoxide TIP and tetra-n-butyl orthotitanate TNB. 2016 , 145, 072011		5
262	Parametric Optimization of Experimental Conditions for Dye-Sensitized Solar Cells based on Far-red Sensitive Squaraine Dye. 2016 , 704, 012002		1
261	Fabrication of dye-sensitized solar cells with multilayer photoanodes of hydrothermally grown TiO_2 nanocrystals and P25 TiO_2 nanoparticles. 2016 , 39, 1403-1410		3
260	Porous-Hybrid Polymers as Platforms for Heterogeneous Photochemical Catalysis. 2016 , 8, 19994-20002		30
259	Wrinkled silica/titania nanoparticles with tunable interwinkle distances for efficient utilization of photons in dye-sensitized solar cells. 2016 , 6, 30829		25
258	Enhanced photovoltaic properties in dye sensitized solar cells by surface treatment of SnO_2 photoanodes. 2016 , 6, 23312		59

257	Improvement in performance of dye-sensitized solar cells with porous TiO ₂ electrodes using squid ink particles. 2016 , 55, 06GK01		2
256	Low temperature rapid synthesis of direct mesoporous anatase TiO ₂ nano-aggregates and its application in dye-sensitized solar cell. <i>Materials Today: Proceedings</i> , 2016 , 3, 2413-2421	1.4	6
255	Ionic gel electrolytes composite with SiO ₂ nanoparticles for quasi-solid-state dye-sensitized solar cells. 2016 , 122, 1		5
254	Optimisation of anatase TiO ₂ thin film growth on LaAlO ₃ (0 0 1) using pulsed laser deposition. <i>Applied Surface Science</i> , 2016 , 388, 684-690	6.7	8
253	Mesoporous films prepared from synthesized TiO ₂ nanoparticles and their application in dye-sensitized solar cells (DSSCs). 2016 , 210, 606-614		30
252	Broadband and Low-Loss Plasmonic Light Trapping in Dye-Sensitized Solar Cells Using Micrometer-Scale Rodlike and Spherical Core-Shell Plasmonic Particles. 2016 , 8, 16359-67		8
251	Effect on the stabilization of the anatase phase and luminescent properties of samarium-doped TiO ₂ nanocrystals prepared by microwave irradiation. 2016 , 687, 121-129		13
250	Synthesis and photocatalytic activity of TiO ₂ nanoparticles prepared by sol-gel method. 2016 , 78, 299-306		46
249	Efficient bifacial dye-sensitized solar cells through disorder by design. 2016 , 4, 1953-1961		28
248	Preparation of gold and gold-silver alloy nanoparticles for enhancement of plasmonic dye-sensitized solar cells performance. 2016 , 126, 93-104		46
247	Synthesis of large-area graphene improved with TiO ₂ for a novel photonic response by the ultrasonic method via CVD. 2016 , 24, 108-115		2
246	An Alkyloxyphenyl Group as a Sterically Hindered Substituent on a Triphenylamine Donor Dye for Effective Recombination Inhibition in Dye-Sensitized Solar Cells. 2016 , 32, 1178-83		18
245	Aqueous, Screen-Printable Paste for Fabrication of Mesoporous Composite Anatase-Rutile TiO ₂ Nanoparticle Thin Films for (Photo)electrochemical Devices. 2016 , 4, 2173-2181		17
244	Electrochromic mirror using viologen-anchored nanoparticles. 2016 , 82, 16-21		20
243	Titania@gold plasmonic nanoarchitectures: An ideal photoanode for dye-sensitized solar cells. 2016 , 60, 408-420		48
242	Efficient dye-sensitized solar cells based on TiO ₂ nanoparticles and skein-like nanotubes: Effect of arrangement modes of the layers and TiCl ₄ treatment. 2016 , 61, 138-146		17
241	Copper and nitrogen doping on TiO ₂ photoelectrodes and their functions in dye-sensitized solar cells. 2016 , 306, 764-771		40
240	Effect of Ag-doped TiO ₂ thin film passive layers on the performance of photo-anodes for dye-sensitized solar cells. 2016 , 43, 17-24		19

- 239 Hierarchical TiO₂B/anatase core/shell nanowire arrays for efficient dye-sensitized solar cells. **2016**, 6, 1288-1295 6
- 238 Structure-controlled porous films of nanoparticulate Rh-doped SrTiO₃ photocatalyst toward efficient H₂ evolution under visible light irradiation. **2016**, 6, 254-260 6
- 237 Synthesis of Nanoparticles via Solvothermal and Hydrothermal Methods. **2016**, 295-328 16
- 236 Optimized TiO₂ nanoparticle packing for DSSC photovoltaic applications. **2016**, 148, 52-59 35
- 235 Light scattering management of dye-sensitized solar cells based on double-layered photoanodes aided by uniform TiO₂ aggregates. **2016**, 73, 268-275 11
- 234 Nanoscale TiO₂ films and their application in remediation of organic pollutants. **2016**, 306, 43-64 92
- 233 Solution-phase synthesis of transition metal oxide nanocrystals: Morphologies, formulae, and mechanisms. **2017**, 244, 199-266 58
- 232 Semi-transparent solar cells. **2017**, 50, 093001 43
- 231 Adsorption modes of 1,3-thiazol-2-amine on the TiO₂ (001) and (101) anatase surfaces. **2017**, 28, 1151-1162 2
- 230 Rheological properties of TiO₂ suspensions varied by shifting the electrostatic inter-particle interactions with an organic co-solvent. **2017**, 522, 425-432 12
- 229 Size-controlled synthesis of ZIF-8 particles and their pyrolytic conversion into ZnO aggregates as photoanode materials of dye-sensitized solar cells. **2017**, 19, 2844-2851 19
- 228 Efficient Bulk Heterojunction CHNHPbI-TiO Solar Cells with TiO Nanoparticles at Grain Boundaries of Perovskite by Multi-Cycle-Coating Strategy. **2017**, 9, 16202-16214 17
- 227 Multi-layered hierarchical nanostructures for transparent monolithic dye-sensitized solar cell architectures. **2017**, 28, 245603 7
- 226 Organic and Inorganic Hybrid Solar Cells. **2017**, 1-35 2
- 225 On the sol-gel synthesis mechanism of nanostructured Li_{3.95}La_{0.05}Ti_{4.95}Ag_{0.05}O₁₂ with enhanced electrochemical performance for lithium ion battery. **2017**, 43, 3393-3400 4
- 224 The Direct Electrochemistry of Fuel-Forming Enzymes on Semiconducting Electrodes: How Light-Harvesting Semiconductors Can Alter the Bias of Reversible Electrocatalysts in Favour of H₂ Production and CO₂ Reduction. **2017**, 157-177
- 223 TiO₂ nanotube arrays: hydrothermal fabrication and photocatalytic activities. **2017**, 28, 12509-12513 3
- 222 Hetero-epitaxial growth control of single-crystalline anatase TiO₂ nanosheets predominantly exposing the {001} facet on oriented crystalline substrates. **2017**, 19, 4734-4741 3

221	Effect of Calcination Temperature on Non-linear Absorption Co-efficient of Nano Sized Titanium Dioxide (TiO ₂) Synthesised by Sol-Gel Method. <i>Materials Today: Proceedings</i> , 2017 , 4, 4372-4379	1.4	13
220	Interrelationship between TiO nanoparticle size and kind/size of dyes in the mechanism and conversion efficiency of dye sensitized solar cells. 2017 , 19, 11187-11196		11
219	Fabrication of dye sensitized solar cells with improved multi-layer photonodes of hydrothermally grown TiO ₂ nanocrystals in different autoclaving pHs. 2017 , 28, 9548-9558		2
218	Novel flexible photoanode based on Ag nanowire/polymer composite electrode. 2017 , 28, 10092-10097		8
217	Effect of electric fields on tin nanoparticles prepared by laser ablation in water. 2017 , 29, 012002		22
216	Stability issues pertaining large area perovskite and dye-sensitized solar cells and modules. 2017 , 50, 033001		30
215	Improving photoanodes to obtain highly efficient dye-sensitized solar cells: a brief review. 2017 , 4, 319-344		129
214	Anatase TiO ₂ single crystal hollow nanoparticles: their facile synthesis and high-performance in dye-sensitized solar cells. 2017 , 19, 325-334		19
213	Rapid and low temperature processing of mesoporous TiO ₂ for perovskite solar cells on flexible and rigid substrates. 2017 , 13, 232-240		25
212	Facile preparation of CuWO ₄ porous films and their photoelectrochemical properties. 2017 , 256, 139-145		42
211	Thermally Stable and Electrically Conductive, Vertically Aligned Carbon Nanotube/Silicon Infiltrated Composite Structures for High-Temperature Electrodes. 2017 , 9, 37340-37349		10
210	Few-layered metallic 1T-MoS ₂ /TiO ₂ with exposed (001) facets: two-dimensional nanocomposites for enhanced photocatalytic activities. 2017 , 19, 28207-28215		24
209	Mesoporous TiO ₂ hierarchical structures: preparation and efficacy in solar cells. 2017 , 7, 49057-49065		7
208	Effects of TiCl ₄ treatment on the structural and electrochemical properties of a porous TiO ₂ layer in CHNHPbI ₃ perovskite solar cells. 2017 , 19, 26898-26905		16
207	Photo current enhancement of natural dye sensitized solar cell by optimizing dye extraction and its loading period. 2017 , 149, 174-183		44
206	Enhancing Performance and Uniformity of Perovskite Solar Cells via a Solution-Processed C Interlayer for Interface Engineering. 2017 , 9, 33810-33818		20
205	Unraveling the Intrinsic Structures that Influence the Transport of Charges in TiO ₂ Electrodes. 2017 , 7, 1700886		19
204	Aggregated mesoporous nanoparticles for high surface area light scattering layer TiO ₂ photoanodes in Dye-sensitized Solar Cells. 2017 , 7, 10341		26

203	Self-oriented TiO ₂ nanosheets in films for enhancement of electron transport in nanoporous semiconductor networks. 2017 , 1, 2094-2102	6
202	Electron transport properties in dye-sensitized solar cells with {001} facet-dominant TiO nanoparticles. 2017 , 19, 22129-22140	10
201	Mesoporous sub-microsphere assembly of TiO ₂ nanocubes with highly exposed (101) facets and improved photovoltaic performance. 2017 , 28, 16493-16503	1
200	Key Anodization Factors for Determining the Formation of TiO ₂ Microcones vs Nanotubes. 2017 , 164, D640-D644	6
199	A photoactive layer in photochromic glazing. 2017 , 171, 85-90	19
198	Fabricating TiO nanocolloids by electric spark discharge method at normal temperature and pressure. 2017 , 28, 465701	9
197	Improved light harvest in diffraction grating-embedded TiO ₂ nanoparticle film. 2017 , 123, 1	3
196	Modelling realistic TiO nanospheres: A benchmark study of SCC-DFTB against hybrid DFT. 2017 , 147, 164701	34
195	Recent progress on mixed-anion type visible-light induced photocatalysts. 2017 , 60, 1447-1457	13
194	Mn doped CdS passivated CuInSe ₂ quantum dot sensitized solar cells with remarkably enhanced photovoltaic efficiency. 2017 , 7, 33106-33112	13
193	Hierarchical porous photoanode based on acid boric catalyzed sol for dye sensitized solar cells. <i>Applied Surface Science</i> , 2017 , 394, 37-46	6.7 8
192	Swift sol-gel synthesis of mesoporous anatase-rich TiO ₂ aggregates via microwave and a lyophilization approach for improved light scattering in DSSCs. 2017 , 52, 2308-2318	7
191	Thermally Stable Boron-Doped Multiwalled Carbon Nanotubes as a Pt-free Counter Electrode for Dye-Sensitized Solar Cells. 2017 , 5, 537-546	30
190	Novel triple-layered photoanodes based on TiO ₂ nanoparticles, TiO ₂ nanotubes, and NaYF ₄ :Er ³⁺ , Yb ³⁺ @SiO ₂ @TiO ₂ for highly efficient dye-sensitized solar cells. 2017 , 160, 361-371	22
189	CuO@ZnO core-shell nanocomposites: Novel hydrothermal synthesis and enhancement in photocatalytic property. 2017 , 691, 171-177	49
188	Photovoltaic performances of DSCs fabricated with a screen-printable TiO ₂ -submicrosphere paste. 2017 , 332, 432-439	3
187	Parametric Optimization of Dye-Sensitized Solar Cells Using Far red Sensitizing Dye with Cobalt Electrolyte. 2017 , 924, 012001	1
186	Theoretical Studies on the Structure, Optoelectronic and Photosensitizer Applications of NKX Class of Coumarin Dye Molecules. 2018 , 3, 2376-2385	3

185	Interfacing Pristine C60 onto TiO ₂ for Viable Flexibility in Perovskite Solar Cells by a Low-Temperature All-Solution Process. 2018 , 8, 1800399	57
184	Enhanced photovoltaic performance of a dye sensitized solar cell with Cu/N Co-doped TiO ₂ nanoparticles. 2018 , 29, 6274-6282	13
183	Highly porous monolith/TiO ₂ supported Cu, Cu-Ni, Ru, and Pt catalysts in methanol steam reforming process for H ₂ generation. 2018 , 554, 44-53	54
182	New-generation integrated devices based on dye-sensitized and perovskite solar cells. 2018 , 11, 476-526	277
181	Low temperature growth of carbon nanotubes using chemical bath deposited Ni(OH) ₂ and efficient Pt-free counter electrodes for dye-sensitized solar cells. 2018 , 344, 534-540	6
180	A Functional Material Based Heterojunction Diode. 2018 , 10, 737-746	1
179	Liquid-crystalline coumarin derivatives: contribution to the tailoring of metal-free sensitizers for solar cells. 2018 , 45, 310-322	22
178	Enhanced performances of dye-sensitized solar cells based on Au-TiO ₂ and Ag-TiO ₂ plasmonic hybrid nanocomposites. <i>Applied Surface Science</i> , 2018 , 430, 415-423	6.7 55
177	A Review of Nanofluid Synthesis. 2018 , 135-176	6
176	Nanostructured photocatalysis in the visible spectrum for the decontamination of air and water. 2018 , 63, 257-282	30
175	In-situ and phase controllable synthesis of nanocrystalline TiO ₂ on flexible cellulose fabrics via a simple hydrothermal method. 2018 , 97, 89-95	25
174	Integration of Enzymes in Polyaniline-Sensitized 3D Inverse Opal TiO ₂ Architectures for Light-Driven Biocatalysis and Light-to-Current Conversion. 2018 , 10, 267-277	18
173	Reactive sputtering growth of Co ₃ O ₄ thin films for all metal oxide device: a semitransparent and self-powered ultraviolet photodetector. 2018 , 74, 74-79	25
172	Investigation of amino acids as templates for the sol-gel synthesis of mesoporous nano TiO ₂ for photocatalysis. 2018 , 149, 11-18	5
171	Direct Selective Wet Metallization on Glass by Controlling the Hydrophilicity of Glass Surface: Effect of Contact Angle on the Performance of Electroless Deposition. 2018 ,	
170	Synthesis, Morphological Analysis and Photovoltaic Performance of Thallium- and Yttrium-Doped Titanium Dioxide-Based Dye-Sensitized Solar Cells. 2018 , 47, 6193-6209	4
169	Rapid and Low-Temperature Processing of Mesoporous and Nanocrystalline TiO ₂ Film Using Microwave Irradiation. 2018 , 1, 6288-6294	9
168	Designing Novel Poly(oxyalkylene)-Segmented Ester-Based Polymeric Dispersants for Efficient TiO ₂ Photoanodes of Dye-Sensitized Solar Cells. 2018 , 10, 38394-38403	2

- 167 Nontrivial tensile behavior of rutile TiO₂ nanowires: a molecular dynamics study. **2018**, 91, 1
- 166 Counter Electrode Catalysts in Dye-Sensitized Solar Cells [An Overview]. **2018**, 1-25
- 165 Metal Nanoparticle Decorated ZnO Nanostructure Based Dye-Sensitized Solar Cells. **2018**, 1-14 1
- 164 Interface engineering of cross-linkable ruthenium complex dye to chelate cations for enhancing the performance of solid-state dye sensitized solar cell. **2018**, 215, 62-68
- 163 Facile method to synthesis of anatase TiO₂ nanorods. **2018**, 1032, 012038 3
- 162 Highly stable photoelectrochemical cells for hydrogen production using a SnO-TiO₂/quantum dot heterostructured photoanode. **2018**, 10, 15273-15284 23
- 161 Morphology, Optical Properties and Photocatalytic Activity of Photo- and Plasma-Deposited Au and Au/Ag Core/Shell Nanoparticles on Titania Layers. *Nanomaterials*, **2018**, 8, 5-4 11
- 160 Identifying an Optimum Perovskite Solar Cell Structure by Kinetic Analysis: Planar, Mesoporous Based, or Extremely Thin Absorber Structure. **2018**, 1, 3722-3732 29
- 159 2.6 Dye-Sensitized Materials. **2018**, 150-181 1
- 158 Novel Precursor-Derived Meso-/Macroporous TiO₂/SiOC Nanocomposites with Highly Stable Anatase Nanophase Providing Visible Light Photocatalytic Activity and Superior Adsorption of Organic Dyes. **2018**, 11, 13
- 157 In Situ Doping System To Improve the Electric-Field-Induced Fluorescence Properties of CdZnS/ZnS Quantum Rods for Light-Emitting Devices. **2018**, 1, 4278-4282
- 156 The effect of surface charge on photocatalytic degradation of methylene blue dye using chargeable titania nanoparticles. **2018**, 8, 7104 207
- 155 Influence of 4 and 4' Substituents on Ru(III)/II Bipyridyl Self-Exchange Electron Transfer Across Nanocrystalline TiO₂ Surfaces. **2018**, 122, 19385-19394 4
- 154 From Titanium Sesquioxide to Titanium Dioxide: Oxidation-Induced Structural, Phase, and Property Evolution. **2018**, 30, 4383-4392 20
- 153 Electrochemical Evaluation of Light-Addressable Electrodes Based on TiO₂ for the Integration in Lab-on-Chip Systems. **2018**, 215, 1800150 5
- 152 Additive-free alkoxide/water/alcohol solutions as precursors for crystalline titania thin films. **2018**, 87, 537-543 3
- 151 Dye-Sensitized Solar Cells. **2018**, 183-239 4
- 150 Tuning bimodal porosity in TiO₂ photoanodes towards efficient solid-state dye-sensitized solar cells comprising polysiloxane-based polymer electrolyte. **2019**, 273, 226-234 12

149	The sensitization effect and microscopic essence of different additives on the electronic structure of nanocrystalline TiO ₂ in dye-sensitized solar cell. 2019 , 189, 372-384	1
148	An Insulating AlO Overlayer Prevents Lateral Hole Hopping Across Dye-Sensitized TiO Surfaces. 2019 , 11, 27453-27463	9
147	Ultrafast growth of nanocrystalline graphene films by quenching and grain-size-dependent strength and bandgap opening. 2019 , 10, 4854	23
146	The effect of titanium (IV) chloride surface treatment to enhance charge transport and performance of dye-sensitized solar cell. 2019 , 15, 102725	4
145	Efficient and chemoselective hydroboration of organic nitriles promoted by TiIV catalyst supported by unsymmetrical acenaphthenequinonediimine ligand. 2019 , 902, 120958	9
144	Function of TiCl ₄ Posttreatment in Photoanode. 2019 , 125-138	
143	Characterization of Phase Transformations for Amorphous Solid Dispersions of a Weakly Basic Drug upon Dissolution in Biorelevant Media. 2019 , 36, 174	15
142	The effect of TiCl treatment on the performance of dye-sensitized solar cells. 2019 , 151, 164704	5
141	Oxide Materials Preparation. 2019 , 207-228	
140	Optical optimization of semi-transparent a-Si:H solar cells for photobioreactor application. 2019 , 689, 137492	3
139	cytotoxicity and antibiotic application of green route surface modified ferromagnetic TiO nanoparticles.. 2019 , 9, 13254-13262	11
138	SnO ₂ dye-sensitized solar cells. 2019 , 205-285	2
137	Rapid growth of NiS _x by atomic layer infiltration and its application as an efficient counter electrode for dye-sensitized solar cells. 2019 , 77, 470-476	9
136	Bioactive studies of TiO ₂ nanoparticles synthesized using Glycyrrhiza glabra. 2019 , 19, 101131	21
135	Study of dye sensitized solar cells photoelectrodes consisting of nanostructures. <i>Applied Surface Science</i> , 2019 , 491, 807-813	6.7 14
134	Dye-Sensitized Solar Cells: Past, Present and Future. 2019 , 49-119	
133	Overview of Dye-Sensitized Solar Cells. 2019 , 1-49	7
132	Insights Into Dye-Sensitized Solar Cells From Macroscopic-Scale First-Principles Mathematical Modeling. 2019 , 83-119	1

131	Linear-Response and Real-Time, Time-Dependent Density Functional Theory for Predicting Optoelectronic Properties of Dye-Sensitized Solar Cells. 2019 , 171-201	1
130	A highly luminescent quantum dot/mesoporous TiO nanocomplex film under controlled energy transfer. 2019 , 11, 13219-13226	5
129	Synthesis of novel semi-squaraine derivatives and application in efficient dye-sensitized solar cells. 2019 , 165, 308-318	8
128	Optimizing room temperature binder free TiO ₂ paste for high efficiency flexible polymer dye sensitized solar cells. 2019 , 4, 015007	5
127	Photocatalytic inactivation of under UV light irradiation using large surface area anatase TiO ₂ quantum dots. 2019 , 6, 191444	9
126	Effect of TiCl ₄ -based TiO ₂ compact and blocking layers on efficiency of dye-sensitized solar cells. 2019 , 66, 459-466	4
125	Metal-Organic Frameworks in Dye-Sensitized Solar Cells. 2019 , 175-219	5
124	Hydrothermal growth of a composite TiO ₂ hollow spheres/TiO ₂ nanorods powder and its application in high performance dye-sensitized solar cells. 2019 , 833, 143-150	12
123	Synthesis and applications of nano-TiO ₂ : a review. 2019 , 26, 3262-3291	139
122	Additive-free continuous synthesis of silica and ORMOSIL micro- and nanoparticles applying a microjet reactor. 2019 , 89, 343-353	6
121	Control of TiO ₂ electron transport layer properties to enhance perovskite photovoltaics performance and stability. 2020 , 77, 105406	12
120	Green synthesis protocol on metal oxide nanoparticles using plant extracts. 2020 , 67-82	13
119	The molecular engineering, synthesis and photovoltaic studies of a novel highly efficient Ru(II) complex incorporating a bulky TPA ancillary ligand for DSSCs: donor-acceptor effects. 2019 , 10, 610-619	3
118	Fabrication of highly ordered mesoporous titania via micelle fusion-aggregation assembly route by synergistic interactions among titanium precursor, block copolymer templates and solvent. 2020 , 388, 112205	0
117	Fractionation of ultrafine particles: Evaluation of separation efficiency by UV-vis spectroscopy. 2020 , 213, 115374	6
116	Functional metal oxide ceramics as electron transport medium in photovoltaics and photo-electrocatalysis. 2020 , 207-273	2
115	CdSe Quantum Dot Sensitized Molecular Photon Upconversion Solar Cells. 2020 , 3, 29-37	19
114	Novel benzothiazole half-squaraines: model chromophores to study dye-TiO ₂ interactions in dye-sensitized solar cells. 2020 , 8, 22191-22205	1

113	Role of Metal Ion-Linked Multilayer Thickness and Substrate Porosity in Surface Loading, Diffusion, and Solar Energy Conversion. 2020 , 12, 38003-38011		3
112	Nitrogen doped TiO ₂ /Graphene nanofibers as DSSCs photoanode. 2020 , 255, 123542		15
111	Performance of TiO ₂ nanoparticles synthesized by microwave and solvothermal methods as photoanode in dye-sensitized solar cells (DSSC). 2020 , 45, 27036-27046		15
110	Hybrid and organic photovoltaics for greenhouse applications. 2020 , 278, 115582		33
109	Enhanced Efficiency and Stability of Planar Perovskite Solar Cells Using a Dual Electron Transport Layer of Gold Nanoparticles Embedded in Anatase TiO Films. 2020 , 3, 9568-9575		12
108	Effect of TiO ₂ Photoanodes Morphology and Dye Structure on Dye-Regeneration Kinetics Investigated by Scanning Electrochemical Microscopy. 2020 , 1, 329-343		1
107	Investigation of TiO ₂ - multi-walled carbon nanotubes (MWCNTs) composite as an effective photo anode in dye sensitized solar cell. 2020 ,		
106	Zn based 3D-Coordination polymer as the photoanode material in dye-sensitized solar cells. 2020 , 251, 123109		2
105	Low temperature synthesis of anatase TiO ₂ nanocrystals using an organic-inorganic gel precursor. 2020 , 368, 237-244		5
104	Nanostructured photoanode materials and their deposition methods for efficient and economical third generation dye-sensitized solar cells: A comprehensive review. 2020 , 129, 109919		29
103	Efficiency enhancement in dye-sensitized solar cells using hierarchical TiO ₂ submicron size spheres as a light scattering layer. 2020 , 24, 2261-2269		2
102	Unconventional Application of Direct Ink Writing: Surface Force-Driven Patterning of Low Viscosity Inks. 2020 , 12, 15875-15884		6
101	Morphological control of TiO ₂ nanocrystals by solvothermal synthesis for dye-sensitized solar cell applications. <i>Applied Surface Science</i> , 2020 , 519, 146082	6.7	15
100	Efficiency enhancement of solid-state dye-sensitized solar cells by doping polythiophene films photoelectrochemically grown onto TiO ₂ nanoparticles covered with cis-bis(isothiocyanato) bis(2,2'-bipyridyl-4,4'-dicarboxylato)ruthenium(II). 2020 , 355, 136685		1
99	TiO ₂ photo-electrode with gold capping for improved observation in dye-sensitized solar cell. 2020 , 126, 1		5
98	Role of Carbon Nanotubes to Enhance the Long-Term Stability of Dye-Sensitized Solar Cells. 2020 , 7, 653-664		10
97	Heat sink assisted elevated temperature sintering process of TiO ₂ on polymer substrates for producing high performance flexible dye-sensitized solar cells. 2020 , 149, 107817		14
96	Dye-Sensitized Solar Cell. 2020 , 287-333		

95	Light soaking effect driven in porphyrin dye-sensitized solar cells using 1D TiO ₂ nanotube photoanodes. 2020 , 24, e00165		4
94	Impact of dyes isomerization effect on the charge transfer phenomenon occurring on the dye/nanosemiconductor interface. 2021 , 219, 110771		1
93	Structural and optical properties of multilayered un-doped and cobalt doped TiO ₂ thin films. <i>Applied Surface Science</i> , 2021 , 536, 147830	6.7	7
92	Charge accumulation kinetics in multi-redox molecular catalysts immobilised on TiO. 2020 , 12, 946-959		6
91	New approaches in component design for dye-sensitized solar cells. 2021 , 5, 367-383		16
90	Double Fence Porphyrins that are Compatible with Cobalt(II/III) Electrolyte for High-Efficiency Dye-Sensitized Solar Cells. 2021 , 60, 4886-4893		14
89	Biodegradable Materials for Sustainable Health Monitoring Devices. 2021 , 4, 163-194		42
88	Double Fence Porphyrins that are Compatible with Cobalt(II/III) Electrolyte for High-Efficiency Dye-Sensitized Solar Cells. 2021 , 133, 4936-4943		4
87	Solution-processed two-dimensional materials for next-generation photovoltaics. 2021 , 50, 11870-11965		21
86	In Silico Prediction and Design of Dye-Sensitized Solar Cells. 2021 , 645-677		
85	Modified structures, optical and photovoltaic characteristics of low energy ions beam irradiated TiO ₂ /TiO ₂ -Graphene thin films as electron transport layer in perovskite solar cell. <i>Materials Today: Proceedings</i> , 2021 , 43, 3826-3832	1.4	0
84	Adsorption of Amylase and Starch on Porous Zinc Oxide Nanosheet: Biophysical Study. 2021 , 16, 280-291		2
83	Experimental investigation of dye sensitized solar cells, formed with obtaining thin films by using undoped and Nb-doped TiO ₂ precursors. 2021 , 45, 16329-16338		0
82	Microbial bioelectrochemical cells for hydrogen generation based on irradiated semiconductor photoelectrodes. 2021 , 3, 032012		
81	Interfacial Electron Transfer through Ultrathin ALD TiO _x Layers: A Comparative Study of TiO ₂ /TiO _x and SnO ₂ /TiO _x Core/Shell Nanocrystals. 2021 , 125, 12937-12959		3
80	Synergistic effects of acetic acid and nitric acid in water-based sol-gel synthesis of crystalline TiO ₂ nanoparticles at 25 °C. 2021 , 56, 16877-16886		2
79	Tin(IV) oxide nanoparticulate films for aqueous dye-sensitized solar cells. 2021 , 224, 984-991		4
78	An investigation on optimization of instantaneous synthesis of TiO ₂ nanoparticles and its thermal stability analysis in PP-TiO ₂ nanocomposite. 2021 , 120, 106707		0

77	Fused-ring electron acceptor as an efficient interfacial material for planar and flexible perovskite solar cells. 2021 , 98, 106293	1
76	A review of photocatalytic characterization, and environmental cleaning, of metal oxide nanostructured materials. 2021 , 30, e00343	4
75	ZnO in solar cell and ultraviolet detectors. 2021 , 319-350	
74	Advantages of Polymer Electrolytes Towards Dye-sensitized Solar Cells. 121-167	1
73	Efficient Photovoltaic Solar Cells Based on Dye Sensitization of Nanocrystalline Oxide Films. 1999 , 169-194	2
72	Implication of Porous TiO ₂ Nanoparticles in PEDOT:PSS Photovoltaic Devices. 2014 , 389-447	2
71	Flexible Dye-Sensitized Nano-Porous Films Solar Cells. 2009 , 618-649	1
70	Photocatalytic Properties: Effect of Size, Shape and Surface Structures of Fine Particles. 2004 , 183-200	1
69	Titanium Dioxide Nanomaterials: Synthesis, Properties, Modifications, and Applications. 2007 , 107, 2891-2959	4
68	Review of diffusion models for charge-carrier densities in dye-sensitized solar cells. 2020 , 4, 082001	3
67	Composite Films Based on Poly(3,4-ethylene dioxythiophene):Poly(styrene sulfonate) Conducting Polymer and TiC Nanoparticles as the Counter Electrodes for Flexible Dye-Sensitized Solar Cells. 51, 10NE01	3
66	Current Status of Dye-Sensitized Solar Cells. 2003 ,	3
65	Synthesis of Nanocrystalline TiO ₂ and Reduced Titanium Oxides via Rapid and Exothermic Metathesis Reactions. 2006 , 18, 2381-2388	1
64	Structural, Morphological, Topographical Characterization of Titanium Dioxide Nanotubes Metal Substrates for Solar Cell Application. 2017 , 3, 17-31	0
63	Synthesis of TiO ₂ nanoparticles by hydrolysis and peptization of titanium isopropoxide solution. 2006 , 9, 65-68	42
62	Encapsulation of Reactive Nanoparticles of Aluminum, Magnesium, Zinc, Titanium, or Boron within Polymers for Energetic Applications. 2019 , 3, 3-13	6
61	Rapid expansion of TiO ₂ layers processed by supercritical solutions for dye sensitized solar cell applications. 2016 , 58, 900-902	2
60	Progress on TiO ₂ -based Nanomaterials and Its Utilization in the Clean En-ergy Technology. 2012 , 27, 1-10	7

59	Study of Dielectric and Electrical Properties of Nickel Doped Potassium Hexatitanate (K ₂ Ti ₆ O ₁₃) Fine-ceramics. 2012 , 5, 423-430	9
58	Synthesis and Characterization of Pure Anatase TiO ₂ Aggregates. 2011 , 11, 1326-1330	7
57	Synthesis and characterization of erbium trioxide nanoparticles as photocatalyzers for degradation of methyl orange dye. 2019 , 12, 15-21	4
56	CdSe Quantum Dots Sensitized TiO ₂ Electrodes for Photovoltaic Cells. 2007 , 10, 257-261	7
55	Dye-Sensitized Metal Oxide Nanostructures and Their Photoelectrochemical Properties. 2010 , 13, 10-18	4
54	Rheology and Optimization of Titania Paste for Dye-sensitized Solar Cell. 2002 , 70, 466-469	11
53	High Rate Reactive Sputter Deposition of TiO ₂ Films for Photocatalyst and Dye-Sensitized Solar Cells. 2011 , 50, 045802	3
52	Effect of Acetic Acid in TiCl ₄ Post-Treatment on Nanoporous TiO ₂ Electrode in Dye-Sensitized Solar Cell. 2012 , 51, 09MA05	5
51	Composite Films Based on Poly(3,4-ethylene dioxythiophene):Poly(styrene sulfonate) Conducting Polymer and TiC Nanoparticles as the Counter Electrodes for Flexible Dye-Sensitized Solar Cells. 2012 , 51, 10NE01	8
50	Synthesis of Different Sizes TiO ₂ and Photovoltaic Performance in Dye-Sensitized Solar Cells. 8,	1
49	Control of charge transfer and interface structures in nano-structured dye-sensitized solar cells. 2003 , 83-104	
48	Dye-Sensitized Solar Cells Based on Mesoscopic Oxide Semiconductor Films. 2003 ,	
47	?????????????. 2004 , 72, 49-53	1
46	Perspective of Hybridization Technology for Next-Generation Solar Cells. 2010 , 13, 1-9	1
45	Holographic modification of TiO ₂ photoanode for enhanced charge extraction in dye-sensitized solar cell. 2012 ,	
44	Effects of Electrospun TiO ₂ Nanowires Mixed in Nanoparticle-Based Electrode for Dye-Sensitized Solar Cells. 2012 , 51, 044106	
43	Solid-State Polymer/ZnO Hybrid Dye Sensitized Solar Cell: A Review. 2012 , 9, 69-80	
42	Progress on the Photoanode for Dye-Sensitized Solar Cells. 2012 , 513-564	

- 41 Theory and Literature Survey: Application of BLH to Solar Cells. **2013**, 95-116
- 40 Addition of Pyridine to Dye-Sensitized Solar Cell Including Fluorinated Oligomer Gel Electrolyte. **2014**, 02, 8-13 1
- 39 Structural Control of Porous Nano-Space in Dye-Sensitized TiO₂ Solar Cells*. **1998**, 1, 33-40
- 38 Ru(II) sensitized Nb₂O₅ solar cell made by the sol-gel process. **1999**, 404-408
- 37 Characteristics of charge transport in nano-sized TiO₂ particles/submicron spheres multilayer thin-film electrode. **2015**, 64, 017301
- 36 Ordered Porous TiO₂ Films Obtained by Freezing and the Application in Dye Sensitized Solar Cells. **2015**,
- 35 Effective Manufacture of Free-Standing TiO₂ Nanotube Arrays Without Bottom Barrier Layer for Dye-Sensitized Solar Cell. **2015**, 963-978
- 34 Experimental Section. **2017**, 213-233
- 33 Adsorption and Photocatalysis of Spherical TiO₂ Particles Prepared by Hydrothermal Reaction. **2017**, 10, 401-404
- 32 Building and Testing a Spin Coater for the Deposition of Thin Films on DSSCs. **2020**, 23, 1
- 31 Comparing the backfilling of mesoporous titania thin films with hole conductors of different sizes sharing the same mass density. **2020**, 7, 268-275 2
- 30 Porosity optimization of Dye-Sensitized Solar Cell using Particle Swarm Optimization Technique. **2020**, 2
- 29 Hybrid Solar Cells. 79-100
- 28 Hybrid Solar Cells. 1528-1549
- 27 Preparation of SrTiO₃ nanocubes by CO₂ laser vaporization (LAVA) and hydrothermal maturation. 0
- 26 Investigation on structural, morphological, and optical studies of multiphase titanium dioxide nanoparticles. **2021**, 1251, 132014 0
- 25 Solid-state dye-sensitized solar cells using polymeric hole conductors.. **2021**, 11, 39570-39581 0
- 24 Universal electrolyte for DSSC operation under both simulated solar and indoor fluorescent lighting. **2022**, 277, 125543 4

23	The Golden Fig: A Plasmonic Effect Study of Organic-Based Solar Cells.. <i>Nanomaterials</i> , 2022 , 12,	5.4	2
22	Flexible Perovskite Solar Cells with Enhanced Performance Based on a Void-Free Imbedded Interface via a Thin Layer of Mesoporous TiO ₂ .		1
21	Improved performance of dye sensitized solar cell by exploration of photoanode and ruthenium based dye. 2022 , 125, 112042		1
20	New insight in photocatalytic degradation of textile dyes over CeO ₂ /Ce ₂ S ₃ composite. 2022 , 632, 413760		1
19	Metal-Oxide Semiconductor Nanomaterials as Alternative to Carbon Allotropes for Third-Generation Thin-Film Dye-Sensitized Solar Cells. 2022 , 235-268		
18	Photoactive nanomaterials enabled integrated photo-rechargeable batteries. <i>Nanophotonics</i> , 2022 ,	6.3	1
17	Fabrication of nanocrystalline TiO ₂ thin films using Sol-Gel spin coating technology and investigation of its structural, morphology and optical characteristics. <i>Applied Surface Science</i> , 2022 , 591, 153226	6.7	0
16	Preparation and Photocatalytic Properties of Anatase TiO with Hollow Hexagonal Frame Structure.. <i>Nanomaterials</i> , 2022 , 12,	5.4	0
15	Simple and Fast Microwave-Assisted Synthesis Methods of Nanocrystalline TiO ₂ and rGO Materials for Low-Cost Metal-Free DSSC Applications. <i>ACS Omega</i> ,	3.9	0
14	Polymers in High-Efficiency Solar Cells: The Latest Reports. <i>Polymers</i> , 2022 , 14, 1946	4.5	1
13	Use of flame spray pyrolysis technique to synthesize the nanoparticles of titanium dioxide: Application on dye-sensitized photovoltaic cells. <i>Materials Today: Proceedings</i> , 2022 ,	1.4	
12	Fabrication of moth-eye patterned TiO ₂ active layers for high energy efficiency and current density of dye-sensitized solar cells. <i>Energy Reports</i> , 2022 , 8, 98-105	4.6	1
11	Solution-Processed Quantum-Dot Solar Cells. <i>Springer Handbooks</i> , 2022 , 1215-1266	1.3	0
10	Inorganic Photoelectrochemistry from Illumination Techniques to Energy Applications. <i>Springer Handbooks</i> , 2022 , 207-248	1.3	
9	Recent Progress on Titanium Sesquioxide: Fabrication, Properties, and Applications. <i>Advanced Functional Materials</i> , 2203491	15.6	3
8	Rutile-to-anatase reverse phase transformation in nano titania with morphological changes in a hydrothermal approach. <i>International Journal of Applied Ceramic Technology</i> ,	2	0
7	Water-Insensitive Electron Transport and Photoactive Layers for Improved Underwater Stability of Organic Photovoltaics. <i>Advanced Functional Materials</i> , 2203487	15.6	0
6	Self-powered, transparent, flexible, and solar-blind deep-UV detector based on surface-modified TiO ₂ nanoparticles. 2022 , 604, 154528		0

- 5 Controlled Crystallinity of TiO₂ Layers Grown by Atmospheric Pressure Spatial Atomic Layer Deposition and their Impact on Perovskite Solar Cell Efficiency. **2022**, 2022, 1-11 ○
- 4 Biomimicry in Nanotechnology: A Comprehensive Review. ○
- 3 Electron transport of chemically treated graphene quantum dots-based dye-sensitized solar cells. **2023**, 439, 141667 ○
- 2 Broad perspective of environmental remediation technology and their recent advances through size-and shape-dependent properties of metal oxides. **2023**, 1-34 ○
- 1 Pyrite (FeS₂)-decorated 1D TiO₂ nanotubes in a bilayer as a sustainable photoanode for photoelectrochemical water splitting activity. ○