

Nocturia: the major problem in patients with lower urinary tract symptoms due to benign prostatic obstruction (LUTS/BPO)

European Urology Supplements

3, 8-16

DOI: [10.1016/s1569-9056\(05\)80002-8](https://doi.org/10.1016/s1569-9056(05)80002-8)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Management of nocturia in the elderly. <i>Aging Health</i> , 2005, 1, 273-283.	0.3	1
2	The Development of the Oral Controlled Absorption System (OCAS [®]): A New Improved Formulation of Tamsulosin. <i>European Urology Supplements</i> , 2005, 4, 1-4.	0.1	8
3	Night Time Symptom Control with Omnic (Tamsulosin) Oral Controlled Absorption System (OCAS [®]). <i>European Urology Supplements</i> , 2005, 4, 14-16.	0.1	7
4	Nocturia: The effect on sleep and related health consequences. <i>European Urology Supplements</i> , 2005, 3, 1-7.	0.1	20
5	Nocturia: consequences for sleep and daytime activities and associated risks. <i>European Urology Supplements</i> , 2005, 3, 24-32.	0.1	78
6	The physiology of sleep and the impact of ageing. <i>European Urology Supplements</i> , 2005, 3, 17-23.	0.1	62
7	The Measurement of Nocturia and Its Impact on Quality of Sleep and Quality of Life in LUTS/BPH. <i>European Urology Supplements</i> , 2006, 5, 3-11.	0.1	24
9	Impact of surgical treatment on nocturia in men with benign prostatic obstruction. <i>BJU International</i> , 2006, 98, 799-805.	1.3	35
11	LUTS/BPH in clinical practice: the importance of nocturia and quality of sleep. <i>BJU International</i> , 2006, 98, 3-8.	1.3	13
12	Pharmacokinetic profile of tamsulosin OCAS. <i>BJU International</i> , 2006, 98, 9-12.	1.3	7
13	Predictors of Nocturia Quality of Life Before and Shortly After Prostatectomy. <i>Urology</i> , 2007, 70, 493-497.	0.5	47
14	Introduction and Conclusions. <i>European Urology Supplements</i> , 2007, 6, 573-575.	0.1	3
15	Impact of Tamsulosin OCAS on Energy of Patients with LUTS/BPH. <i>European Urology Supplements</i> , 2007, 6, 594-599.	0.1	0
16	Impact of Nocturia on Sleep and Energy. <i>European Urology Supplements</i> , 2007, 6, 585-593.	0.1	10
17	Introduction and Conclusions. <i>European Urology Supplements</i> , 2007, 6, 695-700.	0.1	1
19	Physiological and pathological regulation of the autonomic control of urinary bladder contractility. , 2008, 117, 297-312.		79
20	Back to the Future: Introduction and Conclusions. <i>European Urology Supplements</i> , 2008, 7, 675-679.	0.1	1
21	When to Treat the Prostate, the Bladder, or Both?. <i>European Urology Supplements</i> , 2008, 7, 690-695.	0.1	0

#	ARTICLE	IF	CITATIONS
22	A Swedish version of a quality of life questionnaire for partners of men with symptoms suggestive of benign prostatic obstruction. <i>Scandinavian Journal of Urology and Nephrology</i> , 2008, 42, 126-131.	1.4	5
23	Appropriate pharmacotherapy for nocturia in elderly patients reduces urinary frequency, thereby improving sleep and health-related quality of life. <i>Drugs and Therapy Perspectives</i> , 2008, 24, 15-18.	0.3	0
24	Tamsulosin MR and OCAS (modified release and oral controlled absorption system): current therapeutic uses. <i>Expert Opinion on Pharmacotherapy</i> , 2008, 9, 813-824.	0.9	4
25	Nocturia in Spanish patients with lower urinary tract symptoms suggestive of benign prostatic hyperplasia (LUTS/BPH). <i>Current Medical Research and Opinion</i> , 2008, 24, 1033-1038.	0.9	29
26	Nocturia in the aging population. , 0, , 150-159.		0
27	Overactive bladder in males. <i>Therapeutic Advances in Urology</i> , 2009, 1, 209-221.	0.9	17
28	Nocturia: A non-specific but important symptom of urological disease. <i>International Journal of Urology</i> , 2009, 16, 249-256.	0.5	50
30	Nocturia and snoring: predictive symptoms for obstructive sleep apnea. <i>Sleep and Breathing</i> , 2010, 14, 337-343.	0.9	74
31	Effectiveness of tamsulosin hydrochloride and its mechanism in improving nocturia associated with lower urinary tract symptoms/benign prostatic hyperplasia. <i>Neurourology and Urodynamics</i> , 2010, 29, 1276-1281.	0.8	21
32	The role of nocturia in the quality of life of men with lower urinary tract symptoms. <i>BJU International</i> , 2010, 105, 1141-1146.	1.3	55
33	Changes in Nocturia after Photoselective Vaporization of the Prostate for Patients with Benign Prostatic Hyperplasia. <i>Korean Journal of Urology</i> , 2010, 51, 531.	1.2	8
34	Sleep and health-related quality of life in patients with lower urinary tract symptoms suggestive of benign prostatic obstruction compared to the general population and patients with inguinal hernia. <i>Scandinavian Journal of Urology and Nephrology</i> , 2010, 44, 304-314.	1.4	6
35	Impact of nocturia on sleep quality in patients with lower urinary tract symptoms suggesting benign prostatic hyperplasia (LUTS/BPH). The NocSu Study. <i>Actas Urológicas Españolas (English Edition)</i> , 2010, 34, 450-459.	0.2	2
36	Strong Impact of Nocturia on Sleep Quality in Patients with Lower Urinary Tract Symptoms. <i>World Journal of Men's Health</i> , 2012, 30, 123.	1.7	10
37	Non-steroidal anti-inflammatory drug use and the risk of benign prostatic hyperplasia-related outcomes and nocturia in the Prostate, Lung, Colorectal, and Ovarian Cancer Screening Trial. <i>BJU International</i> , 2012, 110, 1050-1059.	1.3	31
38	Impact of desmopressin on nocturia due to nocturnal polyuria in men with lower urinary tract symptoms suggestive of benign prostatic hyperplasia (LUTS/BPH). <i>World Journal of Urology</i> , 2014, 32, 1163-1170.	1.2	24
39	The association of nocturia with sleep disorders and metabolic and chronic pulmonary conditions: data derived from the polysomnographic evaluations of 730 patients. <i>Turkish Journal of Medical Sciences</i> , 2014, 44, 249-254.	0.4	18
40	Consistent and significant improvement of nighttime voiding frequency (nocturia) with silodosin in men with LUTS suggestive of BPH: pooled analysis of three randomized, placebo-controlled, double-blind phase III studies. <i>World Journal of Urology</i> , 2014, 32, 1119-1125.	1.2	43

#	ARTICLE	IF	CITATIONS
41	Physical Activity and Benign Prostatic Hyperplasia-Related Outcomes and Nocturia. <i>Medicine and Science in Sports and Exercise</i> , 2015, 47, 581-592.	0.2	20
42	Assessing the impact of nocturia on health-related quality-of-life and utility: results of an observational survey in adults. <i>Journal of Medical Economics</i> , 2016, 19, 1200-1206.	1.0	30
43	Multimodal behavioural therapy as a first line treatment in nocturnal polyuria. An interventional prospective study. (Betnoc trial). <i>Annals of Medicine and Surgery</i> , 2021, , 102511.	0.5	0
44	Nocturia in the elderly: A wake-up call. <i>Cleveland Clinic Journal of Medicine</i> , 2011, 78, 757-764.	0.6	17
45	Nocturia: Impact on quality of life in an Egyptian adult population. <i>Advances in Aging Research</i> , 2013, 02, 160-165.	0.3	0
46	Sleep and Quality of Life in Nocturia and Nocturnal Polyuria. , 2008, , 411-422.		0