

Mismatch negativity in schizophrenia: a meta-analysis

Schizophrenia Research

76, 1-23

DOI: [10.1016/j.schres.2004.12.002](https://doi.org/10.1016/j.schres.2004.12.002)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Event-Related Brain Potential Correlates of Human Auditory Sensory Memory-Trace Formation. <i>Journal of Neuroscience</i> , 2005, 25, 10494-10501.	1.7	235
2	COMT Val108/158Met Modifies Mismatch Negativity and Cognitive Function in 22q11 Deletion Syndrome. <i>Biological Psychiatry</i> , 2005, 58, 23-31.	0.7	126
3	Electrophysiological Indices of Automatic and Controlled Auditory Information Processing in First-Episode, Recent-Onset and Chronic Schizophrenia. <i>Biological Psychiatry</i> , 2006, 59, 762-772.	0.7	175
4	Synaptic Plasticity and Dysconnection in Schizophrenia. <i>Biological Psychiatry</i> , 2006, 59, 929-939.	0.7	755
5	Perceptual organization in first episode schizophrenia and ultra-high-risk states. <i>Schizophrenia Research</i> , 2006, 83, 41-52.	1.1	49
7	Cortical auditory event-related potentials in newborn infants. <i>Seminars in Fetal and Neonatal Medicine</i> , 2006, 11, 452-458.	1.1	28
8	Nicotinic modulation of human auditory sensory memory: Evidence from mismatch negativity potentials. <i>International Journal of Psychophysiology</i> , 2006, 59, 49-58.	0.5	100
9	Phonetic mismatch negativity predicts verbal memory deficits in schizophrenia. <i>NeuroReport</i> , 2006, 17, 1043-1046.	0.6	55
10	Impaired detection of silent interval change in schizophrenia. <i>NeuroReport</i> , 2006, 17, 785-789.	0.6	16
11	Subtyping schizophrenia: implications for genetic research. <i>Molecular Psychiatry</i> , 2006, 11, 815-836.	4.1	222
12	Heritability and Reliability of P300, P50 and Duration Mismatch Negativity. <i>Behavior Genetics</i> , 2006, 36, 845-857.	1.4	180
13	Genetic overlap between P300, P50, and duration mismatch negativity. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006, 141B, 336-343.	1.1	41
14	Failure to Find P50 Suppression Deficits in Young First-Episode Patients With Schizophrenia and Clinically Unaffected Siblings. <i>Schizophrenia Bulletin</i> , 2006, 33, 1319-1323.	2.3	44
15	Neurophysiological Endophenotypes of Schizophrenia: The Viability of Selected Candidate Measures. <i>Schizophrenia Bulletin</i> , 2006, 33, 69-94.	2.3	489
16	Frontal Responses During Learning Predict Vulnerability to the Psychotogenic Effects of Ketamine. <i>Archives of General Psychiatry</i> , 2006, 63, 611.	13.8	169
17	Application of Electroencephalography to the Study of Cognitive and Brain Functions in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2007, 33, 955-970.	2.3	82
18	Preattentive Sensory Processing as Indexed by the MMN and P3a Brain Responses is Associated with Cognitive and Psychosocial Functioning in Healthy Adults. <i>Journal of Cognitive Neuroscience</i> , 2007, 19, 1624-1632.	1.1	151
19	Substantial Shared Genetic Influences on Schizophrenia and Event-Related Potentials. <i>American Journal of Psychiatry</i> , 2007, 164, 804-812.	4.0	94

#	ARTICLE	IF	CITATIONS
20	Genetic overlap between bipolar illness and event-related potentials. <i>Psychological Medicine</i> , 2007, 37, 667.	2.7	72
21	Can mismatch negativity be linked to synaptic processes? A glutamatergic approach to deviance detection. <i>Brain and Cognition</i> , 2007, 65, 244-251.	0.8	31
22	Effects of NMDA receptor antagonist memantine on mismatch negativity. <i>Brain Research Bulletin</i> , 2007, 72, 275-283.	1.4	71
23	Mismatch negativity in paranoid, schizotypal, and antisocial personality disorders. <i>Neurophysiologie Clinique</i> , 2007, 37, 89-96.	1.0	20
24	Measurement of extensive auditory discrimination profiles using the mismatch negativity (MMN) of the auditory event-related potential (ERP). <i>Clinical Neurophysiology</i> , 2007, 118, 177-185.	0.7	216
25	Auditory lateralization in schizophrenia – Mismatch negativity and behavioral evidence of a selective impairment in encoding interaural time cues. <i>Clinical Neurophysiology</i> , 2007, 118, 833-844.	0.7	31
26	Acute effects of Δ^9 -tetrahydrocannabinol and standardized cannabis extract on the auditory evoked mismatch negativity. <i>Schizophrenia Research</i> , 2007, 97, 109-117.	1.1	59
27	P50 Auditory Evoked Potential Suppression in Bipolar Disorder Patients With Psychotic Features and Their Unaffected Relatives. <i>Biological Psychiatry</i> , 2007, 62, 121-128.	0.7	93
28	Mismatch Negativity and Stimulus-Specific Adaptation in Animal Models. <i>Journal of Psychophysiology</i> , 2007, 21, 214-223.	0.3	187
29	Psychosocial stress attenuates general sound processing and duration change detection. <i>Psychophysiology</i> , 2007, 44, 30-38.	1.2	44
30	Impaired attentional modulation of auditory evoked potentials in N-methyl-d-aspartate NR1 hypomorphic mice. <i>Genes, Brain and Behavior</i> , 2007, 6, 558-568.	1.1	17
31	Acute dopamine D1 and D2 receptor stimulation does not modulate mismatch negativity (MMN) in healthy human subjects. <i>Psychopharmacology</i> , 2007, 194, 443-451.	1.5	59
32	Which perspectives can endophenotypes and biological markers offer in the early recognition of schizophrenia?. <i>Journal of Neural Transmission</i> , 2007, 114, 1199-1215.	1.4	33
33	Acute high-dose glycine attenuates mismatch negativity (MMN) in healthy human controls. <i>Psychopharmacology</i> , 2008, 196, 451-460.	1.5	28
34	The effect of methylphenidate on auditory information processing in healthy volunteers: a combined EEG/MEG study. <i>Psychopharmacology</i> , 2008, 197, 475-486.	1.5	47
35	Mismatch negativity generation in the human 5HT2A agonist and NMDA antagonist model of psychosis. <i>Psychopharmacology</i> , 2008, 199, 77-88.	1.5	127
36	The Potential for New Understandings of Normal and Abnormal Cognition by Integration of Neuroimaging and Behavioral Data: Not an Exercise in Carrying Coals to Newcastle. <i>Brain Imaging and Behavior</i> , 2008, 2, 318-326.	1.1	5
37	Mismatch negativity at acute and post-acute phases of first-episode schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008, 258, 179-185.	1.8	44

#	ARTICLE	IF	CITATIONS
38	Neurophysiological biomarkers for drug development in schizophrenia. <i>Nature Reviews Drug Discovery</i> , 2008, 7, 68-83.	21.5	283
39	Neuropsychological and electrophysiological indices of neurocognitive dysfunction in bipolar II disorder. <i>Bipolar Disorders</i> , 2008, 10, 888-899.	1.1	74
40	Theta EEG oscillatory activity and auditory change detection. <i>Brain Research</i> , 2008, 1220, 93-101.	1.1	108
41	The influence of gender and personality traits on individual difference in auditory mismatch: A magnetoencephalographic (MMNm) study. <i>Brain Research</i> , 2008, 1236, 159-165.	1.1	30
42	Deviant Matters: Duration, Frequency, and Intensity Deviants Reveal Different Patterns of Mismatch Negativity Reduction in Early and Late Schizophrenia. <i>Biological Psychiatry</i> , 2008, 63, 58-64.	0.7	221
43	Schizophrenia, "Just the Facts": What we know in 2008. <i>Schizophrenia Research</i> , 2008, 100, 4-19.	1.1	298
44	Visual mismatch negativity among patients with schizophrenia. <i>Schizophrenia Research</i> , 2008, 102, 320-328.	1.1	51
47	Are Auditory-Evoked Frequency and Duration Mismatch Negativity Deficits Endophenotypic for Schizophrenia? High-Density Electrical Mapping in Clinically Unaffected First-Degree Relatives and First-Episode and Chronic Schizophrenia. <i>Biological Psychiatry</i> , 2008, 64, 385-391.	0.7	83
48	The right profile: Mismatch negativity in schizophrenia with and without auditory hallucinations as measured by a multi-feature paradigm. <i>Clinical Neurophysiology</i> , 2008, 119, 909-921.	0.7	74
49	Parameter-specific modulation of the mismatch negativity to duration decrement and increment: Evidence for asymmetric processes. <i>Clinical Neurophysiology</i> , 2008, 119, 1515-1523.	0.7	34
50	P300 deficits are present in young first-episode patients with schizophrenia and not in their healthy young siblings. <i>Clinical Neurophysiology</i> , 2008, 119, 2721-2726.	0.7	23
51	Auditory hallucinations and the mismatch negativity: Processing speech and non-speech sounds in schizophrenia. <i>International Journal of Psychophysiology</i> , 2008, 70, 3-15.	0.5	45
52	Optimized mismatch negativity paradigm reflects deficits in schizophrenia patients. <i>Biological Psychology</i> , 2008, 77, 205-216.	1.1	67
53	Event-related potential correlates of paranormal ideation and unusual experiences. <i>Cortex</i> , 2008, 44, 1342-1352.	1.1	30
54	Schizophrenia, "Just the facts": What we know in 2008 Part 3: Neurobiology. <i>Schizophrenia Research</i> , 2008, 106, 89-107.	1.1	288
55	Divergent effects of increased serotonergic activity on psychophysiological parameters of human attention. <i>International Journal of Neuropsychopharmacology</i> , 2008, 11, 453-63.	1.0	51
56	Neural Synchrony in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2008, 34, 904-906.	2.3	38
57	Cognitive Impairment in Schizophrenia: a Review of Developmental and Genetic Models, and Pro-cognitive Profile of the Optimised D3 & D2 Antagonist, S33138. <i>Therapie</i> , 2008, 63, 187-229.	0.6	44

#	ARTICLE	IF	CITATIONS
58	Amphetamine psychosis: a model for studying the onset and course of psychosis. <i>Medical Journal of Australia</i> , 2009, 190, S22-5.	0.8	49
59	Dysconnection in Schizophrenia: From Abnormal Synaptic Plasticity to Failures of Self-monitoring. <i>Schizophrenia Bulletin</i> , 2009, 35, 509-527.	2.3	1,021
60	Wavelet Analysis of the Frontal Auditory Evoked Potentials Obtained in the Passive Oddball Paradigm in Healthy Subjects and Schizophrenics. <i>Journal of Basic and Clinical Physiology and Pharmacology</i> , 2009, 20, 233-63.	0.7	3
61	The psychoses: Cluster 3 of the proposed meta-structure for DSM-V and ICD-11. <i>Psychological Medicine</i> , 2009, 39, 2025-2042.	2.7	74
62	Correspondence. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009, 43, 393-394.	1.3	0
63	When Top-Down Meets Bottom-Up: Auditory Training Enhances Verbal Memory in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2009, 35, 1132-1141.	2.3	180
64	Abnormal brain lateralization and connectivity in Schizophrenia. <i>Reviews in the Neurosciences</i> , 2009, 20, 61-70.	1.4	59
65	Systemic Hypotheses for Generalized Cognitive Deficits in Schizophrenia: A New Take on An Old Problem. <i>Schizophrenia Bulletin</i> , 2009, 35, 403-414.	2.3	121
66	Perception Measurement in Clinical Trials of Schizophrenia: Promising Paradigms From CNTRICS. <i>Schizophrenia Bulletin</i> , 2009, 35, 163-181.	2.3	109
67	Neuregulin 1 transgenic mice display reduced mismatch negativity, contextual fear conditioning and social interactions. <i>Brain Research</i> , 2009, 1294, 116-127.	1.1	111
68	Activation of the caudal anterior cingulate cortex due to task-related interference in an auditory Stroop paradigm. <i>Human Brain Mapping</i> , 2009, 30, 3043-3056.	1.9	44
69	Peculiarities of Brain Information Processing in Persons with Different Serotonin Transporter Gene Variants. <i>Bulletin of Experimental Biology and Medicine</i> , 2009, 148, 731-734.	0.3	3
70	Memory-Prediction Errors and Their Consequences in Schizophrenia. <i>Neuropsychology Review</i> , 2009, 19, 336-352.	2.5	29
71	The glycine transporter 1 inhibitor SSR504734 enhances working memory performance in a continuous delayed alternation task in C57BL/6 mice. <i>Psychopharmacology</i> , 2009, 202, 371-384.	1.5	45
72	Effect of quetiapine on cognitive function in schizophrenia: a mismatch negativity potentials study. <i>Acta Neuropsychiatrica</i> , 2009, 21, 26-33.	1.0	7
73	Preattentive dysfunction in major depression: A magnetoencephalography study using auditory mismatch negativity. <i>Psychophysiology</i> , 2009, 46, 52-61.	1.2	79
74	Allosteric modulators of NR2B-containing NMDA receptors: molecular mechanisms and therapeutic potential. <i>British Journal of Pharmacology</i> , 2009, 157, 1301-1317.	2.7	358
75	What We Know: Findings That Every Theory of Schizophrenia Should Explain. <i>Schizophrenia Bulletin</i> , 2009, 35, 493-508.	2.3	117

#	ARTICLE	IF	CITATIONS
76	Sensory Processing in Schizophrenia: Neither Simple nor Intact. <i>Schizophrenia Bulletin</i> , 2009, 35, 1059-1064.	2.3	257
77	Neurophysiological and neurochemical animal models of schizophrenia: Focus on glutamate. <i>Behavioural Brain Research</i> , 2009, 204, 352-362.	1.2	59
78	Electrophysiological brain activity and antisaccade performance in schizophrenia patients with first-rank (passivity) symptoms. <i>Psychiatry Research</i> , 2009, 170, 140-149.	1.7	13
79	Schizophrenia is a disorder of higher order hierarchical processing. <i>Medical Hypotheses</i> , 2009, 72, 740-744.	0.8	19
80	Pre-Attentive Auditory Processing in Ultra-High-Risk for Schizophrenia with Magnetoencephalography. <i>Biological Psychiatry</i> , 2009, 65, 1071-1078.	0.7	88
81	The mismatch negativity: A review of underlying mechanisms. <i>Clinical Neurophysiology</i> , 2009, 120, 453-463.	0.7	1,109
82	Event-related potentials in clinical research: Guidelines for eliciting, recording, and quantifying mismatch negativity, P300, and N400. <i>Clinical Neurophysiology</i> , 2009, 120, 1883-1908.	0.7	934
83	The relationship between preattentive sensory processing deficits and age in schizophrenia patients. <i>Clinical Neurophysiology</i> , 2009, 120, 1949-1957.	0.7	94
84	Abnormal pitch mismatch negativity in individuals with schizotypal personality disorder. <i>Schizophrenia Research</i> , 2009, 110, 188-193.	1.1	28
85	When Doors of Perception Close: Bottom-up Models of Disrupted Cognition in Schizophrenia. <i>Annual Review of Clinical Psychology</i> , 2009, 5, 249-275.	6.3	441
86	Glutamatergic Approaches to the Conceptualization and Treatment of Schizophrenia. , 2009, , 39-89.		6
87	Central auditory dysfunction in schizophrenia as revealed by the mismatch negativity (MMN) and its magnetic equivalent MMNm: a review. <i>International Journal of Neuropsychopharmacology</i> , 2009, 12, 125.	1.0	211
88	What do ERPs and ERFs Reveal About the Effect of Antipsychotic Treatment on Cognition in Schizophrenia?. <i>Current Pharmaceutical Design</i> , 2009, 15, 2573-2593.	0.9	33
89	Acute Nicotine Alteration of Sensory Memory Impairment in Smokers With Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2010, 30, 541-548.	0.7	56
90	Treatment Implications of the Schizophrenia Prodrome. <i>Current Topics in Behavioral Neurosciences</i> , 2010, 4, 97-121.	0.8	30
91	Acute dopamine and/or serotonin depletion does not modulate mismatch negativity (MMN) in healthy human participants. <i>Psychopharmacology</i> , 2010, 208, 233-244.	1.5	42
92	Auditory mismatch negativity deficits in long-term heavy cannabis users. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010, 260, 491-498.	1.8	26
93	Neurophysiologic Markers of Abnormal Brain Activity in Schizophrenia. <i>Current Psychiatry Reports</i> , 2010, 12, 572-578.	2.1	50

#	ARTICLE	IF	CITATIONS
94	Reduced multisensory integration in patients with schizophrenia on a target detection task. <i>Neuropsychologia</i> , 2010, 48, 3128-3136.	0.7	108
95	Automatic auditory intelligence: An expression of the sensory "cognitive core of cognitive processes. <i>Brain Research Reviews</i> , 2010, 64, 123-136.	9.1	135
96	Mismatch negativity (MMN), the deviance-elicited auditory deflection, explained. <i>Psychophysiology</i> , 2010, 47, 66-122.	1.2	430
97	Efeitos comportamentais, cognitivos e psicofisiológicos dos canabinoides: relevância para a psicose e a esquizofrenia. <i>Revista Brasileira De Psiquiatria</i> , 2010, 32, 515-530.	0.9	27
98	A single high dose of escitalopram increases mismatch negativity without affecting processing negativity or P300 amplitude in healthy volunteers. <i>Journal of Psychopharmacology</i> , 2010, 24, 1183-1192.	2.0	55
99	Bases neurobiológicas de la Esquizofrenia. <i>Clinica Y Salud</i> , 2010, 21, 235-254.	0.3	9
100	Neurophysiological Measures of Sensory Registration, Stimulus Discrimination, and Selection in Schizophrenia Patients. <i>Current Topics in Behavioral Neurosciences</i> , 2010, 4, 283-309.	0.8	42
101	Stimulus-Specific Adaptation in Auditory Cortex Is an NMDA-Independent Process Distinct from the Sensory Novelty Encoded by the Mismatch Negativity. <i>Journal of Neuroscience</i> , 2010, 30, 16475-16484.	1.7	154
102	Acute Effects of Δ^9 -Tetrahydrocannabinol on the Auditory Evoked Mismatch Negativity are Modulated by the <i>NRG1</i> Gene. <i>Pharmacopsychiatry</i> , 2010, 43, 194-195.	1.7	10
103	Electroencephalography (EEG) and Event-Related Potentials (ERPs) with Human Participants. <i>Current Protocols in Neuroscience</i> , 2010, 52, Unit 6.25.1-24.	2.6	120
104	Mismatch Negativity, Social Cognition, and Functioning in Schizophrenia Patients. <i>Biological Psychiatry</i> , 2010, 67, 940-947.	0.7	160
106	MEMORY CONSOLIDATION DURING SLEEP IN SCHIZOPHRENIA. <i>Schizophrenia Research</i> , 2010, 117, 480.	1.1	0
108	Increased psychophysiological parameters of attention in non-psychotic individuals with auditory verbal hallucinations. <i>Schizophrenia Research</i> , 2010, 121, 153-159.	1.1	33
109	When it's time for a change: Failures to track context in schizophrenia. <i>International Journal of Psychophysiology</i> , 2010, 78, 3-13.	0.5	38
110	N-methyl-d-aspartate (NMDA) receptor dysfunction or dysregulation: The final common pathway on the road to schizophrenia?. <i>Brain Research Bulletin</i> , 2010, 83, 108-121.	1.4	340
111	Mismatch negativity in treatment-resistant depression and borderline personality disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 366-371.	2.5	30
112	Impaired MMN/P3a complex in first-episode psychosis: Cognitive and psychosocial associations. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 822-829.	2.5	140
113	Preattentive dysfunction in bipolar disorder: A MEG study using auditory mismatch negativity. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 903-912.	2.5	52

#	ARTICLE	IF	CITATIONS
114	Potential antipsychotic properties of central cannabinoid (CB ₁) receptor antagonists. World Journal of Biological Psychiatry, 2010, 11, 208-219.	1.3	56
115	Behavioral Neurobiology of Schizophrenia and Its Treatment. Current Topics in Behavioral Neurosciences, 2010, , .	0.8	8
116	Schizoaffective Disorder. CNS Drugs, 2011, 25, 317-331.	2.7	23
117	Prediction of Psychosis by Mismatch Negativity. Biological Psychiatry, 2011, 69, 959-966.	0.7	273
118	Toward Personalized Medicine in the Neuropsychiatric Field. International Review of Neurobiology, 2011, 101, 329-349.	0.9	19
119	MMN responsivity to manipulations of frequency and duration deviants in chronic, clozapine-treated schizophrenia patients. Schizophrenia Research, 2011, 126, 202-211.	1.1	53
120	Reduced mismatch negativity and increased variability of brain activity in schizophrenia. Clinical Neurophysiology, 2011, 122, 2365-2374.	0.7	14
121	If waking and dreaming consciousness became de-differentiated, would schizophrenia result?. Consciousness and Cognition, 2011, 20, 1059-1083.	0.8	30
122	Effects of deviant probability on the "optimal" multi-feature mismatch negativity (MMN) paradigm. International Journal of Psychophysiology, 2011, 79, 311-315.	0.5	25
123	Effects of auditory hallucinations on the mismatch negativity (MMN) in schizophrenia as measured by a modified "optimal" multi-feature paradigm. International Journal of Psychophysiology, 2011, 81, 245-251.	0.5	63
124	MMN/P3a deficits in first episode psychosis: Comparing schizophrenia-spectrum and affective-spectrum subgroups. Schizophrenia Research, 2011, 130, 203-209.	1.1	98
125	Epidural Auditory Event-Related Potentials in the Rat to Frequency and duration Deviants: Evidence of Mismatch Negativity?. Frontiers in Psychology, 2011, 2, 367.	1.1	82
126	Comprehensive model of how reality distortion and symptoms occur in schizophrenia: Could impairment in learning-dependent predictive perception account for the manifestations of schizophrenia?. Psychiatry and Clinical Neurosciences, 2011, 65, 305-317.	1.0	18
127	Hierarchical temporal processing deficit model of reality distortion and psychoses. Molecular Psychiatry, 2011, 16, 129-144.	4.1	15
128	The mismatch negativity: an index of cognitive decline in neuropsychiatric and neurological diseases and in ageing. Brain, 2011, 134, 3435-3453.	3.7	180
129	Inhibition of cerebral type 1 cannabinoid receptors is associated with impaired auditory mismatch negativity generation in the ketamine model of schizophrenia. Psychopharmacology, 2011, 218, 611-620.	1.5	23
130	Evaluation of state and trait biomarkers in healthy volunteers for the development of novel drug treatments in schizophrenia. Journal of Psychopharmacology, 2011, 25, 1207-1225.	2.0	22
131	Do we have any solid evidence of clinical utility about the pathophysiology of schizophrenia?. World Psychiatry, 2011, 10, 19-31.	4.8	53

#	ARTICLE	IF	CITATIONS
132	Mathematical Models in Schizophrenia. , 2011, , 305-325.		2
133	Translating Glutamate: From Pathophysiology to Treatment. Science Translational Medicine, 2011, 3, 102mr2.	5.8	147
134	Gray Matter Deficits, Mismatch Negativity, and Outcomes in Schizophrenia. Schizophrenia Bulletin, 2011, 37, 131-140.	2.3	132
135	How Human Electrophysiology Informs Psychopharmacology: from Bottom-up Driven Processing to Top-Down Control. Neuropsychopharmacology, 2011, 36, 26-51.	2.8	95
136	Aberrant Auditory Processing in Schizophrenia and in Subjects at Ultra-High-Risk for Psychosis. Schizophrenia Bulletin, 2012, 38, 1258-1267.	2.3	42
137	Neurophysiological biomarkers support bipolar-spectrum disorders within psychosis cluster. Journal of Psychiatry and Neuroscience, 2012, 37, 313-321.	1.4	36
138	Mismatch Negativity Encoding of Prediction Errors Predicts S-ketamine-Induced Cognitive Impairments. Neuropsychopharmacology, 2012, 37, 865-875.	2.8	96
139	Neurophysiological Alterations in the Prepsychotic Phases. Current Pharmaceutical Design, 2012, 18, 479-485.	0.9	7
140	Automatic sensory information processing abnormalities across the illness course of schizophrenia. Psychological Medicine, 2012, 42, 85-97.	2.7	158
141	Neurophysiological Effects of Cannabinoids: Implications for Psychosis Research. Current Pharmaceutical Design, 2012, 18, 4938-4949.	0.9	18
142	Antipsychotic-like Effects of Cannabidiol and Rimonabant: Systematic Review of Animal and Human Studies. Current Pharmaceutical Design, 2012, 18, 5141-5155.	0.9	19
143	Ethical Implications for Clinical Practice and Future Research in “At Risk” Individuals. Current Pharmaceutical Design, 2012, 18, 606-612.	0.9	10
144	Brain imaging correlates of emerging schizophrenia. Neuropsychiatry, 2012, 2, 147-154.	0.4	1
145	Differential effects of ADORA2A gene variations in pre-attentive visual sensory memory subprocesses. European Neuropsychopharmacology, 2012, 22, 555-561.	0.3	17
146	Brain-Computer Interface Technology for Schizophrenia. Journal of Dual Diagnosis, 2012, 8, 337-340.	0.7	6
147	Neurophysiological Studies of Auditory Verbal Hallucinations. Schizophrenia Bulletin, 2012, 38, 715-723.	2.3	78
148	Nicotine and the hallucinating brain: Effects on mismatch negativity (MMN) in schizophrenia. Psychiatry Research, 2012, 196, 181-187.	1.7	43
149	Is fast auditory change detection feature specific? An electrophysiological study in humans. Psychophysiology, 2012, 49, 933-942.	1.2	34

#	ARTICLE	IF	CITATIONS
150	Anticipating the future: Automatic prediction failures in schizophrenia. <i>International Journal of Psychophysiology</i> , 2012, 83, 232-239.	0.5	88
151	Mismatch negativity (MMN) reduction in schizophreniaâ€”Impaired prediction-error generation, estimation or salience?. <i>International Journal of Psychophysiology</i> , 2012, 83, 222-231.	0.5	90
152	Inadequate inhibition of redundant auditory inputs in Alzheimer's disease: An MEG study. <i>Biological Psychology</i> , 2012, 89, 365-373.	1.1	48
153	The mismatch negativity (MMN) â€” A unique window to disturbed central auditory processing in ageing and different clinical conditions. <i>Clinical Neurophysiology</i> , 2012, 123, 424-458.	0.7	341
154	Disentangling early sensory information processing deficits in schizophrenia. <i>Clinical Neurophysiology</i> , 2012, 123, 1942-1949.	0.7	66
155	Early intervention in psychosis: Insights from Korea. <i>Asian Journal of Psychiatry</i> , 2012, 5, 98-105.	0.9	46
156	Duration Mismatch Negativity and P3a in First-Episode Psychosis and Individuals at Ultra-High Risk of Psychosis. <i>Biological Psychiatry</i> , 2012, 71, 98-104.	0.7	201
157	Glutamatergic Modulation of Auditory Information Processing in the Human Brain. <i>Biological Psychiatry</i> , 2012, 71, 969-977.	0.7	73
158	Differential Relationships of Mismatch Negativity and Visual P1 Deficits to Premorbid Characteristics and Functional Outcome in Schizophrenia. <i>Biological Psychiatry</i> , 2012, 71, 521-529.	0.7	76
159	Reduced mismatch negativity predates the onset of psychosis. <i>Schizophrenia Research</i> , 2012, 134, 42-48.	1.1	119
160	Abnormal intrinsic and extrinsic connectivity within the magnetic mismatch negativity brain network in schizophrenia: A preliminary study. <i>Schizophrenia Research</i> , 2012, 135, 23-27.	1.1	59
161	Alterations of mismatch negativity (MMN) in schizophrenia patients with auditory hallucinations experiencing acute exacerbation of illness. <i>Schizophrenia Research</i> , 2012, 139, 237-245.	1.1	63
162	Perceptual Measurement in Schizophrenia: Promising Electrophysiology and Neuroimaging Paradigms From CNTRICS. <i>Schizophrenia Bulletin</i> , 2012, 38, 81-91.	2.3	59
163	Glycine Transport Inhibitors in the Treatment of Schizophrenia. <i>Handbook of Experimental Pharmacology</i> , 2012, , 367-399.	0.9	67
165	Auditory event-related potentials in patients with psychotic illness: A 5-year follow-up. <i>Neurocase</i> , 2012, 18, 392-399.	0.2	1
166	Nicotine, Auditory Sensory Memory, and sustained Attention in a Human Ketamine Model of Schizophrenia: Moderating Influence of a Hallucinatory Trait. <i>Frontiers in Pharmacology</i> , 2012, 3, 172.	1.6	33
167	Delayed preattentive functioning in early psychosis patients with cannabis use. <i>Psychopharmacology</i> , 2012, 222, 507-518.	1.5	20
168	Reduced temporal mismatch negativity in late-life depression: An event-related potential index of cognitive deficit and functional disability?. <i>Journal of Affective Disorders</i> , 2012, 138, 71-78.	2.0	34

#	ARTICLE	IF	CITATIONS
169	Cholinergic modulation of auditory processing, sensory gating and novelty detection in human participants. <i>Psychopharmacology</i> , 2013, 225, 903-921.	1.5	24
170	Mismatch negativity (MMN) and sensory auditory processing in children aged 9-12 years presenting with putative antecedents of schizophrenia. <i>International Journal of Psychophysiology</i> , 2013, 89, 374-380.	0.5	26
171	Effects of aging on neuromagnetic mismatch responses to pitch changes. <i>Neuroscience Letters</i> , 2013, 544, 20-24.	1.0	29
172	Electrophysiological intermediate biomarkers for oxidative stress in schizophrenia. <i>Clinical Neurophysiology</i> , 2013, 124, 2209-2215.	0.7	24
173	Evidence for impaired visual prediction error in schizophrenia. <i>Schizophrenia Research</i> , 2013, 147, 326-330.	1.1	25
175	Smoking among Individuals with Schizophrenia in Korea: Gender Differences. <i>Archives of Psychiatric Nursing</i> , 2013, 27, 241-245.	0.7	7
176	A systematic review and meta-analysis of proton magnetic resonance spectroscopy and mismatch negativity in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2013, 23, 1348-1363.	0.3	108
177	Auditory mismatch negativity and P3a in response to duration and frequency changes in the early stages of psychosis. <i>Schizophrenia Research</i> , 2013, 150, 547-554.	1.1	85
178	Effects of physiological aging on mismatch negativity: A meta-analysis. <i>International Journal of Psychophysiology</i> , 2013, 90, 165-171.	0.5	69
179	Demand and modality of directed attention modulate "pre-attentive" sensory processes in schizophrenia patients and nonpsychiatric controls. <i>Schizophrenia Research</i> , 2013, 146, 326-335.	1.1	53
180	Relationship between auditory processing and affective prosody in schizophrenia. <i>Schizophrenia Research</i> , 2013, 143, 348-353.	1.1	61
181	Toward an interdisciplinary science of adolescence: Insights from schizophrenia research. <i>Neuroscience Research</i> , 2013, 75, 89-93.	1.0	15
182	Lamotrigine augmentation in patients with schizophrenia who show partial response to clozapine treatment. <i>Schizophrenia Research</i> , 2013, 143, 207-214.	1.1	31
183	Sensory processing, neurocognition, and social cognition in schizophrenia: Towards a cohesive cognitive model. <i>Schizophrenia Research</i> , 2013, 146, 209-216.	1.1	21
184	Impact of Ketamine on Neuronal Network Dynamics: Translational Modeling of Schizophrenia-Relevant Deficits. <i>CNS Neuroscience and Therapeutics</i> , 2013, 19, 437-447.	1.9	85
185	Reduced duration mismatch negativity in adolescents with psychotic symptoms: further evidence for mismatch negativity as a possible biomarker for vulnerability to psychosis. <i>BMC Psychiatry</i> , 2013, 13, 45.	1.1	37
186	Reduced P3a amplitudes in antipsychotic naïve first-episode psychosis patients and individuals at clinical high-risk for psychosis. <i>Journal of Psychiatric Research</i> , 2013, 47, 755-761.	1.5	62
187	Neural substrates of normal and impaired preattentive sensory discrimination in large cohorts of nonpsychiatric subjects and schizophrenia patients as indexed by MMN and P3a change detection responses. <i>NeuroImage</i> , 2013, 66, 594-603.	2.1	84

#	ARTICLE	IF	CITATIONS
188	Modelling Trial-by-Trial Changes in the Mismatch Negativity. <i>PLoS Computational Biology</i> , 2013, 9, e1002911.	1.5	137
189	A Neurocomputational Model of the Mismatch Negativity. <i>PLoS Computational Biology</i> , 2013, 9, e1003288.	1.5	96
190	Modeling Ketamine Effects on Synaptic Plasticity During the Mismatch Negativity. <i>Cerebral Cortex</i> , 2013, 23, 2394-2406.	1.6	93
191	Mismatch negativity is a breakthrough biomarker for understanding and treating psychotic disorders. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 15175-15176.	3.3	112
192	Review of neurophysiological findings in patients with schizophrenia. <i>Psychiatry and Clinical Neurosciences</i> , 2013, 67, 461-470.	1.0	65
193	Multi-components of evoked brain potentials in deficit and nondeficit schizophrenia. <i>Asia-Pacific Psychiatry</i> , 2013, 5, 69-79.	1.2	16
194	Effect of Aripiprazole on Mismatch Negativity (MMN) in Schizophrenia. <i>PLoS ONE</i> , 2013, 8, e52186.	1.1	39
195	Mismatch Responses in the Awake Rat: Evidence from Epidural Recordings of Auditory Cortical Fields. <i>PLoS ONE</i> , 2013, 8, e63203.	1.1	35
196	Emotion-Related Visual Mismatch Responses in Schizophrenia: Impairments and Correlations with Emotion Recognition. <i>PLoS ONE</i> , 2013, 8, e75444.	1.1	50
197	Oscillatory Underpinnings of Mismatch Negativity and Their Relationship with Cognitive Function in Patients with Schizophrenia. <i>PLoS ONE</i> , 2013, 8, e83255.	1.1	34
198	Basic Disturbances of Information Processing in Psychosis Prediction. <i>Frontiers in Psychiatry</i> , 2013, 4, 93.	1.3	7
199	Mismatch Negativity as a "Translatable" Brain Marker Toward Early Intervention for Psychosis: A Review. <i>Frontiers in Psychiatry</i> , 2013, 4, 115.	1.3	83
200	Mismatch Negativity: Translating the Potential. <i>Frontiers in Psychiatry</i> , 2013, 4, 171.	1.3	100
201	Electrophysiological and Neuropsychological Predictors of Conversion to Schizophrenia in At-Risk Subjects. <i>Frontiers in Behavioral Neuroscience</i> , 2013, 7, 148.	1.0	19
202	Deficits in high- (>60 Hz) gamma-band oscillations during visual processing in schizophrenia. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 88.	1.0	124
203	The role of the primary auditory cortex in the neural mechanism of auditory verbal hallucinations. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 144.	1.0	45
204	An examination of auditory processing and affective prosody in relatives of patients with auditory hallucinations. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 531.	1.0	11
206	Neurobiological determinants of cognition. , 0, , 176-192.		0

#	ARTICLE	IF	CITATIONS
207	Association between Mismatch Negativity and Functional Status in Patients with Schizophrenia. Korean Journal of Schizophrenia Research, 2013, 16, 98.	0.3	0
208	Mismatch Negativity in Recent-Onset and Chronic Schizophrenia: A Current Source Density Analysis. PLoS ONE, 2014, 9, e100221.	1.1	47
209	Mismatch Negativity (MMN) in Freely-Moving Rats with Several Experimental Controls. PLoS ONE, 2014, 9, e110892.	1.1	70
210	The Utility of Electromagnetic Activity Measures in Obsessive Compulsive Disorder and Schizophrenia. , 0, , .		0
211	Effects of Nicotine on the Neurophysiological and Behavioral Effects of Ketamine in Humans. Frontiers in Psychiatry, 2014, 5, 3.	1.3	34
212	Early Recognition of High Risk of Bipolar Disorder and Psychosis: An Overview of the ZInEP "Early Recognition" Study. Frontiers in Public Health, 2014, 2, 166.	1.3	32
213	Mismatch Negativity and P3a/Reorienting Complex in Subjects with Schizophrenia or At-Risk Mental State. Frontiers in Behavioral Neuroscience, 2014, 8, 172.	1.0	43
214	Event-related potentials and biomarkers of psychiatric diseases: the necessity to adopt and develop multi-site guidelines. Frontiers in Behavioral Neuroscience, 2014, 8, 428.	1.0	14
215	Visual mismatch negativity: a predictive coding view. Frontiers in Human Neuroscience, 2014, 8, 666.	1.0	232
216	Did I Do That? Abnormal Predictive Processes in Schizophrenia When Button Pressing to Deliver a Tone. Schizophrenia Bulletin, 2014, 40, 804-812.	2.3	139
217	Cortical substrates and functional correlates of auditory deviance processing deficits in schizophrenia. Neurolmage: Clinical, 2014, 6, 424-437.	1.4	79
218	The ZInEP Epidemiology Survey: background, design and methods. International Journal of Methods in Psychiatric Research, 2014, 23, 451-468.	1.1	21
219	Cannabis, Cannabinoids, and the Association with Psychosis. , 2014, , 423-474.		8
220	Impaired musical ability in people with schizophrenia. Journal of Psychiatry and Neuroscience, 2014, 39, 118-26.	1.4	22
221	Electrophysiology and Psychophysiology in Psychiatry and Psychopharmacology. Current Topics in Behavioral Neurosciences, 2014, , .	0.8	2
222	What's intact and what's not within the mismatch negativity system in schizophrenia. Psychophysiology, 2014, 51, 337-347.	1.2	26
223	Delusions and prediction error: re-examining the behavioural evidence for disrupted error signalling in delusion formation. Cognitive Neuropsychiatry, 2014, 19, 439-467.	0.7	26
224	Modulation of auditory deviance detection by acute nicotine is baseline and deviant dependent in healthy nonsmokers: a mismatch negativity study. Human Psychopharmacology, 2014, 29, 446-458.	0.7	26

#	ARTICLE	IF	CITATIONS
225	The effect of psychological stress and expectation on auditory perception: A signal detection analysis. <i>British Journal of Psychology</i> , 2014, 105, 524-546.	1.2	27
226	Use of translational pharmacodynamic biomarkers in early-phase clinical studies for schizophrenia. <i>Biomarkers in Medicine</i> , 2014, 8, 29-49.	0.6	13
227	Amusia and protolanguage impairments in schizophrenia. <i>Psychological Medicine</i> , 2014, 44, 2739-2748.	2.7	24
228	How much do we know about schizophrenia and how well do we know it? Evidence from the Schizophrenia Library. <i>Psychological Medicine</i> , 2014, 44, 3387-3405.	2.7	23
229	Chronic Effects of Cannabis Use on the Auditory Mismatch Negativity. <i>Biological Psychiatry</i> , 2014, 75, 449-458.	0.7	19
230	Cannabidiol as a potential treatment for psychosis. <i>European Neuropsychopharmacology</i> , 2014, 24, 51-64.	0.3	75
231	Preattentive dysfunction in patients with bipolar disorder as revealed by the pitch mismatch negativity: a magnetoencephalography (<scp>MEG</scp>) study. <i>Bipolar Disorders</i> , 2014, 16, 592-599.	1.1	37
232	Stratified medicine for mental disorders. <i>European Neuropsychopharmacology</i> , 2014, 24, 5-50.	0.3	152
233	What are the neurocognitive correlates of basic self-disturbance in schizophrenia?: Integrating phenomenology and neurocognition. <i>Schizophrenia Research</i> , 2014, 152, 20-27.	1.1	130
234	Biomarkers and clinical staging in psychiatry. <i>World Psychiatry</i> , 2014, 13, 211-223.	4.8	243
235	Tactile frequency discrimination is enhanced by circumventing neocortical adaptation. <i>Nature Neuroscience</i> , 2014, 17, 1567-1573.	7.1	65
237	Neurophysiological Biomarkers Informing the Clinical Neuroscience of Schizophrenia: Mismatch Negativity and Prepulse Inhibition of Startle. <i>Current Topics in Behavioral Neurosciences</i> , 2014, 21, 293-314.	0.8	34
239	Mismatch Negativity (MMN) as an Index of Cognitive Dysfunction. <i>Brain Topography</i> , 2014, 27, 451-466.	0.8	163
240	Using biomarkers to inform diagnosis, guide treatments and track response to interventions in psychotic illnesses. <i>Biomarkers in Medicine</i> , 2014, 8, 9-14.	0.6	34
241	Auditory sensory processing deficits in sensory gating and mismatch negativity-like responses in the social isolation rat model of schizophrenia. <i>Behavioural Brain Research</i> , 2014, 266, 85-93.	1.2	24
242	Impaired mismatch negativity is associated with current functional status rather than genetic vulnerability to schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2014, 222, 100-106.	0.9	30
243	Changes in the duration and frequency of deviant stimuli engender different mismatch negativity patterns in temporal lobe epilepsy. <i>Epilepsy and Behavior</i> , 2014, 31, 136-142.	0.9	6
244	Automatic Auditory Processing Deficits in Schizophrenia and Clinical High-Risk Patients: Forecasting Psychosis Risk with Mismatch Negativity. <i>Biological Psychiatry</i> , 2014, 75, 459-469.	0.7	204

#	ARTICLE	IF	CITATIONS
245	Association between auditory P300, psychopathology, and memory function in drug-naïve schizophrenia. <i>Kaohsiung Journal of Medical Sciences</i> , 2014, 30, 133-138.	0.8	10
246	Deficits in Predictive Coding Underlie Hallucinations in Schizophrenia. <i>Journal of Neuroscience</i> , 2014, 34, 8072-8082.	1.7	151
247	Attenuation of mismatch negativity (MMN) and novelty P300 in schizophrenia patients with auditory hallucinations experiencing acute exacerbation of illness. <i>Biological Psychology</i> , 2014, 100, 43-49.	1.1	38
248	Genetic influences on prefrontal activation during a verbal fluency task in adults: A twin study based on multichannel near-infrared spectroscopy. <i>NeuroImage</i> , 2014, 85, 508-517.	2.1	11
249	Ketamine and phencyclidine: the good, the bad and the unexpected. <i>British Journal of Pharmacology</i> , 2015, 172, 4254-4276.	2.7	144
250	Can new paradigms bring new perspectives for mismatch negativity studies in schizophrenia?. <i>Neuropsychiatric Electrophysiology</i> , 2015, 1, .	4.1	2
251	A systematic review of the mismatch negativity as an index for auditory sensory memory: From basic research to clinical and developmental perspectives. <i>Psychophysiology</i> , 2015, 52, 1115-1130.	1.2	69
252	Resting-state glutamatergic neurotransmission is related to the peak latency of the auditory mismatch negativity (MMN) for duration deviants: An ¹ H-MRS-EEG study. <i>Psychophysiology</i> , 2015, 52, 1131-1139.	1.2	22
253	Event-related potentials in bipolar disorder with comorbid anxiety disorder. <i>Middle East Current Psychiatry</i> , 2015, 22, 83-87.	0.5	0
254	Mismatch Negativity Latency as a Biomarker of Amnesic Mild Cognitive Impairment in Chinese Rural Elders. <i>Frontiers in Aging Neuroscience</i> , 2015, 7, 22.	1.7	17
255	The Role of Nicotine in Schizophrenia. <i>International Review of Neurobiology</i> , 2015, 124, 23-78.	0.9	37
256	Hippocampal glutamatergic/NMDA receptor functioning in bipolar disorder: A study combining mismatch negativity and proton magnetic resonance spectroscopy. <i>Psychiatry Research - Neuroimaging</i> , 2015, 233, 88-94.	0.9	21
257	Mismatch negativity (MMN) deficiency: A break-through biomarker in predicting psychosis onset. <i>International Journal of Psychophysiology</i> , 2015, 95, 338-344.	0.5	86
258	Investigation of Heschl's gyrus and planum temporale in patients with schizophrenia and bipolar disorder: A proton magnetic resonance spectroscopy study. <i>Schizophrenia Research</i> , 2015, 161, 202-209.	1.1	28
259	A systematic review of the antipsychotic properties of cannabidiol in humans. <i>Schizophrenia Research</i> , 2015, 162, 153-161.	1.1	200
260	Validation of mismatch negativity and P3a for use in multi-site studies of schizophrenia: Characterization of demographic, clinical, cognitive, and functional correlates in COGS-2. <i>Schizophrenia Research</i> , 2015, 163, 63-72.	1.1	154
261	Functional brain connectivity phenotypes for schizophrenia drug discovery. <i>Journal of Psychopharmacology</i> , 2015, 29, 169-177.	2.0	20
262	Progressive Reduction of Visual P300 Amplitude in Patients With First-Episode Schizophrenia: An ERP Study. <i>Schizophrenia Bulletin</i> , 2015, 41, 460-470.	2.3	31

#	ARTICLE	IF	CITATIONS
263	Nicotinic modulation of auditory evoked potential electroencephalography in a rodent neurodevelopmental model of schizophrenia. <i>Biochemical Pharmacology</i> , 2015, 97, 482-487.	2.0	12
264	Investigating the role of glutathione in mismatch negativity: An insight into NMDA receptor disturbances in bipolar disorder. <i>Clinical Neurophysiology</i> , 2015, 126, 1178-1184.	0.7	17
265	Consensus paper of the WFSBP Task Force on Biological Markers: Criteria for biomarkers and endophenotypes of schizophrenia part I: Neurophysiology. <i>World Journal of Biological Psychiatry</i> , 2015, 16, 280-290.	1.3	37
266	Disruption of information processing in schizophrenia: The time perspective. <i>Schizophrenia Research: Cognition</i> , 2015, 2, 78-83.	0.7	40
267	Mismatch negativity in tobacco-naïve cannabis users and its alteration with acute nicotine administration. <i>Pharmacology Biochemistry and Behavior</i> , 2015, 136, 73-81.	1.3	7
268	Elementary sensory deficits in schizophrenia indexed by impaired visual mismatch negativity. <i>Schizophrenia Research</i> , 2015, 166, 164-170.	1.1	29
269	Abnormal Resting State fMRI Activity Predicts Processing Speed Deficits in First-Episode Psychosis. <i>Neuropsychopharmacology</i> , 2015, 40, 1631-1639.	2.8	14
270	Prediction and Expectation. , 2015, , 295-302.		8
271	Paying attention to MMN in schizophrenia. <i>Brain Research</i> , 2015, 1626, 267-279.	1.1	15
272	Future clinical uses of neurophysiological biomarkers to predict and monitor treatment response for schizophrenia. <i>Annals of the New York Academy of Sciences</i> , 2015, 1344, 105-119.	1.8	119
273	Contributions of early cortical processing and reading ability to functional status in individuals at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2015, 164, 1-7.	1.1	46
274	Reduced event-related low frequency EEG activity in patients with early onset schizophrenia and their unaffected siblings. <i>Psychiatry Research - Neuroimaging</i> , 2015, 232, 51-57.	0.9	7
275	Loss of Microtubule-Associated Protein 2 Immunoreactivity Linked to Dendritic Spine Loss in Schizophrenia. <i>Biological Psychiatry</i> , 2015, 78, 374-385.	0.7	89
276	Equivalent mismatch negativity deficits across deviant types in early illness schizophrenia-spectrum patients. <i>Biological Psychology</i> , 2015, 105, 130-137.	1.1	41
277	EEG biomarkers of target engagement, therapeutic effect, and disease process. <i>Annals of the New York Academy of Sciences</i> , 2015, 1344, 12-26.	1.8	30
278	Electrophysiological mismatch response recorded in awake pigeons from the avian functional equivalent of the primary auditory cortex. <i>NeuroReport</i> , 2015, 26, 239-244.	0.6	19
280	How Schizophrenia Develops: Cognitive and Brain Mechanisms Underlying Onset of Psychosis. <i>Trends in Cognitive Sciences</i> , 2015, 19, 744-756.	4.0	163
281	Translational Perspectives for Computational Neuroimaging. <i>Neuron</i> , 2015, 87, 716-732.	3.8	154

#	ARTICLE	IF	CITATIONS
282	Alcohol use in bipolar disorder: A neurobiological model to help predict susceptibility, select treatments and attenuate cortical insult. <i>Neuroscience and Biobehavioral Reviews</i> , 2015, 56, 193-206.	2.9	4
283	Sensory Processing Dysfunction in the Personal Experience and Neuronal Machinery of Schizophrenia. <i>American Journal of Psychiatry</i> , 2015, 172, 17-31.	4.0	306
284	Mismatch negativity indexes illness-specific impairments of cortical plasticity in schizophrenia: A comparison with bipolar disorder and Alzheimer's disease. <i>International Journal of Psychophysiology</i> , 2015, 95, 145-155.	0.5	89
285	Forecasting Psychosis by Event-Related Potentialsâ€”Systematic Review and Specific Meta-Analysis. <i>Biological Psychiatry</i> , 2015, 77, 951-958.	0.7	102
286	Glutamate Pharmacological Models Relevant to Schizophrenia and Psychosis. <i>Handbook of Behavioral Neuroscience</i> , 2016, , 139-174.	0.7	3
287	Symptoms and Neurobiological Models of Language in Schizophrenia. , 2016, , 887-897.		0
288	Associations between the mismatch-negativity component and symptom severity in children and adolescents with attention deficit/hyperactivity disorder. <i>Neuropsychiatric Disease and Treatment</i> , 2016, Volume 12, 3183-3190.	1.0	25
289	Neurophysiology for Detection of High Risk for Psychosis. <i>Schizophrenia Research and Treatment</i> , 2016, 2016, 1-5.	0.7	11
290	Mismatch Negativity and P50 Sensory Gating in Abstinent Former Cannabis Users. <i>Neural Plasticity</i> , 2016, 2016, 1-11.	1.0	6
291	EEG and MEG Probes of Schizophrenia Pathophysiology. , 2016, , 213-236.		9
292	Mismatch Negativity to Threatening Voices Associated with Positive Symptoms in Schizophrenia. <i>Frontiers in Human Neuroscience</i> , 2016, 10, 362.	1.0	16
293	15 Years of Microstate Research in Schizophrenia â€” Where Are We? A Meta-Analysis. <i>Frontiers in Psychiatry</i> , 2016, 7, 22.	1.3	121
294	Schizotypy and auditory mismatch negativity in a non-clinical sample of young adults. <i>Psychiatry Research - Neuroimaging</i> , 2016, 254, 83-91.	0.9	11
295	Neuroscienceâ€”informed computerâ€”assisted cognitive training in schizophrenia. <i>Annals of the New York Academy of Sciences</i> , 2016, 1366, 90-114.	1.8	34
296	Magnetoencephalographic recording of auditory mismatch negativity in response to duration and frequency deviants in a single session in patients with schizophrenia. <i>Psychiatry and Clinical Neurosciences</i> , 2016, 70, 295-302.	1.0	16
297	Neurophysiological mechanisms of cortical plasticity impairments in schizophrenia and modulation by the NMDA receptor agonist D-serine. <i>Brain</i> , 2016, 139, 3281-3295.	3.7	84
298	Familial Influences on Mismatch Negativity and Its Association with Plasma Glutamate Level: A Magnetoencephalographic Study in Twins. <i>Molecular Neuropsychiatry</i> , 2016, 2, 161-172.	3.0	2
299	Visual mismatch negativity (vMMN): A review and meta-analysis of studies in psychiatric and neurological disorders. <i>Cortex</i> , 2016, 80, 76-112.	1.1	107

#	ARTICLE	IF	CITATIONS
300	Electrophysiological Endophenotypes for Schizophrenia. <i>Harvard Review of Psychiatry</i> , 2016, 24, 129-147.	0.9	37
301	Comprehensive auditory discrimination profiles recorded with a fast parametric musical multi-feature mismatch negativity paradigm. <i>Clinical Neurophysiology</i> , 2016, 127, 2065-2077.	0.7	25
302	Pitch and Duration Mismatch Negativity and Premorbid Intellect in the First Hospitalized Schizophrenia Spectrum. <i>Schizophrenia Bulletin</i> , 2017, 43, sbw074.	2.3	51
303	A Meta-Analysis of Mismatch Negativity in Schizophrenia: From Clinical Risk to Disease Specificity and Progression. <i>Biological Psychiatry</i> , 2016, 79, 980-987.	0.7	300
304	Early indices of deviance detection in humans and animal models. <i>Biological Psychology</i> , 2016, 116, 23-27.	1.1	43
305	Assessment of anodal and cathodal transcranial direct current stimulation (tDCS) on MMN-indexed auditory sensory processing. <i>Brain and Cognition</i> , 2016, 105, 46-54.	0.8	21
306	Effects of Blocking D2/D3 Receptors on Mismatch Negativity and P3a Amplitude of Initially Antipsychotic Na ⁺ -ve, First Episode Schizophrenia Patients. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, pyv109.	1.0	18
307	Modulation of neurophysiological auditory processing measures by bilateral transcranial direct current stimulation in schizophrenia. <i>Schizophrenia Research</i> , 2016, 174, 189-191.	1.1	18
308	Abnormal auditory pattern perception in schizophrenia. <i>Schizophrenia Research</i> , 2016, 176, 473-479.	1.1	22
309	The dysconnection hypothesis (2016). <i>Schizophrenia Research</i> , 2016, 176, 83-94.	1.1	426
310	Impaired prefrontal synaptic gain in people with psychosis and their relatives during the mismatch negativity. <i>Human Brain Mapping</i> , 2016, 37, 351-365.	1.9	64
311	Abnormal Complex Auditory Pattern Analysis in Schizophrenia Reflected in an Absent Missing Stimulus Mismatch Negativity. <i>Brain Topography</i> , 2016, 29, 867-874.	0.8	18
312	A Meta-analytic Review of Auditory Event-Related Potential Components as Endophenotypes for Schizophrenia: Perspectives From First-Degree Relatives. <i>Schizophrenia Bulletin</i> , 2016, 42, 1504-1516.	2.3	68
313	Differential sensory fMRI signatures in autism and schizophrenia: Analysis of amplitude and trial-to-trial variability. <i>Schizophrenia Research</i> , 2016, 175, 12-19.	1.1	27
314	Mismatch negativity: Alterations in adults from the general population who report subclinical psychotic symptoms. <i>European Psychiatry</i> , 2016, 34, 9-16.	0.1	7
315	A quantitative review of the postmortem evidence for decreased cortical N-methyl-d-aspartate receptor expression levels in schizophrenia: How can we link molecular abnormalities to mismatch negativity deficits?. <i>Biological Psychology</i> , 2016, 116, 57-67.	1.1	99
316	Are there glutamate abnormalities in subjects at high risk mental state for psychosis? A review of the evidence. <i>Schizophrenia Research</i> , 2016, 171, 166-175.	1.1	26
317	The effect of auditory and visual training on the mismatch negativity in schizophrenia. <i>International Journal of Psychophysiology</i> , 2016, 102, 47-54.	0.5	9

#	ARTICLE	IF	CITATIONS
318	The effect of deviance predictability on mismatch negativity in schizophrenia patients. <i>Neuroscience Letters</i> , 2016, 617, 76-81.	1.0	9
319	A predictive coding account of MMN reduction in schizophrenia. <i>Biological Psychology</i> , 2016, 116, 68-74.	1.1	52
320	The neurobiology of MMN and implications for schizophrenia. <i>Biological Psychology</i> , 2016, 116, 90-97.	1.1	42
321	Electroencephalographic Predictors of Psychosis. <i>Key Issues in Mental Health</i> , 0, , 133-141.	0.6	0
322	A Cognitive Neuroscience View of Voice-Processing Abnormalities in Schizophrenia. <i>Harvard Review of Psychiatry</i> , 2016, 24, 148-163.	0.9	21
323	Mismatch responses and deviance detection in N-methyl-D-aspartate (NMDA) receptor hypofunction and developmental models of schizophrenia. <i>Biological Psychology</i> , 2016, 116, 75-81.	1.1	24
324	Mismatch negativity (MMN) as biomarker predicting psychosis in clinically at-risk individuals. <i>Biological Psychology</i> , 2016, 116, 36-40.	1.1	70
325	The effects of ketamine on the mismatch negativity (MMN) in humans – A meta-analysis. <i>Clinical Neurophysiology</i> , 2016, 127, 1387-1394.	0.7	96
326	Is it time to move mismatch negativity into the clinic?. <i>Biological Psychology</i> , 2016, 116, 41-46.	1.1	32
327	Criteria for determining whether mismatch responses exist in animal models: Focus on rodents. <i>Biological Psychology</i> , 2016, 116, 28-35.	1.1	69
328	Mismatch Negativity in First-Episode Schizophrenia. <i>Clinical EEG and Neuroscience</i> , 2017, 48, 3-10.	0.9	100
329	Mismatch Negativity is a Sensitive and Predictive Biomarker of Perceptual Learning During Auditory Cognitive Training in Schizophrenia. <i>Neuropsychopharmacology</i> , 2017, 42, 2206-2213.	2.8	73
330	Deep temporal models and active inference. <i>Neuroscience and Biobehavioral Reviews</i> , 2017, 77, 388-402.	2.9	159
331	Targeting neuronal dysfunction in schizophrenia with nicotine: Evidence from neurophysiology to neuroimaging. <i>Journal of Psychopharmacology</i> , 2017, 31, 801-811.	2.0	17
332	Is There an Association Between Mismatch Negativity and Cortical Thickness in Schizophrenia Patients?. <i>Clinical EEG and Neuroscience</i> , 2017, 48, 383-392.	0.9	4
333	Test-retest reliability of the magnetic mismatch negativity response to sound duration and omission deviants. <i>NeuroImage</i> , 2017, 157, 184-195.	2.1	41
334	Neurophysiological Effects of Bitopertin in Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2017, 37, 447-451.	0.7	36
335	A fast and implicit measure of semantic categorisation using steady state visual evoked potentials. <i>Neuropsychologia</i> , 2017, 102, 11-18.	0.7	24

#	ARTICLE	IF	CITATIONS
336	Duration and frequency mismatch negativity shows no progressive reduction in early stages of psychosis. <i>Schizophrenia Research</i> , 2017, 190, 32-38.	1.1	37
337	Meta-analysis of time perception and temporal processing in schizophrenia: Differential effects on precision and accuracy. <i>Clinical Psychology Review</i> , 2017, 54, 44-64.	6.0	95
338	Modeling Deficits From Early Auditory Information Processing to Psychosocial Functioning in Schizophrenia. <i>JAMA Psychiatry</i> , 2017, 74, 37.	6.0	163
339	Mismatch negativity and P3a amplitude in young adolescents with first-episode psychosis: a comparison with ADHD. <i>Psychological Medicine</i> , 2017, 47, 377-388.	2.7	30
340	Aberrant temporal behavior of mismatch negativity generators in schizophrenia patients and subjects at clinical high risk for psychosis. <i>Clinical Neurophysiology</i> , 2017, 128, 331-339.	0.7	27
341	Disruption of Conscious Access in Schizophrenia. <i>Trends in Cognitive Sciences</i> , 2017, 21, 878-892.	4.0	40
342	Mismatch negativity to pitch pattern deviants in schizophrenia. <i>European Journal of Neuroscience</i> , 2017, 46, 2229-2239.	1.2	15
343	Effects of transcranial direct current stimulation on the auditory mismatch negativity response and working memory performance in schizophrenia: a pilot study. <i>Journal of Neural Transmission</i> , 2017, 124, 1489-1501.	1.4	14
344	Mapping the Consequences of Impaired Synaptic Plasticity in Schizophrenia through Development: An Integrative Model for Diverse Clinical Features. <i>Trends in Cognitive Sciences</i> , 2017, 21, 760-778.	4.0	110
345	Impairment in predictive processes during auditory mismatch negativity in ScZ: Evidence from event-related fields. <i>Human Brain Mapping</i> , 2017, 38, 5082-5093.	1.9	21
346	Reduced Mismatch Negativity is Associated with Increased Plasma Level of Glutamate in First-episode Psychosis. <i>Scientific Reports</i> , 2017, 7, 2258.	1.6	39
347	Towards integrating phenomenology and neurocognition: Possible neurocognitive correlates of basic self-disturbance in schizophrenia. <i>Current Problems of Psychiatry</i> , 2017, 18, 184-200.	0.1	13
348	The effect of bilateral transcranial direct current stimulation on early auditory processing in schizophrenia: a preliminary study. <i>Journal of Neural Transmission</i> , 2017, 124, 1145-1149.	1.4	9
349	Trait aspects of auditory mismatch negativity predict response to auditory training in individuals with early illness schizophrenia. <i>Neuropsychiatric Electrophysiology</i> , 2017, 3, .	4.1	40
350	Cognitive impairments in patients with first episode psychosis: The relationship between neurophysiological and neuropsychological assessments. <i>Journal of Clinical Neuroscience</i> , 2017, 36, 80-87.	0.8	17
351	Endophenotype best practices. <i>International Journal of Psychophysiology</i> , 2017, 111, 115-144.	0.5	62
353	Models of neuromodulation for computational psychiatry. <i>Wiley Interdisciplinary Reviews: Cognitive Science</i> , 2017, 8, e1420.	1.4	18
354	Practice and Learning: Spatiotemporal Differences in Thalamo-Cortical-Cerebellar Networks Engagement across Learning Phases in Schizophrenia. <i>Frontiers in Psychiatry</i> , 2016, 7, 212.	1.3	0

#	ARTICLE	IF	CITATIONS
355	Electrophysiological, cognitive and clinical profiles of at-risk mental state: The longitudinal Minds in Transition (MinT) study. <i>PLoS ONE</i> , 2017, 12, e0171657.	1.1	37
356	Meta-analysis and systematic review of the literature characterizing auditory mismatch negativity in individuals with autism. <i>Neuroscience and Biobehavioral Reviews</i> , 2018, 87, 106-117.	2.9	87
357	Emotional context restores cortical prediction error responses in schizophrenia. <i>Schizophrenia Research</i> , 2018, 197, 434-440.	1.1	8
358	Formal thought disorders: from phenomenology to neurobiology. <i>Lancet Psychiatry</i> , 2018, 5, 515-526.	3.7	94
359	Thalamic Reticular Dysfunction as a Circuit Endophenotype in Neurodevelopmental Disorders. <i>Neuron</i> , 2018, 98, 282-295.	3.8	84
360	Event-Related Potentials in the Clinical High-Risk (CHR) State for Psychosis: A Systematic Review. <i>Clinical EEG and Neuroscience</i> , 2018, 49, 215-225.	0.9	36
361	Altered auditory processing and effective connectivity in 22q11.2 deletion syndrome. <i>Schizophrenia Research</i> , 2018, 197, 328-336.	1.1	24
362	Hallucinations, neuroplasticity, and prediction errors in schizophrenia. <i>Scandinavian Journal of Psychology</i> , 2018, 59, 41-48.	0.8	16
363	A Perceptual Inference Mechanism for Hallucinations Linked to Striatal Dopamine. <i>Current Biology</i> , 2018, 28, 503-514.e4.	1.8	120
364	Psilocybin disrupts sensory and higher order cognitive processing but not pre-attentive cognitive processing—a study on P300 and mismatch negativity in healthy volunteers. <i>Psychopharmacology</i> , 2018, 235, 491-503.	1.5	26
365	Genomic and Imaging Biomarkers in Schizophrenia. <i>Current Topics in Behavioral Neurosciences</i> , 2018, 40, 325-352.	0.8	9
366	Auditory System Target Engagement During Plasticity-Based Interventions in Schizophrenia: A Focus on Modulation of N-Methyl-D-Aspartate-Type Glutamate Receptor Function. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2018, 3, 581-590.	1.1	16
367	Sensory prediction errors in the continuum of psychosis. <i>Schizophrenia Research</i> , 2018, 191, 109-122.	1.1	57
368	Mismatch negativity in bipolar disorder: A neurophysiological biomarker of intermediate effect?. <i>Schizophrenia Research</i> , 2018, 191, 132-139.	1.1	28
369	Improvement in mismatch negativity generation during d-serine treatment in schizophrenia: Correlation with symptoms. <i>Schizophrenia Research</i> , 2018, 191, 70-79.	1.1	88
370	Late deviance detection in rats is reduced, while early deviance detection is augmented by the NMDA receptor antagonist MK-801. <i>Schizophrenia Research</i> , 2018, 191, 43-50.	1.1	32
371	Time as context: The influence of hierarchical patterning on sensory inference. <i>Schizophrenia Research</i> , 2018, 191, 123-131.	1.1	17
372	The effects of glycine on auditory mismatch negativity in schizophrenia. <i>Schizophrenia Research</i> , 2018, 191, 61-69.	1.1	46

#	ARTICLE	IF	CITATIONS
373	Complex mismatch negativity to tone pair deviants in long-term schizophrenia and in the first-episode schizophrenia spectrum. <i>Schizophrenia Research</i> , 2018, 191, 18-24.	1.1	20
374	The value of novelty in schizophrenia. <i>Schizophrenia Research</i> , 2018, 192, 287-293.	1.1	15
375	Mismatch negativity (MMN) to spatial deviants and behavioral spatial discrimination ability in the etiology of auditory verbal hallucinations and thought disorder in schizophrenia. <i>Schizophrenia Research</i> , 2018, 191, 140-147.	1.1	29
376	Interactive effects of an N-methyl-d-aspartate receptor antagonist and a nicotinic acetylcholine receptor agonist on mismatch negativity: Implications for schizophrenia. <i>Schizophrenia Research</i> , 2018, 191, 87-94.	1.1	26
377	Meta-analysis of mismatch negativity to simple versus complex deviants in schizophrenia. <i>Schizophrenia Research</i> , 2018, 191, 25-34.	1.1	64
378	Association between mismatch negativity and global functioning is specific to duration deviance in early stages of psychosis. <i>Schizophrenia Research</i> , 2018, 195, 378-384.	1.1	34
379	Rodent Mismatch Negativity/theta Neuro-Oscillatory Response as a Translational Neurophysiological Biomarker for N-Methyl-D-Aspartate Receptor-Based New Treatment Development in Schizophrenia. <i>Neuropsychopharmacology</i> , 2018, 43, 571-582.	2.8	44
380	LSD modulates effective connectivity and neural adaptation mechanisms in an auditory oddball paradigm. <i>Neuropharmacology</i> , 2018, 142, 251-262.	2.0	42
381	Impaired mismatch negativity to frequency deviants in individuals at ultra-high risk for psychosis, and preliminary evidence for further impairment with transition to psychosis. <i>Schizophrenia Research</i> , 2018, 191, 95-100.	1.1	31
382	Predicting Remission in Subjects at Clinical High Risk for Psychosis Using Mismatch Negativity. <i>Schizophrenia Bulletin</i> , 2018, 44, 575-583.	2.3	38
383	Mismatch Negativity But Not P300 Is Associated With Functional Disability in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2018, 44, 492-504.	2.3	44
384	Mismatch negativity in preclinical models of schizophrenia. <i>Schizophrenia Research</i> , 2018, 191, 35-42.	1.1	45
385	Electrophysiological correlates of visual backward masking in patients with first episode psychosis. <i>Psychiatry Research - Neuroimaging</i> , 2018, 282, 64-72.	0.9	12
386	The Danish High Risk and Resilience Study "VIA 11: Study Protocol for the First Follow-Up of the VIA 7 Cohort ~522 Children Born to Parents With Schizophrenia Spectrum Disorders or Bipolar Disorder and Controls Being Re-examined for the First Time at Age 11. <i>Frontiers in Psychiatry</i> , 2018, 9, 661.	1.3	27
387	Aberrant timing and oddball detection in Schizophrenia: findings from a signed differential mapping meta-analysis. <i>Heliyon</i> , 2018, 4, e01004.	1.4	4
388	Using EEG-Guided Basket and Umbrella Trials in Psychiatry: A Precision Medicine Approach for Cognitive Impairment in Schizophrenia. <i>Frontiers in Psychiatry</i> , 2018, 9, 554.	1.3	13
389	Electrophysiological evidence for abnormal glutamate-GABA association following psychosis onset. <i>Translational Psychiatry</i> , 2018, 8, 211.	2.4	55
390	Effects of ketamine on brain function during response inhibition. <i>Psychopharmacology</i> , 2018, 235, 3559-3571.	1.5	11

#	ARTICLE	IF	CITATIONS
391	Glutamatergic Deficits in Schizophrenia – Biomarkers and Pharmacological Interventions within the Ketamine Model. <i>Current Pharmaceutical Biotechnology</i> , 2018, 19, 293-307.	0.9	39
392	Computational psychiatry. , 2018, , 452-468.		1
393	Predictive timing disturbance is a precise marker of schizophrenia. <i>Schizophrenia Research: Cognition</i> , 2018, 12, 42-49.	0.7	17
394	Precise theta burst transcranial magnetic stimulation selectively reduced duration-related mismatch negativity. <i>Biological Psychology</i> , 2018, 137, 125-132.	1.1	7
395	Electrophysiological Evidence in Schizophrenia in Relation to Treatment Response. <i>Frontiers in Psychiatry</i> , 2018, 9, 259.	1.3	3
396	Lack of correlation between phonetic magnetic mismatch field and plasma d-serine levels in humans. <i>Clinical Neurophysiology</i> , 2018, 129, 1444-1448.	0.7	0
397	Neuroimaging results suggest the role of prediction in cross-domain priming. <i>Scientific Reports</i> , 2018, 8, 10356.	1.6	12
398	Association between mismatch negativity and voxel-based brain volume in schizophrenia. <i>Clinical Neurophysiology</i> , 2018, 129, 1899-1906.	0.7	6
400	Selective Prefrontal Disinhibition in a Roving Auditory Oddball Paradigm Under N-Methyl-D-Aspartate Receptor Blockade. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019, 4, 140-150.	1.1	31
401	Electroencephalography and Staging. , 2019, , 204-220.		0
402	Relationship of auditory electrophysiological responses to magnetic resonance spectroscopy metabolites in Early Phase Psychosis. <i>International Journal of Psychophysiology</i> , 2019, 145, 15-22.	0.5	12
403	Brain-based ranking of cognitive domains to predict schizophrenia. <i>Human Brain Mapping</i> , 2019, 40, 4487-4507.	1.9	25
404	Autism and psychosis as diametrical disorders of embodiment. <i>Evolution, Medicine and Public Health</i> , 2019, 2019, 121-138.	1.1	20
405	Endophenotypes in Schizophrenia: Digging Deeper to Identify Genetic Mechanisms. <i>Journal of Psychiatry and Brain Science</i> , 2019, 4, .	0.3	14
406	Sensory processing deficiencies in patients with borderline personality disorder who experience auditory verbal hallucinations. <i>Psychiatry Research</i> , 2019, 281, 112545.	1.7	3
408	Auditory mismatch detection, distraction, and attentional reorientation (MMN-P3a-RON) in neurological and psychiatric disorders: A review. <i>International Journal of Psychophysiology</i> , 2019, 146, 85-100.	0.5	17
409	Staging model in psychiatry: Review of the evolution of electroencephalography abnormalities in major psychiatric disorders. <i>Microbial Biotechnology</i> , 2019, 13, 1319-1328.	0.9	22
410	Mismatch negativity reveals plasticity in cortical dynamics after 1-hour of auditory training exercises. <i>International Journal of Psychophysiology</i> , 2019, 145, 40-47.	0.5	24

#	ARTICLE	IF	CITATIONS
411	Significant repetition probability effects in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2019, 290, 22-29.	0.9	6
412	Abnormal development of early auditory processing in 22q11.2 Deletion Syndrome. <i>Translational Psychiatry</i> , 2019, 9, 138.	2.4	9
413	Neonatal exposure to an inflammatory cytokine, epidermal growth factor, results in the deficits of mismatch negativity in rats. <i>Scientific Reports</i> , 2019, 9, 7503.	1.6	20
414	Differential of Frequency and Duration Mismatch Negativity and Theta Power Deficits in First-Episode and Chronic Schizophrenia. <i>Frontiers in Behavioral Neuroscience</i> , 2019, 13, 37.	1.0	23
415	Shared neural substrates of deficits in social cognition and negative symptoms in schizophrenia. , 2019, , 125-142.		1
416	Src deficient mice demonstrate behavioral and electrophysiological alterations relevant to psychiatric and developmental disease. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 93, 84-92.	2.5	11
417	Mismatch negativity (MMN) as a tool for translational investigations into early psychosis: A review. <i>International Journal of Psychophysiology</i> , 2019, 145, 5-14.	0.5	57
419	Elucidating the glutamatergic processes underlying mismatch negativity deficits in early stage bipolar disorder and schizophrenia: A combined 1H-MRS and EEG study. <i>Journal of Psychiatric Research</i> , 2019, 113, 83-89.	1.5	8
420	Reduced Sensitivity to Non-Fear-Related Stimulus Changes in Panic Disorder. <i>Neuropsychobiology</i> , 2019, 78, 31-37.	0.9	9
421	Mismatch negativity and cognitive performance in the course of schizophrenia. <i>International Journal of Psychophysiology</i> , 2019, 145, 30-39.	0.5	9
422	Applications of Neurophysiological Biomarkers in CNS Drug Development: Focus on Psychoses. <i>Handbook of Behavioral Neuroscience</i> , 2019, 29, 191-198.	0.7	1
423	Alteration of functional brain architecture in 22q11.2 deletion syndrome – Insights into susceptibility for psychosis. <i>NeuroImage</i> , 2019, 190, 154-171.	2.1	18
424	Electrophysiological assessment methodology of sensory processing dysfunction in schizophrenia and dementia of the Alzheimer type. <i>Neuroscience and Biobehavioral Reviews</i> , 2019, 97, 70-84.	2.9	21
425	Fostering advances to neuropsychological assessment based on the Research Domain Criteria: The bridge between cognitive functioning and physiology. <i>Clinical Neuropsychologist</i> , 2019, 33, 327-356.	1.5	7
426	Reduced late mismatch negativity and auditory sustained potential to rule-based patterns in schizophrenia. <i>European Journal of Neuroscience</i> , 2019, 49, 275-289.	1.2	4
427	Neurophysiologic measures of target engagement predict response to auditory-based cognitive training in treatment refractory schizophrenia. <i>Neuropsychopharmacology</i> , 2019, 44, 606-612.	2.8	47
428	Parsing components of auditory predictive coding in schizophrenia using a roving standard mismatch negativity paradigm. <i>Psychological Medicine</i> , 2019, 49, 1195-1206.	2.7	24
429	Deviance detection is the dominant component of auditory contextual processing in the lateral superior temporal gyrus: A human ECoG study. <i>Human Brain Mapping</i> , 2019, 40, 1184-1194.	1.9	30

#	ARTICLE	IF	CITATIONS
430	A randomized controlled trial comparing a "bottom-up" and "top-down" approach to cognitive training in schizophrenia. <i>Journal of Psychiatric Research</i> , 2019, 109, 118-125.	1.5	19
431	Social brain, social dysfunction and social withdrawal. <i>Neuroscience and Biobehavioral Reviews</i> , 2019, 97, 10-33.	2.9	216
432	Towards a neurodynamical understanding of the prodrome in schizophrenia. <i>NeuroImage</i> , 2019, 190, 144-153.	2.1	23
433	N-methyl-d-aspartate-type glutamate receptor modulators and related medications for the enhancement of auditory system plasticity in schizophrenia. <i>Schizophrenia Research</i> , 2019, 207, 70-79.	1.1	32
434	Impact of Chronic Cannabis Use on Auditory Mismatch Negativity Generation in Schizophrenia Patients. <i>Pharmacopsychiatry</i> , 2019, 52, 126-133.	1.7	3
435	Mismatch Negativity and Cortical Thickness in Patients With Schizophrenia and Bipolar Disorder. <i>Schizophrenia Bulletin</i> , 2019, 45, 425-435.	2.3	20
436	Phosphodiesterase 10A levels are related to striatal function in schizophrenia: a combined positron emission tomography and functional magnetic resonance imaging study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 451-459.	1.8	10
437	Impaired Subcortical Detection of Auditory Changes in Schizophrenia but Not in Major Depression. <i>Schizophrenia Bulletin</i> , 2020, 46, 193-201.	2.3	12
438	Comparison of Common Amplitude Metrics in Event-Related Potential Analysis. <i>Multivariate Behavioral Research</i> , 2020, 55, 478-493.	1.8	3
439	The neurophenomenology of early psychosis: An integrative empirical study. <i>Consciousness and Cognition</i> , 2020, 77, 102845.	0.8	51
440	Auditory sensory gating in young adolescents with early-onset psychosis: a comparison with attention deficit/hyperactivity disorder. <i>Neuropsychopharmacology</i> , 2020, 45, 649-655.	2.8	6
441	Abnormal Frequency Mismatch Negativity in Early Psychosis Outpatient Subjects. <i>Clinical EEG and Neuroscience</i> , 2020, 51, 207-214.	0.9	1
442	Sound frequency dependence of duration mismatch negativity recorded from awake rats. <i>Neuropsychopharmacology Reports</i> , 2020, 40, 96-101.	1.1	3
443	Intervention-specific patterns of cortical function plasticity during auditory encoding in people with schizophrenia. <i>Schizophrenia Research</i> , 2020, 215, 241-249.	1.1	15
444	Auditory Mismatch Negativity Under Predictive Coding Framework and Its Role in Psychotic Disorders. <i>Frontiers in Psychiatry</i> , 2020, 11, 557932.	1.3	15
445	Identifying Clinically and Functionally Distinct Groups Among Healthy Controls and First Episode Psychosis Patients by Clustering on EEG Patterns. <i>Frontiers in Psychiatry</i> , 2020, 11, 541659.	1.3	16
446	Aberrant effective connectivity is associated with positive symptoms in first-episode schizophrenia. <i>NeuroImage: Clinical</i> , 2020, 28, 102444.	1.4	5
447	Change in the Neural Response to Auditory Deviance Following Cognitive Therapy for Hallucinations in Patients With Schizophrenia. <i>Frontiers in Psychiatry</i> , 2020, 11, 555.	1.3	1

#	ARTICLE	IF	CITATIONS
448	The Visual Word Form Area compensates for auditory working memory dysfunction in schizophrenia. <i>Scientific Reports</i> , 2020, 10, 8881.	1.6	5
449	Neurophysiological Biomarkers in Schizophrenia—P50, Mismatch Negativity, and TMS-EMG and TMS-EEG. <i>Frontiers in Psychiatry</i> , 2020, 11, 795.	1.3	25
450	Epigenomic Dysregulation in Schizophrenia: In Search of Disease Etiology and Biomarkers. <i>Cells</i> , 2020, 9, 1837.	1.8	55
451	Targeting Serotonin 5-HT _{2A} Receptors to Better Treat Schizophrenia: Rationale and Current Approaches. <i>CNS Drugs</i> , 2020, 34, 947-959.	2.7	28
452	Trajectories of Mismatch Negativity and P3a Amplitude Development From Ages 9 to 16 Years in Children With Risk Factors for Schizophrenia. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2020, 5, 1085-1094.	1.1	3
453	Aberrant Frequency Related Change-Detection Activity in Chronic Tinnitus. <i>Frontiers in Neuroscience</i> , 2020, 14, 543134.	1.4	5
454	Certified Flight Instructors'™ Performance – Review of the Literature and Exploration of Future Steps. <i>International Journal of Aerospace Psychology</i> , 2020, 30, 152-170.	1.1	1
455	Aberrant connectivity in auditory precision encoding in schizophrenia spectrum disorder and across the continuum of psychotic-like experiences. <i>Schizophrenia Research</i> , 2020, 222, 185-194.	1.1	3
456	Auditory Mismatch Negativity in Youth Affected by Autism Spectrum Disorder With and Without Attenuated Psychosis Syndrome. <i>Frontiers in Psychiatry</i> , 2020, 11, 555340.	1.3	5
457	Reliability of mismatch negativity event-related potentials in a multisite, traveling subjects study. <i>Clinical Neurophysiology</i> , 2020, 131, 2899-2909.	0.7	6
458	Abnormal Effective Connectivity Underlying Auditory Mismatch Negativity Impairments in Schizophrenia. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2020, 5, 1028-1039.	1.1	11
459	Neurocognitive and neurophysiological endophenotypes in schizophrenia: An overview. <i>Biomarkers in Neuropsychiatry</i> , 2020, 3, 100017.	0.7	14
460	Meta-Analysis of Sensorimotor Gating Deficits in Patients With Schizophrenia Evaluated by Prepulse Inhibition Test. <i>Schizophrenia Bulletin</i> , 2020, 46, 1482-1497.	2.3	37
461	Ketamine Affects Prediction Errors about Statistical Regularities: A Computational Single-Trial Analysis of the Mismatch Negativity. <i>Journal of Neuroscience</i> , 2020, 40, 5658-5668.	1.7	44
462	Putative TAAR5 agonist alpha-NETA affects event-related potentials in oddball paradigm in awake mice. <i>Brain Research Bulletin</i> , 2020, 158, 116-121.	1.4	5
463	Reductions in Complex Mismatch Negativity to Extra Tone Gestalt Pattern Deviance in First-Episode Schizophrenia. <i>Frontiers in Psychiatry</i> , 2020, 11, 505.	1.3	6
464	Mismatch Negativity and Impaired Social Functioning in Long-Term and in First Episode Schizophrenia Spectrum Psychosis. <i>Frontiers in Psychiatry</i> , 2020, 11, 544.	1.3	13
465	Progressive Impairment of Mismatch Negativity Is Reflective of Underlying Pathophysiological Changes in Patients With First-Episode Psychosis. <i>Frontiers in Psychiatry</i> , 2020, 11, 587.	1.3	10

#	ARTICLE	IF	CITATIONS
466	Reduced Auditory Mismatch Negativity Reflects Impaired Deviance Detection in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2020, 46, 937-946.	2.3	45
467	Electroencephalography and Event-Related Potential Biomarkers in Individuals at Clinical High Risk for Psychosis. <i>Biological Psychiatry</i> , 2020, 88, 294-303.	0.7	34
468	Mismatch-negativity (MMN) in animal models: Homology of human MMN?. <i>Hearing Research</i> , 2021, 399, 107936.	0.9	13
469	Do rat auditory event related potentials exhibit human mismatch negativity attributes related to predictive coding?. <i>Hearing Research</i> , 2021, 399, 107992.	0.9	7
470	Abnormal Auditory Processing and Underlying Structural Changes in 22q11.2 Deletion Syndrome. <i>Schizophrenia Bulletin</i> , 2021, 47, 189-196.	2.3	9
471	Pivotal mental states. <i>Journal of Psychopharmacology</i> , 2021, 35, 319-352.	2.0	71
472	Classical and controlled auditory mismatch responses to multiple physical deviances in anaesthetised and conscious mice. <i>European Journal of Neuroscience</i> , 2021, 53, 1839-1854.	1.2	21
473	Hierarchical Pathways from Sensory Processing to Cognitive, Clinical, and Functional Impairments in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2021, 47, 373-385.	2.3	46
474	In Vivo Assay of Cortical Microcircuitry in Frontotemporal Dementia: A Platform for Experimental Medicine Studies. <i>Cerebral Cortex</i> , 2021, 31, 1837-1847.	1.6	19
475	Pitch and Duration Mismatch Negativity are Associated With Distinct Auditory Cortex and Inferior Frontal Cortex Volumes in the First-Episode Schizophrenia Spectrum. <i>Schizophrenia Bulletin Open</i> , 2021, 2, sgab005.	0.9	10
476	Electrophysiology: From Molecule to Cognition, from Animal to Human. , 2021, , 131-147.		0
477	Forecasting Remission From the Psychosis Risk Syndrome With Mismatch Negativity and P300: Potentials and Pitfalls. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021, 6, 178-187.	1.1	7
478	Unique contributions of sensory discrimination and gamma synchronization deficits to cognitive, clinical, and psychosocial functional impairments in schizophrenia. <i>Schizophrenia Research</i> , 2021, 228, 280-287.	1.1	25
479	Longitudinal relationships between mismatch negativity, cognitive performance, and real-world functioning in early psychosis. <i>Schizophrenia Research</i> , 2021, 228, 385-393.	1.1	12
481	Modulation of attention and stress with arousal: The mental and physical effects of riding a motorcycle. <i>Brain Research</i> , 2021, 1752, 147203.	1.1	5
482	Mismatch negativity of preschool children at risk of developing mental health problems. <i>Neuropsychopharmacology Reports</i> , 2021, 41, 185-191.	1.1	1
483	Sources of the frontocentral mismatch negativity and P3a responses in schizophrenia patients and healthy comparison subjects. <i>International Journal of Psychophysiology</i> , 2021, 161, 76-85.	0.5	6
485	Does mismatch negativity have utility for NMDA receptor drug development in depression?. <i>Revista Brasileira De Psiquiatria</i> , 2022, 44, 61-73.	0.9	3

#	ARTICLE	IF	CITATIONS
486	Auditory mismatch negativity in bipolar disorder: a focused review. <i>Reviews in the Neurosciences</i> , 2022, 33, 17-30.	1.4	8
487	A combined stimuli presentation for assessing facial emotion related N170, N250 and visual mismatch negativity in neuropsychiatric disorders. <i>Asian Journal of Psychiatry</i> , 2021, 59, 102639.	0.9	0
488	Use of cognitive event-related potentials in the management of psychiatric disorders: Towards an individual follow-up and multi-component clinical approach. <i>World Journal of Psychiatry</i> , 2021, 11, 153-168.	1.3	10
489	EEG-Based Measures in At-Risk Mental State and Early Stages of Schizophrenia: A Systematic Review. <i>Frontiers in Psychiatry</i> , 2021, 12, 653642.	1.3	44
490	Differential effects of gender on mismatch negativity to violations of simple and pattern acoustic regularities. <i>Brain and Behavior</i> , 2021, 11, e2248.	1.0	4
491	The lateralization and reliability of spatial mismatch negativity elicited by auditory deviants with virtual spatial location. <i>International Journal of Psychophysiology</i> , 2021, 165, 92-100.	0.5	5
492	The dopamine D2 agonist quinpirole impairs frontal mismatch responses to sound frequency deviations in freely moving rats. <i>Neuropsychopharmacology Reports</i> , 2021, 41, 405-415.	1.1	1
493	Clinical Staging for Youth Mental Disorders: Progress in Reforming Diagnosis and Clinical Care. <i>Annual Review of Developmental Psychology</i> , 2021, 3, 15-39.	1.4	14
494	Audiovisual Temporal Processing in Children and Adolescents With Schizophrenia and Children and Adolescents With Autism: Evidence From Simultaneity-Judgment Tasks and Eye-Tracking Data. <i>Clinical Psychological Science</i> , 2022, 10, 482-498.	2.4	6
495	Reduced readiness potential and post-movement beta synchronization reflect self-disorders in early course schizophrenia. <i>Scientific Reports</i> , 2021, 11, 15044.	1.6	5
496	Psilocybin Induces Aberrant Prediction Error Processing of Tactile Mismatch Responses—A Simultaneous EEG—fMRI Study. <i>Cerebral Cortex</i> , 2021, 32, 186-196.	1.6	15
497	Computational Modeling of Electroencephalography and Functional Magnetic Resonance Imaging Paradigms Indicates a Consistent Loss of Pyramidal Cell Synaptic Gain in Schizophrenia. <i>Biological Psychiatry</i> , 2022, 91, 202-215.	0.7	40
498	Model-based prediction of muscarinic receptor function from auditory mismatch negativity responses. <i>NeuroImage</i> , 2021, 237, 118096.	2.1	13
499	Auditory event-related potentials, neurocognition, and global functioning in drug naïve first-episode schizophrenia and bipolar disorder. <i>Psychological Medicine</i> , 2023, 53, 785-794.	2.7	4
500	EEG/ERP as a pragmatic method to expand the reach of infant-toddler neuroimaging in HBCD: Promises and challenges. <i>Developmental Cognitive Neuroscience</i> , 2021, 51, 100988.	1.9	11
501	Mismatch negativity in patients with major depressive disorder: A meta-analysis. <i>Clinical Neurophysiology</i> , 2021, 132, 2654-2665.	0.7	15
502	Decreased mismatch negativity and elevated frontal-lateral connectivity in first-episode psychosis. <i>Journal of Psychiatric Research</i> , 2021, 144, 37-44.	1.5	1
506	Where Do We Stand in the Quest for Neuropsychiatric Biomarkers and Endophenotypes and What Next?. , 2009, , 3-21.		30

#	ARTICLE	IF	CITATIONS
507	Challenging the Genetic Complexity of Schizophrenia by Use of Intermediate Phenotypes. , 2009, , 41-56.		3
508	The Schizophrenia Construct After 100 Years of Challenges. , 2011, , 1-44.		3
509	Biomarker-Guided Tailored Therapy. <i>Advances in Experimental Medicine and Biology</i> , 2019, 1192, 199-224.	0.8	12
510	The Mismatch Negativity. <i>Journal of Psychophysiology</i> , 2007, 21, 133-137.	0.3	16
511	ERP Repetition Effects and Mismatch Negativity Generation. <i>Journal of Psychophysiology</i> , 2007, 21, 204-213.	0.3	100
512	Associations of mismatch negativity with psychotic symptoms and functioning transdiagnostically across psychotic disorders.. <i>Journal of Abnormal Psychology</i> , 2020, 129, 570-580.	2.0	20
513	Deficits in auditory predictive coding in individuals with the psychosis risk syndrome: Prediction of conversion to psychosis.. <i>Journal of Abnormal Psychology</i> , 2020, 129, 599-611.	2.0	15
514	Features of Duration Mismatch Negativity Around the Onset of Overt Psychotic Disorders: A Longitudinal Study. <i>Cerebral Cortex</i> , 2021, 31, 2416-2424.	1.6	14
519	Effects of Transcranial Direct Current Stimulation (tDCS) in the Normalization of Brain Activation in Patients with Neuropsychiatric Disorders: A Systematic Review of Neurophysiological and Neuroimaging Studies. <i>Neural Plasticity</i> , 2020, 2020, 1-16.	1.0	4
520	Effects of Metabotropic Glutamate Receptor 3 Genotype on Phonetic Mismatch Negativity. <i>PLoS ONE</i> , 2011, 6, e24929.	1.1	16
521	Differentiation of Schizophrenia Patients from Healthy Subjects by Mismatch Negativity and Neuropsychological Tests. <i>PLoS ONE</i> , 2012, 7, e34454.	1.1	34
522	Mismatch Negativity and Cognitive Performance for the Prediction of Psychosis in Subjects with At-Risk Mental State. <i>PLoS ONE</i> , 2013, 8, e54080.	1.1	89
523	Mismatch Negativity Latency and Cognitive Function in Schizophrenia. <i>PLoS ONE</i> , 2014, 9, e84536.	1.1	52
524	Auditory Mismatch Negativity and Repetition Suppression Deficits in Schizophrenia Explained by Irregular Computation of Prediction Error. <i>PLoS ONE</i> , 2015, 10, e0126775.	1.1	35
525	Visual Task Demands and the Auditory Mismatch Negativity: An Empirical Study and a Meta-Analysis. <i>PLoS ONE</i> , 2016, 11, e0146567.	1.1	18
526	Haplotypes of the D-Amino Acid Oxidase Gene Are Significantly Associated with Schizophrenia and Its Neurocognitive Deficits. <i>PLoS ONE</i> , 2016, 11, e0150435.	1.1	38
527	Glutamatergic deficit and schizophrenia-like negative symptoms: new evidence from ketamine-induced mismatch negativity alterations in healthy male humans. <i>Journal of Psychiatry and Neuroscience</i> , 2017, 42, 273-283.	1.4	33
528	Going up in Smoke? A Review of nAChRs-based Treatment Strategies for Improving Cognition in Schizophrenia. <i>Current Pharmaceutical Design</i> , 2014, 20, 5077-5092.	0.9	25

#	ARTICLE	IF	CITATIONS
529	Neurophysiological and Psychological Predictors of Social Functioning in Patients with Schizophrenia and Bipolar Disorder. <i>Psychiatry Investigation</i> , 2019, 16, 718-727.	0.7	15
530	High-frequency oscillations and the neurobiology of schizophrenia. <i>Dialogues in Clinical Neuroscience</i> , 2013, 15, 301-313.	1.8	151
531	Thinking Glutamatergically: Changing Concepts of Schizophrenia Based Upon Changing Neurochemical Models. <i>Clinical Schizophrenia and Related Psychoses</i> , 2010, 4, 189-200.	1.4	98
532	Auditory mismatch negativity, P300, and disability among first-episode schizophrenia patients without auditory hallucinations. <i>The Egyptian Journal of Psychiatry: Official Journal of the Egyptian Psychiatric Association</i> , 2015, 36, 112.	0.1	2
533	Linking Neuroscience, Function, and Intervention: A Scoping Review of Sensory Processing and Mental Illness. <i>American Journal of Occupational Therapy</i> , 2017, 71, 7105100040p1.	0.1	27
534	Electrophysiological Deficits in Schizophrenia: Models and Mechanisms. , 0, , .		1
535	Mismatch Negativity Indices as a Prognostic Factor for Remission in Schizophrenia. <i>Clinical Psychopharmacology and Neuroscience</i> , 2020, 18, 127-135.	0.9	15
536	Neural Indicator of Altered Mismatch Detection Predicts Atypical Cognitive-Perceptual Experiences in Psychotic Psychopathology. <i>Schizophrenia Bulletin</i> , 2022, 48, 371-381.	2.3	4
537	Mismatch negativity amplitude in first-degree relatives of individuals with psychotic disorders: Links with cognition and schizotypy. <i>Schizophrenia Research</i> , 2021, 238, 161-169.	1.1	8
538	Mismatch Negativity in Patients with Schizophrenia. <i>Acta Medica (Hradec Kralove)</i> , 2007, 50, 23-28.	0.2	4
539	Event-Related Potentials (ERPs) in the Study of Schizophrenia: How Preclinical ERP Studies have Contributed to our Understanding of Schizophrenia. , 2009, , 525-543.		3
540	Functional and Structural Endophenotypes in Schizophrenia. , 2009, , 67-85.		0
541	Schizophrenia and Comorbid Substance Abuse – Pathophysiological and Therapeutic Approaches. , 2011, , 321-363.		0
542	12. Animal Models of Prenatal Protein Malnutrition Relevant for Schizophrenia. , 2011, , .		0
544	Biomarkers of Psychosis. , 2014, , 1-24.		0
545	Biomarkers for Psychosis. <i>Biomarkers in Disease</i> , 2015, , 979-1008.	0.0	0
549	Cortical Disinhibition, Attractor Dynamics, and Belief Updating in Schizophrenia. <i>Springer Series in Cognitive and Neural Systems</i> , 2019, , 81-89.	0.1	0
553	Establishment and evaluation of animal pre-attentive processing models: Based on the MMN deficit in mental disorders. <i>Advances in Psychological Science</i> , 2020, 28, 2027.	0.2	0

#	ARTICLE	IF	CITATIONS
555	Acute effects of δ^9 -tetrahydrocannabinol and cannabidiol on auditory mismatch negativity. <i>Psychopharmacology</i> , 2022, 239, 1409-1424.	1.5	2
556	Event Related Potential Studies and Findings: Schizophrenia as a Disorder of Cognition. , 2020, , 241-300.		2
557	Magnetoencephalographical Research in Schizophrenia: Current Status and Perspectives. , 2020, , 211-225.		0
558	Cannabis and cognitive dysfunction: parallels with endophenotypes of schizophrenia?. <i>Journal of Psychiatry and Neuroscience</i> , 2007, 32, 30-52.	1.4	145
559	Visual sensory processing deficits in patients with bipolar disorder revealed through high-density electrical mapping. <i>Journal of Psychiatry and Neuroscience</i> , 2009, 34, 459-64.	1.4	41
562	Grant Report on d-Serine Augmentation of Neuroplasticity-Based Auditory Learning in Schizophrenia. <i>Journal of Psychiatry and Brain Science</i> , 2020, 5, .	0.3	1
563	Duration Mismatch Negativity Predicts Remission in First-Episode Schizophrenia Patients. <i>Frontiers in Psychiatry</i> , 2021, 12, 777378.	1.3	8
564	Time-Frequency Analysis of Electroencephalography Response to Standard Stimulus During an Oddball Paradigm in Patients With Schizophrenia: A Preliminary Study. <i>Journal of Korean Neuropsychiatric Association</i> , 2021, 60, 379.	0.2	0
565	Test-retest reliability of mismatch negativity and gamma-band auditory steady-state response in patients with schizophrenia. <i>Schizophrenia Research</i> , 2022, 240, 165-174.	1.1	4
566	Early Schizophrenia and Bipolar Disorder Patients Display Reduced Neural Prepulse Inhibition. <i>Brain Sciences</i> , 2022, 12, 93.	1.1	6
567	mGluR5 binding changes during a mismatch negativity task in a multimodal protocol with [11 C]ABP688 PET/MR-EEG. <i>Translational Psychiatry</i> , 2022, 12, 6.	2.4	7
568	Potencial de disparidad o Mismatch negativity y P3a en pacientes con esquizofrenia. <i>Revista CES Psicología</i> , 2022, 15, 24-43.	0.1	0
569	The distinction between temporal order and duration processing, and implications for schizophrenia. , 2022, 1, 257-271.		7
570	Temporal and Spectral Properties of the Auditory Mismatch Negativity and P3a Responses in Schizophrenia. <i>Clinical EEG and Neuroscience</i> , 2022, , 155005942210893.	0.9	2
571	The Relationship Between Affective Visual Mismatch Negativity and Interpersonal Difficulties Across Autism and Schizotypal Traits. <i>Frontiers in Human Neuroscience</i> , 2022, 16, 846961.	1.0	3
572	Delirium Vulnerability in Geriatrics (DIVULGE) study: a protocol for a prospective observational study of electroencephalogram associations with incident postoperative delirium. <i>BMJ Neurology Open</i> , 2021, 3, e000199.	0.7	2
573	Mismatch Negativity and P3a Impairment through Different Phases of Schizophrenia and Their Association with Real-Life Functioning. <i>Journal of Clinical Medicine</i> , 2021, 10, 5838.	1.0	8
580	MMN and P3a elicited by a novelty paradigm in healthy controls: An investigation of sex differences. <i>Neuroscience Letters</i> , 2022, 781, 136654.	1.0	3

#	ARTICLE	IF	CITATIONS
581	The effect of alterations of schizophrenia-associated genes on gamma band oscillations. NPJ Schizophrenia, 2022, 8, .	2.0	3
582	Auditory mismatch responses are differentially sensitive to changes in muscarinic acetylcholine versus dopamine receptor function. ELife, 2022, 11, .	2.8	6
584	Event-related potentials and use of psychotropic medication in major psychiatric disorders. Psychiatry Research, 2022, 314, 114637.	1.7	2
585	Cautionary Observations Concerning the Introduction of Psychophysiological Biomarkers into Neuropsychiatric Practice. Psychiatry International, 2022, 3, 181-205.	0.5	0
586	Hyper-Sensitivity to Pitch and Poorer Prosody Processing in Adults With Autism: An ERP Study. Frontiers in Psychiatry, 2022, 13, .	1.3	6
588	Decoding violated sensory expectations from the auditory cortex of anaesthetised mice: Hierarchical recurrent neural network depicts separate "danger" and "safety" units. European Journal of Neuroscience, 2022, 56, 4154-4175.	1.2	7
589	Increasing the Excitatory Drive Rescues Excitatory/Inhibitory Imbalance and Mismatch Negativity Deficit Caused by Parvalbumin Specific GluA1 Deletion. Neuroscience, 2022, 496, 190-204.	1.1	3
590	Mismatch Negativity in Response to Auditory Deviance and Risk for Future Psychosis in Youth at Clinical High Risk for Psychosis. JAMA Psychiatry, 2022, 79, 780.	6.0	21
591	A link between age, affect, and predictions?. European Journal of Ageing, 0, , .	1.2	1
592	Mismatch negativity and P3a amplitude in children with familial high risk of schizophrenia or bipolar disorder " A Danish register-based EEG study. Schizophrenia Research, 2022, 246, 187-194.	1.1	1
593	Auditory event-related potentials in separating patients with depressive disorders and non-depressed controls: A narrative review. International Journal of Psychophysiology, 2022, 179, 119-142.	0.5	11
594	Quantitative electroencephalography parameters as neurophysiological biomarkers of schizophrenia-related deficits: A Phase II substudy of patients treated with iclepertin (BI 425809). Translational Psychiatry, 2022, 12, .	2.4	6
595	Auditory N100 amplitude deficits predict conversion to psychosis in the North American Prodrome Longitudinal Study (NAPLS-2) cohort. Schizophrenia Research, 2022, 248, 89-97.	1.1	3
596	An Electric Circuit Model of Central Auditory Processing that Replicates Low-level Features of the Mouse Mismatch Response. , 2022, , .		2
597	The effect of schizophrenia risk factors on mismatch responses in a rat model. Psychophysiology, 2023, 60, .	1.2	4
598	Assessing Trial-to-Trial Variability in Auditory ERPs in Autism and Schizophrenia. Journal of Autism and Developmental Disorders, 0, , .	1.7	2
599	Perceptual Functioning. Current Topics in Behavioral Neurosciences, 2022, , .	0.8	0
600	Mismatch negativity and clinical trajectories in psychotic disorders: Five-year stability and predictive utility. Psychological Medicine, 2023, 53, 5818-5828.	2.7	4

#	ARTICLE	IF	CITATIONS
602	A neural mechanism underlying predictive visual motion processing in patients with schizophrenia. <i>Psychiatry Research</i> , 2022, 318, 114934.	1.7	4
603	Measuring Memory-Prediction Errors and their Consequences in Youth at Risk for Schizophrenia. <i>Annals of the Academy of Medicine, Singapore</i> , 2009, 38, 414-419.	0.2	19
605	People with high schizotypy experience more illusions in the Pattern Glare Test: Consistent with the hyperexcitability hypothesis. <i>European Journal of Neuroscience</i> , 2023, 57, 388-399.	1.2	0
606	Early auditory processing dysfunction in schizophrenia: Mechanisms and implications. <i>Neuroscience and Biobehavioral Reviews</i> , 2023, 148, 105098.	2.9	7
607	Cognitive impairment in schizophrenia: aetiology, pathophysiology, and treatment. <i>Molecular Psychiatry</i> , 2023, 28, 1902-1918.	4.1	63
608	Mismatch negativity as an early biomarker of cognitive impairment in schizophrenia. <i>Egyptian Journal of Neurology, Psychiatry and Neurosurgery</i> , 2023, 59, .	0.4	1
610	Working memory and sensory memory in subclinical high schizotypy: An avenue for understanding schizophrenia?. <i>European Journal of Neuroscience</i> , 2023, 57, 1577-1596.	1.2	1
611	Mismatch Negativity and Theta Oscillations Evoked by Auditory Deviance in Early Schizophrenia. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2023, 8, 1186-1196.	1.1	1
612	An $\hat{1}\pm 7$ nAChR approach for the baseline-dependent modulation of deviance detection in schizophrenia: A pilot study assessing the combined effect of CDP-choline and galantamine. <i>Journal of Psychopharmacology</i> , 2023, 37, 381-395.	2.0	1
613	The D-amino acid oxidase inhibitor luvadaxistat improves mismatch negativity in patients with schizophrenia in a randomized trial. <i>Neuropsychopharmacology</i> , 2023, 48, 1052-1059.	2.8	10
614	Sensitivity of Schizophrenia Endophenotype Biomarkers to Anticholinergic Medication Burden. <i>American Journal of Psychiatry</i> , 2023, 180, 519-523.	4.0	7
615	A Narrative Review of Speech and EEG Features for Schizophrenia Detection: Progress and Challenges. <i>Bioengineering</i> , 2023, 10, 493.	1.6	2
618	QEEG and ERP Biomarkers of Psychotic and Mood Disorders and Their Treatment Response. <i>Neuromethods</i> , 2023, , 93-106.	0.2	0
632	Temporal imprecision of phase coherence in schizophrenia and psychosisâ€™dynamic mechanisms and diagnostic marker. <i>Molecular Psychiatry</i> , 0, , .	4.1	0