

# CITATION REPORT

List of articles citing

## Change in body mass index and risk of incident Alzheimer disease

DOI: 10.1212/01.wnl.0000176061.33817.90  
Neurology, 2005, 65, 892-7.

**Source:** <https://exaly.com/paper-pdf/39195856/citation-report.pdf>

**Version:** 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
345	Prévention de la maladie d'Alzheimer*. <b>2006</b> , 6, 12-22		
344	Body mass index in older persons is associated with Alzheimer disease pathology. <i>Neurology</i> , <b>2006</b> , 67, 1949-54	6.5	96
343	Postmortem indices linking risk factors to cognition: results from the Religious Order Study and the Memory and Aging Project. <b>2006</b> , 20, S63-8		38
342	The impact of diabetes mellitus on cognitive decline in the oldest of the old: a prospective population-based study. <b>2006</b> , 49, 2015-23		97
341	Adiposity indices and dementia. <b>2006</b> , 5, 713-20		178
340	Current awareness in geriatric psychiatry. <b>2006</b> , 21, 401-408		
339	Accelerated weight loss may precede diagnosis in Alzheimer disease. <b>2006</b> , 63, 1312-7		230
338	The epidemiology of adiposity and dementia. <b>2007</b> , 4, 117-22		76
337	The metabolic syndrome is associated with decelerated cognitive decline in the oldest old. <i>Neurology</i> , <b>2007</b> , 69, 979-85	6.5	150
336	Conscientiousness and the incidence of Alzheimer disease and mild cognitive impairment. <b>2007</b> , 64, 1204-12		192
335	Grip strength and the risk of incident Alzheimer's disease. <b>2007</b> , 29, 66-73		106
334	Selenium level and cognitive function in rural elderly Chinese. <b>2007</b> , 165, 955-65		125
333	Symptoms of preclinical dementia in general practice up to five years before dementia diagnosis. <b>2007</b> , 24, 300-6		31
332	Incident dementia in women is preceded by weight loss by at least a decade. <i>Neurology</i> , <b>2007</b> , 69, 739-46.5	6.5	168
331	Metabolic syndrome and dementia risk in a multiethnic elderly cohort. <b>2007</b> , 24, 185-92		103
330	Somatotype in Alzheimer's disease. <b>2007</b> , 53, 200-4		5
329	Measures of adiposity and dementia risk in elderly persons. <b>2007</b> , 64, 392-8		165

328	Correction to De Geus et al. Bivariate Genetic Modeling of Cardiovascular Stress Reactivity: Does Stress Uncover Genetic Variance? (May 2007). <b>2007</b> , 69, 489		
327	The epidemiology of the dementias: an update. <b>2007</b> , 20, 380-5		254
326	Frailty is associated with incident Alzheimer's disease and cognitive decline in the elderly. <b>2007</b> , 69, 483-9		264
325	Midlife risk factors for subtypes of dementia: a nested case-control study in Taiwan. <b>2007</b> , 15, 762-71		47
324	Elevated serum C-reactive protein concentration in Bosnian patients with probable Alzheimer's disease. <b>2007</b> , 12, 151-6		22
323	Cognitive function, body weight and body composition in geriatric patients. <b>2007</b> , 40, 13-20		16
322	Demenz [Gewichtsverlust] Malnutrition. <b>2007</b> , 1, 12-14		
321	Prevention of progression to dementia in the elderly: rationale and proposal for a health-promoting memory consultation (an IANA Task Force). <i>Journal of Nutrition, Health and Aging</i> , <b>2008</b> , 12, 520-9	5.2	19
320	Weight loss in neurodegenerative disorders. <b>2008</b> , 255, 1872-80		96
319	Diabetes and overweight associate with non-APOE4 genotype in an Alzheimer's disease population. <b>2008</b> , 147B, 822-9		32
318	Late-life body mass index and dementia incidence: nine-year follow-up data from the Kungsholmen Project. <b>2008</b> , 56, 111-6		185
317	Overweight and obesity in old age are not associated with greater dementia risk. <b>2008</b> , 56, 2261-6		82
316	When being thin is not a virtue. <b>2008</b> , 56, 2349-50		6
315	Obesity and central obesity as risk factors for incident dementia and its subtypes: a systematic review and meta-analysis. <b>2008</b> , 9, 204-18		358
314	A life course of adiposity and dementia. <b>2008</b> , 585, 163-75		86
313	Diabetes and other vascular risk factors for dementia: which factor matters most? A systematic review. <b>2008</b> , 585, 97-108		220
312	A functional neuroimaging study of appetite loss in Alzheimer's disease. <b>2008</b> , 271, 97-103		28
311	Alzheimer's disease as copper deficiency. <b>2008</b> , 70, 802-7		53

310	Enrichment Effects on Adult Cognitive Development: Can the Functional Capacity of Older Adults Be Preserved and Enhanced?. <b>2008</b> , 9, 1-65		817
309	Weight loss in patients with Alzheimer's disease. <b>2007</b> , 26, 21-38		28
308	Cognitive functioning in elderly persons with type 2 diabetes and metabolic syndrome: the Hoorn study. <b>2008</b> , 26, 261-9		68
307	Physical frailty in older persons is associated with Alzheimer disease pathology. <i>Neurology</i> , <b>2008</b> , 71, 499-504	6.5	168
306	Association of body mass index with cognitive function in elderly hypertensive Japanese. <b>2008</b> , 21, 627-32		23
305	Albumin, haemoglobin, BMI and cognitive performance in older adults. <b>2008</b> , 37, 423-9		33
304	Association of adiposity status and changes in early to mid-adulthood with incidence of Alzheimer's disease. <b>2008</b> , 168, 1179-89		74
303	Does hypertension interact with body weight to impact cognitive function in the elderly?: Emerging evidence. <b>2008</b> , 21, 603		1
302	Weight loss as a predictor of dementia and Alzheimer's disease?. <b>2008</b> , 8, 691-3		9
301	Vascular disease and cognitive impairment. <b>2008</b> , 8, 1171-4		10
300	Weight loss and nutritional considerations in Alzheimer disease. <b>2008</b> , 27, 381-403		38
299	Body mass index and cognitive decline in a biracial community population. <i>Neurology</i> , <b>2008</b> , 70, 360-7	6.5	86
298	Change in depressive symptoms during the prodromal phase of Alzheimer disease. <b>2008</b> , 65, 439-45		77
297	Amyloid, hyperactivity, and metabolism: theoretical comment on Vloeberghs et al. (2008). <b>2008</b> , 122, 730-2		13
296	The worldwide challenge of the dementias: a role for B vitamins and homocysteine?. <b>2008</b> , 29, S143-72		143
295	Control of vascular risk factors. 220-234		0
294	Perte de poids et maladie d'Alzheimer. <b>2009</b> , 189-197		
293	Association of muscle strength with the risk of Alzheimer disease and the rate of cognitive decline in community-dwelling older persons. <b>2009</b> , 66, 1339-44		224

292	Association between late-life body mass index and dementia: The Kame Project. <i>Neurology</i> , <b>2009</b> , 72, 1741-6	6.5	152
291	NSAID exposure and risk of Alzheimer disease: is timing everything?. <i>Neurology</i> , <b>2009</b> , 72, 1884-5	6.5	3
290	Sociodemographic and lifestyle risk factors for incident dementia and cognitive decline in the HYVET. <b>2009</b> , 38, 521-7		24
289	Body mass index over the adult life course and cognition in late midlife: the Whitehall II Cohort Study. <b>2009</b> , 89, 601-7		195
288	Midlife and late-life obesity and the risk of dementia: cardiovascular health study. <b>2009</b> , 66, 336-42		461
287	The prevention of dementia. <b>2009</b> , 24, 452-8		37
286	Balneotherapy, prevention of cognitive decline and care the Alzheimer patient and his family: outcome of a multidisciplinary workgroup. <i>Journal of Nutrition, Health and Aging</i> , <b>2009</b> , 13, 797-806	5.2	4
285	Adiposity parameters and cognitive function in the elderly: application of "Jolly Fat" hypothesis to cognition. <b>2009</b> , 49, e133-e138		39
284	Adiposity indicators and dementia over 32 years in Sweden. <i>Neurology</i> , <b>2009</b> , 73, 1559-66	6.5	115
283	Risk factors for dementia. <b>2009</b> , 108, 754-64		144
282	Adiposity and Alzheimer's disease. <b>2009</b> , 12, 15-21		108
281	Late-life body mass index and waist circumference in amnesic mild cognitive impairment and Alzheimer's disease. <b>2009</b> , 17, 223-32		28
280	Adiposity, type 2 diabetes, and Alzheimer's disease. <b>2009</b> , 16, 693-704		169
279	Is body mass index in old age related to cognitive abilities? The Lothian Birth Cohort 1936 Study. <b>2010</b> , 25, 867-75		31
278	Dementia in Swedish twins: predicting incident cases. <b>2010</b> , 40, 768-75		24
277	Bioelectrical impedance vector analysis detects low body cell mass and dehydration in patients with Alzheimer's disease. <i>Journal of Nutrition, Health and Aging</i> , <b>2010</b> , 14, 823-7	5.2	43
276	Orexin/hypocretin modulation of the basal forebrain cholinergic system: Role in attention. <b>2010</b> , 1314, 112-23		66
275	Body mass index (BMI) at an early age and the risk of dementia. <b>2010</b> , 50 Suppl 1, S48-52		18

274	Ethical issues in end of life treatments for patients with dementia. <b>2010</b> , 17, 774-9		23
273	Physical frailty is associated with incident mild cognitive impairment in community-based older persons. <b>2010</b> , 58, 248-55		305
272	Brain aging: lessons from community studies. <b>2010</b> , 68 Suppl 2, S119-27		23
271	Vascular risk factors: imaging and neuropathologic correlates. <b>2010</b> , 20, 699-709		86
270	Body mass index and cognitive decline in mild cognitive impairment. <b>2010</b> , 24, 126-30		77
269	Diabetes and the Brain. <b>2010</b> ,		3
268	Association between body mass index and cognitive function among Chinese nonagenarians/centenarians. <b>2010</b> , 30, 517-24		13
267	Being overweight in midlife is associated with lower cognitive ability and steeper cognitive decline in late life. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2010</b> , 65, 57-62	6.4	71
266	The Alzheimer's disease mitochondrial cascade hypothesis. <b>2010</b> , 20 Suppl 2, S265-79		345
265	Meta-analysis of Alzheimer's disease risk with obesity, diabetes, and related disorders. <b>2010</b> , 67, 505-12		432
264	Adiposity hormones and dementia. <b>2010</b> , 299, 30-4		43
263	Caregiver burden as a short-term predictor of weight loss in older outpatients suffering from mild to moderate Alzheimer's disease: a three months follow-up study. <b>2010</b> , 14, 481-8		26
262	The ACE Insertion Deletion polymorphism relates to dementia by metabolic phenotype, APOEepsilon4, and age of dementia onset. <b>2010</b> , 31, 910-6		19
261	Obesity is linked with lower brain volume in 700 AD and MCI patients. <b>2010</b> , 31, 1326-39		137
260	Boosting power for clinical trials using classifiers based on multiple biomarkers. <b>2010</b> , 31, 1429-42		133
259	Alzheimer's disease: brain expression of a metabolic disorder?. <b>2010</b> , 21, 537-44		30
258	An open-ended question: Alzheimer's disease and involuntary weight loss: which comes first?. <b>2010</b> , 22, 192-7		35
257	Strength training as a countermeasure to aging muscle and chronic disease. <b>2011</b> , 41, 289-306		105

256	Hypertension and Stroke. <b>2011</b> ,		3
255	The association between decline in physical functioning and atrophy of medial temporal areas in community-dwelling older adults with amnesic and nonamnesic mild cognitive impairment. <b>2011</b> , 92, 1992-9		26
254	Alzheimer disease biomarkers are associated with body mass index. <i>Neurology</i> , <b>2011</b> , 77, 1913-20	6.5	85
253	Splitting the differences: problems in using twin controls to study the effects of BMI on mortality. <b>2011</b> , 22, 104-6; discussion 107-8		7
252	Hippocampal volume is related to body mass index in Alzheimer's disease. <b>2011</b> , 22, 10-4		30
251	Brief report: preoperative frailty in older surgical patients is associated with early postoperative delirium. <b>2011</b> , 112, 1199-201		94
250	Weight loss and incident dementia in elderly Yoruba Nigerians: a 10-year follow-up study. <b>2011</b> , 23, 387-94		27
249	Body mass index in midlife and late-life as a risk factor for dementia: a meta-analysis of prospective studies. <b>2011</b> , 12, e426-37		457
248	Accelerated weight loss and incident dementia in an elderly African-American cohort. <b>2011</b> , 59, 18-25		63
247	Weight change and cognitive function: findings from the Women's Health Initiative Study of Cognitive Aging. <b>2011</b> , 19, 1595-600		35
246	Obesity, leptin, and Alzheimer's disease. <b>2011</b> , 1243, 15-29		87
245	Galanin and $\beta$ MSH autoantibodies in cerebrospinal fluid of patients with Alzheimer's disease. <b>2011</b> , 240-241, 114-20		19
244	Loss of motor function in preclinical Alzheimer's disease. <b>2011</b> , 11, 665-76		136
243	Cognitive function is associated with body composition and nutritional risk of geriatric patients. <i>Journal of Nutrition, Health and Aging</i> , <b>2011</b> , 15, 706-10	5.2	40
242	Metabolic syndrome, mild cognitive impairment, and dementia. <b>2011</b> , 8, 492-509		57
241	Cognitive decline after hospitalization in a community population of older persons. <i>Neurology</i> , <b>2012</b> , 78, 950-6	6.5	100
240	Overview and findings from the religious orders study. <b>2012</b> , 9, 628-45		412
239	Epidemiological of and risk factors for Alzheimer's disease: a review. <b>2012</b> , 156, 108-14		68

238	Epidemiology of Alzheimer disease. <b>2012</b> , 2,		505
237	The physical performance test predicts aerobic capacity sufficient for independence in early-stage Alzheimer disease. <b>2012</b> , 35, 72-8		10
236	Leptin and cognition. <b>2012</b> , 33, 410-5		19
235	Adiposity and cognitive decline: underlying mechanisms. <b>2012</b> , 30 Suppl 2, S97-112		50
234	Lipids and adipokines as risk factors for Alzheimer's disease. <b>2012</b> , 29, 151-7		62
233	37 years of body mass index and dementia: observations from the prospective population study of women in Gothenburg, Sweden. <b>2012</b> , 28, 163-71		81
232	Leptin and dementia over 32 years-The Prospective Population Study of Women. <i>Alzheimer's and Dementia</i> , <b>2012</b> , 8, 272-7	1.2	21
231	Body mass index, cognition, disability, APOE genotype, and mortality: the "Treviso Longeva" Study. <b>2012</b> , 20, 594-602		17
230	Factors associated with dementia among elderly people living in two cities in Central Africa: the EDAC multicenter study. <b>2012</b> , 29, 15-24		22
229	The genetic architecture of Alzheimer's disease: beyond APP, PSENs and APOE. <b>2012</b> , 33, 437-56		170
228	Body mass index is associated with biological CSF markers of core brain pathology of Alzheimer's disease. <b>2012</b> , 33, 1599-608		38
227	Association of total daily physical activity with disability in community-dwelling older persons: a prospective cohort study. <b>2012</b> , 12, 63		45
226	Late-Life Body Mass Index and Dementia: An Integrative Literature Review. <b>2012</b> , 8, 725-728		
225	Current epidemiological approaches to the metabolic-cognitive syndrome. <b>2012</b> , 30 Suppl 2, S31-75		40
224	Weight loss and nutritional disorders. 40-59		
223	Association of grip strength with dementia in a Korean older population. <b>2012</b> , 27, 500-5		32
222	Frailty criteria and cognitive performance are related: data from the FIBRA study in Ermelino Matarazzo, S Paulo, Brazil. <i>Journal of Nutrition, Health and Aging</i> , <b>2012</b> , 16, 55-61	5.2	68
221	Late-life metabolic syndrome prevents cognitive decline among older men aged 75 years and over: one-year prospective cohort study. <i>Journal of Nutrition, Health and Aging</i> , <b>2013</b> , 17, 523-6	5.2	27



220	Body mass index, lifestyles, physical performance and cognitive decline: the "Treviso Longeva (TRELONG)" study. <i>Journal of Nutrition, Health and Aging</i> , <b>2013</b> , 17, 378-84	5.2	47
219	Energy failure: does it contribute to neurodegeneration?. <b>2013</b> , 74, 506-16		83
218	Nutrition and neurodegeneration: epidemiological evidence and challenges for future research. <b>2013</b> , 75, 738-55		116
217	Frailty and cognitive impairment--a review of the evidence and causal mechanisms. <b>2013</b> , 12, 840-51		384
216	Dementia severity and weight loss: a comparison across eight cohorts. The 10/66 study. <i>Alzheimer's and Dementia</i> , <b>2013</b> , 9, 649-56	1.2	45
215	Obesity and cognitive aging. <b>2013</b> , 35, 22-32		66
214	Cognitive frailty. <i>Journal of Nutrition, Health and Aging</i> , <b>2013</b> , 17, 738-9	5.2	28
213	Body mass index across midlife and cognitive change in late life. <b>2013</b> , 37, 296-302		65
212	Principles of Deglutition. <b>2013</b> ,		22
211	Cognitive Functioning in Aging Women. <b>2013</b> , 1489-1502		
210	Cross-sectional study examining the association between metabolic syndrome and cognitive function among the oldest old. <b>2013</b> , 14, 105-8		27
209	High adiposity: risk factor for dementia and Alzheimer's disease?. <b>2013</b> , 5, 57		26
208	Bivariate random change point models for longitudinal outcomes. <b>2013</b> , 32, 1038-53		9
207	Leitlinie der Deutschen Gesellschaft für Ernährungsmedizin (DGEM) in Zusammenarbeit mit der GESKES, der AKE und der DGG. <b>2013</b> , 38, e1-e48		70
206	Weight loss and Alzheimer's disease: temporal and aetiologic connections. <b>2013</b> , 72, 160-5		81
205	Disability in basic and instrumental activities of daily living is associated with faster rate of decline in cognitive function of older adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2013</b> , 68, 624-30	6.4	67
204	Changes in body mass in later life and incident dementia. <b>2013</b> , 25, 467-78		19
203	Midlife and late-life body mass index and late-life dementia: results from a prospective population-based cohort. <b>2014</b> , 38, 201-9		135

202	Epidemiology of Alzheimer's Disease. <b>2013</b> ,		1
201	Synchronizing an aging brain: can entraining circadian clocks by food slow Alzheimer's disease?. <b>2014</b> , 6, 234		17
200	Obesity and cognitive decline: role of inflammation and vascular changes. <b>2014</b> , 8, 375		205
199	Body mass index and mild cognitive impairment-to-dementia progression in 24 months: a prospective study. <b>2014</b> , 68, 1216-9		33
198	Transgenic mice overexpressing amyloid precursor protein exhibit early metabolic deficits and a pathologically low leptin state associated with hypothalamic dysfunction in arcuate neuropeptide Y neurons. <b>2014</b> , 34, 9096-106		57
197	Health and Cognition in Old Age. <i>International Perspectives on Aging</i> , <b>2014</b> ,	0.5	7
196	2003-2013: a decade of body mass index, Alzheimer's disease, and dementia. <b>2015</b> , 43, 739-55		174
195	Gene-environment interaction of body mass index and apolipoprotein E $\epsilon$ 4 allele on cognitive decline. <b>2014</b> , 28, 134-40		24
194	Body mass index, weight change, and clinical progression in mild cognitive impairment and Alzheimer disease. <b>2014</b> , 28, 36-43		95
193	Long-term impact of behavioral weight loss intervention on cognitive function. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2014</b> , 69, 1101-8	6.4	54
192	The effect of antioxidant vitamins E and C on cognitive performance of the elderly with mild cognitive impairment in Isfahan, Iran: a double-blind, randomized, placebo-controlled trial. <b>2014</b> , 53, 1255-62		30
191	Is Alzheimer's disease a systemic disease?. <b>2014</b> , 1842, 1340-9		134
190	The neuropathology of obesity: insights from human disease. <b>2014</b> , 127, 3-28		51
189	Body mass index in dementia. <b>2014</b> , 68, 1204-9		49
188	Adipokines: a link between obesity and dementia?. <b>2014</b> , 13, 913-23		150
187	Body-mass index and mortality in incident dementia: a cohort study on 11,398 patients from SveDem, the Swedish Dementia Registry. <b>2014</b> , 15, 447.e1-7		43
186	Late-life depression symptom profiles are differentially associated with immunometabolic functioning. <b>2014</b> , 41, 109-15		22
185	High-fat diet-induced memory impairment in triple-transgenic Alzheimer's disease (3xTgAD) mice is independent of changes in amyloid and tau pathology. <b>2014</b> , 35, 1821-32		152

184	Differences in nutritional status between very mild Alzheimer's disease patients and healthy controls. <b>2014</b> , 41, 261-71		68
183	Body Mass Index in Different Dementia Disorders: Results from the Swedish Dementia Quality Registry (SveDem). <b>2014</b> , 4, 65-75		12
182	Elevated HbA1c is associated with increased risk of incident dementia in primary care patients. <b>2015</b> , 44, 1203-12		35
181	Association between mild cognitive impairment and dementia and undernutrition among elderly people in Central Africa: some results from the EPIDEMCA (Epidemiology of Dementia in Central Africa) programme. <b>2015</b> , 114, 306-15		17
180	Alzheimer's Disease in the Danish Malnutrition Period 1999-2007. <b>2015</b> , 48, 979-85		5
179	New Perspectives on Alzheimer's Disease and Nutrition. <b>2015</b> , 46, 1111-27		47
178	Adipose Tissue Distribution in Patients with Alzheimer's Disease: A Whole Body MRI Case-Control Study. <b>2015</b> , 48, 825-32		11
177	37 Years of Body Mass Index and Dementia: Effect Modification by the APOE Genotype: Observations from the Prospective Population Study of Women in Gothenburg, Sweden. <b>2015</b> , 48, 1119-27		17
176	Body fat and the cognitive pattern: A population-based study. <b>2015</b> , 23, 1502-10		18
175	Association of Body Fat Percentage and Waist-hip Ratio With Brain Cortical Thickness: A Study Among 1777 Cognitively Normal Subjects. <b>2015</b> , 29, 279-86		9
174	Elevated body mass index and maintenance of cognitive function in late life: exploring underlying neural mechanisms. <b>2015</b> , 7, 155		18
173	Post-mortem brain pathology is related to declining respiratory function in community-dwelling older adults. <b>2015</b> , 7, 197		11
172	Unstable Body Mass Index and Progression to Probable Alzheimer's Disease Dementia in Patients with Amnesic Mild Cognitive Impairment. <b>2016</b> , 49, 483-91		20
171	Rate of Cognitive Decline Before and After the Onset of Functional Limitations in Older Persons. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2015</b> , 70, 1221-5	6.4	6
170	Cognitive consequences of overweight and obesity in the ninth decade of life?. <b>2015</b> , 44, 59-65		26
169	The role of leptin in the sporadic form of Alzheimer's disease. Interactions with the adipokines amylin, ghrelin and the pituitary hormone prolactin. <i>Life Sciences</i> , <b>2015</b> , 140, 19-28	6.8	24
168	Adipokine pathways are altered in hippocampus of an experimental mouse model of Alzheimer's disease. <i>Journal of Nutrition, Health and Aging</i> , <b>2015</b> , 19, 403-12	5.2	14
167	An Overview of the Association Between Obesity in Later Life and Dementia Risk. <b>2015</b> , 379-392		1

166	Body mass index and cognitive function: the potential for reverse causation. <b>2015</b> , 39, 1383-9	64
165	Association between body mass index and cortical thickness: among elderly cognitively normal men and women. <b>2015</b> , 27, 121-30	14
164	Oral and enteral nutrition in dementia: an overview. <b>2015</b> , 24, 624-8	3
163	Metabolic and Non-Cognitive Manifestations of Alzheimer's Disease: The Hypothalamus as Both Culprit and Target of Pathology. <b>2015</b> , 22, 761-76	109
162	Leptin in Alzheimer's disease. <b>2015</b> , 450, 162-8	17
161	The Contribution of Raised Metabolic Rate in the Weight Loss Associated with Alzheimer's Disease. <b>2015</b> , 479-486	
160	Molecular links between early energy metabolism alterations and Alzheimer's disease. <b>2016</b> , 21, 8-19	6
159	Degeneration of Dopaminergic Neurons Due to Metabolic Alterations and Parkinson's Disease. <b>2016</b> , 8, 65	33
158	A Cross-Sectional Analysis of Late-Life Cardiovascular Factors and Their Relation to Clinically Defined Neurodegenerative Diseases. <b>2016</b> , 30, 223-9	12
157	Lower Late-Life Body-Mass Index is Associated with Higher Cortical Amyloid Burden in Clinically Normal Elderly. <b>2016</b> , 53, 1097-105	28
156	Hypertension and Stroke. <b>2016</b> ,	2
155	Late-Life Vascular Risk Factors and Alzheimer Disease Neuropathology in Individuals with Normal Cognition. <b>2016</b> , 75, 955-962	18
154	Neuropeptide Y (NPY) as a therapeutic target for neurodegenerative diseases. <i>Neurobiology of Disease</i> , <b>2016</b> , 95, 210-24	7.5 61
153	The therapeutic potential of metabolic hormones in the treatment of age-related cognitive decline and Alzheimer's disease. <b>2016</b> , 36, 1305-1315	13
152	Role of metabolism in neurodegenerative disorders. <b>2016</b> , 65, 1376-90	111
151	The relationship between cortical thickness and body mass index differs between women with anorexia nervosa and healthy controls. <b>2016</b> , 248, 105-9	23
150	The risk of overweight/obesity in mid-life and late life for the development of dementia: a systematic review and meta-analysis of longitudinal studies. <b>2016</b> , 45, 14-21	215
149	Adipocyte-derived factors in age-related dementia and their contribution to vascular and Alzheimer pathology. <b>2016</b> , 1862, 966-74	21

148	Leptin Dysfunction and Alzheimer's Disease: Evidence from Cellular, Animal, and Human Studies. <b>2016</b> , 36, 203-17		59
147	Association between background exposure to organochlorine pesticides and the risk of cognitive impairment: A prospective study that accounts for weight change. <b>2016</b> , 89-90, 179-84		37
146	Decline in Weight and Incident Mild Cognitive Impairment: Mayo Clinic Study of Aging. <b>2016</b> , 73, 439-46		66
145	Metabolic Syndrome and the Risk of Mild Cognitive Impairment and Progression to Dementia: Follow-up of the Singapore Longitudinal Ageing Study Cohort. <b>2016</b> , 73, 456-63		109
144	Conversion pattern and predictive factor of mild cognitive impairment in elderly Koreans. <b>2016</b> , 64, 146-50		8
143	Obesity and Structural Brain Integrity in Older Women: The Women's Health Initiative Magnetic Resonance Imaging Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2016</b> , 71, 1216-1222	6.4	18
142	Systemic Central Nervous System (CNS)-targeted Delivery of Neuropeptide Y (NPY) Reduces Neurodegeneration and Increases Neural Precursor Cell Proliferation in a Mouse Model of Alzheimer Disease. <b>2016</b> , 291, 1905-1920		31
141	Body mass index trajectories and functional decline in older adults: Three-City Dijon cohort study. <b>2016</b> , 31, 73-83		21
140	Neuropsychological function in individuals with morbid obesity: a cross-sectional study. <b>2017</b> , 4, 6		11
139	Weight Loss in Patients with Dementia: Considering the Potential Impact of Pharmacotherapy. <b>2017</b> , 34, 425-436		15
138	Decreased body mass index in the preclinical stage of autosomal dominant Alzheimer's disease. <b>2017</b> , 7, 1225		32
137	Late-Life Body Mass Index, Rapid Weight Loss, Apolipoprotein E $\epsilon$ 4 and the Risk of Cognitive Decline and Incident Dementia. <i>Journal of Nutrition, Health and Aging</i> , <b>2017</b> , 21, 1259-1267	5.2	28
136	Upregulation of orexin/hypocretin expression in aged rats: Effects on feeding latency and neurotransmission in the insular cortex. <b>2017</b> , 350, 124-132		7
135	Modeling the Relationships Among Late-Life Body Mass Index, Cerebrovascular Disease, and Alzheimer's Disease Neuropathology in an Autopsy Sample of 1,421 Subjects from the National Alzheimer's Coordinating Center Data Set. <b>2017</b> , 57, 953-968		15
134	Weight Trajectory over 20 Years and Likelihood of Mild Cognitive Impairment or Dementia Among Older Women. <b>2017</b> , 65, 511-519		13
133	Estrogen-Related Factors in the Frontal Lobe of Alzheimer's Disease Patients and Importance of Body Mass Index. <b>2017</b> , 7, 726		8
132	Body mass index in midlife and dementia: Systematic review and meta-regression analysis of 589,649 men and women followed in longitudinal studies. <b>2017</b> , 8, 165-178		94
131	RETRACTED: Association Between Frailty and Cognitive Impairment: Cross-Sectional Data From Toulouse Frailty Day Hospital. <b>2017</b> , 18, 990.e1-990.e5		36

130	Physical activity and physical fitness of nursing home residents with cognitive impairment: A pilot study. <b>2017</b> , 100, 63-69		22
129	Visual-Constructional Ability in Individuals with Severe Obesity: Rey Complex Figure Test Accuracy and the Q-Score. <b>2017</b> , 8, 1629		5
128	Obesity and brain illness: from cognitive and psychological evidences to obesity paradox. <b>2017</b> , 10, 473-479		21
127	Weight loss from 20 years of age is associated with cognitive impairment in middle-aged and elderly individuals. <b>2017</b> , 12, e0185960		6
126	Exploring the "Obesity Paradox" as a Correlate of Cognitive and Physical Function in Community-dwelling Black and White Older Adults. <b>2017</b> , 27, 387-394		11
125	Reduced Cerebrovascular Reserve Capacity as a Biomarker of Microangiopathy in Alzheimer's Disease and Mild Cognitive Impairment. <b>2018</b> , 63, 465-477		10
124	Relationship Between Body Mass Index, ApoE4 Status, and PET-Based Amyloid and Neurodegeneration Markers in Amyloid-Positive Subjects with Normal Cognition or Mild Cognitive Impairment. <b>2018</b> , 65, 781-791		13
123	Body Mass Index and Decline in Cognitive Function in Older Black and White Persons. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2018</b> , 73, 198-203	6.4	49
122	Time-to-event data with time-varying biomarkers measured only at study entry, with applications to Alzheimer's disease. <b>2018</b> , 37, 914-932		2
121	Elevated Body Mass Index is Associated with Increased Integration and Reduced Cohesion of Sensory-Driven and Internally Guided Resting-State Functional Brain Networks. <b>2018</b> , 28, 988-997		34
120	Basic Preoperative Evaluation and Preoperative Management of the Older Patient. <b>2018</b> , 53-66		
119	Long-term impact of intensive lifestyle intervention on cognitive function assessed with the National Institutes of Health Toolbox: The Look AHEAD study. <b>2018</b> , 10, 41-48		13
118	Effects of APOE haplotypes and measures of cardiovascular risk over gender-dependent cognitive and functional changes in one year in Alzheimer's disease. <b>2018</b> , 128, 472-476		3
117	Obesity trajectories and risk of dementia: 28 years of follow-up in the Whitehall II Study. <i>Alzheimer's and Dementia</i> , <b>2018</b> , 14, 178-186	1.2	140
116	Disorders of Body Weight, Sleep and Circadian Rhythm as Manifestations of Hypothalamic Dysfunction in Alzheimer's Disease. <b>2018</b> , 12, 471		13
115	Impact of the Presence of Select Cardiovascular Risk Factors on Cognitive Changes among Dementia Subtypes. <b>2018</b> , 15, 1032-1044		12
114	Religious Orders Study and Rush Memory and Aging Project. <b>2018</b> , 64, S161-S189		304
113	Mortality after the death of a parent in adulthood: a register-based comparison of two ethno-linguistic groups. <b>2018</b> ,		5

112	Cholecystokinin and Alzheimer's disease: a biomarker of metabolic function, neural integrity, and cognitive performance. <b>2019</b> , 76, 201-207		16
111	Impacts of Overweight and Obesity in Older Age on the Risk of Dementia: A Systematic Literature Review and a Meta-Analysis. <b>2019</b> , 70, S87-S99		22
110	Effect of late-life weight change on dementia incidence: a 10-year cohort study using claim data in Korea. <b>2019</b> , 9, e021739		16
109	Midlife adiposity predicts cognitive decline in the prospective Multicenter AIDS Cohort Study. <i>Neurology</i> , <b>2019</b> , 93, e261-e271	6.5	17
108	Higher Body Mass Index Is Associated with Lower Cortical Amyloid- $\beta$ Burden in Cognitively Normal Individuals in Late-Life. <b>2019</b> , 69, 817-827		9
107	Direct Measurements of Abdominal Visceral Fat and Cognitive Impairment in Late Life: Findings From an Autopsy Study. <b>2019</b> , 11, 109		3
106	Expanding instrumented gait testing in the community setting: A portable, depth-sensing camera captures joint motion in older adults. <b>2019</b> , 14, e0215995		7
105	The sociodemographic characteristics and dietary and blood plasma fatty acid profiles of elderly Saudi women with Alzheimer disease. <b>2019</b> , 18, 77		0
104	Chemosensory Function during Neurologically Healthy Aging. <b>2019</b> , 68-94		0
103	Progression to dementia in memory clinic patients with mild cognitive impairment and normal $\beta$ Amyloid. <b>2019</b> , 11, 99		7
102	The Role of Leptin and Adiponectin in Obesity-Associated Cognitive Decline and Alzheimer's Disease. <b>2018</b> , 12, 1027		71
101	Influence of Chronic Coenzyme Q10 Supplementation on Cognitive Function, Learning, and Memory in Healthy and Diabetic Middle-Aged Rats. <b>2019</b> , 77, 92-100		9
100	Adiposity in middle and old age and risk of death from dementia: 40-year follow-up of 19,000 men in the Whitehall study. <b>2019</b> , 48, 247-253		5
99	Causes and Patterns of Dementia: An Update in the Era of Redefining Alzheimer's Disease. <b>2019</b> , 40, 65-84		46
98	Body mass index and trajectories of cognitive decline among older Korean adults. <b>2020</b> , 24, 758-764		12
97	Mechanistic complexities of bone loss in Alzheimer's disease: a review. <b>2020</b> , 61, 4-18		12
96	Microglia, neurodegeneration and loss of neuroendocrine control. <b>2020</b> , 184, 101720		16
95	Schizophrenia, Bipolar Disorder, and Alzheimer's Disease are not Causal Factors of Bone Mineral Density: A Mendelian Randomization Analysis. <b>2020</b> , 106, 131-146		2

94	Body mass index is associated with smaller medial temporal lobe volume in those at risk for Alzheimer's disease. <b>2020</b> , 25, 102156		6
93	Role of sex and high-fat diet in metabolic and hypothalamic disturbances in the 3xTg-AD mouse model of Alzheimer's disease. <b>2020</b> , 17, 285		15
92	Neuropathologic burden and the degree of frailty in relation to global cognition and dementia. <i>Neurology</i> , <b>2020</b> , 95, e3269-e3279	6.5	17
91	A cross-sectional study of blood selenium concentration and cognitive function in elderly Americans: National Health and Nutrition Examination Survey 2011-2014. <b>2020</b> , 47, 610-619		5
90	Weight Loss is a Preclinical Signal of Cerebral Amyloid Deposition and Could Predict Cognitive Impairment in Elderly Adults. <b>2020</b> , 77, 449-456		4
89	Eating Behavior in Aging and Dementia: The Need for a Comprehensive Assessment. <b>2020</b> , 7, 604488		8
88	Variability in body weight precedes diagnosis in dementia: A nationwide cohort study. <b>2020</b> , 10, e01811		4
87	Nutritional Status Is Associated With Clinical Progression in Alzheimer's Disease: The NUDAD Project. <b>2020</b> ,		5
86	Higher risk of dementia in English older individuals who are overweight or obese. <b>2020</b> , 49, 1353-1365		27
85	Association between motoric cognitive risk syndrome and frailty among older Chinese adults. <b>2020</b> , 20, 110		6
84	Sex- and age-specific mild cognitive impairment is associated with low hand grip strength in an older Chinese cohort. <b>2020</b> , 48, 300060520933051		5
83	Nutritional status assessment in Alzheimer disease and its influence on disease progression. <b>2020</b> ,		
82	Effects of Intranasal Orexin-A (Hypocretin-1) Administration on Neuronal Activation, Neurochemistry, and Attention in Aged Rats. <b>2019</b> , 11, 362		7
81	Obesity Is Less Frequently Associated with Cognitive Impairment in Elderly Individuals: A Cross-Sectional Study in Yogyakarta, Indonesia. <b>2020</b> , 12,		10
80	Amyloid-beta burden predicts prospective decline in body mass index in clinically normal adults. <b>2020</b> , 93, 124-130		8
79	Longer Duration of Hypertension and MRI Microvascular Brain Alterations Are Associated with Lower Hippocampal Volumes in Older Individuals with Hypertension. <b>2020</b> , 74, 227-235		12
78	Associations of truncal body composition with cognitive status in patients with dementia. <b>2021</b> , 42, 209-214		1
77	Unhealthy foods may attenuate the beneficial relation of a Mediterranean diet to cognitive decline. <i>Alzheimer's and Dementia</i> , <b>2021</b> , 17, 1157-1165	1.2	9



76	Frailty, MRI, and FDG-PET Measures in an Australian Memory Clinic Cohort. <i>Frontiers in Medicine</i> , <b>2020</b> , 7, 578243	4.9	3
75	Body Mass Index Is Significantly Associated With Disease Severity in Spinocerebellar Ataxia Type 2 Patients. <b>2021</b> , 36, 1372-1380		2
74	Metabolically healthy obesity and lipids may be protective factors for pathological changes of alzheimer's disease in cognitively normal adults. <b>2021</b> , 157, 834-845		3
73	Body mass index trajectories and the risk for Alzheimer's disease among older adults. <b>2021</b> , 11, 3087		6
72	Association of weight change with cerebrospinal fluid biomarkers and amyloid positron emission tomography in preclinical Alzheimer's disease. <b>2021</b> , 13, 46		2
71	Cumulative Genetic Risk and Are Independently Associated With Dementia Status in a Multiethnic, Population-Based Cohort. <b>2021</b> , 7, e576		2
70	Risk factors for the progression of motoric cognitive risk syndrome to dementia: Retrospective cohort analysis of two populations. <b>2021</b> , 28, 1859-1867		3
69	Investigating the relationship between BMI across adulthood and late life brain pathologies. <b>2021</b> , 13, 91		0
68	Body Mass Index and Polygenic Risk for Alzheimer's Disease Predict Conversion to Alzheimer's Disease. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2021</b> , 76, 1415-1422	6.4	3
67	Sarcopenia is associated with incident Alzheimer's dementia, mild cognitive impairment, and cognitive decline. <b>2021</b> , 69, 1826-1835		14
66	Five-Year Change in Body Mass Index Predicts Conversion to Mild Cognitive Impairment or Dementia Only in APOE e4 Allele Carriers. <b>2021</b> , 81, 189-199		0
65	Weight Loss and the Risk of Dementia: A Meta-analysis of Cohort Studies. <b>2021</b> , 18, 125-135		2
64	Effect of Social Determinants of Health on Cognition and Risk of Alzheimer Disease and Related Dementias. <b>2021</b> , 43, 922-929		11
63	Predictors of change in BMI over 10 years among midlife and older adults: Associations with gender, CVD risk status, depressive symptoms, and social support. <b>2021</b> , 279, 113995		1
62	In-Hospital Delirium as a Prognostic Factor for New Cognitive Disorder in a 1-Year Post-Hip Fracture Follow-Up. <b>2021</b> , 50, 296-302		0
61	The association between body mass index and brain morphology in children: a population-based study. <b>2021</b> , 226, 787-800		4
60	Cognitive Impairment. 99-126		2
59	Obesity: A Sociological Examination. <b>2011</b> , 513-531		0

58	Disorders of Appetite, Eating, and Swallowing in the Dementias. <b>2013</b> , 411-420		2
57	Type 2 Diabetes, Related Conditions, and Dementia. <b>2009</b> , 323-342		3
56	Vascular Cognitive Impairment and Alzheimer Disease: Are These Disorders Linked to Hypertension and Other Cardiovascular Risk Factors?. <b>2016</b> , 261-284		2
55	Geriatric. <b>2014</b> , 2, 1-42		1
54	Effect of Physical Inactivity on Cognitive Performance after 2.5 Years of Follow-Up. <b>2010</b> , 23, 7-15		38
53	Dietary antioxidants associated with slower progression of parkinsonian signs in older adults. <b>2020</b> , 1-8		5
52	Vascular and metabolic risk factor differences prior to dementia diagnosis: a multidatabase case-control study using European electronic health records. <b>2020</b> , 10, e038753		4
51	Prevalence and Risk Factors of Dementia and MCI in Community-dwelling Elderly Koreans. <i>Dementia and Neurocognitive Disorders</i> , <b>2014</b> , 13, 121	2.1	6
50	Menopause Analytical Hormonal Correlate Outcome Study (MAHCOS) and the association to brain electrophysiology (P300) in a clinical setting. <b>2014</b> , 9, e105048		4
49	Metabolically healthy obesity reduces the risk of Alzheimer's disease in elders: a longitudinal study. <b>2019</b> , 11, 10939-10951		8
48	Weight loss in the healthy elderly might be a non-cognitive sign of preclinical Alzheimer's disease. <b>2017</b> , 8, 104706-104716		31
47	Change in body mass index before and after Alzheimer's disease onset. <b>2014</b> , 11, 349-56		41
46	Stability in Cognitive Function Over 18 Years: Prevalence and Predictors among Older Mexican Americans. <b>2015</b> , 12, 614-21		16
45	Obesity and dementia: lifecourse evidence and mechanisms. <i>Aging Health</i> , <b>2006</b> , 2, 571-578		1
44	Unintentional Weight Loss in the Elderly at a Nursing Home in Japan :. <i>Kitakanto Medical Journal</i> , <b>2011</b> , 61, 471-478	0	2
43	Epidemiology of Alzheimer's disease: occurrence, determinants, and strategies toward intervention. <i>Dialogues in Clinical Neuroscience</i> , <b>2009</b> , 11, 111-28	5.7	567
42	The Influence of Body Mass Index at Diagnosis on Cognitive Decline in Parkinson's Disease. <i>Journal of Clinical Neurology (Korea)</i> , <b>2019</b> , 15, 517-526	1.7	11
41	Nutritional status assessment in Alzheimer disease and its influence on disease progression. <i>Neurologia (English Edition)</i> , <b>2021</b> ,	0.4	0

40	Papers of Note. <i>Science of Aging Knowledge Environment: SAGE KE</i> , <b>2005</b> , 2005, nw36-nw36		
39	Metabolic Abnormalities in Alzheimer Disease. <b>2009</b> , 483-530		
38	Vascular Cognitive Impairment and Alzheimer Disease: Are These Disorders Linked to Hypertension and Other Cardiovascular Risk Factors?. <b>2011</b> , 195-210		
37	Nonlinear Relations of Cardiovascular Risk Factors to Neuropsychological Function and Dementia. <b>2013</b> , 379-396		
36	Izuchenie kognitivnykh funktsiy mozga u bol'nykh arterial'noy gipertoniey s nalichiem ili otsutstviem metabolicheskogo sindroma. <i>Systemic Hypertension</i> , <b>2013</b> , 10, 66-70	1.6	1
35	Obesity, Cognitive Ageing, and Dementia: The Usefulness of Longitudinal Studies to Understand the Obesity Paradox. <i>International Perspectives on Aging</i> , <b>2014</b> , 123-140	0.5	2
34	Body Composition and Cognitive Function: A Review with Focus on Aging and Disease. <b>2015</b> , 243-250		
33	Impact of Weight Change on Decline of Cognitive Function Among Korean Adults. <i>Korean Journal of Clinical Pharmacy</i> , <b>2019</b> , 29, 238-246	0.2	
32	A non-APOE Polygenic score for Alzheimer's disease and APOE- $\epsilon 4$ have independent associations with dementia in the Health and Retirement Study.		0
31	Brain $\beta$ -amyloid links the association of change in BMI with cognitive decline in community-dwelling older adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2021</b> ,	6.4	0
30	Role of sex and high fat diet in metabolic and hypothalamic disturbances in the 3xTg-AD mouse model of Alzheimer's disease.		
29	Balneotherapy, prevention of cognitive decline and care the Alzheimer patient and his family: Outcome of a multidisciplinary workgroup. <i>Journal of Nutrition, Health and Aging</i> ,	5.2	
28	Differences between early and late onset Alzheimer's disease. <i>American Journal of Neurodegenerative Disease</i> , <b>2013</b> , 2, 300-6	2.5	43
27	Pursuit of precision medicine: Systems biology approaches in Alzheimer's disease mouse models. <i>Neurobiology of Disease</i> , <b>2021</b> , 161, 105558	7.5	3
26	Hand-oriented tasking assessment of fine movement control deficits in Alzheimer's Disease. <b>2020</b> ,		
25	Cognitive Aging and the Promise of Physical Activity.. <i>Annual Review of Clinical Psychology</i> , <b>2022</b> ,	20.5	1
24	Association Between Body Mass Index and Cognitive Function in Mild Cognitive Impairment Regardless of APOE $\epsilon 4$ Status.. <i>Dementia and Neurocognitive Disorders</i> , <b>2022</b> , 21, 30-41	2.1	1
23	Stability in BMI over time is associated with a better cognitive trajectory in older adults.. <i>Alzheimer's and Dementia</i> , <b>2022</b> ,	1.2	3

22	Correlation between Body Mass Index (BMI) and Performance on the Montreal Cognitive Assessment (MoCA) in a Cohort of Adult Women in South Africa.. <i>Behavioural Neurology</i> , <b>2022</b> , 2022, 8994793	3	
21	Risk models based on non-cognitive measures may identify presymptomatic Alzheimer's disease.		
20	Hypothalamic gene network dysfunction is associated with cognitive decline and body weight loss in Alzheimer's disease mice.		0
19	Long-term weight change and its temporal relation to later-life dementia in the Health and Retirement Study.. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2022</b> ,	5.6	1
18	Image_1.TIFF. <b>2020</b> ,		
17	Image_2.TIFF. <b>2020</b> ,		
16	Image_3.TIF. <b>2020</b> ,		
15	Sex- and age-specific associations between cardiometabolic risk and white matter brain age in the UK Biobank cohort.. <i>Human Brain Mapping</i> , <b>2022</b> ,	5.9	1
14	Influence of Cardiovascular Risk Burden on Motor Function Among Older Adults: Mediating Role of Cardiovascular Diseases Accumulation and Cognitive Decline.. <i>Frontiers in Medicine</i> , <b>2022</b> , 9, 856260	4.9	
13	Impact of Behavioral Assessment and Re-Test as Functional Trainings That Modify Survival, Anxiety and Functional Profile (Physical Endurance and Motor Learning) of Old Male and Female 3XTg-AD Mice and NTg Mice with Normal Aging. <i>Biomedicines</i> , <b>2022</b> , 10, 973	4.8	0
12	Sex-dependent metal accumulation and immunoexpression of Hsp70 and Nrf2 in rats' brain following manganese exposure. <i>Environmental Toxicology</i> ,	4.2	0
11	Benfotiamine protects against hypothalamic dysfunction in a STZ-induced model of neurodegeneration in rats. <i>Life Sciences</i> , <b>2022</b> , 120841	6.8	1
10	Risk Models Based on Non-Cognitive Measures May Identify Presymptomatic Alzheimer's Disease. <b>2022</b> , 1-14		
9	Effects of a Ketogenic and Low Fat Diet on the Human Metabolome, Microbiome and Food-ome in Adults at Risk for Alzheimer's Disease.		0
8	Body Mass Index Trajectories Preceding Incident Mild Cognitive Impairment and Dementia.		1
7	Weight Loss and Alzheimer's Disease in Down Syndrome. <b>2022</b> , 1-12		0
6	Weight loss, visit-to-visit body weight variability and cognitive function in older individuals. <b>2023</b> , 52,		0
5	Development of dementia in patients who underwent bariatric surgery.		0

- 4 Adipokines and Alzheimer's Disease. **2011**, 130-148 ○
- 3 Association Between Body Mass Index and Cognitive Function Among Older Adults in India: Findings from a Cross-Sectional Study. 1-15 ○
- 2 Effects of a ketogenic and low-fat diet on the human metabolome, microbiome, and foodome in adults at risk for Alzheimer's disease. ○
- 1 Correlates of Person-Specific Rates of Change in Sensor-Derived Physical Activity Metrics of Daily Living in the Rush Memory and Aging Project. **2023**, 23, 4152 ○