

# CITATION REPORT

List of articles citing

Investigations into resting-state connectivity using independent component analysis

DOI: 10.1098/rstb.2005.1634

Philosophical Transactions of the Royal Society B: Biological Sciences, 2005, 360, 1001-13.

**Source:** <https://exaly.com/paper-pdf/39239640/citation-report.pdf>

**Version:** 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2313	Introduction: multimodal neuroimaging of brain connectivity. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , <b>2005</b> , 360, 865-7	5.8	17
2312	Imaging Across Scale: the Promise of Multi-modal Imaging. <b>2006</b> ,		
2311	Consistent resting-state networks across healthy subjects. <b>2006</b> , 103, 13848-53		3210
2310	Functional classification of schizophrenia using feed forward neural networks. <b>2006</b> , Suppl, 6631-4		26
2309	Unmixing fMRI with independent component analysis. <b>2006</b> , 25, 79-90		193
2308	How default is the default mode of brain function? Further evidence from intrinsic BOLD signal fluctuations. <b>2006</b> , 44, 2836-45		499
2307	Applying FSL to the FIAC data: model-based and model-free analysis of voice and sentence repetition priming. <b>2006</b> , 27, 380-91		51
2306	Early frontotemporal dementia targets neurons unique to apes and humans. <b>2006</b> , 60, 660-7		244
2305	Resting-state networks in the infant brain. <b>2007</b> , 104, 15531-6		497
2304	Fusion of EEG and fMRI for the investigation of functional connectivity during a visual oddball task. <b>2007</b> ,		1
2303	A MAXIMAL-CORRELATION APPROACH USING ICA FOR TESTING FUNCTIONAL NETWORK CONNECTIVITY APPLIED TO SCHIZOPHRENIA. <b>2007</b> ,		2
2302	Dissociable intrinsic connectivity networks for salience processing and executive control. <b>2007</b> , 27, 2349-56		4845
2301	Structural and functional magnetic resonance imaging in psychiatric disorders. <b>2007</b> , 52, 158-66		27
2300	Divergent social functioning in behavioral variant frontotemporal dementia and Alzheimer disease: reciprocal networks and neuronal evolution. <b>2007</b> , 21, S50-7		125
2299	Does the brain have a baseline? Why we should be resisting a rest. <b>2007</b> , 37, 1073-1082		280
2298	Meaningful design and contrast estimability in FMRI. <b>2007</b> , 34, 127-36		50
2297	The relationship within and between the extrinsic and intrinsic systems indicated by resting state correlational patterns of sensory cortices. <b>2007</b> , 36, 684-90		68

2296	Mapping the functional connectivity of anterior cingulate cortex. <b>2007</b> , 37, 579-88	581
2295	Isolating physiologic noise sources with independently determined spatial measures. <b>2007</b> , 37, 1286-300	123
2294	Independent component analysis of interictal fMRI in focal epilepsy: comparison with general linear model-based EEG-correlated fMRI. <b>2007</b> , 38, 488-500	75
2293	Baseline brain activity fluctuations predict somatosensory perception in humans. <b>2007</b> , 104, 12187-92	412
2292	Statistical approaches to functional neuroimaging data. <b>2007</b> , 17, 441-58, viii	19
2291	Resting-state functional connectivity in major depression: abnormally increased contributions from subgenual cingulate cortex and thalamus. <b>2007</b> , 62, 429-37	1650
2290	Detecting functional nodes in large-scale cortical networks with functional magnetic resonance imaging: a principal component analysis of the human visual system. <b>2007</b> , 28, 817-34	9
2289	Whole brain analysis of T2* weighted baseline FMRI signal in dementia. <b>2007</b> , 28, 1313-7	27
2288	Detecting functional connectivity in the resting brain: a comparison between ICA and CCA. <b>2007</b> , 25, 47-56	81
2287	Pharmacological modulation of functional connectivity: the correlation structure underlying the phMRI response to d-amphetamine modified by selective dopamine D3 receptor antagonist SB277011A. <b>2007</b> , 25, 811-20	60
2286	Assessing functional connectivity in the human brain by fMRI. <b>2007</b> , 25, 1347-57	301
2285	Spontaneous fluctuations in brain activity observed with functional magnetic resonance imaging. <b>2007</b> , 8, 700-11	4876
2284	A Spatio-Temporal Model for Functional Magnetic Resonance Imaging Data [with a View to Resting State Networks. <b>2007</b> , 34, 587-614	3
2283	Study-level wavelet cluster analysis and data-driven signal models in pharmacological MRI. <b>2007</b> , 159, 346-60	31
2282	Performance of blind source separation algorithms for fMRI analysis using a group ICA method. <b>2007</b> , 25, 684-94	126
2281	Default mode network as revealed with multiple methods for resting-state functional MRI analysis. <b>2008</b> , 171, 349-55	133
2280	Impairment of movement-associated brain deactivation in multiple sclerosis: further evidence for a functional pathology of interhemispheric neuronal inhibition. <b>2008</b> , 187, 25-31	46
2279	Temporal lobe and "default" hemodynamic brain modes discriminate between schizophrenia and bipolar disorder. <b>2008</b> , 29, 1265-75	278

2278	Persistent default-mode network connectivity during light sedation. <b>2008</b> , 29, 839-47	433
2277	Modulation of temporally coherent brain networks estimated using ICA at rest and during cognitive tasks. <b>2008</b> , 29, 828-38	464
2276	Endogenous brain fluctuations and diagnostic imaging. <b>2008</b> , 29, 810-7	32
2275	Network homogeneity reveals decreased integrity of default-mode network in ADHD. <b>2008</b> , 169, 249-54	322
2274	Spontaneous low-frequency blood oxygenation level-dependent fluctuations and functional connectivity analysis of the 'resting' brain. <b>2008</b> , 26, 1055-64	163
2273	Spontaneous fluctuations in posterior alpha-band EEG activity reflect variability in excitability of human visual areas. <b>2008</b> , 18, 2010-8	486
2272	Intrinsic brain activity in altered states of consciousness: how conscious is the default mode of brain function?. <b>2008</b> , 1129, 119-29	297
2271	Metabolic origin of BOLD signal fluctuations in the absence of stimuli. <b>2008</b> , 28, 1377-87	83
2270	fMRI Noise Reduction Based on Canonical Correlation Analysis and Surrogate Test. <b>2008</b> , 2, 870-878	5
2269	Functional connectivity of the sensorimotor area in naturally sleeping infants. <b>2008</b> , 1223, 42-9	78
2268	Group independent component analysis reveals consistent resting-state networks across multiple sessions. <b>2008</b> , 1239, 141-51	103
2267	Data-driven clustering reveals a fundamental subdivision of the human cortex into two global systems. <b>2008</b> , 46, 540-53	142
2266	Functional connectivity of human striatum: a resting state FMRI study. <b>2008</b> , 18, 2735-47	807
2265	Analysis of fMRI data using improved self-organizing mapping and spatio-temporal metric hierarchical clustering. <b>2008</b> , 27, 1472-83	44
2264	Optimizing the design and analysis of clinical functional magnetic resonance imaging research studies. <b>2008</b> , 64, 842-9	56
2263	Acupuncture modulates resting state connectivity in default and sensorimotor brain networks. <b>2008</b> , 136, 407-418	209
2262	The precuneus/posterior cingulate cortex plays a pivotal role in the default mode network: Evidence from a partial correlation network analysis. <b>2008</b> , 42, 1178-84	866
2261	Small-world and scale-free organization of voxel-based resting-state functional connectivity in the human brain. <b>2008</b> , 43, 528-39	547

2260	Reduced resting-state brain activity in the "default network" in normal aging. <b>2008</b> , 18, 1856-64	885
2259	Competition between functional brain networks mediates behavioral variability. <b>2008</b> , 39, 527-37	935
2258	Model-free characterization of brain functional networks for motor sequence learning using fMRI. <b>2008</b> , 39, 1950-8	81
2257	A projection pursuit algorithm to classify individuals using fMRI data: Application to schizophrenia. <b>2008</b> , 39, 1774-82	75
2256	A method for functional network connectivity among spatially independent resting-state components in schizophrenia. <b>2008</b> , 39, 1666-81	699
2255	Mapping resting-state functional connectivity using perfusion MRI. <b>2008</b> , 40, 1595-605	95
2254	Defining functional areas in individual human brains using resting functional connectivity MRI. <b>2008</b> , 41, 45-57	449
2253	Social cognitive neural networks during in-group and out-group interactions. <b>2008</b> , 41, 1447-61	84
2252	Group independent component analysis of language fMRI from word generation tasks. <b>2008</b> , 42, 1214-25	32
2251	A critical role for the right fronto-insular cortex in switching between central-executive and default-mode networks. <b>2008</b> , 105, 12569-74	1851
2250	Does the Brain Rest?: An Independent Component Analysis of Temporally Coherent Brain Networks at Rest and During a Cognitive Task. <b>2008</b> ,	
2249	Functional connectivity MR imaging reveals cortical functional connectivity in the developing brain. <b>2008</b> , 29, 1883-9	165
2248	Microstructural organization of the cingulum tract and the level of default mode functional connectivity. <b>2008</b> , 28, 10844-51	258
2247	Frontal paralimbic network atrophy in very mild behavioral variant frontotemporal dementia. <b>2008</b> , 65, 249-55	362
2246	Dissociation of the neural networks recruited during a haptic object-recognition task: complementary results with a tensorial independent component analysis. <b>2008</b> , 29, 1715-21	7
2245	Consistency and functional specialization in the default mode brain network. <b>2008</b> , 105, 9781-6	269
2244	Intrinsic functional relations between human cerebral cortex and thalamus. <b>2008</b> , 100, 1740-8	348
2243	Combining path analysis with time-resolved functional magnetic resonance imaging: the neurocognitive network underlying mental rotation. <b>2008</b> , 20, 1003-20	12

2242	NEDICA: Detection of group functional networks in FMRI using spatial independent component analysis. <b>2008</b> ,	9
2241	Residual functional connectivity in the split-brain revealed with resting-state functional MRI. <b>2008</b> , 19, 703-9	123
2240	Resting-state functional connectivity in neuropsychiatric disorders. <b>2008</b> , 21, 424-30	855
2239	Contribution of exploratory methods to the investigation of extended large-scale brain networks in functional MRI: methodologies, results, and challenges. <b>2008</b> , 2008, 218519	25
2238	Uncovering intrinsic modular organization of spontaneous brain activity in humans. <b>2009</b> , 4, e5226	450
2237	Impact of working memory load on FMRI resting state pattern in subsequent resting phases. <b>2009</b> , 4, e7198	84
2236	Applications of multivariate pattern classification analyses in developmental neuroimaging of healthy and clinical populations. <b>2009</b> , 3, 32	45
2235	Convergent approaches for defining functional imaging endophenotypes in schizophrenia. <b>2009</b> , 3, 37	30
2234	Resting-state functional connectivity reflects structural connectivity in the default mode network. <b>2009</b> , 19, 72-8	1639
2233	Distinct cerebellar contributions to intrinsic connectivity networks. <b>2009</b> , 29, 8586-94	773
2232	Right parietal brain activity precedes perceptual alternation of bistable stimuli. <b>2009</b> , 19, 55-65	159
2231	Decoupling of the brain's default mode network during deep sleep. <b>2009</b> , 106, 11376-81	527
2230	Functional brain networks develop from a "local to distributed" organization. <b>2009</b> , 5, e1000381	1040
2229	Functional connectivity of the macaque brain across stimulus and arousal states. <b>2009</b> , 29, 5897-909	57
2228	Spontaneous brain activity in the newborn brain during natural sleep--an fMRI study in infants born at full term. <b>2009</b> , 66, 301-5	167
2227	Auditory oddball deficits in schizophrenia: an independent component analysis of the fMRI multisite function BIRN study. <b>2009</b> , 35, 67-81	123
2226	Development of anterior cingulate functional connectivity from late childhood to early adulthood. <b>2009</b> , 19, 640-57	430
2225	Reaching across the abyss: recent advances in functional magnetic resonance imaging and their potential relevance to disorders of consciousness. <b>2009</b> , 177, 261-74	36

2224	Preoperative sensorimotor mapping in brain tumor patients using spontaneous fluctuations in neuronal activity imaged with functional magnetic resonance imaging: initial experience. <b>2009</b> , 65, 226-36	116
2223	A resting state network in the motor control circuit of the basal ganglia. <b>2009</b> , 10, 137	116
2222	Low-frequency BOLD fluctuations demonstrate altered thalamocortical connectivity in diabetic neuropathic pain. <b>2009</b> , 10, 138	83
2221	Acupuncture mobilizes the brain's default mode and its anti-correlated network in healthy subjects. <b>2009</b> , 1287, 84-103	107
2220	Model-free group analysis shows altered BOLD fMRI networks in dementia. <b>2009</b> , 30, 256-66	107
2219	Improved application of independent component analysis to functional magnetic resonance imaging study via linear projection techniques. <b>2009</b> , 30, 417-31	12
2218	Large-scale neural model validation of partial correlation analysis for effective connectivity investigation in functional MRI. <b>2009</b> , 30, 941-50	54
2217	Interrater and intermethod reliability of default mode network selection. <b>2009</b> , 30, 2293-303	97
2216	Changes in the interaction of resting-state neural networks from adolescence to adulthood. <b>2009</b> , 30, 2356-66	212
2215	Blind identification of evoked human brain activity with independent component analysis of optical data. <b>2009</b> , 30, 2382-92	22
2214	Functional connectivity between the thalamus and visual cortex under eyes closed and eyes open conditions: a resting-state fMRI study. <b>2009</b> , 30, 3066-78	116
2213	Functionally linked resting-state networks reflect the underlying structural connectivity architecture of the human brain. <b>2009</b> , 30, 3127-41	759
2212	Dysregulation of working memory and default-mode networks in schizophrenia using independent component analysis, an fBIRN and MCIC study. <b>2009</b> , 30, 3795-811	202
2211	Functional segmentation of the brain cortex using high model order group PICA. <b>2009</b> , 30, 3865-86	280
2210	Resting state and task-induced deactivation: A methodological comparison in patients with schizophrenia and healthy controls. <b>2010</b> , 31, 424-37	106
2209	Specific somatotopic organization of functional connections of the primary motor network during resting state. <b>2010</b> , 31, 631-44	57
2208	Semiblind spatial ICA of fMRI using spatial constraints. <b>2010</b> , 31, 1076-88	90
2207	The effect of model order selection in group PICA. <b>2010</b> , 31, 1207-16	251

2206	Disease state prediction from resting state functional connectivity. <b>2009</b> , 62, 1619-28	311
2205	Greater than the sum of its parts: a review of studies combining structural connectivity and resting-state functional connectivity. <b>2009</b> , 213, 525-33	629
2204	Impaired perceptual networks in temporal lobe epilepsy revealed by resting fMRI. <b>2009</b> , 256, 1705-13	93
2203	Preoperative localization of the sensorimotor area using independent component analysis of resting-state fMRI. <b>2009</b> , 27, 733-40	98
2202	Background and evoked activity and their interaction in the human brain. <b>2009</b> , 27, 1140-50	11
2201	A serial functional connectivity MRI study in healthy individuals assessing the variability of connectivity measures: reduced interhemispheric connectivity in the motor network during continuous performance. <b>2009</b> , 27, 1347-59	12
2200	EEG coherence: topography and frequency structure. <b>2009</b> , 198, 59-83	28
2199	Sources of functional magnetic resonance imaging signal fluctuations in the human brain at rest: a 7 T study. <b>2009</b> , 27, 1019-29	174
2198	Images-based suppression of unwanted global signals in resting-state functional connectivity studies. <b>2009</b> , 27, 1058-64	37
2197	Changes of resting state brain networks in amyotrophic lateral sclerosis. <b>2009</b> , 217, 147-53	165
2196	The developmental cognitive neuroscience of functional connectivity. <b>2009</b> , 70, 1-12	78
2195	Neurodegenerative diseases target large-scale human brain networks. <b>2009</b> , 62, 42-52	1620
2194	The role of large-scale neural interactions for developmental stuttering. <b>2009</b> , 161, 1008-26	47
2193	Impaired attention network in temporal lobe epilepsy: a resting FMRI study. <b>2009</b> , 458, 97-101	138
2192	fMRI Techniques and Protocols. <b>2009</b> ,	11
2191	Correspondence of the brain's functional architecture during activation and rest. <b>2009</b> , 106, 13040-5	3661
2190	Distinct patterns of brain activity in young carriers of the APOE-epsilon4 allele. <b>2009</b> , 106, 7209-14	1286
2189	The global signal and observed anticorrelated resting state brain networks. <b>2009</b> , 101, 3270-83	1439



2188	Large-scale brain networks account for sustained and transient activity during target detection. <b>2009</b> , 44, 265-74	127
2187	Long-term motor training induced changes in regional cerebral blood flow in both task and resting states. <b>2009</b> , 45, 75-82	77
2186	Cluster analysis of resting-state fMRI time series. <b>2009</b> , 45, 1117-25	88
2185	Spatial and temporal reproducibility-based ranking of the independent components of BOLD fMRI data. <b>2009</b> , 46, 1041-54	16
2184	Community structure in networks of functional connectivity: resolving functional organization in the rat brain with pharmacological MRI. <b>2009</b> , 47, 302-11	49
2183	Effects of model-based physiological noise correction on default mode network anti-correlations and correlations. <b>2009</b> , 47, 1448-59	394
2182	Static and dynamic characteristics of cerebral blood flow during the resting state. <b>2009</b> , 48, 515-24	159
2181	Cortical network functional connectivity in the descent to sleep. <b>2009</b> , 106, 4489-94	349
2180	Investigating the functional heterogeneity of the default mode network using coordinate-based meta-analytic modeling. <b>2009</b> , 29, 14496-505	412
2179	The restless brain: attention-deficit hyperactivity disorder, resting-state functional connectivity, and intrasubject variability. <b>2009</b> , 54, 665-72	64
2178	Neuroimaging in dementia. <b>2010</b> , 16, 153-75	1
2177	Typical and atypical development of functional human brain networks: insights from resting-state FMRI. <b>2010</b> , 4, 21	244
2176	Network scaling effects in graph analytic studies of human resting-state FMRI data. <b>2010</b> , 4, 22	289
2175	The relation of ongoing brain activity, evoked neural responses, and cognition. <b>2010</b> , 4, 20	147
2174	Graph-based network analysis of resting-state functional MRI. <b>2010</b> , 4, 16	350
2173	Analysis of connectivity in the resting state of the default mode of brain function: a major role for the cerebellum?. <b>2010</b> , 9, 236	
2172	Breakdown of within- and between-network resting state functional magnetic resonance imaging connectivity during propofol-induced loss of consciousness. <b>2010</b> , 113, 1038-53	462
2171	Disease and the brain's dark energy. <b>2010</b> , 6, 15-28	673

2170	[Functional magnetic resonance imaging with ultra-high fields]. <b>2010</b> , 50, 144-51	2
2169	A new approach to estimating the signal dimension of concatenated resting-state functional MRI data sets. <b>2010</b> , 28, 1344-52	4
2168	Functional connectivity in the rat brain: a complex network approach. <b>2010</b> , 28, 1200-9	28
2167	Evaluating the effective connectivity of resting state networks using conditional Granger causality. <b>2010</b> , 102, 57-69	159
2166	Anterior insula degeneration in frontotemporal dementia. <b>2010</b> , 214, 465-75	117
2165	Group ICA of resting-state data: a comparison. <b>2010</b> , 23, 317-25	34
2164	Comparison of functional connectivity in default mode and sensorimotor networks at 3 and 7T. <b>2010</b> , 23, 339-49	31
2163	Resting developments: a review of fMRI post-processing methodologies for spontaneous brain activity. <b>2010</b> , 23, 289-307	174
2162	A historical perspective on the evolution of resting-state functional connectivity with MRI. <b>2010</b> , 23, 279-88	20
2161	An investigation of brain processes supporting meditation. <b>2010</b> , 11, 57-84	83
2160	Spontaneous brain activity observed with functional magnetic resonance imaging as a potential biomarker in neuropsychiatric disorders. <b>2010</b> , 4, 275-94	37
2159	fMRI data visualization with BrainBlend and Blender. <b>2010</b> , 8, 21-31	10
2158	Identification of imaging biomarkers in schizophrenia: a coefficient-constrained independent component analysis of the mind multi-site schizophrenia study. <b>2010</b> , 8, 213-29	38
2157	On the "dependence" of "independent" group EEG sources; an EEG study on two large databases. <b>2010</b> , 23, 134-8	28
2156	Methodology for combined TMS and EEG. <b>2010</b> , 22, 233-48	236
2155	Alteration of cortical functional connectivity as a result of traumatic brain injury revealed by graph theory, ICA, and sLORETA analyses of EEG signals. <b>2010</b> , 18, 11-9	84
2154	Default mode network abnormalities in bipolar disorder and schizophrenia. <b>2010</b> , 183, 59-68	299
2153	Cognitive and default-mode resting state networks: do male and female brains "rest" differently?. <b>2010</b> , 31, 1713-26	104

2152	Is the ADHD brain wired differently? A review on structural and functional connectivity in attention deficit hyperactivity disorder. <b>2010</b> , 31, 904-16	406
2151	Intrinsic brain connectivity in fibromyalgia is associated with chronic pain intensity. <b>2010</b> , 62, 2545-55	428
2150	Analysis of functional networks involved in motor execution and motor imagery using combined hierarchical clustering analysis and independent component analysis. <b>2010</b> , 28, 653-60	5
2149	Correction of low-frequency physiological noise from the resting state BOLD fMRI--Effect on ICA default mode analysis at 1.5 T. <b>2010</b> , 186, 179-85	26
2148	Visual inspection of independent components: defining a procedure for artifact removal from fMRI data. <b>2010</b> , 189, 233-45	276
2147	The non-separability of physiologic noise in functional connectivity MRI with spatial ICA at 3T. <b>2010</b> , 191, 263-76	27
2146	Neurophysiologische Korrelate der Wirkung von YNSA bei Patienten mit chronischen Schmerzen des Bewegungsapparates. <b>2010</b> , 53, 8-13	
2145	On consciousness, resting state fMRI, and neurodynamics. <b>2010</b> , 4 Suppl 1, S9	12
2144	Emergent complex neural dynamics. <b>2010</b> , 6, 744-750	632
2143	Functional imaging of schizophrenia. 30-47	
2142	Fractal complexity in spontaneous EEG metastable-state transitions: new vistas on integrated neural dynamics. <b>2010</b> , 1, 128	55
2141	Age-related changes in processing speed: unique contributions of cerebellar and prefrontal cortex. <b>2010</b> , 4, 10	104
2140	Whole brain resting-state analysis reveals decreased functional connectivity in major depression. <b>2010</b> , 4,	341
2139	Modular organization of brain resting state networks in chronic back pain patients. <b>2010</b> , 4, 116	39
2138	Ten challenges for decision neuroscience. <b>2010</b> , 4,	12
2137	Age-Related Differences in Functional Nodes of the Brain Cortex - A High Model Order Group ICA Study. <b>2010</b> , 4,	25
2136	A novel model-free data analysis technique based on clustering in a mutual information space: application to resting-state FMRI. <b>2010</b> , 4,	8
2135	Adolescent resting state networks and their associations with schizotypal trait expression. <b>2010</b> , 4,	25

2134	Connectivity Analysis is Essential to Understand Neurological Disorders. <b>2010</b> , 4,	59
2133	Altered effective connectivity network of the amygdala in social anxiety disorder: a resting-state FMRI study. <b>2010</b> , 5, e15238	128
2132	Independent component analysis of the effect of L-dopa on fMRI of language processing. <b>2010</b> , 5, e11933	9
2131	Functional connectivity of the posteromedial cortex. <b>2010</b> , 5, e13107	95
2130	Motor network degeneration in amyotrophic lateral sclerosis: a structural and functional connectivity study. <b>2010</b> , 5, e13664	132
2129	Multiplexed echo planar imaging for sub-second whole brain FMRI and fast diffusion imaging. <b>2010</b> , 5, e15710	889
2128	Clinical applications of resting state functional connectivity. <b>2010</b> , 4, 19	745
2127	Identification of functional cortico-subcortical networks in resting-state FMRI: A combined medical and GLM analysis. <b>2010</b> ,	
2126	Distinct and overlapping functional zones in the cerebellum defined by resting state functional connectivity. <b>2010</b> , 20, 953-65	528
2125	Advances and pitfalls in the analysis and interpretation of resting-state FMRI data. <b>2010</b> , 4, 8	624
2124	Functional networks in the anesthetized rat brain revealed by independent component analysis of resting-state FMRI. <b>2010</b> , 103, 3398-406	114
2123	Advances in the application of MRI to amyotrophic lateral sclerosis. <b>2010</b> , 4, 483-496	51
2122	Intrinsic functional connectivity as a tool for human connectomics: theory, properties, and optimization. <b>2010</b> , 103, 297-321	1375
2121	Emergence of resting state networks in the preterm human brain. <b>2010</b> , 107, 20015-20	365
2120	Divergent network connectivity changes in behavioural variant frontotemporal dementia and Alzheimer's disease. <b>2010</b> , 133, 1352-67	707
2119	Resting state networks change in clinically isolated syndrome. <b>2010</b> , 133, 1612-21	194
2118	Network-level structural covariance in the developing brain. <b>2010</b> , 107, 18191-6	281
2117	Genetic control over the resting brain. <b>2010</b> , 107, 1223-8	362

2116	Default network connectivity reflects the level of consciousness in non-communicative brain-damaged patients. <b>2010</b> , 133, 161-71	574
2115	Hybrid ICA-Seed-Based Methods for fMRI Functional Connectivity Assessment: A Feasibility Study. <b>2010</b> , 2010,	20
2114	Decreased default mode neural modulation with age in schizophrenia. <b>2010</b> , 18, 897-907	13
2113	Eigenvector centrality mapping for analyzing connectivity patterns in fMRI data of the human brain. <b>2010</b> , 5, e10232	325
2112	Topographic electrophysiological signatures of fMRI Resting State Networks. <b>2010</b> , 5, e12945	117
2111	Toward discovery science of human brain function. <b>2010</b> , 107, 4734-9	2183
2110	Aberrant salience network (bilateral insula and anterior cingulate cortex) connectivity during information processing in schizophrenia. <b>2010</b> , 123, 105-15	171
2109	Spontaneous brain activity and EEG microstates. A novel EEG/fMRI analysis approach to explore resting-state networks. <b>2010</b> , 52, 1149-61	235
2108	A group model for stable multi-subject ICA on fMRI datasets. <b>2010</b> , 51, 288-99	107
2107	BOLD correlates of EEG topography reveal rapid resting-state network dynamics. <b>2010</b> , 52, 1162-70	465
2106	Subject order-independent group ICA (SOI-GICA) for functional MRI data analysis. <b>2010</b> , 51, 1414-24	47
2105	Selective aberrant functional connectivity of resting state networks in social anxiety disorder. <b>2010</b> , 52, 1549-58	235
2104	Detecting network modules in fMRI time series: a weighted network analysis approach. <b>2010</b> , 52, 1465-76	61
2103	Reactivity of hemodynamic responses and functional connectivity to different states of alpha synchrony: a concurrent EEG-fMRI study. <b>2010</b> , 52, 1252-60	95
2102	Abnormal functional connectivity of default mode sub-networks in autism spectrum disorder patients. <b>2010</b> , 53, 247-56	462
2101	Normal development of brain circuits. <b>2010</b> , 35, 147-68	761
2100	Machine Learning in Medical Imaging. <b>2010</b> , 27, 25-38	187
2099	Correlaciones neurofisiológicas de la acción de la YNSA en pacientes con dolores crónicos del aparato locomotor. <b>2010</b> , 4, 130-135	

2098	Neural basis of global resting-state fMRI activity. <b>2010</b> , 107, 10238-43	688
2097	Resting state functional connectivity of the whole head with near-infrared spectroscopy. <b>2010</b> , 1, 324-336	125
2096	Brain resting state is disrupted in chronic back pain patients. <b>2010</b> , 485, 26-31	138
2095	Group independent component analysis of resting state EEG in large normative samples. <b>2010</b> , 78, 89-99	46
2094	Rest-stimulus interaction in the brain: a review. <b>2010</b> , 33, 277-84	197
2093	Exploring the brain network: a review on resting-state fMRI functional connectivity. <b>2010</b> , 20, 519-34	1915
2092	Time-frequency dynamics of resting-state brain connectivity measured with fMRI. <b>2010</b> , 50, 81-98	1197
2091	Independent component analysis of short-time Fourier transforms for spontaneous EEG/MEG analysis. <b>2010</b> , 49, 257-71	116
2090	Reliable intrinsic connectivity networks: test-retest evaluation using ICA and dual regression approach. <b>2010</b> , 49, 2163-77	593
2089	Multi-subject analyses with dynamic causal modeling. <b>2010</b> , 49, 3065-74	47
2088	Distinct profiles of brain atrophy in frontotemporal lobar degeneration caused by progranulin and tau mutations. <b>2010</b> , 53, 1070-6	181
2087	Inter-individual differences in resting-state functional connectivity predict task-induced BOLD activity. <b>2010</b> , 50, 1690-701	281
2086	White matter microstructure underlying default mode network connectivity in the human brain. <b>2010</b> , 49, 2021-32	155
2085	Longitudinal analysis of neural network development in preterm infants. <b>2010</b> , 20, 2852-62	547
2084	Spatiotemporal fMRI data processing using generalized canonical correlation analysis. <b>2010</b> ,	
2083	Brain Development and CNS Plasticity. <b>2010</b> , 319-338	1
2082	Disorders of consciousness: Moving from passive to resting state and active paradigms. <b>2010</b> , 1, 193-203	15
2081	The default-mode, ego-functions and free-energy: a neurobiological account of Freudian ideas. <b>2010</b> , 133, 1265-83	351

2080	Growing together and growing apart: regional and sex differences in the lifespan developmental trajectories of functional homotopy. <b>2010</b> , 30, 15034-43	464
2079	With or without spikes: localization of focal epileptic activity by simultaneous electroencephalography and functional magnetic resonance imaging. <b>2011</b> , 134, 2867-86	142
2078	Investigating the electrophysiological basis of resting state networks using magnetoencephalography. <b>2011</b> , 108, 16783-8	647
2077	Using MRI to measure drug action: caveats and new directions. <b>2011</b> , 25, 1168-74	18
2076	Three systems of insular functional connectivity identified with cluster analysis. <b>2011</b> , 21, 1498-506	465
2075	The organization of the human cerebral cortex estimated by intrinsic functional connectivity. <b>2011</b> , 106, 1125-65	3997
2074	Exploraci3n de la red cerebral: una revisi3n de la conectividad funcional en la RMf en estado de reposo. <b>2011</b> , 18, 28-41	9
2073	Association between functional connectivity hubs and brain networks. <b>2011</b> , 21, 2003-13	298
2072	Behavioral interpretations of intrinsic connectivity networks. <b>2011</b> , 23, 4022-37	769
2071	Slow brain oscillations of sleep, resting state, and vigilance. <b>2011</b> , 193, 3-15	32
2070	Functional and pharmacological MRI in understanding brain function at a systems level. <b>2011</b> , 7, 323-57	10
2069	Regions of interest for resting-state fMRI analysis determined by inter-voxel cross-correlation. <b>2011</b> , 56, 246-51	18
2068	EEG-BOLD correlations during (post-)adolescent brain maturation. <b>2011</b> , 56, 1493-505	28
2067	Resting-state networks in the macaque at 7 T. <b>2011</b> , 56, 1546-55	95
2066	Functional connectivity MRI in infants: exploration of the functional organization of the developing brain. <b>2011</b> , 56, 1437-52	161
2065	Brain correlates of hypnotic paralysis-a resting-state fMRI study. <b>2011</b> , 56, 2173-82	42
2064	Role of local network oscillations in resting-state functional connectivity. <b>2011</b> , 57, 130-139	338
2063	Repeated pain induces adaptations of intrinsic brain activity to reflect past and predict future pain. <b>2011</b> , 57, 206-213	45

2062	Testing the ICA mixing matrix based on inter-subject or inter-session consistency. <b>2011</b> , 58, 122-36	32
2061	Basal functional connectivity within the anterior temporal network is associated with performance on declarative memory tasks. <b>2011</b> , 58, 687-97	67
2060	Changes occur in resting state network of motor system during 4 weeks of motor skill learning. <b>2011</b> , 58, 226-33	102
2059	Clustering probabilistic tractograms using independent component analysis applied to the thalamus. <b>2011</b> , 54, 2020-32	52
2058	Introducing graph theory to track for neuroplastic alterations in the resting human brain: a transcranial direct current stimulation study. <b>2011</b> , 54, 2287-96	192
2057	Cognitive state and connectivity effects of the genome-wide significant psychosis variant in ZNF804A. <b>2011</b> , 54, 2514-23	102
2056	Linking inter-individual differences in neural activation and behavior to intrinsic brain dynamics. <b>2011</b> , 54, 2950-9	165
2055	A weighted-RV method to detect fine-scale functional connectivity during resting state. <b>2011</b> , 54, 2885-98	6
2054	Model-free fMRI group analysis using FENICA. <b>2011</b> , 55, 185-93	26
2053	Functional connectivity of the insula in the resting brain. <b>2011</b> , 55, 8-23	551
2052	Negative edges and soft thresholding in complex network analysis of resting state functional connectivity data. <b>2011</b> , 55, 1132-46	171
2051	Molecular and Functional Models in Neuropsychiatry. <b>2011</b> ,	0
2050	A sliding time-window ICA reveals spatial variability of the default mode network in time. <b>2011</b> , 1, 339-47	188
2049	Fractionating the default mode network: distinct contributions of the ventral and dorsal posterior cingulate cortex to cognitive control. <b>2011</b> , 31, 3217-24	539
2048	Insight et neuro-imagerie: l'apport de l'étude des réseaux du repos. <b>2011</b> , 169, 449-452	2
2047	Reorganization of functional connectivity during the motor task using EEG time-frequency cross mutual information analysis. <b>2011</b> , 122, 1569-79	24
2046	Enhanced cue reactivity and fronto-striatal functional connectivity in cocaine use disorders. <b>2011</b> , 115, 137-44	107
2045	Spontaneous BOLD event triggered averages for estimating functional connectivity at resting state. <b>2011</b> , 488, 158-63	49



2044	Connectivity brain networks based on wavelet correlation analysis in Parkinson fMRI data. <b>2011</b> , 499, 47-51	110
2043	Functional biomarkers for neurodegenerative disorders based on the network paradigm. <b>2011</b> , 95, 505-9	21
2042	Antipsychotic dose and diminished neural modulation: a multi-site fMRI study. <b>2011</b> , 35, 473-82	42
2041	Zolpidem reduces the blood oxygen level-dependent signal during visual system stimulation. <b>2011</b> , 35, 1645-52	16
2040	Experimental and theoretical approaches to conscious processing. <b>2011</b> , 70, 200-27	1328
2039	Spectral characteristics of resting state networks. <b>2011</b> , 193, 259-76	140
2038	Hypnotic modulation of resting state fMRI default mode and extrinsic network connectivity. <b>2011</b> , 193, 309-22	74
2037	Functional connectivity of brain structures correlates with treatment outcome in major depressive disorder. <b>2011</b> , 2, 7	44
2036	Changes in cognitive state alter human functional brain networks. <b>2011</b> , 5, 83	79
2035	Slowing down: age-related neurobiological predictors of processing speed. <b>2011</b> , 5, 25	89
2034	Balancing the brain: resting state networks and deep brain stimulation. <b>2011</b> , 5, 8	55
2033	A baseline for the multivariate comparison of resting-state networks. <b>2011</b> , 5, 2	895
2032	Functional connectivity in relation to motor performance and recovery after stroke. <b>2011</b> , 5, 8	82
2031	Group-ICA Model Order Highlights Patterns of Functional Brain Connectivity. <b>2011</b> , 5, 37	86
2030	ICA-fNORM: Spatial Normalization of fMRI Data Using Intrinsic Group-ICA Networks. <b>2011</b> , 5, 93	27
2029	Topological fractionation of resting-state networks. <b>2011</b> , 6, e26596	36
2028	Extra-visual functional and structural connection abnormalities in Leber's hereditary optic neuropathy. <b>2011</b> , 6, e17081	16
2027	Resting state functional connectivity in perfusion imaging: correlation maps with BOLD connectivity and resting state perfusion. <b>2011</b> , 6, e27050	50

2026	A simple and objective method for reproducible resting state network (RSN) detection in fMRI. <b>2011</b> , 6, e27594	14
2025	Effects of hypoperfusion in Alzheimer's disease. <b>2011</b> , 26 Suppl 3, 123-33	135
2024	What are newborn babies thinking? Clues from MRI. <b>2011</b> , 3, 137-140	
2023	Disease tracking markers for Alzheimer's disease at the prodromal (MCI) stage. <b>2011</b> , 26 Suppl 3, 159-99	108
2022	Applying independent component analysis to detect silent speech in magnetic resonance imaging signals. <b>2011</b> , 34, 1189-99	3
2021	Strength of default mode resting-state connectivity relates to white matter integrity in children. <b>2011</b> , 14, 738-51	49
2020	Inter-hemispheric functional connectivity disruption in children with prenatal alcohol exposure. <b>2011</b> , 35, 849-61	40
2019	The human connectome: a complex network. <b>2011</b> , 1224, 109-125	866
2018	Concepts and principles in the analysis of brain networks. <b>2011</b> , 1224, 126-146	224
2017	Fixed-point algorithms for constrained ICA and their applications in fMRI data analysis. <b>2011</b> , 29, 1288-303	18
2016	Functional network disruption in the degenerative dementias. <b>2011</b> , 10, 829-43	333
2015	Altered resting state networks in epileptic patients with generalized tonic-clonic seizures. <b>2011</b> , 1374, 134-41	81
2014	Resting-state brain networks: literature review and clinical applications. <b>2011</b> , 32, 773-85	343
2013	Functional connectivity of the superior human temporal sulcus in the brain resting state at 3T. <b>2011</b> , 53, 129-40	13
2012	A few thoughts on brain ROIs. <b>2011</b> , 5, 189-202	41
2011	Considering PTSD from the perspective of brain processes: a psychological construction approach. <b>2011</b> , 24, 3-24	46
2010	Lateral differences in the default mode network in healthy controls and patients with schizophrenia. <b>2011</b> , 32, 654-64	47
2009	fMRI functional networks for EEG source imaging. <b>2011</b> , 32, 1141-60	55

2008	Modulation of steady state functional connectivity in the default mode and working memory networks by cognitive load. <b>2011</b> , 32, 1649-59	83
2007	Comparison of multi-subject ICA methods for analysis of fMRI data. <b>2011</b> , 32, 2075-95	483
2006	Involvement of glutamate in rest-stimulus interaction between perigenual and supragenual anterior cingulate cortex: a combined fMRI-MRS study. <b>2011</b> , 32, 2172-82	52
2005	Investigation of spectrally coherent resting-state networks using non-negative matrix factorization for functional MRI data. <b>2011</b> , 21, 211-222	15
2004	. <b>2011</b> ,	
2003	Global and system-specific resting-state fMRI fluctuations are uncorrelated: principal component analysis reveals anti-correlated networks. <b>2011</b> , 1, 496-510	83
2002	Characterization of the default mode functional connectivity in normal aging and Alzheimer's disease: An approach combining entropy-based and graph theoretical measurements. <b>2011</b> ,	3
2001	Abnormalities in resting-state functional connectivity in early human immunodeficiency virus infection. <b>2011</b> , 1, 207-17	75
2000	Anxiety modulates insula recruitment in resting-state functional magnetic resonance imaging in youth and adults. <b>2011</b> , 1, 245-54	40
1999	Detection of resting-state brain activity in magnetic resonance images through wavelet feature cluster analysis. <b>2011</b> ,	
1998	Resting-state functional networks with ICA and Granger causality. <b>2011</b> ,	
1997	Self-similar correlation function in brain resting-state functional magnetic resonance imaging. <b>2011</b> , 8, 472-9	94
1996	A neuronal basis for task-negative responses in the human brain. <b>2011</b> , 21, 821-30	60
1995	How ongoing neuronal oscillations account for evoked fMRI variability. <b>2011</b> , 31, 11016-27	109
1994	ICA of fMRI data: Performance of three ICA algorithms and the importance of taking correlation information into account. <b>2011</b> ,	11
1993	. <b>2011</b> ,	4
1992	Hot Topics in Pediatric Neuroradiology. <b>2011</b> , 32, 993-997	2
1991	Neuronal dysfunction and disconnection of cortical hubs in non-demented subjects with elevated amyloid burden. <b>2011</b> , 134, 1635-46	280

1990	Large-scale functional brain networks in human non-rapid eye movement sleep: insights from combined electroencephalographic/functional magnetic resonance imaging studies. <b>2011</b> , 369, 3708-29	33
1989	Ingredients for a brain. <b>2011</b> , 134, 3775-3777	78
1988	Increased hippocampal default mode synchronization during rest in middle-aged and elderly APOE $\epsilon$ carriers: relationships with memory performance. <b>2011</b> , 31, 7775-83	136
1987	Default mode network connectivity predicts sustained attention deficits after traumatic brain injury. <b>2011</b> , 31, 13442-51	326
1986	Default mode network functional and structural connectivity after traumatic brain injury. <b>2011</b> , 134, 2233-47	320
1985	Structural and functional network connectivity breakdown in Alzheimer's disease studied with magnetic resonance imaging techniques. <b>2011</b> , 24, 455-74	62
1984	Alterations in brain connectivity underlying beta oscillations in Parkinsonism. <b>2011</b> , 7, e1002124	126
1983	Bridging Token Identity Theory and Supervenience Theory Through Psychological Construction. <b>2011</b> , 22, 115-127	58
1982	Ongoing brain activity fluctuations directly account for intertrial and indirectly for intersubject variability in Stroop task performance. <b>2011</b> , 21, 2612-9	77
1981	Methodological problems in fMRI studies on acupuncture: a critical review with special emphasis on visual and auditory cortex activations. <b>2011</b> , 2011, 607637	20
1980	Magnetic resonance imaging in amyotrophic lateral sclerosis. <b>2012</b> , 2012, 608501	13
1979	Meditation-State Functional Connectivity (msFC): Strengthening of the Dorsal Attention Network and Beyond. <b>2012</b> , 2012, 680407	67
1978	Dissociated mean and functional connectivity BOLD signals in visual cortex during eyes closed and fixation. <b>2012</b> , 108, 2363-72	26
1977	What kind of noise is brain noise: anomalous scaling behavior of the resting brain activity fluctuations. <b>2012</b> , 3, 307	67
1976	Loss of intranetwork and internetwork resting state functional connections with Alzheimer's disease progression. <b>2012</b> , 32, 8890-9	385
1975	Extent of bilateral neuronal network reorganization and functional recovery in relation to stroke severity. <b>2012</b> , 32, 4495-507	160
1974	Brain connectivity networks in schizophrenia underlying resting state functional magnetic resonance imaging. <b>2012</b> , 12, 2415-25	96
1973	Functional connectivity of the frontal eye fields in humans and macaque monkeys investigated with resting-state fMRI. <b>2012</b> , 107, 2463-74	89

1972	Abstracts3rd Biennial Conference on Resting State Brain ConnectivitySeptember 5-7, 2012Magdeburg, Germany. <b>2012</b> , 2, A1-A156	1
1971	Decreased functional connectivity by aging is associated with cognitive decline. <b>2012</b> , 24, 2186-98	203
1970	Brain structural and functional connectivity and the progression of neuropathology in Alzheimer's disease. <b>2013</b> , 33 Suppl 1, S163-72	26
1969	Resting-state brain networks in type 1 diabetic patients with and without microangiopathy and their relation to cognitive functions and disease variables. <b>2012</b> , 61, 1814-21	99
1968	Multiple sclerosis: effects of cognitive rehabilitation on structural and functional MR imaging measures--an explorative study. <b>2012</b> , 262, 932-40	147
1967	Salience network integrity predicts default mode network function after traumatic brain injury. <b>2012</b> , 109, 4690-5	418
1966	Brain structure and function in chronic obstructive pulmonary disease: a multimodal cranial magnetic resonance imaging study. <b>2012</b> , 186, 240-5	91
1965	Linking brain connectivity across different time scales with electroencephalogram, functional magnetic resonance imaging, and diffusion tensor imaging. <b>2012</b> , 2, 11-20	30
1964	Semantic network disconnection in formal thought disorder. <b>2012</b> , 66, 14-23	33
1963	Multimodal MRI neuroimaging biomarkers for cognitive normal adults, amnesic mild cognitive impairment, and Alzheimer's disease. <b>2012</b> , 2012, 907409	24
1962	Spontaneous EEG-Functional MRI in Mesial Temporal Lobe Epilepsy: Implications for the Neural Correlates of Consciousness. <b>2012</b> , 2012, 385626	3
1961	Voxel scale complex networks of functional connectivity in the rat brain: neurochemical state dependence of global and local topological properties. <b>2012</b> , 2012, 615709	6
1960	Frontoparietal Connectivity and Hierarchical Structure of the Brain's Functional Network during Sleep. <b>2012</b> , 3, 80	50
1959	Orbitofrontal connectivity with resting-state networks is associated with midbrain dopamine D3 receptor availability. <b>2012</b> , 22, 2784-93	54
1958	How can investigation of network function inform rehabilitation after traumatic brain injury?. <b>2012</b> , 25, 662-9	43
1957	Functional connectivity during resting-state functional MR imaging: study of the correspondence between independent component analysis and region-of-interest-based methods. <b>2012</b> , 33, 180-7	85
1956	Effect of dopamine transporter genotype on intrinsic functional connectivity depends on cognitive state. <b>2012</b> , 22, 2182-96	39
1955	Alterations in default mode network connectivity during pain processing in borderline personality disorder. <b>2012</b> , 69, 993-1002	63

1954	Language networks in anophthalmia: maintained hierarchy of processing in 'visual' cortex. <b>2012</b> , 135, 1566-77	74
1953	Mobilization and redistribution of default mode network from resting state to task state in amnesic mild cognitive impairment. <b>2012</b> , 9, 944-52	8
1952	Reply: Motor Cortex Activation in Chronic Obstructive Pulmonary Disease. <b>2012</b> , 186, 1192-1193	
1951	MRI- and PET-Based Imaging Markers for the Diagnosis of Alzheimer's Disease. <b>2012</b> , 80-114	
1950	Lateralization in intrinsic functional connectivity of the temporoparietal junction with salience- and attention-related brain networks. <b>2012</b> , 108, 3382-92	106
1949	On the relationship between the "default mode network" and the "social brain". <b>2012</b> , 6, 189	418
1948	Connectivity-based structural and functional parcellation of the human cortex using diffusion imaging and tractography. <b>2012</b> , 6, 34	51
1947	System Models for Inference on Mechanisms of Neuronal Dynamics. <b>2012</b> ,	
1946	Evaluating stationarity via change-point alternatives with applications to fMRI data. <b>2012</b> , 6,	39
1945	Default-mode network disruption in mild traumatic brain injury. <b>2012</b> , 265, 882-92	197
1944	Temporally-independent functional modes of spontaneous brain activity. <b>2012</b> , 109, 3131-6	555
1943	Novel imaging strategies for assessment of cerebrovascular involvement. <b>2012</b> , 79, 674-82	
1942	The default mode network and recurrent depression: a neurobiological model of cognitive risk factors. <b>2012</b> , 22, 229-51	200
1941	Markov models for fMRI correlation structure: Is brain functional connectivity small world, or decomposable into networks?. <b>2012</b> , 106, 212-21	22
1940	Depressive symptoms in prodromal Huntington's Disease correlate with Stroop-interference related functional connectivity in the ventromedial prefrontal cortex. <b>2012</b> , 203, 166-74	30
1939	Functional magnetic resonance imaging phase synchronization as a measure of dynamic functional connectivity. <b>2012</b> , 2, 91-101	178
1938	Wavelet packet based clustering for the study of functional connectivity in the rat brain. <b>2012</b> ,	0
1937	Resting state functional MRI in Alzheimer's Disease. <b>2012</b> , 4, 2	76

1936	Independent component analysis of the resting-state brain functional MRI study in adults with bipolar depression. <b>2012</b> ,	3
1935	Structural substrates for resting network disruption in temporal lobe epilepsy. <b>2012</b> , 135, 2350-7	114
1934	Rat brains also have a default mode network. <b>2012</b> , 109, 3979-84	386
1933	Echoes of the brain within the posterior cingulate cortex. <b>2012</b> , 32, 215-22	390
1932	A wavelet clustering technique for the identification of functionally connected regions in the rat brain using resting state fMRI. <b>2012</b> ,	0
1931	Investigation of smoking related features in spatio-spectral domain on resting-state fMRI data using nonnegative matrix factorization. <b>2012</b> ,	1
1930	Mental time travel and default-mode network functional connectivity in the developing brain. <b>2012</b> , 109, 16800-4	92
1929	A highly parallelized framework for computationally intensive MR data analysis. <b>2012</b> , 25, 313-20	13
1928	Identifying major depression using whole-brain functional connectivity: a multivariate pattern analysis. <b>2012</b> , 135, 1498-507	513
1927	The effects of APOE- $\epsilon$ 4 on the BOLD response. <b>2012</b> , 33, 323-34	73
1926	Resting state fMRI in Alzheimer's disease: beyond the default mode network. <b>2012</b> , 33, 1564-78	367
1925	Resting-state fMRI changes in Alzheimer's disease and mild cognitive impairment. <b>2012</b> , 33, 2018-28	253
1924	A cortical core for dynamic integration of functional networks in the resting human brain. <b>2012</b> , 74, 753-64	319
1923	Network centrality in the human functional connectome. <b>2012</b> , 22, 1862-75	715
1922	Hierarchical clustering of brain activity during human nonrapid eye movement sleep. <b>2012</b> , 109, 5856-61	136
1921	Functional covariance networks: obtaining resting-state networks from intersubject variability. <b>2012</b> , 2, 203-17	32
1920	Decoding subject-driven cognitive states with whole-brain connectivity patterns. <b>2012</b> , 22, 158-65	1210
1919	Network asymmetry of motor areas revealed by resting-state functional magnetic resonance imaging. <b>2012</b> , 227, 125-33	7

1918	What wires together dies together: verbs, actions and neurodegeneration in motor neuron disease. <b>2012</b> , 48, 936-44	105
1917	Default mode network activity and connectivity in psychopathology. <b>2012</b> , 8, 49-76	868
1916	Identify schizophrenia using resting-state functional connectivity: an exploratory research and analysis. <b>2012</b> , 11, 50	49
1915	Predictors of remission in depression to individual and combined treatments (PReDICT): study protocol for a randomized controlled trial. <b>2012</b> , 13, 106	72
1914	Title Page / Table of Contents. <b>2012</b> , 66, 1-3	
1913	Fast eigenvector centrality mapping of voxel-wise connectivity in functional magnetic resonance imaging: implementation, validation, and interpretation. <b>2012</b> , 2, 265-74	81
1912	Conn: a functional connectivity toolbox for correlated and anticorrelated brain networks. <b>2012</b> , 2, 125-41	2267
1911	Comparing structural and functional graph theory features in the human brain using multimodal MRI. <b>2012</b> , 33, 244-253	9
1910	Synchronization between the anterior and posterior cortex determines consciousness level in patients with traumatic brain injury (TBI). <b>2012</b> , 1476, 22-30	31
1909	Connectivity graph analysis of the auditory resting state network in tinnitus. <b>2012</b> , 1485, 10-21	142
1908	Modulation of large-scale brain networks by transcranial direct current stimulation evidenced by resting-state functional MRI. <b>2012</b> , 5, 252-263	204
1907	Brain connectivity during resting state and subsequent working memory task predicts behavioural performance. <b>2012</b> , 48, 1187-96	155
1906	Prefrontal and limbic resting state brain network functional connectivity differs between nicotine-dependent smokers and non-smoking controls. <b>2012</b> , 125, 252-9	95
1905	Effects of training strategies implemented in a complex videogame on functional connectivity of attentional networks. <b>2012</b> , 59, 138-48	73
1904	Are brain networks stable during a 24-hour period?. <b>2012</b> , 59, 456-66	37
1903	The effects of APOE on the functional architecture of the resting brain. <b>2012</b> , 59, 565-72	107
1902	Alteration of brain default network in subacute phase of injury in concussed individuals: resting-state fMRI study. <b>2012</b> , 59, 511-8	228
1901	Optimization of functional brain ROIs via maximization of consistency of structural connectivity profiles. <b>2012</b> , 59, 1382-93	54



1900	Randomness of resting-state brain oscillations encodes Gray's personality trait. <b>2012</b> , 59, 1842-5	38
1899	Anticorrelations in resting state networks without global signal regression. <b>2012</b> , 59, 1420-8	697
1898	Bedside optical imaging of occipital resting-state functional connectivity in neonates. <b>2012</b> , 59, 2529-38	76
1897	Stability of resting fMRI interregional correlations analyzed in subject-native space: a one-year longitudinal study in healthy adults and premanifest Huntington's disease. <b>2012</b> , 59, 2452-63	40
1896	Ongoing physiological processes in the cerebral cortex. <b>2012</b> , 62, 2190-200	106
1895	Modulation of CNS pain circuitry by intravenous and sublingual doses of buprenorphine. <b>2012</b> , 59, 3762-73	43
1894	Age-related adaptations of brain function during a memory task are also present at rest. <b>2012</b> , 59, 3821-8	31
1893	Impact of in-scanner head motion on multiple measures of functional connectivity: relevance for studies of neurodevelopment in youth. <b>2012</b> , 60, 623-32	837
1892	Subspace-based Identification Algorithm for characterizing causal networks in resting brain. <b>2012</b> , 60, 1236-49	8
1891	Maturation of task-induced brain activation and long range functional connectivity in adolescence revealed by multivariate pattern classification. <b>2012</b> , 60, 1250-65	12
1890	The role of physiological noise in resting-state functional connectivity. <b>2012</b> , 62, 864-70	246
1889	The future of the human connectome. <b>2012</b> , 62, 1299-310	144
1888	A brief history of the resting state: the Washington University perspective. <b>2012</b> , 62, 902-10	161
1887	Exploring resting-state functional connectivity with total interdependence. <b>2012</b> , 60, 1587-95	25
1886	Distinct functional networks within the cerebellum and their relation to cortical systems assessed with independent component analysis. <b>2012</b> , 60, 2073-85	51
1885	Modelling with independent components. <b>2012</b> , 62, 891-901	163
1884	Spatiotemporal dynamics of the brain at rest—exploring EEG microstates as electrophysiological signatures of BOLD resting state networks. <b>2012</b> , 60, 2062-72	183
1883	Visual analytics of brain networks. <b>2012</b> , 61, 82-97	29

1882	Inferring task-related networks using independent component analysis in magnetoencephalography. <b>2012</b> , 62, 530-41	99
1881	Modulations of functional connectivity in the healthy and schizophrenia groups during task and rest. <b>2012</b> , 62, 1694-704	50
1880	Whole brain, high resolution spin-echo resting state fMRI using PINS multiplexing at 7 T. <b>2012</b> , 62, 1939-46	53
1879	Neural networks related to pro-saccades and anti-saccades revealed by independent component analysis. <b>2012</b> , 62, 1325-33	42
1878	Atypical lexicosemantic function of extrastriate cortex in autism spectrum disorder: evidence from functional and effective connectivity. <b>2012</b> , 62, 1780-91	34
1877	A NIRS-fMRI study of resting state network. <b>2012</b> , 63, 179-93	100
1876	Automatic sleep staging using fMRI functional connectivity data. <b>2012</b> , 63, 63-72	115
1875	Benefits of multi-modal fusion analysis on a large-scale dataset: life-span patterns of inter-subject variability in cortical morphometry and white matter microstructure. <b>2012</b> , 63, 365-80	96
1874	Generalized RAICAR: discover homogeneous subject (sub)groups by reproducibility of their intrinsic connectivity networks. <b>2012</b> , 63, 403-14	33
1873	Periodic changes in fMRI connectivity. <b>2012</b> , 63, 1712-9	279
1872	Phase-amplitude investigation of spontaneous low-frequency oscillations of cerebral hemodynamics with near-infrared spectroscopy: a sleep study in human subjects. <b>2012</b> , 63, 1571-84	62
1871	Manipulating brain connectivity with $\Delta^9$ -tetrahydrocannabinol: a pharmacological resting state fMRI study. <b>2012</b> , 63, 1701-11	66
1870	Network-specific effects of age and in-scanner subject motion: a resting-state fMRI study of 238 healthy adults. <b>2012</b> , 63, 1364-73	107
1869	Task induced modulation of neural oscillations in electrophysiological brain networks. <b>2012</b> , 63, 1918-30	49
1868	Altered resting-state functional connectivity after cortical spreading depression in mice. <b>2012</b> , 63, 1171-7	14
1867	Bootstrapping GEE models for fMRI regional connectivity. <b>2012</b> , 63, 1890-900	3
1866	Abnormal connectivity between attentional, language and auditory networks in schizophrenia. <b>2012</b> , 135, 15-22	37
1865	Default mode network activity in schizophrenia studied at resting state using probabilistic ICA. <b>2012</b> , 138, 143-9	88

1864	Whole brain resting state functional connectivity abnormalities in schizophrenia. <b>2012</b> , 139, 7-12	99
1863	A correlation-matrix-based hierarchical clustering method for functional connectivity analysis. <b>2012</b> , 211, 94-102	46
1862	Bayesian Inference for Non-Markovian Point Processes. <b>2012</b> , 79-102	9
1861	Metabolic brain covariant networks as revealed by FDG-PET with reference to resting-state fMRI networks. <b>2012</b> , 2, 275-83	105
1860	Independent component analysis of localized resting-state functional magnetic resonance imaging reveals specific motor subnetworks. <b>2012</b> , 2, 218-24	13
1859	Assessing brain connectivity at rest is clinically relevant in early multiple sclerosis. <b>2012</b> , 18, 1251-8	111
1858	Self-projection and the default network in frontotemporal dementia. <b>2012</b> , 8, 152-61	90
1857	Frontotemporal dementia: what can the behavioral variant teach us about human brain organization?. <b>2012</b> , 18, 373-85	87
1856	Hybrid multivariate morphology using lattice auto-associative memories for resting-state fMRI network discovery. <b>2012</b> ,	3
1855	Disrupted functional brain connectivity in partial epilepsy: a resting-state fMRI study. <b>2011</b> , 7, e28196	84
1854	Optimizing preprocessing and analysis pipelines for single-subject fMRI: 2. Interactions with ICA, PCA, task contrast and inter-subject heterogeneity. <b>2012</b> , 7, e31147	42
1853	Local signal time-series during rest used for areal boundary mapping in individual human brains. <b>2012</b> , 7, e36496	20
1852	Musical training induces functional plasticity in perceptual and motor networks: insights from resting-state FMRI. <b>2012</b> , 7, e36568	77
1851	Clustering of resting state networks. <b>2012</b> , 7, e40370	124
1850	Reduced connectivity in the self-processing network of schizophrenia patients with poor insight. <b>2012</b> , 7, e42707	41
1849	Tracking moving identities: after attending the right location, the identity does not come for free. <b>2012</b> , 7, e42929	7
1848	Relations between BOLD fMRI-derived resting brain activity and cerebral blood flow. <b>2012</b> , 7, e44556	90
1847	scMRI reveals large-scale brain network abnormalities in autism. <b>2012</b> , 7, e49172	64

1846	Determination of dominant frequency of resting-state brain interaction within one functional system. <b>2012</b> , 7, e51584	10
1845	Psychoanalysis and the brain - why did freud abandon neuroscience?. <b>2012</b> , 3, 71	25
1844	Resting state networks and consciousness: alterations of multiple resting state network connectivity in physiological, pharmacological, and pathological consciousness States. <b>2012</b> , 3, 295	171
1843	Perspectives for multimodal neurochemical and imaging biomarkers in Alzheimer's disease. <b>2013</b> , 33 Suppl 1, S329-47	16
1842	Monkey in the middle: why non-human primates are needed to bridge the gap in resting-state investigations. <b>2012</b> , 6, 29	99
1841	Resting state cortico-cerebellar functional connectivity networks: a comparison of anatomical and self-organizing map approaches. <b>2012</b> , 6, 31	166
1840	Dynamic functional reorganizations and relationship with working memory performance in healthy aging. <b>2012</b> , 6, 152	33
1839	Parallel ICA identifies sub-components of resting state networks that covary with behavioral indices. <b>2012</b> , 6, 281	19
1838	Distinction between Externally vs. Internally Guided Decision-Making: Operational Differences, Meta-Analytical Comparisons and Their Theoretical Implications. <b>2012</b> , 6, 31	60
1837	Connectivity concordance mapping: a new tool for model-free analysis of FMRI data of the human brain. <b>2012</b> , 6, 13	7
1836	Criticality in large-scale brain FMRI dynamics unveiled by a novel point process analysis. <b>2012</b> , 3, 15	384
1835	The true nature of sleep loss-induced neurocognitive performance deficits—a critical appraisal. 1-6	
1834	Effect of subanesthetic ketamine on intrinsic functional brain connectivity: a placebo-controlled functional magnetic resonance imaging study in healthy male volunteers. <b>2012</b> , 117, 868-77	103
1833	MRI study on the functional and spatial consistency of resting state-related independent components of the brain network. <b>2012</b> , 13, 265-74	7
1832	Resting-state connectivity identifies distinct functional networks in macaque cingulate cortex. <b>2012</b> , 22, 1294-308	54
1831	Functional connectivity in cortical regions in dementia with Lewy bodies and Alzheimer's disease. <b>2012</b> , 135, 569-81	83
1830	Shifting imaging targets in multiple sclerosis: from inflammation to neurodegeneration. <b>2012</b> , 36, 1-19	41
1829	Test-retest stability analysis of resting brain activity revealed by blood oxygen level-dependent functional MRI. <b>2012</b> , 36, 344-54	71

1828	Investigation of the effective connectivity of resting state networks in Alzheimer's disease: a functional MRI study combining independent components analysis and multivariate Granger causality analysis. <b>2012</b> , 25, 1311-20	42
1827	Identifying the default-mode component in spatial IC analyses of patients with disorders of consciousness. <b>2012</b> , 33, 778-96	103
1826	Changes in resting-state brain networks in writer's cramp. <b>2012</b> , 33, 840-8	50
1825	Effects of morphine and alcohol on functional brain connectivity during "resting state": a placebo-controlled crossover study in healthy young men. <b>2012</b> , 33, 1003-18	89
1824	The obese brain: association of body mass index and insulin sensitivity with resting state network functional connectivity. <b>2012</b> , 33, 1052-61	210
1823	Attention-related networks in Alzheimer's disease: a resting functional MRI study. <b>2012</b> , 33, 1076-88	79
1822	Functional alterations of large-scale brain networks related to cognitive control in obsessive-compulsive disorder. <b>2012</b> , 33, 1089-106	63
1821	Resting-state networks in awake five- to eight-year old children. <b>2012</b> , 33, 1189-201	108
1820	Using spatial multiple regression to identify intrinsic connectivity networks involved in working memory performance. <b>2012</b> , 33, 1536-52	57
1819	Modulating cortico-striatal and thalamo-cortical functional connectivity with transcranial direct current stimulation. <b>2012</b> , 33, 2499-508	278
1818	Group inference of default-mode networks from functional magnetic resonance imaging data: comparison of random- and mixed-effects group statistics. <b>2012</b> , 22, 121-131	3
1817	Abnormal whole-brain functional networks in homogeneous acute mild traumatic brain injury. <b>2012</b> , 79, 175-82	120
1816	Multiple resting state network functional connectivity abnormalities in mild traumatic brain injury. <b>2012</b> , 6, 293-318	148
1815	Concussion in athletics: ongoing clinical and brain imaging research controversies. <b>2012</b> , 6, 224-43	85
1814	Funktionelle Konnektivität im Schlaf. <b>2012</b> , 16, 43-52	
1813	A novel group ICA approach based on multi-scale individual component clustering. Application to a large sample of fMRI data. <b>2012</b> , 10, 269-85	10
1812	Methylphenidate modulates sustained attention and cortical activation in survivors of traumatic brain injury: a perfusion fMRI study. <b>2012</b> , 222, 47-57	33
1811	Executive dysfunction in frontotemporal dementia is related to abnormalities in frontal white matter tracts. <b>2012</b> , 259, 1071-80	31

1810	Human connectomics. <b>2012</b> , 22, 144-53	183
1809	Connectivity disruptions in resting-state functional brain networks in children with temporal lobe epilepsy. <b>2012</b> , 100, 168-78	38
1808	The contribution of the inferior parietal cortex to spoken language production. <b>2012</b> , 121, 47-57	42
1807	Research progress on resting state fMRI of epilepsy. <b>2012</b> , 34, 8-12	12
1806	A fast-FENICA method on resting state fMRI data. <b>2012</b> , 209, 1-12	22
1805	Hemispheric asymmetries of functional connectivity and grey matter volume in the default mode network. <b>2012</b> , 50, 1308-15	42
1804	Optimizing preprocessing and analysis pipelines for single-subject fMRI. I. Standard temporal motion and physiological noise correction methods. <b>2012</b> , 33, 609-27	73
1803	A k-space sharing 3D GRASE pseudocontinuous ASL method for whole-brain resting-state functional connectivity. <b>2012</b> , 22, 37-43	24
1802	Neuroimaging biomarkers of preterm brain injury: toward developing the preterm connectome. <b>2012</b> , 42 Suppl 1, S33-61	39
1801	Dopamine-dependent architecture of cortico-subcortical network connectivity. <b>2013</b> , 23, 1509-16	130
1800	Periods of rest in fMRI contain individual spontaneous events which are related to slowly fluctuating spontaneous activity. <b>2013</b> , 34, 1319-29	75
1799	Functional connectivity-based identification of subdivisions of the basal ganglia and thalamus using multilevel independent component analysis of resting state fMRI. <b>2013</b> , 34, 1371-85	63
1798	Resting-state networks show dynamic functional connectivity in awake humans and anesthetized macaques. <b>2013</b> , 34, 2154-77	500
1797	Connectomics signatures of prenatal cocaine exposure affected adolescent brains. <b>2013</b> , 34, 2494-510	34
1796	Alterations of the salience network in obesity: a resting-state fMRI study. <b>2013</b> , 34, 2786-97	137
1795	Baseline activity predicts working memory load of preceding task condition. <b>2013</b> , 34, 3010-22	17
1794	Changes in resting-state functionally connected parietofrontal networks after videogame practice. <b>2013</b> , 34, 3143-57	32
1793	Can complex visual discrimination deficits in amnesia be attributed to the medial temporal lobe? An investigation into the effects of medial temporal lobe damage on brain connectivity. <b>2013</b> , 23, 7-13	14

1792	Functional anatomy of cortical areas characterized by Von Economo neurons. <b>2013</b> , 218, 1-20	48
1791	Fine-granularity functional interaction signatures for characterization of brain conditions. <b>2013</b> , 11, 301-17	7
1790	Toward a neurometric foundation for probabilistic independent component analysis of fMRI data. <b>2013</b> , 13, 641-59	26
1789	fMRI. <b>2013</b> ,	3
1788	Longitudinal effects of lesions on functional networks after stroke. <b>2013</b> , 33, 1279-85	58
1787	Total activation: fMRI deconvolution through spatio-temporal regularization. <b>2013</b> , 73, 121-34	69
1786	Mapping connectivity in the developing brain. <b>2013</b> , 31, 525-42	57
1785	Anodal transcranial direct current stimulation temporarily reverses age-associated cognitive decline and functional brain activity changes. <b>2013</b> , 33, 12470-8	196
1784	Eyes-open/eyes-closed dataset sharing for reproducibility evaluation of resting state fMRI data analysis methods. <b>2013</b> , 11, 469-76	64
1783	Cytoarchitectonic mapping of attentional selection and reorienting in parietal cortex. <b>2013</b> , 67, 257-72	30
1782	An anatomical substrate for integration among functional networks in human cortex. <b>2013</b> , 33, 14489-500	278
1781	Functional brain imaging across development. <b>2013</b> , 22, 719-31	152
1780	Phenotypic variability in resting-state functional connectivity: current status. <b>2013</b> , 3, 99-120	76
1779	Dysfunctional neural networks associated with impaired social interactions in early psychosis: an ICA analysis. <b>2013</b> , 7, 248-59	16
1778	Functional alteration of the DMN by learned regulation of the PCC using real-time fMRI. <b>2013</b> , 21, 595-606	20
1777	Groupwise whole-brain parcellation from resting-state fMRI data for network node identification. <b>2013</b> , 82, 403-15	499
1776	Large-scale brain functional modularity is reflected in slow electroencephalographic rhythms across the human non-rapid eye movement sleep cycle. <b>2013</b> , 70, 327-39	76
1775	Task-related concurrent but opposite modulations of overlapping functional networks as revealed by spatial ICA. <b>2013</b> , 79, 62-71	58

1774	Default mode network connectivity encodes clinical pain: an arterial spin labeling study. <b>2013</b> , 154, 24-33	207
1773	Investigating univariate temporal patterns for intrinsic connectivity networks based on complexity and low-frequency oscillation: a test-retest reliability study. <b>2013</b> , 254, 404-26	21
1772	DRD2 genotype-based variation of default mode network activity and of its relationship with striatal DAT binding. <b>2013</b> , 39, 206-16	46
1771	Functional interactions as big data in the human brain. <b>2013</b> , 342, 580-4	149
1770	Hot topics in functional neuroradiology. <b>2013</b> , 34, 2241-9	2
1769	Human Connectome Project informatics: quality control, database services, and data visualization. <b>2013</b> , 80, 202-19	221
1768	Large-scale brain networks in the awake, truly resting marmoset monkey. <b>2013</b> , 33, 16796-804	104
1767	Functional connectomics from resting-state fMRI. <b>2013</b> , 17, 666-82	560
1766	Networks of task co-activations. <b>2013</b> , 80, 505-14	125
1765	Resting state FMRI research in child psychiatric disorders. <b>2013</b> , 22, 757-70	20
1764	Functional and structural brain networks in epilepsy: what have we learned?. <b>2013</b> , 54, 1855-65	193
1763	Heterogeneous impact of motion on fundamental patterns of developmental changes in functional connectivity during youth. <b>2013</b> , 83, 45-57	167
1762	Echoes of the brain within default mode, association, and heteromodal cortices. <b>2013</b> , 33, 14031-9	82
1761	EEG correlates of time-varying BOLD functional connectivity. <b>2013</b> , 72, 227-36	242
1760	A Framework for Inter-Subject Prediction of Functional Connectivity From Structural Networks. <b>2013</b> , 32, 2200-14	19
1759	Resting state and task related fMRI in small cell lung cancer patients. <b>2013</b> ,	1
1758	An intrinsic connectivity network approach to insula-derived dysfunctions among cocaine users. <b>2013</b> , 39, 403-13	40
1757	Role of standardized grape polyphenol preparation as a novel treatment to improve synaptic plasticity through attenuation of features of metabolic syndrome in a mouse model. <b>2013</b> , 57, 2091-102	30



1756	Resting state functional connectivity in preclinical Alzheimer's disease. <b>2013</b> , 74, 340-7	302
1755	On the recall of vestibular sensations. <b>2013</b> , 218, 255-67	16
1754	Strobing brain thunders: Functional correlation of extreme activity events. <b>2013</b> , 55, 102-108	7
1753	Brain modifications after acute alcohol consumption analyzed by resting state fMRI. <b>2013</b> , 31, 1325-30	13
1752	Differential and distributed effects of dopamine neuromodulations on resting-state network connectivity. <b>2013</b> , 78, 59-67	94
1751	The hypnotic zolpidem increases the synchrony of BOLD signal fluctuations in widespread brain networks during a resting paradigm. <b>2013</b> , 70, 211-22	43
1750	Default mode network in young people with familial risk for psychosis--the Oulu Brain and Mind study. <b>2013</b> , 143, 239-45	18
1749	Mapping the hemodynamic response in human subjects to a dopaminergic challenge with dextroamphetamine using ASL-based pharmacological MRI. <b>2013</b> , 72, 1-9	14
1748	Ferumoxytol enhanced resting state fMRI and relative cerebral blood volume mapping in normal human brain. <b>2013</b> , 83, 200-9	25
1747	SACICA: a sparse approximation coefficient-based ICA model for functional magnetic resonance imaging data analysis. <b>2013</b> , 216, 49-61	24
1746	Using variance information in magnetoencephalography measures of functional connectivity. <b>2013</b> , 67, 203-12	43
1745	Whole-brain functional connectivity during emotional word classification in medication-free Major Depressive Disorder: Abnormal salience circuitry and relations to positive emotionality. <b>2013</b> , 2, 790-6	24
1744	Links among resting-state default-mode network, salience network, and symptomatology in schizophrenia. <b>2013</b> , 148, 74-80	120
1743	Intrinsic connectivity network mapping in young children during natural sleep. <b>2013</b> , 83, 288-93	18
1742	Inter-subject alignment of human cortical anatomy using functional connectivity. <b>2013</b> , 81, 400-411	77
1741	Le cervelet. <b>2013</b> ,	4
1740	Classifying fMRI-derived resting-state connectivity patterns according to their daily rhythmicity. <b>2013</b> , 71, 298-306	54
1739	Adding dynamics to the Human Connectome Project with MEG. <b>2013</b> , 80, 190-201	132

1738	Resting-state functional connectivity in multiple sclerosis: an examination of group differences and individual differences. <b>2013</b> , 51, 2918-29	35
1737	Neurometrics of intrinsic connectivity networks at rest using fMRI: retest reliability and cross-validation using a meta-level method. <b>2013</b> , 76, 236-51	49
1736	Intrinsic connectivity networks and personality: the temperament dimension harm avoidance moderates functional connectivity in the resting brain. <b>2013</b> , 240, 98-105	44
1735	On applicability of PCA, voxel-wise variance normalization and dimensionality assumptions for sliding temporal window sICA in resting-state fMRI. <b>2013</b> , 31, 1338-48	2
1734	Reduced functional integration of the sensorimotor and language network in rolandic epilepsy. <b>2013</b> , 2, 239-46	52
1733	Functional connectivity of left Heschl's gyrus in vulnerability to auditory hallucinations in schizophrenia. <b>2013</b> , 143, 260-8	88
1732	KIBRA gene variants are associated with synchronization within the default-mode and executive control networks. <b>2013</b> , 69, 213-22	17
1731	Apathy, depression, and motor symptoms have distinct and separable resting activity patterns in idiopathic Parkinson disease. <b>2013</b> , 81, 484-495	105
1730	Cortico-cortical evoked potentials and stimulation-elicited gamma activity preferentially propagate from lower- to higher-order visual areas. <b>2013</b> , 124, 1290-6	34
1729	Age-related decrease in functional connectivity of the right fronto-insular cortex with the central executive and default-mode networks in adults from young to middle age. <b>2013</b> , 544, 74-9	45
1728	Cocaine addiction related reproducible brain regions of abnormal default-mode network functional connectivity: a group ICA study with different model orders. <b>2013</b> , 548, 110-4	28
1727	Reduced functional brain connectivity prior to and after disease onset in Huntington's disease. <b>2013</b> , 2, 377-84	49
1726	Evolutionarily novel functional networks in the human brain?. <b>2013</b> , 33, 3259-75	216
1725	Quantification of network perfusion in ASL cerebral blood flow data with seed based and ICA approaches. <b>2013</b> , 26, 569-80	17
1724	Neural systems approaches to understanding major depressive disorder: an intrinsic functional organization perspective. <b>2013</b> , 52, 4-11	199
1723	Separable networks for top-down attention to auditory non-spatial and visuospatial modalities. <b>2013</b> , 74, 77-86	48
1722	Effects of chewing on cognitive processing speed. <b>2013</b> , 81, 376-81	69
1721	Contributive sources analysis: a measure of neural networks' contribution to brain activations. <b>2013</b> , 76, 304-12	21

1720	"More is different" in functional magnetic resonance imaging: a review of recent data analysis techniques. <b>2013</b> , 3, 223-39	19
1719	Resting-state fMRI confounds and cleanup. <b>2013</b> , 80, 349-59	460
1718	Detecting brain state changes via fiber-centered functional connectivity analysis. <b>2013</b> , 11, 193-210	23
1717	Functional connectivity and oscillatory neuronal activity in the resting human brain. <b>2013</b> , 240, 297-309	36
1716	Biophysical network models and the human connectome. <b>2013</b> , 80, 330-8	62
1715	The parcellation-based connectome: limitations and extensions. <b>2013</b> , 80, 397-404	198
1714	Brain organization into resting state networks emerges at criticality on a model of the human connectome. <b>2013</b> , 110, 178101	269
1713	Clinical applications of the functional connectome. <b>2013</b> , 80, 527-40	232
1712	A pairwise maximum entropy model accurately describes resting-state human brain networks. <b>2013</b> , 4, 1370	94
1711	Estimation of resting-state functional connectivity using random subspace based partial correlation: a novel method for reducing global artifacts. <b>2013</b> , 82, 87-100	14
1710	Functional and structural brain changes in anti-N-methyl-D-aspartate receptor encephalitis. <b>2013</b> , 74, 284-96	110
1709	Distributed effects of methylphenidate on the network structure of the resting brain: a connectomic pattern classification analysis. <b>2013</b> , 81, 213-221	32
1708	Altered functional brain networks in Prader-Willi syndrome. <b>2013</b> , 26, 622-9	33
1707	Evaluating the effects of systemic low frequency oscillations measured in the periphery on the independent component analysis results of resting state networks. <b>2013</b> , 76, 202-15	53
1706	Spontaneous brain activity predicts learning ability of foreign sounds. <b>2013</b> , 33, 9295-305	70
1705	Dynamic reconfiguration of human brain functional networks through neurofeedback. <b>2013</b> , 81, 243-252	66
1704	Predicting cortical ROIs via joint modeling of anatomical and connectional profiles. <b>2013</b> , 17, 601-15	2
1703	Dynamic functional connectivity: promise, issues, and interpretations. <b>2013</b> , 80, 360-78	1571

1702	The autonomic brain: an activation likelihood estimation meta-analysis for central processing of autonomic function. <b>2013</b> , 33, 10503-11	466
1701	Resting-state brain activity in major depressive disorder patients and their siblings. <b>2013</b> , 149, 299-306	43
1700	Sustained deep-tissue pain alters functional brain connectivity. <b>2013</b> , 154, 1343-51	37
1699	Standardizing the intrinsic brain: towards robust measurement of inter-individual variation in 1000 functional connectomes. <b>2013</b> , 80, 246-62	296
1698	Reliability analysis of the resting state can sensitively and specifically identify the presence of Parkinson disease. <b>2013</b> , 75, 249-261	79
1697	Resting state network estimation in individual subjects. <b>2013</b> , 82, 616-633	174
1696	Amygdala functional connectivity is reduced after the cold pressor task. <b>2013</b> , 13, 501-18	25
1695	Thalamus, brainstem and salience network connectivity changes during propofol-induced sedation and unconsciousness. <b>2013</b> , 3, 273-85	80
1694	The impact of "physiological correction" on functional connectivity analysis of pharmacological resting state fMRI. <b>2013</b> , 65, 499-510	54
1693	Tracking dynamic resting-state networks at higher frequencies using MR-encephalography. <b>2013</b> , 65, 216-22	114
1692	Resting-state EEG power predicts conflict-related brain activity in internally guided but not in externally guided decision-making. <b>2013</b> , 66, 9-21	50
1691	Functional segmentation of the hippocampus in the healthy human brain and in Alzheimer's disease. <b>2013</b> , 66, 28-35	63
1690	Is the Brainstem Really Sufficient for a Consciousness That Would Have Interested Freud?. <b>2013</b> , 15, 29-32	3
1689	Resting state fMRI analysis using a spatial regression mixture model. <b>2013</b> ,	2
1688	A linear/nonlinear characterization of resting state brain networks in FMRI time series. <b>2013</b> , 26, 39-49	13
1687	Pushing spatial and temporal resolution for functional and diffusion MRI in the Human Connectome Project. <b>2013</b> , 80, 80-104	534
1686	Functional connectivity in the normal and injured brain. <b>2013</b> , 19, 509-22	42
1685	Modafinil modulates resting-state functional network connectivity and cognitive control in alcohol-dependent patients. <b>2013</b> , 73, 789-95	52

1684	Assessing theoretical graph models for characterizing structural networks of human brain. <b>2013,</b>	
1683	Reduced functional connectivity within and between 'social' resting state networks in autism spectrum conditions. <b>2013, 8, 694-701</b>	217
1682	Prefrontal executive function associated coupling relates to Huntington's disease stage. <b>2013, 49, 2661-73</b>	26
1681	Time-varying functional network information extracted from brief instances of spontaneous brain activity. <b>2013, 110, 4392-7</b>	390
1680	Functional connectivity measures after psilocybin inform a novel hypothesis of early psychosis. <b>2013, 39, 1343-51</b>	148
1679	Resting state changes in functional connectivity correlate with movement recovery for BCI and robot-assisted upper-extremity training after stroke. <b>2013, 27, 53-62</b>	176
1678	Relationship between Stroop performance and resting state functional connectivity in cognitively normal older adults. <b>2013, 27, 516-28</b>	37
1677	Diminished default mode network recruitment of the hippocampus and parahippocampus in temporal lobe epilepsy. <b>2013, 119, 288-300</b>	49
1676	Impaired thalamocortical connectivity in autism spectrum disorder: a study of functional and anatomical connectivity. <b>2013, 136, 1942-55</b>	219
1675	WITHDRAWN: Mapping Connectivity in the Developing Brain. <b>2013,</b>	
1674	Pervasive rightward asymmetry shifts of functional networks in autism spectrum disorder. <b>2013, 70, 975-82</b>	88
1673	Traumatic brain injury impairs small-world topology. <b>2013, 80, 1826-33</b>	138
1672	A comparative study of theoretical graph models for characterizing structural networks of human brain. <b>2013, 2013, 201735</b>	6
1671	Utility of resting fMRI and connectivity in patients with brain tumor. <b>2013, 61, 144-51</b>	18
1670	Magnetic resonance imaging to visualize stroke and characterize stroke recovery: a review. <b>2013, 4, 60</b>	24
1669	Functional MRI and pain. <b>2013, 26, 588-93</b>	45
1668	Mindfulness disposition and default-mode network connectivity in older adults. <b>2013, 8, 112-7</b>	47
1667	Aberrant functional connectivity of resting state networks in transient ischemic attack. <b>2013, 8, e71009</b>	26

1666	Increased intrinsic brain activity in the striatum reflects symptom dimensions in schizophrenia. <b>2013</b> , 39, 387-95	88
1665	Salience network-based classification and prediction of symptom severity in children with autism. <b>2013</b> , 70, 869-79	390
1664	Reconceptualizing functional brain connectivity in autism from a developmental perspective. <b>2013</b> , 7, 458	313
1663	Motor imagery in bipolar depression with slowed movement. <b>2013</b> , 201, 885-93	12
1662	Graphs of brain networks. <b>2013</b> , 37, 1813-5	3
1661	Alterations in regional homogeneity of resting-state brain activity in mesial temporal lobe epilepsy. <b>2013</b> , 54, 658-66	58
1660	Is there "one" DLPFC in cognitive action control? Evidence for heterogeneity from co-activation-based parcellation. <b>2013</b> , 23, 2677-89	246
1659	Modulation of the default-mode network between rest and task in Alzheimer's Disease. <b>2013</b> , 23, 1685-94	32
1658	Resting-state fMRI: a review of methods and clinical applications. <b>2013</b> , 34, 1866-72	593
1657	Breakdown of long-range temporal dependence in default mode and attention networks during deep sleep. <b>2013</b> , 110, 15419-24	141
1656	Frequency-dependent relationship between resting-state functional magnetic resonance imaging signal power and head motion is localized within distributed association networks. <b>2014</b> , 4, 30-9	15
1655	Anti-correlated cortical networks of intrinsic connectivity in the rat brain. <b>2013</b> , 3, 503-11	47
1654	Proceedings of the Fourth International Conference on Signal and Image Processing 2012 (ICSIP 2012). <b>2013</b> ,	
1653	Abnormal human activity recognition system based on R-transform and independent component features for elderly healthcare. <b>2013</b> , 36, 441-451	3
1652	Can functional magnetic resonance imaging at rest shed light on the pathophysiology of migraine?. <b>2013</b> , 53, 723-5	6
1651	Impact of analysis methods on the reproducibility and reliability of resting-state networks. <b>2013</b> , 3, 363-74	35
1650	FATCAT: (an efficient) Functional and Tractographic Connectivity Analysis Toolbox. <b>2013</b> , 3, 523-35	125
1649	Increased functional connectivity and brain atrophy in elderly with subjective memory complaints. <b>2013</b> , 3, 353-62	103

1648	Can quantum probability help analyze the behavior of functional brain networks?. <b>2013</b> , 36, 278-9	1
1647	Altered resting-state brain activity in obstructive sleep apnea. <b>2013</b> , 36, 651-659B	66
1646	Long-term test-retest reliability of resting-state networks in healthy elderly subjects and with amnesic mild cognitive impairment patients. <b>2013</b> , 34, 741-54	36
1645	A novel data-driven approach to preoperative mapping of functional cortex using resting-state functional magnetic resonance imaging. <b>2013</b> , 73, 969-82; discussion 982-3	100
1644	The influence of the amplitude of low-frequency fluctuations on resting-state functional connectivity. <b>2013</b> , 7, 118	76
1643	Testing independent component patterns by inter-subject or inter-session consistency. <b>2013</b> , 7, 94	11
1642	Tool-use practice induces changes in intrinsic functional connectivity of parietal areas. <b>2013</b> , 7, 49	28
1641	Altered default mode network connectivity in older adults with cognitive complaints and amnesic mild cognitive impairment. <b>2013</b> , 35, 751-60	117
1640	Functional connectivity in wakefulness and sleep. 105-113	
1639	Spatiotemporal Segregation of Neural Response to Auditory Stimulation: An fMRI Study Using Independent Component Analysis and Frequency-Domain Analysis. <b>2013</b> , 8, e66424	4
1638	Modulatory interactions of resting-state brain functional connectivity. <b>2013</b> , 8, e71163	16
1637	Shifted coupling of EEG driving frequencies and fMRI resting state networks in schizophrenia spectrum disorders. <b>2013</b> , 8, e76604	24
1636	Altered resting state brain networks in Parkinson's disease. <b>2013</b> , 8, e77336	157
1635	ICA extracts epileptic sources from fMRI in EEG-negative patients: a retrospective validation study. <b>2013</b> , 8, e78796	20
1634	Identify changes of brain regional homogeneity in bipolar disorder and unipolar depression using resting-state FMRI. <b>2013</b> , 8, e79999	91
1633	Bayesian network analysis reveals alterations to default mode network connectivity in individuals at risk for Alzheimer's disease. <b>2013</b> , 8, e82104	22
1632	Default Mode Network Connectivity in Stroke Patients. <b>2013</b> , 8, e66556	64
1631	Regional brain atrophy and functional connectivity changes related to fatigue in multiple sclerosis. <b>2013</b> , 8, e77914	50

1630	Sleep neuroimaging and models of consciousness. <b>2013</b> , 4, 256	27
1629	An Investigation of RSN Frequency Spectra Using Ultra-Fast Generalized Inverse Imaging. <b>2013</b> , 7, 156	26
1628	A supplementary circuit rule-set for the neuronal wiring. <b>2013</b> , 7, 170	13
1627	Time course based artifact identification for independent components of resting-state FMRI. <b>2013</b> , 7, 214	29
1626	The Degree of Early Life Stress Predicts Decreased Medial Prefrontal Activations and the Shift from Internally to Externally Guided Decision Making: An Exploratory NIRS Study during Resting State and Self-Oriented Task. <b>2013</b> , 7, 339	22
1625	An automated method for identifying artifact in independent component analysis of resting-state FMRI. <b>2013</b> , 7, 343	40
1624	GroupICA dual regression analysis of resting state networks in a behavioral variant of frontotemporal dementia. <b>2013</b> , 7, 461	54
1623	Task vs. rest-different network configurations between the coactivation and the resting-state brain networks. <b>2013</b> , 7, 493	123
1622	Applying independent component analysis to clinical FMRI at 7 t. <b>2013</b> , 7, 496	15
1621	Discriminative analysis of non-linear brain connectivity in schizophrenia: an fMRI Study. <b>2013</b> , 7, 702	43
1620	Plasticity of resting state brain networks in recovery from stress. <b>2013</b> , 7, 919	22
1619	Disruption of transfer entropy and inter-hemispheric brain functional connectivity in patients with disorder of consciousness. <b>2013</b> , 7, 24	35
1618	ICA model order selection of task co-activation networks. <b>2013</b> , 7, 237	95
1617	Decomposition of spontaneous brain activity into distinct fMRI co-activation patterns. <b>2013</b> , 7, 101	102
1616	Neuroimaging of wakefulness. 91-95	
1615	Functional neuroimaging of sleep deprivation. 129-136	
1614	Temporal reliability and lateralization of the resting-state language network. <b>2014</b> , 9, e85880	44
1613	The Connectome Visualization Utility: software for visualization of human brain networks. <b>2014</b> , 9, e113838	20



1612	Frequency specificity of regional homogeneity in the resting-state human brain. <b>2014, 9, e86818</b>	55
1611	Graph independent component analysis reveals repertoires of intrinsic network components in the human brain. <b>2014, 9, e82873</b>	14
1610	Opposite modulation of brain functional networks implicated at low vs. high demand of attention and working memory. <b>2014, 9, e87078</b>	20
1609	An increase in tobacco craving is associated with enhanced medial prefrontal cortex network coupling. <b>2014, 9, e88228</b>	26
1608	Temporally and spatially constrained ICA of fMRI data analysis. <b>2014, 9, e94211</b>	15
1607	Robust data driven model order estimation for independent component analysis of FMRI data with low contrast to noise. <b>2014, 9, e94943</b>	11
1606	Influence of anodal transcranial direct current stimulation (tDCS) over the right angular gyrus on brain activity during rest. <b>2014, 9, e95984</b>	24
1605	How do you feel when you can't feel your body? Interoception, functional connectivity and emotional processing in depersonalization-derealization disorder. <b>2014, 9, e98769</b>	73
1604	Ongoing activity in temporally coherent networks predicts intra-subject fluctuation of response time to sporadic executive control demands. <b>2014, 9, e99166</b>	4
1603	Neural correlates associated with successful working memory performance in older adults as revealed by spatial ICA. <b>2014, 9, e99250</b>	9
1602	Widespread disruption of functional brain organization in early-onset Alzheimer's disease. <b>2014, 9, e102995</b>	40
1601	Structural and functional brain changes beyond visual system in patients with advanced glaucoma. <b>2014, 9, e105931</b>	62
1600	Connectotyping: model based fingerprinting of the functional connectome. <b>2014, 9, e111048</b>	115
1599	Fast transient networks in spontaneous human brain activity. <b>2014, 3, e01867</b>	295
1598	Disruption of thalamic functional connectivity is a neural correlate of dexmedetomidine-induced unconsciousness. <b>2014, 3, e04499</b>	85
1597	Disruption of brain connectivity in acute stroke patients with early impairment in consciousness. <b>2014, 4, 956</b>	29
1596	Decreased Default Mode Network connectivity correlates with age-associated structural and cognitive changes. <b>2014, 6, 256</b>	69
1595	Spread of activation and deactivation in the brain: does age matter?. <b>2014, 6, 288</b>	9

1594	Brain functional connectivity changes in children that differ in impulsivity temperamental trait. <b>2014, 8, 156</b>	22
1593	Changes of functional connectivity in the left frontoparietal network following aphasic stroke. <b>2014, 8, 167</b>	54
1592	Analyzing the resting state functional connectivity in the human language system using near infrared spectroscopy. <b>2013, 7, 921</b>	28
1591	The default mode network and social understanding of others: what do brain connectivity studies tell us. <b>2014, 8, 74</b>	228
1590	Dynamic network participation of functional connectivity hubs assessed by resting-state fMRI. <b>2014, 8, 195</b>	50
1589	Studying the Spatial Distribution of Physiological Effects on BOLD Signals Using Ultrafast fMRI. <b>2014, 8, 196</b>	49
1588	A single session of exercise increases connectivity in sensorimotor-related brain networks: a resting-state fMRI study in young healthy adults. <b>2014, 8, 625</b>	50
1587	Delayed convergence between brain network structure and function in rolandic epilepsy. <b>2014, 8, 704</b>	25
1586	Cortical somatosensory reorganization in children with spastic cerebral palsy: a multimodal neuroimaging study. <b>2014, 8, 725</b>	64
1585	Increased functional connectivity in intrinsic neural networks in individuals with aniridia. <b>2014, 8, 1013</b>	9
1584	Multi-scale integration and predictability in resting state brain activity. <b>2014, 8, 66</b>	10
1583	Connexel visualization: a software implementation of glyphs and edge-bundling for dense connectivity data using brainGL. <b>2014, 8, 15</b>	11
1582	A comprehensive assessment of resting state networks: bidirectional modification of functional integrity in cerebro-cerebellar networks in dementia. <b>2014, 8, 223</b>	47
1581	Primate comparative neuroscience using magnetic resonance imaging: promises and challenges. <b>2014, 8, 298</b>	38
1580	Advantages and Disadvantages of Resting State Functional Connectivity Magnetic Resonance Imaging for Clinical Applications. <b>2014, 3,</b>	2
1579	Effects of unilateral deactivations of dorsolateral prefrontal cortex and anterior cingulate cortex on saccadic eye movements. <b>2014, 111, 787-803</b>	13
1578	Aplicaci3n de t3cnicas de neuroimagen avanzada en rehabilitaci3n motora. Presentaci3n de un caso. <b>2014, 34,</b>	
1577	Large-scale brain network coupling predicts acute nicotine abstinence effects on craving and cognitive function. <b>2014, 71, 523-30</b>	163

1576	Understanding effector selectivity in human posterior parietal cortex by combining information patterns and activation measures. <b>2014</b> , 34, 7102-12	43
1575	Sensory-motor integration during speech production localizes to both left and right plana temporale. <b>2014</b> , 34, 12963-72	21
1574	Functional connectivity analyses using emulated and conventional resting-state data: parts versus the whole story. <b>2014</b> , 4, 842-8	4
1573	Transfer of learning relates to intrinsic connectivity between hippocampus, ventromedial prefrontal cortex, and large-scale networks. <b>2014</b> , 34, 11297-303	53
1572	Effects of Beta-Amyloid on Resting State Functional Connectivity Within and Between Networks Reflect Known Patterns of Regional Vulnerability. <b>2016</b> , 26, 695-707	63
1571	Connectivity abnormalities in autism spectrum disorder patients: A resting state fMRI study. <b>2014</b> ,	4
1570	Selective development of anticorrelated networks in the intrinsic functional organization of the human brain. <b>2014</b> , 26, 501-13	119
1569	Time of acquisition and network stability in pediatric resting-state functional magnetic resonance imaging. <b>2014</b> , 4, 417-27	21
1568	Atypical cross talk between mentalizing and mirror neuron networks in autism spectrum disorder. <b>2014</b> , 71, 751-60	109
1567	Network based statistical analysis detects changes induced by continuous theta-burst stimulation on brain activity at rest. <b>2014</b> , 5, 97	17
1566	Reduced fiber integrity and cognitive control in adolescents with internet gaming disorder. <b>2014</b> , 1586, 109-17	42
1565	Resting state networks distinguish human ventral tegmental area from substantia nigra. <b>2014</b> , 100, 580-9	137
1564	Intrinsic functional connectivity networks in healthy elderly subjects: a multiparametric approach with structural connectivity analysis. <b>2014</b> , 2014, 947252	13
1563	State of the Art: Mathematical Approaches in Brain Science. <b>2014</b> , 11-32	
1562	Functional connectivity in the basal ganglia network differentiates PD patients from controls. <b>2014</b> , 83, 208-14	123
1561	Towards a Theory of Brain Structure and Function. <b>2014</b> , 109-140	
1560	The Default Network of the Brain. <b>2014</b> , 169-181	
1559	. <b>2014</b> ,	

1558	Development of the default mode and central executive networks across early adolescence: a longitudinal study. <b>2014</b> , 10, 148-59	173
1557	Intrinsic brain networks normalize with treatment in pediatric complex regional pain syndrome. <b>2014</b> , 6, 347-69	55
1556	Resting state connectivity correlates with drug and placebo response in fibromyalgia patients. <b>2014</b> , 6, 252-61	76
1555	Improved temporal resolution for functional studies with reduced number of segments with three-dimensional echo planar imaging. <b>2014</b> , 72, 786-92	8
1554	Reduced left executive control network functional connectivity is associated with alcohol use disorders. <b>2014</b> , 38, 2445-53	63
1553	Dysmaturation of the default mode network in autism. <b>2014</b> , 35, 1284-96	170
1552	Intrinsically organized resting state networks in the human spinal cord. <b>2014</b> , 111, 18067-72	63
1551	Increased resting state functional connectivity in the default mode network in recovered anorexia nervosa. <b>2014</b> , 35, 483-91	82
1550	Dysregulated daily rhythmicity of neuronal resting-state networks in MCI patients. <b>2014</b> , 31, 1041-50	5
1549	Characteristics of the default mode functional connectivity in normal ageing and Alzheimer's disease using resting state fMRI with a combined approach of entropy-based and graph theoretical measurements. <b>2014</b> , 101, 778-86	72
1548	Short repetition time multiband echo-planar imaging with simultaneous pulse recording allows dynamic imaging of the cardiac pulsation signal. <b>2014</b> , 72, 1268-76	22
1547	The ages of anxiety--differences across the lifespan in the default mode network functional connectivity in generalized anxiety disorder. <b>2014</b> , 29, 704-12	45
1546	Spatial heterogeneity of the relation between resting-state connectivity and blood flow: an important consideration for pharmacological studies. <b>2014</b> , 35, 929-42	21
1545	Task-dependent recruitment of intrinsic brain networks reflects normative variance in cognition. <b>2014</b> , 4, 650-64	11
1544	Bidirectional effects on interhemispheric resting-state functional connectivity induced by excitatory and inhibitory repetitive transcranial magnetic stimulation. <b>2014</b> , 35, 1896-905	55
1543	Hyperactive external awareness against hypoactive internal awareness in disorders of consciousness using resting-state functional MRI: highlighting the involvement of visuo-motor modulation. <b>2014</b> , 27, 880-6	17
1542	Altered resting-state network connectivity in congenital blind. <b>2014</b> , 35, 2573-81	51
1541	Effect of deafferentation from spinal anesthesia on pain sensitivity and resting-state functional brain connectivity in healthy male volunteers. <b>2014</b> , 4, 404-16	9

1540	Prognostic value of changes in resting-state functional connectivity patterns in cognitive recovery after stroke: A 3T fMRI pilot study. <b>2014</b> , 35, 3819-31	36
1539	Functional connectivity changes within specific networks parallel the clinical evolution of multiple sclerosis. <b>2014</b> , 20, 1050-7	34
1538	How machine learning is shaping cognitive neuroimaging. <b>2014</b> , 3, 28	74
1537	Altered connectivity within the salience network during direct eye gaze in PTSD. <b>2014</b> , 1, 17	15
1536	What light have resting state fMRI studies shed on cognition and mood in Parkinson's disease?. <b>2014</b> , 1, 4	3
1535	Neural network alterations underlie cognitive deficits in brain tumor patients. <b>2014</b> , 26, 627-33	42
1534	Epigenetic mechanisms linking diabetes and synaptic impairments. <b>2014</b> , 63, 645-54	38
1533	Human Imaging Studies of Brain Circuitry Disrupted by Alcoholism. <b>2014</b> , 131-151	2
1532	Studying Dynamic Neural Interactions with MEG. <b>2014</b> , 405-427	1
1531	Prefrontal brain network connectivity indicates degree of both schizophrenia risk and cognitive dysfunction. <b>2014</b> , 40, 653-64	51
1530	Resting-state functional magnetic resonance imaging: review of neurosurgical applications. <b>2014</b> , 74, 453-64; discussion 464-5	75
1529	Associations between age and gray matter volume in anatomical brain networks in middle-aged to older adults. <b>2014</b> , 13, 1068-74	68
1528	Increased temporo-insular engagement in unmedicated bipolar II disorder: an exploratory resting state study using independent component analysis. <b>2014</b> , 16, 748-55	41
1527	Early signs of anomalous neural functional connectivity in healthy offspring of parents with bipolar disorder. <b>2014</b> , 16, 678-89	64
1526	Altered resting-state activity in seasonal affective disorder. <b>2014</b> , 35, 161-72	26
1525	Reduced specificity of functional connectivity in the aging brain during task performance. <b>2014</b> , 35, 319-30	129
1524	Task and task-free fMRI reproducibility comparison for motor network identification. <b>2014</b> , 35, 340-52	56
1523	Brain network of semantic integration in sentence reading: insights from independent component analysis and graph theoretical analysis. <b>2014</b> , 35, 367-76	20

1522	Subdivision of the occipital lobes: an anatomical and functional MRI connectivity study. <b>2014</b> , 56, 121-37	50
1521	Data collection and analysis strategies for phMRI. <b>2014</b> , 84, 65-78	15
1520	Evaluation of spatio-temporal decomposition techniques for group analysis of fMRI resting state data sets. <b>2014</b> , 87, 363-82	10
1519	A preliminary study of functional connectivity of medication naïve children with obsessive-compulsive disorder. <b>2014</b> , 53, 129-36	18
1518	Functional connectivity and graph theory in preclinical Alzheimer's disease. <b>2014</b> , 35, 757-68	230
1517	Measuring temporal, spectral and spatial changes in electrophysiological brain network connectivity. <b>2014</b> , 91, 282-99	90
1516	The structural and functional connectivity of the posterior cingulate cortex: comparison between deterministic and probabilistic tractography for the investigation of structure-function relationships. <b>2014</b> , 102 Pt 1, 118-27	121
1515	Locus coeruleus neuromodulation of memories encoded during negative or unexpected action outcomes. <b>2014</b> , 111, 65-70	39
1514	Altered default mode and fronto-parietal network subsystems in patients with schizophrenia and their unaffected siblings. <b>2014</b> , 1562, 87-99	50
1513	The effect of echo time and post-processing procedure on blood oxygenation level-dependent (BOLD) functional connectivity analysis. <b>2014</b> , 95, 39-47	5
1512	Characterizing individual differences in functional connectivity using dual-regression and seed-based approaches. <b>2014</b> , 95, 1-12	80
1511	The Big Five default brain: functional evidence. <b>2014</b> , 219, 1913-22	61
1510	Changes in resting-state fMRI in vestibular neuritis. <b>2014</b> , 219, 1889-900	37
1509	Predictive models of resting state networks for assessment of altered functional connectivity in mild cognitive impairment. <b>2014</b> , 8, 542-57	5
1508	Precuneus is a functional core of the default-mode network. <b>2014</b> , 34, 932-40	474
1507	Distinct and distributed functional connectivity patterns across cortex reflect the domain-specific constraints of object, face, scene, body, and tool category-selective modules in the ventral visual pathway. <b>2014</b> , 96, 216-36	69
1506	Detecting resting-state brain activity by spontaneous cerebral blood volume fluctuations using whole brain vascular space occupancy imaging. <b>2014</b> , 84, 575-84	16
1505	Present status and future challenges of electroencephalography- and magnetic resonance imaging-based monitoring in preclinical models of focal cerebral ischemia. <b>2014</b> , 102, 22-36	15

1504	Connecting the dots: a review of resting connectivity MRI studies in attention-deficit/hyperactivity disorder. <b>2014</b> , 24, 3-15	157
1503	An investigation into the functional and structural connectivity of the Default Mode Network. <b>2014</b> , 90, 381-9	36
1502	Distributed BOLD and CBV-weighted resting-state networks in the mouse brain. <b>2014</b> , 87, 403-15	144
1501	Network dysfunction after traumatic brain injury. <b>2014</b> , 10, 156-66	389
1500	Functional brain connectivity using fMRI in aging and Alzheimer's disease. <b>2014</b> , 24, 49-62	286
1499	Strengthening connections: functional connectivity and brain plasticity. <b>2014</b> , 24, 63-76	71
1498	MRI default mode network connectivity is associated with functional outcome after cardiopulmonary arrest. <b>2014</b> , 20, 348-57	31
1497	Low-dimensional dynamics of resting-state cortical activity. <b>2014</b> , 27, 338-52	40
1496	The cross-functional role of frontoparietal regions in cognition: internal attention as the overarching mechanism. <b>2014</b> , 116, 66-86	62
1495	Brain development in preterm infants assessed using advanced MRI techniques. <b>2014</b> , 41, 25-45	14
1494	Second order blind identification on the cerebral cortex. <b>2014</b> , 223, 40-9	4
1493	Dopamine precursor depletion impairs structure and efficiency of resting state brain functional networks. <b>2014</b> , 84, 90-100	41
1492	Changes in whole-brain functional networks and memory performance in aging. <b>2014</b> , 35, 2193-202	88
1491	A SVM-based quantitative fMRI method for resting-state functional network detection. <b>2014</b> , 32, 819-31	10
1490	The role of the posterior cingulate cortex in cognition and disease. <b>2014</b> , 137, 12-32	1233
1489	Concussions in Athletics. <b>2014</b> ,	6
1488	Characterization and reduction of cardiac- and respiratory-induced noise as a function of the sampling rate (TR) in fMRI. <b>2014</b> , 89, 314-30	24
1487	ICA-based artefact removal and accelerated fMRI acquisition for improved resting state network imaging. <b>2014</b> , 95, 232-47	708

1486	Early failure of the default-mode network and the pathogenesis of Alzheimer's disease. <b>2014</b> , 20, 692-8	36
1485	Auditory network connectivity in tinnitus patients: a resting-state fMRI study. <b>2014</b> , 53, 192-8	47
1484	Reprint of: Mapping connectivity in the developing brain. <b>2014</b> , 32, 41-57	16
1483	Estimates of segregation and overlap of functional connectivity networks in the human cerebral cortex. <b>2014</b> , 88, 212-27	155
1482	Multiple fMRI system-level baseline connectivity is disrupted in patients with consciousness alterations. <b>2014</b> , 52, 35-46	134
1481	Exploring the network dynamics underlying brain activity during rest. <b>2014</b> , 114, 102-31	228
1480	Resting state functional connectivity alterations in primary lateral sclerosis. <b>2014</b> , 35, 916-25	30
1479	Studying brain organization via spontaneous fMRI signal. <b>2014</b> , 84, 681-96	167
1478	Age-related differences in the dynamic architecture of intrinsic networks. <b>2014</b> , 4, 231-41	22
1477	Synchronous multiscale neuroimaging environment for critically sampled physiological analysis of brain function: hepta-scan concept. <b>2014</b> , 4, 677-89	26
1476	Special considerations/technical limitations of blood-oxygen-level-dependent functional magnetic resonance imaging. <b>2014</b> , 24, 705-15	8
1475	Pretherapeutic functional magnetic resonance imaging in children. <b>2014</b> , 24, 639-53	6
1474	Visual mapping using blood oxygen level dependent functional magnetic resonance imaging. <b>2014</b> , 24, 573-84	20
1473	Resting-state blood oxygen level-dependent functional magnetic resonance imaging for presurgical planning. <b>2014</b> , 24, 655-69	13
1472	Integration of resting-state FMRI and diffusion-weighted MRI connectivity analyses of the human brain: limitations and improvement. <b>2014</b> , 24, 176-86	11
1471	What has functional connectivity and chemical neuroimaging in fibromyalgia taught us about the mechanisms and management of 'centralized' pain?. <b>2014</b> , 16, 425	55
1470	DynamicBC: a MATLAB toolbox for dynamic brain connectome analysis. <b>2014</b> , 4, 780-90	120
1469	Critical Brain Dynamics at Large Scale. <b>2014</b> , 43-66	5



1468	Reconfigurable task-dependent functional coupling modes cluster around a core functional architecture. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , <b>2014</b> , 369,	5.8	214
1467	Template based rotation: a method for functional connectivity analysis with a priori templates. <b>2014</b> , 102 Pt 2, 620-36		37
1466	Resting-state functional MR imaging: a new window to the brain. <b>2014</b> , 272, 29-49		223
1465	A resting-state functional connectivity study in patients at high risk for sudden unexpected death in epilepsy. <b>2014</b> , 41, 33-8		26
1464	Disruption of functional organization within the primary motor cortex in children with autism. <b>2014</b> , 35, 567-80		146
1463	Association between resting-state coactivation in the parieto-frontal network and intelligence during late childhood and adolescence. <b>2014</b> , 35, 1150-6		19
1462	Functional and Structural MRI in Alzheimer's Disease: A Multimodal Approach. <b>2014</b> , 371-422		
1461	Unlearning chronic pain: A randomized controlled trial to investigate changes in intrinsic brain connectivity following Cognitive Behavioral Therapy. <b>2014</b> , 5, 365-76		60
1460	Lewy body compared with Alzheimer dementia is associated with decreased functional connectivity in resting state networks. <b>2014</b> , 223, 192-201		41
1459	Changes in structural and functional connectivity among resting-state networks across the human lifespan. <b>2014</b> , 102 Pt 2, 345-57		449
1458	The default mode network is disrupted in Parkinson's disease with visual hallucinations. <b>2014</b> , 35, 5658-66		100
1457	The time course of task-specific memory consolidation effects in resting state networks. <b>2014</b> , 34, 3982-92		99
1456	Magnetoencephalography. <b>2014</b> , 14, 336-43		37
1455	Regional amyloid burden and intrinsic connectivity networks in cognitively normal elderly subjects. <b>2014</b> , 137, 3327-38		89
1454	[Resting state functional MRI of the brain]. <b>2014</b> , 85, 690-700		9
1453	Functional connectivity during cognitive control in children with autism spectrum disorder: an independent component analysis. <b>2014</b> , 121, 1145-55		24
1452	A novel approach for fMRI data analysis based on the combination of sparse approximation and affinity propagation clustering. <b>2014</b> , 32, 736-46		14
1451	The neural basis of impaired self-awareness after traumatic brain injury. <b>2014</b> , 137, 586-97		84

1450	Study protocol: The Whitehall II imaging sub-study. <b>2014</b> , 14, 159		58
1449	Parallel systems in the control of speech. <b>2014</b> , 35, 1930-43		19
1448	MRI in Psychiatry. <b>2014</b> ,		2
1447	Network dysfunction in Alzheimer's disease: refining the disconnection hypothesis. <b>2014</b> , 4, 299-311		100
1446	Enhanced repertoire of brain dynamical states during the psychedelic experience. <b>2014</b> , 35, 5442-56		211
1445	Cortico-striatal-thalamic network functional connectivity in hemiparkinsonism. <b>2014</b> , 35, 2592-2602		53
1444	An edge-centric perspective on the human connectome: link communities in the brain. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , <b>2014</b> , 369,	5.8	41
1443	Resting state functional connectivity: its physiological basis and application in neuropharmacology. <b>2014</b> , 84, 79-89		47
1442	Structurally-informed Bayesian functional connectivity analysis. <b>2014</b> , 86, 294-305		35
1441	The effects of acute alcohol administration on the human brain: insights from neuroimaging. <b>2014</b> , 84, 101-10		77
1440	Structural and functional MRI study of the brain, cognition and mood in long-term adequately treated Hashimoto's thyroiditis. <b>2014</b> , 42, 188-98		20
1439	A high performance 3D cluster-based test of unsmoothed fMRI data. <b>2014</b> , 98, 537-46		4
1438	Developmental differences in higher-order resting-state networks in Autism Spectrum Disorder. <b>2014</b> , 4, 820-7		34
1437	Resting-state networks and dissociation in psychogenic non-epileptic seizures. <b>2014</b> , 54, 126-33		75
1436	Polarity-specific effects of motor transcranial direct current stimulation on fMRI resting state networks. <b>2014</b> , 88, 155-61		71
1435	The relationship between MEG and fMRI. <b>2014</b> , 102 Pt 1, 80-91		91
1434	Patterns of resting state connectivity in human primary visual cortical areas: a 7T fMRI study. <b>2014</b> , 84, 911-21		46
1433	fMRI resting state networks and their association with cognitive fluctuations in dementia with Lewy bodies. <b>2014</b> , 4, 558-65		74

1432	An eight month randomized controlled exercise intervention alters resting state synchrony in overweight children. <b>2014</b> , 256, 445-55	47
1431	Oscillations, networks, and their development: MEG connectivity changes with age. <b>2014</b> , 35, 5249-61	50
1430	Lag structure in resting-state fMRI. <b>2014</b> , 111, 2374-91	115
1429	Combining spatial independent component analysis with regression to identify the subcortical components of resting-state FMRI functional networks. <b>2014</b> , 4, 181-92	6
1428	Identifying and characterizing resting state networks in temporally dynamic functional connectomes. <b>2014</b> , 27, 747-65	8
1427	Flexible modulation of network connectivity related to cognition in Alzheimer's disease. <b>2014</b> , 100, 544-57	17
1426	Off-line consolidation of motor sequence learning results in greater integration within a cortico-striatal functional network. <b>2014</b> , 99, 50-8	54
1425	The salience network is responsible for switching between the default mode network and the central executive network: replication from DCM. <b>2014</b> , 99, 180-90	365
1424	Interplay between functional connectivity and scale-free dynamics in intrinsic fMRI networks. <b>2014</b> , 95, 248-63	79
1423	Test-retest reliabilities of resting-state FMRI measurements in human brain functional connectomics: a systems neuroscience perspective. <b>2014</b> , 45, 100-18	405
1422	Subject-specific functional parcellation via prior based eigenanatomy. <b>2014</b> , 99, 14-27	11
1421	Phase based venous suppression in resting-state BOLD GE-fMRI. <b>2014</b> , 100, 51-9	14
1420	Shrinkage prediction of seed-voxel brain connectivity using resting state fMRI. <b>2014</b> , 102 Pt 2, 938-44	23
1419	Restricted Boltzmann machines for neuroimaging: an application in identifying intrinsic networks. <b>2014</b> , 96, 245-60	97
1418	Task-dependent activity and connectivity predict episodic memory network-based responses to brain stimulation in healthy aging. <b>2014</b> , 7, 287-96	44
1417	Dual role of nicotine in addiction and cognition: a review of neuroimaging studies in humans. <b>2014</b> , 84, 111-22	111
1416	Assessing the function of the fronto-parietal attention network: insights from resting-state fMRI and the attentional network test. <b>2014</b> , 35, 1700-9	90
1415	Defining language networks from resting-state fMRI for surgical planning--a feasibility study. <b>2014</b> , 35, 1018-30	140

1414	Cortical Amyloid Beta in Cognitively Normal Elderly Adults is Associated with Decreased Network Efficiency within the Cerebro-Cerebellar System. <b>2014</b> , 6, 52	17
1413	The effects of psilocybin and MDMA on between-network resting state functional connectivity in healthy volunteers. <b>2014</b> , 8, 204	128
1412	Resting-state neuroimaging studies: a new way of identifying differences and similarities among the anxiety disorders?. <b>2014</b> , 59, 294-300	108
1411	An open science resource for establishing reliability and reproducibility in functional connectomics. <b>2014</b> , 1, 140049	247
1410	High prevalence of NMDA receptor IgA/IgM antibodies in different dementia types. <b>2014</b> , 1, 822-32	78
1409	The effects of methylphenidate on whole brain intrinsic functional connectivity. <b>2014</b> , 35, 5379-88	46
1408	Decreased limbic and increased fronto-parietal connectivity in unmedicated patients with obsessive-compulsive disorder. <b>2014</b> , 35, 5617-32	80
1407	Isoflurane induces dose-dependent alterations in the cortical connectivity profiles and dynamic properties of the brain's functional architecture. <b>2014</b> , 35, 5754-75	92
1406	A connectivity-based test-retest dataset of multi-modal magnetic resonance imaging in young healthy adults. <b>2015</b> , 2, 150056	30
1405	Functional coherence of insula networks is associated with externalizing behavior. <b>2015</b> , 124, 1079-91	24
1404	Altered resting state functional connectivity of anterior cingulate cortex in drug naïve adolescents at the earliest stages of anorexia nervosa. <b>2015</b> , 5, 10818	32
1403	Compensation in Preclinical Huntington's Disease: Evidence From the Track-On HD Study. <b>2015</b> , 2, 1420-9	91
1402	Decomposition of spontaneous fluctuations in tumour oxygenation using BOLD MRI and independent component analysis. <b>2015</b> , 113, 1168-77	13
1401	Intrinsic Brain Activity and Resting State Networks. <b>2015</b> , 1-52	0
1400	Tract-based Spatial Statistics and fMRI Analysis in Patients with Small Cell Lung Cancer before Prophylactic Cranial Irradiation. <b>2015</b> , 637, 012040	
1399	Automated iterative reclustering framework for determining hierarchical functional networks in resting state fMRI. <b>2015</b> , 36, 3303-22	6
1398	Genetic influences on resting-state functional networks: A twin study. <b>2015</b> , 36, 3959-72	45
1397	Connectivity-based parcellation: Critique and implications. <b>2015</b> , 36, 4771-92	189

1396	Inference of brain pathway activities for Alzheimer's disease classification. <b>2015</b> , 15 Suppl 1, S1	4
1395	Kuramoto model simulation of neural hubs and dynamic synchrony in the human cerebral connectome. <b>2015</b> , 16, 54	45
1394	Structural connectivity in a paediatric case of anarchic hand syndrome. <b>2015</b> , 15, 234	4
1393	Reduced executive and default network functional connectivity in cigarette smokers. <b>2015</b> , 36, 872-82	59
1392	Wavelet-based regularity analysis reveals recurrent spatiotemporal behavior in resting-state fMRI. <b>2015</b> , 36, 3603-20	13
1391	Brain structural and functional connectivity in Parkinson's disease with freezing of gait. <b>2015</b> , 36, 5064-78	97
1390	Resting-state functional connectivity in the baboon model of genetic generalized epilepsy. <b>2015</b> , 56, 1580-9	8
1389	Optic Neuritis and the Visual Pathway: Evaluation of Neuromyelitis Optica Spectrum by Resting-State fMRI and Diffusion Tensor MRI. <b>2015</b> , 25, 807-12	13
1388	Connectivity-based whole brain dual parcellation by group ICA reveals tract structures and decreased connectivity in schizophrenia. <b>2015</b> , 36, 4681-701	21
1387	Functional connectivity changes related to cognitive and motor performance in spinocerebellar ataxia type 2. <b>2015</b> , 30, 1391-9	23
1386	Research review: Functional brain connectivity and child psychopathology--overview and methodological considerations for investigators new to the field. <b>2015</b> , 56, 400-14	15
1385	Differential functional brain network connectivity during visceral interoception as revealed by independent component analysis of fMRI TIME-series. <b>2015</b> , 36, 4438-68	39
1384	Reliability correction for functional connectivity: Theory and implementation. <b>2015</b> , 36, 4664-80	48
1383	Functional connectivity associated with gait velocity during walking and walking-while-talking in aging: a resting-state fMRI study. <b>2015</b> , 36, 1484-93	72
1382	Resting-state functional connectivity and presynaptic monoamine signaling in Alcohol Dependence. <b>2015</b> , 36, 4808-18	20
1381	Does a bishop pray when he prays? And does his brain distinguish between different religions?. <b>2015</b> , 4, 199-207	10
1380	Reducing signal loss of the parahippocampal gyrus improves imaging of the default-mode network in 3.0-T MRI: the effect of susceptibility-induced field gradients. <b>2015</b> , 28, 1739-46	
1379	Resting-state Functional Magnetic Resonance Imaging Correlates of Sevoflurane-induced Unconsciousness. <b>2015</b> , 123, 346-56	69

1378	Resting-State fMRI Functional Connectivity Is Associated with Sleepiness, Imagery, and Discontinuity of Mind. <b>2015</b> , 10, e0142014	30
1377	The NOLB model: a model of the natural organization of language and the brain. 101-134	12
1376	Differences in functional brain connectivity alterations associated with cerebral amyloid deposition in amnesic mild cognitive impairment. <b>2015</b> , 7, 15	21
1375	Age-Related Changes in Inter-Network Connectivity by Component Analysis. <b>2015</b> , 7, 237	12
1374	Impact of real-time fMRI working memory feedback training on the interactions between three core brain networks. <b>2015</b> , 9, 244	16
1373	State-dependencies of learning across brain scales. <b>2015</b> , 9, 1	57
1372	The Role of fMRI to Assess Plasticity of the Motor System in MS. <b>2015</b> , 6, 55	15
1371	Detection of EEG-resting state independent networks by eLORETA-ICA method. <b>2015</b> , 9, 31	51
1370	High-Dimensional ICA Analysis Detects Within-Network Functional Connectivity Damage of Default-Mode and Sensory-Motor Networks in Alzheimer's Disease. <b>2015</b> , 9, 43	38
1369	Analyzing the association between functional connectivity of the brain and intellectual performance. <b>2015</b> , 9, 61	46
1368	Dimensionality of ICA in resting-state fMRI investigated by feature optimized classification of independent components with SVM. <b>2015</b> , 9, 259	27
1367	Neural substrates underlying motor skill learning in chronic hemiparetic stroke patients. <b>2015</b> , 9, 320	16
1366	Space distribution of EEG responses to hanoi-moving visual and auditory stimulation with Fourier Independent Component Analysis. <b>2015</b> , 9, 405	1
1365	Detection of short-term activity avalanches in human brain default mode network with ultrafast MR encephalography. <b>2015</b> , 9, 448	12
1364	Resting state functional connectivity differences between behavioral variant frontotemporal dementia and Alzheimer's disease. <b>2015</b> , 9, 474	45
1363	Enhanced disease characterization through multi network functional normalization in fMRI. <b>2015</b> , 9, 95	6
1362	3D interactive tractography-informed resting-state fMRI connectivity. <b>2015</b> , 9, 275	26
1361	Influence of ROI selection on resting state functional connectivity: an individualized approach for resting state fMRI analysis. <b>2015</b> , 9, 280	41

1360	An empirical Bayes normalization method for connectivity metrics in resting state fMRI. <b>2015</b> , 9, 316	13
1359	Identification of functional networks in resting state fMRI data using adaptive sparse representation and affinity propagation clustering. <b>2015</b> , 9, 383	18
1358	BASCO: a toolbox for task-related functional connectivity. <b>2015</b> , 9, 126	24
1357	A network analysis of $^{18}$ F-HD PET reveals deep brain stimulation effects on brain network of Parkinson's disease. <b>2015</b> , 56, 726-36	9
1356	Functional network overlap as revealed by fMRI using sICA and its potential relationships with functional heterogeneity, balanced excitation and inhibition, and sparseness of neuron activity. <b>2015</b> , 10, e0117029	13
1355	Default mode network, motor network, dorsal and ventral basal ganglia networks in the rat brain: comparison to human networks using resting state-fMRI. <b>2015</b> , 10, e0120345	42
1354	Multistability in Large Scale Models of Brain Activity. <b>2015</b> , 11, e1004644	29
1353	A spectral graph regression model for learning brain connectivity of Alzheimer's disease. <b>2015</b> , 10, e0128136	20
1352	Dissociable Behavioral, Physiological and Neural Effects of Acute Glucose and Fructose Ingestion: A Pilot Study. <b>2015</b> , 10, e0130280	24
1351	Large-Scale Brain Network Coupling Predicts Total Sleep Deprivation Effects on Cognitive Capacity. <b>2015</b> , 10, e0133959	25
1350	Neural Basis of Psychological Growth following Adverse Experiences: A Resting-State Functional MRI Study. <b>2015</b> , 10, e0136427	20
1349	Reproducibility and Temporal Structure in Weekly Resting-State fMRI over a Period of 3.5 Years. <b>2015</b> , 10, e0140134	75
1348	Sex Differences in the Default Mode Network with Regard to Autism Spectrum Traits: A Resting State fMRI Study. <b>2015</b> , 10, e0143126	24
1347	Functional Connectivity Estimated from Resting-State fMRI Reveals Selective Alterations in Male Adolescents with Pure Conduct Disorder. <b>2015</b> , 10, e0145668	26
1346	Patanjali and neuroscientific research on meditation. <b>2015</b> , 6, 915	3
1345	Lagged and instantaneous dynamical influences related to brain structural connectivity. <b>2015</b> , 6, 1024	13
1344	Exploration of Functional Connectivity During Preferred Music Stimulation in Patients with Disorders of Consciousness. <b>2015</b> , 6, 1704	24
1343	Theory of Mind and the Whole Brain Functional Connectivity: Behavioral and Neural Evidences with the Amsterdam Resting State Questionnaire. <b>2015</b> , 6, 1855	17

1342	A Balanced Mind: A Network Perspective on Mood and Motivation Brain Pathways. <b>2015</b> , 13-28	
1341	Neuroimaging and Neuromonitoring Effects of Electro and Manual Acupuncture on the Central Nervous System: A Literature Review and Analysis. <b>2015</b> , 2015, 641742	18
1340	Resting-State fMRI in MS: General Concepts and Brief Overview of Its Application. <b>2015</b> , 2015, 212693	25
1339	Exploring Dynamic Brain Functional Networks Using Continuous "State-Related" Functional MRI. <b>2015</b> , 2015, 824710	9
1338	A Window into the Brain: Advances in Psychiatric fMRI. <b>2015</b> , 2015, 542467	7
1337	Lag threads organize the brain's intrinsic activity. <b>2015</b> , 112, E2235-44	122
1336	Experimental studies with selected light sources for NIRS of brain tissue: quantifying tissue chromophore concentration. <b>2015</b> ,	3
1335	Effects of lesions on synchrony and metastability in cortical networks. <b>2015</b> , 118, 456-67	70
1334	Differential relations between juvenile psychopathic traits and resting state network connectivity. <b>2015</b> , 36, 2396-405	33
1333	Functional MRI of the Brainstem: Common Problems and their Solutions. <b>2015</b> , 25 Suppl 2, 251-7	40
1332	Resting-state fMRI functional connectivity: a new perspective to evaluate pain modulation in migraine?. <b>2015</b> , 36 Suppl 1, 41-5	27
1331	WASICA: An effective wavelet-shrinkage based ICA model for brain fMRI data analysis. <b>2015</b> , 246, 75-96	12
1330	Resting state signatures of domain and demand-specific working memory performance. <b>2015</b> , 118, 174-82	18
1329	Group differences in MEG-ICA derived resting state networks: Application to major depressive disorder. <b>2015</b> , 118, 1-12	77
1328	Intrinsic patterns of coupling between correlation and amplitude of low-frequency fMRI fluctuations are disrupted in degenerative dementia mainly due to functional disconnection. <b>2015</b> , 10, e0120988	32
1327	Functional consequences of neurite orientation dispersion and density in humans across the adult lifespan. <b>2015</b> , 35, 1753-62	81
1326	Multimodal functional and structural neuroimaging investigation of major depressive disorder following treatment with duloxetine. <b>2015</b> , 15, 82	54
1325	Integrating Different Aspects of Resting Brain Activity: A Review of Electroencephalographic Signatures in Resting State Networks Derived from Functional Magnetic Resonance Imaging. <b>2015</b> , 71, 6-16	11



1324	Red/near-infrared light-emitting diode therapy for traumatic brain injury. <b>2015,</b>	1
1323	Hemodynamic imaging of the auditory cortex. <b>2015, 129, 257-75</b>	3
1322	Local activity features for computer aided diagnosis of schizophrenia on resting-state fMRI. <b>2015,</b> 164, 154-161	18
1321	Emotion regulation ability varies in relation to intrinsic functional brain architecture. <b>2015, 10, 1738-48</b>	32
1320	Altered Functional Connectivity Strength in Abstinent Chronic Cocaine Smokers Compared to Healthy Controls. <b>2015, 5, 476-86</b>	17
1319	Multimodal imaging of dynamic functional connectivity. <b>2015, 6, 10</b>	38
1318	Automatic identification of resting state networks: an extended version of multiple template-matching. <b>2015,</b>	
1317	Investigating the use of mutual information and non-metric clustering for functional connectivity analysis on resting-state functional MRI. <b>2015, 9417,</b>	0
1316	Functional Evidence for Memory Stabilization in Sensorimotor Adaptation: A 24-h Resting-State fMRI Study. <b>2017, 27, 1748-1757</b>	19
1315	The Lag Structure of Intrinsic Activity is Focally Altered in High Functioning Adults with Autism. <b>2017, 27, 1083-1093</b>	30
1314	Neural Systems Involved When Attending to a Speaker. <b>2015, 25, 4284-98</b>	11
1313	Spatial Variance in Resting fMRI Networks of Schizophrenia Patients: An Independent Vector Analysis. <b>2016, 42, 152-60</b>	20
1312	Fetal Cerebral Magnetic Resonance Imaging Beyond Morphology. <b>2015, 36, 465-75</b>	16
1311	Impaired Functional Connectivity Unmasked by Simple Repetitive Motor Task in Early Relapsing-Remitting Multiple Sclerosis. <b>2015, 29, 557-65</b>	7
1310	Integrating structural and functional brain connectivity image, signal, and data processing problems. <b>2015,</b>	1
1309	Nonlinear Functional Connectivity Network Recovery in the Human Brain with Mutual Connectivity Analysis (MCA): Convergent Cross-Mapping and Non-Metric Clustering. <b>2015, 9417,</b>	2
1308	Isolated Focal Dystonia as a Disorder of Large-Scale Functional Networks. <b>2017, 27, 1203-1215</b>	57
1307	The Structural and Functional Connectome and Prediction of Risk for Cognitive Impairment in Older Adults. <b>2015, 2, 234-245</b>	24

1306	Functional Connectivity Analysis in Resting State fMRI with Echo-State Networks and Non-Metric Clustering for Network Structure Recovery. <b>2015</b> , 9417,	
1305	Divergent brain functional network alterations in dementia with Lewy bodies and Alzheimer's disease. <b>2015</b> , 36, 2458-67	46
1304	Emergence of the default-mode network from resting-state to activation-state in reciprocal social interaction via eye contact. <b>2015</b> , 2015, 1821-4	2
1303	Breakdown of Sensorimotor Network Communication in Leukoaraiosis. <b>2015</b> , 15, 322-30	12
1302	Resting-State Blood Oxygen Level-Dependent Functional MRI: A Paradigm Shift in Preoperative Brain Mapping. <b>2015</b> , 93, 427-39	18
1301	Resting-state anticorrelations between medial and lateral prefrontal cortex: association with working memory, aging, and individual differences. <b>2015</b> , 64, 271-80	135
1300	Dynamic functional connectivity using state-based dynamic community structure: method and application to opioid analgesia. <b>2015</b> , 108, 274-91	38
1299	Functional connectivity in BOLD and CBF data: similarity and reliability of resting brain networks. <b>2015</b> , 106, 111-22	71
1298	Central executive network in young people with familial risk for psychosis--the Oulu Brain and Mind Study. <b>2015</b> , 161, 177-83	9
1297	The use of functional and effective connectivity techniques to understand the developing brain. <b>2015</b> , 12, 155-64	47
1296	A Hybrid LDA+gCCA Model for fMRI Data Classification and Visualization. <b>2015</b> , 34, 1031-41	4
1295	Large-scale probabilistic functional modes from resting state fMRI. <b>2015</b> , 109, 217-31	67
1294	Attentional load modulates large-scale functional brain connectivity beyond the core attention networks. <b>2015</b> , 109, 260-72	30
1293	Exploring spatiotemporal network transitions in task functional MRI. <b>2015</b> , 36, 1348-64	14
1292	Classification algorithms with multi-modal data fusion could accurately distinguish neuromyelitis optica from multiple sclerosis. <b>2015</b> , 7, 306-14	26
1291	Reduced functional connectivity in the thalamo-insular subnetwork in patients with acute anorexia nervosa. <b>2015</b> , 36, 1772-81	36
1290	Multiple brain networks underpinning word learning from fluent speech revealed by independent component analysis. <b>2015</b> , 110, 182-93	29
1289	Default-mode network functional connectivity is closely related to metabolic activity. <b>2015</b> , 36, 2027-38	94

1288	fMRI functional connectivity applied to adolescent neurodevelopment. <b>2015</b> , 11, 361-77	71
1287	Task-induced modulation of intrinsic functional connectivity networks in the behaving rat. <b>2015</b> , 35, 658-65	17
1286	Arterial spin labeling may contribute to the prediction of cognitive deterioration in healthy elderly individuals. <b>2015</b> , 274, 490-9	97
1285	Resting-State Functional Connectivity in Patients with Long-Term Remission of Cushing's Disease. <b>2015</b> , 40, 1888-98	35
1284	Aberrant Functional Connectivity in the Default Mode and Central Executive Networks in Subjects with Schizophrenia - A Whole-Brain Resting-State ICA Study. <b>2015</b> , 6, 26	35
1283	Increased Functional Connectivity Between Subcortical and Cortical Resting-State Networks in Autism Spectrum Disorder. <b>2015</b> , 72, 767-77	185
1282	Brain functional plasticity at rest and during action in multiple sclerosis patients. <b>2015</b> , 22, 1438-43	8
1281	Heritability of the network architecture of intrinsic brain functional connectivity. <b>2015</b> , 121, 243-52	44
1280	Functional Connectivity of Insula, Basal Ganglia, and Prefrontal Executive Control Networks during Hypoglycemia in Type 1 Diabetes. <b>2015</b> , 35, 11012-23	32
1279	Significant feed-forward connectivity revealed by high frequency components of BOLD fMRI signals. <b>2015</b> , 121, 69-77	27
1278	Susceptibility to everyday cognitive failure is reflected in functional network interactions in the resting brain. <b>2015</b> , 121, 1-9	13
1277	AICHA: An atlas of intrinsic connectivity of homotopic areas. <b>2015</b> , 254, 46-59	135
1276	Network-level reorganisation of functional connectivity following arm amputation. <b>2015</b> , 114, 217-25	73
1275	Clinico-Pathological Correlations of the Frontal Lobe Syndrome: Results of a Large Brain Bank Study. <b>2015</b> , 40, 121-9	2
1274	Alteration of spontaneous neuronal activity in young adults with non-clinical depressive symptoms. <b>2015</b> , 233, 36-42	10
1273	Improved sensitivity and specificity for resting state and task fMRI with multiband multi-echo EPI compared to multi-echo EPI at 7 T. <b>2015</b> , 119, 352-61	43
1272	Dynamic coherence analysis of resting fMRI data to jointly capture state-based phase, frequency, and time-domain information. <b>2015</b> , 120, 133-42	109
1271	The Resting-State Physiology of the Human Cerebral Cortex. <b>2015</b> , 203-209	2

1270	Estimating Large-Scale Network Convergence in the Human Functional Connectome. <b>2015</b> , 5, 565-74	16
1269	Disease-related differences in resting-state networks: a comparison between localized provoked vulvodynia, irritable bowel syndrome, and healthy control subjects. <b>2015</b> , 156, 809-819	37
1268	Cognitive Flexibility through Metastable Neural Dynamics Is Disrupted by Damage to the Structural Connectome. <b>2015</b> , 35, 9050-63	76
1267	Functional connectivity changes and their relationship with clinical disability and white matter integrity in patients with relapsing-remitting multiple sclerosis. <b>2015</b> , 21, 1681-92	28
1266	Altered affective, executive and sensorimotor resting state networks in patients with pediatric mania. <b>2013</b> , 38, 232-40	21
1265	Functional Neuroimaging: Fundamental Principles and Clinical Applications. <b>2015</b> , 28, 87-96	17
1264	A symmetric multivariate leakage correction for MEG connectomes. <b>2015</b> , 117, 439-48	218
1263	Correspondence Between Aberrant Intrinsic Network Connectivity and Gray-Matter Volume in the Ventral Brain of Preterm Born Adults. <b>2015</b> , 25, 4135-45	50
1262	Aberrant functional connectivity of resting state networks associated with trait anxiety. <b>2015</b> , 234, 25-34	35
1261	A novel brain partition highlights the modular skeleton shared by structure and function. <b>2015</b> , 5, 10532	55
1260	Resting-state striato-frontal functional connectivity is sensitive to DAT1 genotype and predicts executive function. <b>2015</b> , 25, 336-45	50
1259	Methodological Issues in fMRI Functional Connectivity and Network Analysis. <b>2015</b> , 697-704	1
1258	Thalamocortical Sensorimotor Circuit Damage Associated with Disorders of Consciousness for Diffuse Axonal Injury Patients. <b>2015</b> , 356, 168-74	21
1257	Dynamic recruitment of resting state sub-networks. <b>2015</b> , 115, 85-95	58
1256	Comparison of functional thalamic segmentation from seed-based analysis and ICA. <b>2015</b> , 114, 448-65	29
1255	Reorganization of large-scale cognitive networks during automation of imagination of a complex sequential movement. <b>2015</b> , 42, 115-25	11
1254	ICA-AROMA: A robust ICA-based strategy for removing motion artifacts from fMRI data. <b>2015</b> , 112, 267-277	724
1253	Evaluation of ICA-AROMA and alternative strategies for motion artifact removal in resting state fMRI. <b>2015</b> , 112, 278-287	289

1252	Is fMRI "noise" really noise? Resting state nuisance regressors remove variance with network structure. <b>2015</b> , 114, 158-69	109
1251	Effects of seven-day diazepam administration on resting-state functional connectivity in healthy volunteers: a randomized, double-blind study. <b>2015</b> , 232, 2139-47	8
1250	Effects of far-infrared radiation on heart rate variability and central manifestations in healthy subjects: a resting-fMRI study. <b>2015</b> , 30, 295-301	3
1249	Interacting with the National Database for Autism Research (NDAR) via the LONI Pipeline workflow environment. <b>2015</b> , 9, 89-103	4
1248	Consensus paper: the role of the cerebellum in perceptual processes. <b>2015</b> , 14, 197-220	255
1247	Age-related changes in resting-state networks of a large sample size of healthy elderly. <b>2015</b> , 21, 817-25	55
1246	Grounding language processing on basic neurophysiological principles. <b>2015</b> , 19, 329-38	87
1245	Optimization of rs-fMRI Pre-processing for Enhanced Signal-Noise Separation, Test-Retest Reliability, and Group Discrimination. <b>2015</b> , 117, 67-79	118
1244	Can apparent resting state connectivity arise from systemic fluctuations?. <b>2015</b> , 9, 285	40
1243	The Role of Neuroimaging in Amyotrophic Lateral Sclerosis. <b>2015</b> , 787-797	
1242	Cognitive Effort and Schizophrenia Modulate Large-Scale Functional Brain Connectivity. <b>2015</b> , 41, 1360-9	11
1241	To rise and to fall: functional connectivity in cognitively normal and cognitively impaired patients with Parkinson's disease. <b>2015</b> , 36, 1727-1735	94
1240	Developmental changes in large-scale network connectivity in autism. <b>2015</b> , 7, 732-41	153
1239	Gradual emergence of spontaneous correlated brain activity during fading of general anesthesia in rats: Evidences from fMRI and local field potentials. <b>2015</b> , 114, 185-98	54
1238	Resting-State Functional Connectivity of the Sensorimotor Network in Individuals with Nonspecific Low Back Pain and the Association with the Sit-to-Stand-to-Sit Task. <b>2015</b> , 5, 303-11	40
1237	Presurgical Resting-State fMRI. <b>2015</b> , 143-158	
1236	Appraisal of brain connectivity in radiologically isolated syndrome by modeling imaging measures. <b>2015</b> , 35, 550-8	30
1235	Altered functional connectivity among default, attention, and control networks in idiopathic generalized epilepsy. <b>2015</b> , 46, 118-25	27

1234	Altered resting state functional network connectivity in children absence epilepsy. <b>2015</b> , 354, 79-85	48
1233	Specialization and integration of functional thalamocortical connectivity in the human infant. <b>2015</b> , 112, 6485-90	104
1232	Holistic atlases of functional networks and interactions reveal reciprocal organizational architecture of cortical function. <b>2015</b> , 62, 1120-31	108
1231	Electrophysiological signatures of spontaneous BOLD fluctuations in macaque prefrontal cortex. <b>2015</b> , 113, 257-67	30
1230	Genome Mapping and Genomics in Human and Non-Human Primates. <b>2015</b> ,	
1229	Supervised dictionary learning for inferring concurrent brain networks. <b>2015</b> , 34, 2036-45	48
1228	Role of the anterior insular cortex in integrative causal signaling during multisensory auditory-visual attention. <b>2015</b> , 41, 264-74	47
1227	Uncovering phase-coupled oscillatory networks in electrophysiological data. <b>2015</b> , 36, 2655-80	11
1226	Special issue [Hearing, aging and cognitive disorders Resting state network changes in aging and cognitive decline. <b>2015</b> , 13, 58-64	4
1225	Motor Readiness Increases Brain Connectivity Between Default-Mode Network and Motor Cortex: Impact on Sampling Resting Periods from fMRI Event-Related Studies. <b>2015</b> , 5, 631-40	8
1224	Cerebro-cerebellar Resting-State Functional Connectivity in Children and Adolescents with Autism Spectrum Disorder. <b>2015</b> , 78, 625-34	102
1223	Subjective Effects of Ethanol, Morphine, (D)-Tetrahydrocannabinol, and Ketamine Following a Pharmacological Challenge Are Related to Functional Brain Connectivity. <b>2015</b> , 5, 641-8	11
1222	The Rediscovery of Slowness: Exploring the Timing of Cognition. <b>2015</b> , 19, 616-628	65
1221	Cerebellar activity in young people with familial risk for psychosis--The Oulu Brain and Mind Study. <b>2015</b> , 169, 46-53	7
1220	Intranetwork and internetwork functional connectivity alterations in post-traumatic stress disorder. <b>2015</b> , 187, 114-21	46
1219	Increased functional connectivity in the resting-state basal ganglia network after acute heroin substitution. <b>2015</b> , 5, e533	32
1218	Asymmetric Interhemispheric Transfer in the Auditory Network: Evidence from TMS, Resting-State fMRI, and Diffusion Imaging. <b>2015</b> , 35, 14602-11	59
1217	Functional Magnetic Resonance Imaging Methods. <b>2015</b> , 25, 289-313	75

1216	STroke imAging pRevention and treatment (START): A longitudinal stroke cohort study: Clinical trials protocol. <b>2015</b> , 10, 636-44	14
1215	Investigating distinct and common abnormalities of resting-state functional connectivity in depression, anxiety, and their comorbid states. <b>2015</b> , 25, 1933-42	38
1214	Alterations of Functional Connectivity Among Resting-State Networks in Hypothyroidism. <b>2015</b> , 27, 609-15	10
1213	Inferring Effective Connectivity from fMRI Data. <b>2015</b> , 365-386	
1212	Dysfunctional resting-state connectivities of brain regions with structural deficits in drug-naive first-episode schizophrenia adolescents. <b>2015</b> , 168, 353-9	26
1211	State and Trait Components of Functional Connectivity: Individual Differences Vary with Mental State. <b>2015</b> , 35, 13949-61	147
1210	Resting-State Networks. <b>2015</b> , 387-425	0
1209	Optimizing and Interpreting Insular Functional Connectivity Maps Obtained During Acute Experimental Pain: The Effects of Global Signal and Task Paradigm Regression. <b>2015</b> , 5, 649-57	8
1208	Neural networks involved in adolescent reward processing: An activation likelihood estimation meta-analysis of functional neuroimaging studies. <b>2015</b> , 122, 427-39	158
1207	Functional connectivity indicates differential roles for the intraparietal sulcus and the superior parietal lobule in multiple object tracking. <b>2015</b> , 123, 129-37	16
1206	Information Flow Between Resting-State Networks. <b>2015</b> , 5, 554-64	15
1205	Pediatric applications of functional magnetic resonance imaging. <b>2015</b> , 45 Suppl 3, S382-96	14
1204	Advanced neuroimaging applied to veterans and service personnel with traumatic brain injury: state of the art and potential benefits. <b>2015</b> , 9, 367-402	54
1203	The executive control network and symptomatic improvement in attention-deficit/hyperactivity disorder. <b>2015</b> , 73, 62-72	59
1202	Resting-state functional connectivity in major depressive disorder: A review. <b>2015</b> , 56, 330-44	432
1201	Frequency of Hospitalizations for Pain and Association With Altered Brain Network Connectivity in Sickle Cell Disease. <b>2015</b> , 16, 1077-86	52
1200	A voxelation-corrected non-stationary 3D cluster-size test based on random field theory. <b>2015</b> , 118, 676-82	4
1199	Partial covariance based functional connectivity computation using Ledoit-Wolf covariance regularization. <b>2015</b> , 121, 29-38	29

1198	Altered resting brain connectivity in persistent cancer related fatigue. <b>2015</b> , 8, 305-13	46
1197	Measuring electrophysiological connectivity by power envelope correlation: a technical review on MEG methods. <b>2015</b> , 60, R271-95	76
1196	Mutually temporally independent connectivity patterns: a new framework to study the dynamics of brain connectivity at rest with application to explain group difference based on gender. <b>2015</b> , 107, 85-94	59
1195	BOLD fractional contribution to resting-state functional connectivity above 0.1 Hz. <b>2015</b> , 107, 207-218	111
1194	Contemporary Psychodynamic Psychotherapy for Children and Adolescents. <b>2015</b> ,	11
1193	Resting state functional connectivity changes induced by prior brain state are not network specific. <b>2015</b> , 106, 428-40	19
1192	Sparse representation of whole-brain fMRI signals for identification of functional networks. <b>2015</b> , 20, 112-34	126
1191	Classification of schizophrenia patients on lattice computing resting-state fMRI features. <b>2015</b> , 151, 151-160	5
1190	Changes in functional connectivity and GABA levels with long-term motor learning. <b>2015</b> , 106, 15-20	68
1189	Functional integration between brain regions at rest occurs in multiple-frequency bands. <b>2015</b> , 5, 23-34	121
1188	Lateralization and localization of epilepsy related hemodynamic foci using presurgical fMRI. <b>2015</b> , 126, 27-38	18
1187	Anterior-posterior dissociation of the default mode network in dogs. <b>2015</b> , 220, 1063-76	20
1186	Altered striatal and pallidal connectivity in cervical dystonia. <b>2015</b> , 220, 513-23	28
1185	Dynamic brain functional connectivity modulated by resting-state networks. <b>2015</b> , 220, 37-46	95
1184	Effect of MAOA Genotype on Resting-State Networks in Healthy Participants. <b>2015</b> , 25, 1771-81	23
1183	Large-scale functional brain network changes in taxi drivers: evidence from resting-state fMRI. <b>2015</b> , 36, 862-71	18
1182	Dynamic connectivity at rest predicts attention task performance. <b>2015</b> , 5, 45-59	58
1181	Longitudinal resting state fMRI analysis in healthy controls and premanifest Huntington's disease gene carriers: a three-year follow-up study. <b>2015</b> , 36, 110-9	24



1180	Baseline effects of transcranial direct current stimulation on glutamatergic neurotransmission and large-scale network connectivity. <b>2015</b> , 1594, 92-107	76
1179	Clinical, cognitive, and functional connectivity correlations of resting-state intrinsic brain activity alterations in unmedicated depression. <b>2015</b> , 172, 241-50	46
1178	Brain activity: connectivity, sparsity, and mutual information. <b>2015</b> , 34, 846-60	28
1177	k-t FASTER: Acceleration of functional MRI data acquisition using low rank constraints. <b>2015</b> , 74, 353-64	49
1176	Sensorimotor adaptation: multiple forms of plasticity in motor circuits. <b>2015</b> , 21, 109-25	17
1175	A functional MRI marker may predict the outcome of electroconvulsive therapy in severe and treatment-resistant depression. <b>2015</b> , 20, 609-14	120
1174	Functional genetic variation of the cannabinoid receptor 1 and cannabis use interact on prefrontal connectivity and related working memory behavior. <b>2015</b> , 40, 640-9	42
1173	A study of structural and functional connectivity in early Alzheimer's disease using rest fMRI and diffusion tensor imaging. <b>2015</b> , 30, 497-504	32
1172	Alterations in resting-state brain networks in concussed adolescent athletes. <b>2015</b> , 32, 265-71	55
1171	Exploring variations in functional connectivity of the resting state default mode network in mild traumatic brain injury. <b>2015</b> , 5, 102-14	44
1170	Resting-State Network Complexity and Magnitude Are Reduced in Prematurely Born Infants. <b>2016</b> , 26, 322-333	104
1169	Mild Cognitive Impairment. <b>2016</b> ,	
1168	Identifying Large-Scale Neural Networks Using fMRI. <b>2016</b> , 209-237	1
1167	The Voxel-Wise Functional Connectome Can Be Efficiently Derived from Co-activations in a Sparse Spatio-Temporal Point-Process. <b>2016</b> , 10, 381	40
1166	Dose-dependent genotype effects of BDNF Val66Met polymorphism on default mode network in early stage Alzheimer's disease. <b>2016</b> , 7, 54200-54214	14
1165	Resting-State Functional Connectivity and Cognitive Impairment in Children with Perinatal Stroke. <b>2016</b> , 2016, 2306406	12
1164	Functional Integration between Salience and Central Executive Networks: A Role for Action Video Game Experience. <b>2016</b> , 2016, 9803165	38
1163	Variability in Cumulative Habitual Sleep Duration Predicts Waking Functional Connectivity. <b>2016</b> , 39, 87-95	22

1162	The Lateralization of Intrinsic Networks in the Aging Brain Implicates the Effects of Cognitive Training. <b>2016</b> , 8, 32	23
1161	Probing Intrinsic Resting-State Networks in the Infant Rat Brain. <b>2016</b> , 10, 192	12
1160	Identifying Dynamic Functional Connectivity Changes in Dementia with Lewy Bodies Based on Product Hidden Markov Models. <b>2016</b> , 10, 60	36
1159	Resting-State Functional Magnetic Resonance Imaging for Language Preoperative Planning. <b>2016</b> , 10, 11	45
1158	Differing Patterns of Altered Slow-5 Oscillations in Healthy Aging and Ischemic Stroke. <b>2016</b> , 10, 156	13
1157	Correcting for Blood Arrival Time in Global Mean Regression Enhances Functional Connectivity Analysis of Resting State fMRI-BOLD Signals. <b>2016</b> , 10, 311	53
1156	Temporal Dynamics of the Default Mode Network Characterize Meditation-Induced Alterations in Consciousness. <b>2016</b> , 10, 372	37
1155	Functional Connectivity of Child and Adolescent Attention Deficit Hyperactivity Disorder Patients: Correlation with IQ. <b>2016</b> , 10, 565	14
1154	A Supervoxel-Based Method for Groupwise Whole Brain Parcellation with Resting-State fMRI Data. <b>2016</b> , 10, 659	13
1153	Cerebellar Functional Parcellation Using Sparse Dictionary Learning Clustering. <b>2016</b> , 10, 188	12
1152	Exploring Patterns of Alteration in Alzheimer's Disease Brain Networks: A Combined Structural and Functional Connectomics Analysis. <b>2016</b> , 10, 380	24
1151	Validation of Shared and Specific Independent Component Analysis (SSICA) for Between-Group Comparisons in fMRI. <b>2016</b> , 10, 417	5
1150	Classification and Extraction of Resting State Networks Using Healthy and Epilepsy fMRI Data. <b>2016</b> , 10, 440	20
1149	A Hitchhiker's Guide to Functional Magnetic Resonance Imaging. <b>2016</b> , 10, 515	77
1148	Investigating Default Mode and Sensorimotor Network Connectivity in Amyotrophic Lateral Sclerosis. <b>2016</b> , 11, e0157443	49
1147	Aspects of cerebral plasticity related to clinical features in acute vestibular neuritis: a "starting point" review from neuroimaging studies. <b>2016</b> , 36, 75-84	2
1146	Presurgical Mapping of the Language Network Using Resting-state Functional Connectivity. <b>2016</b> , 25, 19-24	11
1145	Functional Connectivity and Anesthesia. <b>2016</b> , 54, 143-55	7

1144	Inhibition of Information Flow to the Default Mode Network During Self-Reference Versus Reference to Others. <b>2017</b> , 27, 3930-3942	17
1143	Comparison between resting state fMRI networks and responsive cortical stimulations in glioma patients. <b>2016</b> , 37, 3721-3732	45
1142	Realistic models of apparent dynamic changes in resting-state connectivity in somatosensory cortex. <b>2016</b> , 37, 3897-3910	11
1141	Applicability of the Sparse Temporal Acquisition Technique in Resting-State Brain Network Analysis. <b>2016</b> , 37, 515-20	11
1140	Gibbs distribution for statistical analysis of graphical data with a sample application to fcMRI brain images. <b>2016</b> , 35, 566-80	14
1139	Increased corticolimbic connectivity in cocaine dependence versus pathological gambling is associated with drug severity and emotion-related impulsivity. <b>2016</b> , 21, 709-18	40
1138	Transcranial alternating current stimulation modulates spontaneous low frequency fluctuations as measured with fMRI. <b>2016</b> , 141, 88-107	39
1137	Altered fMRI resting-state connectivity in individuals with fibromyalgia on acute pain stimulation. <b>2016</b> , 20, 1079-89	36
1136	Resting state connectivity of the medial prefrontal cortex covaries with individual differences in high-frequency heart rate variability. <b>2016</b> , 53, 444-54	65
1135	Post mTBI fatigue is associated with abnormal brain functional connectivity. <b>2016</b> , 6, 21183	46
1134	Use of Network Analysis to Establish Neurosurgical Parameters in Gliomas and Epilepsy. <b>2016</b> , 56, 158-69	7
1133	Detecting Spatio-Temporal Modes in Multivariate Data by Entropy Field Decomposition. <b>2016</b> , 49,	5
1132	Functional brain networks associated with eating behaviors in obesity. <b>2016</b> , 6, 23891	36
1131	Exploration of connectivity with SEM: An fMRI study of resting state. <b>2016</b> , 26, 264-269	1
1130	Support vector machine classification of arterial volume-weighted arterial spin tagging images. <b>2016</b> , 6, e00549	7
1129	Differences in connectivity patterns between child and adolescent attention deficit hyperactivity disorder patients. <b>2016</b> , 2016, 1127-1130	5
1128	Chapter 39 Low-Level Laser (Light) Therapy for Rehabilitation in Traumatic Brain Injury and Stroke, including Chronic Aphasia. <b>2016</b> , 761-808	
1127	Transcranial, Red/Near-Infrared Light-Emitting Diode Therapy to Improve Cognition in Chronic Traumatic Brain Injury. <b>2016</b> , 34, 610-626	51

1126	The Association between Resting Functional Connectivity and Visual Creativity. <b>2016</b> , 6, 25395	17
1125	Modular structure of brain functional networks: breaking the resolution limit by Surprise. <b>2016</b> , 6, 19250	47
1124	Resting-state hemodynamics are spatiotemporally coupled to synchronized and symmetric neural activity in excitatory neurons. <b>2016</b> , 113, E8463-E8471	166
1123	The Parkin'Play study: protocol of a phase II randomized controlled trial to assess the effects of a health game on cognition in Parkinson's disease. <b>2016</b> , 16, 209	11
1122	Temporal pattern based classification of independent components in resting state fMRI. <b>2016</b> ,	1
1121	A Longitudinal Study on Resting State Functional Connectivity in Behavioral Variant Frontotemporal Dementia and Alzheimer's Disease. <b>2017</b> , 55, 521-537	31
1120	A Neurobiological Model of Borderline Personality Disorder: Systematic and Integrative Review. <b>2016</b> , 24, 311-29	50
1119	The chronnectome: Evaluating replicability of dynamic connectivity patterns in 7500 resting fMRI datasets. <b>2016</b> , 2016, 5571-5574	30
1118	INVESTIGATING DIFFERENCES IN BRAIN FUNCTIONAL NETWORKS USING HIERARCHICAL COVARIATE-ADJUSTED INDEPENDENT COMPONENT ANALYSIS. <b>2016</b> , 10, 1930-1957	11
1117	Early grey matter changes in structural covariance networks in Huntington's disease. <b>2016</b> , 12, 806-814	30
1116	Neurotechnology and Direct Brain Communication. <b>2016</b> ,	6
1115	Intrinsic Brain Connectivity Following Long-Term Treatment with Methylphenidate in Children with Attention-Deficit/Hyperactivity Disorder. <b>2016</b> , 26, 555-61	10
1114	Altered modular organization in schizophrenia patients and analysis using supervised association rule mining. <b>2016</b> , 36, 397-412	3
1113	Functional connectivity and network analysis of midbrain and brainstem nuclei. <b>2016</b> , 134, 53-63	88
1112	Different involvement of subregions within dorsal premotor and medial frontal cortex for pro- and antisaccades. <b>2016</b> , 68, 256-269	21
1111	PreSurgMapp: a MATLAB Toolbox for Presurgical Mapping of Eloquent Functional Areas Based on Task-Related and Resting-State Functional MRI. <b>2016</b> , 14, 421-38	16
1110	Insula Demonstrates a Non-Linear Response to Varying Demand for Cognitive Control and Weaker Resting Connectivity With the Executive Control Network in Smokers. <b>2016</b> , 41, 2557-65	26
1109	Reconfiguration of Intrinsic Functional Coupling Patterns Following Circumscribed Network Lesions. <b>2017</b> , 27, 2894-2910	15

1108	Brain Network Organization and Social Executive Performance in Frontotemporal Dementia. <b>2016</b> , 22, 250-62	51
1107	Measuring Cortical Connectivity in Alzheimer's Disease as a Brain Neural Network Pathology: Toward Clinical Applications. <b>2016</b> , 22, 138-63	71
1106	SPARK: Sparsity-based analysis of reliable k-hubness and overlapping network structure in brain functional connectivity. <b>2016</b> , 134, 434-449	6
1105	Using fMRI to study reward processing in humans: past, present, and future. <b>2016</b> , 115, 1664-78	58
1104	Recovery of slow-5 oscillations in a longitudinal study of ischemic stroke patients. <b>2016</b> , 11, 398-407	6
1103	Increased Global Functional Connectivity Correlates with LSD-Induced Ego Dissolution. <b>2016</b> , 26, 1043-50	237
1102	Quantifying fluctuations of resting state networks using arterial spin labeling perfusion MRI. <b>2016</b> , 36, 463-73	31
1101	The connectivity domain: Analyzing resting state fMRI data using feature-based data-driven and model-based methods. <b>2016</b> , 134, 494-507	43
1100	Functional independence in resting-state connectivity facilitates higher-order cognition. <b>2016</b> , 105, 78-87	10
1099	Implication of the Slow-5 Oscillations in the Disruption of the Default-Mode Network in Healthy Aging and Stroke. <b>2016</b> , 6, 482-95	13
1098	Building a Science of Individual Differences from fMRI. <b>2016</b> , 20, 425-443	375
1097	Effects of Ganglioside on Working Memory and the Default Mode Network in Individuals with Subjective Cognitive Impairment: A Randomized Controlled Trial. <b>2016</b> , 44, 489-514	11
1096	Modulation of Functional Connectivity in Auditory-Motor Networks in Musicians Compared with Nonmusicians. <b>2017</b> , 27, 2768-2778	47
1095	Resting state network topology of the ferret brain. <b>2016</b> , 143, 70-81	19
1094	Functional Connectivity of Resting Hemodynamic Signals in Submillimeter Orientation Columns of the Visual Cortex. <b>2016</b> , 6, 596-606	5
1093	References. <b>2016</b> , 433-472	
1092	Noise contributions to the fMRI signal: An overview. <b>2016</b> , 143, 141-151	115
1091	Resting-state networks distinguish locked-in from vegetative state patients. <b>2016</b> , 12, 16-22	4

1090	Graph Theoretic Analysis of Human Brain Networks. <b>2016</b> , 283-314	9
1089	fMRI of Emotion. <b>2016</b> , 451-494	1
1088	Functional connectivity with the retrosplenial cortex predicts cognitive aging in rats. <b>2016</b> , 113, 12286-12291	48
1087	Altered local spontaneous activity in frontal lobe epilepsy: a resting-state functional magnetic resonance imaging study. <b>2016</b> , 6, e00555	10
1086	Functional Connectivity of the Dorsal Attention Network Predicts Selective Attention in 4-7 year-old Girls. <b>2017</b> , 27, 4350-4360	23
1085	Functional Neuroimaging in Migraine: Chances and Challenges. <b>2016</b> , 56, 1474-1481	20
1084	Measuring Pain for Patients Seeking Physical Therapy: Can Functional Magnetic Resonance Imaging (fMRI) Help?. <b>2017</b> , 97, 145-155	3
1083	Nodes and Edges. <b>2016</b> , 37-88	
1082	Early changes of brain connectivity in primary open angle glaucoma. <b>2016</b> , 37, 4581-4596	46
1081	Cocaine dependence and thalamic functional connectivity: a multivariate pattern analysis. <b>2016</b> , 12, 348-58	13
1080	Detection of resting state functional connectivity using partial correlation analysis: A study using multi-distance and whole-head probe near-infrared spectroscopy. <b>2016</b> , 142, 590-601	30
1079	Reporting of Resting-State Functional Magnetic Resonance Imaging Preprocessing Methodologies. <b>2016</b> , 6, 663-668	15
1078	Changes in Functional Connectivity of Default Mode Network with Auditory and Right Frontoparietal Networks in Poststroke Aphasia. <b>2016</b> , 6, 714-723	17
1077	Statistical inference of dynamic resting-state functional connectivity using hierarchical observation modeling. <b>2016</b> , 37, 4566-4580	1
1076	Altered paired associative stimulation-induced plasticity in NMDAR encephalitis. <b>2016</b> , 3, 101-13	8
1075	Innovative approaches to bipolar disorder and its treatment. <b>2016</b> , 1366, 76-89	57
1074	Functional connectivity networks for preoperative brain mapping in neurosurgery. <b>2017</b> , 126, 1941-1950	27
1073	What is feasible with imaging human brain function and connectivity using functional magnetic resonance imaging. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , <b>2016</b> , 371, 5.8	36

1072	Bayesian Inference of Task-Based Functional Brain Connectivity Using Markov Chain Monte Carlo Methods. <b>2016</b> , 10, 1150-1159	2
1071	Grey matter abnormalities in methcathinone abusers with a Parkinsonian syndrome. <b>2016</b> , 6, e00539	7
1070	Cortical sensorimotor alterations classify clinical phenotype and putative genotype of spasmodic dysphonia. <b>2016</b> , 23, 1517-27	36
1069	Resting-state functional connectivity by independent component analysis-based markers corresponds to areas of initial seizure propagation established by prior modalities from the hypothalamus. <b>2016</b> , 6, 642-651	20
1068	Default mode network coherence in treatment-resistant major depressive disorder during electroconvulsive therapy. <b>2016</b> , 205, 130-137	42
1067	Multimodal assessment of hemispheric lateralization for language and its relevance for behavior. <b>2016</b> , 142, 351-370	18
1066	Age-related differences in brain network activation and co-activation during multiple object tracking. <b>2016</b> , 6, e00533	27
1065	Association between resting-state brain functional connectivity and muscle sympathetic burst incidence. <b>2016</b> , 115, 662-73	27
1064	Independent Component Analysis of Resting-State Functional Magnetic Resonance Imaging in Pedophiles. <b>2016</b> , 13, 1546-54	12
1063	Structural Covariance Networks and Their Association with Age, Features of Cerebral Small-Vessel Disease, and Cognitive Functioning in Older Persons. <b>2016</b> , 6, 681-690	6
1062	Striatal functional connectivity changes following specific balance training in elderly people: MRI results of a randomized controlled pilot study. <b>2016</b> , 49, 334-339	17
1061	Resting-state networks in 6-to-10 year old children. <b>2016</b> , 37, 4286-4300	37
1060	Identifying autism biomarkers in default mode network using sparse representation of resting-state fMRI data. <b>2016</b> ,	2
1059	Dynamic analysis of resting state fMRI data and its applications. <b>2016</b> ,	1
1058	Resting-State Functional MRI: A Novel Tool for Understanding Brain Networks in Neuropsychiatric Disorders. <b>2016</b> , 247-262	
1057	Functional properties of resting state networks in healthy full-term newborns. <b>2015</b> , 5, 17755	29
1056	Relationships between cortical myeloarchitecture and electrophysiological networks. <b>2016</b> , 113, 13510-13515	63
1055	Transient effects of tumor location on the functional architecture at rest in glioblastoma patients: three longitudinal case studies. <b>2016</b> , 11, 107	11

1054	Frontoparietal Functional Connectivity in the Common Marmoset. <b>2017</b> , 27, 3890-3905	52
1053	Exploring spatiotemporal dynamics of the human brain by multimodal imaging. <b>2016</b> , 2016, 57-60	
1052	Thalamo-cortical network activity between migraine attacks: Insights from MRI-based microstructural and functional resting-state network correlation analysis. <b>2016</b> , 17, 100	47
1051	Differential effects of L-tryptophan and L-leucine administration on brain resting state functional networks and plasma hormone levels. <b>2016</b> , 6, 35727	4
1050	Characterizing dynamic local functional connectivity in the human brain. <b>2016</b> , 6, 26976	38
1049	tDCS and Magnetic Resonance Imaging. <b>2016</b> , 169-195	1
1048	Macroscopic Functional Networks in the Human Brain on Viewing and Recalling Short Video Clips. <b>2016</b> , 46, 934-941	
1047	The effects of apolipoprotein $\beta$ 4 on aging brain in cognitively normal Chinese elderly: a surface-based morphometry study. <b>2016</b> , 28, 1503-11	8
1046	Three-dimensional echo planar imaging with controlled aliasing: A sequence for high temporal resolution functional MRI. <b>2016</b> , 75, 2350-61	37
1045	Intrinsic Connectivity Provides the Baseline Framework for Variability in Motor Performance: A Multivariate Fusion Analysis of Low- and High-Frequency Resting-State Oscillations and Antisaccade Performance. <b>2016</b> , 6, 505-17	6
1044	Mutual Connectivity Analysis (MCA) Using Generalized Radial Basis Function Neural Networks for Nonlinear Functional Connectivity Network Recovery in Resting-State Functional MRI. <b>2016</b> , 9788,	3
1043	Resting state connectivity patterns with near-infrared spectroscopy data of the whole head. <b>2016</b> , 7, 2524-37	21
1042	Imaging the Addicted Brain: Alcohol. <b>2016</b> , 129, 1-31	27
1041	It's a matter of time: Reframing the development of cognitive control as a modification of the brain's temporal dynamics. <b>2016</b> , 18, 70-77	33
1040	Intrinsic connectivity networks from childhood to late adolescence: Effects of age and sex. <b>2016</b> , 17, 35-44	58
1039	Menstrual Cycle and Hormonal Contraceptive-Dependent Changes in Intrinsic Connectivity of Resting-State Brain Networks Correspond to Behavioral Changes Due to Hormonal Status. <b>2016</b> , 6, 572-85	21
1038	Auditory Hallucinations and the Brain's Resting-State Networks: Findings and Methodological Observations. <b>2016</b> , 42, 1110-23	81
1037	Prestimulus default mode activity influences depth of processing and recognition in an emotional memory task. <b>2016</b> , 37, 924-32	9



1036	Differences in structural covariance brain networks between behavioral variant frontotemporal dementia and Alzheimer's disease. <b>2016</b> , 37, 978-88	32
1035	Investigation of the electrophysiological correlates of negative BOLD response during intermittent photic stimulation: An EEG-fMRI study. <b>2016</b> , 37, 2247-62	11
1034	MICA-A toolbox for masked independent component analysis of fMRI data. <b>2016</b> , 37, 3544-56	32
1033	Preliminary differences in resting state MEG functional connectivity pre- and post-ketamine in major depressive disorder. <b>2016</b> , 254, 56-66	27
1032	Oppositional COMT Val158Met effects on resting state functional connectivity in adolescents and adults. <b>2016</b> , 221, 103-14	26
1031	Unmasking Language Lateralization in Human Brain Intrinsic Activity. <b>2016</b> , 26, 1733-46	35
1030	Generation and Evaluation of a Cortical Area Parcellation from Resting-State Correlations. <b>2016</b> , 26, 288-303	697
1029	Altered brain rhythms and functional network disruptions involved in patients with generalized fixation-off epilepsy. <b>2016</b> , 10, 373-86	5
1028	Voxelwise eigenvector centrality mapping of the human functional connectome reveals an influence of the catechol-O-methyltransferase val158met polymorphism on the default mode and somatomotor network. <b>2016</b> , 221, 2755-65	11
1027	Large-scale signatures of unconsciousness are consistent with a departure from critical dynamics. <b>2016</b> , 13, 20151027	100
1026	Intrinsic connectivity of neural networks in the awake rabbit. <b>2016</b> , 129, 260-267	23
1025	Intrinsic Brain Activity and Consciousness. <b>2016</b> , 95-105	3
1024	The Neural Crossroads of Psychiatric Illness: An Emerging Target for Brain Stimulation. <b>2016</b> , 20, 107-120	92
1023	Imaging assessment of traumatic brain injury. <b>2016</b> , 92, 41-50	78
1022	Measuring Consciousness Through Imaging. <b>2016</b> , 51-65	3
1021	Deep sleep divides the cortex into opposite modes of anatomical-functional coupling. <b>2016</b> , 221, 4221-4234	33
1020	Disrupted default mode network connectivity in male adolescents with conduct disorder. <b>2016</b> , 10, 995-1003	23
1019	Magnetic vestibular stimulation modulates default mode network fluctuations. <b>2016</b> , 127, 409-421	16

1018	Group-wise consistent cortical parcellation based on connectional profiles. <b>2016</b> , 32, 32-45	7
1017	Clinical Resting-state fMRI in the Preoperative Setting: Are We Ready for Prime Time?. <b>2016</b> , 25, 11-8	46
1016	Estimating repetitive spatiotemporal patterns from resting-state brain activity data. <b>2016</b> , 133, 251-265	9
1015	Abnormal salience signaling in schizophrenia: The role of integrative beta oscillations. <b>2016</b> , 37, 1361-74	39
1014	Correlation between resting state fMRI total neuronal activity and PET metabolism in healthy controls and patients with disorders of consciousness. <b>2016</b> , 6, e00424	26
1013	Interhemispheric Functional Brain Connectivity in Neonates with Prenatal Alcohol Exposure: Preliminary Findings. <b>2016</b> , 40, 113-21	21
1012	Intrinsic Functional Connectivity in Attention-Deficit/Hyperactivity Disorder: A Science in Development. <b>2016</b> , 1, 253-261	86
1011	Network-selective vulnerability of the human cerebellum to Alzheimer's disease and frontotemporal dementia. <b>2016</b> , 139, 1527-38	119
1010	Differential Resting-State Functional Connectivity of Striatal Subregions in Bipolar Depression and Hypomania. <b>2016</b> , 6, 255-65	56
1009	The Semantic Network at Work and Rest: Differential Connectivity of Anterior Temporal Lobe Subregions. <b>2016</b> , 36, 1490-501	114
1008	Salience Network Functional Connectivity Predicts Placebo Effects in Major Depression. <b>2016</b> , 1, 68-76	41
1007	Characterising resting-state functional connectivity in a large sample of adults with ADHD. <b>2016</b> , 67, 82-91	37
1006	Spatiotemporal Modeling of Brain Dynamics Using Resting-State Functional Magnetic Resonance Imaging with Gaussian Hidden Markov Model. <b>2016</b> , 6, 326-34	24
1005	A Novel Sparse Dictionary Learning Separation (SDLS) Model With Adaptive Dictionary Mutual Incoherence Constraint for fMRI Data Analysis. <b>2016</b> , 63, 2376-2389	13
1004	Altered cross-frequency coupling in resting-state MEG after mild traumatic brain injury. <b>2016</b> , 102, 1-11	52
1003	A multi-layer network approach to MEG connectivity analysis. <b>2016</b> , 132, 425-438	131
1002	Identification of Resting State Networks Involved in Executive Function. <b>2016</b> , 6, 365-74	12
1001	Orthogonal Connectivity Factorization: Interpretable Decomposition of Variability in Correlation Matrices. <b>2016</b> , 28, 445-84	5

1000	Network dysfunction predicts speech production after left hemisphere stroke. <b>2016</b> , 86, 1296-1305	51
999	Large-scale functional connectivity networks in the rodent brain. <b>2016</b> , 127, 496-509	131
998	Graph theory analysis of complex brain networks: new concepts in brain mapping applied to neurosurgery. <b>2016</b> , 124, 1665-78	47
997	Visualizing functional pathways in the human brain using correlation tensors and magnetic resonance imaging. <b>2016</b> , 34, 8-17	52
996	Alterations in functional connectivity of resting state networks during experimental endotoxemia - An exploratory study in healthy men. <b>2016</b> , 54, 17-26	52
995	Neuroplasticity for spontaneous functional recovery after neonatal hypoxic ischemic brain injury in rats observed by functional MRI and diffusion tensor imaging. <b>2016</b> , 126, 140-50	9
994	Default mode network connectivity in patients with idiopathic normal pressure hydrocephalus. <b>2016</b> , 124, 350-8	22
993	Modular Brain Networks. <b>2016</b> , 67, 613-40	647
992	Reconstructing Large-Scale Brain Resting-State Networks from High-Resolution EEG: Spatial and Temporal Comparisons with fMRI. <b>2016</b> , 6, 122-35	47
991	Connectivity-Based Brain Parcellation: A Connectivity-Based Atlas for Schizophrenia Research. <b>2016</b> , 14, 83-97	10
990	Resting-state functional connectivity of the default mode network associated with happiness. <b>2016</b> , 11, 516-24	47
989	Sparse SPM: Group Sparse-dictionary learning in SPM framework for resting-state functional connectivity MRI analysis. <b>2016</b> , 125, 1032-1045	30
988	Spatially regularized machine learning for task and resting-state fMRI. <b>2016</b> , 257, 214-28	1
987	Patterns of Atypical Functional Connectivity and Behavioral Links in Autism Differ Between Default, Salience, and Executive Networks. <b>2016</b> , 26, 4034-45	115
986	A Dynamic Core Network and Global Efficiency in the Resting Human Brain. <b>2016</b> , 26, 4015-33	98
985	Abnormal Resting-State Functional Connectivity in Patients with Chronic Fatigue Syndrome: Results of Seed and Data-Driven Analyses. <b>2016</b> , 6, 48-56	48
984	Altered executive control network resting-state connectivity in social anxiety disorder. <b>2016</b> , 17, 47-57	23
983	Data-Driven and Predefined ROI-Based Quantification of Long-Term Resting-State fMRI Reproducibility. <b>2016</b> , 6, 136-51	11

982	Image Understanding Applications of Lattice Autoassociative Memories. <b>2016</b> , 27, 1920-32	17
981	Individual differences in resting-state functional connectivity with the executive network: support for a cerebellar role in anxiety vulnerability. <b>2016</b> , 221, 3081-93	26
980	Cerebral functional connectivity periodically (de)synchronizes with anatomical constraints. <b>2016</b> , 221, 2985-97	59
979	Distinct hippocampal functional networks revealed by tractography-based parcellation. <b>2016</b> , 221, 2999-3012	56
978	A Novel Brain Networks Enhancement Model (BNEM) for BOLD fMRI Data Analysis With Highly Spatial Reproducibility. <b>2016</b> , 20, 1107-19	9
977	Longitudinal reproducibility of default-mode network connectivity in healthy elderly participants: A multicentric resting-state fMRI study. <b>2016</b> , 124, 442-454	58
976	Functional topography of the thalamocortical system in human. <b>2016</b> , 221, 1971-84	75
975	Default mode network dissociation in depressive and anxiety states. <b>2016</b> , 10, 147-57	94
974	Causal Interactions Within a Frontal-Cingulate-Parietal Network During Cognitive Control: Convergent Evidence from a Multisite-Multitask Investigation. <b>2016</b> , 26, 2140-53	75
973	The association between stress and mood across the adult lifespan on default mode network. <b>2017</b> , 222, 101-112	24
972	Altered functional brain networks in amnesic mild cognitive impairment: a resting-state fMRI study. <b>2017</b> , 11, 619-631	47
971	Age- and function-related regional changes in cortical folding of the default mode network in older adults. <b>2017</b> , 222, 83-99	35
970	Double-dissociation between the mechanism leading to impulsivity and inattention in Attention Deficit Hyperactivity Disorder: A resting-state functional connectivity study. <b>2017</b> , 86, 290-302	28
969	A Multimodal Structural and Functional Neuroimaging Study of Amnesic Mild Cognitive Impairment. <b>2017</b> , 25, 158-169	21
968	Functional connectivity associated with social networks in older adults: A resting-state fMRI study. <b>2017</b> , 12, 242-252	18
967	Parkinson's disease-related network topographies characterized with resting state functional MRI. <b>2017</b> , 38, 617-630	40
966	Loss of brain graph network efficiency in alcohol dependence. <b>2017</b> , 22, 523-534	36
965	The Use of Oxytocin to Improve Feeding and Social Skills in Infants With Prader-Willi Syndrome. <b>2017</b> , 139,	69

964	Imperfect (de)convolution may introduce spurious psychophysiological interactions and how to avoid it. <b>2017</b> , 38, 1723-1740	16
963	Resting connectivity predicts task activation in pre-surgical populations. <b>2017</b> , 13, 378-385	36
962	Resting-state brain alteration after a single dose of SSRI administration predicts 8-week remission of patients with major depressive disorder. <b>2017</b> , 47, 438-450	22
961	Disturbed Brain Activity in Resting-State Networks of Patients with First-Episode Schizophrenia with Auditory Verbal Hallucinations: A Cross-sectional Functional MR Imaging Study. <b>2017</b> , 283, 810-819	35
960	Frontoparietal activation during visual conjunction search: Effects of bottom-up guidance and adult age. <b>2017</b> , 38, 2128-2149	11
959	Algorithm for the identification of resting state independent networks in fMRI. <b>2017</b> ,	
958	Combined spatiotemporal ICA (stICA) for continuous and dynamic lag structure analysis of MREG data. <b>2017</b> , 148, 352-363	11
957	Reorganization of brain function after a short-term behavioral intervention for stuttering. <b>2017</b> , 168, 12-22	10
956	Biomarkers, designs, and interpretations of resting-state fMRI in translational pharmacological research: A review of state-of-the-Art, challenges, and opportunities for studying brain chemistry. <b>2017</b> , 38, 2276-2325	36
955	Intra- and inter-network functional alterations in Parkinson's disease with mild cognitive impairment. <b>2017</b> , 38, 1702-1715	29
954	Common and distinct brain networks underlying verbal and visual creativity. <b>2017</b> , 38, 2094-2111	45
953	Test-Retest Reproducibility of the Intrinsic Default Mode Network: Influence of Functional Magnetic Resonance Imaging Slice-Order Acquisition and Head-Motion Correction Methods. <b>2017</b> , 7, 69-83	7
952	Resting-state EEG gamma power and theta-gamma coupling enhancement following high-frequency left dorsolateral prefrontal rTMS in patients with depression. <b>2017</b> , 128, 424-432	75
951	Systemic inflammation and resting state connectivity of the default mode network. <b>2017</b> , 62, 162-170	58
950	Influence of age and cognitive performance on resting-state brain networks of older adults in a population-based cohort. <b>2017</b> , 89, 28-44	29
949	The Potential for Advanced Magnetic Resonance Neuroimaging Techniques in Pediatric Stroke Research. <b>2017</b> , 69, 24-36	4
948	Interictal brain activity differs in migraine with and without aura: resting state fMRI study. <b>2017</b> , 18, 8	33
947	Aberrant neural networks for the recognition memory of socially relevant information in patients with schizophrenia. <b>2017</b> , 7, e00602	9

946	Multi-View Ensemble Classification of Brain Connectivity Images for Neurodegeneration Type Discrimination. <b>2017</b> , 15, 199-213	21
945	Heterogeneous fractionation profiles of meta-analytic coactivation networks. <b>2017</b> , 149, 424-435	6
944	Preserving Cognition in Children With Diabetes: Do Alterations in Functional Network Connectivity Play a Role?. <b>2017</b> , 66, 574-576	
943	A method for independent component graph analysis of resting-state fMRI. <b>2017</b> , 7, e00626	13
942	Transcranial Direct Current Stimulation Modulates Neuronal Networks in Attention Deficit Hyperactivity Disorder. <b>2017</b> , 30, 656-672	42
941	Functional connectivity and activity of white matter in somatosensory pathways under tactile stimulations. <b>2017</b> , 152, 371-380	38
940	Functional brain segmentation using inter-subject correlation in fMRI. <b>2017</b> , 38, 2643-2665	15
939	Genetic effect of interleukin-1 beta (C-511T) polymorphism on the structural covariance network and white matter integrity in Alzheimer's disease. <b>2017</b> , 14, 12	11
938	Cortical plasticity after brachial plexus injury and repair: a resting-state functional MRI study. <b>2017</b> , 42, E14	19
937	Cerebellar Neural Circuits Involving Executive Control Network Predict Response to Group Cognitive Behavior Therapy in Social Anxiety Disorder. <b>2017</b> , 16, 673-682	11
936	Gene expression profiles in peripheral blood mononuclear cells correlate with salience network activity in chronic visceral pain: A pilot study. <b>2017</b> , 29, e13027	16
935	Epileptic Discharge Related Functional Connectivity Within and Between Networks in Benign Epilepsy with Centrottemporal Spikes. <b>2017</b> , 27, 1750018	29
934	Pramipexole Modulates Interregional Connectivity Within the Sensorimotor Network. <b>2017</b> , 7, 258-263	7
933	Resting-State Functional Connectivity in Generalized Anxiety Disorder and Social Anxiety Disorder: Evidence for a Dimensional Approach. <b>2017</b> , 7, 289-298	27
932	Sleep, Coma, Vegetative and Minimally Conscious States. <b>2017</b> , 901-913	0
931	How structure sculpts function: Unveiling the contribution of anatomical connectivity to the brain's spontaneous correlation structure. <b>2017</b> , 27, 047409	42
930	Alzheimer's disease disrupts alpha and beta-band resting-state oscillatory network connectivity. <b>2017</b> , 128, 2347-2357	45
929	Protein synthesis is associated with high-speed dynamics and broad-band stability of functional hubs in the brain. <b>2017</b> , 155, 209-216	2

928	Do all roads lead to Rome? A comparison of brain networks derived from inter-subject volumetric and metabolic covariance and moment-to-moment hemodynamic correlations in old individuals. <b>2017</b> , 222, 3833-3845	24
927	Basis Expansion Approaches for Regularized Sequential Dictionary Learning Algorithms With Enforced Sparsity for fMRI Data Analysis. <b>2017</b> , 36, 1796-1807	19
926	Resting state brain network function in major depression - Depression symptomatology, antidepressant treatment effects, future research. <b>2017</b> , 92, 147-159	167
925	Test-retest reliability of prefrontal transcranial Direct Current Stimulation (tDCS) effects on functional MRI connectivity in healthy subjects. <b>2017</b> , 155, 187-201	27
924	Abnormal connectivity in the sensorimotor network predicts attention deficits in traumatic brain injury. <b>2017</b> , 235, 799-807	28
923	How restful is it with all that noise? Comparison of Interleaved silent steady state (ISSS) and conventional imaging in resting-state fMRI. <b>2017</b> , 147, 726-735	25
922	Formation of Long-Term Locomotor Memories Is Associated with Functional Connectivity Changes in the Cerebellar-Thalamic-Cortical Network. <b>2017</b> , 37, 349-361	24
921	Optimising experimental design for MEG resting state functional connectivity measurement. <b>2017</b> , 155, 565-576	36
920	Changes in resting-state connectivity in musicians with embouchure dystonia. <b>2017</b> , 32, 450-458	30
919	Differential Hemispheric Predilection of Microstructural White Matter and Functional Connectivity Abnormalities between Respectively Semantic and Behavioral Variant Frontotemporal Dementia. <b>2017</b> , 56, 789-804	9
918	Cross-population myelination covariance of human cerebral cortex. <b>2017</b> , 38, 4730-4743	9
917	Neuroimaging in pre-motor Parkinson's disease. <b>2017</b> , 15, 215-227	49
916	Exploring connectivity with large-scale Granger causality on resting-state functional MRI. <b>2017</b> , 287, 68-79	11
915	Pattern recognition of functional brain networks. <b>2017</b> ,	
914	Functional connectivity in incarcerated male adolescents with psychopathic traits. <b>2017</b> , 265, 35-44	14
913	Fluid and flexible minds: Intelligence reflects synchrony in the brain's intrinsic network architecture. <b>2017</b> , 1, 192-207	40
912	Intrinsic functional connectivity alterations in progressive supranuclear palsy: Differential effects in frontal cortex, motor, and midbrain networks. <b>2017</b> , 32, 1006-1015	18
911	Associating resting-state connectivity with trait impulsivity. <b>2017</b> , 12, 1001-1008	19

910	Multiparametric MRI to distinguish early onset Alzheimer's disease and behavioural variant of frontotemporal dementia. <b>2017</b> , 15, 428-438	33
909	Structural and functional brain signatures of C9orf72 in motor neuron disease. <b>2017</b> , 57, 206-219	35
908	The large-scale functional connectivity correlates of consciousness and arousal during the healthy and pathological human sleep cycle. <b>2017</b> , 160, 55-72	50
907	The Resting-State Functional Magnetic Resonance Imaging Regional Homogeneity Metrics-Kendall's Coefficient of Concordance-Regional Homogeneity and Coherence-Regional Homogeneity-Are Valid Indicators of Tumor-Related Neurovascular Uncoupling. <b>2017</b> , 7, 228-235	15
906	Short- and long-range functional connectivity density alterations in adolescents with pure conduct disorder at resting-state. <b>2017</b> , 351, 96-107	27
905	Connectomic profile and clinical phenotype in newly diagnosed glioma patients. <b>2017</b> , 14, 87-96	40
904	Functional connectivity dynamically evolves on multiple time-scales over a static structural connectome: Models and mechanisms. <b>2017</b> , 160, 84-96	158
903	Sequential Dictionary Learning From Correlated Data: Application to fMRI Data Analysis. <b>2017</b> , 26, 3002-3015	21
902	Divergent functional connectivity during attentional processing in Lewy body dementia and Alzheimer's disease. <b>2017</b> , 92, 8-18	24
901	Sources of disconnection in neurocognitive aging: cerebral white-matter integrity, resting-state functional connectivity, and white-matter hyperintensity volume. <b>2017</b> , 54, 199-213	31
900	Functional network connectivity alterations in schizophrenia and depression. <b>2017</b> , 263, 113-120	22
899	Emerging Frontiers of Neuroengineering: A Network Science of Brain Connectivity. <b>2017</b> , 19, 327-352	32
898	Resting-State Functional Connectivity Changes Associated with Visuospatial Cognitive Deficits in Patients with Mild Alzheimer Disease. <b>2017</b> , 43, 229-236	6
897	Genetic effect of MTHFR C677T polymorphism on the structural covariance network and white-matter integrity in Alzheimer's disease. <b>2017</b> , 38, 3039-3051	8
896	Clinical utility of resting-state functional connectivity magnetic resonance imaging for mood and cognitive disorders. <b>2017</b> , 124, 821-839	35
895	Functional neuroimaging findings in healthy middle-aged adults at risk of Alzheimer's disease. <b>2017</b> , 36, 88-104	28
894	Untersuchungen des visuellen Systems in der Neurologie: aktuelle Forschung und klinische Relevanz. <b>2017</b> , 44, 27-45	2
893	Resting state fMRI: A review on methods in resting state connectivity analysis and resting state networks. <b>2017</b> , 30, 305-317	197



892	Benchmarking of participant-level confound regression strategies for the control of motion artifact in studies of functional connectivity. <b>2017</b> , 154, 174-187	501
891	Resting-state functional connectivity and cognitive dysfunction correlations in spinocerebellar ataxia type 6 (SCA6). <b>2017</b> , 38, 3001-3010	8
890	Mapping Neurodegenerative Disease Onset and Progression. <b>2017</b> , 9,	46
889	Cardiovascular and autonomic reactivity to psychological stress: Neurophysiological substrates and links to cardiovascular disease. <b>2017</b> , 207, 2-9	62
888	Assessing the Impact of Post-Traumatic Stress Symptoms on the Resting-State Default Mode Network in a Military Chronic Mild Traumatic Brain Injury Sample. <b>2017</b> , 7, 236-249	14
887	Structural and functional connectivity in children and adolescents with and without attention deficit/hyperactivity disorder. <b>2017</b> , 58, 810-818	43
886	tDCS-Induced Modulation of GABA Levels and Resting-State Functional Connectivity in Older Adults. <b>2017</b> , 37, 4065-4073	74
885	Mapping the Connectional Architecture of the Rodent Brain with fMRI. <b>2017</b> , 527-551	1
884	Monitoring cardiac and respiratory physiology during FMRI. <b>2017</b> , 154, 81-91	6
883	Intrinsic inter-network brain dysfunction correlates with symptom dimensions in late-life depression. <b>2017</b> , 87, 71-80	25
882	The dynamic functional connectome: State-of-the-art and perspectives. <b>2017</b> , 160, 41-54	605
881	State-dependent modulation of functional connectivity in early blind individuals. <b>2017</b> , 147, 532-541	18
880	The Default Mode Network in Healthy Individuals: A Systematic Review and Meta-Analysis. <b>2017</b> , 7, 25-33	136
879	Cortico-limbic connectivity in MAOA-L carriers is vulnerable to acute tryptophan depletion. <b>2017</b> , 38, 1622-1635	13
878	The inferior parietal lobule and temporoparietal junction: A network perspective. <b>2017</b> , 105, 70-83	156
877	Hand classification of fMRI ICA noise components. <b>2017</b> , 154, 188-205	249
876	Whole-brain functional connectivity during acquisition of novel grammar: Distinct functional networks depend on language learning abilities. <b>2017</b> , 320, 333-346	15
875	Disentangling subgroups of participants recruiting shared as well as different brain regions for the execution of the verb generation task: A data-driven fMRI study. <b>2017</b> , 86, 247-259	12

874	Network degeneration and dysfunction in presymptomatic expansion carriers. <b>2017</b> , 14, 286-297	90
873	An automated method for identifying an independent component analysis-based language-related resting-state network in brain tumor subjects for surgical planning. <b>2017</b> , 7, 13769	25
872	Longitudinal evaluation of resting-state connectivity, white matter integrity and cortical thickness in stable HIV infection: Preliminary results. <b>2017</b> , 30, 535-545	8
871	Functional Connectivity Parcellation of the Human Thalamus by Independent Component Analysis. <b>2017</b> , 7, 602-616	12
870	Exploring the Associations Between Intrinsic Brain Connectivity and Creative Ability Using Functional Connectivity Strength and Connectome Analysis. <b>2017</b> , 7, 590-601	17
869	Modulation of Long-Range Connectivity Patterns via Frequency-Specific Stimulation of Human Cortex. <b>2017</b> , 27, 3061-3068.e3	28
868	Exploration of the Brain in Rest: Resting-State Functional MRI Abnormalities in Patients with Classic Galactosemia. <b>2017</b> , 7, 9095	8
867	Executive function and functional and structural brain differences in middle-age adults with autism spectrum disorder. <b>2017</b> , 10, 1945-1959	46
866	Weak Higher-Order Interactions in Macroscopic Functional Networks of the Resting Brain. <b>2017</b> , 37, 10481-10487	
865	Concordance among indices of intrinsic brain function: Insights from inter-individual variation and temporal dynamics. <b>2017</b> , 62, 1572-1584	48
864	Pleasure attainment or self-realization: the balance between two forms of well-beings are encoded in default mode network. <b>2017</b> , 12, 1678-1686	16
863	How the brain connects in response to acute stress: A review at the human brain systems level. <b>2017</b> , 83, 281-297	81
862	Delay discounting is predicted by scale-free dynamics of default mode network and salience network. <b>2017</b> , 362, 219-227	11
861	Nutritional status, brain network organization, and general intelligence. <b>2017</b> , 161, 241-250	17
860	Functional MRI for Surgery of Gliomas. <b>2017</b> , 19, 34	51
859	Hypothesis testing for network data in functional neuroimaging. <b>2017</b> , 11,	36
858	ICN_Atlas: Automated description and quantification of functional MRI activation patterns in the framework of intrinsic connectivity networks. <b>2017</b> , 163, 319-341	12
857	A network-level approach of cognitive flexibility impairment after surgery of a right temporo-parietal glioma. <b>2017</b> , 63, 308-313	33

856	Methods and Considerations for Dynamic Analysis of Functional MR Imaging Data. <b>2017</b> , 27, 547-560	15
855	Toward Clinical Application of Resting-State Functional Magnetic Resonance Imaging to Dementia. <b>2017</b> , 173-188	
854	Cortical geometry as a determinant of brain activity eigenmodes: Neural field analysis. <b>2017</b> , 96, 032413	19
853	Posterior dopamine D2/3 receptors and brain network functional connectivity. <b>2017</b> , 71, e21993	20
852	Parallel Interdigitated Distributed Networks within the Individual Estimated by Intrinsic Functional Connectivity. <b>2017</b> , 95, 457-471.e5	301
851	Overweight is associated with lower resting state functional connectivity in females after eliminating genetic effects: A twin study. <b>2017</b> , 38, 5069-5081	18
850	Localized reductions in resting-state functional connectivity in children with prenatal alcohol exposure. <b>2017</b> , 38, 5217-5233	16
849	Assessment and elimination of the effects of head movement on MEG resting-state measures of oscillatory brain activity. <b>2017</b> , 159, 302-324	10
848	Multi-scale higher order singular value decomposition (MS-HoSVD) for resting-state FMRI compression and analysis. <b>2017</b> ,	3
847	The significance of negative correlations in brain connectivity. <b>2017</b> , 525, 3251-3265	35
846	Resisting Sleep Pressure: Impact on Resting State Functional Network Connectivity. <b>2017</b> , 30, 757-773	7
845	Altered coupling of default-mode, executive-control and salience networks in Internet gaming disorder. <b>2017</b> , 45, 114-120	22
844	Precision Functional Mapping of Individual Human Brains. <b>2017</b> , 95, 791-807.e7	524
843	Functional integrity in children with anoxic brain injury from drowning. <b>2017</b> , 38, 4813-4831	12
842	On wakefulness fluctuations as a source of BOLD functional connectivity dynamics. <b>2017</b> , 7, 5908	53
841	Contextual connectivity: A framework for understanding the intrinsic dynamic architecture of large-scale functional brain networks. <b>2017</b> , 7, 6537	25
840	Increased functional connectivity after stroke correlates with behavioral scores in non-human primate model. <b>2017</b> , 7, 6701	5
839	Resting-state functional connectivity changes due to acute and short-term valproic acid administration in the baboon model of GGE. <b>2017</b> , 16, 132-141	5

838	Altered Functional Connectivity in Sickle Cell Disease Exists at Rest and During Acute Pain Challenge. <b>2017</b> , 33, 1060-1070	15
837	Interaction effect between 5-HTTLPR and HTR1A rs6295 polymorphisms on the frontoparietal network. <b>2017</b> , 362, 239-247	4
836	Correlating Resting-State Functional Magnetic Resonance Imaging Connectivity by Independent Component Analysis-Based Epileptogenic Zones with Intracranial Electroencephalogram Localized Seizure Onset Zones and Surgical Outcomes in Prospective Pediatric Intractable Epilepsy Study. <b>2017</b> , 7, 424-442	30
835	Intermittency-Driven Complexity in Signal Processing. <b>2017</b> , 161-195	5
834	Dual Temporal and Spatial Sparse Representation for Inferring Group-Wise Brain Networks From Resting-State fMRI Dataset. <b>2018</b> , 65, 1035-1048	7
833	Associations between dynamic functional connectivity and age, metabolic risk, and cognitive performance. <b>2017</b> , 59, 135-143	30
832	Constructing fine-granularity functional brain network atlases via deep convolutional autoencoder. <b>2017</b> , 42, 200-211	24
831	Resting state functional connectivity of the anterior striatum and prefrontal cortex predicts reading performance in school-age children. <b>2017</b> , 174, 94-102	13
830	Resting state networks in empirical and simulated dynamic functional connectivity. <b>2017</b> , 159, 388-402	20
829	Neuroimaging Research: From Null-Hypothesis Falsification to Out-of-Sample Generalization. <b>2017</b> , 77, 868-880	6
828	Altered functional connectivity in patients with post-stroke memory impairment: A resting fMRI study. <b>2017</b> , 14, 1919-1928	13
827	PEAR: PERiodic And fixed Rank separation for fast fMRI. <b>2017</b> , 44, 6166-6182	7
826	Correlation between the Functional Connectivity of Brain Areas Active in the Resting State with Behavioral and Psychological Indicators. <b>2017</b> , 47, 1128-1139	1
825	Brain Network Correlates of Emotional Aging. <b>2017</b> , 7, 15576	3
824	Reprint of 'Noise contributions to the fMRI signal: An Overview'. <b>2017</b> , 154, 4-14	5
823	Brain signature and functional impact of centralized pain: a multidisciplinary approach to the study of chronic pelvic pain (MAPP) network study. <b>2017</b> , 158, 1979-1991	73
822	The dynamics of resting fluctuations in the brain: metastability and its dynamical cortical core. <b>2017</b> , 7, 3095	175
821	Cognitive performance in healthy older adults relates to spontaneous switching between states of functional connectivity during rest. <b>2017</b> , 7, 5135	110

820	Reconstructing networks of pulse-coupled oscillators from spike trains. <b>2017</b> , 96, 012209	26
819	Improving temporal resolution in fMRI using a 3D spiral acquisition and low rank plus sparse (L+S) reconstruction. <b>2017</b> , 157, 660-674	10
818	Value of Frequency Domain Resting-State Functional Magnetic Resonance Imaging Metrics Amplitude of Low-Frequency Fluctuation and Fractional Amplitude of Low-Frequency Fluctuation in the Assessment of Brain Tumor-Induced Neurovascular Uncoupling. <b>2017</b> , 7, 382-389	22
817	Bridging the gap between system and cell: The role of ultra-high field MRI in human neuroscience. <b>2017</b> , 233, 179-220	8
816	Varieties of semantic cognition revealed through simultaneous decomposition of intrinsic brain connectivity and behaviour. <b>2017</b> , 158, 1-11	53
815	A proof-of-concept study for developing integrated two-photon microscopic and magnetic resonance imaging modality at ultrahigh field of 16.4 tesla. <b>2017</b> , 7, 2733	10
814	Verbal working memory-related functional connectivity alterations in boys with attention-deficit/hyperactivity disorder and the effects of methylphenidate. <b>2017</b> , 31, 1061-1069	6
813	Pushing the Limits of EEG: Estimation of Large-Scale Functional Brain Networks and Their Dynamics Validated by Simultaneous fMRI. <b>2020</b> , 14, 323	7
812	Breakdown of the affective-cognitive network in functional dystonia. <b>2020</b> , 41, 3059-3076	9
811	Evaluating the retest reproducibility of intrinsic connectivity network using multivariate correlation coefficient. <b>2020</b> , 32, 14623-14638	1
810	EEG microstates are correlated with brain functional networks during slow-wave sleep. <b>2020</b> , 215, 116786	12
809	Distinct patterns of structural damage underlie working memory and reasoning deficits after traumatic brain injury. <b>2020</b> , 143, 1158-1176	20
808	Editorial: Identifying Neuroimaging-Based Markers for Distinguishing Brain Disorders. <b>2020</b> , 14, 327	1
807	Ghost Attractors in Spontaneous Brain Activity: Recurrent Excursions Into Functionally-Relevant BOLD Phase-Locking States. <b>2020</b> , 14, 20	20
806	Current methods and new directions in resting state fMRI. <b>2020</b> , 65, 47-53	17
805	Revealing the neural networks that extract conceptual gestalts from continuously evolving or changing semantic contexts. <b>2020</b> , 220, 116802	9
804	Modeling regional changes in dynamic stability during sleep and wakefulness. <b>2020</b> , 215, 116833	20
803	A double-hit of stress and low-grade inflammation on functional brain network mediates posttraumatic stress symptoms. <b>2020</b> , 11, 1898	10

802	Resting state networks of the canine brain under sevoflurane anaesthesia. <b>2020</b> , 15, e0231955	3
801	Presurgical Localization of the Primary Sensorimotor Cortex in Gliomas : When is Resting State fMRI Beneficial and Sufficient?. <b>2021</b> , 31, 245-256	9
800	An analytical workflow for seed-based correlation and independent component analysis in interventional resting-state fMRI studies. <b>2021</b> , 165, 26-37	5
799	Alterations in ventral attention network connectivity in individuals with prediabetes. <b>2021</b> , 24, 140-147	1
798	Changes in Intrinsic Brain Connectivity in Family-Focused Therapy Versus Standard Psychoeducation Among Youths at High Risk for Bipolar Disorder. <b>2021</b> , 60, 458-469	4
797	Dynamic state with covarying brain activity-connectivity: On the pathophysiology of schizophrenia. <b>2021</b> , 224, 117385	15
796	Abnormal dynamics of functional connectivity in first-episode and treatment-naive patients with obsessive-compulsive disorder. <b>2021</b> , 75, 14-22	6
795	Neuroprotective Effects of Motherhood on Brain Function in Late Life: A Resting-State fMRI Study. <b>2021</b> , 31, 1270-1283	4
794	Enhanced visceromotor emotional reactivity in dyslexia and its relation to salience network connectivity. <b>2021</b> , 134, 278-295	3
793	Resting state functional atlas and cerebral networks in mouse lemur primates at 11.7 Tesla. <b>2021</b> , 226, 117589	6
792	Dynamic Brain Connectivity in Resting State Functional MR Imaging. <b>2021</b> , 31, 81-92	1
791	Resting-state EEG Dynamics Reveals Differences in Network Organization and its Fluctuation between Frequency Bands. <b>2021</b> , 453, 43-56	3
790	Estimation of simultaneous BOLD and dynamic FDG metabolic brain activations using a multimodality concatenated ICA (mcICA) method. <b>2021</b> , 226, 117603	1
789	Resting-state default mode network connectivity in young individuals with Down syndrome. <b>2021</b> , 11, e01905	5
788	The Problem of Neurovascular Uncoupling. <b>2021</b> , 31, 53-67	7
787	Construction of embedded fMRI resting-state functional connectivity networks using manifold learning. <b>2021</b> , 15, 585-608	5
786	Altered network architecture of functional brain communities in chronic nociplastic pain. <b>2021</b> , 226, 117504	6
785	l-Cystine is associated with the dysconnectivity of the default-mode network and salience network in attention-deficit/hyperactivity disorder. <b>2021</b> , 125, 105105	0

784	Rude mechanicals in brain haemodynamics: non-neural actors that influence blood flow. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , <b>2021</b> , 376, 20190635	5.8	10
783	Use of random matrix theory in the discovery of resting state brain networks. <b>2021</b> , 77, 69-87		
782	Atypical Inter-Network Deactivation Associated With the Posterior Default-Mode Network in Autism Spectrum Disorder. <b>2021</b> , 14, 248-264		2
781	Brain parcellation driven by dynamic functional connectivity better capture intrinsic network dynamics. <b>2021</b> , 42, 1416-1433		5
780	Functional thalamocortical connectivity at term equivalent age and outcome at 2 years in infants born preterm. <b>2021</b> , 135, 17-29		3
779	Correlation Guided Graph Learning to Estimate Functional Connectivity Patterns From fMRI Data. <b>2021</b> , 68, 1154-1165		3
778	Dynamic functional network reconfiguration underlying the pathophysiology of schizophrenia and autism spectrum disorder. <b>2021</b> , 42, 80-94		9
777	Changes in electroencephalography complexity and functional magnetic resonance imaging connectivity following robotic hand training in chronic stroke. <b>2021</b> , 28, 276-288		2
776	Effective Connectivity for Default Mode Network Analysis of Alcoholism. <b>2021</b> , 11, 12-29		8
775	Brain activity and connectivity changes in response to nutritive natural sugars, non-nutritive natural sugar replacements and artificial sweeteners. <b>2021</b> , 24, 395-405		15
774	Neural network connectivity in ADHD children: an independent component and functional connectivity analysis of resting state fMRI data. <b>2021</b> , 15, 157-165		5
773	Data Mining in the Era of Big Data: The BrainMap Database as a Resource for Characterizing Brain Networks in Psychiatric Illness. <b>2021</b> , 135-151		
772	Resting-State Functional Network Disturbances in Schizophrenia. <b>2021</b> , 187-215		0
771	Grey-matter networks in aging. <b>2021</b> , 173-183		
770	Association between composite scores of domain-specific cognitive functions and regional patterns of atrophy and functional connectivity in the Alzheimer's disease spectrum. <b>2021</b> , 29, 102533		2
769	Regional homogeneity abnormalities of resting state brain activities in children with growth hormone deficiency. <b>2021</b> , 11, 334		1
768	Preface. <b>2021</b> , xi-xii		
767	Brain Imaging and the Mechanisms of Antidepressant Action. <b>2021</b> , 248-260		

- 766 Exploring Brain Dynamic Functional Connectivity Using Improved Principal Components Analysis Based on Template Matching. **2021**, 34, 121-138
- 765 Brain Imaging of Reward Dysfunction in Unipolar and Bipolar Disorders. **2021**, 39-48
- 764 Molecular Imaging of Dopamine and Antipsychotics in Bipolar Disorder. **2021**, 236-247
- 763 Brainstem network connectivity with mid-anterior insula predicts lower systolic blood pressure at rest in older adults with hypertension. **2021**, 35, 1098-1108 0
- 762 Aberrant activity within auditory network is associated with psychiatric comorbidities in interictal migraineurs without aura. **2021**, 15, 2464-2471 2
- 761 Network-based functional connectivity predicts response to exposure therapy in unmedicated adults with obsessive-compulsive disorder. **2021**, 46, 1035-1044 2
- 760 Review of Resting-State Functional Connectivity Methods and Application in Clinical Populations. **2021**, 45-74
- 759 Functional brain network community structure in childhood: Unfinished territories and fuzzy boundaries. 1
- 758 Magnetoencephalography Studies in Mood Disorders. **2021**, 192-205
- 757 Plate Section (PDF Only). **2021**, 283-286
- 756 Functional Near-Infrared Spectroscopy Studies in Mood Disorders. **2021**, 166-174
- 755 Mood Disorders. **2021**,
- 754 Neuroimaging Studies of Effects of Psychotherapy in Depression. **2021**, 261-272
- 753 Methods of neuroimaging in depression: Applications to resting-state functional connectivity. **2021**, 261-270 0
- 752 Resting State Functional Connectivity of Brain With Electroconvulsive Therapy in Depression: Meta-Analysis to Understand Its Mechanisms. **2020**, 14, 616054 5
- 751 tDCS and Magnetic Resonance Imaging. **2021**, 127-158
- 750 Neuroimaging Brain Inflammation in Mood Disorders. **2021**, 121-134
- 749 An Overview of Machine Learning Applications in Mood Disorders. **2021**, 206-218



748	Redes neuronales convolucionales para la clasificaci3n de componentes independientes de rs-fMRI. <b>2021</b> , 24, e1626	1
747	Prognostic neuroimaging biomarkers of trauma-related psychopathology: resting-state fMRI shortly after trauma predicts future PTSD and depression symptoms in the AURORA study. <b>2021</b> , 46, 1263-1271	7
746	Fronto-parietal involvement in chronic stroke motor performance when corticospinal tract integrity is compromised. <b>2021</b> , 29, 102558	3
745	A novel dynamic network imaging analysis method reveals aging-related fragmentation of cortical networks in mouse. <b>2021</b> , 5, 569-590	0
744	Resting-state functional connectivity of the human hypothalamus. <b>2021</b> , 179, 113-124	1
743	Functional connectivity in aging. <b>2021</b> , 37-51	3
742	fMRI: Blood Oxygen Level-Dependent Contrast and Its Value for Understanding Functional Brain Networks. <b>2021</b> , 19-44	
741	Electrophysiological Biomarkers for Mood Disorders. <b>2021</b> , 175-191	1
740	Brain dynamics: the temporal variability of connectivity, and differences in schizophrenia and ADHD. <b>2021</b> , 11, 70	9
739	Resting-state electroencephalographic biomarkers of Alzheimer's disease. <b>2021</b> , 31, 102711	3
738	Neuroanatomical Findings in Bipolar Disorder. <b>2021</b> , 16-27	
737	Imaging Glutamatergic and GABAergic Abnormalities in Mood Disorders. <b>2021</b> , 105-120	
736	Magnetic Resonance Spectroscopy Investigations of Bioenergy and Mitochondrial Function in Mood Disorders. <b>2021</b> , 83-104	
735	Brain Imaging Methods in Mood Disorders. <b>2021</b> , 1-6	
734	Effects of Lithium on Brain Structure in Bipolar Disorder. <b>2021</b> , 219-235	
733	Resting-state networks in the course of aging-differential insights from studies across the lifespan vs. amongst the old. <b>2021</b> , 473, 793-803	4
732	Heritability of individualized cortical network topography. <b>2021</b> , 118,	17
731	Deep Learning-based Classification of Resting-state fMRI Independent-component Analysis. <b>2021</b> , 19, 619-637	3

730	Networks Are Associated With Depression in Patients With Parkinson's Disease: A Resting-State Imaging Study. <b>2020</b> , 14, 573538	6
729	Cellular substrates of functional network integration and memory in temporal lobe epilepsy.	
728	Hierarchical modelling of functional brain networks in population and individuals from big fMRI data.	1
727	Physiological underpinning of default-mode network emergence in the human infant brain.	
726	Regression dynamic causal modeling for resting-state fMRI. <b>2021</b> , 42, 2159-2180	12
725	Auditory Stimulation Modulates Resting-State Functional Connectivity in Unresponsive Wakefulness Syndrome Patients. <b>2021</b> , 15, 554194	0
724	Functional connectivity between the amygdala and subgenual cingulate gyrus predicts the antidepressant effects of ketamine in patients with treatment-resistant depression. <b>2021</b> , 41, 168-178	4
723	Healthy Aging Alters the Functional Connectivity of Creative Cognition in the Default Mode Network and Cerebellar Network. <b>2021</b> , 13, 607988	3
722	Shared genetic influences on resting-state functional networks of the brain.	
721	Characterizing resting-state networks in Parkinson's disease: A multi-aspect functional connectivity study. <b>2021</b> , 11, e02101	3
720	Individualized Spatial Network Predictions Using Siamese Convolutional Neural Networks: A Resting-State fMRI Study of over 11,000 Unaffected Individuals.	
719	Neuroanatomy of expressive suppression: The role of the insula. <b>2021</b> , 21, 405-418	3
718	Effect of Acupuncture Stimulation of Hegu (LI4) and Taichong (LR3) on the Resting-State Networks in Alzheimer's Disease: Beyond the Default Mode Network. <b>2021</b> , 2021, 8876873	1
717	MEG cortical microstates: spatiotemporal characteristics, dynamic functional connectivity and stimulus-evoked responses.	0
716	Brain Structural and Functional Reorganization in Tinnitus Patients Without Hearing Loss After Sound Therapy: A Preliminary Longitudinal Study. <b>2021</b> , 15, 573858	4
715	A resting-state functional MRI study in patients with vestibular migraine during interictal period. <b>2021</b> , 1	4
714	Resting-state abnormalities in functional connectivity of the default mode network in autism spectrum disorder: a meta-analysis. <b>2021</b> , 15, 2583-2592	3
713	Increased Within-Network Functional Connectivity May Predict NEDA Status in Fingolimod-Treated MS Patients. <b>2021</b> , 12, 632917	1

712	Atypical Resting-State Functional Connectivity of Intra/Inter-Sensory Networks Is Related to Symptom Severity in Young Boys With Autism Spectrum Disorder. <b>2021</b> , 12, 626338	1
711	Hierarchical Extraction of Functional Connectivity Components in Human Brain Using Resting-State fMRI. <b>2021</b> , 40, 940-950	3
710	Brain dynamics: Synchronous peaks, functional connectivity, and its temporal variability. <b>2021</b> , 42, 2790-2801	4
709	Chronic musculoskeletal impairment is associated with alterations in brain regions responsible for the production and perception of movement. <b>2021</b> , 599, 2255-2272	3
708	Brain pathology recapitulates physiology: A network meta-analysis. <b>2021</b> , 4, 301	6
707	Resting State Functional Connectivity Biomarkers of Treatment Response in Mood Disorders: A Review. <b>2021</b> , 12, 565136	7
706	Laminar-specific functional connectivity mapping with multi-slice line-scanning fMRI.	
705	Sparse deep neural networks on imaging genetics for schizophrenia case-control classification. <b>2021</b> , 42, 2556-2568	4
704	Resting-State functional networks of different topographic representations in the somatosensory cortex of macaque monkeys and humans. <b>2021</b> , 228, 117694	2
703	Presurgical brain mapping of the language network in pediatric patients with epilepsy using resting-state fMRI. <b>2021</b> , 1-10	1
702	Emulative, coherent, and causal dynamics between large-scale brain networks are neurobiomarkers of Accelerated Cognitive Ageing in epilepsy. <b>2021</b> , 16, e0250222	
701	Exploring communication between the thalamus and cognitive control-related functional networks in the cerebral cortex. <b>2021</b> , 21, 656-677	0
700	Volume Reduction Techniques for the Classification of Independent Components of rs-fMRI Data: a Study with Convolutional Neural Networks. <b>2021</b> , 1	1
699	Default mode network functional connectivity negatively associated with trait openness to experience. <b>2021</b> , 16, 950-961	2
698	Effects of moderate alcohol levels on default mode network connectivity in heavy drinkers. <b>2021</b> , 45, 1039-1050	1
697	Functional Networks Abnormalities in Autism Spectrum Disorder: Age-Related Hypo and Hyper Connectivity. <b>2021</b> , 34, 306-322	6
696	Whole-brain functional MRI registration based on a semi-supervised deep learning model. <b>2021</b> , 48, 2847-2858	0
695	Identify abnormal functional connectivity of resting state networks in Autism spectrum disorder and apply to machine learning-based classification. <b>2021</b> , 1757, 147299	6

694	The Hidden Brain: Uncovering Previously Overlooked Brain Regions by Employing Novel Preclinical Unbiased Network Approaches. <b>2021</b> , 15, 595507	5
693	Differential tracking of linguistic vs. mental state content in naturalistic stimuli by language and Theory of Mind (ToM) brain networks.	1
692	Time-varying Dynamic Network Model For Dynamic Resting State Functional Connectivity in fMRI and MEG imaging.	0
691	Temporal complexity of fMRI is reproducible and correlates with higher order cognition. <b>2021</b> , 230, 117760	4
690	Measuring functional connectivity with wearable MEG. <b>2021</b> , 230, 117815	21
689	The functional connectome in posttraumatic stress disorder. <b>2021</b> , 14, 100321	3
688	Phase fMRI defines brain resting-state functional hubs within central and posterior regions. <b>2021</b> , 226, 1925-1941	0
687	High-Order Interdependencies in the Aging Brain. <b>2021</b> , 11, 734-744	3
686	Within- and across-network alterations of the sensorimotor network in Parkinson's disease. <b>2021</b> , 63, 2073-2085	5
685	Dynamics of Functional Network Organization Through Graph Mixture Learning.	
684	Brainwide functional networks associated with anatomically- and functionally-defined hippocampal subfields using ultrahigh-resolution fMRI. <b>2021</b> , 11, 10835	1
683	Brain Connectivity Studies on Structure-Function Relationships: A Short Survey with an Emphasis on Machine Learning. <b>2021</b> , 2021, 5573740	3
682	Multi-scale structural rich-club organization of the brain in full-term newborns: a combined DWI and fMRI study. <b>2021</b> , 18,	0
681	Meta-analytic maps of brain activity evoked by cognitive function diverge from resting state networks.	
680	The neurocognitive correlates of brain entropy estimated by resting state fMRI. <b>2021</b> , 232, 117893	1
679	Brain-wide functional diffuse optical tomography of resting state networks. <b>2021</b> , 18,	3
678	Network to Network Functional Connectivity Modulated by Transcranial Alternating Current Stimulation in Chronic Stroke. <b>2021</b> ,	
677	Predicting individual variability in task-evoked brain activity in schizophrenia. <b>2021</b> , 42, 3983-3992	4

- 676 Modules in connectomes of phase-synchronization comprise anatomically contiguous, functionally related regions. 1
- 675 Measuring Integrated Novel Dimensions in Neurodevelopmental and Stress-related Mental Disorders (MIND-Set): a cross-sectional comorbidity study from an RDoC perspective. 1
- 674 Attention Networks and the Intrinsic Network Structure of the Human Brain.
- 673 Subtypes of depression characterized by different cognitive decline and brain activity alterations. **2021**, 138, 413-419 2
- 672 Data-driven analysis of facial thermal responses and multimodal physiological consistency among subjects. **2021**, 11, 12059 2
- 671 Altered resting-state functional network connectivity in profound sensorineural hearing loss infants within an early sensitive period: A group ICA study. **2021**, 42, 4314-4326 6
- 670 Serum Neuron-Specific Enolase Levels Associated with Connectivity Alterations in Anterior Default Mode Network after Mild Traumatic Brain Injury. **2021**, 38, 1495-1505 2
- 669 Thalamo-cortical networks in subtypes of migraine with aura patients. **2021**, 22, 58 1
- 668 fMRI multi-scale cortical spontaneous activity: 7T vs. 3T. 1
- 667 Feature selection framework for functional connectome fingerprinting. **2021**, 42, 3717-3732 2
- 666 The degeneration changes of basal forebrain are associated with prospective memory impairment in patients with Wilson's disease. **2021**, 11, e2239 1
- 665 Bayesian random projection-based signal detection for Gaussian scale space random fields. **2021**, 105, 503-532
- 664 Disrupted communication of the temporoparietal junction in patients with major depressive disorder. **2021**, 21, 1276-1296 0
- 663 The effect of congenital blindness on resting-state functional connectivity revisited. **2021**, 11, 12433 0
- 662 Structural and functional neuroimaging changes associated with cognitive impairment and dementia in Parkinson's disease. **2021**, 312, 111273 2
- 661 Moving Beyond the Tip of the Iceberg: Intrinsic Connectivity Networks in fMRI are Continuously Engaging and Overlapping.
- 660 Determination of Dynamic Brain Connectivity via Spectral Analysis. **2021**, 15, 655576 1
- 659 Task-related neural mechanisms of persecutory ideation in schizophrenia and community monozygotic twin-pairs. **2021**, 42, 5244-5263 2

- 658 Structural-functional connectivity mapping of the insular cortex system: A combined data-driven and meta-analytic topic mapping approach.
- 657 Tri-Clustering Dynamic Functional Network Connectivity Identifies Significant Schizophrenia Effects Across Multiple States in Distinct Subgroups of Individuals. **2021**, 0
- 656 A novel approach for assessing hypoperfusion in stroke using spatial independent component analysis of resting-state fMRI. **2021**, 42, 5204-5216 1
- 655 Interactive effects of the APOE and BDNF polymorphisms on functional brain connectivity: the Tasmanian Healthy Brain Project. **2021**, 11, 14514 0
- 654 Movement, mood and cognition: Preliminary insights into the therapeutic effects of electroconvulsive therapy for depression through a resting-state connectivity analysis. **2021**, 290, 117-127 1
- 653 Functional connectivity in multiple sclerosis modelled as connectome stability: A 5-year follow-up study. **2021**, 13524585211030212
- 652 New analysis method for functional brain imaging: White noise removed T\* variation mapping using multi-echo EPI. **2021**, 359, 109218
- 651 A comparison of machine learning classifiers for pediatric epilepsy using resting-state functional MRI latency data. **2021**, 15, 77 0
- 650 Sex Differences in Functional Connectivity Between Resting State Brain Networks in Autism Spectrum Disorder. **2021**, 1 0
- 649 Modeling and augmenting of fMRI data using deep recurrent variational auto-encoder. **2021**, 18, 2
- 648 Alzheimer's Disease Progressively Reduces Visual Functional Network Connectivity. **2021**, 5, 549-562 2
- 647 Exploring brain connectivity changes in major depressive disorder using functional-structural data fusion: A CAN-BIND-1 study. **2021**, 42, 4940-4957 3
- 646 Biophysical network models of phase-synchronization in MEG resting-state.
- 645 Inter-regional BOLD signal variability is an organizational feature of functional brain networks. **2021**, 237, 118149 6
- 644 Locked-in Intact Functional Networks in Children with Autism Spectrum Disorder: A Case-Control Study. **2021**, 11, 0
- 643 Identifying Subgroups of Major Depressive Disorder Using Brain Structural Covariance Networks and Mapping of Associated Clinical and Cognitive Variables. **2021**, 1, 135-145 1
- 642 Functional harmonics reveal multi-dimensional basis functions underlying cortical organization. **2021**, 36, 109554 1
- 641 Brain Structure and Function: the first 15 years-a retrospective. **2021**, 226, 2467-2475 1

640	Multi-modal magnetic resonance imaging in a mouse model of concussion. <b>2021</b> , 8, 207	3
639	Targeting autonomic flexibility to enhance cognitive training outcomes in older adults with mild cognitive impairment: study protocol for a randomized controlled trial. <b>2021</b> , 22, 560	1
638	Sound therapy can modulate the functional connectivity of the auditory network. <b>2021</b> , 110, 110323	4
637	Dynamic Configuration of Coactive Micropatterns in the Default Mode Network During Wakefulness and Sleep. <b>2021</b> , 11, 471-482	1
636	Impact of inter-individual variability on the estimation of default mode network in temporal concatenation group ICA. <b>2021</b> , 237, 118114	0
635	Childhood exercise predicts response inhibition in later life via changes in brain connectivity and structure. <b>2021</b> , 237, 118196	4
634	Minimal specifications for non-human primate MRI: Challenges in standardizing and harmonizing data collection. <b>2021</b> , 236, 118082	6
633	Correspondence between functional connectivity and task-related activity patterns within the individual. <b>2021</b> , 40, 178-188	1
632	Neurostimulation for cognitive enhancement in Alzheimer's disease (the NICE-AD study): a randomized clinical trial. <b>2021</b> , 11, 277-288	3
631	Resting state functional connectivity patterns as biomarkers of treatment response to escitalopram in patients with major depressive disorder. <b>2021</b> , 1	4
630	Consecutive Independence and Correlation Transform for Multimodal Data Fusion: Discovery of One-to-Many Associations in Structural and Functional Imaging Data. <b>2021</b> , 11, 8382	1
629	Investigating the interaction between white matter and brain state on tDCS-induced changes in brain network activity. <b>2021</b> , 14, 1261-1270	1
628	Pitfalls and recommended strategies and metrics for suppressing motion artifacts in functional MRI.	
627	The Relationship Between Functional Connectivity and Interoceptive Sensibility. <b>2021</b> ,	0
626	Cellular Substrates of Functional Network Integration and Memory in Temporal Lobe Epilepsy. <b>2021</b> ,	0
625	Amyloid-driven disruption of default mode network connectivity in cognitively healthy individuals. <b>2021</b> , 3, fcab201	2
624	Differential neural structures, intrinsic functional connectivity, and episodic memory in subjective cognitive decline and healthy controls. <b>2021</b> , 105, 159-173	0
623	Robust Correlation for Link Definition in Resting-State fMRI Brain Networks Can Reduce Motion-Related Artifacts. <b>2021</b> ,	

622	Reduced default mode network connectivity relative to white matter integrity is associated with poor cognitive outcomes in patients with idiopathic normal pressure hydrocephalus. <b>2021</b> , 21, 353	1
621	Computing personalized brain functional networks from fMRI using self-supervised deep learning.	0
620	Cognitive and Neural State Dynamics of Narrative Comprehension. <b>2021</b> , 41, 8972-8990	0
619	Performance of temporal and spatial ICA in identifying and removing low-frequency physiological and motion effects in resting-state fMRI.	0
618	Multimodel Order Independent Component Analysis: A Data-Driven Method for Evaluating Brain Functional Network Connectivity Within and Between Multiple Spatial Scales. <b>2021</b> ,	1
617	Discrete spectral eigenmode-resonance network of brain dynamics and connectivity. <b>2021</b> , 104, 034411	0
616	Frequency specific co-activation pattern analysis via sparse nonnegative tensor decomposition. <b>2021</b> , 362, 109299	1
615	Functional co-activation of the default mode network in APOE $\epsilon$ -carriers: A replication study. <b>2021</b> , 240, 118304	2
614	Small variation in dynamic functional connectivity in cerebellar networks. <b>2021</b> , 461, 751-761	0
613	Hierarchical modelling of functional brain networks in population and individuals from big fMRI data. <b>2021</b> , 243, 118513	0
612	Development of functional connectivity within and among the resting-state networks in anesthetized rhesus monkeys. <b>2021</b> , 242, 118473	0
611	Resting-state functional connectivity predictors of treatment response in schizophrenia - A systematic review and meta-analysis. <b>2021</b> , 237, 153-165	1
610	MEGnet: Automatic ICA-based artifact removal for MEG using spatiotemporal convolutional neural networks. <b>2021</b> , 241, 118402	1
609	Specificity of anhedonic alterations in resting-state network connectivity and structure: A transdiagnostic approach. <b>2021</b> , 317, 111349	1
608	Resting-state functional magnetic resonance imaging in a randomized clinical trial for Alzheimer's disease. <b>2021</b> , 1, 100055	0
607	The resting-state cerebro-cerebellar function connectivity and associations with verbal working memory performance. <b>2022</b> , 417, 113586	0
606	Neuroimaging Biomarkers in Pediatric Mood Disorders. <b>2021</b> , 28-38	0
605	Neuroanatomical Findings in Unipolar Depression and the Role of the Hippocampus. <b>2021</b> , 7-15	0



604	Thalamocortical Connectivity in Experimentally-Induced Migraine Attacks: A Pilot Study. <b>2021</b> , 11,	1
603	Phase-locking of resting-state brain networks with the gastric basal electrical rhythm. <b>2021</b> , 16, e0244756	2
602	Unraveling reproducible dynamic states of individual brain functional parcellation. <b>2021</b> , 5, 28-55	4
601	The Coherent Default Mode Network is not involved in Episodic Recall or Social Cognition.	3
600	Resting-state functional MRI shows altered default-mode network functional connectivity in Duchenne muscular dystrophy patients. <b>2021</b> , 15, 2297-2307	1
599	Disturbed Brain Networks in the Psychosis High-Risk State?. <b>2021</b> , 217-238	
598	Functional Connectome in Bipolar Disorder. <b>2021</b> , 59-82	
597	Resting-State Functional Connectivity in Unipolar Depression. <b>2021</b> , 49-58	
596	Imaging Genetic and Epigenetic Markers in Mood Disorders. <b>2021</b> , 135-150	
595	fMRI Neurofeedback as Treatment for Depression. <b>2021</b> , 151-165	
594	Cerebral amyloid angiopathy is associated with decreased functional brain connectivity. <b>2021</b> , 29, 102546	2
593	Human Functional MRI. <b>2021</b> , 213-236	
592	. <b>2021</b> , 9, 86899-86913	2
591	Multivariate spatial feature selection in fMRI. <b>2021</b> , 16, 795-806	4
590	Parcellation-based anatomic modeling of the default mode network. <b>2021</b> , 11, e01976	4
589	Network connectivity predicts language processing in healthy adults. <b>2020</b> , 41, 3696-3708	11
588	Imaging Modalities for Pain. <b>2009</b> , 409-446	1
587	Pediatric Applications of fMRI. <b>2011</b> , 545-573	1

586	Neuroimaging of Alzheimer's Disease, Mild Cognitive Impairment, and Other Dementias. <b>2011</b> , 309-339	3
585	Physiology and Physics of the fMRI Signal. <b>2015</b> , 163-213	4
584	Advanced EEG and MRI Measurements to Study the Functional Development of the Newborn Brain. <b>2016</b> , 53-68	1
583	Intrinsic Brain Activity and Resting State Networks. <b>2016</b> , 1625-1676	3
582	fMRI of Emotion. <b>2009</b> , 411-456	6
581	Precise Estimation of Resting State Functional Connectivity Using Empirical Mode Decomposition. <b>2020</b> , 75-84	1
580	Hierarchical Region-Network Sparsity for High-Dimensional Inference in Brain Imaging. <b>2017</b> , 10265, 323-335	5
579	Independent Component Analysis of Functional Magnetic Resonance Imaging Data Using Wavelet Dictionaries. <b>2007</b> , 625-632	1
578	An Introduction to MEG Connectivity Measurements. <b>2014</b> , 321-358	5
577	Special Issues in fMRI Involving Children. <b>2013</b> , 197-211	1
576	Consciousness and Neuroscience. <b>2013</b> , 3-21	2
575	Resting State Networks Analysis Using Simultaneous EEG-fMRI for Epilepsy Patient. <b>2013</b> , 607-617	1
574	Delineation of Cerebrocerebellar Networks with MRI Measures of Functional and Structural Connectivity. <b>2013</b> , 571-585	3
573	A Theory of Hippocampus Structure and Function Based on Category Theory. <b>2014</b> , 141-160	2
572	Development of Neuroimaging-Based Biomarkers in Psychiatry. <b>2019</b> , 1192, 159-195	8
571	Segregation between the parietal memory network and the default mode network: effects of spatial smoothing and model order in ICA. <b>2016</b> , 61, 1844-1854	5
570	Altered large-scale functional brain networks in neurological Wilson's disease. <b>2020</b> , 14, 1445	1
569	Resting-state functional connectivity: An emerging method for the study of language networks in post-stroke aphasia. <b>2019</b> , 131, 22-33	27

568	Large-scale sparse functional networks from resting state fMRI. <b>2017</b> , 156, 1-13	27
567	Incorporating structured assumptions with probabilistic graphical models in fMRI data analysis. <b>2020</b> , 144, 107500	1
566	Introduction to Human Neuroimaging. <b>2019</b> ,	3
565	Using fMRI to study cognitive function and its modulation in sleep-deprived persons: a selective overview. 7-22	1
564	Default mode functional connectivity is associated with social functioning in schizophrenia. <b>2017</b> , 126, 392-405	30
563	Tinnitus and the Brain: A Review of Functional and Anatomical Magnetic Resonance Imaging Studies. <b>2019</b> , 4, 896-909	13
562	Studies of the Human Brain Combining Functional Neuroimaging and Electrophysiological Methods. <b>2010</b> , 47-66	3
561	Lag Analysis of Fast fMRI Reveals Delayed Information Flow Between the Default Mode and Other Networks in Narcolepsy. <b>2020</b> , 1, tgaa073	1
560	A picture is worth a thousand words: linking fibromyalgia pain widespreadness from digital pain drawings with pain catastrophizing and brain cross-network connectivity. <b>2021</b> , 162, 1352-1363	5
559	The dynamics of resting fluctuations in the brain: metastability and its dynamical cortical core.	5
558	Contextual connectivity: A framework for understanding the intrinsic dynamic architecture of large-scale functional brain networks.	1
557	Local-Global Parcellation of the Human Cerebral Cortex From Intrinsic Functional Connectivity MRI.	19
556	An evaluation of the efficacy, reliability, and sensitivity of motion correction strategies for resting-state functional MRI.	2
555	Unraveling reproducible dynamic states of individual brain functional parcellation.	2
554	High-order interdependencies in the aging brain.	9
553	Identifying optimal working points of individual Virtual Brains: A large-scale brain network modelling study.	6
552	The diversity and multiplexity of edge communities within and between brain systems.	3
551	Neuroprotective effects of motherhood on brain function in late-life: a resting state fMRI study.	2

550	Cognitive and Neural State Dynamics of Story Comprehension.	2
549	Heritability of individualized cortical network topography.	2
548	Regression dynamic causal modeling for resting-state fMRI.	4
547	Data-driven analysis of facial thermal responses to an emotional movie reveals consistent stimulus-locked physiological changes.	0
546	Phase-locking of resting-state brain networks with the gastric basal electrical rhythm.	1
545	The correspondence problem: which brain maps are significantly similar?.	2
544	Causal explanation of individual differences in human sensorimotor memory formation.	1
543	Extracting Reproducible Time-Resolved Resting State Networks using Dynamic Mode Decomposition.	3
542	The spatial chronnectome reveals a dynamic interplay between functional segregation and integration.	2
541	Modelling Subject Variability in the Spatial and Temporal Characteristics of Functional Modes.	3
540	Resting state cerebral networks in mouse lemur primates: from multilevel validation to comparison with humans.	2
539	Identifying and removing widespread signal deflections from fMRI data: Rethinking the global signal regression problem.	2
538	Functional harmonics reveal multi-dimensional basis functions underlying cortical organization.	4
537	Temporal complexity of fMRI is reproducible and correlates with higher order cognition.	1
536	Analysis of continuous infusion functional PET (fPET) in the human brain.	3
535	Individual differences in haemoglobin concentration influence BOLD fMRI functional connectivity and its correlation with cognition.	5
534	Study protocol: improving cognition in people with progressive multiple sclerosis: a multi-arm, randomized, blinded, sham-controlled trial of cognitive rehabilitation and aerobic exercise (COGEx). <b>2020</b> , 20, 204	14
533	Imaging the Sleep Deprived Brain: A Brief Review. <b>2013</b> , 10, 1-6	4

532	Formal Models of the Network Co-occurrence Underlying Mental Operations. <b>2016</b> , 12, e1004994	48
531	Modulation of brain resting-state networks by sad mood induction. <b>2008</b> , 3, e1794	161
530	Normalized cut group clustering of resting-state FMRI data. <b>2008</b> , 3, e2001	295
529	Altered resting state in diabetic neuropathic pain. <b>2009</b> , 4, e4542	163
528	Evidence for anomalous network connectivity during working memory encoding in schizophrenia: an ICA based analysis. <b>2009</b> , 4, e7911	101
527	Changes in resting neural connectivity during propofol sedation. <b>2010</b> , 5, e14224	122
526	Attention-induced deactivations in very low frequency EEG oscillations: differential localisation according to ADHD symptom status. <b>2011</b> , 6, e17325	35
525	Functional connectivity fMRI of the rodent brain: comparison of functional connectivity networks in rat and mouse. <b>2011</b> , 6, e18876	164
524	Robust reproducible resting state networks in the awake rodent brain. <b>2011</b> , 6, e25701	94
523	Resting-state brain activity in adult males who stutter. <b>2012</b> , 7, e30570	54
522	Auditory resting-state network connectivity in tinnitus: a functional MRI study. <b>2012</b> , 7, e36222	145
521	Reduction in inter-hemispheric connectivity in disorders of consciousness. <b>2012</b> , 7, e37238	43
520	Altered small-world efficiency of brain functional networks in acupuncture at ST36: a functional MRI study. <b>2012</b> , 7, e39342	30
519	Altered cerebellar functional connectivity with intrinsic connectivity networks in adults with major depressive disorder. <b>2012</b> , 7, e39516	80
518	APOE status modulates the changes in network connectivity induced by brain stimulation in non-demented elders. <b>2012</b> , 7, e51833	26
517	Changes of functional and effective connectivity in smoking replenishment on deprived heavy smokers: a resting-state FMRI study. <b>2013</b> , 8, e59331	59
516	Task-free functional MRI in cervical dystonia reveals multi-network changes that partially normalize with botulinum toxin. <b>2013</b> , 8, e62877	75
515	Resting state brain function analysis using concurrent BOLD in ASL perfusion fMRI. <b>2013</b> , 8, e65884	38

514	Stress Impact on Resting State Brain Networks. <b>2013</b> , 8, e66500	74
513	Effects of white matter injury on resting state fMRI measures in prematurely born infants. <b>2013</b> , 8, e68098	77
512	Boosting BOLD fMRI by K-space density weighted echo planar imaging. <b>2013</b> , 8, e74501	3
511	Spatio-temporal correlation tensors reveal functional structure in human brain. <b>2013</b> , 8, e82107	67
510	Aberrant development of functional connectivity among resting state-related functional networks in medication-naïve ADHD children. <b>2013</b> , 8, e83516	43
509	The default mode network and EEG regional spectral power: a simultaneous fMRI-EEG study. <b>2014</b> , 9, e88214	84
508	Analytic programming with FMRI data: a quick-start guide for statisticians using R. <b>2014</b> , 9, e89470	5
507	Alterations in low-level perceptual networks related to clinical severity in PTSD after an earthquake: a resting-state fMRI study. <b>2014</b> , 9, e96834	57
506	Brain networks during free viewing of complex erotic movie: new insights on psychogenic erectile dysfunction. <b>2014</b> , 9, e105336	32
505	The relation between resting state connectivity and creativity in adolescents before and after training. <b>2014</b> , 9, e105780	21
504	GABA concentration in posterior cingulate cortex predicts putamen response during resting state fMRI. <b>2014</b> , 9, e106609	18
503	An Automated, Adaptive Framework for Optimizing Preprocessing Pipelines in Task-Based Functional MRI. <b>2015</b> , 10, e0131520	36
502	Intrinsic Affective Network Is Impaired in Children with Attention-Deficit/Hyperactivity Disorder. <b>2015</b> , 10, e0139018	11
501	Functionally Brain Network Connected to the Retrosplenial Cortex of Rats Revealed by 7T fMRI. <b>2016</b> , 11, e0146535	8
500	Task-Related Edge Density (TED)-A New Method for Revealing Dynamic Network Formation in fMRI Data of the Human Brain. <b>2016</b> , 11, e0158185	8
499	Functional Connectivity with the Default Mode Network Is Altered in Fibromyalgia Patients. <b>2016</b> , 11, e0159198	38
498	Aberrant Resting-State Functional Connectivity in the Salience Network of Adolescent Chronic Fatigue Syndrome. <b>2016</b> , 11, e0159351	24
497	Temporal and spectral characteristics of dynamic functional connectivity between resting-state networks reveal information beyond static connectivity. <b>2018</b> , 13, e0190220	18

496	Partially restored resting-state functional connectivity in women recovered from anorexia nervosa. <b>2016</b> , 41, 377-385	22
495	Large-Scale Network Coupling with the Fusiform Cortex Facilitates Future Social Motivation. <b>2017</b> , 4,	9
494	Validation of Chronic Restraint Stress Model in Young Adult Rats for the Study of Depression Using Longitudinal Multimodal MR Imaging. <b>2020</b> , 7,	16
493	Oscillation-Based Connectivity Architecture Is Dominated by an Intrinsic Spatial Organization, Not Cognitive State or Frequency. <b>2021</b> , 41, 179-192	3
492	Advances in neuroimaging of traumatic brain injury and posttraumatic stress disorder. <b>2009</b> , 46, 717-57	69
491	Disruption of the Brain Resting State Networks in Parkinsonism. <b>2019</b> , 7, 23-33	3
490	Typical and atypical brain development: a review of neuroimaging studies. <b>2013</b> , 15, 359-84	78
489	Animal models and high field imaging and spectroscopy. <b>2013</b> , 15, 263-78	17
488	Functional brain networks in schizophrenia: a review. <b>2009</b> , 3, 17	185
487	Methods and utility of EEG-fMRI in epilepsy. <b>2015</b> , 5, 300-12	24
486	Structural and functional connectivity in traumatic brain injury. <b>2015</b> , 10, 2062-71	28
485	Cortical thickness, neurocognitive, and body composition effects of fasting during Ramadan. <b>2019</b> , 24, 50	2
484	Three Large-Scale Functional Brain Networks from Resting-State Functional MRI in Subjects with Different Levels of Cognitive Impairment. <b>2016</b> , 13, 1-7	38
483	Measuring consciousness in coma and related states. <b>2014</b> , 6, 589-97	30
482	Local GABA concentration is related to network-level resting functional connectivity. <b>2014</b> , 3, e01465	120
481	Modulation of GABA and resting state functional connectivity by transcranial direct current stimulation. <b>2015</b> , 4, e08789	122
480	Propagated infra-slow intrinsic brain activity reorganizes across wake and slow wave sleep. <b>2015</b> , 4,	69
479	The heritability of multi-modal connectivity in human brain activity. <b>2017</b> , 6,	62

478	The relationship between spatial configuration and functional connectivity of brain regions revisited. <b>2019</b> , 8,	34
477	Modulatory interactions between the default mode network and task positive networks in resting-state. <b>2014</b> , 2, e367	68
476	Mapping thalamocortical functional connectivity with large-scale brain networks in patients with first-episode psychosis. <b>2021</b> , 11, 19815	1
475	Alterations in the Occipital Cortex of Drug-Naïve Adults With Major Depressive Disorder: A Surface-Based Analysis of Surface Area and Cortical Thickness. <b>2021</b> , 18, 1025-1033	0
474	Altered functional connectivity in adolescent anorexia nervosa is related to age and cortical thickness. <b>2021</b> , 21, 490	0
473	Distributional independent component analysis for diverse neuroimaging modalities. <b>2021</b> ,	0
472	Predicting Individual Traits from Unperformed Tasks.	0
471	Aberrantly higher functional connectivity in the salience network is associated with transient global amnesia. <b>2021</b> , 11, 20598	1
470	Reasons to Believe: The Potential of Imaging in CNS Drug Development. <b>2010</b> , 381-386	
469	Functional Magnetic Resonance Imaging in Drug Development. <b>2010</b> , 67-89	
468	Spontaneous Low-Frequency Fluctuation Observed with Functional Magnetic Resonance Imaging as a Potential Biomarker in Neuropsychiatric Disorders. <b>2011</b> , 47-57	
467	Imaging of Brain Function Using Deoxyhemoglobin and Magnetic Fields. <b>2012</b> , 501-545	2
466	Functional and Structural MRI: Theoretical Background and Practical Aspects. <b>2012</b> , 269-317	
465	Resting-State-fMRT. <b>2013</b> , 229-256	1
464	Changes of motor deactivation regions in patients with intracranial lesions. <b>2013</b> , 54, 453-60	0
463	Neuroimaging Modalities. <b>2013</b> , 1-22	
462	Results on a Lattice Computing Based Group Analysis of Schizophrenic Patients on Resting State fMRI. <b>2013</b> , 131-139	3
461	Imagerie fonctionnelle du cervelet humain. <b>2013</b> , 69-79	



- 460 Predictive models of resting state networks for assessment of altered functional connectivity in MCI. **2013**, 16, 674-81 1
- 459 MRI Methods Applied to Stroke. **2014**, 257-281
- 458 Elementary Principles in Cognitive Systems Modeling. **2014**, 65-84
- 457 Research Tools and Paradigms. **2014**, 1-10
- 456 The Shift Towards Structure. **2014**, 85-95
- 455 A General Framework for Representation. **2014**, 97-108
- 454 Epilogue. **2014**, 167-169
- 453 The Categorical Imperative: Category Theory in Cognitive and Brain Science. **2014**, 33-63
- 452 From Cells to Memories: A Categorical Approach. **2014**, 161-166
- 451 Introduction. **2014**, 1-19
- 450 Physiological Noise Modeling and Analysis for Spinal Cord fMRI. **2014**, 240-257 2
- 449 The Neurodevelopmental and Neurofunctional Basis of Intersubjectivity. **2015**, 185-206
- 448 Pediatric Applications of fMRI. **2015**, 343-380
- 447 Genetic Influence on the Human Brain. **2015**, 247-258
- 446 Introduction to Functional Brain Connectivity: Potential Contributions to Understanding Adolescent Vulnerability to Substance Abuse. **2015**, 181-199
- 445 Affect: Theory and Research. **2016**, 1-29
- 444 Concordance Among Indices of Intrinsic Brain Function: Insights from Inter-Individual Variation and Temporal Dynamics.
- 443 Functional brain segmentation using inter-subject correlation in fMRI.

- 442 State-dependent modulation of functional connectivity in early blind individuals.
- 441 Redes en estado de reposo: revisi3n y aplicaciones de un concepto en evoluci3n. **2016**, 29,
- 440 Segregation between the parietal memory network and the default mode network: Effects of spatial smoothing and model order in ICA.
- 439 Resting State Networks in empirical and simulated dynamic functional connectivity. 0
- 438 Spatiotemporal characterization of the neural correlates of outcome valence and surprise during reward learning in humans. 1
- 437 Imaging in Neurology Research II: Exploring Plasticity and Cognitive Networks by In Vivo MRI. **2017**, 727-760
- 436 Noninvasive Imaging Technologies in Primates. **2017**, 441-470 1
- 435 Task-Based and Resting-State Functional MRI in DLGG. **2017**, 351-374
- 434 Neuroimaging in Chronic Pain, Fibromyalgia, and Somatization. **2017**, 421-442
- 433 Encyclopedia of Clinical Neuropsychology. **2017**, 1-8
- 432 And the best task is 2 Using Task potency to infer task specificity.
- 431 Harnessing Human Connectome Project Data for Replication Studies: A Demonstration for Resting State-Task Network Correspondence. 1
- 430 Stereotypical modulations in dynamic functional connectivity explained by changes in BOLD variance.
- 429 Inter-subject phase synchronization and the dynamics of human cognition.
- 428 Temporal transitions of spontaneous brain activity.
- 427 Multimodal Study of Resting-State Functional Connectivity Networks using EEG electrodes position as seed.
- 426 Uncoupling protein 2 haplotype does not affect human brain structure and function in a sample of community-dwelling older adults. **2017**, 12, e0181392 0
- 425 Deficit in parietal memory network underlies auditory hallucination: a longitudinal study.

- 424 The relationship between spatial configuration and functional connectivity of brain regions.
- 423 Spatial Topography of Individual-Specific Cortical Networks Predicts Human Cognition, Personality and Emotion. 7
- 422 Data-driven brain-types and their cognitive consequences. 0
- 421 Encyclopedia of Clinical Neuropsychology. **2018**, 2996-3004
- 420 Task-Evoked Functional Connectivity Does Not Explain Functional Connectivity Differences Between Rest and Task Conditions.
- 419 Stable between-subject statistical inference from unstable within-subject functional connectivity estimates. 1
- 418 Amplification and Suppression of Distinct Brain-wide Activity Patterns by Catecholamines.
- 417 Fundamental Differences: A Basis Set for Characterizing Inter-Individual Variation in Resting State Connectomes. 2
- 416 Dynamic functional connectivity changes in dementia with Lewy bodies and Alzheimer's disease.
- 415 Temporal Multiple Kernel Learning (tmKL) model for predicting resting state FC via characterizing fMRI connectivity dynamics.
- 414 Large-scale intrinsic connectivity is consistent across varying task demands.
- 413 Hyperconnectivity of the default mode network in multiorgan dysfunction syndrome.
- 412 Modular preprocessing pipelines can reintroduce artifacts into fMRI data. 0
- 411 Simultaneous task-based BOLD-fMRI and [18-F] FDG functional PET for measurement of neuronal metabolism in the human visual cortex. 1
- 410 Resting state fMRI in pre-surgical brain mapping. Literature review. **2018**, 6-13 1
- 409 Comparison of Machine Learning Algorithms for the Automated Detection of Functional Brain Networks in fMRI (Preprint).
- 408 Functional network dynamics in a neurodevelopmental disorder of known genetic origin.
- 407 Characterization of functional diversity of the human brain based on intrinsic connectivity networks.

406 Reduced Resting-State Connectivity in the Precuneus is correlated with Apathy in Patients with Schizophrenia.

405 Psychological, Neurobiological and Neuro-Endocrine Features of the Syndrome Posttraumatic Stress Disorders. **2018**, 11, 73-86

1

404 An Introduction to MEG Connectivity Measurements. **2019**, 433-470

403 Multivariate Pattern Analysis of Whole-Brain Functional Connectivity in Major Depression. **2019**, 17-33

402 Introduction. **2019**, 1-16

401 Delineation of Cerebrocerebellar Networks with MRI Measures of Functional and Structural Connectivity. **2019**, 1-17

400 Source Analysis. **2019**, 159-189

1

399 Studying Dynamic Neural Interactions with MEG. **2019**, 519-541

0

398 Sparse Representation of Dynamic Functional Connectivity in Depression. **2019**, 169-181

397 The relationship between spatial configuration and functional connectivity of brain regions revisited.

396 Discriminative Analysis of Nonlinear Functional Connectivity in Schizophrenia. **2019**, 35-54

395 An Introduction to MEG Connectivity Measurements. **2019**, 1-38

394 Studying Dynamic Neural Interactions with MEG. **2019**, 1-23

0

393 Exploring Functional Connectivity Biomarker in Autism Using Group-Wise Sparse Representation. **2019**, 21-29

1

392 Phase fMRI reveals sparser function connectivity than magnitude fMRI. **2019**,

391 Longitudinal stability of the brain functional connectome is associated with episodic memory performance in aging.

390 Introduction to Human Neuroimaging. **2019**, 325-342

389 Introduction to Human Neuroimaging. **2019**, 343-350

388 Introduction to Human Neuroimaging. **2019**, 142-162

387 Introduction to Human Neuroimaging. **2019**, 209-230

386 Introduction to Human Neuroimaging. **2019**, 127-141

1

385 Introduction to Human Neuroimaging. **2019**, 79-101

384 Introduction to Human Neuroimaging. **2019**, 275-276

383 Introduction to Human Neuroimaging. **2019**, 292-308

382 Introduction to Human Neuroimaging. **2019**, 163-190

381 Introduction to Human Neuroimaging. **2019**, 309-324

380 Introduction to Human Neuroimaging. **2019**, 252-274

379 Introduction to Human Neuroimaging. **2019**, xv-xviii

378 Introduction to Human Neuroimaging. **2019**, 48-76

377 Introduction to Human Neuroimaging. **2019**, 1-28

376 Introduction to Human Neuroimaging. **2019**, 31-47

375 Introduction to Human Neuroimaging. **2019**, 77-78

374 Introduction to Human Neuroimaging. **2019**, 277-291

373 Introduction to Human Neuroimaging. **2019**, 102-126

372 Introduction to Human Neuroimaging. **2019**, 191-192

371 Introduction to Human Neuroimaging. **2019**, 193-208

- 370 Introduction to Human Neuroimaging. **2019**, 231-251
- 369 Introduction to Human Neuroimaging. **2019**, 29-30
- 368 Revealing the neural networks that extract conceptual gestalts from continuously evolving or changing semantic contexts. 1
- 367 The heterogeneous functional architecture of the posteromedial cortex is associated with selective functional connectivity differences in Alzheimer's disease.
- 366 Neuroimaging biomarkers differentiate Parkinson disease with and without cognitive impairment and dementia.
- 365 Regularized-Ncut: Robust and homogeneous functional parcellation of neonate and adult brain networks.
- 364 Anterior cingulate cortex differently modulates fronto-parietal functional connectivity between resting-state and working memory tasks.
- 363 Placebo-induced pain reduction is associated with inverse network coupling at rest.
- 362 Resting-State Functional Networks of Different Topographic Representations in the Somatosensory Cortex of Macaque Monkeys and Humans.
- 361 Short-term effects on brain functional network caused by focused-attention meditation revealed by Tucker3 clustering on graph theoretical metrics.
- 360 Editorial. Mapping at rest: translating resting-state functional MRI to clinical practice. **2018**, 131, 759-761
- 359 Reduced fronto-striatal volume in ADHD in two cohorts across the lifespan. 1
- 358 A novel dynamic network imaging analysis method reveals aging-related fragmentation of cortical networks in mouse. 0
- 357 Inter-subject phase synchronization differentiates neural networks underlying physical pain empathy. 1
- 356 PCA-based source-space contrast maps reveal psychologically meaningful individual differences in continuous MEG activity.
- 355 Inferring brain functional hubs by eigencentality mapping of phase fMRI connectivity. **2020**, 0
- 354 Predicting Individual Variability in Task-Evoked Brain Activity in Schizophrenia. 1
- 353 Ultra-high field (10.5 T) resting state fMRI in the macaque. 1

- 352 fMRI resting state networks visualization in patients with severe traumatic brain injury. **2020**, 24, 68-84 1
- 351 Aberrant Functional Connectivity in Resting State Networks of ADHD Patients Revealed by Independent Component Analysis.
- 350 Five years functional connectivity reorganization without clinical or cognitive decline in MS.
- 349 Sparse Deep Neural Networks on Imaging Genetics for Schizophrenia Case-Control Classification.
- 348 Tension headache. State of the problem, new aspects of etiopathogenesis, neuroimaging possibilities, non-drug treatment methods (review). **2020**, 7, 6-11
- 347 A novel method for tri-clustering dynamic functional network connectivity (dFNC) identifies significant schizophrenia effects across multiple states in distinct subgroups of individuals. 1
- 346 Sweet anticipation: Predictability of familiar music in autism.
- 345 Multi-model Order ICA: A Data-driven Method for Evaluating Brain Functional Network Connectivity Within and Between Multiple Spatial Scales. 0
- 344 Effects of dopamine agonist treatment on resting-state network connectivity in Parkinson's disease.
- 343 Brain-wide functional networks associated with anatomically- and functionally-defined hippocampal subfields using ultrahigh-resolution fMRI.
- 342 Characterisation of multimodal network organisation after focal prefrontal lesions in humans.
- 341 Long-term air pollution, noise, and structural measures of the Default Mode Network in the brain: Results from the 1000BRAINS cohort. **2022**, 239, 113867 1
- 340 The dynamics of the improvising brain: a study of musical creativity using jazz improvisation. 1
- 339 Effects of Head Motion on the Evaluation of Age-related Brain Network Changes Using Resting State Functional MRI. **2021**, 20, 338-346 2
- 338 Spatiotemporal Attention Autoencoder (STAAE) for ADHD Classification. **2020**, 508-517 3
- 337 Special Issues in fMRI Involving Children. **2020**, 133-147
- 336 Functional Magnetic Resonance Imaging. **2020**, 331-348
- 335 A Novel fMRI Representation Learning Framework with GAN. **2020**, 21-29 0

- 334 Discovering Functional Brain Networks with 3D Residual Autoencoder (ResAE). **2020**, 498-507 1
- 333 Validation of chronic restraint stress model in rats for the study of depression using longitudinal multimodal MR imaging.
- 332 Deep Learning for the Automated Classification of Functional Brain Networks in fMRI (Preprint).
- 331 Brain-behavior investigation of potential cognitive markers of Alzheimer's disease in middle age: a multi-modal imaging study. **2021**, 1 0
- 330 The relation of integrated psychological therapy to resting state functional brain connectivity networks in patients with schizophrenia. **2021**, 306, 114270 0
- 329 Act Natural: Functional Connectivity from Naturalistic Stimuli fMRI Outperforms Resting-State in Predicting Brain Activity. 0
- 328 Default(y) Mode Network: Important regions of DMN do not survive alterations in flip angles.
- 327 Dynamic Configuration of Coactive Micropatterns in the Default Mode Network during Wakefulness and Sleep.
- 326 Macroscopic cortical dynamics: Spatially uncorrelated but temporally coherent rich-club organisations in source-space resting-state EEG.
- 325 Deep learning-based classification of resting-state fMRI independent-component analysis. 0
- 324 Oscillation-based connectivity architecture is dominated by an intrinsic spatial organization, not cognitive state or frequency. 0
- 323 A novel approach for assessing hypoperfusion in stroke using spatial independent component analysis of resting-state fMRI.
- 322 Investigating the interaction between white matter and brain state on tDCS-induced changes in brain network activity.
- 321 Brain Network Connectivity and Association with Catechol-O-Methyltransferase Gene Polymorphism in Korean Attention-Deficit Hyperactivity Disorder Children. **2020**, 17, 925-933
- 320 Measuring functional connectivity with wearable MEG.
- 319 The Default Network of the Brain. **2021**, 165-179
- 318 A Deep Graph Neural Network Architecture for Modelling Spatio-temporal Dynamics in resting-state functional MRI Data. 1
- 317 Increasing the Temporal Resolution of Dynamic Functional Connectivity with Ensemble Empirical Mode Decomposition. **2021**, 664-672



316	Penalized logistic regression using functional connectivity as covariates with an application to mild cognitive impairment. <b>2020</b> , 27, 603-624	
315	Resting state activity in patients with disorders of consciousness. <b>2011</b> , 26, 37-43	53
314	The role of dopamine and dopaminergic pathways in dystonia: insights from neuroimaging. <b>2015</b> , 5, 280	8
313	[Functional cerebral activity in a state of rest: connectivity networks]. <b>2011</b> , 52 Suppl 1, S3-10	2
312	Infra-slow brain dynamics as a marker for cognitive function and decline. <b>2019</b> , 32, 6949-6960	
311	A systematic review of resting-state and task-based fmri in juvenile myoclonic epilepsy. <b>2021</b> , 1	2
310	Parkinson's Disease. <b>2022</b> , 421-439	
309	Slow fluctuations in ongoing brain activity decrease in amplitude with ageing yet their impact on task-related evoked responses is dissociable from behaviour.	
308	Functional MRI connectivity of the primary motor cortex in functional dystonia patients. <b>2021</b> , 1	1
307	The diversity and multiplexity of edge communities within and between brain systems. <b>2021</b> , 37, 110032	4
306	Unveiling whole-brain dynamics in normal aging through Hidden Markov Models. <b>2021</b> ,	2
305	Large-Scale Functional Networks, Cognition and Brain Structures Supporting Social Cognition and Theory of Mind Performance in Prodromal to Mild Alzheimer's Disease. <b>2021</b> , 13, 766703	3
304	Presurgical Resting-State fMRI. <b>2022</b> , 197-215	
303	Brain Relatively Inert Network: Taking Adult Attention Deficit Hyperactivity Disorder as an Example.. <b>2021</b> , 15, 771947	0
302	Graph auto-encoding brain networks with applications to analyzing large-scale brain imaging datasets. <b>2021</b> , 245, 118750	3
301	Increased Amygdala and Decreased Frontolimbic Resting State Functional Connectivity in Children with Aggressive Behavior. <b>2021</b> ,	1
300	Task-Specific Network Interactions across Key Cognitive Domains.. <b>2022</b> ,	0
299	Machine learning approaches for parsing comorbidity/heterogeneity in antisociality and substance use disorders: A primer.. <b>2021</b> , 4, e6	0

298 Functional MRI connectivity. **2021**, 309-322

297 Frontal Intrinsic Connectivity Networks Support Contradiction Identification During Inductive and Deductive Reasoning. 1

296 Functional brain network community structure in childhood: Unfinished territories and fuzzy boundaries.. **2021**, 118843 1

295 Causality Mapping Using Resting-State fMRI reveals Suppressed Functional Connectivity in Schizophrenia Patients.

294 Shared genetic influences on resting-state functional networks of the brain.. **2022**, 1

293 Functional connectivity in Parkinson's disease candidates for deep brain stimulation.. **2022**, 8, 4 2

292 Impact of Substance Use Disorder on Between-Network Brain Connectivity in Early Psychosis.. **2022**, 3, sgac014 0

291 Criticality and network structure drive emergent oscillations in a stochastic whole-brain model.

290 Resonant waves drive long-range correlations in fMRI signals.

289 Dynamic primitives of brain network interaction Special Issue "Advances in Mapping the Connectome".. **2022**, 250, 118928 1

288 Atlasing white matter and grey matter joint contributions to resting-state networks in the human brain. 0

287 A novel ADHD classification method based on resting state temporal templates (RSTT) using spatiotemporal attention auto-encoder. 1 0

286 Individualized spatial network predictions using Siamese convolutional neural networks: A resting-state fMRI study of over 11,000 unaffected individuals.. **2022**, 17, e0249502 0

285 Modulating intrinsic functional connectivity with visual cortex using low-frequency repetitive transcranial magnetic stimulation.. **2022**, e2491 1

284 Aerobic exercise alters brain function and structure in Parkinson's disease a randomized controlled trial.. **2021**, 8

283 The positive-negative mode link between brain connectivity, demographics and behaviour: a pre-registered replication of Smith . (2015).. **2022**, 9, 201090 1

282 Cardiovascular Pulsatility Increases in Visual Cortex Before Blood Oxygen Level Dependent Response During Stimulus.. **2022**, 16, 836378 0

281 Tract Specific White Matter Lesion Load Affects White Matter Microstructure and Their Relationships With Functional Connectivity and Cognitive Decline.. **2021**, 13, 760663 0

280	Laminar-Specific Functional Connectivity Mapping with Multi-Slice Line-Scanning fMRI.. <b>2022,</b>	1
279	Predicting Individual Traits from Unperformed Tasks.. <b>2022,</b> 118920	2
278	Hemodynamic and metabolic correspondence of voxel-wise resting-state activity metrics in healthy adults.. <b>2022,</b> 250, 118923	3
277	A novel rhesus macaque model of Huntington's disease recapitulates key neuropathological changes along with progressive motor and cognitive decline.	0
276	A novel hidden Markov approach to studying dynamic functional connectivity states in human neuroimaging.	1
275	Interplay Between the Salience and the Default Mode Network in a Social-Cognitive Task Toward a Close Other.. <b>2021,</b> 12, 718400	0
274	No Changes in Functional Connectivity After Dimethyl Fumarate Treatment in Multiple Sclerosis.. <b>2022,</b> 11, 471	0
273	Principled clustering of functional signals reveals gradients in processing both within the anterior hippocampus and across its long axis.	0
272	Resolution of diaschisis contributes to early recovery from post-stroke aphasia.. <b>2022,</b> 251, 119001	1
271	Multimodal fusion analysis of functional, cerebrovascular and structural neuroimaging in healthy ageing subjects.	0
270	Submaximal Exercise Provokes Increased Activation of the Anterior Default Mode Network During the Resting State as a Biomarker of Postexertional Malaise in Myalgic Encephalomyelitis/Chronic Fatigue Syndrome.. <b>2021,</b> 15, 748426	1
269	MAGNIMS recommendations for harmonization of MRI data in MS multicenter studies.. <b>2022,</b> 34, 102972	0
268	Mapping Brain Networks Using Multimodal Data. <b>2022,</b> 1-51	
267	Insight Into the Effects of Clinical Repetitive Transcranial Magnetic Stimulation on the Brain From Positron Emission Tomography and Magnetic Resonance Imaging Studies: A Narrative Review.. <b>2022,</b> 16, 787403	2
266	Functional network connectivity imprint in febrile seizures.. <b>2022,</b> 12, 3267	0
265	The Relationship Between Default Mode and Dorsal Attention Networks Is Associated With Depressive Disorder Diagnosis and the Strength of Memory Representations Acquired Prior to the Resting State Scan.. <b>2022,</b> 16, 749767	1
264	Multimodal investigation of the association between shift work and the brain in a population-based sample of older adults.. <b>2022,</b> 12, 2969	2
263	Resting state network activation and functional connectivity in the dying brain.. <b>2021,</b>	0

- 262 Covariance and Correlation Analysis of Resting State Functional Magnetic Resonance Imaging Data Acquired in a Clinical Trial of Mindfulness-Based Stress Reduction and Exercise in Older Individuals.. **2022**, 16, 825547 1
- 261 Whole-brain modeling explains the context-dependent effects of cholinergic neuromodulation.
- 260 Pitfalls and Recommended Strategies and Metrics for Suppressing Motion Artifacts in Functional MRI.. **2022**, 1 0
- 259 Altered Intra- and Inter-Network Functional Connectivity in Patients With Crohn's Disease: An Independent Component Analysis-Based Resting-State Functional Magnetic Resonance Imaging Study.. **2022**, 16, 855470
- 258 Functional brain imaging in bipolar disorder. **2022**, 60-80
- 257 Four-Week Mentalizing Imagery Therapy for Family Dementia Caregivers: A Randomized Controlled Trial with Neural Circuit Changes.. **2022**, 1-10 1
- 256 Gray matter volume reduction in the emotional brain networks in adults with anosmia.. **2022**,
- 255 Menstrual Cycle-Related Changes in Women with Schizophrenia: A Resting-State fMRI Study.. **2022**, 1-15 0
- 254 Effects of Systemic Physiology on Mapping Resting-State Networks Using Functional Near-Infrared Spectroscopy.. **2022**, 16, 803297 2
- 253 Overview of (f)MRI Studies of Cognitive Aging for Non-Experts: Looking through the Lens of Neuroimaging.. **2022**, 12, 0
- 252 Increased Excursions to Functional Networks in Schizophrenia in the Absence of Task.. **2022**, 16, 821179 1
- 251 Unraveling molecular and system processes for fear memory.. **2022**,
- 250 Functional Brain Connectivity in Mild Cognitive Impairment With Sleep Disorders: A Study Based on Resting-State Functional Magnetic Resonance Imaging.. **2022**, 14, 812664 0
- 249 Neural network of bipolar disorder: Toward integration of neuroimaging and neurocircuit-based treatment strategies.. **2022**, 12, 143 0
- 248 Altered brain network topology in children with Auditory Processing Disorder: a resting-state multi-echo fMRI study.
- 247 Resting-state fMRI Functional Connectivity and Mindfulness in Clinical and Non-clinical Contexts: A Review and Synthesis.. **2022**, 104583 1
- 246 Dynamics of functional network organization through graph mixture learning.. **2022**, 252, 119037 1
- 245 MEG cortical microstates: Spatiotemporal characteristics, dynamic functional connectivity and stimulus-evoked responses.. **2022**, 251, 119006 1

244	A study of brain networks for autism spectrum disorder classification using resting-state functional connectivity. <b>2022</b> , 8, 100290	0
243	Time-varying Dynamic Network Model For Dynamic Resting State Functional Connectivity in fMRI and MEG imaging.. <b>2022</b> , 119131	1
242	A comprehensive investigation of physiologic noise modeling in resting state fMRI; time shifted cardiac noise in EPI and its removal without external physiologic signal measures.. <b>2022</b> , 119136	0
241	Effect of proprioceptive stimulation using a soft robotic glove on motor activation and brain connectivity in stroke survivors.. <b>2021</b> ,	0
240	Brain functional connectivity in patients with hyperthyroidism after anti-thyroid treatment.. <b>2021</b> , e13075	
239	Attention networks and the intrinsic network structure of the human brain. <b>2021</b> ,	5
238	Functional Network Connectivity Imprint In Febrile Seizures.	
237	Increased resting state connectivity in the anterior default mode network of idiopathic epileptic dogs.. <b>2021</b> , 11, 23854	0
236	Learning Cortical Parcellations Using Graph Neural Networks.. <b>2021</b> , 15, 797500	1
235	Association Between Functional and Structural Brain Connectivity of the Default Mode Network in Non-treatment Seeking Individuals With Alcohol Use Disorder.. <b>2021</b> ,	0
234	Delineation of Cerebrocerebellar Networks with MRI Measures of Functional and Structural Connectivity. <b>2022</b> , 703-719	
233	Differential alterations in brain structural network organization during addiction between adolescents and adults.. <b>2022</b> , 1-12	
232	Construction and Multiple Feature Classification Based on a High-Order Functional Hypernetwork on fMRI Data.. <b>2022</b> , 16, 848363	
231	Brain Network Allostasis after Chronic Alcohol Drinking Is Characterized by Functional Dedifferentiation and Narrowing.. <b>2022</b> ,	0
230	Hyperglycemia and Hyperinsulinemia Effects on Anterior Cingulate Cortex Myoinositol - Relation to Brain Network Functional Connectivity in Healthy Adults.. <b>2022</b> ,	
229	A ketogenic intervention improves dorsal attention network functional and structural connectivity in mild cognitive impairment.. <b>2022</b> , 115, 77-87	1
228	Image_1.JPEG. <b>2018</b> ,	
227	Image_2.JPEG. <b>2018</b> ,	

226 Image\_3.JPEG. 2018,

225 Table\_1.DOCX. 2018,

224 Table\_1.docx. 2018,

223 Table\_2.docx. 2018,

222 Data\_Sheet\_1.docx. 2019,

221 Data\_Sheet\_1.docx. 2019,

220 Data\_Sheet\_1.docx. 2019,

219 Image\_1.JPEG. 2019,

218 Data\_Sheet\_1.PDF. 2019,

217 Presentation\_1.zip. 2020,

216 Data\_Sheet\_1.pdf. 2020,

215 Image\_1.TIF. 2020,

214 Image\_2.TIF. 2020,

213 Image\_3.TIF. 2020,

212 Data\_Sheet\_1.docx. 2019,

211 Image\_1.JPEG. 2019,

210 Image\_2.JPEG. 2019,

209 Image\_3.JPEG. 2019,

208 Image\_4.JPEG. 2019,

207 Image\_5.JPEG. 2019,

206 Data\_Sheet\_1.docx. 2018,

205 Image\_1.TIF. 2019,

204 Image\_2.TIF. 2019,

203 Image\_3.TIF. 2019,

202 Image\_4.TIF. 2019,

201 Image\_5.TIF. 2019,

200 Data\_Sheet\_1.PDF. 2020,

199 Image\_1.TIFF. 2020,

198 Table\_1.pdf. 2020,

197 Table\_1.docx. 2018,

196 Table\_2.docx. 2018,

195 Table\_3.docx. 2018,

194 Table\_1.docx. 2019,

193 Presentation\_1.PDF. 2018,

192 Data\_Sheet\_1.PDF. 2019,

191 Data\_Sheet\_1.docx. 2018,

190 Image\_1.TIFF. 2018,

189 Image\_2.TIFF. 2018,

188 Image\_3.TIFF. 2018,

187 Image\_4.TIFF. 2018,

186 Image\_5.TIFF. 2018,

185 Table\_1.docx. 2018,

184 Image\_1.PDF. 2018,

183 Data\_Sheet\_1.pdf. 2020,

182 Data\_Sheet\_1.PDF. 2020,

181 Table\_1.docx. 2018,

180 Data\_Sheet\_1.docx. 2020,

179 Table\_1.DOCX. 2020,

178 Data\_Sheet\_1.PDF. 2020,

177 Image\_1.PDF. 2020,

176 Image\_2.PDF. 2020,

175 Image\_3.PDF. 2020,

174 Image\_4.PDF. 2020,

173 Image\_5.PDF. 2020,



172 Image\_6.PDF. 2020,

171 Image\_7.PDF. 2020,

170 Image\_1.TIFF. 2020,

169 Table\_1.DOCX. 2020,

168 Data\_Sheet\_1.PDF. 2020,

167 Data\_Sheet\_2.pdf. 2020,

166 Data\_Sheet\_1.PDF. 2020,

165 Presentation\_1.pdf. 2019,

164 Table\_2.XLSX. 2018,

163 Image\_1.TIF. 2019,

162 Image\_2.TIF. 2019,

161 Video\_1.AVI. 2019,

160 Video\_10.AVI. 2019,

159 Video\_2.AVI. 2019,

158 Video\_3.AVI. 2019,

157 Video\_4.AVI. 2019,

156 Video\_5.AVI. 2019,

155 Video\_6.AVI. 2019,

154 Video\_7.AVI. **2019,**

153 Video\_8.AVI. **2019,**

152 Video\_9.AVI. **2019,**

151 Table\_1.DOCX. **2019,**

150 Data\_Sheet\_1.docx. **2019,**

149 Sex-Dependent Structure of Socioemotional Salience, Executive Control, and Default Mode Networks in Preschool-Aged Children with Autism.. **2022,** 119252 ○

148 Modeling Transient Brain Coactivity Patterns in Latent Space with FMRI Data.

147 Differential tracking of linguistic vs. mental state content in naturalistic stimuli by language and Theory of Mind (ToM) brain networks. 1-67 1

146 Structural and Functional Correlates of Higher Cortical Brain Regions in Chronic Refractory Cough.. **2022,** ○

145 Depression Classification Using Frequent Subgraph Mining Based on Pattern Growth of Frequent Edge in Functional Magnetic Resonance Imaging Uncertain Network.. **2022,** 16, 889105

144 Structural-functional connectivity mapping of the insular cortex: a combined data-driven and meta-analytic topic mapping.. **2022,** ○

143 Resting-state Networks in Tinnitus : A Scoping Review.. **2022,** ○

142 Space-time resolved inference-based whole-brain neurophysiological mechanism imaging: application to resting-state alpha rhythm.

141 Mixtures of large-scale dynamic functional brain network modes. ○

140 Beneficial Effect of High-Frequency Repetitive Transcranial Magnetic Stimulation for the Verbal Memory and Default Mode Network in Healthy Older Adults. **2022,** 14, 1

139 Categorical and dimensional brain network-based models of trauma-related dissociative subtypes.

138 Neural correlates of anxious distress in depression: A neuroimaging study of reactivity to emotional faces and resting-state functional connectivity.. **2022,** ○

137 Static magnetic field stimulation over motor cortex modulates resting functional connectivity in humans.. **2022,** 12, 7834 ○

- 136 A deep graph neural network architecture for modelling spatio-temporal dynamics in resting-state functional MRI data.. **2022**, 79, 102471 ○
- 135 The functional and structural neural correlates of dynamic balance impairment and recovery in persons with acquired brain injury.. **2022**, 12, 7990 ○
- 134 Inferring Task-related Networks Using Independent Component Analysis in Magnetoencephalography.
- 133 BDNF and KIBRA Polymorphisms Are Related to Altered Resting State Network Connectivity in Middle Age. **2021**, 1-12
- 132 The effect of mindfulness training on resting-state networks in pre-adolescent children with sub-clinical anxiety related attention impairments.. **2022**,
- 131 Slow fluctuations in ongoing brain activity decrease in amplitude with ageing yet their impact on task-related evoked responses is dissociable from behavior. 11, ○
- 130 Biclustering fMRI time series: a comparative study. **2022**, 23, ○
- 129 Ongoing Brain Activity and Its Role in Cognition: Dual versus Baseline Models. 107385842210817 ○
- 128 Cohesive parcellation of the human brain using resting-state fMRI. **2022**, 377, 109629
- 127 Future Directions for Chemosensory Connectomes: Best Practices and Specific Challenges. **2022**, 16, ○
- 126 Intrinsic Connectivity Networks of Glutamate-Mediated Antidepressant Response: A Neuroimaging Review. **2022**, 13, 1
- 125 The structure of anticorrelated networks in the human brain.
- 124 The broad edge of synchronization: Griffiths effects and collective phenomena in brain networks. **2022**, 380, ○
- 123 Understanding multi-modal brain network data: An immersive 3D visualization approach. **2022**, ○
- 122 Resting state functional brain networks associated with emotion processing in frontotemporal lobar degeneration. ○
- 121 Criticality and network structure drive emergent oscillations in a stochastic whole-brain model.
- 120 Acupuncture mechanism studies employing task-based fMRI: a scoping review protocol. **2022**, 11,
- 119 Parcellation-based tractographic modeling of the salience network through meta-analysis. 1

- 118 Performance of Temporal and Spatial Independent Component Analysis in Identifying and Removing Low-Frequency Physiological and Motion Effects in Resting-State fMRI. 16, 0
- 117 Functional alterations in large-scale resting-state networks of amyotrophic lateral sclerosis: A multi-site study across Canada and the United States. **2022**, 17, e0269154 1
- 116 Disentanglement of Resting State Brain Networks for Localizing Epileptogenic Zone in Focal Epilepsy. 0
- 115 Aberrant functional connectivity within the salience network is related to cognitive deficits and disorganization in psychosis. **2022**, 246, 103-111 0
- 114 Functional Connectivity of Cortical Resting-State Networks is Differentially Affected by Rest Conditions. 0
- 113 Features of residual brain activity in patients with chronic disorders of consciousness on resting-state functional MRI. **2022**, 16, 15-24 0
- 112 Transfer Learning from Healthy to Unhealthy Patients for the Automated Classification of Functional Brain Networks in fMRI. **2022**, 12, 6925 0
- 111 Visual stimulation and frequency of focal neurological symptoms engage distinctive neurocognitive resources in migraine with aura patients: a study of resting-state functional networks. **2022**, 23, 0
- 110 Altered resting-state functional connectivity of default mode network in brachioradial pruritus. 0
- 109 Variability in cognitive task performance in early adolescence is associated with stronger between-network anticorrelation and future attention problems. 0
- 108 Learning brain representation using recurrent Wasserstein generative adversarial net. **2022**, 223, 106979 0
- 107 Act natural: Functional connectivity from naturalistic stimuli fMRI outperforms resting-state in predicting brain activity. **2022**, 258, 119359 1
- 106 Multimodal fusion analysis of functional, cerebrovascular and structural neuroimaging in healthy aging subjects. 0
- 105 Human Brain Development: a cross-sectional and longitudinal study integrating multiple neuromorphological features. 0
- 104 Template independent component analysis with spatial priors for accurate subject-level brain network estimation and inference. 1-35 0
- 103 Transient brain-wide coactivations and structured transitions revealed in hemodynamic imaging data. **2022**, 260, 119460 0
- 102 Does Practice Make Perfect? Functional Connectivity of the Salience Network and Somatosensory Network Predicts Response to Mind-Body Treatments for Fibromyalgia. 0
- 101 Altered brain network topology in children with auditory processing disorder: A resting-state multi-echo fMRI study. **2022**, 35, 103139 0

- 100 Aberrant brain connectivity is associated with childhood maltreatment in individuals with major depressive disorder. ○
- 99 The fractional amplitude of low-frequency fluctuations signals related to amyloid uptake in high-risk populations: A pilot fMRI study. 14,
- 98 Resting-State Functional Connectivity Characteristics of Resilience to Traumatic Stress in Dutch Police Officers. 16,
- 97 The Effect of Long-Term Menstrual Pain on Large-Scale Brain Network in Primary Dysmenorrhea Patients. Volume 15, 2123-2131
- 96 Neural correlates of repetitive negative thinking: Dimensional evidence across the psychopathological continuum. 13,
- 95 Preliminary study on brain resting-state networks and cognitive impairments of patients with obstructive sleep apnea-hypopnea syndrome.
- 94 Gumbel-Softmax based Neural Architecture Search for Hierarchical Brain Networks Decomposition. **2022**, 102570
- 93 Reproducibility of functional connectivity metrics estimated from resting-state functional MRI with differences in days, coils, and global signal regression.
- 92 Brain functional connectivity differences between responders and non-responders to sleeve gastrectomy.
- 91 Decoding Task-Based fMRI Data with Graph Neural Networks, Considering Individual Differences. **2022**, 12, 1094 ○
- 90 Disrupted intra- and inter-network connectivity in unilateral acute tinnitus with hearing loss. 14,
- 89 Comparison of Functional Connectivity Analysis Methods in Alzheimer's Disease. **2022**, 12, 8096
- 88 Comparing the blood oxygen level-dependent fluctuation power of benign and malignant musculoskeletal tumors using functional magnetic resonance imaging. 12,
- 87 Connectivity impairment of cerebellar and sensorimotor connector hubs in Parkinson's disease. ○
- 86 Lower Brain Glucose Metabolism in Normal Ageing is Predominantly Frontal and Temporal: A Systematic Review and Pooled Effect Size and Activation Likelihood Estimates Meta-Analyses.
- 85 Disrupted dynamic interactions between large-scale brain networks in cocaine users are associated with dependence severity. **2022**, ○
- 84 Structural and functional brain alterations in Cushing's disease: A narrative review. **2022**, 67, 101033 ○
- 83 Mixtures of large-scale dynamic functional brain network modes. **2022**, 263, 119595 ○

- 82 Space-time resolved inference-based neurophysiological process imaging: Application to resting-state alpha rhythm. **2022**, 263, 119592 ○
- 81 Functional connectivity of cortical resting-state networks is differentially affected by rest conditions. **2022**, 1796, 148081 ○
- 80 Variability and concordance among indices of brain activity in major depressive disorder with suicidal ideation: A temporal dynamics resting-state fMRI analysis. **2022**, 319, 70-78 ○
- 79 The role of basal ganglia network in neural plasticity in neuromyelitis optica spectrum disorder with myelitis. **2022**, 68, 104170 ○
- 78 Prediction of brain age based on the community structure of functional networks. **2023**, 79, 104151 ○
- 77 Classification of 4D fMRI Images Using ML, Focusing on Computational and Memory Utilization Efficiency. **2022**, 55-64 ○
- 76 Involvement of cerebellar and subcortical connector hubs in schizophrenia. **2022**, 35, 103140 ○
- 75 Advanced Neuroimaging of the Subcortical Space: Connectomics in Brain Surgery. **2022**, 29-47 ○
- 74 Brain disorder prediction with dynamic multivariate spatio-temporal features: Application to Alzheimer's disease and autism spectrum disorder. 14, ○
- 73 More than just statics: Static and temporal dynamic changes in intrinsic brain activity in unilateral temporal lobe epilepsy. 16, ○
- 72 Divergences Between Resting State Networks and Meta-Analytic Maps Of Task-Evoked Brain Activity. **2022**, 15, ○
- 71 Functional connectivity alterations in migraineurs with Alice in Wonderland syndrome. 1 ○
- 70 Neurophysiological basis of hemodynamic responses in the developing human brain before the time of normal birth. ○
- 69 Comparison Between Gradients and Parcellations for Functional Connectivity Prediction of Behavior. ○
- 68 The older adult brain is less modular, more integrated, and less efficient at rest: A systematic review of large-scale resting-state functional brain networks in aging. 1
- 67 Dynamic Brain Connectivity in Resting-State FMRI Using Spectral ICA and Graph Approach: Application to Healthy Controls and Multiple Sclerosis. **2022**, 12, 2263 ○
- 66 Extracting default mode network based on graph neural network for resting state fMRI study. 1, 1
- 65 Clusterwise Independent Component Analysis (C-ICA): Using fMRI resting state networks to cluster subjects and find neurofunctional subtypes. **2022**, 109718 ○

- 64 Large-scale networks underlie cognitive insight differs between untreated adolescents ongoing their first schizophrenic episode and their reference non-schizophrenic mates. **2022**, 8, e10818
- 63 Deconstructing dissociation: a triple network model of trauma-related dissociation and its subtypes.
- 62 A novel rhesus macaque model of Huntington's disease recapitulates key neuropathological changes along with motor and cognitive decline. 11,
- 61 Reliability and Similarity of Resting State Functional Connectivity Networks Imaged Using Wearable, High-Density Diffuse Optical Tomography in the Home Setting. **2022**, 119663
- 60 Intrinsic Brain Activity and Resting State Networks. **2022**, 1939-1990
- 59 Precise motor rhythmicity relies on motor network responsivity.
- 58 Brain connectivity changes associated with episodic recollection decline in aging: A review of fMRI studies. 14,
- 57 Sleep variability over a 2-week period is associated with restfulness and intrinsic limbic network connectivity in adolescents.
- 56 Nigral Iron Deposition Influences Disease Severity by Modulating the Effect of Parkinson's Disease on Brain Networks. **2022**, 1-14
- 55 Cortical gradients during naturalistic processing are hierarchical and modality-specific.
- 54 Longitudinal investigation of executive function development employing task-based, teacher reports, and fNIRS multimethodology in 4- to 5-year-old children. **2022**, 25,
- 53 Lower brain glucose metabolism in normal ageing is predominantly frontal and temporal: A systematic review and pooled effect size and activation likelihood estimates meta-analyses.
- 52 A Hypothalamic Mechanism Regulates the Duration of a Migraine Attack: Insights from Microstructural and Temporal Complexity of Cortical Functional Networks Analysis. **2022**, 23, 13238
- 51 Determine functional brain connections in Alzheimer's disease by using Molecular Dynamics method in Functional Magnetic Resonance Imaging. **2023**, 146, 388-406
- 50 Neuroimaging in multiple system atrophy. **2023**, 311-354
- 49 A novel hidden Markov approach to studying dynamic functional connectivity states in human neuroimaging.
- 48 Relay and higher-order thalamic nuclei show an intertwined functional association with cortical-networks. **2022**, 5,
- 47 The structure of anticorrelated networks in the human brain. 2,

- 46 Amplitudes of resting-state functional networks – Investigation into their correlates and biophysical properties. **2023**, 265, 119779 ○
- 45 Reorganization of resting-state brain network functional connectivity across human brain developmental stages. **2023**, 1800, 148196 ○
- 44 A true response of the brain network during electroacupuncture stimulation at scalp acupoints: An fMRI with simultaneous EAS study. ○
- 43 Variability in cognitive task performance in early adolescence is associated with stronger between-network anticorrelation and future attention problems. **2022**, ○
- 42 A systematic review exploring the association between the human gut microbiota and brain connectivity in health and disease. ○
- 41 Alteration of the resting-state brain networks: a multi-aspect study of functional and effective connectivity in Parkinson’s disease. ○
- 40 Preliminary study on brain resting-state networks and cognitive impairments of patients with obstructive sleep apnea–hypopnea syndrome. **2022**, 22, ○
- 39 Altered Brain Connectivity in Hyperkinetic Movement Disorders: a Review of Resting-State fMRI. **2022**, 103302 ○
- 38 Evaluating methods for measuring background connectivity in slow event-related functional MRI designs. ○
- 37 A cross-sectional and longitudinal study of human brain development: the integration of cortical thickness, surface area, gyrification index, and cortical curvature into a unified analytical framework. **2023**, 119885 ○
- 36 Alterations of degree centrality and functional connectivity in classic trigeminal neuralgia. 16, ○
- 35 Resting state networks of awake adolescent and adult squirrel monkeys using ultra-high field (9.4T) functional magnetic resonance imaging. ○
- 34 Resting state network mapping in individuals using deep learning. 13, ○
- 33 Implementation of Automated Pipeline for Resting-State fMRI Analysis with PACS Integration. ○
- 32 Brain dynamics in triple-network interactions and its relation to multiple cognitive impairments in mild traumatic brain injury. ○
- 31 Resting-state connectivity and neural response to emotional images in patients with severe health anxiety: An fMRI study. **2023**, 324, 370-378 ○
- 30 Human motor sequence learning drives transient changes in network topology and hippocampal connectivity early during memory consolidation. ○
- 29 Nutritional supplement induced modulations in the functional connectivity of a porcine brain. 1-12 ○



- 28 Does Practice Make Perfect? Functional Connectivity of the Salience Network and Somatosensory Network Predicts Response to Mind-Body Treatments for Fibromyalgia.
- 27 Mapping Brain Networks Using Multimodal Data. **2023**, 2975-3025
- 26 Wide-Field Optical Imaging in Mouse Models of Ischemic Stroke. **2023**, 113-151
- 25 Infant brain regional cerebral blood flow increases supporting emergence of the default-mode network. 12,
- 24 Estimating and mitigating the effects of systemic low frequency oscillations (sLFO) on resting state networks in awake non-human primates using time lag dependent methodology. 1,
- 23 Exploration of static functional connectivity and dynamic functional connectivity alterations in the primary visual cortex among patients with high myopia via seed-based functional connectivity analysis. 17,
- 22 Prefrontal, parietal, and limbic condition-dependent differences in bipolar disorder: a large-scale meta-analysis of functional neuroimaging studies.
- 21 Environmental effects on brain functional networks in a juvenile twin population. **2023**, 13,
- 20 Towards a dynamical understanding of microstate analysis of M/EEG data.
- 19 Cortical gradients during naturalistic processing are hierarchical and modality-specific. **2023**, 271, 120023
- 18 Modules in connectomes of phase-synchronization comprise anatomically contiguous, functionally related regions. **2023**, 272, 120036
- 17 Unbalanced amygdala communication in major depressive disorder. **2023**, 329, 192-206
- 16 Comparison between gradients and parcellations for functional connectivity prediction of behavior. **2023**, 273, 120044
- 15 fMRI functional connectivity is a better predictor of general intelligence than cortical morphometric features and ICA parcellation order affects predictive performance. **2023**, 97, 101727
- 14 Computing personalized brain functional networks from fMRI using self-supervised deep learning. **2023**, 85, 102756
- 13 Aberrant inter-network functional connectivity in drug-naive Parkinson's disease patients with tremor dominant and postural instability and gait difficulty. 17,
- 12 Spontaneous Activity Patterns in Human Attention Networks Code for Hand Movements. **2023**, 43, 1976-1986
- 11 Dynamics of working memory process revealed by independent component analysis in an fMRI study. **2023**, 13,

- 10 A Comparison of fMRI Data-Derived and Physiological Data-Derived Methods for Physiological Noise Correction. ○
- 9 Effects of Combined Intervention of rTMS and Neurotransmitter Drugs on the Brain Functional Networks in Patients with Cognitive Impairment. **2023**, 13, 419 ○
- 8 Introduction. **2023**, 1-27 ○
- 7 Aberrant Large-Scale Network Interactions Across Psychiatric Disorders Revealed by Large-Sample Multi-Site Resting-State Functional Magnetic Resonance Imaging Datasets. ○
- 6 Examining resting-state network connectivity in children exposed to perinatal maternal adversity using anatomically weighted functional connectivity (awFC) analyses; A preliminary report. 17, ○
- 5 Self-Supervised Learning for Functional Brain Networks identification in fMRI from Healthy to Unhealthy Patients. **2022**, ○
- 4 Longitudinal brain functional connectivity changes induced by neurosurgical thalamotomy for tremor in Parkinson disease: a preliminary study. ○
- 3 Evaluating methods for measuring background connectivity in slow event-related functional magnetic resonance imaging designs. ○
- 2 Impact of amplitude and phase of fMRI time series for functional connectivity analysis. **2023**, ○
- 1 How the body remembers: Examining the default mode and sensorimotor networks during moral injury autobiographical memory retrieval in PTSD. **2023**, 38, 103426 ○