

# CITATION REPORT

List of articles citing

## WHO-EORTC classification for cutaneous lymphomas

DOI: 10.1182/blood-2004-09-3502  
Blood, 2005, 105, 3768-85.

**Source:** <https://exaly.com/paper-pdf/39273926/citation-report.pdf>

**Version:** 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2284	Precursor Lesions of Cutaneous T Cell Lymphoma. 93-140		
2283	Pediatric mature T-cell and NK-cell non-Hodgkin lymphomas. 429-464		
2282	Cutaneous and subcutaneous lymphomas in children. 540-561		
2281	Hematopoietic and lymphoid tumors. <b>2000</b> , 304-388		
2280	Cutaneous lymphoma. <b>2001</b> , 233-251		
2279	Diagnostic pathology of lymphoproliferative disorders. <b>2005</b> , 37, 434-56		8
2278	Primary Cutaneous B-Cell Lymphomas. <b>2005</b> , 10, 277-280		
2277	Primary cutaneous marginal zone B-cell lymphoma: clinical and therapeutic features in 50 cases. <b>2005</b> , 141, 1139-45		130
2276	Cutaneous lymphomas: it's location, location, location. <i>Blood</i> , <b>2005</b> , 105, 3394-3395	2.2	2
2275	Primary cutaneous large B-cell lymphomas: clinicopathologic features, classification, and prognostic factors in a large series of patients. <i>Blood</i> , <b>2005</b> , 106, 2491-7	2.2	186
2274	Brenan Prize Presentation Abstracts. <b>2005</b> , 46, A43-A47		
2273	The new World Health Organization-European Organization for Research and Treatment of Cancer classification for cutaneous lymphomas: a practical marriage of two giants. <b>2005</b> , 153, 874-80		120
2272	Natural killer-cell malignancies: diagnosis and treatment. <b>2005</b> , 19, 2186-94		231
2271	[The morphologic spectrum of cutaneous pseudolymphomas]. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2005</b> , 3, 710-20; quiz 721	1.2	12
2270	Comparative genomic hybridization analysis of cutaneous large B-cell lymphomas. <b>2005</b> , 14, 883-90		12
2269	WHO/EORTC classification of cutaneous lymphomas 2005: histological and molecular aspects. <b>2005</b> , 32, 647-74		271
2268	Modern classification of neoplasms: reconciling differences between morphologic and molecular approaches. <b>2005</b> , 5, 100		19

2267	Radiation therapy for localized low-grade non-Hodgkin's lymphomas. <b>2005</b> , 23, 10-7		58
2266	Primary cutaneous T-cell lymphomas show a deletion or translocation affecting NAV3, the human UNC-53 homologue. <b>2005</b> , 65, 8101-10		79
2265	Cutaneous lymphomas reported to the National Cancer Institute's surveillance, epidemiology, and end results program: applying the new WHO-European Organisation for Research and Treatment of Cancer classification system. <b>2005</b> , 23, 7246-8		28
2264	Classification of primary cutaneous lymphomas. <b>2006</b> , 39, 25-37		3
2263	The clinical impact of T cell receptor rearrangement analysis in cutaneous T cell lymphoma. <b>2006</b> , 39, 16-24		
2262	Dfinition, classification, diagnostic clinique et histologique des lymphomes T cutanš. <b>2005</b> , 132, 5-10		0
2261	Pronostic des lymphomes T cutanš primitifs. <b>2005</b> , 132, 13-20		0
2260	Inflammatory dermatoses mimicking malignancy (pseudolymphoma). <b>2005</b> , 11, 245-252		6
2259	[Cutaneous marginal zone B-cell lymphoma treated with rituximab]. <b>2005</b> , 96, 593-7		3
2258	[Primary cutaneous diffuse large B-cell lymphoma of the leg according to the new WHO-EORTC classification. Two cases]. <b>2005</b> , 96, 607-11		4
2257	Extranodal lymphomas of the head and neck. <b>2005</b> , 9, 340-50		113
2256	[Aggressive T cytotoxic CD8+ epidermotropic cutaneous lymphoma: a case in a patient with Steinert's myotonic dystrophy]. <b>2006</b> , 133, 991-4		6
2255	Management of refractory early-stage cutaneous T-cell lymphoma. <b>2006</b> , 7, 155-69		14
2254	Bexarotene in the treatment of cutaneous T-cell lymphoma. <b>2006</b> , 7, 907-15		30
2253	Sžary cell counts in erythrodermic cutaneous T-cell lymphoma: implications for prognosis and staging. <i>Leukemia and Lymphoma</i> , <b>2006</b> , 47, 1841-56	1.9	52
2252	Intra-lesional low-dose interferon alpha2a therapy for primary cutaneous marginal zone B-cell lymphoma. <i>Leukemia and Lymphoma</i> , <b>2006</b> , 47, 865-9	1.9	52
2251	Array-based comparative genomic hybridization analysis reveals recurrent chromosomal alterations and prognostic parameters in primary cutaneous large B-cell lymphoma. <b>2006</b> , 24, 296-305		101
2250	Diffuse aggressive histologies of non-hodgkin lymphoma: treatment and biology of limited disease. <b>2006</b> , 43, 207-12		11

2249	Papular mycosis fungoides: a variant of mycosis fungoides or lymphomatoid papulosis?. <b>2006</b> , 55, 177-80	14
2248	Mucinosis follicular. <b>2006</b> , 21, 493-498	3
2247	EORTC consensus recommendations for the treatment of mycosis fungoides/Szary syndrome. <b>2006</b> , 42, 1014-30	330
2246	Linfomas cutáneos: aporte de la clasificaci3n OMS-EORTC. <b>2006</b> , 40, 1-9	
2245	Historical Overview and Current State of Art in Diagnosis and Treatment of Hodgkin's and Non-Hodgkin's Lymphoma. <b>2006</b> , 1, 203-17	3
2244	Papulosis linfomatoide, linfomas cutáneos primarios CD30+ y enfermedad de Hodgkin. <b>2006</b> , 40, 1-10	
2243	Subcutaneous panniculitis lymphoma: erythema nodosum-like. <b>2006</b> , 7, 239-41	4
2242	A case of primary cutaneous nasal type NK/T-cell lymphoma and review of the literature. <b>2006</b> , 213, 345-9	20
2241	CD4+/CD56+ hematologic malignancy with rearranged MLL gene. <b>2006</b> , 37, 247-9	8
2240	Aberrant nuclear BCL10 expression and lack of t(11;18)(q21;q21) in primary cutaneous marginal zone B-cell lymphoma. <b>2006</b> , 37, 867-73	31
2239	Unusual presentation of B-cell lymphoma as a cutaneous abscess. <b>2006</b> , 55, S24-7	5
2238	Primary cutaneous T-cell lymphoma occurring after organ transplantation. <b>2006</b> , 54, 668-75	61
2237	Topical photodynamic therapy for primary cutaneous B-cell lymphoma: a pilot study. <b>2006</b> , 54, 524-6	33
2236	CD4/CD8 double-negative epidermotropic cutaneous T-cell lymphoma: an immunohistochemical variant of mycosis fungoides. <b>2006</b> , 55, 276-84	88
2235	Warren L. Macaulay (1915-2006). <b>2006</b> , 55, 730-732	3
2234	What's new in cutaneous T-cell lymphomas: 2006. <b>2006</b> , 25, 87-90	4
2233	[Blastic NK-cell lymphoma]. <b>2006</b> , 97, 253-6	3
2232	[Treatment of mycosis fungoides with PUVA and bexarotene]. <b>2006</b> , 97, 311-8	6

2231	Cutaneous T-cell lymphoma. <b>2006</b> , 22, 90-6		8
2230	Processos linfoproliferativos da pele: parte 2 - linfomas cutâneos de células T e de células NK. <b>2006</b> , 81, 7-25		15
2229	[Epidermotropic T cell lymphomas as models for tumor progression]. <b>2006</b> , 22, 192-6		1
2228	Treatment of mycosis fungoides and S�ary syndrome: recent advances and novel therapies. <b>2006</b> , 1, 569-577		
2227	T-cell non-Hodgkin lymphoma. <i>Blood</i> , <b>2006</b> , 107, 1255-64	2.2	178
2226	Skin homing of S�ary cells involves SDF-1-CXCR4 signaling and down-regulation of CD26/dipeptidylpeptidase IV. <i>Blood</i> , <b>2006</b> , 107, 1108-15	2.2	127
2225	Primary cutaneous follicle center lymphoma and primary cutaneous large B-cell lymphoma, leg type, are both targeted by aberrant somatic hypermutation but demonstrate differential expression of AID. <i>Blood</i> , <b>2006</b> , 107, 4926-9	2.2	40
2224	Primary cutaneous marginal zone B-cell lymphoma. <b>2006</b> , 125 Suppl, S38-49		7
2223	Lymphomes cutan�s : apport de la classification Organisation mondiale de la sant�(OMS)-European Organization for research and Treatment of Cancer (EORTC). <b>2006</b> , 1, 1-9		
2222	Papulose lymphomatosa, lymphomes cutan�s primitifs CD30+ et maladie de Hodgkin. <b>2006</b> , 1, 1-10		
2221	New-Onset Thrombocytopenia and Anemia in a Patient With a Complex Medical History. <b>2006</b> , 37, 24-27		
2220	Primary cutaneous B-cell lymphoma: classification and treatment. <b>2006</b> , 18, 425-31		45
2219	Cutaneous lymphoid hyperplasia presenting as a solitary facial nodule: clinical, histopathological, immunophenotypical, and molecular studies. <b>2006</b> , 142, 1561-6		17
2218	Cytogenetic and molecular analysis of 12 cases of primary cutaneous marginal zone lymphomas. <b>2006</b> , 28, 287-92		16
2217	Atypical NK-cell proliferation of the gastrointestinal tract in a patient with antigliadin antibodies but not celiac disease. <b>2006</b> , 30, 539-44		34
2216	Clinicopathologic, Immunophenotypic, and Molecular Cytogenetic Fluorescence In Situ Hybridization Analysis of Primary and Secondary Cutaneous Follicular Lymphomas. <b>2006</b> , 2006, 205-207		
2215	Primary cutaneous lymphoproliferative disorders with dual lineage rearrangement. <b>2006</b> , 28, 399-409		30
2214	Bibliography. Current world literature. <b>2006</b> , 18, 197-223		

2213	Rimming of adipocytes by neoplastic lymphocytes: a histopathologic feature not restricted to subcutaneous T-cell lymphoma. <b>2006</b> , 28, 9-12	69
2212	Pleomorphic CD8+ small/medium size cutaneous T-cell lymphoma. <b>2006</b> , 28, 434-7	35
2211	Histopathologic features of cutaneous herpes virus infections (herpes simplex, herpes varicella/zoster): a broad spectrum of presentations with common pseudolymphomatous aspects. <b>2006</b> , 30, 50-8	84
2210	Chemokine receptor expression in cutaneous T cell and NK/T-cell lymphomas: immunohistochemical staining and in vitro chemotactic assay. <b>2006</b> , 30, 1111-9	47
2209	Cutaneous T-cell lymphoma. <b>2006</b> , 67, 178-83	
2208	Lymphomes: De la Biologie à la Clinique. <b>2006</b> , 2006, 17-19	
2207	t(14;18)(q32;q21) involving IGH and MALT1 is uncommon in cutaneous MALT lymphomas and primary cutaneous diffuse large B-cell lymphomas. <b>2006</b> , 33, 286-92	27
2206	The protean spectrum of non-Hodgkin lymphomas with prominent involvement of subcutaneous fat. <b>2006</b> , 33, 418-25	40
2205	Classification of cutaneous T-cell lymphoma: from Alibert to WHO-EORTC. <b>2006</b> , 33 Suppl 1, 18-26	100
2204	Primary cutaneous B-cell lymphomas: then and now. <b>2006</b> , 33 Suppl 1, 1-5	5
2203	New aspects in the biology of cutaneous B-cell lymphomas. <b>2006</b> , 33 Suppl 1, 6-9	6
2202	CD30+ lymphoproliferative disorders: histopathology, differential diagnosis, new variants, and simulators. <b>2006</b> , 33 Suppl 1, 58-70	132
2201	Pathogenesis and therapy of cutaneous lymphomas--progress or impasse?. <b>2006</b> , 15, 392-400	7
2200	Retrospective 5-year review of 131 patients with mycosis fungoides and S�ary syndrome seen at the National Skin Centre, Singapore. <b>2006</b> , 47, 248-52	43
2199	CD4+/CD56+ haematodermic neoplasm: a precursor haematological neoplasm that frequently first presents in the skin. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2006</b> , 20, 1129-32. <sup>4.6</sup>	17
2198	The spectrum of cutaneous lymphomas in Japan: a study of 62 cases based on the World Health Organization Classification. <b>2006</b> , 33, 487-91	21
2197	Detection of clonal rearrangement of T-cell receptor genes in the diagnosis of primary cutaneous CD30 lymphoproliferative disorders. <b>2006</b> , 33, 711-5	42
2196	Photodynamic therapy with methylaminolevulinate as a valuable treatment option for unilesional cutaneous T-cell lymphoma. <b>2006</b> , 22, 254-8	58

2195	New insights into the molecular biology and targeted therapy of cutaneous T-cell lymphomas. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2006</b> , 4, 395-406	1.2	21
2194	[Perspective of cutaneous lymphoma reserach]. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2006</b> , 4, 492-5	1.2	
2193	Cutaneous malignant lymphomas: update 2006. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2006</b> , 4, 914-33	1.2	19
2192	Kutane maligne Lymphome: Update 2006 zu ausgewählten Aspekten. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2006</b> , 4, no-no	1.2	
2191	Neues zur Molekularbiologie und zielgerichteten Therapie des kutanen T-Zell Lymphoms. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2006</b> , 4, no	1.2	
2190	Topical mechlorethamine and clobetasol in multifocal primary cutaneous marginal zone-B cell lymphoma. <b>2006</b> , 154, 1207-1209		1
2189	Regression of extranodal natural killer/T-cell lymphoma, nasal type with denileukin diftitox (Ontak) and bexarotene (Targretin): report of a case. <b>2006</b> , 154, 988-91		8
2188	Relative frequency and survival of patients with primary cutaneous lymphomas: data from a single-centre study of 203 patients. <b>2006</b> , 154, 1206-7		25
2187	Eosinophilic ulcer of the oral mucosa: another histological simulator of CD30+ lymphoproliferative disorders. <b>2006</b> , 155, 460-3		51
2186	Mycosis fungoides associated with B-cell malignancies. <b>2006</b> , 155, 379-86		50
2185	18F-fluorodeoxyglucose-positron emission tomography in evaluation of primary cutaneous lymphoma. <b>2006</b> , 155, 357-63		53
2184	Intralesional and intravenous treatment of cutaneous B-cell lymphomas with the monoclonal anti-CD20 antibody rituximab: report and follow-up of eight cases. <b>2006</b> , 155, 1197-200		63
2183	Analysis of immunoglobulin V genes suggests cutaneous marginal zone B-cell lymphomas recognise similar antigens. <b>2006</b> , 132, 571-5		22
2182	Staging and management of cutaneous T-cell lymphoma. <b>2006</b> , 31, 181-6		33
2181	Complete remission of a primary cutaneous follicle-center cell lymphoma (EORTC criteria)/diffuse large B-cell lymphoma (WHO criteria) by single first-line therapy with rituximab. <i>Journal of Dermatology</i> , <b>2006</b> , 33, 377-9	1.6	7
2180	Folliculotropic mycosis fungoides presenting as papuloerythroderma. <i>Journal of Dermatology</i> , <b>2006</b> , 33, 498-500	1.6	6
2179	Primary cutaneous aggressive epidermotropic CD8(+) cytotoxic T-cell lymphoma with atypical presentation. <i>Journal of Dermatology</i> , <b>2006</b> , 33, 632-4	1.6	12
2178	Primary cutaneous peripheral T-cell lymphoma, unspecified, with CD8-positive phenotype. <b>2006</b> , 45, 1385-1387		

2177	Peripheral T-cell lymphoma presenting as lipoatrophy and nodules. <b>2006</b> , 45, 1415-9	20
2176	Early-stage mycosis fungoides, parapsoriasis en plaque, and pregnancy. <b>2007</b> , 46, 160-5	11
2175	Primary cutaneous peripheral T-cell lymphoma, unspecified, with CD8-positive phenotype. <b>2006</b> , 45, 1385-7	2
2174	Update on extranodal lymphomas. Conclusions of the Workshop held by the EAHP and the SH in Thessaloniki, Greece. <b>2006</b> , 48, 481-504	68
2173	Expression of TCL1 and CD27 in primary cutaneous B-cell lymphomas. <b>2006</b> , 49, 343-8	3
2172	Decreased CD117 expression in hypopigmented mycosis fungoides correlates with hypomelanosis: lessons learned from vitiligo. <b>2006</b> , 19, 1255-60	37
2171	Expression of B-cell transcription factors in primary cutaneous B-cell lymphoma. <b>2006</b> , 19, 1270-6	33
2170	Expression of the plasmacytoid dendritic cell marker BDCA-2 supports a spectrum of maturation among CD4+ CD56+ hematodermic neoplasms. <b>2006</b> , 19, 1555-62	74
2169	Elevated serum CTACK/CCL27 levels in CTCL. <b>2006</b> , 126, 1189-91	30
2168	Paucity of FOXP3+ cells in skin and peripheral blood distinguishes Sary syndrome from other cutaneous T-cell lymphomas. <b>2006</b> , 20, 1123-9	80
2167	Extracutaneous transformation into a high-grade lymphoma: a potential pitfall in the management of patients with Sary syndrome. <b>2006</b> , 45, 277-9	7
2166	Primary cutaneous histiocyte and neutrophil-rich CD30+ and CD56+ anaplastic large-cell lymphoma with prominent angioinvasion and nerve involvement in the forehead and scalp of an immunocompetent woman. <b>2006</b> , 33, 584-9	18
2165	Mycosis fungoides/Sary syndrome: report of an unusual case. <b>2006</b> , 33 Suppl 2, 12-5	9
2164	The influence of STAT5 antisense oligodeoxynucleotides on the proliferation and apoptosis of selected human cutaneous T-cell lymphoma cell lines. <b>2006</b> , 297, 450-8	1
2163	[Therapy-resistant cutaneous infiltrates in chronic lymphocytic leukemia]. <b>2006</b> , 57, 1009-12	1
2162	[Cutaneous lymphomas: classification and stage-adjusted therapy]. <b>2006</b> , 57, 744-55	2
2161	Results of radiotherapy in primary cutaneous lymphoma. <b>2006</b> , 8, 430-4	2
2160	Cytophagic histiocytic panniculitis with encephaloclastic changes: A case report and literature review. <b>2006</b> , 3, 223-226	

2159	Mycosis fungoides and sezary syndrome: an update. <b>2006</b> , 8, 376-86		30
2158	Favorable outcome of primary cutaneous marginal zone lymphoma treated with intralesional rituximab. <b>2006</b> , 77, 300-3		40
2157	Recurrent primary cutaneous large B-cell lymphoma after a long-term remission. <b>2006</b> , 56, 645-7		2
2156	Primary cutaneous follicle center lymphoma of the arm with a novel chromosomal translocation t(12;21)(q13;q22): a case report. <b>2006</b> , 81, 448-53		8
2155	Aggressive CD30 large cell lymphoma after cyclosporine given for putative atopic dermatitis. <b>2006</b> , 213, 239-41		20
2154	Rituximab-related urticarial reaction in a patient treated for primary cutaneous B-cell lymphoma. <b>2006</b> , 17, 1720-1		22
2153	[Peripheral T-cell lymphoma: diagnosis and treatment]. <b>2006</b> , 131, 685-90		3
2152	Primary cutaneous marginal zone B-cell lymphoma of MALT type in a child. <b>2006</b> , 9, 468-73		14
2151	Cutaneous B-cell lymphoma treated with rituximab infusions. <i>Acta Dermato-Venereologica</i> , <b>2006</b> , 86, 550-1	2.2	3
2150	Th1 response and cytotoxicity genes are down-regulated in cutaneous T-cell lymphoma. <b>2006</b> , 12, 4812-21		58
2149	Anaplastic large-cell lymphoma, T-/null-cell type. <b>2006</b> , 11, 831-40		51
2148	Lymphoproliferative lesions of the skin. <b>2006</b> , 59, 813-26		38
2147	Primary cutaneous T-cell lymphomas. <b>2006</b> , 2006, 323-30, 513		24
2146	Prognosis of lymphomatoid papulosis. <b>2006</b> , 11, 955-7; author reply 957		23
2145	In Reply. <b>2006</b> , 24, 4041a-4042		
2144	Disseminated intravascular B-cell lymphoma: clinicopathological features and outcome of three cases treated with anthracycline-based immunochemotherapy. <b>2006</b> , 11, 923-8		34
2143	Presence of circulating CCR10+ T cells and elevated serum CTACK/CCL27 in the early stage of mycosis fungoides. <b>2006</b> , 12, 2670-5		32
2142	Expression of interleukin-18 and caspase-1 in cutaneous T-cell lymphoma. <b>2006</b> , 12, 376-82		37

2141	Specification on the definition of adult-type soft tissue sarcoma. <b>2006</b> , 24, 4042-3; author reply 4043-4		9
2140	Extranodal marginal zone B-cell lymphoma/maltoma of the lip in a child: case report and review of cutaneous lymphoid proliferations in childhood. <b>2006</b> , 14, 163-9		18
2139	In Reply. <b>2006</b> , 11, 957-957		
2138	CD56-positive haematological neoplasms of the skin: a multicentre study of the Cutaneous Lymphoma Project Group of the European Organisation for Research and Treatment of Cancer. <b>2007</b> , 60, 981-9		95
2137	Cutaneous B-cell lymphoma responds to rituximab: a report of five cases and a review of the literature. <i>Leukemia and Lymphoma</i> , <b>2006</b> , 47, 1902-7	1.9	23
2136	CD8+ Lymphomatoid Papulosis and Its Differential Diagnosis. <b>2006</b> , 125, 490-501		45
2135	The role of $\Gamma$ cells in human cutaneous oncology. <b>2006</b> , 1, 293-301		
2134	A case of erythrodermic-CTCL. <i>Leukemia and Lymphoma</i> , <b>2006</b> , 47, 1708-10	1.9	1
2133	Mucosa-associated lymphoid tissue (MALT) lymphoma: a practical guide for pathologists. <b>2007</b> , 60, 361-72		109
2132	Prognostic factors in primary cutaneous B-cell lymphoma: the Italian Study Group for Cutaneous Lymphomas. <b>2006</b> , 24, 1376-82		147
2131	Usefulness (or Lack Thereof) of Immunophenotyping in Atypical Cutaneous T-Cell Infiltrates. <b>2006</b> , 125, 727-736		41
2130	Pathobiology of peripheral T-cell lymphomas. <b>2006</b> , 2006, 317-22		57
2129	Down-modulation of CXCR3 surface expression and function in CD8+ T cells from cutaneous T cell lymphoma patients. <b>2007</b> , 179, 4272-82		14
2128	Hepatosplenic and other gammadelta T-cell lymphomas. <b>2007</b> , 127, 869-80		121
2127	Vision loss following denileukin diftitox treatment: a case report of possible posterior ischemic optic neuropathy. <i>Leukemia and Lymphoma</i> , <b>2007</b> , 48, 808-11	1.9	16
2126	Primary cutaneous diffuse large B-cell lymphoma, leg type, with the clinical picture of chronic venous ulceration. <i>Acta Dermato-Venereologica</i> , <b>2007</b> , 87, 169-70	2.2	8
2125	CD4+/CD56+ hematodermic tumor: the features of an evolving entity and its relationship to dendritic cells. <b>2007</b> , 127, 687-700		124
2124	F-18-fluoro-deoxy-glucose positron emission tomography in the assessment of peripheral T-cell lymphomas. <i>Leukemia and Lymphoma</i> , <b>2007</b> , 48, 1531-8	1.9	39

2123	Diagnostic value of combining immunostaining for CD3 and nuclear morphometry in mycosis fungoides. <b>2008</b> , 61, 209-12	7
2122	Clinical features, prognosis and treatment of follicular lymphoma. <b>2007</b> , 2007, 216-25	48
2121	Phase II trial of proteasome inhibitor bortezomib in patients with relapsed or refractory cutaneous T-cell lymphoma. <b>2007</b> , 25, 4293-7	244
2120	<i>Borrelia burgdorferi</i> -associated primary cutaneous marginal-zone B-cell lymphoma: a case report. <b>2007</b> , 215, 229-32	30
2119	Case records of the Massachusetts General Hospital. Case 38-2007. A 44-year-old woman with generalized, painful, ulcerated skin lesions. <b>2007</b> , 357, 2496-505	24
2118	Phase IIb multicenter trial of vorinostat in patients with persistent, progressive, or treatment refractory cutaneous T-cell lymphoma. <b>2007</b> , 25, 3109-15	835
2117	Interferon and low dose methotrexate improve outcome in refractory mycosis fungoides/Szary syndrome. <b>2007</b> , 22, 836-40	28
2116	Perineural CNS invasion in primary cutaneous follicular center lymphoma. <b>2007</b> , 25, 4684-6	1
2115	Intravascular lymphoma in a patient with systemic lupus erythematosus: a case report. <b>2007</b> , 16, 525-8	7
2114	Reclassification of 300 primary cutaneous B-Cell lymphomas according to the new WHO-EORTC classification for cutaneous lymphomas: comparison with previous classifications and identification of prognostic markers. <b>2007</b> , 25, 1581-7	215
2113	Primary cutaneous large B-cell lymphoma of the leg and acute hypercalcemia. <b>2007</b> , 25, 5825-6	1
2112	Cutaneous T-cell lymphoma epidemiology: patients providing the power. <b>2007</b> , 143, 916-8	6
2111	Primary cutaneous diffuse large B-cell lymphoma, leg type: clinicopathologic features and prognostic analysis in 60 cases. <b>2007</b> , 143, 1144-50	168
2110	Results of radiotherapy in 153 primary cutaneous B-Cell lymphomas classified according to the WHO-EORTC classification. <b>2007</b> , 143, 1520-6	93
2109	A Nodule on a Boy's Back - Diagnosis. <b>2007</b> , 143, 417	
2108	Persistent Violaceous Papules on the Ears - Diagnosis. <b>2007</b> , 143, 417	
2107	Bilateral Symmetrical Nodules on the Feet - Diagnosis. <b>2007</b> , 143, 417	1
2106	Primary cutaneous lymphomas: ESMO clinical recommendations for diagnosis, treatment and follow-up. <b>2007</b> , 18 Suppl 2, ii61-2	4

2105	Cutaneous T-cell lymphoid dyscrasia: a unifying term for idiopathic chronic dermatoses with persistent T-cell clones. <b>2007</b> , 143, 921-32		64
2104	Cutaneous T-cell and NK-cell lymphomas: the WHO-EORTC classification and the increasing recognition of specialized tumor types. <b>2007</b> , 127, 670-86		32
2103	Crusted Violaceous Plaques on an Immunocompromised HostâDiagnosis. <b>2007</b> , 143, 417		6
2102	Rare provisional entity: primary cutaneous aggressive epidermotropic CD8+ cytotoxic T-cell lymphoma in a young woman. <b>2008</b> , 61, 770-2		8
2101	Recommended curriculum for teaching hematopathology to subspecialty hematopathology fellows. <b>2007</b> , 127, 962-76		7
2100	Molecular cytogenetics in the study of cutaneous T-cell lymphomas (CTCL). <b>2007</b> , 118, 353-61		28
2099	[Identification of clonal proliferation of T cell and FIP1L1-PDGFRalpha fusion gene in hypereosinophilic syndrome associated with lymphomatoid papulosis which showed rapid and complete response to the treatment with imatinib]. <b>2007</b> , 96, 2794-7		2
2098	Pegylated liposomal doxorubicin in the treatment of primary cutaneous T-cell lymphomas. <b>2007</b> , 92, 686-9		45
2097	Low-dose intermittent alemtuzumab in the treatment of Szary syndrome: clinical and immunologic findings in 14 patients. <b>2007</b> , 92, 784-94		143
2096	Monoclonal TCR-Vbeta13.1+/CD4+/NKa+/CD8-/dim T-LGL lymphocytosis: evidence for an antigen-driven chronic T-cell stimulation origin. <i>Blood</i> , <b>2007</b> , 109, 4890-8	2.2	59
2095	Gene-expression profiling and array-based CGH classify CD4+CD56+ hematodermic neoplasm and cutaneous myelomonocytic leukemia as distinct disease entities. <i>Blood</i> , <b>2007</b> , 109, 1720-7	2.2	115
2094	Phase 2 trial of oral vorinostat (suberoylanilide hydroxamic acid, SAHA) for refractory cutaneous T-cell lymphoma (CTCL). <i>Blood</i> , <b>2007</b> , 109, 31-9	2.2	924
2093	TNM classification system for primary cutaneous lymphomas other than mycosis fungoides and Sezary syndrome: a proposal of the International Society for Cutaneous Lymphomas (ISCL) and the Cutaneous Lymphoma Task Force of the European Organization of Research and Treatment of Cancer (EORTC). <i>Blood</i> , <b>2007</b> , 110, 479-84	2.2	344
2092	Lesional gene expression profiling in cutaneous T-cell lymphoma reveals natural clusters associated with disease outcome. <i>Blood</i> , <b>2007</b> , 110, 3015-27	2.2	96
2091	Clinical efficacy of zanolimumab (HuMax-CD4): two phase 2 studies in refractory cutaneous T-cell lymphoma. <i>Blood</i> , <b>2007</b> , 109, 4655-62	2.2	168
2090	Watch out, MF!. <i>Blood</i> , <b>2007</b> , 110, 1708-1709	2.2	1
2089	A pill for some anemias?. <i>Blood</i> , <b>2007</b> , 110, 1709-1709	2.2	1
2088	T/NK-Cell Lymphomas/Leukemias: Shedding New Light on These Rare Diseases. <b>2007</b> , 14, 96-97		1

2087	The diagnosis, staging, and treatment options for mycosis fungoides. <b>2007</b> , 14, 102-11	40
2086	Indolent CD8-positive lymphoid proliferation of the ear: a distinct primary cutaneous T-cell lymphoma?. <b>2007</b> , 31, 1887-92	144
2085	Epidermotropic precursor T-cell lymphoma with highly aggressive clinical behavior simulating localized pagetoid reticulosis. <b>2007</b> , 29, 392-4	6
2084	Primary cutaneous marginal zone B-cell lymphoma may exhibit both the t(14;18)(q32;q21) IGH/BCL2 and the t(14;18)(q32;q21) IGH/MALT1 translocation: an indicator for clonal transformation towards higher-grade B-cell lymphoma?. <b>2007</b> , 29, 231-6	43
2083	Management of peripheral T-cell non-Hodgkin's lymphoma. <b>2007</b> , 19, 438-43	24
2082	An Illustrated Guide to Skin Lymphoma: Second Edition. <b>2007</b> , 29, 316	
2081	CD4+/CD56+ hematodermic neoplasm: blastic NK cell lymphoma in a 6-year-old child: report of a case and review of literature. <b>2007</b> , 29, 766-9	9
2080	Epstein-Barr virus negative clonal plasma cell proliferations and lymphomas in peripheral T-cell lymphomas: a phenomenon with distinctive clinicopathologic features. <b>2007</b> , 31, 1310-22	61
2079	The spectrum of histopathologic and immunohistochemical findings in folliculotropic mycosis fungoides. <b>2007</b> , 31, 1430-8	98
2078	CD4+ CD56+ hematodermic neoplasm. <b>2007</b> , 29, 59-61	2
2077	CD4+/CD56+ hematodermic neoplasm: presentation of 2 cases and review of the concept of an uncommon tumor originated in plasmacytoid dendritic cells expressing CD123 (IL-3 receptor alpha). <b>2007</b> , 15, 481-6	7
2076	Primary follicular lymphoma of the testis and epididymis in adults. <b>2007</b> , 31, 1050-8	48
2075	Granulomatous slack skin with a translocation t(3;9)(q12;p24). <b>2007</b> , 31, 803-6	12
2074	Cutaneous sarcomatoid B-cell lymphoma. <b>2007</b> , 29, 96-8	28
2073	Afectaci3n de la mucosa oral por papulosis linfomatoide. <b>2007</b> , 98, 265-267	9
2072	Micosis fungoide folicular. Estudio de cuatro casos. <b>2007</b> , 98, 486-490	7
2071	Efficacy and tolerability of currently available therapies for the mycosis fungoides and Sezary syndrome variants of cutaneous T-cell lymphoma. <b>2007</b> , 33, 146-60	74
2070	T-cell/NK-cell lymphomas: a review. <b>2007</b> , 253, 1-13	11

2069	Cutaneous gamma/delta T-cell lymphoma: a histopathologic mimicker of lupus erythematosus profundus (lupus panniculitis). <b>2007</b> , 56, 643-7		31
2068	Primary cutaneous anaplastic large cell lymphoma with fatal leukemic outcome in association with CLA and CCR4-negative conversion. <b>2007</b> , 57, S92-6		13
2067	New prognostic relevant factors in primary cutaneous diffuse large B-cell lymphomas. <b>2007</b> , 56, 588-97		47
2066	Usefulness of flow cytometry in the diagnosis of mycosis fungoides. <b>2007</b> , 57, 454-62		26
2065	Persistent agmination of lymphomatoid papulosis: an equivalent of limited plaque mycosis fungoides type of cutaneous T-cell lymphoma. <b>2007</b> , 57, 1005-11		38
2064	Loss of SHP-1 tyrosine phosphatase expression correlates with the advanced stages of cutaneous T-cell lymphoma. <b>2007</b> , 38, 462-7		40
2063	Cutaneous lymphoid infiltrates. <b>2007</b> , 13, 512-518		
2062	Absence of microsatellite instability and lack of evidence for subclone diversification in the pathogenesis and progression of mycosis fungoides. <b>2007</b> , 127, 1752-61		6
2061	Neoplasia hematodérmica CD4+/CD56+. Diagnóstico histopatológico, fisiopatología y avances recientes de un tumor originado en células dendríticas plasmocitoides. <b>2007</b> , 40, 11-22		1
2060	Posttranslational modifications of transthyretin are serum markers in patients with mycosis fungoides. <b>2007</b> , 9, 254-9		30
2059	[Syringotropic and pilotropic cutaneous T-cell lymphoma without follicular mucinosis]. <b>2007</b> , 134, 155-9		3
2058	Role of AID in tumorigenesis. <b>2007</b> , 94, 245-73		112
2057	Nonmalignant T cells stimulate growth of T-cell lymphoma cells in the presence of bacterial toxins. <i>Blood</i> , <b>2007</b> , 109, 3325-32	2.2	55
2056	Revisions to the staging and classification of mycosis fungoides and Sezary syndrome: a proposal of the International Society for Cutaneous Lymphomas (ISCL) and the cutaneous lymphoma task force of the European Organization of Research and Treatment of Cancer (EORTC). <i>Blood</i> , <b>2007</b> , 110, 1713-22	2.2	1012
2055	Biologics in General Medicine. <b>2007</b> ,		1
2054	Extranodal type T/NK-cell lymphoma with an atypical clinical presentation. <b>2007</b> , 24, 291-9		4
2053	Cas n° 1. <b>2007</b> , 27, 287-289		
2052	[Primary cutaneous large B-cell lymphoma in chronic venous leg ulcer]. <b>2007</b> , 134, 357-61		5

2051 Cas n° 6. **2007**, 27, 301-303

2050 Emerging diseases in tropical dermatology. **2007**, 23, 335-50

7

2049 [Bexarotene therapy in folliculotropic cutaneous T-cell lymphoma]. **2007**, 134, 639-43

6

2048 [Primary cutaneous lymphomas]. **2007**, 27, 284-309

2047 Cas n° 4. **2007**, 27, 295-297

2046 Cas n° 5. **2007**, 27, 298-300

2045 Clinicopathological features of primary cutaneous B-cell lymphomas from an academic regional hospital in central Italy: no evidence of *Borrelia burgdorferi* association. *Leukemia and Lymphoma*, **2007**, 48, 2184-8

1.9 27

2044 [Subcutaneous nodules of the limbs]. **2007**, 134, 785-7

2043 [Primary cutaneous plasmacytoma]. **2007**, 27, 130-2

3

2042 Evaluation of new tumors in the setting of stage I/IIA mycosis fungoides. **2007**, 7, 480-5

2041 Oral Involvement in Lymphomatoid Papulosis. **2007**, 98, 265-267

2

2040 Folliculotropic Mycosis Fungoides. Study of Four Cases. **2007**, 98, 486-490

2039 Analysis of immunoglobulin variable kappa gene mutations in cutaneous B-cell lymphoma. **2007**, 47, 248-52

2038 Recent advances in cutaneous lymphomas. **2007**, 48, 157-67

19

2037 Introduction to the Classification of Lymphoma. 1-13

2036 Classification and treatment of rare and aggressive types of peripheral T-cell/natural killer-cell lymphomas of the skin. **2007**, 14, 112-23

15

2035 Mycosis Fungoides. 267-299

2

2034 CD8 T Cell Lymphoproliferative Disease of the Skin. 343-365

2033	CD30-Positive Lymphoproliferative Disorders Including Lymphomatoid Papulosis, Borderline CD30-Positive Lymphoproliferative Disease, Anaplastic Large Cell Lymphoma, and T-Cell-Rich CD30-Positive Large B Cell Lymphoma. 439-474	1
2032	Primary Cutaneous Follicle Center Cell Lymphoma. 173-191	
2031	Primary Cutaneous Diffuse Large B-Cell Lymphoma and Precursor Lymphoblastic Lymphoma. 192-218	
2030	Skin. <b>2007</b> ,	
2029	Primary Cutaneous Pleomorphic Small/Medium Sized T-Cell Lymphoma And Peripheral T-Cell Lymphoma, Unspecified, Presenting in the SKIN (CD30-Negative Large Cell T Cell Lymphoma). 300-317	
2028	Nasal and Related Extranodal Natural Killer Cell/T Cell Lymphomas. 399-428	
2027	Common chromosomal abnormalities in mycosis fungoides transformation. <b>2007</b> , 46, 828-38	35
2026	Peripheral T-cell lymphomas. <b>2007</b> , 21, 201-16	72
2025	'Idiopathic' eosinophilia with an Occult T-cell clone: prevalence and clinical course. <b>2007</b> , 31, 691-4	46
2024	The morphologic spectrum of primary cutaneous anaplastic large T-cell lymphoma: a histopathologic study on 66 biopsy specimens from 47 patients with report of rare variants. <b>2008</b> , 35, 46-53	41
2023	Differential expression of TRAF1 aids in the distinction of cutaneous CD30-positive lymphoproliferations. <b>2007</b> , 127, 1898-904	28
2022	Blockade of death receptor-mediated pathways early in the signaling cascade coincides with distinct apoptosis resistance in cutaneous T-cell lymphoma cells. <b>2007</b> , 127, 2425-37	39
2021	CXCL13 and CCL21 are expressed in ectopic lymphoid follicles in cutaneous lymphoproliferative disorders. <b>2007</b> , 127, 2466-8	10
2020	Novel ABCA12 mutations identified in two cases of non-bullous congenital ichthyosiform erythroderma associated with multiple skin malignant neoplasia. <b>2007</b> , 127, 2669-73	38
2019	Chemokine receptor expression by leukemic T cells of cutaneous T-cell lymphoma: clinical and histopathological correlations. <b>2007</b> , 127, 2882-92	23
2018	Diffuse large B-cell lymphoma: a heterogeneous group of non-Hodgkin lymphomas comprising several distinct clinicopathological entities. <b>2007</b> , 21, 37-43	86
2017	Bcl-2 expression in rituximab refractory cutaneous B-cell lymphoma. <b>2007</b> , 96, 1540-3	20
2016	Molecular genetic analysis of haematological malignancies II: Mature lymphoid neoplasms. <b>2007</b> , 29, 229-60	21

2015	Abstracts of the 40th Annual Scientific Meeting of the Australasian College of Dermatology. May 13-16, 2007. Adelaide, South Australia, Australia. <b>2007</b> , 48 Suppl 1, A1-65	
2014	Mycosis fungoides: a dermatological masquerader. <b>2007</b> , 156, 1-10	92
2013	Primary cutaneous follicular B-cell lymphoma arising at the site of radiotherapy for breast cancer. <b>2007</b> , 156, 198-9	7
2012	Additional dermoscopic presentation of haemosiderotic dermatofibroma. <b>2007</b> , 156, 199-200	9
2011	Folliculotropic mycosis fungoides with CD30+ large-cell transformation in a young woman: beneficial effect of bexarotene. <b>2007</b> , 156, 584-6	14
2010	Folliculotropic Szary syndrome: a new variant of cutaneous T-cell lymphoma. <b>2007</b> , 156, 781-3	13
2009	Primary cutaneous marginal zone B-cell lymphoma in a patient with chronic lymphocytic leukaemia. <b>2007</b> , 157, 591-5	10
2008	Differences in survivin location and Bcl-2 expression in CD30+ lymphoproliferative disorders of the skin compared with systemic anaplastic large cell lymphomas: an immunohistochemical study. <b>2007</b> , 157, 41-8	11
2007	Successful treatment of primary cutaneous follicle centre lymphoma with topical 5% imiquimod. <b>2007</b> , 157, 620-2	13
2006	Granulomatous slack skin with clonal T-cell receptor-gamma gene rearrangement in skin and lymph node. <b>2007</b> , 157, 405-7	5
2005	Coexistence of two discordant B-cell lymphomas in the skin and lymph node: report of a case with primary cutaneous follicle-center lymphoma and nodal mantle-cell lymphoma. <b>2007</b> , 157, 629-31	8
2004	Abnormal activator protein 1 transcription factor expression in CD30-positive cutaneous large-cell lymphomas. <b>2007</b> , 157, 914-21	12
2003	Radiation recall dermatitis in a patient affected with pheochromocytoma after treatment with lanreotide. <b>2007</b> , 157, 1061-3	2
2002	Concordant lymphoma of cutaneous anaplastic large cell lymphoma and systemic B-cell leukaemia. <b>2007</b> , 157, 1060-1	3
2001	Differentiation of tumour-stage mycosis fungoides, psoriasis vulgaris and normal controls in a pilot study using serum proteomic analysis. <b>2007</b> , 157, 946-53	15
2000	The applicability and prognostic value of the new TNM classification system for primary cutaneous lymphomas other than mycosis fungoides and Szary syndrome: results on a large cohort of primary cutaneous B-cell lymphomas and comparison with the system used by the Dutch Cutaneous Lymphoma Group. <b>2007</b> , 157, 1205-11	35
1999	Anetodermic mycosis fungoides: a new clinicopathological variant of mycosis fungoides. <b>2008</b> , 158, 157-62	20
1998	Plasmacytoid dendritic cell leukaemia/lymphoma: towards a well defined entity?. <b>2007</b> , 136, 539-48	87

1997	Predicting the outcome in non-Hodgkin lymphoma with molecular markers. <b>2007</b> , 137, 273-87		12
1996	A practical strategy for the routine use of BIOMED-2 PCR assays for detection of B- and T-cell clonality in diagnostic haematopathology. <b>2007</b> , 138, 31-43		113
1995	Rearranged T-cell receptor gene and positive Epstein-Barr virus-encoded nuclear RNA in an extranodal NK/T-cell lymphoma with cutaneous manifestation only: case study. <b>2007</b> , 32, 744-8		8
1994	Primary cutaneous CD30+ anaplastic large-cell lymphomas mimicking keratoacanthomas. <b>2007</b> , 32, 668-71		20
1993	Oral mucosal MALT lymphoma clinically simulating oral facial granulomatosis. <b>2007</b> , 46, 868-71		4
1992	Successful treatment for recurrence of primary cutaneous anaplastic large-cell lymphoma in elderly patient with etoposide, mitoxantrone, cyclophosphamide, vincristine, prednisolone and bleomycin (VNCOP-B) therapy. <i>Journal of Dermatology</i> , <b>2007</b> , 34, 556-60	1.6	4
1991	Immunocytoma: an unusual clinical feature. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2007</b> , 21, 396-7	4.6	
1990	Febrile ulceronecrotic lymphomatoid papulosis. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2007</b> , 21, 1260-1	4.6	
1989	Review of extracorporeal photopheresis in early-stage (IA, IB, and IIA) cutaneous T-cell lymphoma. <b>2007</b> , 23, 163-71		28
1988	Cutaneous lymphomas in Germany: an analysis of the Central Cutaneous Lymphoma Registry of the German Society of Dermatology (DDG). <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2007</b> , 5, 662-8	1.2	73
1987	Kutane Lymphome in Deutschland. Eine Analyse des Zentralregisters âKutane Lymphome der Deutschen Dermatologischen Gesellschaft (DDG)â <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2007</b> , 5, ---	1.2	
1986	Cutaneous lymphomas. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2007</b> , 5, 605-17	1.2	5
1985	Kutane Lymphome. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2007</b> , 5, ---	1.2	
1984	Primary cutaneous CD5+ marginal zone B-cell lymphoma resembling the plasma cell variant of Castleman's disease. Case report. <b>2007</b> , 115, 1426-31		12
1983	Lymphomatoid papulosis with CD1a+ dendritic cell hyperplasia, mimicking Langerhans cell histiocytosis. <b>2007</b> , 34, 584-7		15
1982	Putative cancer stem cells in cutaneous malignancies. <b>2007</b> , 16, 297-301		36
1981	Regulatory T-cell phenotype in association with large cell transformation of mycosis fungoides. <b>2007</b> , 78, 260-3		33
1980	Intravascular B-cell lymphoma with leukemic presentation: case report and literature review. <b>2008</b> , 80, 177-81		5

1979	Extranodal NK/T-cell lymphoma, nasal type. <b>2007</b> , 43, 4-14	82
1978	Cutaneous lymphomas. <b>2007</b> , 17, 158-68	22
1977	Low-grade non-hodgkin lymphomas. <b>2007</b> , 17, 198-205	22
1976	Photodynamic therapy with the phthalocyanine photosensitizer Pc 4: the case experience with preclinical mechanistic and early clinical-translational studies. <b>2007</b> , 224, 290-9	173
1975	Mycosis fungoides: pathophysiology and emerging therapies. <b>2007</b> , 34, S21-8	33
1974	Blastic Natural Killer-Cell Lymphoma Presenting in the Skin. <b>2007</b> , 19, 173-178	
1973	[Clinical course and therapy of lymphomatoid papulosis. Experience with 17 cases and literature review]. <b>2007</b> , 58, 870-81	6
1972	[Mycosis fungoides: complications of long term treatment with PUVA and ECP]. <b>2007</b> , 58, 298-9	1
1971	Immunoscreening of a cutaneous T-cell lymphoma library for plasma membrane proteins. <b>2007</b> , 56, 783-95	10
1970	Study of the reactive dendritic cells in small B-cell lymphoproliferations of the skin. <b>2007</b> , 450, 441-7	7
1969	Serologic and immunohistochemical prognostic biomarkers of cutaneous malignancies. <b>2007</b> , 298, 469-77	42
1968	Expression of human beta-defensins in patients with mycosis fungoides. <b>2007</b> , 299, 221-4	9
1967	Cutaneous T-cell lymphoma: Biologic targets for therapy. <b>2007</b> , 2, 272-7	2
1966	Kutane T- und B-Zell-Lymphome. <b>2007</b> , 2, 6-15	
1965	[The history of lymphoma classifications with special consideration of cutaneous lymphomas]. <b>2008</b> , 59, 394-9	3
1964	The clinical pathologic analysis of radiotherapy for cutaneous B-cell lymphoma. <b>2008</b> , 5, 40-43	
1963	Structuration dân rseau national et dâne runion de concertation pluridisciplinaire nationale de recours pour la prise en charge des lymphomes cutan rares. <b>2008</b> , 10, 433-436	1
1962	Inactivation of p16INK4a/CDKN2A gene may be a diagnostic feature of large B cell lymphoma leg type among cutaneous B cell lymphomas. <b>2008</b> , 452, 607-20	31

1961	Profiling of apoptosis genes identifies distinct types of primary cutaneous large B cell lymphoma. <b>2008</b> , 215, 340-6	17
1960	Peripheral T-cell lymphoma in a five year old. <b>2008</b> , 50, 145-7	3
1959	Natural killer cell neoplasms. <b>2008</b> , 112, 1425-36	89
1958	Cytologic evaluation of lymphadenopathy associated with mycosis fungoides and Sezary syndrome: role of immunophenotypic and molecular ancillary studies. <b>2008</b> , 114, 323-32	15
1957	CD158k/KIR3DL2 is a useful marker for identifying neoplastic T-cells in Sżary syndrome by flow cytometry. <b>2008</b> , 74, 156-62	51
1956	Array-based comparative genomic hybridization in early-stage mycosis fungoides: recurrent deletion of tumor suppressor genes BCL7A, SMAC/DIABLO, and RHOV. <b>2008</b> , 47, 1067-75	42
1955	Lethal vascular leak syndrome after denileukin diftitox administration to a patient with cutaneous gamma/delta T-cell lymphoma and occult cirrhosis. <b>2008</b> , 83, 593-5	18
1954	Subcutaneous alemtuzumab for Sżary Syndrome in the very elderly. <b>2008</b> , 32, 1299-303	33
1953	Mycosis fungoides. <b>2008</b> , 65, 172-82	64
1952	Cutaneous lymphoma. <b>2008</b> , 32, 43-87	14
1951	Treatment of primary cutaneous CD30+ anaplastic large-cell lymphoma with radiation therapy. <b>2008</b> , 70, 1542-5	44
1950	Cutaneous gamma-delta T-cell lymphoma. <i>Leukemia and Lymphoma</i> , <b>2008</b> , 49, 2003-5	1.9 3
1949	CD4+/CD56+ hematodermic neoplasm: report of a rare variant with a T-cell receptor gene rearrangement. <b>2008</b> , 35, 579-84	11
1948	A case of primary Epstein-Barr virus-associated cutaneous diffuse large B-cell lymphoma unassociated with iatrogenic or endogenous immune dysregulation. <b>2008</b> , 35, 666-71	17
1947	CD4-negative variant of CD4+/CD56+ hematodermic neoplasm: description of three cases. <b>2008</b> , 35, 911-5	32
1946	A genomic and expression study of AP-1 in primary cutaneous T-cell lymphoma: evidence for dysregulated expression of JUNB and JUND in MF and SS. <b>2008</b> , 35, 899-910	42
1945	Transformation of cutaneous gamma/delta T-cell lymphoma following 15 years of indolent behavior. <b>2008</b> , 35, 1063-7	24
1944	Large CD30-positive cells in benign, atypical lymphoid infiltrates of the skin. <b>2008</b> , 35, 1100-7	108

1943	CD4+/CD56+ hematodermic neoplasm (blastic NK-cell lymphoma). <b>2008</b> , 35, 975-7		7
1942	Identification of selectively expressed genes and antigens in CTCL. <b>2008</b> , 17, 324-34		25
1941	Eosinophilic ulcer of the oral mucosa: a distinct entity or a non-specific reactive pattern?. <b>2008</b> , 14, 287-95		40
1940	Short German guidelines: cutaneous lymphomas. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2008</b> , 6 Suppl 1, S25-31	1.2	36
1939	In-situ-topoproteome analysis of cutaneous lymphomas: Perspectives of assistance for dermatohistologic diagnostics by Multi Epitope Ligand Cartography (MELC). <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2008</b> , 6, 1038-1051	1.2	8
1938	In-situ-Topoproteom-Analyse kutaner Lymphome: Perspektiven der Unterstützung der dermatohistologischen Diagnostik mittels Multi-Epitop-Liganden-Cartographie (MELC). <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2008</b> , 6, no	1.2	
1937	Primary cutaneous T-cell lymphomas do not show specific NAV3 gene deletion or translocation. <b>2008</b> , 128, 2458-66		18
1936	Clinicopathological characterization and genomic aberrations in subcutaneous panniculitis-like T-cell lymphoma. <b>2008</b> , 128, 2304-9		43
1935	Malignant Tregs express low molecular splice forms of FOXP3 in Szary syndrome. <b>2008</b> , 22, 2230-9		74
1934	Primary cutaneous marginal zone B-cell lymphoma: a molecular and clinicopathological study of cases from Asia, Germany, and the United States. <b>2008</b> , 21, 1517-26		73
1933	Expression of HGAL in primary cutaneous large B-cell lymphomas: evidence for germinal center derivation of primary cutaneous follicular lymphoma. <b>2008</b> , 21, 653-9		17
1932	Primary cutaneous CD4-positive small/medium-sized pleomorphic T-cell lymphoma: a clonal T-cell lymphoproliferative disorder with indolent behavior. <b>2008</b> , 21, 708-15		121
1931	Prognostic significance of the therapeutic targets histone deacetylase 1, 2, 6 and acetylated histone H4 in cutaneous T-cell lymphoma. <b>2008</b> , 53, 267-77		95
1930	Genital herpes masquerading as a cutaneous T-cell lymphoma: a report of two cases. <b>2008</b> , 35, 770-3		7
1929	Cutaneous lymphocyte antigen expression in benign and neoplastic cutaneous B- and T-cell lymphoid infiltrates. <b>2008</b> , 35, 1040-9		27
1928	Haematopoietic stem cell transplantation for patients with primary cutaneous T-cell lymphoma. <b>2008</b> , 41, 597-604		85
1927	CD158K/KIR3DL2 transcript detection in lesional skin of patients with erythroderma is a tool for the diagnosis of Szary syndrome. <b>2008</b> , 128, 465-72		37
1926	Cucurbitacin I inhibits Stat3 and induces apoptosis in Szary cells. <b>2008</b> , 128, 1691-5		60

1925	How to manage infections in the era of biologics?. <b>2008</b> , 21, 180-6		15
1924	Primary cutaneous epidermotropic marginal zone B-cell lymphoma: a role for antihistamines in maintaining lymphoma cell growth?. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2008</b> , 22, 1012-4	4.6	8
1923	Transformation of vulvar pseudolymphoma (lymphoma-like lesion) into a marginal zone B-cell lymphoma of labium majus. <b>2008</b> , 34, 699-705		8
1922	Large cell transformation mimicking regional lymphomatoid papulosis in a patient with mycosis fungoides. <i>Journal of Dermatology</i> , <b>2008</b> , 35, 283-8	1.6	6
1921	Primary cutaneous anaplastic large cell lymphoma successfully treated with local thermotherapy using pocket hand warmers. <i>Journal of Dermatology</i> , <b>2008</b> , 35, 748-50	1.6	4
1920	Potential involvement of Notch1 signalling in the pathogenesis of primary cutaneous CD30-positive lymphoproliferative disorders. <b>2008</b> , 158, 747-53		28
1919	MUM1 expression in cutaneous CD30+ lymphoproliferative disorders: a valuable tool for the distinction between lymphomatoid papulosis and primary cutaneous anaplastic large-cell lymphoma. <b>2008</b> , 158, 1280-7		31
1918	Abnormal AP-1 protein expression in primary cutaneous B-cell lymphomas. <b>2008</b> , 159, 145-51		5
1917	Asymptomatic bone marrow involvement in patients presenting with cutaneous marginal zone B-cell lymphoma. <b>2008</b> , 159, 498-500		9
1916	Pachyonychia congenita type 2: abnormal dentition extending into adulthood. <b>2008</b> , 159, 500-1		3
1915	The diagnosis of Szary syndrome on peripheral blood by flow cytometry requires the use of multiple markers. <b>2008</b> , 159, 871-80		58
1914	The prognosis of early mycosis fungoides is not influenced by phenotype and T-cell clonality. <b>2008</b> , 159, 881-6		94
1913	Folliculotropic mycosis fungoides (stage IIA) progressing to Szary syndrome: a case report. <b>2008</b> , 159, 1197-9		5
1912	Human herpesvirus 7 detection by quantitative real time polymerase chain reaction in primary cutaneous T-cell lymphomas and healthy subjects: lack of a pathogenic role. <b>2008</b> , 159, 1131-7		14
1911	Bone marrow examination has limited value in the staging of patients with an anaplastic large cell lymphoma first presenting in the skin. Retrospective analysis of 107 patients. <b>2008</b> , 159, 1148-51		13
1910	Results of bone marrow examination in 275 patients with histological features that suggest an indolent type of cutaneous B-cell lymphoma. <b>2008</b> , 142, 52-6		53
1909	Cutaneous diffuse large B-cell lymphoma of the leg associated with chronic lymphedema. <b>2008</b> , 47, 174-7		20
1908	Extranodal NK/T-cell lymphoma, nasal type, presenting after 5 years of remission. <b>2008</b> , 47, 259-61		2

1907	Primary cutaneous T-cell lymphoma, unspecified, exhibiting an aggressive clinical course and a cytotoxic phenotype. <b>2008</b> , 47, 720-2	5
1906	Is Sary syndrome a true primary cutaneous lymphoma?. <b>2008</b> , 47, 1195-6	3
1905	Primary cutaneous B-cell lymphoma: report of eight cases and review of the literature. <b>2008</b> , 47, 675-80	2
1904	Coincidence of cutaneous follicle center lymphoma and diffuse large B-cell lymphoma. <b>2008</b> , 47 Suppl 1, 21-4	3
1903	Primary cutaneous B cell lymphoma presenting as recurrent eyelid swelling. <b>2008</b> , 36, 672-4	9
1902	Functional copy number changes in Sary syndrome: toward an integrated molecular cytogenetic map III. <b>2008</b> , 185, 86-94	14
1901	FOXP3 positive regulatory T-cells in cutaneous and systemic CD30 positive T-cell lymphoproliferations. <b>2008</b> , 80, 483-9	24
1900	Cutaneous gamma/delta T-cell lymphoma treated with radiation and denileukin diftitox. <b>2008</b> , 8, 55-8	16
1899	Primary cutaneous follicle center lymphoma associated with alopecia areata. <b>2008</b> , 8, 121-4	18
1898	Pathobiology of mature T-cell lymphomas. <b>2008</b> , 8 Suppl 5, S168-79	7
1897	Novel therapies for cutaneous T-cell lymphomas. <b>2008</b> , 8 Suppl 5, S187-92	25
1896	[Plasmacytoid dendritic cell leukemia/lymphoma]. <b>2008</b> , 208, 420-1	1
1895	Nodules on the Legs. <b>2008</b> , 99, 485-486	
1894	Expression of proliferation markers and cell cycle regulators in T cell lymphoproliferative skin disorders. <b>2008</b> , 49, 125-32	23
1893	Alterations of serum Th1 and Th2 chemokines by combination therapy of interferon-gamma and narrowband UVB in patients with mycosis fungoides. <b>2008</b> , 50, 217-25	18
1892	Cutaneous T-cell lymphoma and emerging therapies. <b>2008</b> , 5, e69-e79	
1891	The expression of MUM1 in cutaneous T-cell lymphoproliferative disorders. <b>2008</b> , 39, 557-63	33
1890	Valproate-induced change in hair color. <b>2008</b> , 58, S63-4	10

- 1889 Red cheeks and earlobes: Marginal zone B-cell lymphoma of MALT type. **2008**, 58, S62-3
- 1888 Complete clinical remission of tumor-stage mycosis fungoides after acute extensive skin necroses, granulomatous reaction, and fever under treatment with bexarotene, vorinostat, and high-dose fenofibrate. **2008**, 58, S88-91 17
- 1887 Pagetoid reticulosis in a 5-year-old boy. **2008**, 58, 679-81 20
- 1886 Total skin electron beam therapy may be associated with improvement of peripheral blood disease in Sary syndrome. **2008**, 58, 592-5 32
- 1885 Persistent agmination of lymphomatoid papulosis: not a new entity, but localized lymphomatoid papulosis. **2008**, 59, 164-5; author reply 165 14
- 1884 The use of blind skin biopsy in the diagnosis of intravascular B-cell lymphoma. **2008**, 59, 148-51 32
- 1883 Hydroxyethyl starch-induced pruritus relieved by a combination of menthol and camphor. **2008**, 59, 151-3 18
- 1882 A report of Epstein-Barr virus-positive primary cutaneous natural killer-/T-cell lymphoma. **2008**, 59, 157-61 5
- 1881 Applying the new TNM classification system for primary cutaneous lymphomas other than mycosis fungoides and Sary syndrome in primary cutaneous marginal zone lymphoma. **2008**, 59, 245-54 37
- 1880 Clinicopathologic features and treatment outcomes in Woringer-Kolopp disease. **2008**, 59, 706-12 33
- 1879 A patient with clinicopathologic features of small plaque parapsoriasis presenting later with plaque-stage mycosis fungoides: report of a case and comparative retrospective study of 27 cases of "nonprogressive" small plaque parapsoriasis. **2008**, 59, 474-82 20
- 1878 Extracorporeal photopheresis for the treatment of Sary syndrome using a novel treatment protocol. **2008**, 59, 589-95 35
- 1877 Indolent primary cutaneous B-cell lymphoma: experience using systemic rituximab. **2008**, 59, 953-7 43
- 1876 Ndulos en las piernas. **2008**, 99, 485-486 2
- 1875 Ophthalmic manifestations, cytology, immunohistochemistry, and molecular analysis of intraocular metastatic T-cell lymphoma: report of a case and review of the literature. **2008**, 53, 285-95 48
- 1874 Expression of T-plastin, FoxP3 and other tumor-associated markers by leukemic T-cells of cutaneous T-cell lymphoma. *Leukemia and Lymphoma*, **2008**, 49, 1190-201 1.9 43
- 1873 Influence of morphology on survival for non-Hodgkin lymphoma in Europe and the United States. **2008**, 44, 579-87 29
- 1872 Differential CCR4 expression and function in cutaneous T-cell lymphoma cell lines. **2008**, 24, 577-90 7

1871 Linfomas T cutáneos. **2008**, 42, 1-11

1870 Acute myeloid dendritic cell leukaemia with specific cutaneous involvement: a diagnostic challenge. **2008**, 158, 1129-33 16

1869 Novel markers of normal and neoplastic human plasmacytoid dendritic cells. *Blood*, **2008**, 111, 3778-92 2.2 173

1868 Procesos linfoproliferativos CD 30+ de la piel. **2008**, 23, 238-244

1867 Mycosis fungoides and Szary syndrome. **2008**, 371, 945-57 215

1866 Peripheral T Cell Lymphoma Presenting with Hypereosinophilia. **2008**, 64, 89-91 1

1865 Imaging of lymphoma of the musculoskeletal system. **2008**, 46, 379-96, x 26

1864 Yttrium-90 ibritumomab tiuxetan radioimmunotherapy in primary cutaneous B-cell lymphomas: first results of a prospective, monocentre study. *Leukemia and Lymphoma*, **2008**, 49, 1702-9 1.9 20

1863 [Primary cutaneous lymphomas. Population-based incidence and survival, 1994-2004]. **2008**, 131, 396-7 2

1862 Subcutaneous panniculitic-like T-cell lymphoma and other primary cutaneous lymphomas with prominent subcutaneous tissue involvement. **2008**, 26, 529-40, viii 33

1861 Cutaneous T-cell lymphoma. **2008**, 22, 979-96, x 30

1860 [Lymphomatoid papulosis in childhood: six case reports and a literature review]. **2008**, 135, 657-62 17

1859 Perforin expression in feline epitheliotropic cutaneous lymphoma. **2008**, 20, 831-5 11

1858 [Marginal zone B-cell lymphoma affecting the skin: histological and phenotypic study of 49 cases]. **2008**, 135, 748-52 6

1857 Cardiac involvement with mycosis fungoides: could this explain alemtuzumab toxicity?. *Leukemia and Lymphoma*, **2008**, 49, 2022-4 1.9 3

1856 Primary cutaneous B-cell lymphomas - clinicopathological, prognostic and therapeutic characterisation of 54 cases according to the WHO-EORTC classification and the ISCL/EORTC TNM classification system for primary cutaneous lymphomas other than mycosis fungoides and Sezary syndrome. *Leukemia and Lymphoma*, **2008**, 49, 1094-103 1.9 63

1855 SGN-30: a basis for the effective treatment of CD30 positive hematopoietic malignancies. **2008**, 17, 1883-7 4

1854 Use of fludarabine-containing chemotherapeutic regimen results in durable complete remission of subcutaneous panniculitis-like T-cell lymphoma. **2008**, 9, 396-8 7

1853	Subcutaneous panniculitis-like T-cell lymphoma: definition, classification, and prognostic factors: an EORTC Cutaneous Lymphoma Group Study of 83 cases. <i>Blood</i> , <b>2008</b> , 111, 838-45	2.2	492
1852	Classification of lymphoid neoplasms: the microscope as a tool for disease discovery. <i>Blood</i> , <b>2008</b> , 112, 4384-99	2.2	283
1851	Primary cutaneous B-cell lymphoma in a child. <b>2008</b> , 27, 206-14		10
1850	Lupus erythematosus panniculitis. <b>2008</b> , 26, 453-63, vi		56
1849	Histone deacetylase inhibitor panobinostat induces clinical responses with associated alterations in gene expression profiles in cutaneous T-cell lymphoma. <b>2008</b> , 14, 4500-10		257
1848	Granulomatous mycosis fungoides and granulomatous slack skin: a multicenter study of the Cutaneous Lymphoma Histopathology Task Force Group of the European Organization For Research and Treatment of Cancer (EORTC). <b>2008</b> , 144, 1609-17		121
1847	Clinical research in cutaneous T-cell lymphoma moving forward. <b>2008</b> , 144, 786-7		
1846	Analysis of primary CD30+ cutaneous lymphoproliferative disease and survival from the Surveillance, Epidemiology, and End Results database. <b>2008</b> , 26, 1483-8		33
1845	Novel and highly recurrent chromosomal alterations in S $\ddot{z}$ ary syndrome. <b>2008</b> , 68, 2689-98		148
1844	Durable remission of S $\ddot{z}$ ary syndrome after unrelated bone marrow transplantation by reduced-intensity conditioning. <b>2008</b> , 120, 14-8		11
1843	Folliculotropic mycosis fungoides: an aggressive variant of cutaneous T-cell lymphoma. <b>2008</b> , 144, 738-46		152
1842	Plasmacytoid dendritic cell leukemia with potent antigen-presenting ability. <b>2008</b> , 120, 91-9		15
1841	Cutaneous precursor B-cell lymphoblastic lymphoma in 2 adult patients: clinicopathologic and molecular cytogenetic studies with a review of the literature. <b>2008</b> , 144, 1155-62		35
1840	Prognosis and primary therapy in peripheral T-cell lymphomas. <b>2008</b> , 280-8		32
1839	T $\ddot{h}$ 17 cells as potential contributors to the progression of parapsoriasis to mycosis fungoides. <b>2008</b> ,		
1838	S $\ddot{z}$ ary syndrome coexisting with B-cell chronic lymphocytic leukemia: case report and review of the literature. <b>2008</b> , 216, 68-75		11
1837	Spectrum of cutaneous diseases in monoclonal gammopathies. <b>2008</b> , 3, 613-629		1
1836	Drug Insight: histone deacetylase inhibitor-based therapies for cutaneous T-cell lymphomas. <b>2008</b> , 5, 714-26		71

1835	Optimizing denileukin diftitox (Ontak) therapy. <b>2008</b> , 4, 457-69		46
1834	Primary subcutaneous B-cell lymphoma: case report and literature review. <i>Acta Dermato-Venereologica</i> , <b>2008</b> , 88, 151-4	2.2	6
1833	Primary cutaneous lymphoma: ESMO clinical recommendations for diagnosis, treatment and follow-up. <b>2008</b> , 19 Suppl 2, ii72-6		32
1832	EBV positivity in primary cutaneous large B-cell lymphoma with immunophenotypic features of leg type: an isolated incident or something more significant?. <b>2008</b> , 47, 461-4		9
1831	A young man with fever and skin nodules. <b>2008</b> , 12, 299-301		
1830	Differential effects of interleukin-2 and interleukin-15 versus interleukin-21 on CD4+ cutaneous T-cell lymphoma cells. <b>2008</b> , 68, 1083-91		62
1829	Reflectance Confocal Microscopy of Cutaneous Tumors. <b>2008</b> ,		33
1828	Gamma c-signaling cytokines induce a regulatory T cell phenotype in malignant CD4+ T lymphocytes. <b>2008</b> , 181, 2506-12		48
1827	Primary cutaneous small/medium CD4+ T-cell lymphomas: a heterogeneous group of tumors with different clinicopathologic features and outcome. <b>2008</b> , 26, 3364-71		131
1826	Kutane Lymphome 2008. <b>2008</b> , 34, 475-481		
1825	CXCL13 is highly produced by Sčary cells and enhances their migratory ability via a synergistic mechanism involving CCL19 and CCL21 chemokines. <b>2008</b> , 68, 7137-46		34
1824	Primary cutaneous lymphomas: a population-based descriptive study of 71 consecutive cases diagnosed between 1980 and 2003. <i>Leukemia and Lymphoma</i> , <b>2008</b> , 49, 1537-44	1.9	20
1823	Lymphomes T cutanš. <b>2008</b> , 3, 1-11		
1822	CD8+ epidermotropic cytotoxic T-cell lymphoma with peripheral blood and central nervous system involvement. <b>2008</b> , 144, 1027-9		18
1821	Cutaneous T-cell lymphomas: time for new therapeutic perspectives. <b>2008</b> , 3, 251-253		
1820	IL-2- and IL-15-induced activation of the rapamycin-sensitive mTORC1 pathway in malignant CD4+ T lymphocytes. <i>Blood</i> , <b>2008</b> , 111, 2181-9	2.2	42
1819	The majority of cutaneous marginal zone B-cell lymphomas expresses class-switched immunoglobulins and develops in a T-helper type 2 inflammatory environment. <i>Blood</i> , <b>2008</b> , 112, 3355-61 <sup>2</sup>		73
1818	European Organization for Research and Treatment of Cancer and International Society for Cutaneous Lymphoma consensus recommendations for the management of cutaneous B-cell lymphomas. <i>Blood</i> , <b>2008</b> , 112, 1600-9	2.2	339

1817	Long-term outcomes of patients with advanced-stage cutaneous T-cell lymphoma and large cell transformation. <i>Blood</i> , <b>2008</b> , 112, 3082-7	2.2	129
1816	[Malignant lymphoma. Physiopathology and treatment. 2. Lymphoma of low grade malignancy]. <b>2008</b> , 97, 1581-7		
1815	Review of the treatment of mycosis fungoides and szary syndrome: a stage-based approach. <b>2008</b> , 6, 436-42		97
1814	Prognostic Biomarkers of Cutaneous Malignancies â Serological, Immunohistochemical and Proteomic Approaches. <b>2008</b> , 4, 96-104		1
1813	Intravascular B-cell lymphoma: the role of skin biopsy. <b>2008</b> , 30, 295-9		25
1812	Merkel cell carcinoma with a follicular lymphocytic infiltrate: report of 2 cases. <b>2008</b> , 30, 389-91		10
1811	Evaluation of B-cell clonality using the BIOMED-2 PCR method effectively distinguishes cutaneous B-cell lymphoma from benign lymphoid infiltrates. <b>2008</b> , 30, 425-30		37
1810	Hyperplasia of hair follicles and other adnexal structures in cutaneous lymphoproliferative disorders: a study of 53 cases, including so-called pseudolymphomatous folliculitis and overt lymphomas. <b>2008</b> , 32, 1468-78		30
1809	The applicability of the new WHO-EORTC classification of primary cutaneous lymphomas to a single referral center. <b>2008</b> , 30, 37-44		24
1808	An unusual case of granulomatous slack skin disease with necrobiosis. <b>2008</b> , 30, 462-5		11
1807	Subcutaneous panniculitis-like T-cell lymphoma: a clinicopathologic, immunophenotypic, and molecular study of 22 Asian cases according to WHO-EORTC classification. <b>2008</b> , 32, 1495-502		62
1806	F-18 FDG uptake in subcutaneous panniculitis-like T-cell lymphoma. <b>2008</b> , 33, 903-5		16
1805	Primary cutaneous CD30+ anaplastic large cell lymphoma: report of a rare case. <b>2008</b> , 2, 31-4		5
1804	Denileukin diftitox for the treatment of cutaneous T-cell lymphoma. <b>2008</b> , 2, 717-24		28
1803	A peculiar case of acute myeloid leukemia mimicking plasmacytoid dendritic precursor cell leukemia. <b>2008</b> , 48, 65-9		5
1802	Extranodal NK/T-cell lymphoma, nasal type presenting as a pyogenic granuloma-like on a fingertip. <b>2009</b> , 19, 79-80		5
1801	[Subcutaneous panniculitis-like T-cell lymphoma]. <b>2009</b> , 84, 415-9		1
1800	Intravascular large B-cell lymphoma: successful therapy with bendamustine and rituximab. <i>Acta Dermato-Venereologica</i> , <b>2009</b> , 89, 425-7	2.2	2

1799	Primary cutaneous large B-cell lymphoma, leg type, successfully treated with rituximab plus chemotherapy. <b>2009</b> , 19, 394-5		6
1798	Physiopathologie des lymphomes diffus ~grandes cellules B. <b>2009</b> , 15, 214-222		
1797	Minimal stage IA mycosis fungoides. Results of radiotherapy in 15 patients. <b>2009</b> , 20, 165-8		13
1796	Cutaneous lymphoma incidence patterns in the United States: a population-based study of 3884 cases. <i>Blood</i> , <b>2009</b> , 113, 5064-73	2.2	449
1795	Improving cancer outcomes through international collaboration in academic cancer treatment trials. <b>2009</b> , 27, 5109-14		42
1794	â€œCutaneous T-Cell Lymphomaâ€â€”Cutaneous TNMania in Cutaneous Lymphomasâ€”Reply. <b>2009</b> , 145,		
1793	Multiple Blue Macules and Papules on the Scalpâ€”Diagnosis. <b>2009</b> , 145, 1183		0
1792	Rituximab monotherapy for primary cutaneous B-cell lymphoma: response and follow-up in 16 patients. <b>2009</b> , 20, 326-30		44
1791	Alibert lymphoma: renaming mycosis fungoides. <b>2009</b> , 145, 209-10		7
1790	Efalizumab and Progression of Undiagnosed Follicular Mycosis Fungoidesâ€”Reply. <b>2009</b> , 145,		
1789	HDAC inhibitor-based therapies and haematological malignancy. <b>2009</b> , 20, 1293-302		106
1788	Identification of key regions and genes important in the pathogenesis of sezary syndrome by combining genomic and expression microarrays. <b>2009</b> , 69, 8438-46		62
1787	Orange-Yellow Diffuse Cutaneous Eruption in an 82-Year-Old Womanâ€”Diagnosis. <b>2009</b> , 145, 1183		
1786	"Cutaneous T-Cell Lymphoma": Cutaneous TNMania in Cutaneous Lymphomas. <b>2009</b> , 145, 842-3; author reply 843		
1785	Asymptomatic Red Plaque on the Leg of a 7-Year-Old Girlâ€”Diagnosis. <b>2009</b> , 145, 1183		
1784	Light-Based Therapies for Skin of Color. <b>2009</b> ,		2
1783	Flow cytometric immunophenotyping of peripheral T cell neoplasms using CD3 gating. <b>2009</b> , 121, 11-8		7
1782	Percentage of {gamma}{delta} T cells in panniculitis by paraffin immunohistochemical analysis. <b>2009</b> , 131, 820-6		46

1781	A practical approach to the understanding and diagnosis of lymphoma: an assessment of the WHO classification based on immunoarchitecture and immuno-ontogenic principles. <b>2009</b> , 41, 305-26		20
1780	Solitary small- to medium-sized pleomorphic T-cell nodules of undetermined significance: clinical, histopathological, immunohistochemical and molecular analysis of 26 cases. <b>2009</b> , 219, 42-7		30
1779	Intravascular large B-cell lymphoma of the skin: typical clinical manifestations and a favourable response to rituximab-containing therapy. <b>2009</b> , 219, 344-6		7
1778	New and experimental skin-directed therapies for cutaneous lymphomas. <b>2009</b> , 22, 322-34		19
1777	Primary Cutaneous Large B-Cell Lymphoma, Leg Type, Localized on the Dorsum. <b>2009</b> , 1, 87-92		3
1776	Treatment of cutaneous B-cell lymphoma, leg type, with age-adapted combinations of chemotherapies and rituximab. <b>2009</b> , 145, 329-30		25
1775	Alemtuzumab for relapsed and refractory erythrodermic cutaneous T-cell lymphoma: a single institution experience from the Robert H. Lurie Comprehensive Cancer Center. <i>Leukemia and Lymphoma</i> , <b>2009</b> , 50, 1969-76	1.9	87
1774	Neue Therapiestrategien bei kutanen T-Zell-Lymphomen. <b>2009</b> , 35, 140-144		
1773	Histologische und molekulare Diagnostik als Grundlage für typadaptierte Behandlung und Management kutaner Lymphome. <b>2009</b> , 35, 133-139		
1772	Primary cutaneous T-cell lymphoma localized to the lower leg: a distinct, locally aggressive cutaneous T-cell lymphoma. <b>2009</b> , 145, 677-82		9
1771	Thoracic subcutaneous infiltration: an unusual presentation of subcutaneous panniculitis-like T-cell lymphoma. <i>Acta Dermato-Venereologica</i> , <b>2009</b> , 89, 427-9	2.2	
1770	Primary cutaneous diffuse large B-cell lymphoma, leg type in an elderly man with human immunodeficiency virus encephalopathy. <i>Acta Dermato-Venereologica</i> , <b>2009</b> , 89, 534-5	2.2	1
1769	Precursor B-cell lymphoblastic lymphoma with only cutaneous involvement. <i>Acta Dermato-Venereologica</i> , <b>2009</b> , 89, 540-1	2.2	11
1768	Comparison of seropositivity of human T lymphotropic virus type 1 in mycosis fungoides patients and normal volunteers: a case-control study and review of literature. <b>2009</b> , 75, 363-7		1
1767	Vitreous metastases of primary cutaneous B-cell lymphoma. <b>2009</b> , 17, 342-4		3
1766	Lymph Nodes. <b>2009</b> , 1431-1511		
1765	Prognostic factors in primary cutaneous anaplastic large cell lymphoma: characterization of clinical subset with worse outcome. <b>2009</b> , 145, 667-74		77
1764	Folliculotropic mycosis fungoides with severe hepatic failure due to hepatic involvement. <i>Acta Dermato-Venereologica</i> , <b>2009</b> , 89, 423-4	2.2	8

1763	Primary cutaneous CD30+ anaplastic large cell lymphoma in a heart transplant patient: case report and literature review. <i>Acta Dermato-Venereologica</i> , <b>2009</b> , 89, 74-7	2.2	15
1762	Plasmacytoid dendritic cell leukemia: a rapidly evolving disease presenting with skin lesions sensitive to radiotherapy plus hyperthermia. <b>2009</b> , 14, 1205-8		4
1761	Cutaneous peripheral T-cell lymphoma associated with a proliferation of B cells. <b>2009</b> , 131, 810-9		11
1760	Slowly Enlarging Nodule on a FingerâDiagnosis. <b>2009</b> , 145, 1183		6
1759	Ultrasound therapy for lipodermatosclerosis. <b>2009</b> , 145, 330-2		6
1758	Cutaneous lymphomas: what can we learn from location?. <b>2009</b> , 145, 710-2		1
1757	Efalizumab and progression of undiagnosed follicular mycosis fungoides. <b>2009</b> , 145, 843-4; author reply 844		1
1756	Lack of T-cell receptor-induced signaling is crucial for CD95 ligand up-regulation and protects cutaneous T-cell lymphoma cells from activation-induced cell death. <b>2009</b> , 69, 4175-83		45
1755	Plasmacytoid dendritic cells: physiologic roles and pathologic states. <b>2009</b> , 16, 392-404		132
1754	T-cell receptor gene rearrangement and CD30 immunoreactivity in traumatic ulcerative granuloma with stromal eosinophilia of the oral cavity. <b>2009</b> , 132, 722-7		38
1753	Primary cutaneous lymphoma: ESMO clinical recommendations for diagnosis, treatment and follow-up. <b>2009</b> , 20 Suppl 4, 115-8		18
1752	Applicability and prognostic value of the new TNM classification system in 135 patients with primary cutaneous anaplastic large cell lymphoma. <b>2009</b> , 145, 1399-404		69
1751	Neoplasia hematodfmica CD4+/CD56+. <b>2009</b> , 24, 20-22		
1750	Efficacy and safety of pegylated liposomal doxorubicin in primary cutaneous B-cell lymphomas and comparison with the commonly used therapies. <b>2009</b> , 82, 184-93		18
1749	Role and prognostic significance of the Ki-67 index in non-Hodgkin's lymphoma. <b>2009</b> , 84, 338-43		93
1748	Peripheral blood flow cytometry based diagnosis in primary cutaneous aggressive epidermotropic CD8+ T-cell lymphoma: implications for more extensive use. <b>2009</b> , 76, 102-6		3
1747	Molecular identity of skin and blood T-cell clones in cutaneous T-cell lymphoma patients as determined from the migration pattern of the T-cell receptor-gamma gene by capillary electrophoresis. <b>2009</b> , 30, 999-1007		3
1746	Seltene Hauttumoren. <b>2009</b> , 15, 292-301		

1745	Recurrent lymphomatoid papulosis associated with nephrotic syndrome. An occurrence of uncertain origin. <b>2009</b> , 24, 189-92		5
1744	Prevalence and significance of human parvovirus variants in skin from primary cutaneous T cell lymphomas, inflammatory dermatoses and healthy subjects. <b>2009</b> , 301, 647-52		10
1743	Immunochemotherapy for Bcl-2 and MUM-negative aggressive primary cutaneous B-cell non-Hodgkin's lymphoma. <b>2009</b> , 301, 689-92		18
1742	Primary cutaneous diffuse large B-cell lymphoma (leg type) after renal allograft: case report and review of the literature. <b>2009</b> , 89, 113-117		6
1741	Subcutaneous panniculitis-like T cell lymphoma: familial aggregation while different response to chemotherapy. <b>2009</b> , 89, 63-65		9
1740	Update on the World Health Organization classification of peripheral T-cell lymphomas. <b>2009</b> , 4, 227-35		16
1739	Mature T-cell malignancies: a diagnostic and therapeutic challenge. <b>2009</b> , 2, 134-141		
1738	[Antibody therapy in hematology and oncology--2]. <b>2009</b> , 104, 28-49		0
1737	[Intravascular lymphoma: two case reports demonstrating the heterogeneity of the disease]. <b>2009</b> , 60, 131-6		1
1736	[Skin tumours of the facial area]. <b>2009</b> , 57, 302-14		2
1735	Overall survival in erythrodermic cutaneous T-cell lymphoma: an analysis of prognostic factors in a cohort of patients with erythrodermic cutaneous T-cell lymphoma. <b>2009</b> , 48, 243-52		92
1734	Primary cutaneous CD4+/CD56+ hematodermic neoplasm (blastic NK-cell lymphoma): a case report. <b>2009</b> , 48, 62-5		4
1733	CD4/CD56 hematodermic neoplasm: a report of three cases. <b>2009</b> , 48, 743-8		3
1732	Indolent CD8+ lymphoid proliferation of the ear: a new entity and possible occurrence of signet ring cells. <b>2009</b> , 55, 468-70		19
1731	Clinicopathological features and T-cell receptor gene rearrangement findings of mycosis fungoides in patients younger than age 20 years. <i>Journal of Dermatology</i> , <b>2009</b> , 36, 392-402	1.6	29
1730	Adult T-cell leukemia-lymphoma associated with follicular mucinosis. <i>Journal of Dermatology</i> , <b>2009</b> , 36, 638-42	1.6	12
1729	Primary cutaneous T-cell lymphoma of unspecified type with cytotoxic phenotype: clinicopathological analysis of 27 patients. <b>2009</b> , 100, 33-41		25
1728	Bortezomib-induced apoptosis in mature T-cell lymphoma cells partially depends on upregulation of Noxa and functional repression of Mcl-1. <b>2009</b> , 100, 341-8		48

1727	Incidence of primary cutaneous T-cell lymphoma in Norway. <b>2009</b> , 160, 376-9	37
1726	A case of primary cutaneous natural killer/T-cell lymphoma, nasal type, with indolent clinical course: monoclonal expansion of Epstein-Barr virus genome correlating with the terminal aggressive behaviour. <b>2009</b> , 160, 205-7	8
1725	Extranodal NK/T-cell lymphoma with cutaneous involvement: 'nasal' vs. 'nasal-type' subgroups--a retrospective study of 18 patients. <b>2009</b> , 160, 333-7	66
1724	Hair extensions: a concerning cause of hair disorders. <b>2009</b> , 160, 207-9	28
1723	Quality of life and psychological distress in patients with cutaneous lymphoma. <b>2009</b> , 160, 815-22	68
1722	Stromal cell-derived factor 1 expression in various skin tumours. <b>2009</b> , 160, 710-3	3
1721	A case of primary cutaneous diffuse large B-cell lymphoma, leg type monitored with fluorine-18-fluorodeoxyglucose positron emission tomography/computed tomography. <b>2009</b> , 160, 713-6	1
1720	MUM1 expression does not differentiate primary cutaneous anaplastic large-cell lymphoma and lymphomatoid papulosis. <b>2009</b> , 160, 713	12
1719	Bexarotene therapy for mycosis fungoides and Szary syndrome. <b>2009</b> , 160, 1299-307	75
1718	Primary cutaneous CD4+ small/medium-sized pleomorphic T-cell lymphoma associated with an annular elastolytic giant cell granuloma. <b>2009</b> , 160, 1126-8	21
1717	Juvenile onset of primary low-grade cutaneous B-cell lymphoma. <b>2009</b> , 161, 140-7	30
1716	Diagnostic and prognostic evaluation of phenotypic markers TRAF1, MUM1, BCL2 and CD15 in cutaneous CD30-positive lymphoproliferative disorders. <b>2009</b> , 161, 121-7	52
1715	Gemcitabine treatment in cutaneous T-cell lymphoma: a multicentre study of 23 cases. <b>2009</b> , 161, 660-3	42
1714	Clinical characteristics and course of CD8+ cytotoxic variant of mycosis fungoides: a case series of seven patients. <b>2009</b> , 161, 826-30	46
1713	Painless unilateral ulceration of the lower leg. <b>2009</b> , 34, 545-6	
1712	Lymphomatoid papulosis and associated lymphomas: a retrospective case series of 84 patients. <b>2009</b> , 34, 576-81	74
1711	Juvenile folliculotropic and ichthyosiform mycosis fungoides. <b>2009</b> , 34, e160-2	6
1710	Haematodermic CD4+CD56+ neoplasm: complete remission after methotrexate-asparaginase treatment. <b>2009</b> , 34, e43-5	12

1709	Primary cutaneous aggressive epidermotropic CD8+ cytotoxic T-cell lymphoma clinically simulating pyoderma gangrenosum. <b>2009</b> , 34, e261-2	11
1708	Mycosis fungoides mimicking an annular erythema. <b>2009</b> , 34, e581-3	7
1707	Severe hypersensitivity reaction to minocycline in association with lymphomatoid papulosis. <b>2009</b> , 34, e397-8	4
1706	Nasal-type extranodal natural killer/T-cell lymphoma presenting with extensive leg ulcers. <b>2009</b> , 34, e693-5	9
1705	Neutrophil/eosinophil-rich type of primary cutaneous anaplastic large cell lymphoma: a clinicopathological, immunophenotypic and molecular study of nine cases. <b>2009</b> , 55, 189-96	22
1704	Dominance of nonmalignant T-cell clones and distortion of the TCR repertoire in the peripheral blood of patients with cutaneous CD30+ lymphoproliferative disorders. <b>2009</b> , 129, 89-98	17
1703	9p21 deletion in primary cutaneous large B-cell lymphoma, leg type, may escape detection by standard FISH assays. <b>2009</b> , 129, 238-40	7
1702	Primary cutaneous marginal zone B-cell lymphomas are targeted by aberrant somatic hypermutation. <b>2009</b> , 129, 476-9	26
1701	Fine-mapping chromosomal loss at 9p21: correlation with prognosis in primary cutaneous diffuse large B-cell lymphoma, leg type. <b>2009</b> , 129, 1149-55	69
1700	Epstein-Barr virus in cutaneous T-cell lymphomas: evaluation of the viral presence and significance in skin and peripheral blood. <b>2009</b> , 129, 1556-61	27
1699	Bcl-xL gene expression correlated with lower apoptotic cell numbers and shorter progression-free survival in PCFCL. <b>2009</b> , 129, 1703-9	11
1698	Chemokine receptors in T-cell-mediated diseases of the skin. <b>2009</b> , 129, 2552-66	32
1697	Analysis of extracutaneous spread in mycosis fungoides. <b>2009</b> , 129, 2905-7	0
1696	FOXP3+CD25- tumor cells with regulatory function in Szary syndrome. <b>2009</b> , 129, 2875-85	53
1695	Recurrent genomic aberrations combined with deletions of various tumour suppressor genes may deregulate the G1/S transition in CD4+CD56+ haematodermic neoplasms and contribute to the aggressiveness of the disease. <b>2009</b> , 23, 698-707	52
1694	Pagetoid reticulosis (Woringer-Kolopp disease). <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2009</b> , 7, 353-4	1.2 4
1693	Pagetoide Retikuloze (Morbus Woringer-Kolopp). <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2009</b> , 7, 353-355	1.2 6
1692	Folliculotropic mycosis fungoides in a psoriatic patient under methotrexate treatment. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2009</b> , 7, 1068-70	1.2 1

1691	Follikulotrope Mycosis fungoides bei einer Patientin mit Psoriasis unter Methotrexat-Therapie. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2009</b> , 7, 1068-1070	1.2	5
1690	Cutaneous gamma/delta T-cell lymphoma. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2009</b> , 7, 1065-7	1.2	11
1689	Primr kutanes Gamma/Delta-TZell-Lymphom. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2009</b> , 7, 1065-1067	1.2	22
1688	Primary cutaneous spindle cell B-cell lymphoma with multiple figurate erythema-like manifestation. <b>2009</b> , 36, 49-52		13
1687	Atypical intravascular CD30+ T-cell proliferation following trauma in a healthy 17-year-old male: first reported case of a potential diagnostic pitfall and literature review. <b>2009</b> , 36, 350-4		31
1686	Clusterin expression in cutaneous CD30-positive lymphoproliferative disorders and their histologic simulants. <b>2009</b> , 36, 302-7		10
1685	Castleman's disease with numerous mantle zone lymphocytes with clear cytoplasm involving the skin: case report. <b>2009</b> , 36, 887-91		5
1684	Intravascular large B-cell lymphoma with cutaneous manifestations: a clinicopathologic, immunophenotypic and molecular study of three cases. <b>2009</b> , 36, 865-70		15
1683	CD8-positive mycosis fungoides and primary cutaneous aggressive epidermotropic CD8-positive cytotoxic T-cell lymphoma. <b>2009</b> , 36, 390-2		20
1682	Primary cutaneous marginal zone B-cell lymphomas: are they different from other extranodal marginal zone B-cell lymphomas?. <b>2009</b> , 36, 715-7		2
1681	Could follicular helper T-cells play a role in primary cutaneous CD4+ small/medium-sized pleomorphic T-cell lymphomas?. <b>2009</b> , 36, 717-8		7
1680	Multiple cutaneous monoclonal B-cell proliferations as harbingers of systemic angioimmunoblastic T-cell lymphoma. <b>2010</b> , 37, 777-86		15
1679	CD30 positive anaplastic large-cell lymphoma mimicking Langerhans cell histiocytosis. <b>2010</b> , 37, 787-92		6
1678	Molecular diagnosis in dermatopathology: what makes sense, and what doesn't. <b>2009</b> , 18, 12-23		24
1677	Detergent fractionation with subsequent subtractive suppression hybridization as a tool for identifying genes coding for plasma membrane proteins. <b>2009</b> , 18, 527-35		2
1676	Successful treatment of lymphomatoid papulosis with photodynamic therapy. <b>2009</b> , 50, 129-32		14
1675	Szary syndrome presenting with 'leonine facies'. <b>2009</b> , 50, 285-8		8
1674	Immunophenotypical, morphologic, and functional characterization of maturation-associated plasmacytoid dendritic cell subsets in normal adult human bone marrow. <b>2009</b> , 49, 1692-1708		21

1673	Two pediatric cases of primary cutaneous B-cell lymphoma and review of the literature. <b>2009</b> , 26, 34-9		26
1672	Primary cutaneous CD30 positive anaplastic large cell lymphoma in an adolescent. <b>2009</b> , 26, 721-4		11
1671	Controversies in the management of the cutaneous T cell lymphomas. <b>2009</b> , 22, 407-17		7
1670	Spider bite-induced pagetoid reticulosis?. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2009</b> , 23, 446-7	4.6	1
1669	Cutaneous lymphomas showing prominent granulomatous component: clinicopathological features in a series of 16 cases. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2009</b> , 23, 639-47	4.6	46
1668	Efficacy of narrowband UVB vs. PUVA in patients with early-stage mycosis fungoides. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2010</b> , 24, 716-21	4.6	40
1667	Prevalence of genetically defined tumor cells in CD7 as well as CD26 positive and negative circulating T-cell subsets in Szary syndrome. <b>2009</b> , 33, 88-99		12
1666	Low-dose palliative radiotherapy for cutaneous B- and T-cell lymphomas. <b>2009</b> , 74, 154-8		105
1665	A meta-analysis of patients receiving allogeneic or autologous hematopoietic stem cell transplant in mycosis fungoides and Szary syndrome. <b>2009</b> , 15, 982-90		87
1664	Chemokine receptor repertoire reflects mature T-cell lymphoproliferative disorder clinical presentation. <b>2009</b> , 42, 57-63		6
1663	NK cell lymphoblastic lymphoma in the masticator space: a case of non-Hodgkin lymphoma with challenging maxillofacial manifestation and immunophenotype. <b>2009</b> , 108, 897-903		4
1662	Cutaneous lymphomas: from morphology to chip technology. <b>2009</b> , 100 Suppl 1, 3-17		8
1661	Treatment of cutaneous lymphomas: today and tomorrow. <b>2009</b> , 100 Suppl 1, 18-32		4
1660	A case of syringotropic cutaneous T-cell lymphoma treated with local radiotherapy. <b>2009</b> , 60, 152-4		10
1659	Primary cutaneous Richter syndrome: prognostic implications and review of the literature. <b>2009</b> , 60, 157-61		23
1658	Folliculitis-perifolliculitis related to erlotinib therapy spares previously irradiated skin. <b>2009</b> , 60, 154-7		10
1657	A case of recurrent pseudolymphomatous folliculitis: A mimic of cutaneous lymphoma. <b>2009</b> , 60, 994-1000		13
1656	Cutaneous T-cell lymphoma in skin of color. <b>2009</b> , 60, 359-75; quiz 376-8		27

1655	Localized pagetoid reticulosis (Woringer-Kolopp disease) in early childhood. <b>2009</b> , 61, 120-3	18
1654	Two cases of syringotropic cutaneous T-cell lymphoma and review of the literature. <b>2009</b> , 61, 133-8	22
1653	Primary cutaneous T-cell lymphoma expressing FOXP3: a case report supporting the existence of malignancies of regulatory T cells. <b>2009</b> , 61, 348-55	15
1652	Aggressive subcutaneous panniculitis-like T-cell lymphoma with hemophagocytosis in two children (subcutaneous panniculitis-like T-cell lymphoma). <b>2009</b> , 61, 875-81	38
1651	A distinct profile of serum levels of soluble intercellular adhesion molecule-1 and intercellular adhesion molecule-3 in mycosis fungoides and Szary syndrome. <b>2009</b> , 61, 263-70	10
1650	Immunomodulatory therapy of cutaneous T-cell lymphoma: a multimodality approach in advanced disease. <b>2009</b> , 61, 1056-8	
1649	Extranodal nasal-type natural killer/T-cell lymphoma of the skin: a clinicopathologic study of 16 cases in China. <b>2009</b> , 40, 807-16	34
1648	Lymphoma among patients with atopic dermatitis and/or treated with topical immunosuppressants in the United Kingdom. <b>2009</b> , 123, 1111-6, 116.e1-13	65
1647	Low-dose gemcitabine efficacious in three patients with tumor-stage mycosis fungoides. <b>2009</b> , 9, E21-4	5
1646	Evaluation of the long-term tolerability and clinical benefit of vorinostat in patients with advanced cutaneous T-cell lymphoma. <b>2009</b> , 9, 412-6	74
1645	Granulomatous slack skin: assessment of disease progression and treatment response using positron emission tomography/computed tomography. <b>2009</b> , 9, 455-8	8
1644	Hematopoietic Lesions. <b>2009</b> , 933-974	3
1643	[Diagnostic problems posed by cutaneous lymphocytic infiltrates]. <b>2009</b> , 136, 160-7	0
1642	Inhibition of constitutively activated nuclear factor-kappaB induces reactive oxygen species- and iron-dependent cell death in cutaneous T-cell lymphoma. <b>2009</b> , 69, 2365-74	93
1641	Primary cutaneous zygomycosis due to <i>Absidia corymbifera</i> in a patient with cutaneous T cell lymphoma. <b>2009</b> , 47, 663-8	6
1640	Sustained response of primary cutaneous CD30 positive anaplastic large cell lymphoma to bexarotene and photopheresis. <i>Leukemia and Lymphoma</i> , <b>2009</b> , 50, 1389-91	1,9 6
1639	The 2008 WHO classification of lymphomas: implications for clinical practice and translational research. <b>2009</b> , 523-31	412
1638	Gene deregulation and spatial genome reorganization near breakpoints prior to formation of translocations in anaplastic large cell lymphoma. <b>2009</b> , 106, 5831-6	80

1637	Cutaneous CD30 lymphoproliferative disorders and similar conditions: a clinical and pathologic prospective on a complex issue. <b>2009</b> , 26, 131-40	24
1636	[Cutaneous large B-cell leg-type lymphoma occurring on a leg burn]. <b>2009</b> , 136, 791-4	3
1635	The leukemias of mature lymphocytes. <b>2009</b> , 23, 843-71	7
1634	[Two cases of subcutaneous panniculitis-like T-cell lymphoma (CD4- CD8+ CD56-)]. <b>2009</b> , 136, 264-8	6
1633	Resolution of CD8+ lymphomatoid papulosis after surgical excision of the type AB-thymoma. <b>2009</b> , 31, 475-9	4
1632	Solitary cutaneous nodule of blastic plasmacytoid dendritic cell neoplasm progressing to overt leukemia cutis after chemotherapy: immunohistology and FISH analysis confirmed the diagnosis. <b>2009</b> , 31, 695-701	16
1631	CD123-positive plasmacytoid dendritic cells in primary cutaneous marginal zone B-cell lymphoma: diagnostic and pathogenetic implications. <b>2009</b> , 33, 1307-13	48
1630	Diffuse aggressive B-cell lymphomas. <b>2009</b> , 16, 216-35	16
1629	Primary cutaneous CD4+ small-/medium-sized pleomorphic T-cell lymphoma expresses follicular T-cell markers. <b>2009</b> , 33, 81-90	186
1628	Splenic follicular lymphoma: clinicopathologic characteristics of a series of 32 cases. <b>2009</b> , 33, 730-8	35
1627	Survival and recurrence in nonmycosis fungoides primary cutaneous lymphoma. <b>2009</b> , 15, 87-92	
1626	Cutaneous lymphomas: one size does not fit all. <b>2009</b> , 15, 79-80	0
1625	A distinct entity in the spectrum of the CD30+ cutaneous lymphoproliferative diseases: oligolesional nodules with pseudoepitheliomatous hyperplasia followed by spontaneous resolution. <b>2009</b> , 31, 37-43	16
1624	Primary cutaneous peripheral T-cell lymphoma with aberrant coexpression of CD20: case report and review of the literature. <b>2009</b> , 31, 187-92	21
1623	Unusual clinicopathological presentation of primary cutaneous diffuse large B-cell lymphoma, leg type, with multiple nodules and widespread garland-like lesions. <b>2009</b> , 31, 370-4	12
1622	Primary cutaneous CD4+ small-/medium-sized pleomorphic T-cell lymphoma: a cutaneous nodular proliferation of pleomorphic T lymphocytes of undetermined significance? A study of 136 cases. <b>2009</b> , 31, 317-22	158
1621	Intensive chemotherapy for a patient with primary cutaneous diffuse large B-cell lymphoma with Burkitt-like morphology. <b>2009</b> , 48, 475-8	1
1620	Reciprocal modulation of circulating CD4+CD25+bright T cells induced by extracorporeal photochemotherapy in cutaneous T-cell lymphoma and chronic graft-versus-host-disease patients. <b>2009</b> , 22, 353-62	18

1619	Specialized Therapeutic Hemapheresis and Phlebotomy. 652-680		
1618	Erythrodermic cutaneous T-cell lymphoma: Two case reports / Eritrodermalni kutani limfom T-Ālija - prikaz dva sluĀija. <b>2009</b> , 1, 116-121		
1617	Oncogenomic analysis of mycosis fungoides reveals major differences with Sezary syndrome. <i>Blood</i> , <b>2009</b> , 113, 127-36	2.2	154
1616	Constitutive JAK3 activation induces lymphoproliferative syndromes in murine bone marrow transplantation models. <i>Blood</i> , <b>2009</b> , 113, 2746-54	2.2	58
1615	Identification of tyrosine kinase, HCK, and tumor suppressor, BIN1, as potential mediators of AHI-1 oncogene in primary and transformed CTCL cells. <i>Blood</i> , <b>2009</b> , 113, 4646-55	2.2	30
1614	Cotreatment with BCL-2 antagonist sensitizes cutaneous T-cell lymphoma to lethal action of HDAC7-Nur77-based mechanism. <i>Blood</i> , <b>2009</b> , 113, 4038-48	2.2	43
1613	Ectopic expression of B-lymphoid kinase in cutaneous T-cell lymphoma. <i>Blood</i> , <b>2009</b> , 113, 5896-904	2.2	48
1612	How I treat mycosis fungoides and SĀary syndrome. <i>Blood</i> , <b>2009</b> , 114, 4337-53	2.2	126
1611	Update on treatment of cutaneous T-cell lymphoma. <b>2009</b> , 21, 131-7		31
1610	CD4+, CD56+ mycosis fungoides: case report and review of the literature. <b>2009</b> , 31, 74-6		12
1609	Subcutaneous panniculitis-like T-cell lymphoma with overlapping clinicopathologic features of lupus erythematosus: coexistence of 2 entities?. <b>2009</b> , 31, 520-6		105
1608	Plasmacytoid dendritic cell leukemia in children. <b>2009</b> , 31, 339-43		12
1607	Low stage follicular lymphoma: biologic and clinical characterization according to nodal or extranodal primary origin. <b>2009</b> , 33, 591-8		26
1606	Cutaneous marginal zone lymphomas have distinctive features and include 2 subsets. <b>2010</b> , 34, 1830-41		85
1605	Primary cutaneous Epstein-Barr virus-associated T-cell lymphoproliferative disorder-2 cases with unusual, prolonged clinical course. <b>2010</b> , 32, 832-6		18
1604	Evolving purple lesions and nodules on the abdomen and forearm. <b>2010</b> , 23, E1-E4		
1603	Anetodermic primary cutaneous B-cell lymphoma: a unique clinicopathological presentation of lymphoma possibly associated with antiphospholipid antibodies. <b>2010</b> , 146, 175-82		17
1602	CD8-positive primary cutaneous anaplastic large T-cell lymphoma (PCALCL): case report and review of this unusual variant of PCALCL. <b>2010</b> , 32, 489-91		19

1601	Primary cutaneous large B-cell lymphoma shows activation of nuclear factor kappa B and low incidence of Epstein-Barr virus. <b>2010</b> , 32, 439-41		8
1600	Pagetoid reticulosis after radiotherapy of primary cutaneous anaplastic large-cell lymphoma. <b>2010</b> , 32, 79-82		5
1599	Long-term evolution of an untreated primary cutaneous follicle center lymphoma of the scalp. <b>2010</b> , 32, 91-4		16
1598	Histopathologic diagnosis of lymphomatous versus inflammatory erythroderma: a morphologic and phenotypic study on 47 skin biopsies. <b>2010</b> , 32, 755-63		37
1597	Giant primary cutaneous spindle cell B-cell lymphoma of follicle center cell origin. <b>2010</b> , 32, 628-32		21
1596	Aggressive variant of primary cutaneous anaplastic large T-cell lymphoma: a new role for 18F-FDG PET/CT. <b>2010</b> , 35, 598-600		6
1595	IgM expression on paraffin sections distinguishes primary cutaneous large B-cell lymphoma, leg type from primary cutaneous follicle center lymphoma. <b>2010</b> , 34, 1043-8		73
1594	Cutaneous manifestations of blastic plasmacytoid dendritic cell neoplasm-morphologic and phenotypic variability in a series of 33 patients. <b>2010</b> , 34, 75-87		135
1593	Effusion-associated anaplastic large cell lymphoma of the breast: time for it to be defined as a distinct clinico-pathological entity. <b>2010</b> , 95, 1977-9		69
1592	NCCN Clinical Practice Guidelines in Oncology: non-Hodgkin's lymphomas. <b>2010</b> , 8, 288-334		185
1591	Sezary syndrome and mycosis fungoides arise from distinct T-cell subsets: a biologic rationale for their distinct clinical behaviors. <i>Blood</i> , <b>2010</b> , 116, 767-71	2.2	335
1590	Cutaneous extranodal NK/T-cell lymphoma: a clinicopathologic study of 5 patients with array-based comparative genomic hybridization. <i>Blood</i> , <b>2010</b> , 116, 165-70	2.2	44
1589	MicroRNA expression in Sezary syndrome: identification, function, and diagnostic potential. <i>Blood</i> , <b>2010</b> , 116, 1105-13	2.2	117
1588	Notch1 as a potential therapeutic target in cutaneous T-cell lymphoma. <i>Blood</i> , <b>2010</b> , 116, 2504-12	2.2	67
1587	Confirmation of the biological significance of transthyretin as a biomarker for cutaneous T-cell lymphoma by its protein interaction partners. <b>2011</b> , 4, 157-61		3
1586	A variant of lymphomatoid papulosis simulating primary cutaneous aggressive epidermotropic CD8+ cytotoxic T-cell lymphoma. Description of 9 cases. <b>2010</b> , 34, 1168-75		167
1585	STAT3 knockdown by siRNA induces apoptosis in human cutaneous T-cell lymphoma line Hut78 via downregulation of Bcl-xL. <b>2010</b> , 15, 342-55		33
1584	Before and after treatment 18F-FDG PET/CT images in a patient with cutaneous T-cell lymphoma. <b>2010</b> , 37, 1995		6

- 1583 Diagnostic concomitant d'une leucémie lymphoïde chronique B et d'un lymphome T cutané type mycosis fongoïde. À propos d'une observation. **2010**, 12, 74-76
- 1582 Syndrome de Szary traité par bexarotène: un cas. **2010**, 12, 132-134
- 1581 Long term survival in aggressive NK cell leukemia. **2010**, 47, 807-8 4
- 1580 Primary cutaneous diffuse large B cell lymphoma relapsed solely as a huge lung tumor mimicking a primary pulmonary lymphoma. **2010**, 91, 112-6 2
- 1579 Targeted treatment and new agents in peripheral T-cell lymphoma. **2010**, 92, 33-44 23
- 1578 Rare pediatric non-hodgkin lymphoma. **2010**, 5, 163-8 13
- 1577 Von der Wichtigkeit wissenschaftsgetriebener Studien. **2010**, 5, 1-1
- 1576 Targeting histone deacetylases in the treatment of B- and T-cell malignancies. **2010**, 28 Suppl 1, S58-78 52
- 1575 Lesión nodular de rápido crecimiento en el brazo. **2010**, 25, 100-103
- 1574 The World Health Organization (WHO) classification of tumors of the hematopoietic and lymphoid tissues: an overview with emphasis on the myeloid neoplasms. **2010**, 184, 16-20 153
- 1573 Evidence of multiple infectious agents in mycosis fungoides lesions. **2010**, 89, 46-50 16
- 1572 Silicon phthalocyanine (Pc 4) photodynamic therapy is a safe modality for cutaneous neoplasms: results of a phase 1 clinical trial. **2010**, 42, 728-35 82
- 1571 Cutaneous lymphoid proliferations: a clinicopathological continuum?. **2010**, 16, 417-424 5
- 1570 Primary cutaneous anaplastic large-cell lymphoma presenting with hemophagocytic syndrome: a case report and review of the literature. **2010**, 34, 263-6 11
- 1569 Acute lymphoplasmacytoid dendritic cell (DC2) leukemia: results from the Hellenic Dendritic Cell Leukemia Study Group. **2010**, 34, 438-46 77
- 1568 Red nose: primary cutaneous marginal zone B-cell lymphoma. **2010**, 34, 682-4 5
- 1567 Eight-cycle rituximab therapy resulted in complete remission in primary cutaneous marginal zone lymphoma. **2010**, 34, e160-3 6
- 1566 Changes in oncomiR expression in CTCL cell lines during apoptosis induced by Notch inhibition. **2010**, 34, e235-6 7

1565	Diffuse large B-cell lymphoma. <b>2010</b> , 16, 69-81		14
1564	Primary cutaneous lymphoma: An overview based on the WHO&EORTC classification. <b>2010</b> , 16, 168-181		4
1563	Primary cutaneous marginal zone lymphoma. <b>2010</b> , 74, 156-62		22
1562	[Vorinostat in the treatment of cutaneous T-cell lymphomas. Treatment with histone deacetylases inhibitors]. <b>2010</b> , 39, 190-6		
1561	Epstein-Barr virus-associated hydroa vacciniforme-like cutaneous lymphoma in seven Chinese children. <b>2010</b> , 27, 463-9		50
1560	Panniculitis in childhood. <b>2010</b> , 23, 356-67		39
1559	Therapeutic hotline: Primary cutaneous CD4 + small/medium-sized pleomorphic T cell lymphoma coexisting with myelodysplastic syndrome transforming into chronic myelomonocytic leukemia successfully treated with cyclophosphamide. <b>2010</b> , 23, 676-81		7
1558	Somatostatin receptor scintigraphy in primary cutaneous T- and B-cell lymphomas. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2010</b> , 24, 13-7	4.6	7
1557	Subcutaneous panniculitis-like T-cell lymphoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2010</b> , 24, 241-2	4.6	2
1556	Malignant lymphoma of the head and neck. <b>2010</b> , 16, 119-28		57
1555	Combination therapy with extracorporeal photopheresis, interferon-alpha, PUVA and topical corticosteroids in the management of Szary syndrome. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2010</b> , 8, 428-38	1.2	8
1554	Die Kombinationstherapie mit extrakorporaler Photopherese, Interferon- $\alpha$ PUVA und lokalen Glukokortikoiden in der Behandlung des Szary-Syndroms. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2010</b> , 8, 428-438	1.2	14
1553	Programmed cell death-10 enhances proliferation and protects malignant T cells from apoptosis. <b>2010</b> , 118, 719-28		34
1552	Diagnosis of mycosis fungoides with different algorithmic approaches. <b>2010</b> , 37, 8-14		15
1551	CD4/CD8 double negative pagetoid reticulosis: a case report and literature review. <b>2010</b> , 37, 491-6		18
1550	An atypical presentation of a blastic plasmacytoid dendritic cell tumors. <b>2010</b> , 37, e50-2		8
1549	Symmetrical primary cutaneous marginal zone lymphoma associated with rheumatoid arthritis. <b>2010</b> , 37, 600-4		6
1548	Indolent CD8-positive lymphoid proliferation on the face: part of the spectrum of primary cutaneous small-/medium-sized pleomorphic T-cell lymphoma or a distinct entity?. <b>2010</b> , 37, 977-81		43

1547	Canine cutaneous epitheliotropic T-cell lymphoma: a review of 30 cases. <b>2010</b> , 21, 267-75	53
1546	CD30+ lymphoma simulating orf. <b>2010</b> , 49, 690-2	3
1545	Primary cutaneous peripheral T-cell non-Hodgkin lymphoma, not otherwise specified, with cytotoxic features. <b>2010</b> , 49, 967-9	5
1544	Immunocytochemistry and the diagnosis of cutaneous lymphoma. <b>2010</b> , 56, 71-90	15
1543	Absolute CD3+ CD158k+ lymphocyte count is reliable and more sensitive than cytomorphology to evaluate blood tumour burden in Szary syndrome. <b>2010</b> , 162, 123-8	36
1542	Blastic plasmacytoid dendritic cell neoplasm: is transplantation the treatment of choice?. <b>2010</b> , 162, 74-9	106
1541	T-cell receptor gamma gene rearrangement in cutaneous T-cell lymphoma: comparative study of polymerase chain reaction with denaturing gradient gel electrophoresis and GeneScan analysis. <b>2010</b> , 162, 822-9	25
1540	Primary cutaneous B-cell lymphoma is associated with somatically hypermutated immunoglobulin variable genes and frequent use of VH1-69 and VH4-59 segments. <b>2010</b> , 162, 611-8	19
1539	Follicular hyperkeratosis as a manifestation of Szary syndrome. <b>2010</b> , 162, 695-6	4
1538	Intralesional corticosteroid therapy for primary cutaneous B-cell lymphoma. <b>2010</b> , 163, 223-5	19
1537	Malignant T cells in cutaneous T-cell lymphoma lesions contain decreased levels of the antiapoptotic protein Ku70. <b>2010</b> , 163, 564-71	5
1536	Notch signalling in primary cutaneous CD30+ lymphoproliferative disorders: a new therapeutic approach?. <b>2010</b> , 163, 781-8	17
1535	Subcutaneous panniculitis-like T-cell lymphoma #complete sustained remission with corticosteroids and methotrexate. <b>2010</b> , 163, 1136-8	19
1534	An unusual case of granulomatous cutaneous T-cell lymphoma showing subcutaneous/muscular involvement and a 5q33.1 deletion. <b>2010</b> , 163, 1129-32	
1533	Solitary oral ulceration as the first appearance of lymphomatoid papulosis: a diagnostic challenge. <b>2010</b> , 35, 165-8	16
1532	Folliculotropic mycosis fungoides with eosinophilia and CD30+ large-cell transformation: a case with a fatal outcome presenting with multifocal lesions and leonine facies. <b>2010</b> , 35, e133-6	16
1531	Primary cutaneous peripheral T-cell lymphoma, unspecified with an indolent clinical course: a distinct peripheral T-cell lymphoma?. <b>2010</b> , 35, 892-6	17
1530	Resistance of cutaneous anaplastic large-cell lymphoma cells to apoptosis by death ligands is enhanced by CD30-mediated overexpression of c-FLIP. <b>2010</b> , 130, 826-40	22

1529	IRF4 gene rearrangements define a subgroup of CD30-positive cutaneous T-cell lymphoma: a study of 54 cases. <b>2010</b> , 130, 816-25	85
1528	IRF4 expression without IRF4 rearrangement is a general feature of primary cutaneous diffuse large B-cell lymphoma, leg type. <b>2010</b> , 130, 1470-2	7
1527	Classification of cutaneous lymphomas - an update. <b>2010</b> , 56, 57-70	81
1526	Indolent CD8+ lymphoid proliferation of the ear: a phenotypic variant of the small-medium pleomorphic cutaneous T-cell lymphoma?. <b>2010</b> , 37, 81-4	59
1525	Non-mycosis fungoides cutaneous T-cell lymphoma: reclassification according to the WHO-EORTC classification. <b>2010</b> , 37, 516-24	13
1524	Abstracts of the Australasian College of Dermatologists 43rd Annual Scientific Meeting. May 16-19, 2010. Darwin, Northern Territory, Australia. <b>2010</b> , 51 Suppl 1, A1-47	1
1523	3.3 Kutane Lymphome. <b>2010</b> ,	
1522	11.4 Therapie kutaner B-Zell-Lymphome (Cutaneous B-Cell Lymphoma, CBCL). <b>2010</b> ,	
1521	14.3 Kutane Lymphome. <b>2010</b> ,	
1520	11.3 Diagnostik (Histologie, molekulare Genetik). <b>2010</b> ,	
1519	11.2 Pseudolymphome. <b>2010</b> ,	
1518	Les lymphomes cutanés : bien identifier les différentes entités pour mieux les traiter. <b>2010</b> , 194, 1365-1372	
1517	Orbital Apex Syndrome with Nasal Type Natural Killer(NK)/T-cell Lymphoma of Sphenoid and Ethmoid Sinus. <b>2010</b> , 51, 286	5
1516	Polymerase chain reaction-based clonality analysis of cutaneous B-cell lymphoproliferative processes. <b>2010</b> , 65, 53-60	10
1515	Romidepsin: evidence for its potential use to manage previously treated cutaneous T cell lymphoma. <b>2011</b> , 6, 1-12	9
1514	Non Hodgkin's lymphoma with cutaneous involvement in AIDS patients: report of five cases and review of the literature. <b>2010</b> , 14, 81-85	
1513	Treatment relapsed subcutaneous panniculitis-like T-cell lymphoma together HPS by Cyclosporin A. <b>2010</b> , 2, e9	6
1512	Primary cutaneous intravascular large B-cell lymphoma treated with combination chemotherapy and complicated by rituximab-induced interstitial lung disease. <i>Acta Dermato-Venereologica</i> , <b>2010</b> , 90, 296-8	2.2 3

1511	CD4-/CD56+/CD123+ Hematodermic Neoplasm Showing Early Liver Metastasis. <b>2010</b> , 22, 186-90	6
1510	Plaque stage mycosis fungoides treated with bexarotene at low dosage and UVB-NB. <b>2010</b> , 21, 45-8	10
1509	Characteristics of cutaneous marginal zone lymphomas with marked plasmacytic differentiation and a T cell-rich background. <b>2010</b> , 133, 59-69	37
1508	FDG PET/CT of extranodal involvement in non-Hodgkin lymphoma and Hodgkin disease. <b>2010</b> , 30, 269-91	214
1507	Evaluation of T-cell clonality in archival skin biopsy samples of cutaneous T-cell lymphomas using the biomed-2 PCR protocol. <b>2010</b> , 19, 70-7	24
1506	Transcriptional profiles predict disease outcome in patients with cutaneous T-cell lymphoma. <b>2010</b> , 16, 2106-14	67
1505	Allogeneic hematopoietic cell transplantation for patients with mycosis fungoides and S�ary syndrome: a retrospective analysis of the Lymphoma Working Party of the European Group for Blood and Marrow Transplantation. <b>2010</b> , 28, 4492-9	143
1504	Remission of severe CD8(+) cytotoxic T cell skin infiltrative disease in human immunodeficiency virus-infected patients receiving highly active antiretroviral therapy. <b>2010</b> , 51, 741-8	12
1503	Asymptomatic Tumors in a 64-Year-Old Man�Diagnosis. <b>2010</b> , 146, 1167	
1502	Primary cutaneous lymphomas: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. <b>2010</b> , 21 Suppl 5, v177-80	31
1501	Fine Wrinkling of the Thighs and Axillae�Diagnosis. <b>2010</b> , 146, 1167	
1500	Lower Extremity Purpura in a Woman With Psychosis�Diagnosis. <b>2010</b> , 146, 1167	
1499	Vorinostat for the treatment of cutaneous T-cell lymphoma. <b>2010</b> , 5, 393-401	1
1498	Epidemiology, treatment, and prevention of human T-cell leukemia virus type 1-associated diseases. <b>2010</b> , 23, 577-89	304
1497	Total skin electron beam and non-myeloablative allogeneic hematopoietic stem-cell transplantation in advanced mycosis fungoides and Sezary syndrome. <b>2010</b> , 28, 2365-72	122
1496	Papuloerythroderma 2009: two new cases and systematic review of the worldwide literature 25 years after its identification by Ofuji et al. <b>2010</b> , 220, 311-20	40
1495	Oligonucleotide array-CGH identifies genomic subgroups and prognostic markers for tumor stage mycosis fungoides. <b>2010</b> , 130, 1126-35	60
1494	Increased programmed death-1 expression on CD4+ T cells in cutaneous T-cell lymphoma: implications for immune suppression. <b>2010</b> , 146, 1382-8	97

1493	Dermoscopic Features of CD8-Positive Solitary Pagetoid Reticulosis on the Left Leg. <b>2010</b> , 2010,		4
1492	Adult-Onset Unilateral Segmental Vascular PatchesâDiagnosis. <b>2010</b> , 146, 1167		1
1491	Cutaneous CD4+/CD56+ hematodermic neoplasm. <b>2010</b> , 76, 723		
1490	A case of cutaneous blastic plasmacytoid dendritic cell neoplasm. <i>Acta Dermato-Venereologica</i> , <b>2010</b> , 90, 645-6	2.2	5
1489	ALK-positive primary systemic anaplastic large cell lymphoma with extensive cutaneous manifestation. <i>Acta Dermato-Venereologica</i> , <b>2010</b> , 90, 198-200	2.2	5
1488	Cutaneous presentation of mantle cell lymphoma. <i>Acta Dermato-Venereologica</i> , <b>2010</b> , 90, 548-50	2.2	17
1487	Tumoral aspects of plasmacytoid dendritic cells: what do we know in 2009?. <b>2010</b> , 43, 210-4		37
1486	CD8+ CD56+ mycosis fungoides with an indolent clinical behaviour: case report and literature review. <i>Acta Dermato-Venereologica</i> , <b>2010</b> , 90, 525-6	2.2	14
1485	TCRgamma-chain gene rearrangement by GeneScan: incidence and significance of clonal heterogeneity in Sary syndrome. <b>2010</b> , 130, 2312-9		8
1484	Pruritus in cutaneous T-cell lymphomas: frequent, often severe and difficult to treat. <i>Acta Dermato-Venereologica</i> , <b>2010</b> , 90, 12-7	2.2	36
1483	Toxic epidermal necrolysis induced by ofloxacin. <i>Acta Dermato-Venereologica</i> , <b>2010</b> , 90, 550-1	2.2	3
1482	Mycosis fungoides in the pediatric population: report from an international Childhood Registry of Cutaneous Lymphoma. <b>2010</b> , 14, 1-6		65
1481	GVL effect in plasmacytoid DC leukemia/lymphoma. <b>2010</b> , 45, 961-2		6
1480	Downregulation of Fas gene expression in Sary syndrome is associated with promoter hypermethylation. <b>2010</b> , 130, 1116-25		49
1479	Cutaneous T-cell lymphoma: two faces of the same coin. <b>2010</b> , 130, 348-51		4
1478	Genome-wide analysis of cutaneous T-cell lymphomas identifies three clinically relevant classes. <b>2010</b> , 130, 1707-18		81
1477	Radiotherapy of skin cancers. <b>2010</b> , 5, 173-181		
1476	Primary cutaneous CD8+ aggressive epidermotropic cytotoxic T-cell lymphoma in a human T-cell leukaemia virus type-1 carrier. <i>Acta Dermato-Venereologica</i> , <b>2010</b> , 90, 324-5	2.2	7

1475	Infantile erosive pustular dermatosis of the scalp associated with Klippel-Feil syndrome. <i>Acta Dermato-Venereologica</i> , <b>2010</b> , 90, 200-1	2.2	9
1474	Photodynamic therapy with the silicon phthalocyanine pc 4 induces apoptosis in mycosis fungoides and sezary syndrome. <b>2010</b> , 2010, 896161		19
1473	Immunophenotypic correlation between skin biopsy and peripheral blood findings in mycosis fungoides. <b>2010</b> , 134, 739-48		17
1472	Evolution of clinical and molecular responses to bexarotene treatment in cutaneous T-cell lymphoma. <b>2010</b> , 220, 370-5		15
1471	Emerging role of epigenetic therapies in cutaneous T-cell lymphomas. <b>2010</b> , 3, 187-203		28
1470	Cutaneous anaplastic large cell lymphoma and peripheral T-cell lymphoma NOS show distinct chromosomal alterations and differential expression of chemokine receptors and apoptosis regulators. <b>2010</b> , 130, 563-75		54
1469	Eotaxins and CCR3 interaction regulates the Th2 environment of cutaneous T-cell lymphoma. <b>2010</b> , 130, 2304-11		62
1468	CDKN2A-CDKN2B deletion defines an aggressive subset of cutaneous T-cell lymphoma. <b>2010</b> , 23, 547-58		62
1467	Phase II clinical trial of intratumoral application of TG1042 (adenovirus-interferon-gamma) in patients with advanced cutaneous T-cell lymphomas and multilesional cutaneous B-cell lymphomas. <b>2010</b> , 18, 1244-7		33
1466	The role of 9-O-acetylated ganglioside D3 (CD60) and $\alpha_4\beta_1$ (CD49d) expression in predicting the survival of patients with Sezary syndrome. <b>2010</b> , 95, 1905-12		12
1465	Subcutaneous panniculitis-like T-cell lymphoma with breast involvement: functional and morphological imaging findings. <b>2010</b> , 83, e90-4		19
1464	Non Hodgkin's lymphoma with cutaneous involvement in AIDS patients. Report of five cases and review of the literature. <b>2010</b> , 14, 81-85		
1463	Innovative therapy of cutaneous T-cell lymphoma: beyond psoralen and ultraviolet light and nitrogen mustard. <b>2010</b> , 28, 501-10		6
1462	Natural Killer Cells and the Skin. <b>2010</b> , 255-266		
1461	Current and emerging treatment strategies for cutaneous T-cell lymphoma. <b>2010</b> , 70, 273-86		72
1460	The role of histone deacetylase inhibitors in the treatment of patients with cutaneous T-cell lymphoma. <b>2010</b> , 10, 98-109		25
1459	The state of cutaneous lymphomas: a call to action. <b>2010</b> , 10 Suppl 2, S55-8		2
1458	New strategies to optimize outcomes in patients with T-cell lymphoma. <b>2010</b> , 10 Suppl 2, S84-7		0

1457	Hematopoietic stem cell transplantation for cutaneous T-cell lymphoma. <b>2010</b> , 10 Suppl 2, S96-8	1
1456	Local versus systemic treatment for primary cutaneous B-cell lymphoma. <b>2010</b> , 10 Suppl 2, S103-5	
1455	Primary Cutaneous CD30+ Lymphoproliferative Disorders. <b>2010</b> , 101, 119-128	1
1454	Cutaneous Lymphoma in Actas Dermo-Sifiligrificas: A Historical Perspective. <b>2010</b> , 101, 411-414	
1453	Comparative Analysis of the Expression of Cell Adhesion Molecules in Cutaneous T-Cell Lymphomas (Mycosis Fungoides/Szary Syndrome) and Inflammatory Skin Diseases. <b>2010</b> , 101, 866-877	
1452	Handbook of Evidence-Based Radiation Oncology. <b>2010</b> ,	32
1451	Cutaneous T-cell Lymphomas. <b>2010</b> , 427-447	0
1450	Extranodal Lymphomas and Tumors of the Thymus. <b>2010</b> , 477-501	
1449	Extending killer Ig-like receptor function: from HLA class I recognition to sensors of microbial products. <b>2010</b> , 31, 289-94	23
1448	Localized lymphomatoid papulosis. <b>2010</b> , 62, 353-6	16
1447	Pigmented Bowen disease of the palm: an atypical case diagnosed by dermoscopy. <b>2010</b> , 62, 356-7	10
1446	JAAD Grand Rounds quiz. A 70-year-old man with pruritic plaques. <b>2010</b> , 62, 173-176	
1445	Cutaneous B-cell lymphoma with histologic features of mycosis fungoides. <b>2010</b> , 62, 320-3	13
1444	Primary cutaneous aggressive epidermotropic CD8+ T-cell lymphoma. <b>2010</b> , 62, 300-7	54
1443	Leg ulcer and thigh telangiectasia associated with natural killer cell CD56(-) large granular lymphocyte leukemia in a patient with pseudo-Felty syndrome. <b>2010</b> , 62, 496-501	6
1442	An unusual bullous eruption in a patient with psoriasis: Calcipotriene phototoxicity. <b>2010</b> , 62, 1081-2	2
1441	Cutaneous marginal zone lymphoma arising in the setting of erythema ab igne. <b>2010</b> , 62, 1080-1	21
1440	Cutaneous CD4+ CD56+ hematologic malignancies. <b>2010</b> , 63, 292-308	24

1439	A case of indolent CD56-positive lymphomatoid papulosis. <b>2010</b> , 63, e114-6	7
1438	Keratoacanthoma: facts and controversies. <b>2010</b> , 28, 254-61	63
1437	Pseudolymphoma and cutaneous lymphoma: facts and controversies. <b>2010</b> , 28, 568-74	57
1436	Síndrome linfoproliferativo CD30+ cutáneo primario. <b>2010</b> , 101, 119-128	18
1435	Perspectiva histórica de los linfomas cutáneos a través de actas Dermo-Sifiligráficas. <b>2010</b> , 101, 411-414	
1434	Análisis comparativo de la expresión de moléculas de adhesión celular en linfomas cutáneos (micosis fungoide/síndrome de Sżary) y dermatosis inflamatorias mediadas por células T. <b>2010</b> , 101, 866-877	1
1433	Early-stage mycosis fungoides variants: case-based review. <b>2010</b> , 14, 369-85	24
1432	Mycosis fungoides and Sżary syndrome: the burden of pruritus. <b>2010</b> , 7, 399-404	10
1431	Primary Cutaneous T-cell Lymphoma: Two Rare Presentations. <b>2010</b> , 66, 73-5	2
1430	Imaging of lymphoma of the musculoskeletal system. <b>2010</b> , 18, 75-93	5
1429	Survival outcomes and prognostic factors in mycosis fungoides/Sżary syndrome: validation of the revised International Society for Cutaneous Lymphomas/European Organisation for Research and Treatment of Cancer staging proposal. <b>2010</b> , 28, 4730-9	513
1428	Managing Skin Cancer. <b>2010</b> ,	6
1427	Skin and Adnexal Structures. <b>2010</b> , 39-120	3
1426	[Management of cutaneous T-cell lymphomas: Recommendations of the French Cutaneous Lymphoma Group]. <b>2010</b> , 137, 611-21	12
1425	[Management of cutaneous B-cell lymphoma: recommendations of the French cutaneous lymphoma study group]. <b>2010</b> , 137, 523-31	11
1424	Natural Killer Cells. <b>2010</b> ,	3
1423	Hematopoietic Stem Cell Biology. <b>2010</b> ,	3
1422	Toponomics: studying protein-protein interactions and protein networks in intact tissue. <b>2010</b> , 6, 641-7	23

1421	Phase III placebo-controlled trial of denileukin diftitox for patients with cutaneous T-cell lymphoma. <b>2010</b> , 28, 1870-7		179
1420	Primary and metastatic malignant tumors of the scalp: an update. <b>2010</b> , 11, 233-46		18
1419	Interventions for mycosis fungoides. <b>2011</b> ,		2
1418	Real time tissue elastography for diagnosis of cutaneous T-cell lymphoma. <i>Leukemia and Lymphoma</i> , <b>2011</b> , 52, 713-5	1.9	4
1417	Genetic alterations in Sezary syndrome. <i>Leukemia and Lymphoma</i> , <b>2011</b> , 52, 745-53	1.9	15
1416	Primary cutaneous small- to medium-sized CD4+ pleomorphic T-cell lymphoma: a retrospective case series and review of the provisional cutaneous lymphoma category. <b>2011</b> , 12, 389-401		23
1415	Allogeneic hematopoietic cell transplant for peripheral T-cell non-Hodgkin lymphoma results in long-term disease control. <i>Leukemia and Lymphoma</i> , <b>2011</b> , 52, 1463-73	1.9	30
1414	Epitheliotropic T-cell cutaneous lymphoma in dogs. <b>2011</b> , 16, 49-54		1
1413	Classificaçã da Organizaçã Mundial da Saãde para os tumores dos tecidos hematopoitico e linfoide, 4a ediçã, 2008 - principais modificaçães introduzidas em relaçã ã 3a ediçã, 2001. <b>2011</b> , 57, 66-73		3
1412	[Management of cutaneous lymphoma ]. <b>2011</b> , 138, H13-8		
1411	[Interstitial mycosis fungoid: a rare variant of mycosis fungoids. Two cases]. <b>2011</b> , 31, 36-40		4
1410	Experiencia de linfomas cutãneos entre enero de 1995 y abril de 2008 en el Instituto Nacional de Cancerologã. <b>2011</b> , 15, 178-189		0
1409	World Health Organization Classification of tumors of hematopoietic and lymphoid tissues, 4th edition, 2008 ã major changes from the 3rd edition, 2001. <b>2011</b> , 57, 66-73		2
1408	Multicenter photopheresis intervention trial in early-stage mycosis fungoides. <b>2011</b> , 11, 219-27		30
1407	Telomerase-specific GV1001 peptide vaccination fails to induce objective tumor response in patients with cutaneous T cell lymphoma. <b>2011</b> , 62, 75-83		18
1406	Erythrodermic cutaneous T-cell lymphoma: how to differentiate this rare disease from atopic dermatitis. <b>2011</b> , 64, 1-6		40
1405	High expression of Dicer reveals a negative prognostic influence in certain subtypes of primary cutaneous T cell lymphomas. <b>2011</b> , 64, 185-90		26
1404	Primary Cutaneous CD4+ Small- to Medium-Sized Pleomorphic T-Cell Lymphoma: Report of a Case With Spontaneous Resolution. <b>2011</b> , 102, 636-638		

1403	Skin Malignancies. <b>2011</b> , 99.1-99.28		0
1402	Pityriasis Lichenoides. <b>2011</b> , 100.1-100.3		
1401	miRNA expression profiling of mycosis fungoides. <b>2011</b> , 5, 273-80		79
1400	Immunophenotypic pattern of myeloid populations by flow cytometry analysis. <b>2011</b> , 103, 221-66		71
1399	Cutaneous Lymphomas. <b>2011</b> , 102.1-102.17		
1398	The 2008 WHO classification of lymphoid neoplasms and beyond: evolving concepts and practical applications. <i>Blood</i> , <b>2011</b> , 117, 5019-32	2.2	1356
1397	Hematopathology. <b>2011</b> ,		
1396	[Primary cutaneous CD4+ small- to medium-sized pleomorphic T-cell lymphoma: report of a case with spontaneous resolution]. <b>2011</b> , 102, 636-8		18
1395	The role of IL-21 in hematological malignancies. <b>2011</b> , 56, 133-9		19
1394	The spectrum of hair loss in patients with mycosis fungoides and Szary syndrome. <b>2011</b> , 64, 53-63		37
1393	The value of molecular diagnostics in primary cutaneous B-cell lymphomas in the context of clinical findings, histology, and immunohistochemistry. <b>2011</b> , 64, 135-43, 143.e1-4		28
1392	Poikilodermatous mycosis fungoides: a study of its clinicopathological, immunophenotypic, and prognostic features. <b>2011</b> , 65, 313-319		47
1391	Anaplastic lymphoma kinase expression in a recurrent primary cutaneous anaplastic large cell lymphoma with eventual systemic involvement. <b>2011</b> , 65, 671-673		7
1390	Clinicopathologic features of early lesions of primary cutaneous follicle center lymphoma, diffuse type: implications for early diagnosis and treatment. <b>2011</b> , 65, 991-1000		39
1389	A study of histologic and immunophenotypical staining patterns in cutaneous lymphoid hyperplasia. <b>2011</b> , 65, 112-24		18
1388	Reappraisal of the provisional entity primary cutaneous CD4+ small/medium pleomorphic T-cell lymphoma: a series of 10 adult and pediatric patients and review of the literature. <b>2011</b> , 65, 739-748		57
1387	Miliary and agminated-type primary cutaneous follicle center lymphoma: report of 18 cases. <b>2011</b> , 65, 749-755		33
1386	Szary syndrome: immunopathogenesis, literature review of therapeutic options, and recommendations for therapy by the United States Cutaneous Lymphoma Consortium (USCLC). <b>2011</b> , 64, 352-404		133

1385	CD4/CD8 double-negative early-stage mycosis fungoides associated with primary cutaneous follicular center lymphoma. <b>2011</b> , 65, 884-886		3
1384	Cicatrical pemphigoid of the scalp mimicking discoid lupus erythematosus. <b>2011</b> , 65, 886-887		8
1383	Gene transcription analysis in lesional skin of canine epitheliotropic cutaneous lymphoma using quantitative real-time RT-PCR. <b>2011</b> , 144, 329-36		6
1382	Photodynamic therapy: current evidence and applications in dermatology. <b>2011</b> , 30, 199-209		83
1381	A Case of Primary Cutaneous CD4 Positive Small/medium T Cell Lymphoma. <b>2011</b> , 23, 76-80		8
1380	Primary cutaneous lymphomas: a reprisal. <b>2011</b> , 28, 214-33		14
1379	CD8+ Lymphomatoid Papulosis. <b>2011</b> , 23, 104-7		6
1378	Primary cutaneous marginal zone B cell lymphoma in monozygotic twins. <b>2011</b> , 2011,		2
1377	Primary cutaneous large B-cell lymphoma of atypical presentation: case report. <b>2011</b> , 86, 549-51		6
1376	Survival data for 299 patients with primary cutaneous lymphomas: a monocentre study. <i>Acta Dermato-Venereologica</i> , <b>2011</b> , 91, 521-5	2.2	31
1375	Initial cutaneous manifestation of lymphomas in children. <b>2011</b> , 86, 799-802		1
1374	Systemic rituximab in multifocal primary cutaneous follicle centre lymphoma. <i>Acta Dermato-Venereologica</i> , <b>2011</b> , 91, 562-7	2.2	9
1373	Primary cutaneous large B-cell lymphoma, leg type. <b>2011</b> , 24, 350-3		14
1372	Diffuse large B-cell lymphoma presenting as a chronic leg ulcer: the importance of repeat tissue biopsy. <b>2011</b> , 93, e9-10		5
1371	Subcutaneous panniculitis-like T-cell lymphoma: a clinical and pathologic study of 14 korean patients. <b>2011</b> , 23, 329-37		20
1370	Selective IgM deficiency in CD30+ cutaneous lymphoproliferative disorder. <b>2011</b> , 33, e156-9		6
1369	Radiological and clinical features of subcutaneous panniculitis-like T-cell lymphoma. <b>2011</b> , 35, 394-401		12
1368	Syringotropic mycosis fungoides: a rare variant of the disease with peculiar clinicopathologic features. <b>2011</b> , 35, 100-9		51

1367	Inflammatory Mimics of Mycosis Fungoides. <b>2011</b> , 16, 45-51		2
1366	F-18 FDG PET images for subcutaneous panniculitis-like T-cell lymphoma. <b>2011</b> , 36, 66-9		37
1365	Cutaneous peripheral T-cell lymphoma of cytotoxic phenotype mimicking extranodal NK/T-cell lymphoma. <b>2011</b> , 33, e17-20		10
1364	Lymphomatoid papulosis followed by pityriasis lichenoides: a common pathogenesis?. <b>2011</b> , 33, 835-40		14
1363	Primary cutaneous, composite, Epstein-Barr virus-associated, diffuse large B-cell lymphoma and peripheral T-cell lymphoma. <b>2011</b> , 33, 719-25		10
1362	Flow cytometric evaluation of skin biopsies for mycosis fungoides. <b>2011</b> , 33, 483-91		11
1361	EBV-positive extranodal marginal zone lymphoma of mucosa-associated lymphoid tissue in the posttransplant setting: a distinct type of posttransplant lymphoproliferative disorder?. <b>2011</b> , 35, 807-15		58
1360	Cutaneous precursor B-cell lymphoblastic lymphoma in association with Epstein-Barr virus. <b>2011</b> , 33, 608-10		3
1359	The histomorphologic spectrum of primary cutaneous diffuse large B-cell lymphoma: a study of 79 cases. <b>2011</b> , 33, 649-55; quiz 656-8		32
1358	The differential diagnosis between primary cutaneous large B-cell lymphoma and cutaneous follicular lymphoma: prognostic and therapeutic implications. <b>2011</b> , 33, 819-26		8
1357	Cutaneous T-Cell Lymphoma. <b>2011</b> , 3, 75-83		2
1356	Anaplastic large cell lymphoma and breast implants: a systematic review. <b>2011</b> , 127, 2141-2150		143
1355	Novel systemic drugs for cutaneous T-cell lymphoma. <b>2011</b> , 6, 70-93		3
1354	Indolent CD8+ lymphoid proliferation of the ear: A phenotypic variant of the small-medium pleomorphic cutaneous T-cell lymphoma?. <b>2011</b> , 2011, 64-65		
1353	High-scatter T cells: a reliable biomarker for malignant T cells in cutaneous T-cell lymphoma. <i>Blood</i> , <b>2011</b> , 117, 1966-76	2.2	45
1352	Deficiency of SATB1 expression in Sezary cells causes apoptosis resistance by regulating FasL/CD95L transcription. <i>Blood</i> , <b>2011</b> , 117, 3826-35	2.2	43
1351	Type of skin eruption is an independent prognostic indicator for adult T-cell leukemia/lymphoma. <i>Blood</i> , <b>2011</b> , 117, 3961-7	2.2	94
1350	Twenty-one cases of blastic plasmacytoid dendritic cell neoplasm: focus on biallelic locus 9p21.3 deletion. <i>Blood</i> , <b>2011</b> , 118, 4591-4	2.2	114

1349	EORTC, ISCL, and USCLC consensus recommendations for the treatment of primary cutaneous CD30-positive lymphoproliferative disorders: lymphomatoid papulosis and primary cutaneous anaplastic large-cell lymphoma. <i>Blood</i> , <b>2011</b> , 118, 4024-35	2.2	295
1348	Neoplasms. <b>2011</b> , 118-204		
1347	Functional and phenotypical alterations of polymorphonuclear cells in Szary syndrome patients. <b>2011</b> , 21, 921-9		5
1346	Maligne Lymphome der Haut. <b>2011</b> , 6, 34-43		
1345	Six-year-old girl with primary cutaneous aggressive epidermotropic CD8+ T-cell lymphoma. <b>2011</b> , 53, 393-6		12
1344	Expression of CD30 antigen in superficial mycotic infections of the skin: a possible non-specific finding without clinical relevance. <b>2011</b> , 54, e360-3		5
1343	Thymus and activation-regulated chemokine in different stages of mycosis fungoides: tissue and serum levels. <b>2011</b> , 52, 167-71		3
1342	Nodular localized primary cutaneous amyloidosis and primary marginal zone B-cell lymphoma on the nose: treatment with microscopically controlled surgery. <b>2011</b> , 50, 458-61		7
1341	Contact hypersensitivity in patients with primary cutaneous lymphoproliferative disorders. <b>2011</b> , 50, 423-7		8
1340	Retrospective analysis of 133 patients with cutaneous lymphomas from a single Japanese medical center between 1995 and 2008. <i>Journal of Dermatology</i> , <b>2011</b> , 38, 524-30	1.6	33
1339	Early diagnosis of recurrent diffuse large B-cell lymphoma showing intravascular lymphoma by random skin biopsy. <i>Journal of Dermatology</i> , <b>2011</b> , 38, 571-4	1.6	11
1338	Primary cutaneous CD8+ small/medium-sized pleomorphic T-cell lymphoma, ear-type: a unique cutaneous T-cell lymphoma with a favourable prognosis. <b>2011</b> , 164, 456-8		19
1337	Oral aprepitant in the therapy of refractory pruritus in erythrodermic cutaneous T-cell lymphoma. <b>2011</b> , 164, 665-7		52
1336	Polo-like kinase 1 (Plk1) in cutaneous T-cell lymphoma. <b>2011</b> , 164, 814-21		11
1335	Primary cutaneous lymphoma: two-decade comparison in a population of 263 cases from a Swiss tertiary referral centre. <b>2011</b> , 164, 1071-7		37
1334	Drug reaction with eosinophilia and systemic symptoms and severe involvement of digestive tract: description of two cases. <b>2011</b> , 165, 207-9		14
1333	Primary cutaneous follicle centre cell lymphoma of the scalp presenting with scarring alopecia. <b>2011</b> , 165, 205-7		10
1332	A restricted clonal T-cell receptor repertoire in Szary syndrome is indicative of superantigenic stimulation. <b>2011</b> , 165, 78-84		8

1331	Initial features and outcome of cutaneous and non-cutaneous primary extranodal follicular lymphoma. <b>2011</b> , 153, 334-40		16
1330	Guidelines for the management of mature T-cell and NK-cell neoplasms (excluding cutaneous T-cell lymphoma). <b>2011</b> , 153, 451-85		82
1329	Evolving insights in the pathogenesis and therapy of cutaneous T-cell lymphoma (mycosis fungoides and Sezary syndrome). <b>2011</b> , 155, 150-66		104
1328	Cutaneous features of intravascular lymphoma. <b>2011</b> , 36, 288-91		10
1327	Bullous lymphomatoid papulosis. <b>2011</b> , 36, 800-1		2
1326	Subcutaneous panniculitis-like T-cell lymphoma in association with sarcoidosis. <b>2011</b> , 36, 677-9		3
1325	The histone deacetylase inhibitors vorinostat and romidepsin downmodulate IL-10 expression in cutaneous T-cell lymphoma cells. <b>2011</b> , 162, 1590-602		64
1324	Primary cutaneous anaplastic large cell lymphoma of the nasal tip in a child. <b>2011</b> , 28, 570-5		9
1323	Dermal infiltrates of cutaneous T-cell lymphomas with epidermotropism but not other cutaneous lymphomas are abundant with langerin+ dendritic cells. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2011</b> , 25, 922-7	4.6	15
1322	Subclinical chronic lymphocytic leukemia with atypical cutaneous presentation. <b>2011</b> , 38, 236-40		11
1321	Borderline CD30+ cutaneous lymphoproliferative disorder: report of a case with expression of cytotoxic markers and response to clarithromycin. <b>2011</b> , 38, 301-5		2
1320	Cutaneous intravascular anaplastic large cell lymphoma. <b>2011</b> , 38, 221-6		25
1319	Indolent CD8+ lymphoid proliferation of the ear: report of two cases and review of the literature. <b>2011</b> , 38, 209-15		32
1318	Primary cutaneous marginal zone B-cell lymphoma with anetoderma: spontaneous involution plus de novo clonal expansion. <b>2011</b> , 38, 342-5		10
1317	T-cell-rich angiomatoid polypoid pseudolymphoma of the skin: a clinicopathologic study of 17 cases and a proposed nomenclature. <b>2011</b> , 38, 475-82		19
1316	Simultaneous aberrations of single CDKN2A network components and a high Rb phosphorylation status can differentiate subgroups of primary cutaneous B-cell lymphomas. <b>2011</b> , 20, 331-5		10
1315	Phototherapy of mycosis fungoides. <b>2011</b> , 27, 68-74		34
1314	Primary cutaneous diffuse large B-cell lymphoma, leg-type, treated with a modified R-CHOP immunochemotherapy - diagnostic and therapeutic challenges. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2011</b> , 9, 204-11	1.2	2

1313	Therapie des primär kutanen großzelligen B-Zell-Lymphoms, leg-type, mit modifizierter R-CHOP-Immunochemotherapie –diagnostische und therapeutische Herausforderung. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2011</b> , 9, 204-211	1.2	8
1312	Pathogenesis of Mycosis fungoides. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2011</b> , 9, 594-81.2	1.2	7
1311	Pathogenese der Mycosis fungoides. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2011</b> , 9, 594-599		10
1310	Romidepsin (Istodax, NSC 630176, FR901228, FK228, depsipeptide): a natural product recently approved for cutaneous T-cell lymphoma. <b>2011</b> , 64, 525-31		202
1309	Primary cutaneous CD30+ anaplastic large-cell lymphomas show a heterogeneous genomic profile: an oligonucleotide arrayCGH approach. <b>2011</b> , 131, 269-71		12
1308	Natural killer cell lymphoma shares strikingly similar molecular features with a group of non-hepatosplenic T-cell lymphoma and is highly sensitive to a novel aurora kinase A inhibitor in vitro. <b>2011</b> , 25, 348-58		116
1307	Tumor suppressor TNFAIP3 (A20) is frequently deleted in Sřary syndrome. <b>2011</b> , 25, 1494-501		48
1306	Lethal T- and NK-cell lymphomas mimicking granulomatous panniculitides: a clinicopathologic study of three cases. <b>2011</b> , 38, 483-91		4
1305	Primary cutaneous marginal zone lymphoma with subclinical cutaneous involvement and biclonality. <b>2011</b> , 38, 724-30		15
1304	Micosis fungoide foliculotropa: Revisiř basada en casos. <b>2011</b> , 26, 378-390		1
1303	Autoimmune phenomena in untreated and treated marginal zone lymphoma. <b>2011</b> , 12, 2369-79		6
1302	An eruptive pigmented lesion after melanotan injection. <b>2011</b> , 36, 801-2		15
1301	The role of immunohistochemical analysis in the diagnosis of parapsoriasis. <b>2011</b> , 113, 92-5		5
1300	Interleukin-16 as a marker of Sřary syndrome onset and stage. <b>2011</b> , 31, 39-50		18
1299	Plasma TM2-PK levels in mycosis fungoides patients. <b>2011</b> , 303, 35-40		1
1298	2008-WHO-Klassifikation der malignen Lymphome im Jahr 2011. <b>2011</b> , 17, 769-788		0
1297	[Systemic treatment of cutaneous lymphomas]. <b>2011</b> , 62, 436-43		4
1296	[Primary cutaneous peripheral T-cell lymphoma (not otherwise specified)]. <b>2011</b> , 62, 332-5		1

1295	[Lymphomatoid papulosis in a 2 1/2-year-old boy]. <b>2011</b> , 62, 807-9	2
1294	[Malignant lymphoma of the skin: update on diagnostics and therapy of primary cutaneous B-cell lymphoma]. <b>2011</b> , 62, 947-58	
1293	CLIP1: a new prognostic index for indolent cutaneous B cell lymphoma proposed by the International Extranodal Lymphoma Study Group (IELSG 11). <b>2011</b> , 90, 401-8	21
1292	Positron-emission tomography findings indicating the involvement of the whole body skin in subcutaneous panniculitis-like T cell lymphoma. <b>2011</b> , 90, 853-4	6
1291	Menopause doch kein KHK-Risikofaktor. <b>2011</b> , 6, 9-9	
1290	CD30+ neoplasms of the skin. <b>2011</b> , 6, 245-50	55
1289	Pathologie moléculaire des lymphomes diffus à grandes cellules B : intérêt diagnostique et pronostique pour l'histopathologiste. <b>2011</b> , 2011, 57-64	0
1288	New sequential treatment with chemotherapy and reduced-intensity conditioning for allogeneic stem-cell transplantation in very high-risk acute myeloid leukemia. <b>2011</b> , 86, 619-21	3
1287	The impact of osteoporosis (as measured by lumbar spine quantitative computed tomography) on disease activity and survival in myeloma patients: a 13-year prospective study. <b>2011</b> , 86, 617-9	5
1286	Fetal hemoglobin in sickle cell anemia: Saudi patients from the Southwestern province have similar HBB haplotypes but higher HbF levels than African Americans. <b>2011</b> , 86, 612-4	26
1285	Hematological characteristics and effective screening for compound heterozygosity for Hb constant spring and deletional $\beta$ -thalassemia. <b>2011</b> , 86, 615-7	4
1284	Proportions of bone marrow lymphocyte subsets at diagnosis may predict survival in patients with newly diagnosed diffuse large B-cell lymphoma independently of the international prognostic index. <b>2011</b> , 86, 622-4	
1283	Predictors of complete responses with denileukin diftitox in cutaneous T-cell lymphoma. <b>2011</b> , 86, 627-30	9
1282	Comparison of autologous stem cell transplantation versus consolidation chemotherapy for patients with cytogenetically normal acute myeloid leukemia (CN-AML) and FLT3ITD. <b>2011</b> , 86, 625-7	7
1281	Nilotinib treatment-associated peripheral artery disease and sudden death: yet another reason to stick to imatinib as front-line therapy for chronic myelogenous leukemia. <b>2011</b> , 86, 610-1	61
1280	Cutaneous T-cell lymphoma: 2011 update on diagnosis, risk-stratification, and management. <b>2011</b> , 86, 928-48	52
1279	Primary cutaneous blastic plasmacytoid dendritic cell neoplasm without extracutaneous manifestation: case report and review of the literature. <b>2011</b> , 207, 55-9	22
1278	Effects of Toll-like receptor signals in T-cell neoplasms. <b>2011</b> , 7, 309-20	8

1277	The role of cytokine signaling in the pathogenesis of cutaneous T-cell lymphoma. <b>2011</b> , 12, 1019-22		43
1276	Diagnostik primärkutaner B-Zell-Lymphome. <b>2011</b> , 37, 199-204		
1275	Composite primary cutaneous peripheral T-cell lymphoma and Epstein-Barr virus-positive large B-cell lymphoma. <i>Leukemia and Lymphoma</i> , <b>2011</b> , 52, 2027-30	1.9	8
1274	MicroRNA-21 expression in CD4+ T cells is regulated by STAT3 and is pathologically involved in Sary syndrome. <b>2011</b> , 131, 762-8		104
1273	Functions and uses of immunohistochemical stains in cutaneous infiltrates of hematopoietic origin: a review for the practicing dermatologist. <b>2011</b> , 15, 65-83		3
1272	Evaluation of lymphangiogenic markers in Sary syndrome. <i>Leukemia and Lymphoma</i> , <b>2011</b> , 52, 491-501	1.9	24
1271	Primärkutane B-Zell-Lymphome. <b>2011</b> , 37, 47-56		
1270	Diagnostic microRNA profiling in cutaneous T-cell lymphoma (CTCL). <i>Blood</i> , <b>2011</b> , 118, 5891-900	2.2	203
1269	Genomic loss of the putative tumor suppressor gene E2A in human lymphoma. <b>2011</b> , 208, 1585-93		39
1268	Intensified alemtuzumab-CHOP therapy for peripheral T-cell lymphoma. <b>2011</b> , 22, 1595-1600		59
1267	Multicenter phase II trial of temozolomide in mycosis fungoides/sezary syndrome: correlation with Omethylguanine-DNA methyltransferase and mismatch repair proteins. <b>2011</b> , 17, 5748-54		25
1266	A rare case of CD30(+), radiation-induced cutaneous angiosarcoma misdiagnosed as T-cell lymphoma. <b>2011</b> , 29, e362-4		11
1265	The Stanford University experience with conventional-dose, total skin electron-beam therapy in the treatment of generalized patch or plaque (T2) and tumor (T3) mycosis fungoides. <b>2011</b> , 147, 561-7		77
1264	Simplified flow cytometric assessment in mycosis fungoides and Sary syndrome. <b>2011</b> , 136, 944-53		54
1263	An illustrative case of subcutaneous panniculitis-like T-cell lymphoma. <b>2011</b> , 2011, 824528		4
1262	Integrated genomic analysis of sary syndrome. <b>2011</b> , 2011, 980150		2
1261	Aggressive B-cell lymphomas: a review of new and old entities in the WHO classification. <b>2011</b> , 2011, 506-14		74
1260	Primary cutaneous diffuse large B-cell lymphoma, leg type, with unusual clinical presentation of bluish-reddish multicolored rainbow pattern. <b>2011</b> , 29, e497-8		10

1259	CCL11-CCR3 interactions promote survival of anaplastic large cell lymphoma cells via ERK1/2 activation. <b>2011</b> , 71, 2056-65	32
1258	Anterior and nasal transposition of the inferior oblique muscle for iatrogenic superior oblique palsy. <b>2011</b> , 129, 1381-2	3
1257	Oral eosinophilic ulcer, an Epstein-Barr virus-associated CD30+ lymphoproliferation?. <b>2011</b> , 222, 113-8	12
1256	An algorithmic approach to the diagnosis of NK and T cell lymphomas. <b>2011</b> , 43, 673-81	5
1255	Cutaneous T-Cell Lymphoma. <b>2011</b> , 3, 18-32	
1254	Clinical end points and response criteria in mycosis fungoides and S�ary syndrome: a consensus statement of the International Society for Cutaneous Lymphomas, the United States Cutaneous Lymphoma Consortium, and the Cutaneous Lymphoma Task Force of the European Organisation for Research and Treatment of Cancer. <b>2011</b> , 29, 2598-607	407
1253	Long-term complications of lymphoma and its treatment. <b>2011</b> , 29, 1885-92	70
1252	Antigens. <b>2011</b> , 1-157	0
1251	Cutaneous T-cell lymphoma with bilateral ocular and adnexal involvement. <b>2011</b> , 129, 1379-81	10
1250	Retrospective study of spectrum of cutaneous lymphoma presenting to dermatology. <b>2011</b> , 77, 512-5	9
1249	Primary cutaneous B-cell lymphoma: subtypes, treatment and outcome of 10 cases. <i>Acta Dermato-Venereologica</i> , <b>2011</b> , 91, 476-8	2.2
1248	Primary cutaneous diffuse large B cell lymphoma, leg type. <b>2011</b> , 77, 212-4	3
1247	XV. Primary cutaneous lymphomas. <b>2011</b> , 22, iv72-iv75	6
1246	Exacerbation reaction (hypersensitivity) in post-kala-azar dermal leishmaniasis with miltefosine. <b>2011</b> , 77, 214-7	1
1245	Expression and function of the natural cytotoxicity receptor NKp46 on circulating malignant CD4+ T lymphocytes of S�ary syndrome patients. <b>2011</b> , 131, 969-76	36
1244	Malignant cutaneous T-cell lymphoma cells express IL-17 utilizing the Jak3/Stat3 signaling pathway. <b>2011</b> , 131, 1331-8	81
1243	Focal rituximab-induced edematous reaction at primary cutaneous follicle center lymphoma lesions: case report and literature review. <b>2011</b> , 223, 200-2	10
1242	Primary cutaneous mantle cell lymphoma. <i>Acta Dermato-Venereologica</i> , <b>2011</b> , 91, 474-5	2.2 14

1241	Perforating lichen planus. <b>2011</b> , 77, 515-7		8
1240	Primary cutaneous follicle center lymphoma responsive to interferon alfa-2a. <b>2011</b> , 77, 729		3
1239	$\Gamma$ T-cell lymphoma mimicking S $\ddot{z}$ ary syndrome. <i>Acta Dermato-Venereologica</i> , <b>2012</b> , 92, 166-8	2.2	2
1238	Peripheral T cell lymphoma: clinical utility of romidepsin. <b>2012</b> , 109		1
1237	Primary cutaneous diffuse large B-cell lymphoma, leg type: diagnostic considerations. <b>2012</b> , 136, 876-81		22
1236	Distribution and maturation of skin dendritic cell subsets in two forms of cutaneous T-cell lymphoma: mycosis fungoides and S $\ddot{z}$ ary syndrome. <i>Acta Dermato-Venereologica</i> , <b>2012</b> , 92, 269-75	2.2	28
1235	Humanization of an anti-CCR4 antibody that kills cutaneous T-cell lymphoma cells and abrogates suppression by T-regulatory cells. <b>2012</b> , 11, 2451-61		50
1234	Usefulness of F-18 FDG PET/CT in subcutaneous panniculitis-like T cell lymphoma: disease extent and treatment response evaluation. <b>2012</b> , 46, 279-83		17
1233	A case of lymphomatoid papulosis with extensive limb disease followed by extracutaneous involvement and acquired ichthyosis. <i>Acta Dermato-Venereologica</i> , <b>2012</b> , 92, 278-9	2.2	1
1232	Ten-year experience of bexarotene therapy for cutaneous T-cell lymphoma in Finland. <i>Acta Dermato-Venereologica</i> , <b>2012</b> , 92, 258-63	2.2	27
1231	S $\ddot{z}$ ary syndrome, Kaposi sarcoma and generalized dermatophytosis 15 years after sulfur mustard gas exposure. <b>2012</b> , 6, 86-9		18
1230	Low herpesvirus entry mediator (HVEM) expression on dermal fibroblasts contributes to a Th2-dominant microenvironment in advanced cutaneous T-cell lymphoma. <b>2012</b> , 132, 1280-9		21
1229	Nonsteroidal anti-inflammatory drugs induce apoptosis in cutaneous T-cell lymphoma cells and enhance their sensitivity for TNF-related apoptosis-inducing ligand. <b>2012</b> , 132, 429-39		30
1228	Indolent primary cutaneous $\Gamma$ T-cell lymphoma localized to the subcutaneous panniculus and its association with atypical lymphocytic lobular panniculitis. <b>2012</b> , 138, 50-6		38
1227	Autocrine IL-21 stimulation is involved in the maintenance of constitutive STAT3 activation in S $\ddot{z}$ ary syndrome. <b>2012</b> , 132, 440-7		32
1226	Cutaneous lymphomas: molecular pathways leading to new drugs. <b>2012</b> , 132, 517-25		10
1225	Regulation of T-plastin expression by promoter hypomethylation in primary cutaneous T-cell lymphoma. <b>2012</b> , 132, 2042-9		28
1224	Apoptosis induction by SAHA in cutaneous T-cell lymphoma cells is related to downregulation of c-FLIP and enhanced TRAIL signaling. <b>2012</b> , 132, 2263-74		40

1223	Erythematous Eruption With Marked Conjunctival InjectionâDiagnosis. <b>2012</b> , 148, 1200		
1222	Photopheresis in the treatment of cutaneous T-cell lymphoma: current status. <b>2012</b> , 24 Suppl 1, S1-10		17
1221	Diffuse Large B-cell Lymphoma, Leg Type. <b>2012</b> , 17, 57-61		1
1220	Primary cutaneous B-cell lymphomas and blastic plasmacytoid dendritic cell neoplasm. <b>2012</b> , 9, 65-71		
1219	Primary cutaneous T-cell lymphomas. <b>2012</b> , 9, 1-13		1
1218	Cutaneous B-cell neoplasms mimicking granulomatous rosacea or rhinophyma. <b>2012</b> , 148, 824-31		28
1217	Kutane T-Zell-Lymphome: aktueller Stand der Therapie und neue Entwicklungen. <b>2012</b> , 38, 277-283		
1216	Molecular detection of circulating Sezary cells in patients with mycosis fungoides: could it predict future development of secondary Sezary syndrome? A single-institution experience. <i>Leukemia and Lymphoma</i> , <b>2012</b> , 53, 868-77	1.9	6
1215	The extent of cutaneous lesions predicts outcome in extranodal nasal-type natural killer/T-cell lymphoma of the upper aerodigestive tract with secondary cutaneous involvement. <i>Leukemia and Lymphoma</i> , <b>2012</b> , 53, 855-61	1.9	10
1214	High soluble CD30, CD25, and IL-6 may identify patients with worse survival in CD30+ cutaneous lymphomas and early mycosis fungoides. <b>2012</b> , 132, 703-10		23
1213	Deep-sequencing analysis reveals that the miR-199a2/214 cluster within DN3os represents the vast majority of aberrantly expressed microRNAs in Sary syndrome. <b>2012</b> , 132, 1520-2		38
1212	MDM2 inhibitor nutlin-3a induces apoptosis and senescence in cutaneous T-cell lymphoma: role of p53. <b>2012</b> , 132, 1487-96		34
1211	NOTCH1 signaling as a therapeutic target in Sary syndrome. <b>2012</b> , 132, 2810-7		15
1210	Apoptoseresistenz beim kutanen T-Zell-Lymphom. <b>2012</b> , 38, 74-77		
1209	Regulatory T cells and immunodeficiency in mycosis fungoides and Sary syndrome. <b>2012</b> , 26, 424-32		88
1208	Romidepsin is effective in subcutaneous panniculitis-like T-cell lymphoma. <b>2012</b> , 30, e221-5		12
1207	Skin effector memory T cells do not recirculate and provide immune protection in alemtuzumab-treated CTCL patients. <b>2012</b> , 4, 117ra7		260
1206	An unusual case of primary cutaneous lymphoma presenting in the upper extremity: a case report. <b>2012</b> , 17, 259-61		4

1205	Diffuse hyperkeratosis in a deaf and blind 48-year-old woman-diagnosis. <b>2012</b> , 148, 1200		
1204	Vorinostat combined with bexarotene for treatment of cutaneous T-cell lymphoma: in vitro and phase I clinical evidence supporting augmentation of retinoic acid receptor/retinoid X receptor activation by histone deacetylase inhibition. <i>Leukemia and Lymphoma</i> , <b>2012</b> , 53, 1501-8	1.9	53
1203	Primary cutaneous large B-cell lymphoma, leg type: Report of two cases and review of literature. <b>2012</b> , 33, 54-7		3
1202	Current and Emerging Therapeutics for Cutaneous T-Cell Lymphoma: Histone Deacetylase Inhibitors. <b>2012</b> , 2012, 1-10		10
1201	Combination Phototherapy with a Histone Deacetylase Inhibitor and a Potent DNA-Binding Bibenzimidazole: Effects in Haematological Cell Lines. <b>2012</b> , 2012, 1-13		1
1200	Consistency and distribution of reflectance confocal microscopy features for diagnosis of cutaneous T cell lymphoma. <b>2012</b> , 17, 016001		20
1199	The histological and biological spectrum of diffuse large B-cell lymphoma in the World Health Organization classification. <b>2012</b> , 18, 411-20		75
1198	Management of the cutaneous peripheral T-cell lymphomas: when subtypes matter. <b>2012</b> , 18, 439-44		4
1197	Adverse effects of denileukin diftitox and their management in patients with cutaneous T-cell lymphoma. <b>2012</b> , 16, E164-72		17
1196	Primary cutaneous follicular helper T-cell lymphoma: a new subtype of cutaneous T-cell lymphoma reported in a series of 5 cases. <b>2012</b> , 148, 832-9		56
1195	Pustules and Sinus Tracts Involving the Right Arm of an Elderly PatientâDiagnosis. <b>2012</b> , 148, 1200		
1194	Acute onset of leg nodules in a sporotrichoid pattern-diagnosis. <b>2012</b> , 148, 1200		
1193	Large cell transformation of mycosis fungoides on fine needle aspiration: an unusual case mimicking classical Hodgkin lymphoma. <b>2012</b> , 56, 321-4		3
1192	Lymphomatoid papulosis in a patient treated with adalimumab for juvenile rheumatoid arthritis. <b>2012</b> , 225, 259-63		9
1191	Mycosis fungoides and Szary syndrome: clinical, immunological and molecular distinctions that suggest two different diseases. <b>2012</b> , 7, 181-193		
1190	Primary cutaneous B-cell lymphomas: recent advances in diagnosis and management. <b>2012</b> , 19, 236-44		34
1189	Subcutaneous dissemination pattern in extranodal marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue lymphoma. <b>2012</b> , 97, 766-70		9
1188	T-cell lymphoma/Szary syndrome in a liver transplant recipient. <b>2012</b> , 16, 68-71		1

1187	A case of a primary cutaneous plasmacytoma presenting in adolescence. <b>2012</b> , 34, 537-40	10
1186	Primary cutaneous anaplastic large-cell lymphoma of the eyelid. <b>2012</b> , 28, e19-21	9
1185	Lymphomatoid papulosis type D: a newly described variant easily confused with cutaneous aggressive CD8-positive cytotoxic T-cell lymphoma. <b>2012</b> , 34, 762-5	32
1184	Expression of programmed death-1 in primary cutaneous CD4-positive small/medium-sized pleomorphic T-cell lymphoma, cutaneous pseudo-T-cell lymphoma, and other types of cutaneous T-cell lymphoma. <b>2012</b> , 36, 109-16	123
1183	Nodal involvement by cutaneous CD30-positive T-cell lymphoma mimicking classical Hodgkin lymphoma. <b>2012</b> , 36, 716-25	45
1182	CD4/CD8 dual-positive mycosis fungoides: a previously unrecognized variant. <b>2012</b> , 34, e37-9	16
1181	Lymphomes cutanés: classification. <b>2012</b> , 7, 1-5	
1180	Section 7: ECP in Cutaneous T Cell Lymphoma. <b>2012</b> , 151-162	
1179	Leiomyolipoma of the orbit. <b>2012</b> , 28, e21-3	3
1178	Extranodal NK/T-cell lymphoma, nasal type, includes cases of natural killer cell and T-cell origin: a comprehensive clinicopathologic and phenotypic study. <b>2012</b> , 36, 481-99	160
1177	Pityriasis lichenoides et varioliformis acuta with numerous CD30(+) cells: a variant mimicking lymphomatoid papulosis and other cutaneous lymphomas. A clinicopathologic, immunohistochemical, and molecular biological study of 13 cases. <b>2012</b> , 36, 1021-9	66
1176	Comments on cutaneous lymphomas: since the WHO-2008 classification to present. <b>2012</b> , 34, 274-84	4
1175	Alpha-interferon secreting blastic plasmacytoid dendritic cells neoplasm: a case report with histological, molecular genetics and long-term tumor cells culture studies. <b>2012</b> , 34, 626-31	8
1174	Ileostomy-associated chronic papillomatous dermatitis showing nevus sebaceous-like hyperplasia, HPV 16 infection, and lymphedema: a case report and literature review of ostomy-associated reactive epidermal hyperplasias. <b>2012</b> , 34, e97-102	10
1173	Photopheresis in the treatment of cutaneous T-cell lymphoma. <b>2012</b> , 24, S1-S10	
1172	Coexistence of patch stage mycosis fungoides and interstitial granuloma annulare in the same patient: a pitfall in the clinicopathologic diagnosis of mycosis fungoides. <b>2012</b> , 34, 198-202	16
1171	Signet ring cell primary cutaneous CD30+ lymphoproliferative disorder presenting as a monomorphic T-cell posttransplant lymphoproliferative disease. <b>2012</b> , 34, e94-6	1
1170	Intertriginous mycosis fungoides: a distinct presentation of cutaneous T-cell lymphoma that may be caused by malignant follicular helper T cells. <b>2012</b> , 148, 1040-4	12

1169	Malignant Tumors of the Skin and Subcutaneous Tissue in Children. <b>2012</b> , 943-957		
1168	Durable Regression of Primary Cutaneous B-Cell Lymphoma Following Fever-inducing Mistletoe Treatment: Two Case Reports. <b>2012</b> , 1, 18-25		22
1167	Poikilodermatous mycosis fungoides: A study of its clinicopathological, immunophenotypic, and prognostic features. <b>2012</b> , 2012, 75-76		
1166	Inducible expression and pathophysiologic functions of T-plastin in cutaneous T-cell lymphoma. <i>Blood</i> , <b>2012</b> , 120, 143-54	2.2	28
1165	In situ vaccination against mycosis fungoides by intratumoral injection of a TLR9 agonist combined with radiation: a phase 1/2 study. <i>Blood</i> , <b>2012</b> , 119, 355-63	2.2	166
1164	Mast cells play a protumorigenic role in primary cutaneous lymphoma. <i>Blood</i> , <b>2012</b> , 120, 2042-54	2.2	98
1163	Unilesional follicular mycosis fungoides: report of two cases with progression to tumor stage and review of the literature. <b>2012</b> , 39, 853-60		25
1162	Case of blastic plasmacytoid dendritic cell neoplasm. <i>Journal of Dermatology</i> , <b>2012</b> , 39, 1066-7	1.6	4
1161	Primary cutaneous B-cell lymphoma in Nottinghamshire U.K.: prognosis of subtypes defined in the WHO-EORTC classification. <b>2012</b> , 167, 1118-23		20
1160	Cutaneous T cell lymphoma: update on treatment. <b>2012</b> , 51, 1019-36		24
1159	Differential expression of programmed death-1 (PD-1) in Szary syndrome and mycosis fungoides. <b>2012</b> , 148, 1379-85		80
1158	The Fas apoptotic pathway in cutaneous T-cell lymphomas: frequent expression of phenotypes associated with resistance to apoptosis. <b>2012</b> , 67, 1327.e1-10		19
1157	Role of histone deacetylase inhibitors in the treatment of lymphomas and multiple myeloma. <b>2012</b> , 26, 671-704, ix		13
1156	Current understanding of cutaneous lymphoma: selected topics. <b>2012</b> , 30, 749-61, vii-viii		2
1155	[Indolent lymphoma of the ear]. <b>2012</b> , 139, 818-23		6
1154	[Indolent CD8+ lymphoid proliferation on the nose]. <b>2012</b> , 139, 812-7		6
1153	Emerging treatment options for advanced-stage mycosis fungoides. <b>2012</b> , 30, 4064-70		2
1152	Prospective international multicenter phase II trial of intravenous pegylated liposomal doxorubicin monochemotherapy in patients with stage IIB, IVA, or IVB advanced mycosis fungoides: final results from EORTC 21012. <b>2012</b> , 30, 4091-7		67

1151	[Painful and rapidly growing exophytic lesion of the vestibular upper lip]. <b>2012</b> , 60, 1011-3		
1150	Human herpesvirus 8 is not detectable in lesions of large plaque parapsoriasis, and in early-stage sporadic, familial, and juvenile cases of mycosis fungoides. <b>2012</b> , 66, 46-50		4
1149	Clinicopathological features and prognostic significance of CXCL12 in blastic plasmacytoid dendritic cell neoplasm. <b>2012</b> , 66, 278-91		29
1148	Primary cutaneous diffuse large B-cell lymphoma, leg type and secondary cutaneous involvement by testicular B-cell lymphoma share identical clinicopathological and immunophenotypical features. <b>2012</b> , 66, 650-4		21
1147	Hyperpigmented mycosis fungoides: an unusual variant of cutaneous T-cell lymphoma with a frequent CD8+ phenotype. <b>2012</b> , 67, 69-75		24
1146	In search of prognostic indicators for lymphomatoid papulosis: a retrospective study of 123 patients. <b>2012</b> , 66, 928-37		67
1145	New biomarkers in T-cell lymphomas. <b>2012</b> , 25, 13-28		19
1144	Erythrocyte sedimentation rate as an independent prognostic factor in mycosis fungoides. <b>2012</b> , 166, 873-4		5
1143	Primary cutaneous anaplastic large cell lymphoma simulating an aggressive angiocentric T-cell lymphoma. <b>2013</b> , 52, 1241-4		
1142	Granulomatous slack skin disease: a review, in comparison with mycosis fungoides. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2012</b> , 26, 1472-8	4.6	10
1141	Major achievements of the EORTC Cutaneous Lymphoma Task Force (CLTF). <b>2012</b> , 10, 46-50		1
1140	Treatment of cutaneous lymphomas: an update. <b>2012</b> , 103, 694-707		7
1139	Treatment of Cutaneous Lymphomas: an Update. <b>2012</b> , 103, 694-707		
1138	Cutaneous Richter syndrome: report of 3 cases from one institution. <b>2012</b> , 67, e187-93		8
1137	Primary cutaneous aggressive epidermotropic CD8+ T-cell lymphoma: proposed diagnostic criteria and therapeutic evaluation. <b>2012</b> , 67, 748-59		83
1136	Pruritus in cutaneous T-cell lymphoma: a review. <b>2012</b> , 67, 760-8		49
1135	Incidence of spontaneous remission in patients with CD25-positive mycosis fungoides/Szary syndrome receiving placebo. <b>2012</b> , 67, 867-75		13
1134	World Health Organization-European Organization for Research and Treatment of Cancer classification of cutaneous lymphoma in Korea: a retrospective study at a single tertiary institution. <b>2012</b> , 67, 1200-9		32

1133	Solitary mycosis fungoides: a distinct clinicopathologic entity with a good prognosis: a series of 15 cases and literature review. <b>2012</b> , 67, 736-44	40
1132	Szary syndrome: a study of 176 patients at Mayo Clinic. <b>2012</b> , 67, 1189-99	41
1131	Association of the numbers of CD163(+) cells in lesional skin and serum levels of soluble CD163 with disease progression of cutaneous T cell lymphoma. <b>2012</b> , 68, 45-51	68
1130	Comprehensive cytogenetic study of primary cutaneous gamma-delta T-cell lymphoma by means of spectral karyotyping and genome-wide single nucleotide polymorphism array. <b>2012</b> , 205, 459-64	15
1129	Bexarotene is active against subcutaneous panniculitis-like T-cell lymphoma in adult and pediatric populations. <b>2012</b> , 12, 20-5	57
1128	Anaplastic large cell lymphoma, ALK-positive. <b>2012</b> , 83, 293-302	78
1127	Successful Treatment of a Panniculitis-Like Primary Cutaneous T-Cell Lymphoma of the <del>AB</del> type with Bexarotene. <b>2012</b> , 4, 56-60	2
1126	Lymphoproliferative Disorders. <b>2012</b> , 364-380	
1125	[Syringotropic cutaneous T-cell lymphoma mimicking dermatomycosis]. <b>2012</b> , 139, 50-3	2
1124	Blastic plasmacytoid dendritic cell neoplasm without cutaneous lesion at presentation: case report and literature review. <b>2012</b> , 127, 124-7	26
1123	Painless groin mass and multiple erythematous to violaceous skin lesions: diagnosis and discussion. <b>2012</b> , 41, 1645-1646	
1122	Central nervous system involvement of primary cutaneous diffuse large B cell lymphoma-leg type diagnosed according to the WHO 2008 classification. <b>2012</b> , 91, 1975-6	3
1121	Szary syndrome: infiltration of the gastric wall--does it matter?. <b>2012</b> , 91, 1507-9	1
1120	Reflectance Confocal Microscopy for Skin Diseases. <b>2012</b> ,	39
1119	Interventions for mycosis fungoides. <b>2012</b> , CD008946	8
1118	Total skin electron beam therapy as palliative treatment for cutaneous manifestations of advanced, therapy-refractory cutaneous lymphoma and leukemia. <b>2012</b> , 7, 118	24
1117	Mycosis fungoides and Szary syndrome: clinical, histopathological and immunohistochemical review and update. <b>2012</b> , 87, 817-28; quiz 829-30	48
1116	Blastic plasmacytoid dendritic cell neoplasm : report of two cases. <b>2012</b> , 52, 23-9	10

1115	Evaluation of histopathological changes in control biopsies which taken 48 sessions after NBUBV phototherapy for early-stage mycosis fungoides. <b>2012</b> , 2012, 426732	2
1114	Leukemic manifestation of blastic plasmacytoid dendritic cell neoplasm lacking skin lesion : a borderline case between acute monocytic leukemia. <b>2012</b> , 52, 107-11	20
1113	Potential role of enzastaurin in the treatment of patients with relapsed or refractory advanced cutaneous T-cell lymphomas: a review. <b>2012</b> , 1	
1112	[Blastic plasmocytoid dendritic cell neoplasm: Report of one case]. <b>2012</b> , 140, 1321-4	1
1111	A case of blastic plasmacytoid dendritic cell neoplasm. <b>2012</b> , 24, 235-7	4
1110	Romidepsin: a new drug for the treatment of cutaneous T-cell lymphoma. <b>2012</b> , 16, 195-204	29
1109	[Primary cutaneous aggressive epidermotropic cytotoxic CD8 positive T cell lymphoma: report of one case]. <b>2012</b> , 140, 368-72	2
1108	Management of cutaneous T cell lymphoma: new and emerging targets and treatment options. <b>2012</b> , 4, 75-89	28
1107	Cutaneous hematologic disorders in children. <b>2012</b> , 58, 226-32	46
1106	miR-122 regulates p53/Akt signalling and the chemotherapy-induced apoptosis in cutaneous T-cell lymphoma. <b>2012</b> , 7, e29541	86
1105	Cutaneous T-cell lymphomas: a review of new discoveries and treatments. <b>2012</b> , 13, 102-21	8
1104	Time course, clinical pathways, and long-term hazards risk trends of disease progression in patients with classic mycosis fungoides: a multicenter, retrospective follow-up study from the Italian Group of Cutaneous Lymphomas. <b>2012</b> , 118, 5830-9	70
1103	[Cutaneous malignant lymphomas. Update on diagnosis and therapy of cutaneous T-cell lymphomas]. <b>2012</b> , 63, 423-35; quiz 436	2
1102	A case of primary cutaneous anaplastic large cell lymphoma with prominent epidermotropism. <b>2012</b> , 95, 711-5	3
1101	Comparison of pegylated interferon $\beta$ plus psoralen PUVA versus standard interferon $\alpha$ plus PUVA in patients with cutaneous T-cell lymphoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2012</b> , 26, 71-8	4.6 23
1100	Low-dose total skin electron beam therapy as a debulking agent for cutaneous T-cell lymphoma: an open-label prospective phase II study. <b>2012</b> , 166, 399-404	34
1099	Radiation therapy in the management of unilesional primary cutaneous T-cell lymphomas. <b>2012</b> , 166, 1134-7	14
1098	Lymphomatoid papulosis: is a second lymphoma commoner among East Asians?. <b>2012</b> , 37, 118-21	6

1097	Multiple nodules in a linear pattern on the leg. <b>2012</b> , 37, 698-700		1
1096	Subcutaneous panniculitis-like T-cell lymphoma: successful treatment with systemic steroid alone. <i>Journal of Dermatology</i> , <b>2012</b> , 39, 96-9	1.6	10
1095	Extranodal diffuse large B cell lymphoma of cutaneous follicle centre lymphoma type: a study of 24 patients with non-cutaneous primary limited stage extranodal diffuse large B cell lymphoma in support of a new concept. <b>2012</b> , 60, 774-84		4
1094	Primary cutaneous mantle cell lymphoma with blastic features: report of a rare case with special reference to staging and effectiveness of chemotherapy. <b>2012</b> , 39, 449-53		17
1093	The significance of multiplex PCR/heteroduplex analysis-based TCR- $\beta$ gene rearrangement combined with laser-capture microdissection in the diagnosis of early mycosis fungoides. <b>2012</b> , 39, 337-46		4
1092	Prominent CD56 expression by damaged and regenerating muscle fibers in the skin. <b>2012</b> , 39, 425-30		4
1091	Primary cutaneous CD56 positive lymphoma: a diagnostic conundrum in an unusual case of lymphoma. <b>2012</b> , 39, 540-4		10
1090	A simple and efficient method for DNA extraction from skin and paraffin-embedded tissues applicable to T-cell clonality assays. <b>2012</b> , 21, 57-60		10
1089	Primary cutaneous B-cell lymphomas. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2012</b> , 10, 12-22; quiz 23	1.2	11
1088	B-Zell-Lymphome der Haut. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2012</b> , 10, 12-24	1.2	25
1087	Skin lymphoma. <b>2012</b> , 24, 371-85		10
1086	Clinical spectrum of primary cutaneous CD30-positive anaplastic large cell lymphoma: an analysis of the Mannheim Cutaneous Lymphoma Registry. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2012</b> , 10, 331-9	1.2	12
1085	Klinisches Spektrum kutaner CD30-positiver anaplastisch großzelliger Lymphome: Analyse des Mannheimer Lymphomregisters*. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2012</b> , 10, 331-340	1.2	10
1084	Primary cutaneous anaplastic large-cell lymphoma occurring in a case of chronic myeloid leukemia in remission. <b>2012</b> , 39, 884-6		1
1083	Primary cutaneous anaplastic large cell lymphoma shows a distinct miRNA expression profile and reveals differences from tumor-stage mycosis fungoides. <b>2012</b> , 21, 632-4		39
1082	Cutaneous manifestations in CMML: Indication of disease acceleration or transformation to AML and review of the literature. <b>2012</b> , 36, 72-80		54
1081	Mycosis fungoides with testicular involvement: a rare phenomenon. <b>2012</b> , 36, e149-52		1
1080	Primary cutaneous follicle centre lymphoma with atypical morphological features on hematoxylin-eosin stained images. <i>Journal of Dermatology</i> , <b>2012</b> , 39, 748-9	1.6	

1079	Phase I and pharmacokinetic study of the oral histone deacetylase inhibitor vorinostat in Japanese patients with relapsed or refractory cutaneous T-cell lymphoma. <i>Journal of Dermatology</i> , <b>2012</b> , 39, 823-8 <sup>1.6</sup>	18
1078	Evaluation of different methods in the follow-up of patients with indolent types of primary cutaneous lymphomas. <b>2012</b> , 166, 1295-300	11
1077	Intralesional rituximab in the treatment of indolent primary cutaneous B-cell lymphomas: an epidemiological observational multicentre study. The Spanish Working Group on Cutaneous Lymphoma. <b>2012</b> , 167, 174-9	49
1076	The tumour suppressor p53 is frequently nonfunctional in Sżary syndrome. <b>2012</b> , 167, 240-6	22
1075	Expression of the T-cell regulatory marker FOXP3 in primary cutaneous large B-cell lymphoma tumour cells. <b>2012</b> , 167, 348-58	20
1074	BAFF levels are increased in lesional skin and sera in patients with cutaneous T-cell lymphoma. <b>2012</b> , 167, 359-67	3
1073	A widespread violaceous nodular eruption. <b>2012</b> , 37, 583-4	1
1072	Primary cutaneous CD30 positive T-cell lymphoproliferative disorders with aberrant expression of PAX5: report of three cases. <b>2012</b> , 62, 264-70	15
1071	Increased CCL18 expression in patients with cutaneous T-cell lymphoma: association with disease severity and prognosis. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2013</b> , 27, e60 <sup>4.6</sup>	44
1070	Radiotherapy of primary cutaneous follicle center lymphoma: case report and review of literature. <b>2013</b> , 8, 147	4
1069	Lymphoma. <b>2013</b> ,	1
1068	Mycosis fungoides: report of the 2011 Society for Hematopathology/European Association for Haematopathology workshop. <b>2013</b> , 139, 466-90	46
1067	A cutaneous lymphoma international prognostic index (CLIPi) for mycosis fungoides and Sezary syndrome. <b>2013</b> , 49, 2859-68	87
1066	Prognostic factors in 105 Japanese cases of mycosis fungoides and Sżary syndrome: clusterin expression as a novel prognostic factor. <b>2013</b> , 71, 160-6	14
1065	Bexarotene in cutaneous T-cell lymphoma: third retrospective study of long-term cohort and review of the literature. <b>2013</b> , 14, 1711-21	18
1064	T-Cell Lymphomas. <b>2013</b> ,	1
1063	Breast implant-associated anaplastic large cell lymphoma: a systematic review of the literature and mini-meta analysis. <b>2013</b> , 8, 196-210	57
1062	Primary cutaneous B-cell lymphomas: part I. Clinical features, diagnosis, and classification. <b>2013</b> , 69, 329.e1-13; quiz 341-2	49

1061	Expression of programmed death-1 (CD279) in primary cutaneous B-cell lymphomas with correlation to lymphoma entities and biological behaviour. <b>2013</b> , 169, 1212-8	19
1060	Array Comparative Genomic Hybridization. <b>2013</b> ,	1
1059	Remission of primary cutaneous anaplastic large cell lymphoma after a brief course of brentuximab vedotin. <b>2013</b> , 92, 567-8	17
1058	[Mycosis fungoides or inflammatory dermatitis: differential diagnosis between early lymphoma and inflammation in skin biopsies]. <b>2013</b> , 34, 215-24	5
1057	A case-control study of clinicopathologic features, prognosis, and therapeutic responses in patients with granulomatous mycosis fungoides. <b>2013</b> , 69, 366-74	35
1056	Primary cutaneous diffuse large B-cell lymphoma, leg type mimicking cellulitis. <b>2013</b> , 31, 104-106	1
1055	Hydroa vacciniforme-like cutaneous T-cell lymphoma: clinicopathologic and immunohistochemical study of 12 cases. <b>2013</b> , 69, 112-9	53
1054	Treatment and outcomes in patients with primary cutaneous B-cell lymphoma: the BC Cancer Agency experience. <b>2013</b> , 87, 719-25	42
1053	Pathobiology of T-cell and NK-cell lymphomas. <b>2013</b> , 26, 75-87	15
1052	Dermatologic Ultrasound with Clinical and Histologic Correlations. <b>2013</b> ,	40
1051	Non-mycosis fungoides cutaneous T-cell lymphomas: report of the 2011 Society for Hematopathology/European Association for Haematopathology workshop. <b>2013</b> , 139, 491-514	53
1050	Minimal residual disease monitoring with high-throughput sequencing of T cell receptors in cutaneous T cell lymphoma. <b>2013</b> , 5, 214ra171	68
1049	Peripheral T-cell and NK-cell lymphomas in the WHO classification: pearls and pitfalls. <b>2013</b> , 26 Suppl 1, S71-87	86
1048	Marginal zone lymphomas and infectious agents. <b>2013</b> , 23, 431-40	58
1047	Hypopigmented mycosis fungoides in Egyptian patients. <b>2013</b> , 40, 397-404	11
1046	Evaluation of follicular T-helper cells in primary cutaneous CD4+ small/medium pleomorphic T-cell lymphoma and dermatitis. <b>2013</b> , 40, 1006-13	36
1045	Pityriasis Lichenoides and Cutaneous T Cell Lymphoma: An Update on the Diagnosis and Management of the Most Common Benign and Malignant Cutaneous Lymphoproliferative Diseases in Children. <b>2013</b> , 2, 203-211	4
1044	Reduced-intensity conditioning followed by cord blood transplantation in a patient with refractory folliculotropic mycosis fungoides. <b>2013</b> , 98, 491-5	6

1043	Lymphocytic infiltration in the cutaneous lymphoma microenvironment after injection of TG1042. <b>2013</b> , 11, 226		10
1042	Update on Epidemiology of Cutaneous T-Cell Lymphoma. <b>2013</b> , 2, 35-41		3
1041	Primary cutaneous CD4 positive small/medium T-cell lymphoma with high proliferation index and CD30-positive large lymphoid cells. <b>2013</b> , 40, 720-4		13
1040	Photodynamic therapy with methyl-aminolevulinic acid for paucilesional mycosis fungoides: a prospective open study and review of the literature. <b>2013</b> , 69, 890-7		33
1039	Photodynamic therapy in mycosis fungoides. <b>2013</b> , 104, 393-9		4
1038	Primary cutaneous gamma-delta T-cell lymphoma with marked pagetoid epidermotropism shortly after allogeneic stem cell transplantation. <b>2013</b> , 13, e6-9		3
1037	Proteasome inhibition as a novel mechanism of the proapoptotic activity of Bsecretase inhibitor I in cutaneous T-cell lymphoma. <b>2013</b> , 168, 504-12		13
1036	Using primary site as a predictor of survival in mantle cell lymphoma. <b>2013</b> , 119, 1570-7		31
1035	Long-term outcome of intravenous therapy with rituximab in patients with primary cutaneous B-cell lymphomas. <b>2013</b> , 169, 1126-32		15
1034	Blastic plasmacytoid dendritic cell neoplasm: clinical features in 90 patients. <b>2013</b> , 169, 579-86		104
1033	Denileukin diftitox for the treatment of CD25 low-expression mycosis fungoides and Szary syndrome. <i>Leukemia and Lymphoma</i> , <b>2013</b> , 54, 69-75	1.9	19
1032	Radiotherapy in the management of localized primary cutaneous B-cell lymphoma. <i>Leukemia and Lymphoma</i> , <b>2013</b> , 54, 726-30	1.9	7
1031	Subcutaneous Panniculitis-like T-cell lymphoma in two pediatric patients: an HIV-positive adolescent and a 4-month-old infant. <b>2013</b> , 32, 175-83		10
1030	Guidelines for the management of cutaneous lymphomas (2011): a consensus statement by the Japanese Skin Cancer Society - Lymphoma Study Group. <i>Journal of Dermatology</i> , <b>2013</b> , 40, 2-14	1.6	28
1029	Cutaneous B-cell lymphomas: 2013 update on diagnosis, risk-stratification, and management. <b>2013</b> , 88, 73-6		16
1028	Primary cutaneous B-cell lymphomas: part II. Therapy and future directions. <b>2013</b> , 69, 343.e1-11; quiz 355-6		56
1027	Aggressive behavior and elevated lactate dehydrogenase at baseline confer inferior prognosis in patients with primary cutaneous lymphoma. <b>2013</b> , 13, 534-40		3
1026	Improvement in peripheral blood disease burden in patients with Szary syndrome and leukemic mycosis fungoides after total skin electron beam therapy. <b>2013</b> , 68, 972-7		15

1025	Racial differences in mycosis fungoides: a retrospective study with a focus on eosinophilia. <b>2013</b> , 68, 967-71	8
1024	¿Está siempre indicada la biopsia de médula ósea en los pacientes con linfoma primario cutáneo de células B de la zona marginal?. <b>2013</b> , 104, 667-671	2
1023	Primary cutaneous marginal zone lymphoma with sequential development of nodal marginal zone lymphoma in a patient with selective immunoglobulin A deficiency. <b>2013</b> , 40, 1035-41	5
1022	Analysis of cutaneous lymphomas in a medical center in Bahia, Brazil. <b>2013</b> , 140, 348-54	12
1021	Is bone marrow biopsy always indicated in patients with primary cutaneous marginal zone B-cell lymphoma?. <b>2013</b> , 104, 667-71	1
1020	Panobinostat activity in both bexarotene-exposed and -naïve patients with refractory cutaneous T-cell lymphoma: results of a phase II trial. <b>2013</b> , 49, 386-94	104
1019	Outcome of patients treated with a single-fraction dose of palliative radiation for cutaneous T-cell lymphoma. <b>2013</b> , 85, 747-53	67
1018	Results of a 5-week schedule of modern total skin electron beam radiation therapy. <b>2013</b> , 86, 936-41	17
1017	Primary cutaneous marginal zone B-cell lymphoma: response to treatment and disease-free survival in a series of 137 patients. <b>2013</b> , 69, 357-65	52
1016	Combating cancer predisposition in association with idiopathic immune deficiency: a recurrent nodal and cutaneous T-cell lymphoproliferative disease in a patient with cartilage-hair hypoplasia. <b>2013</b> , 13, 73-6	9
1015	Pagetoid reticulosis with a keloid-like appearance. <b>2013</b> , 31, 157-158	1
1014	[Acute neutrophilic dermatosis (pustular dermatitis) associated with aggressive transformed mycosis fungoides]. <b>2013</b> , 140, 635-40	3
1013	Follicular lymphomatoid papulosis revisited: a study of 11 cases, with new histopathological findings. <b>2013</b> , 68, 809-16	61
1012	Linfomas cutáneos: clasificación. <b>2013</b> , 47, 1-6	1
1011	Mucinosis folicular. <b>2013</b> , 28, 332-339	2
1010	Terapia fotodinámica en micosis fungoides. <b>2013</b> , 104, 393-399	6
1009	Spindle-cell variant of primary cutaneous follicle center lymphoma spreading to the hepatobiliary tree, mimicking Klatskin tumor. <b>2013</b> , 40, 56-60	12
1008	Cutaneous CD30-positive lymphoproliferative disorders with CD8 expression: a clinicopathologic study of 21 cases. <b>2013</b> , 40, 236-47	46

1007	Mycosis fungoides and Szary syndrome. <b>2013</b> , 973, 175-88		9
1006	Array-CGH analysis of cutaneous anaplastic large cell lymphoma. <b>2013</b> , 973, 197-212		9
1005	Blastic plasmacytoid dendritic cell neoplasm: a report of four cases and review of the literature. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2013</b> , 27, 1176-81	4.6	12
1004	Cutaneous tumor cell load correlates with survival in patients with Szary syndrome. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2013</b> , 11, 67-79	1.2	5
1003	Die kutane Tumorzelllast korreliert mit dem Überleben von Patienten mit Szary-Syndrom. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2013</b> , 11, 67-79	1.2	8
1002	Histone deacetylase inhibitors: novel agents in cancer treatment. <b>2013</b> , 17, 34-40		14
1001	Pathology of Non-Hodgkinâs and Hodgkinâs Lymphomas. <b>2013</b> , 867-918		
1000	Immunology of the Lymphomas. <b>2013</b> , 919-943		
999	Update Guidelines Dermatologic Oncology. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2013</b> , 11, 1-45	1.2	1
998	Role of bexarotene in the treatment of cutaneous T-cell lymphoma: the clinical and immunological sides. <b>2013</b> , 5, 427-33		25
997	Subcutaneous panniculitis-like T-cell lymphoma in the pediatric age group: a lymphoma of low malignant potential. <b>2013</b> , 60, 1165-70		44
996	Incidence and survival patterns of cutaneous T-cell lymphomas in the United States. <i>Leukemia and Lymphoma</i> , <b>2013</b> , 54, 752-9	1.9	77
995	Photopheresis (extracorporeal photochemotherapy). <b>2013</b> , 12, 22-8		28
994	Lymphome T cutanâplâmorphe CD4+ â cellules petites et moyennes. <b>2013</b> , 139-143		
993	Lymphome NK/T cutanâde type nasal. <b>2013</b> , 133-137		
992	Follicular center helper T-cell (TFH) marker positive mycosis fungoides/Sezary syndrome. <b>2013</b> , 26, 32-43		39
991	Primary cutaneous CD4+ small- to medium-sized pleomorphic T-cell lymphoma: temporary remission by oral doxycycline. <b>2013</b> , 149, 956-9		13
990	Brief S2k guidelines--Cutaneous lymphomas. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2013</b> , 11 Suppl 3, 19-28, 20-30	1.2	22

989	Mycosis fungoides in children and adolescents. <b>2013</b> , 8, 309-320		4
988	Efficacy and safety of denileukin diftitox retreatment in patients with relapsed cutaneous T-cell lymphoma. <i>Leukemia and Lymphoma</i> , <b>2013</b> , 54, 514-9	1.9	12
987	Bone marrow involvement as initial presentation of CD8 cytotoxic peripheral T-cell lymphoma with CD20 coexpression and relatively indolent clinical course. <i>Leukemia and Lymphoma</i> , <b>2013</b> , 54, 1113-6	1.9	1
986	Primary cutaneous CD30-positive T-cell lymphoproliferative disorders with biallelic rearrangements of DUSP22. <b>2013</b> , 133, 1680-2		14
985	Frequent relapse and irradiation strategy in primary cutaneous diffuse large B-cell lymphoma, leg-type. <i>Acta Dermato-Venereologica</i> , <b>2013</b> , 93, 97-8	2.2	4
984	Primary cutaneous NK/T cell lymphoma-nasal type with cutaneous aspergillosis. A case report and literature review. <b>2013</b> , 4, 335-338		1
983	Lymphome T sous-cutané type de panniculite. <b>2013</b> , 117-132		
982	Bacterial toxins fuel disease progression in cutaneous T-cell lymphoma. <b>2013</b> , 5, 1402-21		49
981	Primary cutaneous mantle cell lymphoma: a case report. <b>2013</b> , 2013, 394596		5
980	Clinical and histopathological features of folliculotropic mycosis fungoides: a Norwegian patient series. <i>Acta Dermato-Venereologica</i> , <b>2013</b> , 93, 325-9	2.2	34
979	Microvessel density and expression of vascular endothelial growth factor and its receptors in different subtypes of primary cutaneous B-cell lymphoma. <i>Acta Dermato-Venereologica</i> , <b>2013</b> , 93, 656-62	2.2	7
978	Atypical shock and skin lesions revealing lymphoma. <i>Acta Dermato-Venereologica</i> , <b>2013</b> , 93, 592-3	2.2	1
977	Chromosomal rearrangements of 6p25.3 define a new subtype of lymphomatoid papulosis. <b>2013</b> , 37, 1173-81		125
976	Mimics of cutaneous lymphoma: report of the 2011 Society for Hematopathology/European Association for Haematopathology workshop. <b>2013</b> , 139, 536-51		42
975	Current concepts on cutaneous MALT lymphomas. <b>2013</b> , 35, 477-84		5
974	Anaplastic lymphoma kinase (ALK1) immunohistochemistry in diagnostic dermatopathology; an update. <b>2013</b> , 35, 403-8; quiz 409-11		3
973	A rare case of hydroa vacciniforme-like cutaneous T-cell lymphoma presenting mimicking herpes simplex in an adult. <b>2013</b> , 35, 617-8		4
972	CD20+ mycosis fungoides: a report of three cases and review of the literature. <b>2013</b> , 35, 833-41		14

971	Primary cutaneous anaplastic large-cell lymphoma. <b>2013</b> , 36, 526-9	6
970	Epstein-Barr virus in cutaneous pathology. <b>2013</b> , 35, 763-86	9
969	Lymphomes B cutanés Ghfalitš, classifications. <b>2013</b> , 157-160	
968	Les lymphomes cutanés. <b>2013</b> ,	
967	TH2 cytokines from malignant cells suppress TH1 responses and enforce a global TH2 bias in leukemic cutaneous T-cell lymphoma. <b>2013</b> , 19, 3755-63	114
966	Primary cutaneous anaplastic large cell lymphoma with angioinvasive features and cytotoxic phenotype: a rare lymphoma variant within the spectrum of CD30+ lymphoproliferative disorders. <b>2013</b> , 227, 346-52	26
965	Radiation Therapy for Skin Cancer. <b>2013</b> ,	6
964	Mycosis fungoides and other cutaneous T-cell lymphomas. <b>2013</b> , 264-282	
963	Poikilodermatous mycosis fungoides with a CD8+ CD56+ immunophenotype: a case report and literature review. <b>2013</b> , 40, 317-20	17
962	Primary cutaneous lymphomas: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. <b>2013</b> , 24 Suppl 6, vi149-54	98
961	Oral retinoids and rexinoids in cutaneous T-cell lymphomas. <b>2013</b> , 30, 19-29	15
960	Cutaneous EBV-positive T-cell lymphoma vs. extranodal NK/T-cell lymphoma: a case report and literature review. <b>2013</b> , 40, 310-6	21
959	Epidermotropic marginal zone lymphoma simulating mycosis fungoides(â). <b>2013</b> , 40, 569-72	10
958	Rare skin malignancies of the head and neck: a review. <b>2013</b> , 29, 389-93	1
957	Cushing syndrome and rebound generalized pustular psoriasis from Chinese herbs. <b>2013</b> , 169, 1367-9	
956	Lessons learned from gene expression profiling of cutaneous T-cell lymphoma. <b>2013</b> , 169, 1188-97	33
955	Hypopigmented mycosis fungoides in childhood and adolescence: a long-term retrospective study. <b>2013</b> , 40, 924-34	54
954	Extranodal natural killer (NK)/T-cell lymphoma presenting with recurrent lip swelling. <b>2013</b> , 52, 763-5	5

953	Absence of MYD88 L265P mutation in blastic plasmacytoid dendritic cell neoplasm. <b>2013</b> , 168, 883-4		2
952	CD8+ Szary syndrome with interleukin-22 production modulated by bacterial sepsis. <b>2013</b> , 168, 881-3		7
951	A solitary rapidly growing nodule on the upper back. <b>2013</b> , 52, 791-2		
950	Primary cutaneous posttransplant lymphoproliferative disorders in solid organ transplant recipients: a multicenter European case series. <b>2013</b> , 13, 2146-53		60
949	Indolent course of cutaneous gamma-delta T-cell lymphoma. <b>2013</b> , 40, 896-902		21
948	Primary cutaneous CD4+ small to medium-size pleomorphic T-cell lymphoma in a 12-year-old girl. <b>2013</b> , 30, 595-9		11
947	Extracorporeal photopheresis for the treatment of erythrodermic cutaneous T-cell lymphoma: a single center clinical experience with long-term follow-up data and a brief overview of the literature. <b>2013</b> , 52, 1308-18		27
946	Incidence of primary cutaneous T-cell lymphoma in Wales. <b>2013</b> , 169, 1366-7		8
945	Aberrant expression of BCL11B in mycosis fungoides and its potential role in interferon-induced apoptosis. <i>Journal of Dermatology</i> , <b>2013</b> , 40, 596-605	1.6	8
944	Extrafacial indolent CD8-positive cutaneous lymphoid proliferation with unusual symmetrical presentation involving both feet. <b>2013</b> , 40, 955-61		21
943	Primary cutaneous follicular helper T-cell lymphoma: diagnostic pitfalls of this new lymphoma subtype. <b>2013</b> , 40, 903-8		15
942	Characteristics of primary cutaneous lymphoma according to WHO-EORTC classification in Korea. <b>2013</b> , 38, 457-63		9
941	CD8+ primary cutaneous peripheral T-cell lymphoma in an 18-year-old woman. <i>Journal of Dermatology</i> , <b>2013</b> , 40, 571-2	1.6	1
940	Primary cutaneous hydroa vacciniforme-like lymphoma with indolent clinical course: report of two cases and review of literature. <b>2013</b> , 21, 161-8		9
939	STAT5-mediated expression of oncogenic miR-155 in cutaneous T-cell lymphoma. <b>2013</b> , 12, 1939-47		103
938	Primary cutaneous follicle center lymphoma following deep brain stimulation implants. <i>Leukemia and Lymphoma</i> , <b>2013</b> , 54, 1806-7	1.9	
937	Pralatrexate : evaluation of clinical efficacy and toxicity in T-cell lymphoma. <b>2013</b> , 14, 515-23		6
936	Cutaneous B-cell lymphoproliferative disorders: report of the 2011 Society for Hematopathology/European Association for Haematopathology workshop. <b>2013</b> , 139, 515-35		43

935	ALK-positive anaplastic large cell lymphoma limited to the skin: clinical, histopathological and molecular analysis of 6 pediatric cases. A report from the ALCL99 study. <b>2013</b> , 98, 50-6		88
934	Stem cell transplantation can provide durable disease control in blastic plasmacytoid dendritic cell neoplasm: a retrospective study from the European Group for Blood and Marrow Transplantation. <i>Blood</i> , <b>2013</b> , 121, 440-6	2.2	110
933	Elucidating the role of interleukin-17F in cutaneous T-cell lymphoma. <i>Blood</i> , <b>2013</b> , 122, 943-50	2.2	59
932	Pediatric cutaneous lymphomas: rare diseases requiring expert diagnosis and management. <b>2013</b> , 8, 489-499		1
931	Lymphome T cutané à dermatotropie agressive CD8+. <b>2013</b> , 111-116		
930	A case of lymphomatoid papulosis limited to Becker's melanosis. <b>2013</b> , 226, 124-7		9
929	MicroRNA Expression in Cutaneous T-Cell Lymphomas. <b>2013</b> , 449-461		
928	S2k Kurzleitlinie – Kutane Lymphome. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2013</b> , 11, 20-30	1.2	4
927	Primary cutaneous spindle-cell B-cell lymphoma of follicle center cell origin. <b>2013</b> , 35, 871-3		9
926	Alitretinoin: an effective treatment option for pagetoid reticulosis. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2013</b> , 11, 1194-5	1.2	3
925	Recurrent ALK-negative anaplastic large T-cell lymphoma presenting as necrotizing vasculitis. <b>2013</b> , 35, 512-6		11
924	TCR- $\beta$ expression in primary cutaneous T-cell lymphomas. <b>2013</b> , 37, 375-84		100
923	Molecular diagnostics in cutaneous lymphomas. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2013</b> , 11 Suppl 4, 25-35	1.2	9
922	Lymphomes B cutanés de la zone marginale. <b>2013</b> , 161-168		
921	Recommandations pour le traitement des lymphomes T cutanés. <b>2013</b> , 259-268		
920	Recommandations pour le traitement des lymphomes B cutanés. <b>2013</b> , 269-275		
919	Lymphomes B cutanés centrofolliculaires. <b>2013</b> , 169-175		
918	Lymphomes du manteau. <b>2013</b> , 195-198		

917	Primary cutaneous CD8(+) small- to medium-sized lymphoproliferative disorder in extrafacial sites: clinicopathologic features and concept on their classification. <b>2013</b> , 35, 159-66		36
916	Molekulare Diagnostik kutaner Lymphome. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2013</b> , 11, 26-36	1.2	1
915	Angioinvasive lymphomatoid papulosis: a new variant simulating aggressive lymphomas. <b>2013</b> , 37, 1-13		154
914	Benign atypical intravascular CD30(+) T-cell proliferation: a reactive condition mimicking intravascular lymphoma. <b>2013</b> , 35, 143-50		35
913	Primary cutaneous gamma delta T-cell lymphoma with brain involvement and hemophagocytic syndrome. <b>2013</b> , 35, 270-2		15
912	NK-/T-cell lymphoma resembling hydroa vacciniforme with positive CD4 marker expression: a diagnostic difficulty. <b>2013</b> , 35, 94-7		10
911	CCL5 expression in panniculitic T-cell dyscrasias and its potential role in adipocyte tropism. <b>2013</b> , 35, 332-7		15
910	CD30+ lymphomatoid drug reactions. <b>2013</b> , 35, 343-50		31
909	Lobular panniculitis due to <i>Borrelia burgdorferi</i> infection mimicking subcutaneous panniculitis-like T-cell lymphoma. <b>2013</b> , 35, e30-3		14
908	Cutaneous nodules as a diagnostic clue in multiple myeloma. <b>2013</b> , 35, 377-80		9
907	Case for diagnosis. <b>2013</b> , 88, 824-5		1
906	Altered expression of Bcl-2, c-Myc, H-Ras, K-Ras, and N-Ras does not influence the course of mycosis fungoides. <b>2013</b> , 9, 895-8		4
905	Subcutaneous panniculitis-like T-cell lymphoma of the breast. <b>2013</b> , 14, 391-4		4
904	A Case of Lymphomatoid Papulosis of the Eyelid. <b>2013</b> , 54, 645		
903	Efficacy of a dose-intensified CHOP (Double-CHOP) regimen for peripheral T-cell lymphomas. <b>2013</b> , 29, 805-11		4
902	Ulcerated nodules on the oral mucosa and fingers: lymphomatoid papulosis, type A. <i>Acta Dermato-Venereologica</i> , <b>2013</b> , 93, 250-1	2.2	7
901	Subcutaneous panniculitis-like T-cell lymphoma (SPTCL) with hemophagocytosis (HPS): successful treatment using high-dose chemotherapy (BFM-NHL & ALL-90) and autologous peripheral blood stem cell transplantation. <b>2013</b> , 53, 135-40		18
900	MicroRNA profiling of primary cutaneous large B-cell lymphomas. <b>2013</b> , 8, e82471		15

899	Folliculotropic mycosis fungoides with rare secondary pulmonary extension: potential role of FDG PET/CT in the assessment of epidermotropic T cell lymphoma. <b>2013</b> , 23, 398-9		1
898	cMyc/miR-125b-5p signalling determines sensitivity to bortezomib in preclinical model of cutaneous T-cell lymphomas. <b>2013</b> , 8, e59390		40
897	Inhibition of histone deacetylase 3 causes replication stress in cutaneous T cell lymphoma. <b>2013</b> , 8, e68915		72
896	Imaging of musculoskeletal lymphoma. <b>2013</b> , 13, 448-57		48
895	Emerging treatment options for early mycosis fungoides. <b>2013</b> , 6, 61-9		9
894	Primary cutaneous lymphoma. 254-272		
893	Pathobiology of Peripheral T-Cell Lymphomas. <b>2014</b> , 1732-1748		0
892	Neoplastic Cells of Primary Cutaneous CD4+ Small/Medium-sized Pleomorphic T-cell Lymphoma Lack the Expression of Follicular T-helper Cell Defining Chemokine Receptor CXCR5. <i>Acta Dermato-Venereologica</i> , <b>2016</b> , 96, 850-2	2.2	1
891	Two Clinically Unusual Cases of Folliculotropic Mycosis Fungoides: One with and the Other without Syringotropism. <b>2014</b> , 26, 385-91		14
890	Primary Cutaneous T-cell Lymphoma. <b>2014</b> , 264-282		
889	[Detection of HTLV-1 DNA in biopsies of Chilean patients with cutaneous T-cell lymphoma]. <b>2014</b> , 142, 314-22		1
888	Case for diagnosis. <b>2014</b> , 89, 675-6		
887	. <b>2014</b> ,		8
886	Endocrine side-effects of anti-cancer drugs: the impact of retinoids on the thyroid axis. <b>2014</b> , 170, R253-62		25
885	Selected inflammatory imitators of mycosis fungoides: histologic features and utility of ancillary studies. <b>2014</b> , 138, 1319-27		22
884	Skin Tumours. <b>2014</b> , 278-310		2
883	Final results of a multicenter phase II study of the purine nucleoside phosphorylase (PNP) inhibitor forodesine in patients with advanced cutaneous T-cell lymphomas (CTCL) (Mycosis fungoides and Sřary syndrome). <b>2014</b> , 25, 1807-1812		32
882	Primary cutaneous CD4+ small/medium T-cell lymphoma with aggressive clinical course. <b>2014</b> , 55, 304-6		2

- 881 Szary syndrome: an overview of current and future treatment options. **2014**, 2, 889-901
- 880 IPH4102, a humanized KIR3DL2 antibody with potent activity against cutaneous T-cell lymphoma. **2014**, 74, 6060-70 44
- 879 Psoriasis-associated aseptic pneumonitis: another cause of lung involvement in psoriasis. **2014**, 55, 306
- 878 Quantitative flow cytometric identification of aberrant T cell clusters in erythrodermic cutaneous T cell lymphoma. Implications for staging and prognosis. **2014**, 67, 431-6 15
- 877 Changing incidence trends of cutaneous B-cell lymphoma. **2014**, 134, 840-842 13
- 876 Novel therapies for cutaneous T-cell lymphoma: what does the future hold?. **2014**, 23, 457-67 19
- 875 Bone marrow involvement by subcutaneous panniculitis-like T-cell lymphoma: a report of three cases. **2014**, 27, 800-7 10
- 874 Benefits of skin biopsy of senile hemangioma in intravascular large B-cell lymphoma: A case report and review of the literature. **2014**, 7, 2003-2006 18
- 873 Blastic plasmacytoid dendritic cell neoplasm with extensive cutaneous and central nervous system involvement. **2014**, 6, 5474 6
- 872 FoxP3-Positive T-Regulatory Cells in Lymph Nodes with Mycosis Fungoides and Szary Syndrome. **2014**, 2014, 1-9 1
- 871 A Case of Cutaneous Diffuse Large B-cell Lymphoma. **2014**, 31, 207-8 2
- 870 T-cell receptor gene rearrangement detection in suspected cases of cutaneous T-cell lymphoma. **2014**, 134, 1-5 8
- 869 Alopecia universalis associated with cutaneous T cell lymphoma. **2014**, 229, 65-9 14
- 868 Serum levels of angiopoietin-2, but not angiopoietin-1, are elevated in patients with erythrodermic cutaneous T-cell lymphoma. *Acta Dermato-Venereologica*, **2014**, 94, 9-13 2.2 14
- 867 Primary cutaneous CD8+ T-cell lymphoma masquerading as acral vascular syndrome. *Acta Dermato-Venereologica*, **2014**, 94, 317-9 2.2 1
- 866 Lymphomatoid papulosis type C of the eyelid in a young girl: a case report and review of literature. **2014**, 33, 395-8 5
- 865 Cutaneous T-cell lymphomas and their management strategies. **2014**, 51, 293-302 2
- 864 A 72-year-old woman with a persistent cough and abnormal chest X-ray. **2014**, 75, 652-3

863	Multiple genetic alterations in primary cutaneous large B-cell lymphoma, leg type support a common lymphomagenesis with activated B-cell-like diffuse large B-cell lymphoma. <b>2014</b> , 27, 402-11		58
862	Denileukin diftitox plus total skin electron beam radiation in patients with treatment-refractory cutaneous T-cell Lymphoma (mycosis fungoides): report of four cases. <i>Acta Dermato-Venereologica</i> , <b>2014</b> , 94, 94-6	2.2	1
861	Hematopathologic discrepancies between referral and review diagnoses: a gap between general pathologists and hematopathologists. <i>Leukemia and Lymphoma</i> , <b>2014</b> , 55, 1023-30	1.9	13
860	Mogamulizumab and the treatment of CCR4-positive T-cell lymphomas. <b>2014</b> , 6, 1187-206		19
859	Mechlorethamine gel for the topical treatment of stage IA and IB mycosis fungoides-type cutaneous T-cell lymphoma. <b>2014</b> , 7, 591-7		14
858	Allogeneic stem cell transplantation for advanced cutaneous T-cell lymphomas: a study from the French Society of Bone Marrow Transplantation and French Study Group on Cutaneous Lymphomas. <b>2014</b> , 99, 527-34		54
857	Denileukin diftitox for the treatment of cutaneous T-cell lymphoma. <b>2014</b> , 2, 625-634		2
856	Skin-resident CD4+ T cells express NK receptors: lessons from skin pathologies. <b>2014</b> , 85, 827-9		2
855	Deregulation in STAT signaling is important for cutaneous T-cell lymphoma (CTCL) pathogenesis and cancer progression. <b>2014</b> , 13, 3331-5		73
854	Cutaneous lymphomas. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2014</b> , 12, 7-28; quiz 29-30	1.2	5
853	Exploring the IL-21-STAT3 axis as therapeutic target for Szary syndrome. <b>2014</b> , 134, 2639-2647		20
852	Expression dynamics of CXCL12 and CXCR4 during the progression of mycosis fungoides. <b>2014</b> , 171, 722-31		14
851	TOX expression in different subtypes of cutaneous lymphoma. <b>2014</b> , 306, 843-9		33
850	Primary cutaneous follicle centre lymphoma in the head and neck: don't judge a lump by its presentation. <b>2014</b> , 7, 103-108		
849	Secondary cancers, comorbidities and mortality associated with nitrogen mustard therapy in patients with mycosis fungoides: a 30-year population-based cohort study. <b>2014</b> , 170, 699-704		23
848	Keratosis lichenoides chronica in association with primary cutaneous anaplastic large cell lymphoma. <b>2014</b> , 53, e109-12		2
847	Immunophenotypic shift of CD4 and CD8 antigen expression in primary cutaneous T-cell lymphomas: a clinicopathologic study of three cases. <b>2014</b> , 41, 51-7		15
846	Primary cutaneous aggressive epidermotropic CD8+ T cell lymphoma: a diagnostic and therapeutic challenge. <b>2014</b> , 53, 76-81		2

845	[T-cell prolymphocytic leukemia: potential diagnostic pitfalls]. <b>2014</b> , 141, 777-81		
844	Membrane expression of NK receptors CD160 and CD158k contributes to delineate a unique CD4+ T-lymphocyte subset in normal and mycosis fungoides skin. <b>2014</b> , 85, 869-82		8
843	Granulomatous syringotropic mycosis fungoides with two lesions having reactive B-cell proliferation. <b>2014</b> , 41, 400-6		4
842	New and established treatment options for mycosis fungoides and Szary syndrome - an update. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2014</b> , 12, 561-9	1.2	4
841	Expression of programmed death-1 in skin biopsies of benign inflammatory vs. lymphomatous erythroderma. <b>2014</b> , 171, 499-504		20
840	Programmed death-1 expression in cutaneous B-cell lymphoma. <b>2014</b> , 41, 14-21		17
839	A review of the solitary cutaneous T-cell lymphomas. <b>2014</b> , 41, 703-14		18
838	Localized conventional radiotherapy in the treatment of Mycosis Fungoides: our experience in 100 patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2014</b> , 28, 1040-4	4.6	4
837	Phase II study of i.v. interferon-gamma in Japanese patients with mycosis fungoides. <i>Journal of Dermatology</i> , <b>2014</b> , 41, 50-6	1.6	27
836	Quantitation of tumour development correlates with prognosis in tumour stage (stage IIB) mycosis fungoides. <b>2014</b> , 170, 1080-6		3
835	Two cases of aggressive nontumoral folliculotropic mycosis fungoides with visceral involvement. <b>2014</b> , 171, 899-902		4
834	Immunological milieu in mycosis fungoides and Szary syndrome. <i>Journal of Dermatology</i> , <b>2014</b> , 41, 11-8	1.6	29
833	Clinicopathological analysis of 17 primary cutaneous T-cell lymphoma of the $\bar{\mu}$ phenotype from Japan. <b>2014</b> , 105, 912-23		15
832	T-cell receptor gene rearrangement analysis of sequential biopsies in cutaneous T-cell lymphomas with the Biomed-2 PCR reveals transient T-cell clones in addition to the tumor clone. <b>2014</b> , 23, 504-8		10
831	Analysis of STAT4 expression in cutaneous T-cell lymphoma (CTCL) patients and patient-derived cell lines. <b>2014</b> , 13, 2975-82		43
830	Anaplastic large cell lymphoma (ALCL) and breast implants: breaking down the evidence. <b>2014</b> , 762, 123-32		44
829	Generalized syringotropic mycosis fungoides responsive to extracorporeal photopheresis. <b>2014</b> , 170, 200-2		6
828	Treatment of stage Ia and Ib mycosis fungoides with psoralen UVA monotherapy: an observational study in tertiary hospitals in the Canary Islands. <b>2014</b> , 53, 1417-22		7

827	Rituximab plus liposomal pegylated doxorubicin in the treatment of primary cutaneous B-cell lymphomas. <b>2014</b> , 93, 129-36		18
826	Cutaneous Marginal Zone Lymphoma (Cutaneous MALT-Lymphoma) and Variants. <b>2014</b> , 201-219		2
825	High incidence of gastrointestinal tract disorders and autoimmunity in primary cutaneous marginal zone B-cell lymphomas. <b>2014</b> , 150, 412-8		23
824	Lymphomatoid papulosis type D or an aggressive epidermotropic CD8(+) cytotoxic T-cell lymphoma?. <i>Acta Dermato-Venereologica</i> , <b>2014</b> , 94, 474-5	2.2	8
823	Lymphomatoid papulosis with associated cerebellar lesion of similar histology and T-cell clonality. <b>2014</b> , 55, e60-4		1
822	Rapid progression of primary cutaneous gamma-delta T-cell lymphoma with an initial indolent clinical presentation. <b>2014</b> , 36, 839-42		10
821	Multicenter case series of indolent small/medium-sized CD8+ lymphoid proliferations with predilection for the ear and face. <b>2014</b> , 36, 402-8		29
820	Indolent CD8+ lymphoid proliferation of the face with eyelid involvement. <b>2014</b> , 36, 137-41		13
819	De Novo CD5+ Diffuse Large B-Cell Lymphoma With Cutaneous Involvement. <b>2014</b> , 19, 200-203		1
818	Mycosis Fungoides With Large Cell Transformation and T Follicular Helper Phenotype. <b>2014</b> , 19, 208-211		0
817	T-cell prolymphocytic leukemia frequently shows cutaneous involvement and is associated with gains of MYC, loss of ATM, and TCL1A rearrangement. <b>2014</b> , 38, 1468-83		21
816	Recent advances in primary cutaneous B-cell lymphomas. <b>2014</b> , 26, 230-6		7
815	Multiple distinct T-cell clones in folliculotropic mycosis fungoides. <b>2014</b> , 36, 972-6		3
814	Angioinvasive Lymphomatoid Papulosis. <b>2014</b> , 19, 187-190		
813	Blastic plasmacytoid dendritic cell neoplasm: evolving insights in an aggressive hematopoietic malignancy with a predilection of skin involvement. <b>2014</b> , 36, 244-51		8
812	Cutaneous lymphomas: an update. Part 1: T-cell and natural killer/t-cell lymphomas and related conditions. <b>2014</b> , 36, 105-23		41
811	Can cutaneous low-grade B-cell lymphoma transform into primary cutaneous diffuse large B-cell lymphoma? An immunohistochemical study of 82 cases. <b>2014</b> , 36, 478-82		10
810	Pediatric CD8+CD56+ non-poikilodermatous mycosis fungoides: case report and review of the literature. <b>2014</b> , 36, 598-602		9

809	Pediatric case of primary cutaneous eosinophil-rich CD30+ anaplastic large-cell lymphoma with follicular mucinosis. <b>2014</b> , 36, e78-80	6
808	Phenotypic variability in primary cutaneous anaplastic large T-cell lymphoma: a study on 35 patients. <b>2014</b> , 36, 153-7	26
807	Peripheral T-Cell Lymphoma, Not Otherwise Specified Presenting as Erythroderma. <b>2014</b> , 19, 221-226	
806	Expression of Langerhans cells, dermal dendritic cells, and plasmacytoid dendritic cells in early stage mycosis fungoides. <b>2014</b> , 11, 208-214	
805	Cutaneous lymphomas: an update. Part 2: B-cell lymphomas and related conditions. <b>2014</b> , 36, 197-208; quiz 209-10	54
804	Primary cutaneous marginal zone lymphoma in children: a report of 3 cases and review of the literature. <b>2014</b> , 36, 661-6	23
803	Two cases of primary cutaneous lymphoma with a $\gamma\delta$ phenotype and an indolent course: further evidence of heterogeneity of cutaneous $\gamma\delta$ T-cell lymphomas. <b>2014</b> , 36, 570-7	23
802	Targeted therapies for cutaneous T-cell lymphomas. <b>2014</b> , 7, 481-93	6
801	Ectopic expression of embryonic stem cell and other developmental genes in cutaneous T-cell lymphoma. <b>2014</b> , 3, e970025	31
800	Controversies and considerations in the diagnosis of primary cutaneous CD4+ small/medium T-cell lymphoma. <b>2014</b> , 138, 1307-18	16
799	Rare Lymphomas. <b>2014</b> ,	
798	Successful treatment of disseminated subcutaneous panniculitis-like T-cell lymphoma with single agent oral cyclosporine as a first line therapy. <b>2014</b> , 2014, 201836	5
797	Improvement of survival in patients with primary cutaneous diffuse large B-cell lymphoma, leg type, in France. <b>2014</b> , 150, 535-41	60
796	Primary Cutaneous Lymphoma. <b>2014</b> , 316-322	
795	Cutaneous Hematopathology. <b>2014</b> ,	
794	Dabrafenib-associated necrobiotic granulomatous reaction. <b>2014</b> , 55, 306-8	6
793	Optical perception for detection of cutaneous T-cell lymphoma by multi-spectral imaging. <b>2014</b> , 16, 125301	8
792	High frequency and clinical prognostic value of MYD88 L265P mutation in primary cutaneous diffuse large B-cell lymphoma, leg-type. <b>2014</b> , 150, 1173-9	80

791	Gene expression differences predict treatment outcome of merkel cell carcinoma patients. <b>2014</b> , 2014, 596459		6
790	The influence of the coexpression of CD4 and CD8 in cutaneous lesions on prognosis of mycosis fungoides: a preliminary study. <b>2014</b> , 2014, 624143		6
789	Characteristics of Cutaneous Lymphomas in Korea According to the New WHO-EORTC Classification: Report of a Nationwide Study. <b>2014</b> , 48, 126-32		14
788	Cytotoxic Variant of Mycosis Fungoides with CD8+ CD56+ Phenotype: A Case Report and Review of Literature. <b>2014</b> , 48, 390-3		6
787	Lymphomatoid papulosis misdiagnosed as pityriasis lichenoides et varioliformis acuta: Two case reports and a literature review. <b>2014</b> , 8, 1927-1933		8
786	Characteristics of Primary Cutaneous T-Cell Lymphoma in Iran: A 10-Year Retrospective Study. <b>2014</b> , 2014, 820921		4
785	Paediatric cutaneous lymphoma in Korea: a retrospective study at a single institution. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2014</b> , 28, 1798-804	4.6	9
784	YKL-40 Promotes Proliferation of Cutaneous T-Cell Lymphoma Tumor Cells through Extracellular Signal-Regulated Kinase Pathways. <b>2020</b> , 140, 860-868.e3		5
783	C-C chemokine receptor 4 expression in CD8+ cutaneous T-cell lymphomas and lymphoproliferative disorders, and its implications for diagnosis and treatment. <b>2020</b> , 76, 222-232		2
782	Cutaneous spindled follicle center cell lymphoma with abundant mucin: A diagnostic pitfall. <b>2020</b> , 47, 394-397		2
781	Molecular profiling of TOX-deficient neoplastic cells in cutaneous T cell lymphoma. <b>2020</b> , 312, 513-525		2
780	Preclinical Evidence for Targeting PI3K/mTOR Signaling with Dual-Inhibitors as a Therapeutic Strategy against Cutaneous T-Cell Lymphoma. <b>2020</b> , 140, 1045-1053.e6		5
779	Complete resolution of primary cutaneous marginal zone B-cell lymphoma on the cheek of a 7-year-old boy with intralesional triamcinolone and tincture of time. <b>2020</b> , 37, 228-229		3
778	Frequency and prognosis of associated malignancies in 504 patients with lymphomatoid papulosis. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2020</b> , 34, 260-266	4.6	14
777	Systematic review and proposal of an in vivo reflectance confocal microscopy assessment tool for cutaneous lymphoma. <b>2020</b> , 47, 295-304		4
776	Prognostic factors in patients with primary cutaneous anaplastic large cell lymphoma: a multicentric, retrospective analysis of the Spanish Group of Cutaneous Lymphoma. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2020</b> , 34, 762-768	4.6	4
775	Revisiting the initial diagnosis and blood staging of mycosis fungoides and Sary syndrome with the KIR3DL2 marker. <b>2020</b> , 182, 1415-1422		11
774	Lymphomatoid papulosis: an update and review. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2020</b> , 34, 59-73	4.6	17

773	Novel Therapeutics for Rare Lymphomas. <b>2020</b> ,		0
772	Twist and Zeb1 expression identify mycosis fungoides patients with low risk of disease progression. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2020</b> , 34, e95-e98	4.6	1
771	A retrospective review of cutaneous lymphoma in Botswana. <b>2020</b> , 59, 352-358		2
770	Non-Hodgkin Lymphomas. <b>2020</b> , 1926-1947.e5		
769	Cutaneous T-Cell Lymphoma and Cutaneous B-Cell Lymphoma. <b>2020</b> , 1948-1964.e5		
768	Radiotherapy of primary cutaneous anaplastic large cell lymphoma: our experience in 30 cases. <b>2020</b> , 59, 469-473		1
767	Whole-genome analysis uncovers recurrent IKZF1 inactivation and aberrant cell adhesion in blastic plasmacytoid dendritic cell neoplasm. <b>2020</b> , 59, 295-308		7
766	Thrombospondin-1 promotes tumor progression in cutaneous T-cell lymphoma via CD47. <b>2020</b> , 34, 845-856		19
765	Management of Cutaneous T-Cell Lymphoma/Mycosis Fungoides Occurring in the Setting of Solid Organ Transplantation: Report of 2 Cases. <b>2020</b> , 20, e39-e42		
764	Spiky follicular mycosis fungoides and hidradenitis suppurativa-like lesions in a patient - complete remission with interferon alpha. <b>2020</b> , 95, 121-123		
763	Practical Approaches on CD30 Detection and Reporting in Lymphoma Diagnosis. <b>2020</b> , 44, e1-e14		5
762	Intragluteal Cleft Ulcer: a Rare Presentation of Primary Cutaneous Non-Hodgkin's Lymphoma. <b>2020</b> , 11, 24-26		
761	Cutaneous extranodal natural killer (NK) / T - cell lymphoma: A comprehensive clinical features and outcomes analysis of 71 cases. <b>2020</b> , 88, 106284		5
760	Adnexotropism as a Histopathological Clue for the Diagnosis of Primary Cutaneous CD4+ Small/Medium-Sized T-Cell Lymphoproliferative Disorder. <b>2020</b> , 42, 383-384		3
759	The different faces of mycosis fungoides: results of a single-center study. <b>2020</b> , 59, 314-320		2
758	The epidemiology of subcutaneous panniculitis-like alpha-beta T-cell lymphoma in New Zealand. <b>2020</b> , 61, e196-e199		1
757	[Localized urticarial rituximab-induced reaction in primary cutaneous marginal zone B-cell lymphoma]. <b>2020</b> , 147, 50-52		
756	Primary Cutaneous B-Cell Lymphomas in Patients With Impaired Immunity. <b>2020</b> , 10, 1296		4

755	Epidemiology of Cutaneous T-Cell Lymphomas: A Systematic Review and Meta-Analysis of 16,953 Patients. <b>2020</b> , 12,	14
754	Familial aggregation of subcutaneous panniculitis-like T cell lymphoma: A case report of monozygotic twin brothers. <b>2020</b> , 99, e22629	2
753	CD4/CD8 dual-positive mycosis fungoides: A case report and literature review. <b>2020</b> , 99, e22786	1
752	Cutaneous T-cell lymphoma: aetiopathogenesis and current diagnostic and therapeutic developments. <b>2020</b> ,	2
751	Adaptable antibody Nanoworms designed for non-Hodgkin lymphoma. <b>2020</b> , 262, 120338	2
750	The molecular landscape and other distinctive features of primary cutaneous follicle center lymphoma. <b>2020</b> , 106, 93-105	11
749	Primary cutaneous anaplastic large-cell lymphoma of the eyelid: report of two cases and review of the literature. <b>2021</b> , 40, 481-487	1
748	Challenges in early diagnosis of primary cutaneous CD8+ aggressive epidermotropic cytotoxic T-cell lymphoma: a case series of four patients. <b>2020</b> , 30, 358-361	1
747	Nonmyeloablative allogeneic transplantation achieves clinical and molecular remission in cutaneous T-cell lymphoma. <b>2020</b> , 4, 4474-4482	9
746	The ambiguous pruritogenic role of interleukin-31 in cutaneous T-cell lymphomas in comparison to atopic dermatitis: a review. <b>2020</b> , 37, 319-325	5
745	Survival prediction model for patients with mycosis fungoides/Sezary syndrome. <b>2020</b> , 16, 2487-2498	0
744	Pathogenesis and Therapy of Primary Cutaneous T-Cell Lymphoma: Collegium Internationale Allergologicum (CIA) Update 2020. <b>2020</b> , 181, 733-745	18
743	Hypomethylation of the promoter region drives ectopic expression of TMEM244 in S $\zeta$ ary cells. <b>2020</b> , 24, 10970-10977	4
742	Immunophenotyping in the Diagnosis and Monitoring of Haematological Neoplasms and Related Conditions with Tables and Figures for Quick Reference. <b>2020</b> , 47-87	
741	Cutaneous B-cell lymphomas. <b>2020</b> , 253-253	
740	Independent evolution of cutaneous lymphoma subclones in different microenvironments of the skin. <b>2020</b> , 10, 15483	1
739	Cicatrical Alopecia Related to Folliculotropic Mycosis Fungoides. <b>2020</b> , 10, 1175-1180	1
738	Cytokine-related genes play critical roles in extrafollicular growth of follicular lymphoma cells. <b>2020</b> , 38, 673-679	0

737	How I Diagnose Primary Cutaneous Marginal Zone Lymphoma. <b>2020</b> , 154, 428-449		5
736	Cutaneous B-cell lymphomas: 2021 update on diagnosis, risk-stratification, and management. <b>2020</b> , 95, 1209		6
735	High-dose-rate brachytherapy of primary cutaneous B-cell lymphoma: the first reported case series. <b>2020</b> , 12, 241-247		
734	Impact of clinical photographs on the accuracy and confidence in the histopathological diagnosis of mycosis fungoides. <b>2021</b> , 48, 842-846		2
733	The Role of Cell Adhesion Molecule 1 (CADM1) in Cutaneous Malignancies. <b>2020</b> , 21,		8
732	18FDG PET/CT in Primary Cutaneous Diffuse Large B-Cell Lymphoma Leg Type. <b>2020</b> , 45, 403-404		0
731	Low dose total skin electron beam therapy for the management of T cell cutaneous lymphomas. <b>2020</b> , 33, e13478		0
730	An Effective Convolutional Neural Network for Classifying Red Blood Cells in Malaria Diseases. <b>2020</b> , 12, 217-225		7
729	Folliculotropic mycosis fungoides: Clinical characteristics, treatments, and long-term outcomes of 53 patients in a tertiary hospital. <b>2020</b> , 33, e13585		2
728	Primary cutaneous marginal zone lymphoma treated with doxycycline in a pediatric patient. <b>2020</b> , 37, 759-761		2
727	BCL-2 Expression in Primary Cutaneous Follicle Center B-Cell Lymphoma and Its Prognostic Role. <b>2020</b> , 10, 662		4
726	Staphylococcus aureus enterotoxins induce FOXP3 in neoplastic T cells in Szary syndrome. <b>2020</b> , 10, 57		11
725	Outcomes of rare patients with a primary cutaneous CD30+ lymphoproliferative disorder developing extracutaneous disease. <i>Blood</i> , <b>2020</b> , 135, 769-773	2.2	4
724	Diagnosis and Treatment of Primary Cutaneous B-Cell Lymphomas: State of the Art and Perspectives. <b>2020</b> , 12,		5
723	Epidemiological analysis of the Chilean national registry of cutaneous T-cell lymphomas, years 2006-2012. <b>2020</b> , 154, 236-237		
722	Evaluation of the polymerase chain reaction-based T-cell receptor clonality test in the diagnosis of early mycosis fungoides. <b>2020</b> , 83, 1400-1405		4
721	Total skin electron beam therapy for primary cutaneous T-cell lymphomas: clinical characteristics and outcomes in a Mexican reference center. <b>2020</b> , 25, 562-567		
720	Primary Cutaneous CD4+ Small/Medium T-Cell Lymphoproliferative Disorders: A Clinical, Pathologic, and Molecular Study of 60 Cases Presenting With a Single Lesion: A Multicenter Study of the French Cutaneous Lymphoma Study Group. <b>2020</b> , 44, 862-872		12

719	Erythroderma: a prospective study of 309 patients followed for 12 years in a tertiary center. <b>2020</b> , 10, 9774		16
718	Primary Cutaneous B-Cell Lymphomas: An Update. <b>2020</b> , 10, 651		28
717	Is it mycosis fungoides? A comprehensive guide to reaching the diagnosis and avoiding common pitfalls. <b>2020</b> , 47, 151546		3
716	Efficacy and safety of bexarotene combined with photo(chemo)therapy for cutaneous T-cell lymphoma. <i>Journal of Dermatology</i> , <b>2020</b> , 47, 443-451	1.6	7
715	Primary Cutaneous Gamma-Delta T-Cell Lymphoma With Long-Term Indolent Clinical Course Initially Mimicking Lupus Erythematosus Profundus. <b>2020</b> , 10, 133		4
714	miRNAs in the Diagnosis and Prognosis of Skin Cancer. <b>2020</b> , 8, 71		34
713	Brentuximab Vedotin for Treating Relapsed or Refractory CD30-Positive Cutaneous T-Cell Lymphoma: An Evidence Review Group Perspective of a NICE Single Technology Appraisal. <b>2020</b> , 4, 563-574		0
712	Long-Term Disease Control After Allogeneic Hematopoietic Stem Cell Transplantation in Primary Cutaneous T-Cell Lymphoma; Results From a Single Institution Analysis. <b>2020</b> , 7, 290		4
711	Lymphoma Classification. <b>2020</b> , 26, 176-185		14
710	Interventions for mycosis fungoides. <b>2020</b> , 7, CD008946		4
709	Systemic chemotherapy promotes HIF-1 $\alpha$ -mediated glycolysis and IL-17F pathways in cutaneous T-cell lymphoma. <b>2020</b> , 29, 987-992		2
708	Mapping signal transducer and activator of transcription (STAT) activity in different stages of mycosis fungoides and Sezary syndrome. <b>2020</b> , 59, 1106-1112		2
707	Cutaneous lymphoma in Japan, 2012-2017: A nationwide study. <b>2020</b> , 97, 187-193		5
706	Nitrogen mustard gel-induced inflammation triggers lymphomatoid papulosis in patients with mycosis fungoides. <i>Journal of Dermatology</i> , <b>2020</b> , 47, 546-550	1.6	2
705	Cutaneous T-cell lymphomas and sleep quality: a bidirectional relationship?. <b>2020</b> , 59, e150-e151		
704	Cost of early-stage mycosis fungoides treatments in Spain. <b>2020</b> , 12, 91-105		
703	Skin. <b>2020</b> , 3-227		
702	Survival in Mycosis Fungoides and Sezary Syndrome: How Can We Predict Outcome?. <b>2020</b> , 140, 281-283		7

701	Non-mycosis fungoides cutaneous lymphomas in a referral center in Taiwan: A retrospective case series and literature review. <b>2020</b> , 15, e0228046			3
700	Violaceous facial nodules. <b>2020</b> , 45, 642-645			
699	Skin Disorders in Migrants. <b>2020</b> ,			0
698	Peripheral T cell lymphomas: from the bench to the clinic. <b>2020</b> , 20, 323-342			29
697	Cells to Surgery Quiz: May 2020. <b>2020</b> , 140, e55-e60			
696	A Case of Fever and Erythema Nodosum-Like Lesions Leading to a New Diagnosis of Gamma-Delta T-Cell Lymphoma Complicated by Hemophagocytic Lymphohistiocytosis. <b>2019</b> , 6, 266-270			
695	Radiotherapy Eradicates Malignant T Cells and Is Associated with Improved Survival in Early-Stage Mycosis Fungoides. <b>2020</b> , 26, 408-418			9
694	HAVCR2 mutations are associated with severe hemophagocytic syndrome in subcutaneous panniculitis-like T-cell lymphoma. <i>Blood</i> , <b>2020</b> , 135, 1058-1061	2.2		12
693	The importance of differentiating between mycosis fungoides with CD30-positive large cell transformation and mycosis fungoides with coexistent primary cutaneous anaplastic large cell lymphoma. <b>2021</b> , 84, 185-187			4
692	Non-Hodgkin Lymphomas: Malignancies Arising from Mature B Cells. <b>2021</b> , 11,			1
691	The prognostic role of age in primary cutaneous B-cell lymphoma: a proposal derived from a population-based registry. <b>2021</b> , 33, 429-436			
690	Szary syndrome and mycosis fungoides: An overview, including the role of immunophenotyping. <b>2021</b> , 100, 132-138			9
689	Current measures are not sufficient: an interview-based qualitative assessment of quality of life in cutaneous T-cell lymphoma. <b>2021</b> , 184, 310-318			6
688	The importance of assessing blood tumour burden in cutaneous T-cell lymphoma. <b>2021</b> , 185, 19-25			4
687	Differential SATB1 Expression Reveals Heterogeneity of Cutaneous T-Cell Lymphoma. <b>2021</b> , 141, 607-618.e6			4
686	The changing therapeutic landscape, burden of disease, and unmet needs in patients with cutaneous T-cell lymphoma. <b>2021</b> , 192, 683-696			6
685	A review of CD30 expression in cutaneous neoplasms. <b>2021</b> , 48, 495-510			5
684	Outlines of the Japanese guidelines for the management of primary cutaneous lymphomas 2020. <i>Journal of Dermatology</i> , <b>2021</b> , 48, e49-e71	1.6		10

683	Subcutaneous panniculitis-like T cell lymphoma presented as erythema nodosum: A case report. <b>2021</b> , 34, e14572	0
682	Management of primary cutaneous lymphomas during the COVID-19 pandemic. <b>2021</b> , 39, 64-75	0
681	Role of chromatin assembly factor-1/p60 and poly [ADP-ribose] polymerase 1 in mycosis fungoides. <b>2021</b> , 478, 961-968	3
680	Epidemiological changes in cutaneous lymphomas: an analysis of 8593 patients from the French Cutaneous Lymphoma Registry. <b>2021</b> , 184, 1059-1067	11
679	Follicular lymphomatoid papulosis - not a simple folliculitis. <b>2021</b> , 62, 235-237	
678	A retrospective, descriptive study of patients with Mycosis fungoides treated by phototherapy (oral PUVA, NB-UVB) with a twice-weekly regimen at the Institute of Dermatology, Bangkok, Thailand, with an experiential timeline of 13 years. <b>2021</b> , 37, 49-55	1
677	Overexpression of STAT4 at early stages of mycosis fungoides: Coincidence or not?. <b>2021</b> , 62, e119-e120	
676	Efficacy of doxycycline in the treatment of early stages of mycosis fungoides: a randomized controlled trial. <b>2021</b> , 32, 424-431	1
675	Primary Cutaneous B-Cell Lymphoma Complicated by Clonal T-Cell Populations: A Diagnostic Dilemma. <b>2021</b> , 43, 454-458	
674	Evaluation of Associated Lymphomas and Their Risk Factors in Patients with Lymphomatoid Papulosis: A Retrospective Single-Center Study from Turkey. <b>2021</b> , 38, 49-56	
673	Chidamide induces long-term remission in rare subcutaneous panniculitis-like T-cell lymphoma: An unusual case report and literature review. <b>2021</b> , 35, 20587384211009342	2
672	Indolent Cutaneous T-Cell Lymphomas. <b>2021</b> , 209-230	
671	C6 Ceramide (d18:1/6:0) as a Novel Treatment of Cutaneous T Cell Lymphoma. <b>2021</b> , 13,	5
670	Mycosis Fungoides and Szary Syndrome: Updates and Review of Current Therapy. <b>2021</b> , 22, 10	6
669	Skin Cancer: Molecular Biomarker for Diagnosis, Prognosis, Prevention, and Targeted Therapy. <b>2021</b> , 101-130	
668	Adult T-cell leukemia/lymphoma with pagetoid reticulosis-like skin lesions. <b>2021</b> , 60, e342-e344	
667	Molecular Classification of the Peripheral T-cell Lymphomas. <b>2021</b> , 91-103	
666	Importance of diagnostics and risk of secondary malignancies in primary cutaneous lymphomas. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2021</b> , 19, 373-381	1.2 3

- 665 A case of lymphomatoid papulosis type E in a young adult: An uncommon entity. **2021**, 48, 694-700 0
- 664 ALK-negative primary cutaneous T-cell anaplastic large cell lymphoma, myxoid variant; masquerading as sarcoma: unveiling the diagnostic dilemma. **2021**, 14, 1
- 663 Thymocyte selection-associated high-mobility group box as a potential diagnostic marker differentiating hypopigmented mycosis fungoides from early vitiligo: A pilot study. **2021**, 87, 819-825 1
- 662 Cutaneous T-cell Lymphoma. **2021**, 235-258
- 661 Primärkutane Lymphome. **2021**, 37, 51-63
- 660 Spiky/keratosis-pilaris-like early follicular mycosis fungoides: A clinicopathologic study of 20 cases with extended follow-up. **2021**, 48, 1124-1132 1
- 659 Aktualny stan wiedzy w zakresie leczenia interdyscyplinarnego chłoniaków w oparciu o informacje pozyskane na konferencji ASTRO 56-th Annual Meeting.. **2021**, 18, 20-23
- 658 Ganglioside GD3 May Suppress the Functional Activities of Benign Skin T Cells in Cutaneous T-Cell Lymphoma. **2021**, 12, 651048 0
- 657 Stellenwert diagnostischer Verfahren und Risiko von Zweittumoren bei primärkutanen Lymphomen. *JDDG - Journal of the German Society of Dermatology*, **2021**, 19, 373-382 1.2
- 656 Erythrodermic CD4/CD8 Double-Negative Mycosis Fungoides: A Case Report. **2021**, 14, 256-261 1
- 655 Vulvar Primary Cutaneous CD8+ Aggressive Epidermotropic Cytotoxic T-Cell Lymphoma. **2021**, 40, 229-233 1
- 654 Post-transplant primary cutaneous peripheral T-cell lymphoma not otherwise specified in a pediatric patient. **2021**, 48, 706-712 0
- 653 Epidemiology of cutaneous lymphoma. **2021**, 184, 993-994 2
- 652 The PROVe Study: US Real-World Experience with Chlormethine/Mechlorethamine Gel in Combination with Other Therapies for Patients with Mycosis Fungoides Cutaneous T-Cell Lymphoma. **2021**, 22, 407-414 6
- 651 Exploring hTERT promoter methylation in cutaneous T-cell lymphomas. **2021**, 2
- 650 Clinicoprognostic implications of head and neck involvement by mycosis fungoides: A retrospective cohort study. **2021**, 0
- 649 Primary cutaneous lymphoma: a population-based cancer registry descriptive study of 155 consecutive cases diagnosed between 1979 and 2016. *Leukemia and Lymphoma*, **2021**, 62, 2010-2013 1.9
- 648 References. **2021**, 301-427

647	Primary cutaneous follicle center lymphoma with extensive plasmacytic differentiation and t(14;18) in both the lymphoid and plasma cell components. <b>2021</b> , 48, 969-974		1
646	Deregulation of JAK2 signaling underlies primary cutaneous CD8+ aggressive epidermotropic cytotoxic T-cell lymphoma. <b>2021</b> ,		5
645	Primary cutaneous T-cell lymphomas other than mycosis fungoides and Sřary syndrome. Part I: Clinical and histologic features and diagnosis. <b>2021</b> , 85, 1073-1090		3
644	Primřkutane T-Zell-Lymphome im Kindes- und Jugendalter. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2021</b> , 19, 563-583	1.2	5
643	Primary cutaneous T-cell lymphomas in childhood and adolescence. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2021</b> , 19, 563-581	1.2	2
642	Tagraxofusp Treatment: Implications for Patients With Blastic Plasmacytoid Dendritic Cell Neoplasm. <b>2021</b> , 25, E10-E16		
641	Dermoscopic and trichoscopic features of primary cutaneous lymphomas - systematic review. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, 1470-1484	4.6	2
640	Lesiř nodular de rřido crecimiento en el přpado. Diagnřtico y comentario. <b>2021</b> , 36, 250-251		
639	Mycosis Fungoides and Sřary Syndrome: An Integrative Review of the Pathophysiology, Molecular Drivers, and Targeted Therapy. <b>2021</b> , 13,		3
638	Mycosis Fungoides in Children and Adolescents: A Systematic Review. <b>2021</b> , 157, 431-438		2
637	Diagnosis and treatment of subcutaneous panniculitis-like T-cell lymphoma: A systematic literature review. <b>2021</b> ,		4
636	Health-related quality of life in cutaneous T-cell lymphoma: A cross-sectional survey study. <b>2021</b> , 1, e45		1
635	GFI-1 overexpression promotes cell proliferation and apoptosis resistance in mycosis fungoides by repressing Bax and P21. <b>2021</b> , 22, 521		
634	Novel therapeutic approaches for cutaneous T cell lymphomas. <b>2021</b> , 17, 629-641		1
633	The epidemiology of mycosis fungoides in New Zealand. <b>2021</b> , 62, 414-416		0
632	Bruise-like Spots Appearing Progressively on the Face and Back. <b>2021</b> , 112, 447-448		
631	Prominent Blasts in Primary Cutaneous CD4+ Small/Medium T-Cell Lymphoproliferative Disorder. A Reconsideration of Diagnostic Criteria. <b>2021</b> , 43, e190-e196		2
630	Lymphomatoid papulosis presenting on a finger. <b>2021</b> , 62, e414-e416		

- 629 A case report of aggressive course of CD30+ primary cutaneous anaplastic large cell lymphoma. **2021**, 100, e25770
- 628 Bruise-like Spots Appearing Progressively on the Face and Back. **2021**, 112, 447-448
- 627 Reddish Papules in the Center of the Face. **2021**, 112, 668-668
- 626 Clinical characteristics and long-term outcomes of 97 Korean patients with mycosis fungoides. **2021**, 60, 1510-1519 0
- 625 Incidence of mycosis fungoides and Szary syndrome in the Netherlands between 2000 and 2020. **2021**, 185, 434-435 5
- 624 Primary cutaneous T-cell lymphomas other than mycosis fungoides and Szary syndrome. Part II: Prognosis and management. **2021**, 85, 1093-1106 0
- 623 Geographic clustering of cutaneous T-cell lymphoma in New Jersey: an exploratory analysis using residential histories. **2021**, 32, 989-999 2
- 622 Simultaneous colonic T-cell lymphoma and graft-versus-host disease: A rare diagnosis. **2021**, 24, 200507
- 621 Intrapleural infections in patients with subcutaneous panniculitis-like T-cell lymphoma are susceptible to hemophagocytic lymphohistiocytosis. **2021**, 34, e15037
- 620 A Problem of Classification: 2 Cases of Epstein-Barr Virus + Primary Cutaneous Plasmacytoma Arising in Immunocompetent Elderly Patients. **2021**, 43, e237-e240
- 619 Primärkutane Lymphome\*. **2021**, 24, 42-55
- 618 Topical treatments for early-stage mycosis fungoides using Grading Recommendations Assessment, Development and Evaluation (GRADE) criteria: A systematic review. **2021**, 3, 26-41 0
- 617 Primary Cutaneous Lymphomas in Thailand: A 10-Year Retrospective Study. **2021**, 2021, 4057661
- 616 Clinical characteristics and long-term outcome of 223 patients with mycosis fungoides at a single tertiary center in Korea: A 29-year review. **2021**, 0
- 615 Jak-STAT Inhibition Mediates Romidepsin and Mechlorethamine Synergism in Cutaneous T-Cell Lymphoma. **2021**, 141, 2908-2920.e7 1
- 614 Gamma/delta T-cell lymphoma with mycosis fungoides-like clinical course transforming to "T-cell-receptor-silent" aggressive lymphoma: Description of one case. **2021**, 48, 1197-1203 0
- 613 A case of primary cutaneous T-cell lymphoma with initial symptoms in the tongue. **2021**, 67, 335-339
- 612 Integrated genomic analyses of cutaneous T-cell lymphomas reveal the molecular bases for disease heterogeneity. *Blood*, **2021**, 138, 1225-1236 2.2 8

611	Primary Alopecia Neoplastica: A Novel Case Report and Literature Review.. <b>2021</b> , 7, 499-509		1
610	Oral manifestations of Hydroa vacciniforme-like lymphoproliferative disorder: a clinicopathological study of a Peruvian population. <b>2021</b> , 50, 530-539		
609	Primary Cutaneous B-Cell Lymphomas in Children and Adolescents: A SEER Population-Based Study. <b>2021</b> , 21, e1000-e1005		0
608	Report of Eleven Patients of Subcutaneous Panniculitis-Like T-Cell Lymphoma: Clinicopathologic Features, F-FDG PET/CT Findings and Outcome. <b>2021</b> , 11, 650822		0
607	IL-31 and IL-8 in Cutaneous T-Cell Lymphoma: Looking for Their Role in Itch. <b>2021</b> , 2021, 5582581		0
606	Remission of refractory granulomatous primary cutaneous anaplastic large cell lymphoma to brentuximab vedotin. <b>2021</b> , 14,		
605	Cutaneous T-cell lymphoma in Asian patients: a multinational, multicenter, prospective registry study in Asia. <b>2021</b> , 114, 355-362		
604	Assessing the diagnosis of "primary cutaneous mantle cell lymphoma": A systematic review and population-based analysis. <b>2021</b> ,		0
603	Potent Anticancer Effects of Epidithiodiketopiperazine NT1721 in Cutaneous T Cell Lymphoma. <b>2021</b> , 13,		0
602	Evolution of Dupilumab-Associated Cutaneous Atypical Lymphoid Infiltrates. <b>2021</b> , 43, 714-720		2
601	Follicular T-Helper Cells in Marginal Zone Lymphoma: Evidence of an Organoid Immune Response. <b>2021</b> , 43, e197-e203		1
600	Lack of impact of type and extent of prior therapy on outcomes of mogamulizumab therapy in patients with cutaneous T cell lymphoma in the MAVORIC trial. <i>Leukemia and Lymphoma</i> , <b>2021</b> , 62, 3109-3118	19	0
599	New nonchemotherapy treatment options for cutaneous T-cell lymphomas. <b>2021</b> , 21, 1017-1028		0
598	Improved Sčary cell detection and novel insights into immunophenotypic and molecular heterogeneity in Sčary syndrome. <i>Blood</i> , <b>2021</b> ,	2.2	5
597	CD27 mRNA expression in mycosis fungoides. <b>2021</b> ,		
596	CD147-Cyclophilin a Interactions Promote Proliferation and Survival of Cutaneous T-Cell Lymphoma. <b>2021</b> , 22,		5
595	Outcomes and prognostic factors in canine epitheliotropic and nonepitheliotropic cutaneous T-cell lymphomas. <b>2021</b> ,		1
594	Primary Cutaneous CD4+ Small/Medium T-Cell Lymphoproliferative Disorder or Primary Cutaneous Marginal Zone B-Cell Lymphoma? Two Distinct Entities With Overlapping Histopathological Features. <b>2021</b> , 43, e204-e212		0

593	Primary cytotoxic T-cell lymphomas harbor recurrent targetable alterations in the JAK-STAT pathway. <i>Blood</i> , <b>2021</b> , 138, 2435-2440	2.2	0
592	Cutaneous T cell lymphoma. <b>2021</b> , 7, 61		10
591	Cytokines, Genetic Lesions and Signaling Pathways in Anaplastic Large Cell Lymphomas. <b>2021</b> , 13,		0
590	Real-life experience with chlormethine gel for early-stage mycosis fungoides with emphasis on types and management of cutaneous side-effects. <b>2021</b> , 1-7		2
589	Quality of life in patients with Mycosis Fungoides and Sżary Syndrome: a systematic review of the literature. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, 2377-2387	4.6	1
588	Whole-genome profiling of primary cutaneous anaplastic large cell lymphoma. <b>2021</b> ,		0
587	Characteristics and outcomes of 727 patients with mycosis fungoides and Sżary syndrome from a Brazilian cohort. <b>2021</b> ,		0
586	Diagnosis and prognostic stratification of cutaneous lymphoma. <i>Journal of Dermatology</i> , <b>2021</b> ,	1.6	
585	Photodynamic therapy of cutaneous T-cell lymphoma cell lines mediated by 5-aminolevulinic acid and derivatives. <b>2021</b> , 221, 112244		1
584	Immune Check Point Inhibitors in Primary Cutaneous T-Cell Lymphomas: Biologic Rationale, Clinical Results and Future Perspectives. <b>2021</b> , 11, 733770		3
583	Cutaneous T-cell lymphomas: 2021 update on diagnosis, risk-stratification, and management. <b>2021</b> , 96, 1313-1328		0
582	Diagnosis of Early Mycosis Fungoides. <b>2021</b> , 11,		2
581	Integrative medicine use in patients with cutaneous T-Cell lymphoma: A cross-sectional survey study. <b>2021</b> , 61, 102762		1
580	Disseminated mature T-cell phenotype CD4/CD8 double-negative mycosis fungoides with pleural involvement. <b>2021</b> ,		
579	Genetic and epigenetic insights into cutaneous T-cell lymphoma. <i>Blood</i> , <b>2021</b> ,	2.2	4
578	A Case of CD5-Positive Primary Cutaneous Diffuse Large B-Cell Lymphoma, Leg Type Secondary to Chronic Lymphedema.. <b>2022</b> , 44, 179-182		
577	Randomized phase 3 ALCANZA study of brentuximab vedotin vs physician's choice in cutaneous T-cell lymphoma: final data. <b>2021</b> , 5, 5098-5106		5
576	Single-cell RNA sequencing reveals markers of disease progression in primary cutaneous T-cell lymphoma. <b>2021</b> , 20, 124		2

575	Aggressive primary cutaneous anaplastic large cell lymphoma with massive bilateral upper limb involvement at relapse. <i>JAAD Case Reports</i> , <b>2021</b> , 17, 34-37	1.4	
574	A Perplexing Case of Recurrent Abscess-Like Lesions: Insights Into Primary Cutaneous Diffuse Large B-Cell Lymphoma, Leg Type. <b>2021</b> , 13, e17766		
573	Mycosis fungoides und Sčary-Syndrom. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2021</b> , 19, 1307-1335	1.2	0
572	Primary cutaneous aggressive epidermotropic CD8 T cell lymphoma mimicking pyoderma gangrenosum. <b>2021</b> , 62, e605-e607		
571	Mycosis fungoides and Sčary syndrome. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2021</b> , 19, 1307-1334	1.2	2
570	Multimodality imaging and treatment strategy for malignant scalp neoplasms in adults. <b>2021</b> , 77, 48-57		
569	PEG10 amplification at 7q21.3 potentiates large-cell transformation in cutaneous T-cell lymphoma. <i>Blood</i> , <b>2021</b> ,	2.2	3
568	Association of marital status with stage and survival in patients with mycosis fungoides: A population-based study. <b>2021</b> , 10, 7320-7329		2
567	Syringotropic Mycosis Fungoides with Vasculopathic Ulcers and Expression of T-follicular-helper Cell Markers. <i>Acta Dermato-Venereologica</i> , <b>2021</b> , 101, adv00569	2.2	
566	Hemophagocytic Lymphohistiocytosis Associated with Disseminated Nontuberculous Mycobacterial Infection in a Patient with Mesenteric Panniculitis. <b>2021</b> , 253, 151-157		1
565	Cutaneous lymphomas. <b>2009</b> , 146, 343-51		2
564	Reflectance Confocal Microscopy in Skin Cancer. <b>2014</b> , 267-277		1
563	Combination Therapy for Cancer: Phototherapy and HDAC Inhibition. <b>2014</b> , 445-470		1
562	Hematolymphoid Proliferations of the Skin. <b>2015</b> , 3-36		1
561	Mycosis Fungoides and Related Lesions. <b>2011</b> , 203-231		1
560	Cutaneous Non-MF T-Cell and NK-Cell Lymphoproliferative Disorders. <b>2011</b> , 233-245		1
559	Cutaneous B-Cell Lymphomas. <b>2011</b> , 247-262		2
558	Pruritus in Cutaneous T-cell Lymphoma. <b>2010</b> , 121-124		1

557	Introduction to the B-Cell Lymphomas. <b>2015</b> , 139-151		1
556	Skin Cancer. <b>2017</b> , 257-284		1
555	Tumors in Pigmented Skin. <b>2018</b> , 399-413		1
554	Photo(chemo)therapy for Cutaneous T-Cell Lymphoma. <b>2009</b> , 135-149		6
553	Anaplastic Large-Cell Lymphoma. <b>2007</b> , 175-197		1
552	Primary Cutaneous B-Cell Lymphomas. <b>2014</b> , 353-364		1
551	The AID dilemma: infection, or cancer?. <b>2012</b> , 113, 1-44		29
550	Cutaneous T-Cell Lymphoma and Cutaneous B-Cell Lymphoma. <b>2008</b> , 2405-2424		4
549	Primary Cutaneous T-Cell Lymphomas. <b>2011</b> , 617-628		3
548	Primary Cutaneous T-cell and B-cell Lymphomas. <b>2009</b> , 175-187		2
547	Diffuse Aggressive B-Cell Lymphomas. <b>2012</b> , 261-292		1
546	World Health Organization Classification of tumors of hematopoietic and lymphoid tissues, 4th edition, 2008 –major changes from the 3rd edition, 2001. <b>2011</b> , 57, 66-73		5
545	Acneiform Presentations of Folliculotropic Mycosis Fungoides. <b>2021</b> , 43, 85-92		1
544	Histopathological changes seen in mycosis fungoides patients after phototherapy. <b>2010</b> , 32, 276-280		4
543	Clinical, Histologic, and Molecular Characteristics of Anaplastic Lymphoma Kinase-positive Primary Cutaneous Anaplastic Large Cell Lymphoma. <b>2020</b> , 44, 776-781		11
542	Prognostic significance of the therapeutic targets histone deacetylase 1, 2, 6 and acetylated histone H4 in cutaneous T-cell lymphoma. <b>2008</b> , 53, ???-???		46
541	In-situ-topoproteome analysis of cutaneous lymphomas: perspectives of assistance for dermatohistologic diagnostics by Multi Epitope Ligand Cartography (MELC). <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2008</b> , 6, 1038-51	1.2	4
540	Primary cutaneous peripheral T-cell lymphoma, not otherwise specified: results of a multicentre European Organization for Research and Treatment of Cancer (EORTC) cutaneous lymphoma taskforce study on the clinico-pathological and prognostic features. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, 658-668	4.6	4

539	The Th9 Axis Reduces the Oxidative Stress and Promotes the Survival of Malignant T Cells in Cutaneous T-Cell Lymphoma Patients. <b>2020</b> , 18, 657-668		10
538	Benign T cells drive clinical skin inflammation in cutaneous T cell lymphoma. <b>2019</b> , 4,		28
537	The 2008 WHO classification of lymphomas: implications for clinical practice and translational research. <b>2009</b> , 2009, 523-531		33
536	Angiocentric Centrofacial Lymphoma as a Challenging Diagnosis in an Elderly Man. <b>2019</b> , 20, 412-418		1
535	Recent advances in understanding and managing cutaneous T-cell lymphomas. <b>2020</b> , 9,		10
534	NK/T-cell lymphoma, nasal type, $\Gamma$ -cell lymphoma, and CD8-positive epidermotropic T-cell lymphoma-clinical and histopathologic features, differential diagnosis, and treatment. <b>2018</b> , 37, 30-38		7
533	Primary cutaneous mantle cell lymphoma: Report of a rare case. <i>World Journal of Clinical Cases</i> , <b>2020</b> , 8, 1507-1514	1.6	1
532	Proteome-based analysis of serologically defined tumor-associated antigens in cutaneous lymphoma. <b>2009</b> , 4, e8376		13
531	Human anti-CCR4 minibody gene transfer for the treatment of cutaneous T-cell lymphoma. <b>2012</b> , 7, e44455		25
530	TG1042 (Adenovirus-interferon- $\beta$ ) in primary cutaneous B-cell lymphomas: a phase II clinical trial. <b>2014</b> , 9, e83670		20
529	Mast Cells Are Abundant in Primary Cutaneous T-Cell Lymphomas: Results from a Computer-Aided Quantitative Immunohistological Study. <b>2016</b> , 11, e0163661		10
528	TP53 alterations in primary and secondary Szary syndrome: A diagnostic tool for the assessment of malignancy in patients with erythroderma. <b>2017</b> , 12, e0173171		9
527	Primary Cutaneous DLBCL Non-GCB Type: Challenges of a Rare Case. <b>2020</b> , 15, 119-125		17
526	Processos linfoproliferativos da pele: Parte 1 - Linfomas cutâneos de células B. <b>2005</b> , 80, 461-471		7
525	Manifestações cutâneas da infecção e das doenças relacionadas ao vírus linfotrófico de células T humanas do tipo 1. <b>2008</b> , 83, 393-407		2
524	Multiple primary cutaneous plasmacytoma: first reported case in Brazil. <b>2012</b> , 87, 629-31		6
523	Unusual involvement in mycosis fungoides: Duodenal papilla. <b>2016</b> , 108, 513-6		6
522	STAT5 induces miR-21 expression in cutaneous T cell lymphoma. <b>2016</b> , 7, 45730-45744		31

521	Ubiquitin-specific protease 2 decreases p53-dependent apoptosis in cutaneous T-cell lymphoma. <b>2016</b> , 7, 48391-48400	12
520	Histone deacetylase inhibitors inhibit metastasis by restoring a tumor suppressive microRNA-150 in advanced cutaneous T-cell lymphoma. <b>2017</b> , 8, 7572-7585	21
519	Genetic rearrangements result in altered gene expression and novel fusion transcripts in S�ary syndrome. <b>2017</b> , 8, 39627-39639	27
518	Analysis of CTCL cell lines reveals important differences between mycosis fungoides/S�ary syndrome leukemic cell lines. <b>2017</b> , 8, 95981-95998	24
517	Fusion of the genes ataxin 2 like, , and Janus kinase 2, , in cutaneous CD4 positive T-cell lymphoma. <b>2017</b> , 8, 103775-103784	9
516	BET inhibition in advanced cutaneous T cell lymphoma is synergistically potentiated by BCL2 inhibition or HDAC inhibition. <b>2018</b> , 9, 29193-29207	27
515	A study of meiomitosis and novel pathways of genomic instability in cutaneous T-cell lymphomas (CTCL). <b>2018</b> , 9, 37647-37661	14
514	Transcriptome analysis of S�ary syndrome and lymphocytic-variant hypereosinophilic syndrome T cells reveals common and divergent genes. <b>2019</b> , 10, 5052-5069	4
513	Expression and function of Kv1.3 channel in malignant T cells in S�ary syndrome. <b>2019</b> , 10, 4894-4906	3
512	Malignant T cells express lymphotoxin � and drive endothelial activation in cutaneous T cell lymphoma. <b>2015</b> , 6, 15235-49	25
511	EPHA4 is overexpressed but not functionally active in S�ary syndrome. <b>2015</b> , 6, 31868-76	3
510	Dysregulation of the TOX-RUNX3 pathway in cutaneous T-cell lymphoma. <b>2019</b> , 10, 3104-3113	20
509	Disruption of CCL20-CCR6 interaction inhibits metastasis of advanced cutaneous T-cell lymphoma. <b>2016</b> , 7, 13563-74	15
508	Th17 cytokine differentiation and loss of plasticity after SOCS1 inactivation in a cutaneous T-cell lymphoma. <b>2016</b> , 7, 34201-16	10
507	New targets of therapy in T-cell lymphomas. <b>2010</b> , 11, 482-93	8
506	Two Cases of Blastic Plasmacytoid Dendritic Cell Neoplasm. <b>2014</b> , 76, 577-582	1
505	Primary cutaneous B-cell lymphoma: narrative review of the literature. <b>2019</b> , 154, 466-479	3
504	Granulomatous slack skin. Histopathology diagnosis preceding clinical manifestations by 12 years. <b>2012</b> , 6, 108-12	4

503	MR Imaging Features of Primary Cutaneous Diffuse Large B-cell Lymphoma: A Case Report. <b>2011</b> , 64, 249	1
502	An Update on Molecular Biology of Cutaneous T Cell Lymphoma. <b>2019</b> , 9, 1558	11
501	Morphologic Features of Cutaneous T-Cell Lymphomas Using Dermoscopy and High Frequency Ultrasound. <b>2020</b> , 10,	5
500	Rapid Evolving Unilateral Indurated Oozing Facial Plaques in a Patient with Head-and-Neck Cancer: Peripheral T-Cell Lymphoma Not Otherwise Specified (NOS). <b>2017</b> , 5, 476-479	2
499	Clinical features and treatment outcomes of blastic plasmacytoid dendritic cell neoplasm: a single-center experience in Korea. <b>2017</b> , 32, 890-899	12
498	Primary cutaneous diffuse large B-cell lymphoma of the upper limb: a fascinating entity. <b>2013</b> , 58, 366-8	3
497	Approach to Cutaneous Lymphoid Infiltrates: When to Consider Lymphoma?. <b>2016</b> , 61, 351-74	9
496	Folliculotropic Mycosis Fungoides: Clinical and Histologic Features in Five Patients. <b>2016</b> , 61, 554-8	3
495	Primary cutaneous B-cell lymphoma successfully treated with highly active antiretroviral therapy alone: a case report and review of the literature. <b>2011</b> , 56, 418-20	3
494	Immunohistochemistry: relevance in dermatology. <b>2011</b> , 56, 629-40	8
493	Blastic plasmacytoid dendritic cell neoplasm presenting as fever with diffuse cutaneous nodules. <b>2012</b> , 57, 45-7	1
492	Ureteral spread of a primary cutaneous diffuse large B-cell lymphoma, leg type. <b>2014</b> , 30, 222-4	4
491	Primary cutaneous lymphomas: A clinical and histological study of 99 cases in Isfahan, Iran. <b>2015</b> , 20, 827-31	5
490	Primary cutaneous non-Hodgkin's lymphoma, clinically mimicking a soft tissue sarcoma. <b>2018</b> , 15, 2	1
489	Primary cutaneous B-cell lymphoma: A single-center 5-year experience. <b>2018</b> , 55, 134-137	2
488	Oral and Cutaneous Lymphomas other than Mycosis Fungoides and Sary Syndrome in a Mexican Cohort: Recategorization and Evaluation of International Geographical Disparities. <b>2017</b> , 62, 158-167	1
487	Neurolymphomatosis in Primary Cutaneous CD4+ Pleomorphic Small/Medium-sized T-cell Lymphoma Mimicking Hansen's Disease. <b>2017</b> , 62, 315-317	5
486	A Literature Revision in Primary Cutaneous B-cell Lymphoma. <b>2017</b> , 62, 146-157	20

485	Primary Cutaneous B-cell Lymphomas: Case Report of Two Cases. <b>2017</b> , 62, 675	2
484	Granulomatous slack skin syndrome: Report of a unique case. <b>2018</b> , 84, 169-173	1
483	Positron emission tomography-computed tomography in subcutaneous panniculitis-like T-cell lymphoma. <b>2019</b> , 18, 428-430	1
482	A case of blastic plasmacytoid dendritic cell neoplasm initially mimicking cutaneous lupus erythematosus. <b>2010</b> , 42, 239-43	11
481	Low Dose Total Skin Electron Beam Radiation in Cutaneous T-Cell Lymphoma: Review. <b>2014</b> , 05, 1372-1379	2
480	Primary Cutaneous Diffuse Large B-Cell Lymphoma (Leg Type) Presenting as Necrotising Fasciitis. <b>2012</b> , 02, 99-102	1
479	Mycosis Fungoides and Variants of Mycosis Fungoides: A Retrospective Study of 93 Patients in a Chinese Population at a Single Center. <b>2020</b> , 32, 14-20	2
478	Profile of mycosis fungoides in 43 Saudi patients. <b>2012</b> , 32, 283-7	8
477	The current lymphoma classification: new concepts and practical applications triumphs and woes. <b>2012</b> , 32, 296-305	5
476	Diagnostic significance of TCR gene clonal rearrangement analysis in early mycosis fungoides. <b>2011</b> , 30, 264-72	15
475	Clinico-radiologic findings in primary cutaneous extranodal natural killer/t-cell lymphoma, nasal type mimicking cellulitis of the left arm. <b>2015</b> , 12, e12597	3
474	Subcutaneous panniculitis-like T-cell lymphoma: redefinition of diagnostic criteria in the recent World Health Organization-European Organization for Research and Treatment of Cancer classification for cutaneous lymphomas. <b>2009</b> , 133, 303-8	61
473	Diffuse large B-cell lymphoma--more than a diffuse collection of large B cells: an entity in search of a meaningful classification. <b>2009</b> , 133, 1121-34	32
472	Activation-induced cytidine deaminase expression in diffuse large B-cell lymphoma with a paracortical growth pattern: a lymphoma of possible interfollicular large B-cell origin. <b>2010</b> , 134, 449-56	5
471	Agranular CD4+/CD56+ hematodermic neoplasm: a distinct entity described in the recent World Health Organization-European Organization for Research and Treatment of Cancer classification for cutaneous lymphomas. <b>2007</b> , 131, 149-51	16
470	Small lymphoid proliferations in extranodal locations. <b>2007</b> , 131, 383-96	13
469	Clinicopathologic analysis of cutaneous lymphoma in taiwan: a high frequency of extranodal natural killer/t-cell lymphoma, nasal type, with an extremely poor prognosis. <b>2010</b> , 134, 996-1002	29
468	Treatment of primary cutaneous anaplastic large cell lymphoma. <b>2019</b> , 20, 207-211	4

467	Expression of Granulysin and FOXP3 in Cutaneous T Cell Lymphoma and Szary Syndrome. <b>2015</b> , 16, 5359-64			8
466	Cutaneous Lymphomas and Lymphocytic Infiltrates. <b>2022</b> , 477-507			
465	PLC $\beta$ /PKC $\delta$ Downstream Signaling Controls Cutaneous T-Cell Lymphoma Development And Progression. <b>2021</b> ,			0
464	Updated review on prognostic factors in mycosis fungoides and new skin lymphoma trials. <b>2021</b> ,			1
463	Primary cutaneous CD8+ aggressive epidermotropic T-cell lymphoma mimicking pyoderma gangrenosum.. <b>2021</b> , 1-4			
462	Safety and efficacy of bexarotene for Japanese patients with cutaneous T-cell lymphoma: Real-world experience from post-marketing surveillance. <i>Journal of Dermatology</i> , <b>2021</b> , 49, 253	1.6		1
461	Pediatric Mycosis Fungoides: Retrospective Analysis of a Series With CD8+ Profile and Female Predominance. <b>2021</b> ,			0
460	Pagetoid Reticulosis: A Rare Dermatologic Malignancy Presenting in a Middle-Aged Female. <b>2021</b> , 13, e18524			2
459	What is the cause of this patient's solitary facial nodule?. <b>2021</b> , 34, 53-55			
458	Cutaneous B-Cell Lymphoma. <b>2006</b> , 415-423			
457	Anaplastic large cell lymphoma. <b>2006</b> , 14, 54-56			
456	Lymphomes malins non hodgkiniens. <b>2007</b> , 331-337			
455	Kutane Lymphome: Diagnostik und Therapie. <b>2007</b> , 301-305			
454	A Difficult Diagnosis of Subcutaneous Panniculitis-like T-cell Lymphoma. <b>2007</b> , 69, 620-623			1
453	A Case of Adult T-cell Leukemia/Lymphoma (ATLL) with Specific Features of Panniculitis-like Lesions. <b>2007</b> , 69, 515-520			
452	Diseases of the skin. <b>2007</b> , 847-934			
451	Indolente (niedrigmaligne) Non-Hodgkin-Lymphome. <b>2007</b> , 415-462			
450	Selected diagnostic problems in neoplastic dermatopathology. <b>2007</b> , 131, 434-9			15

449 Cutaneous Lymphomas. **2007**, 401-412

448 A Case of Primary Cutaneous Anaplastic Large Cell Lymphoma Successfully Treated with Low Dose Methotrexate Therapy. **2008**, 70, 282-285

447 Soft Tissue Neoplasms. **2008**, 2504-2523

446 5e Mycosis fungoides. **2008**, 195-204

445 Differential diagnosis of chromosomal/molecular changes. **2008**, 542-566

444 Case 61. **2009**, 370-374

443 Case 62. **2009**, 375-380

442 A case of diffuse large B cell lymphoma presented with extensive firm nodules and cord-like induration in the left leg. **2009**, 24, 80-84

441 Cutaneous Lymphomas. **2009**, 1478-1502

440 Molecular Dermatopathology. **2009**, 249-268

439 T-cell lymphoma and myeloid leukemia. **2009**, 389-398

438 A 2008 nationwide survey on cutaneous lymphomas. **2009**, 24, 192-198

1

437 Aktuelles zu kutanen Lymphomen. **2009**, 86-94

436 Case 63. **2009**, 381-384

435 Lymphomes T cutanés (hors mycosis fungoïde et syndrome de Szary). **2009**, 25-35

434 Classification des lymphomes cutanés. **2009**, 15-16

433 A case of cutaneous gamma/delta T-cell lymphoma. **2009**, 24, 71-75

432 Aggressive Subcutaneous Panniculitis-like T-cell Lymphoma. **2009**, 71, 275-277

431 Cutaneous malignancies. **2009**, 215-248

430 A case of primary cutaneous CD4+ small/medium sized pleomorphic T-cell lymphoma. **2009**, 24, 76-79

429 Lymphomes B cutanés. **2009**, 37-42

428 Mycosis fungoides unter dem Bild eines Ulcus rodens. **2009**, 662-665

427 Light Therapies for Cutaneous T-Cell Lymphoma. **2009**, 205-247

426 B-cell lymphoma and lymphocytic leukemia. **2009**, 399-410

425 Dendritic Cell Homeostasis: Physiology and Impact on Disease. **2010**, 161-212

424 Therapy of Szary syndrome. **2009**, 4, 567-579

423 Treatment of Cutaneous Lymphomas. **2010**, 633-641

422 Cutaneous Lymphomas. **2010**, 593-598

421 A case of ALK-positive anaplastic large cell lymphoma diagnosed from a nodule on the right thigh. **2010**, 25, 157-161

420 Pathogenesis of Primary Cutaneous Lymphomas. **2010**, 65-72

419 Hodgkin Disease and Non-Hodgkin Lymphomas. **2010**, 571-639

418 A case of primary cutaneous diffuse large B-cell lymphoma, leg type, showing cellulitis-like manifestation. **2010**, 25, 162-167

417 Cutaneous infiltrates of lymphomatous and leukemic. **2010**, 971-1005.e30

1

416 A Case of Cutaneous Malignant Lymphoma in a Limb with Elephantiasis. **2010**, 72, 482-486

415 Cutaneous Lymphoma, Leukemia and Related Disorders. **2010**, 197-231

414 Cutaneous Lymphomas. **2010**, 117-130

- 413 Epidemiology of Cutaneous Lymphomas. **2010**, 27-31
- 412 Diffuse Large B-Cell Lymphomas. **2010**, 267-276
- 411 Immunotoxicology of Biopharmaceutics. **2010**, 489-519
- 410 A case of folliculotropic mycosis fungoides. **2010**, 25, 145-149 1
- 409 A Case of Folliculotropic Mycosis Fungoides. **2010**, 72, 462-466
- 408 Myelodysplastic Syndromes and Chronic Myeloproliferative Neoplasms. **2010**, 293-312
- 407 Cutaneous Lymphomas and Lymphocytic Infiltrates. 1-64 6
- 406 Molecular Pathology of Mature B-Cell and T-Cell Lymphomas. **2011**, 157-214
- 405 Neoplasms of the Skin and Immunodermatology. **2011**, 797-873 1
- 404 Non-Hodgkin Lymphoma. 655-685
- 403 Huidtumoren. **2011**, 415-429 1
- 402 Principles of Classification of Lymphoid Neoplasms. **2011**, 211-220
- 401 Primary Cutaneous B-Cell Lymphoma. **2011**, 306-318
- 400 Cutaneous T-cell Lymphoma. **2011**, 217-230
- 399 Lymph nodes. **2011**, 1771-1899
- 398 A case of CD4+/CD56+ hematodermic neoplasm treated with electron beam irradiation. **2011**, 26, 31-35 1
- 397 Microabc de Pautrier. **2011**, 139-151
- 396 A case of multifocal primary cutaneous CD30+ anaplastic large cell lymphoma successfully treated with low dose oral etoposide. **2011**, 24, 21-24

395 Clinical features of patients with cutaneous lymphomas from Okayama University Hospital. **2011**, 26, 191-196

394 Hepatosplenic T-Cell Lymphoma. **2011**, 532-540

393 Cutaneous Lymphomas. **2011**, 281-326

392 Maladie de Woringer-Kolopp. **2011**, 185-194

391 Encyclopedia of Cancer. **2011**, 3396-3397

390 Lymphoid Leukaemias of Mature T, B and Natural Killer Cells. 301-376

389 [Discussion about the existence of unilesional form of mycosis fungoides]. **2011**, 86, 404; author reply 404-5

388 A case of mycosis fungoides unilesional. **2011**, 86, 405; author reply 405

387 Resposta. **2011**, 86, 404-405

386 Erythema Nodosum and Other Forms of Panniculitis. 77.1-77.16

385 Diseases. 160-300

384 Anaplastic Large-Cell Lymphoma. 208-219

383 Diffuse Large B-Cell Lymphoma. 134-154

6

382 Cutaneous Lymphoma. **2012**, 309-321

381 Diffuse primary large B cell lymphoma of leg type presenting on the breast: a rare case of surgical excision. **2011**, 2011,

380 Cutaneous Diseases of the External Genitalia. **2012**, 436-467.e7

379 Cutaneous lymphoproliferative diseases and related disorders. **2012**, 1311-1420

378 Lymphome. **2012**, 1773-1796

- 377 Facharzt Hämatologie Onkologie - Pages e1-e61. **2012**, e1-e61
- 376 Novel Targeted Therapeutics for Peripheral T-Cell Lymphoma. **2012**, 349-372
- 375 Mycosis Fungoides. **2012**, 1583-1603
- 374 Non-Hodgkin's Lymphoma. **2012**, 1545-1572
- 373 Peripheral T-Cell Lymphomas. **2012**, 293-326
- 372 Kutane Lymphome. **2012**, 121-127
- 371 Diseases of the Skin. **2012**, 187-277
- 370 A Case of Primary Cutaneous Diffuse Large B cell Lymphoma, Leg Type, Presented with Acquirement of Rituximab Resistance. **2012**, 74, 510-514
- 369 Développement de traitements ciblés pour les lymphomes T cutanés. Revue de la littérature. **2012**, 196, 631-641
- 368 Aggressive Follicular Lesions Involving Head and Neck. **2013**, 243-254
- 367 Ulceration in the Flank of a Middle-Aged Man. **2013**, 273-280
- 366 Rapidly Growing Ulcers on the Face. **2013**, 261-265
- 365 Histopathology and Classification of T-Cell Lymphomas. **2013**, 1-24
- 364 Primary Cutaneous and Systemic CD30+ T-cell Lymphoproliferative Disorders. **2013**, 71-86
- 363 Cutaneous T-Cell Lymphomas. **2013**, 155-177
- 362 Radiation Therapy of Cutaneous Lymphoma. **2013**, 205-213
- 361 Sezary Syndrome. **2013**, 416-418
- 360 Lymphomes B cutanés à grandes cellules, de type membre inférieur. **2013**, 177-182

359 Calcitriol-induced hypercalcemia in a patient with granulomatous mycosis fungoides and end-stage renal disease. **2013**, 2, 44-8

1

358 Lymphoproliférations cutanées CD30+: lymphome cutané primitif à grandes cellules T CD30+ et papulose lymphomatoïde. **2013**, 95-110

357 Cutaneous B-Cell Lymphoma. **2013**, 279-285

356 The World Health Organization Classification of Lymphoid Neoplasms. **2013**, 1-34

355 Mycosis fongosid et ses variantes. **2013**, 49-75

354 Useful Dermatologic Classifications. **2013**, 587-595

353 Lymphomes cutanés: perspective historique et évolution des concepts Classification OMS/EORTC actualisée. **2013**, 3-12

352 Malignant Skin Tumors and the Ethnic Patient. 143-158

351 Mycosis Fungoides (Cutaneous T-Cell Lymphoma). **2014**, 305-311

350 Primary Cutaneous Lymphomas. **2014**, 173-191

349 Systemic Treatment of Primary Cutaneous Lymphomas. **2014**, 445-460

348 Lymphoproliferative Disorders. **2014**, 217-228

347 Cutané Lymphome. **2014**, 99-142

346 Psychosocial Issues in Oncology: Clinical Management of Psychosocial Distress, Health-Related Quality of Life, and Special Considerations in Dermatologic Oncology. 60-68

1

345 Neoplastic Nodular T-Cell Pattern: An Approach to Diagnosis of Neoplastic Nodular T-Cell Lymphomas of the Skin. **2014**, 269-322

344 Patterns of Lymphohistiocytic Reaction in Skin: An Approach to Cutaneous Lymphohematopoietic Infiltrate Using Histologic Patterns and Immunostains. **2014**, 3-24

343 B-cell lymphoma and lymphocytic leukemia. **2014**, 404-415.e5

342 A Case of Anaplastic Large Cell Lymphoma (ALCL) Associated with Atopic Dermatitis. **2014**, 76, 109-114

- 341 T-Cell Pseudolymphoma Presenting in a Lichenoid and Nodular Pattern. **2014**, 231-251
- 340 Cutaneous T-Cell Lymphoma. **2014**, 133-167
- 339 Leukemia and Lymphoma. Part II: Primary Cutaneous B-Cell Lymphoma and Other Non-MF/SS Hematopoietic Tumors. **2014**, 167-197
- 338 Cutaneous Lymphomas. **2014**, 381-448
- 337 Immunotoxicology of Biopharmaceuticals?. **2014**,
- 336 A case of primary cutaneous anaplastic large cell lymphoma initially diagnosed with peripheral primitive neuroectodermal tumor. **2014**, 28, 259-263
- 335 Encyclopedia of Cancer. **2014**, 4200-4201
- 334 Neoplastic Nodular B-Cell Pattern. **2014**, 253-268
- 333 Cutaneous Intravascular Conditions. **2014**, 521-538
- 332 Role of Immunohistochemistry and Chromogenic In Situ Hybridization in Diagnosis. **2014**, 55-87
- 331 Cutaneous T-Cell Lymphoma and Cutaneous B-Cell Lymphoma. **2014**, 2060-2075.e5
- 330 Encyclopedia of Cancer. **2014**, 1-2
- 329 Cutaneous T-cell lymphoma, NK-cell lymphoma, and myeloid leukemia. **2014**, 390-403
- 328 Leukemia and Lymphoma. Part I. Mycosis Fungoides and Sřary Syndrome: Using Molecular Tools to Aid in the Diagnosis, Staging, and Therapy for Mycosis Fungoides and Sřary Syndrome. **2014**, 133-165
- 327 Cutaneous Myelomonocytic Infiltrates. **2014**, 493-520
- 326 Tumor Staging in Dermatology. **2015**, 103-118
- 325 Rare Variants of Mycosis Fungoides: Granulomatous Slack Skin Variant of Mycosis Fungoides. **2015**, 267-270
- 324 Introduction to Cutaneous Lymphomas. **2015**, 5-11

323 Kutane Lymphome und Leukämien. **2015**, 1-57

322 Primärkutane Lymphome. **2015**, 1-11

2

321 Introduction to the T-Cell Lymphomas. **2015**, 23-29

320 A Case of Primary Cutaneous CD4+ Small/Medium-Sized Pleomorphic T Cell Lymphoma. **2015**, 77, 43-46

319 Hematolymphoid Lesions. **2015**, 323-388

318 Personalized Treatment in Cutaneous T-Cell Lymphoma (CTCL). **2015**, 47-59

317 Mycosis Fungoides. **2015**, 31-60

1

316 Introduction and a Brief History of Cutaneous Lymphoma Classification. **2015**, 1-3

315 Mycosis Fungoides in Iraqi Patients: A Clinical, Histopathological and Immunohistochemical Study. **2015**, 05, 116-124

314 ??????T????????,?????????????. **2015**, 30, 67-70

313 Lymphoma and Pseudolymphoma and Drug Reactions. **2015**, 205-211

312 A case of mycosis fungoides of the upper gingiva. **2015**, 61, 115-119

311 PRIMARY CUTANEOUS LARGE B CELL LYMPHOMA OF THIGH: A CASE REPORT. **2015**, 4, 4037-4039

310 FULMINANT DENOVO CUTANEOUS LYMPHOMA PRESENTED AS D "EMBLEE. **2015**, 2, 4875-4879

309 A Case of Primary Cutaneous Anaplastic Large Cell Lymphoma with Extensive Limb Disease. **2015**, 89, 353-357

308 Neoplasms of the Skin and Immunodermatology. **2016**, 869-946

307 A Clinicopathological Analysis of Primary Cutaneous Lymphomas: A 6-year Observational Study at a Tertiary Care Center of South India. **2016**, 61, 608-617

6

306 [Subcutaneous panniculitis-like T-cell lymphoma: The authors' experience of diagnosis and treatment]. **2016**, 88, 49-55

0

- 305 Folliculotropic Mycosis Fungoides in an Adolescent: A Rare Case. **2016**, 61, 467
- 304 Immunohistology and Molecular Studies of Cutaneous B-Cell Lymphomas. **2016**, 207-227
- 303 Kutane Lymphome und Leukämien. **2016**, 903-941
- 302 Cutaneous Lymphoma. **2016**, 209-214
- 301 Solitary Erythematous Plaque on the Nasolabial Fold. **2016**, 61, 680-682
- 300 Lymphoma. **2016**, 719-722
- 299 Cutaneous Lymphomas. **2016**, 463-475
- 298 Immunohistology and Molecular Studies of Cutaneous T-Cell Lymphomas and Mimics. **2016**, 229-259
- 297 A case of cutaneous extranodal marginal zone lymphoma of mucosa-associated lymphoid tissue diagnosed with difficulty. **2016**, 31, 40-45
- 296 Primary cutaneous lymphomas: current view of rare hematologic malignancies. **2016**, 10, 66-71 2
- 295 Summary. **2016**, 10, 91-93
- 294 Szary syndrome and primary cutaneous CD30+ lymphoproliferative disorders. **2016**, 10, 152-154
- 293 Folliculotropic Mycosis Fungoides with Comedonal-like Appearances. **2016**, 18,
- 292 Radiation Therapy in the Management of Cutaneous T-Cell Lymphomas. **2017**, 181-197
- 291 B-lymfom dolněh konětin, chemoterapie, anti-CD20, radioterapie.. **2016**, 10, 201-202
- 290 Epidemiology. **2017**, 7-8 1
- 289 Huidtumoren. **2017**, 403-418
- 288 Maligne Lymphome der Haut. **2017**, 1-24

- 287 Primary Cutaneous Lymphomas and Interferon Treatment. **2017**, 1, 001-010 0
- 286 Molecular Etiopathogenesis of Extranodal Marginal Zone B-Cell Lymphoma of Mucosa-Associated Lymphoid Tissue. **2017**, 147-169
- 285 CD3+, CD56+, CD4-, CD8-, CD20-, CD30- Peripheral T-Cell Non-Hodgkin's Lymphoma: A Rare Case Report. **2017**, 62, 200-202 1
- 284 Primary Cutaneous Follicle Center Lymphoma. **2017**, 652-657
- 283 Dystrophic Xanthomatization after Radiotherapy for Primary Cutaneous Anaplastic Large cell Lymphoma. **2017**, 79, 171-175
- 282 Cutaneous T-cell lymphoma. **2017**, 157-172
- 281 The evolution of views on the erythroderma. **2017**, 20, 10-14 2
- 280 Cutaneous T-cell lymphoma in Saudi Arabia: retrospective single-center review. **2017**, 37, 212-215 1
- 279 Primary Cutaneous Diffuse Large B-Cell Lymphoma â Case Report. **2017**, 9, 57-62
- 278 [Diffuse large B-cell lymphoma with concomitant c-MYC and BCL6 gene rearrangements with primary skin involvement: A case report and a review of literature]. **2017**, 89, 85-92 1
- 277 Other Tumors. **2017**, 434-450
- 276 Mature T/NK-Cell Lymphoproliferations. **2017**, 240-301
- 275 Lymphoproliferative Disorders of the Skin. **2018**, 35-52
- 274 A rare localised nasal CD30 primary cutaneous T-cell lymphoma following liver transplantation. **2017**, 2017,
- 273 Multiple inflamed cutaneous nodules in an elderly female. **2018**, 84, 518-520
- 272 Primary cutaneous anaplastic large cell lymphoma showing relapse after 20 years : A case report. **2018**, 33, 55-60
- 271 A Case of an Indolent CD8-Positive Lymphoid Proliferation of the Ear. **2018**, 63, 342-345
- 270 Drugs and Other Substances Interfering with Thyroid Function. **2018**, 1-29

- 269 Primary cutaneous CD4 positive small/medium T cell lymphoma. **2018**, 84, 186-188 2
- 268 Current Opportunities for Treatment Optimization of Mycosis Fungoides and Sezary Syndrome. **2018**, 11, 34-41
- 267 Peripheral T-Cell Lymphomas. **2018**, 306-339.e3 1
- 266 Mycosis Fungoides in Relation to Environmental and Occupational Exposures: A Case-Control Study in the Tunisian Center. **2018**, 09, 528-539 0
- 265 Difficulties of the differential diagnosis of cutaneous lymphomas in children. **2018**, 17, 92
- 264 Hodgkin's lymphoma arising in a case of mycosis fungoides: An unusual association. **2018**, 84, 292-297 1
- 263 Experience in application of the confocal laser scanning microscopy of the skin in diagnosis of primary cutaneous diffuse large B-cell lymphoma. **2018**, 17, 72 1
- 262 Maligne Lymphome der Haut. **2018**, 1945-1968
- 261 Current therapeutical options in primary cutaneous T-cell lymphomas. **2018**, 12, 31-35 1
- 260 OVEREXPRESSION OF STAT4 - A POSSIBLE DIAGNOSTIC MARKER OF EARLY STAGES OF MYCOSIS FUNGOIDES. **2018**, 21, 94-100
- 259 Mycosis fungoides mimicking neurofibromatosis and aspergillosis: reports of two unusual presentation and literature review. **2018**, 3, 1
- 258 Pitfalls in cutaneous lymphoma diagnosis - a pathologists point of view. **2018**, 12, 105-110 1
- 257 Brentuximab vedotin in the treatment of relapsed CD30 positive cutaneous lymphoma - results of an international, open label, randomised, phase 3, multicentre trial - ALCANZA. **2018**, 12, 123-127 2
- 256 Epidemiology of primary cutaneous lymphomas in the Czech Republic according to data of the Czech National Cancer Registry from 2005-2015. **2018**, 12, 100-104 2
- 255 A case of deadly panniculitis. **2018**, 2018,
- 254 Successful sequential immune epigenetic therapy of erythrodermic mycosis fungoides. *Vestnik Dermatologii i Venerologii*, **2018**, 94, 77-84 0.4
- 253 Clonotypic Heterogeneity In Cutaneous T-Cell Lymphoma Revealed By Comprehensive Whole Exome/Transcriptome Sequencing.
- 252 DNA copy number imbalances in primary cutaneous lymphomas (PCL).

- 251 Kutane lymphoproliferative und hämatopoietische Erkrankungen. **2019**, 963-989
- 250 Cutaneous T-cell lymphomas: modern data of pathogenesis, clinics and therapy. **2018**, 13, 25-38 1
- 249 Erythrodermic Mycosis Fungoides: The Algorithm of Diagnosis and Treatment. **2018**, 11, 295-302 1
- 248 Pathology and Molecular Pathogenesis of T-Cell Lymphoma. **2019**, 95-141
- 247 Successful experience in treating primary cutaneous anaplastic large cell lymphoma occurring with common lesions of the skin and lung tissue. *Vestnik Dermatologii i Venerologii*, **2018**, 94, 30-42 0.4
- 246 Photodynamic therapy as an alternative treatment for mycosis fungoides: a systemic review and meta-analysis. **2018**, 153, 827-832 1
- 245 Kutane Lymphome. **2019**, 135-190 0
- 244 Pathology of Lymphoreticular Tissues. **2019**, 265-314
- 243 Cutaneous Abscess: An Isolated Manifestation of Disseminated Anaplastic Large-cell Lymphoma in a Child. **2019**, 64, 83-84
- 242 Cutaneous T-Cell Lymphomas in Childhood and Adolescence. **2019**, 281-291
- 241 Lymphomatoid papulosis localized to the oral mucosa: case report and literature review. *Journal of Oral Medicine and Oral Surgery*, **2019**, 25, 30 0.7 0
- 240 Subcutaneous panniculitis-like T-cell lymphoma : Clinical features, therapeutic approaches, and outcomes in a case series of five patients. **2019**, 34, 28-34
- 239 Lymphomatoid papulosis mimicking cutaneous histiocytosis. **2019**, 178,
- 238 Reticulose pagetoide em um cã: relato de caso. **2019**, 71, 883-888
- 237 Successful experience of combined immunochemotherapy at refractory course of primary cutaneous peripheral T-cell lymphoma, unspecified. **2019**, 21, 25-28
- 236 Micosis fungoide hipopigmentada: la gran simuladora. **2019**, 34, 378-380
- 235 Hypertriglyceridemia Induced Pancreatitis Due to Brentuximab Therapy: First Case Report. **2019**, 11, e5138 1
- 234 Skin colonization by circulating neoplastic clones in cutaneous T-cell lymphoma.

- 233 UNUSUAL CASE OF SUBCUTANEOUS NODULES WITH ENDOBRONCHIAL LESIONS IN A PATIENT WITH RETROVIRAL INFECTION: DISSEMINATED CUTANEOUS LYMPHOMA: CASE REPORT. **2019**, 6, 1819-1821
- 232 Potentials of brentuximab vedotin in the treatment of relapse/refractory cutaneous T-cell lymphomas: literature review and authorsâ observation. *Vestnik Dermatologii I Venerologii*, **2019**, 95, 42-49<sup>1</sup> ○
- 231 A Case of Secondary Szary Syndrome Successfully Treated with Mogamulizumab. **2019**, 81, 306-310
- 230 Retinoids in Lymphoma. **2019**, 171-176
- 229 Cutaneous T-Cell Lymphoma: Mycosis Fungoides and Szary Syndrome. **2020**, 221-246
- 228 Independent evolution of cutaneous lymphoma subclones in different microenvironments of the skin.
- 227 Multifocal CD4+ Primary Cutaneous Small/Medium Lymphoproliferative Disorder Successfully Treated With Low-Dose Oral Methotrexate: A Case Report. **2020**, 12, e8534
- 226 Characterization of Primary and Secondary Cutaneous B-Cell Lymphomas: A Population-Based Study of 4758 Patients. **2021**,
- 225 An unusual case of cluster of differentiation 30-positive T-cell lymphoproliferative disorder manifesting as mandibular gingival ulceration: A case report. **2021**,
- 224 Early diagnosis and surgical treatment of primary cutaneous marginal zone B-cell lymphomas of the face in an Asian patient. **2021**, 22, 280-284 ○
- 223 Primary cutaneous anaplastic large-cell lymphoma with aberrant cytokeratin expression: An unusual mimicker of poorly differentiated carcinomas. **2021**,
- 222 Cutaneous Lymphomas and Lymphocytic Infiltrates. **2020**, 1-31
- 221 Reddish Papules in the Center of the Face. **2020**, 112, 668-668
- 220 Mycosis fungoides and Szary syndrome: Australian clinical practice statement. **2021**, 62, e8-e18 1
- 219 The Clinical Spectrum of Primary Cutaneous CD4+ Small/Medium-Sized Pleomorphic T-Cell Lymphoproliferative Disorder: An Updated Systematic Literature Review and Case Series. **2021**, 237, 618-628 ○
- 218 Panniculitis. **2020**, 499-553
- 217 Malignant Cutaneous Neoplasms. **2020**, 119-128
- 216 Primary Extranodal Lymphomas of the GI Tract, Lung, CNS, and Skin with Common Mimics. **2020**, 253-284

215	Transcriptional Profiling Use to Improve Personalized Diagnosis and Management of Cutaneous T-Cell Lymphoma (CTCL). <b>2020</b> , 1-19	
214	Cutaneous Lymphomas. <b>2020</b> , 1-25	
213	Multi-class Skin Lesion Segmentation for Cutaneous T-cell Lymphomas on High-Resolution Clinical Images. <b>2020</b> , 351-361	1
212	Cusatuzumab for treatment of CD70-positive relapsed or refractory cutaneous T-cell lymphoma. <b>2021</b> ,	3
211	CCR4 as a Therapeutic Target for Cancer Immunotherapy. <b>2021</b> , 13,	8
210	Analysis of clinicopathological features and prognostic factors of non-Hodgkin's intravascular large B-cell lymphoma. <b>2020</b> , 20, 43	2
209	Cutaneous T-Cell Lymphoma. <b>2008</b> , 411-437	
208	VII. Haut Und Brustdruse. 161-186	
207	Non-Hodgkin-Lymphome niedriger Malignität. 342-384	
206	Biologics in Cutaneous Lymphoma. <b>2007</b> , 147-152	
205	Tumorerkrankungen der Haut. <b>2007</b> , 1621-1631	
204	Cutaneous T-Cell Lymphomas and Rare T-Cell Non-Hodgkin Lymphomas. <b>2007</b> , 215-231	
203	Kutane lymphoproliferative und hämatopoietische Erkrankungen. <b>2009</b> , 979-1002	
202	Cutaneous T-Cell and Extranodal NK/T-Cell Lymphoma. <b>2008</b> , 445-460	
201	Subcutaneous Panniculitis-Like T-Cell Lymphoma with Hemophagocytic Syndrome in a Child: A Successful Treatment with the BFM-NHL-90 Protocol. <b>2020</b> , 27, 129-133	
200	Is HERV-K and HERV-W expression regulated by mir-155 in Sjögren Syndrome?. <b>2020</b> , 155, 477-482	1
199	Primary Cutaneous CD30+ Anaplastic Large Cell Lymphoma: A Rare Association With Large Plaque Parapsoriasis. <b>2020</b> , 12, e11228	
198	Primary cutaneous B-cell lymphoma-leg type in a young adult with HIV: a case report. <b>2020</b> , 2020, omaa110	1

- 197 Tumors of muscle, cartilage, and bone. **2010**, 851-881
- 196 Lesional skin chemokine CTACK/CCL27 expression in mycosis fungoides and disease control by IFN-alpha and PUVA therapy. **2009**, 1, 203-10 3
- 195 Rituximab: a review of dermatological applications. **2009**, 2, 29-37 23
- 194 Extracorporeal photophoresis: an evidence-based analysis. **2006**, 6, 1-82
- 193 A rare case of nephrotic syndrome revealing mycosis fungoide managed successfully with chemotherapy. **2012**, 12, 67 1
- 192 Reduced-intensity conditioning allogeneic stem cell transplantation in malignant lymphoma: current status. **2013**, 10, 1-9 3
- 191 NFB function and regulation in cutaneous T-cell lymphoma. **2013**, 3, 433-45 12
- 190 Review of the treatment of mycosis fungoides and Szary syndrome: A stage-based approach. **2013**, 7, 220-39 9
- 189 Therapeutic advances in cutaneous T-cell lymphoma. **2011**, 16, 1-5 5
- 188 Primary cutaneous T-cell lymphoma (CGD-TCL) with unilateral lower extremity swelling as first-onset symptom: a rare case report. **2014**, 7, 5337-42 1
- 187 Diffuse Large B-cell Lymphoma, Leg Type: A diagnosis not to forget in the elderly. **2014**, 14, e587-8
- 186 Progressive and painful wound as a feature of subcutaneous panniculitis-like T-cell lymphoma (SPTCL): report of a case and review of literature. **2015**, 8, 735-42 3
- 185 Cutaneous Epitheliotropic T-Cell Lymphoma in a Marsh Rice Rat (*Oryzomys palustris*). **2015**, 65, 416-9 2
- 184 TOX gene: a novel target for human cancer gene therapy. **2015**, 5, 3516-24 16
- 183 Methotrexate-associated primary cutaneous CD30-positive cutaneous T-cell lymphoproliferative disorder: a case illustration and a brief review. **2016**, 6, 1-5 9
- 182 Immunohistopathological Study of c-FLIP Protein in Mycosis Fungoides. **2017**, 18, 2493-2499 0
- 181 Clinical Practice Guidelines for Cutaneous Lymphomas. **2015**, 112, 292-5 1
- 180 Low-Grade Cutaneous B-cell Lymphoma in African American Patients. **2018**, 17, 1334 - 1337

179	Serological Evaluation of Anti- Antibodies in Patients with Acute Leukemia and Lymphoma through Chemotherapy. <b>2020</b> , 15, 187-195		
178	[Primary cutaneous follicle center cell lymphoma: a case report and literatures review]. <b>2018</b> , 39, 328-330		1
177	[Diagnostic and therapeutic advances in blastic plasmacytoid dendritic cell neoplasm]. <b>2016</b> , 37, 75-8		0
176	Antineoplastic effect of a novel nanosized curcumin on cutaneous T cell lymphoma. <b>2020</b> , 20, 304		0
175	Folliculotropic Mycosis Fungoides. <b>2021</b> , 12, 178-180		
174	Folliculotropic mycosis fungoides. <b>2021</b> , 12, 178		
173	Increased Chlormethine-Induced DNA Double-Stranded Breaks in Malignant T Cells from Mycosis Fungoides Skin Lesions.. <b>2022</b> , 2, 100069		1
172	Lymphoma and The Microenvironmental Cross-Talk between Sex Hormone Receptors and Epstein-Barr Virus in Predicting Lymphoma Clinical Status.		
171	The Influences of Omega-3 Polyunsaturated Fatty Acids on the Development of Skin Cancers. <b>2021</b> , 11,		1
170	Clinical Response to Anti-CD47 Immunotherapy Is Associated with Rapid Reduction of Exhausted Bystander CD4 BTLA T Cells in Tumor Microenvironment of Mycosis Fungoides. <b>2021</b> , 13,		0
169	STING Signaling and Skin Cancers. <b>2021</b> , 13,		2
168	Primary cutaneous NK/T cell lymphoma. <b>2021</b> , 2, e0152		
167	Primary Cutaneous Lymphoma: Recommendations for Clinical Trial Design and Staging Update from the ISCL, USCLC, and EORTC. <i>Blood</i> , <b>2021</b> ,	2.2	1
166	Roles of OX40 and OX40 Ligand in Mycosis Fungoides and Sřary Syndrome. <b>2021</b> , 22,		0
165	High Expression of IKZF2 in Malignant T Cells Promotes Disease Progression in Cutaneous T Cell Lymphoma. <i>Acta Dermato-Venereologica</i> , <b>2021</b> , 101, adv00613	2.2	
164	SnapshotDx Quiz: December 2021. <b>2021</b> , 141, e141-e146		
163	Recent advances on cutaneous lymphoma epidemiology.. <i>Presse Medicale</i> , <b>2022</b> , 51, 104108	2.2	0
162	Antineoplastic effect of a novel nanosized curcumin on cutaneous T cell lymphoma. <b>2020</b> , 20, 1-1		0

161	Clinicopathological characteristics and treatment outcomes of cutaneous extranodal natural killer/T-cell lymphoma: a retrospective study in China.. <b>2020</b> , 9, 6096-6106		
160	Cell-of-origin classification using the Hans and Lymph2Cx algorithms in primary cutaneous large B-cell lymphomas.. <b>2022</b> , 480, 667		3
159	Survival and Prognostic Factors in Patients with Aggressive Cutaneous T-cell Lymphomas. <i>Acta Dermato-Venereologica</i> ,	2.2	
158	Pediatric mycosis fungoides - characteristics, management, and outcomes with particular focus on the folliculotropic variant.. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2022</b> ,	4.6	0
157	Molecular genetic features of cutaneous T-cell lymphomas development on example of mycosis fungoides and Sezary syndrome. <b>2022</b> , 17, 65-74		
156	Challenging Cutaneous T-Cell Lymphoma: What Animal Models Tell us So Far.. <b>2022</b> ,		0
155	The Use of Interferon- $\alpha$ as Monotherapy in Stage IB Patients with Mycosis Fungoides: A Retrospective Chart Review of Patient Outcomes.. <b>2022</b> , e15344		0
154	Chidamide combined with traditional chemotherapy for primary cutaneous aggressive epidermotropic CD8+ cytotoxic T-cell lymphoma: A case report.. <i>World Journal of Clinical Cases</i> , <b>2022</b> , 10, 1341-1348	1.6	0
153	Comparison of the Efficacy and Safety of Bexarotene and Photo(Chemo)Therapy Combination Therapy and Bexarotene Monotherapy for Cutaneous T-Cell Lymphoma.. <b>2022</b> , 12, 615		1
152	The Role of Tumor Microenvironment in the Pathogenesis of S $\acute{z}$ ary Syndrome.. <b>2022</b> , 23,		2
151	S $\acute{z}$ ary Syndrome: Different Erythroderma Morphological Features with Proposal for a Clinical Score System.. <b>2022</b> , 11,		
150	Use of Ultrasensitive RNA In Situ Hybridization for Determining Clonality in Cutaneous B-Cell Lymphomas and Lymphoid Hyperplasia Decreases Subsequent Use of Molecular Testing and Is Cost-effective.. <b>2022</b> ,		0
149	Prognostic significance of Bcl-2 expression in primary cutaneous B-cell lymphoma: a reappraisal. <b>2022</b> , 156,		
148	Cost-effectiveness of brentuximab vedotin for the treatment of cutaneous T-cell lymphoma. <b>2021</b> ,		
147	CUTANEOUS B-CELL LYMPHOMAS: UPDATE ON DIAGNOSIS, RISK-STRATIFICATION, AND MANAGEMENT.. <i>Presse Medicale</i> , <b>2022</b> , 104109	2.2	1
146	Genetic alterations and oxidative stress in T cell lymphomas.. <b>2022</b> , 236, 108109		1
145	Revisited improvement of specialized medical aid for patients with malignant cutaneous lymphomas. <i>Vestnik Dermatologii i Venerologii</i> , <b>2010</b> , 86, 4-11	0.4	4
144	Understanding Cell Lines, Patient-Derived Xenograft and Genetically Engineered Mouse Models Used to Study Cutaneous T-Cell Lymphoma.. <b>2022</b> , 11,		0

143	Remittance of primary cutaneous CD30 lymphoproliferative disorder in a patient on adalimumab.. <i>JAAD Case Reports</i> , <b>2022</b> , 22, 34-37	1.4	
142	IL-32 supports the survival of malignant T cells in cutaneous T cell lymphoma.. <b>2022</b> ,		0
141	The role of molecular and genetic methods to determine the T-cell and B-cell clonality in diagnosing malignant cutaneous lymphomas. <i>Vestnik Dermatologii I Venerologii</i> , <b>2011</b> , 87, 52-57	0.4	2
140	Lymphomatoid papulosis. <i>Vestnik Dermatologii I Venerologii</i> , <b>2012</b> , 88, 76-79	0.4	0
139	Level of the proliferative activity of lymphocytes in case of mycosis fungoides and plaque parapsoriasis. <i>Vestnik Dermatologii I Venerologii</i> , <b>2014</b> , 90, 30-36	0.4	1
138	Molecular pathogenesis of Cutaneous T cell Lymphoma: Role of chemokines, cytokines, and dysregulated signaling pathways.. <b>2021</b> ,		2
137	Micosis fungoide hiperpigmentada de cara y pliegues en adultos: estudio prospectivo de una nueva variedad clñica. <b>2021</b> , 30, 131-138		
136	Mycosis fungoides in children and adolescents: A clinicopathological study in Jordan, Middle East. <b>2022</b> , 16, 7		
135	Emerging drugs for the treatment of cutaneous T-cell lymphoma.. <b>2022</b> ,		0
134	Combination of Resminostat with Ruxolitinib Exerts Antitumor Effects in the Chick Embryo Chorioallantoic Membrane Model for Cutaneous T Cell Lymphoma.. <b>2022</b> , 14,		1
133	Laying the groundwork for the Biobank of Rare Malignant Neoplasms at the service of the Hellenic Network of Precision Medicine on Cancer.. <b>2022</b> , 60,		0
132	Hyperpigmented mycosis fungoides: a retrospective and comparative analysis with other subtypes of mycosis fungoides.. <i>Leukemia and Lymphoma</i> , <b>2022</b> , 1-9	1.9	0
131	Clinicopathological Factors Associated with the Prognosis and Chronicity of Lymphomatoid Papulosis: A Retrospective Cohort Study.. <b>2022</b> ,		
130	Effect of PUVA and NB-UVB Therapy on the Skin Cytokine Profile in Patients with Mycosis Fungoides.. <b>2022</b> , 2022, 3149293		0
129	Single-cell transcriptomics links malignant T cells to the tumor immune landscape in cutaneous T cell lymphoma.. <b>2022</b> , 13, 1158		1
128	Mass Cytometric Analysis of Early-Stage Mycosis Fungoides.. <b>2022</b> , 11,		0
127	Epidemiological Characteristics and the Development of Prognostic Nomograms of Patients With HIV-Associated Cutaneous T-Cell Lymphoma.. <b>2022</b> , 12, 847710		0
126	[Disseminated recurrent papules and nodes].. <b>2022</b> , 1		

- 125 Anaplastic Large Cell Lymphoma Presenting as Ulcerative Facial Mass: A Case Report.. **2022**, 15, 199-206
- 124 Overall survival and registration of cutaneous T-cell lymphoma patients in Sweden: a multi-center cohort and validation study.. **2022**, 1-5 0
- 123 The Skin Microbiome and Influencing Elements in Cutaneous T-Cell Lymphomas.. **2022**, 14, 3
- 122 Tumor clone frequency calculation using high throughput sequencing of the T-cell receptor  $\beta$  gene in folliculotropic mycosis fungoides patients.. **2022**,
- 121 Case Report: Outcome and Adverse Events of Anti-PD-1 Antibody Plus Chidamide for Relapsed/Refractory Szary Syndrome: Case Series and A Literature Review.. **2022**, 12, 842123 0
- 120 Primary Cutaneous Anaplastic Large Cell Lymphoma of the Nasal Dorsum and Nasal Tip.. **2022**, 14, e23811
- 119 Oncolytic effect of SARS-CoV-2 in a patient with mycosis fungoides: A case report.. **2022**, 10, e05682 0
- 118 Cannabis use among patients with cutaneous lymphoma: A cross-sectional survey.. **2022**, 102830
- 117 Gamma/Delta (γδ) T Cells: The Role of the T-Cell Receptor in Diagnosis and Prognosis of Hematologic Malignancies.. **2022**, 44, 237-248
- 116 Unilesional mycosis fungoides: a case report and review of literature. 1-9
- 115 Incidence and Outcomes of Primary Cutaneous Anaplastic Large Cell Lymphoma: a SEER Population Based Study (Preprint).
- 114 CD8+ mycosis fungoides with ichthyosiform clinical presentation and angiocentric feature.. **2021**,
- 113 Contemporary Treatment Patterns and Response in Relapsed/Refractory Cutaneous T-Cell Lymphoma (CTCL) across Five European Countries.. **2021**, 14, 2
- 112 Surviving With Mycosis Fungoides for Twenty Years: An Autobiographical Case Report.. **2021**, 13, e20699
- 111 Melanoma in patients with mycosis fungoides. *Vestnik Dermatologii I Venerologii*, **2021**, 97, 87-95 0.4
- 110 Case Report: Graft Tumor Effect After Non-Myeloablative Allogeneic Stem-Cell Transplantation in a Patient With Brentuximab-Vedotin Refractory Sezary Syndrome.. **2021**, 11, 749691
- 109 Epidemiology and status of specialized medical care for patients with cutaneous T-cell lymphomas: A survey of 163 patients of Russian Federation. **2021**, 23, 628-634
- 108 Influencing Factors of Total Skin Irradiation With Helical Tomotherapy.. **2022**, 12, 852345 1

107	The optimal use of chlormethine gel for mycosis fungoides: An expert consensus from Germany, Austria and Switzerland (DACH region).. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2022</b> ,	1.2	1
106	WHO classification of lymphomas. 228-256		
105	Peripheral T-cell lymphomas. 410-431		
104	Mycosis fungoides and Sżary syndrome. 432-448		
103	LYMPHOID, MYELOID, HISTIOCYTIC, AND DENDRITIC CELL PROLIFERATIONS IN SOFT TISSUES. 982-1015		
102	Table_1.docx. <b>2020</b> ,		
101	Table_1.DOCX. <b>2019</b> ,		
100	Image_1.JPEG. <b>2019</b> ,		
99	PD-1 improves accurate detection of Sezary cells by flow cytometry in peripheral blood in mycosis fungoides/Sezary syndrome.. <b>2022</b> ,		1
98	Integrative diagnosis of primary cutaneous large B-cell lymphomas supports the relevance of cell of origin profiling.. <b>2022</b> , 17, e0266978		0
97	Cutaneous Lymphomas. <b>2022</b> , 1931-1954		
96	Subtlety of Granulomatous Mycosis Fungoides: A Retrospective Case Series Study and Proposal of Helpful Multimodal Diagnostic Approach With Literature Review.. <b>2022</b> ,		
95	Poor prognostic factors of Sżary syndrome: A retrospective single-center study from Japan.		
94	Primary Cutaneous Gamma-Delta T-Cell Lymphoma Initially Diagnosed as Subcutaneous Panniculitis-like T-Cell Lymphoma with Dermatomyositis. <b>2022</b> , 9, 143-147		
93	Best Practices in CD30 Immunohistochemistry Testing, Interpretation, and Reporting.. <b>2022</b> ,		0
92	Woringer-Kolopp disease (localized pagetoid reticulosis): a ´systematic review.. <b>2022</b> ,		
91	Genetically driven CD39 expression affects Sezary cell viability, IL-2 production and detects two patient subsets with distinct prognosis.. <b>2022</b> ,		0
90	Care structure of patients with mycosis fungoides and Sżary syndrome in Germany - Care research based on SHI claims data.. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2022</b> , 20, 643-651	1.2	0

89	The pathophysiology and current treatments for the subcutaneous panniculitis-like T cell lymphoma: An updated review.. <i>Asia-Pacific Journal of Clinical Oncology</i> , <b>2022</b> ,	1.9	0
88	Auricular cutaneous T-cell lymphoma, subtype mycosis fungoides and otitis externa/media in a domestic rat ( <i>Rattus norvegicus forma domestica</i> ). <i>Veterinary Record Case Reports</i> ,	0.2	
87	A Rare Case of Aggressive Cytotoxic T-Cell Lymphoma in a Patient on Dupilumab. <i>JAAD Case Reports</i> , <b>2022</b> ,	1.4	0
86	The PROCLIFI international registry, an important tool to evaluate the prognosis of cutaneous T cell lymphomas.. <i>Presse Medicale</i> , <b>2022</b> , 104123	2.2	0
85	Primary cutaneous lymphoma: the 2018 update of the WHO-EORTC classification.. <i>Presse Medicale</i> , <b>2022</b> , 104126	2.2	0
84	Current approaches to diagnostics of mycosis fungoides. <i>Vestnik Dermatologii I Venerologii</i> , <b>2010</b> , 86, 16-22	0.4	1
83	Role of langerin-positive and CD83+ cells in the pathogenesis of mycosis fungoides. <i>Vestnik Dermatologii I Venerologii</i> , <b>2013</b> , 89, 38-43	0.4	5
82	Foxp3+ T-lymphocytes in the pathogenesis of mycosis fungoides. <i>Vestnik Dermatologii I Venerologii</i> , <b>2014</b> , 90, 68-72	0.4	1
81	Photodynamic therapy for mycosis fungoides: a case series and review of the literature. <i>Vestnik Dermatologii I Venerologii</i> , <b>2015</b> , 91, 24-31	0.4	
80	Versorgungsstruktur der Patienten mit Mycosis fungoides und Sčary-Syndrom in Deutschland - Versorgungsforschung auf Basis von GKV-Routinedaten.. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2022</b> , 20, 643-652	1.2	
79	Chlormethin-Gel zur Behandlung der Mycosis fungoides: Ein Expertenkonsens aus Deutschland, Österreich und der Schweiz (DACH-Region) zum Therapiemanagement.. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2022</b> , 20, 579-588	1.2	0
78	Complete Remission Of Primary Cutaneous Follicle Center Cell Lymphoma Associated With COVID -19 Vaccine. <i>Journal of the European Academy of Dermatology and Venereology</i> ,	4.6	0
77	Primary Cutaneous B-Cell Lymphoma: An Update on Pathologic and Molecular Features. <i>Hemato</i> , <b>2022</b> , 3, 318-340	0.2	0
76	Photodynamic therapy in the treatment of patients with mycosis fungoides. <i>Biomedical Photonics</i> , <b>2022</b> , 11, 29-38	0.6	
75	Efficacy of brentuximab vedotin in patients with CD30-positive lymphoproliferative skin diseases: results of the first prospective study in the Russian Federation. <i>Vestnik Dermatologii I Venerologii</i> , <b>2022</b> , 98, 53-62	0.4	
74	Photodynamic therapy in the treatment of patients with mycosis fungoides. <i>Biomedical Photonics</i> , <b>2022</b> , 11, 27-36	0.6	1
73	Cutaneous Lymphomas. <b>2022</b> , 833-896		
72	Oral manifestation of lymphomatoid papulosis: systematic review. <i>Journal of Oral Medicine and Oral Surgery</i> , <b>2022</b> , 28, 30	0.7	0

71	Improved overall survival over time in advanced stage mycosis fungoides: a cross-sectional study. <i>Leukemia and Lymphoma</i> , 1-8	1.9	
70	Ultrasound-guided microwave ablation as a palliative treatment for mycosis fungoides eyelid involvement: A case report. <i>World Journal of Clinical Cases</i> , <b>2022</b> , 10, 5825-5832	1.6	o
69	Serum cell-free DNA as a new biomarker in cutaneous T-cell lymphoma. <i>Journal of Dermatology</i> ,	1.6	
68	miRNA Signature in Early-stage Mycosis Fungoides. <i>Acta Dermato-Venereologica</i> ,	2.2	
67	The role of immune checkpoint receptors in the malignant phenotype of cutaneous T cell lymphoma.		
66	Clinical features and treatment outcomes for primary cutaneous CD4+ small/medium T-cell lymphoproliferative disorder: a retrospective cohort study from the Dana-Farber Cancer Institute and updated literature review. 1-15		1
65	Linfomas T cutáneos primarios con afinidad por el panículo adiposo: buscando las diferencias. <b>2022</b> ,		
64	Pathological and Molecular Features of Nodal Peripheral T-Cell Lymphomas. <b>2022</b> , 12, 2001		
63	Análisis de supervivencia en pacientes con micosis fungoide foliculotropa de un centro latinoamericano. <b>2022</b> ,		
62	A Case of Vesicular Mycosis Fungoides. <b>2022</b> , 34, 374		o
61	Sub-Erythroderma in a 52 Year Old Man. <b>2022</b> , 135-140		o
60	Recurrent primary cutaneous anaplastic large cell lymphoma in young female patient from Ethiopia: A Case Report. <b>2022</b> , 7, 019-022		o
59	Diagnostic Outcomes and Treatment Modalities in Patients with Mycosis Fungoides in West Sweden – A Retrospective Register-Based Study. <b>2022</b> , 14, 4661		2
58	TMEM244 gene expression as a potential blood diagnostic marker distinguishing Szary syndrome from mycosis fungoides and benign erythroderma. <b>2022</b> ,		1
57	Folliculotropic Mycosis Fungoides: Current Guidance and Experience from Clinical Practice. Volume 15, 1899-1907		o
56	Epidemiologic Trends of Cutaneous T-Cell Lymphoma in Arkansas Reveals Demographic Disparities. <b>2022</b> , 14, 4329		o
55	Development and Evaluation of a Thimble-Like Head Bolus Shield for Hemi-Body Electron Beam Irradiation Technique.		o
54	Erythroderma in a 81-Year-Old Man. <b>2022</b> , 95-99		o

- 53 Treatment of Cutaneous Lymphomas: Topical, Systemic, and Radiation Therapies. **2022**, 363-380 ○
- 52 IGH/BCL2 Status Better Predicts Clinico-Pathological Behavior in Primary Splenic Follicular Lymphoma than Histological Grade and Other Molecular Markers. **2022**, 15, 2632010X2211292 ○
- 51 A Practical Review of the Presentation, Diagnosis, and Management of Cutaneous B-Cell Lymphomas. **2022**, ○
- 50 Recent advances in cutaneous lymphoma—Implications for current and future classifications. ○
- 49 Análisis de supervivencia en pacientes con micosis fungoide foliculotropa de un centro latinoamericano. **2022**, ○
- 48 Stratum corneum cytokine levels in mycosis fungoides. ○
- 47 Cutaneous T-cell lymphomas: 2023 update on diagnosis, risk-stratification, and management. ○
- 46 Les facteurs professionnels associés au mycosis fungoïde. **2022**, ○
- 45 Expanding the Molecular Landscape of Cutaneous T-Cell Lymphoma. **2022**, 5, 29-40 ○
- 44 Mycosis Fungoides in Skin of Color. **2022**, 14, 261-264 ○
- 43 Blocking STAT3 /5 through direct or upstream kinase targeting in leukemic cutaneous T-cell lymphoma. 1
- 42 DOT1L inhibition does not modify the sensitivity of cutaneous T cell lymphoma to pan-HDAC inhibitors in vitro. 13, ○
- 41 Linfomas cutáneos: clasificación. **2022**, 56, 1-6 ○
- 40 Staging of Mycosis Fungoides and Szary Syndrome: Time for an Update?. 92-100 3
- 39 Real-Life Barriers to Diagnosis of Early Mycosis Fungoides: An International Expert Panel Discussion. ○
- 38 A Practical Guide to the Diagnosis, Evaluation, and Treatment of Cutaneous T-Cell Lymphoma. **2023**, 41, 209-229 ○
- 37 Ultrasound of Cutaneous Lymphomas. **2022**, 251-258 ○
- 36 Excellent treatment outcomes from low dose radiation therapy for primary cutaneous CD4+ small/medium T-Cell lymphoproliferative disorder. **2023**, 178, 109430 ○

35	Dermatologic Concepts and Terminology. <b>2022</b> , 21-72	o
34	Hematopoietic and Lymphoid Tumors. <b>2021</b> , 377-521	o
33	Mechlorethamine Hydrochloride Gel in the Treatment of Mycosis FungoidesâType Cutaneous T-Cell Lymphoma (MF-CTCL): A Focus on Patient Selection and Special Considerations. Volume 14, 3271-3279	o
32	Etiopathogenesis, Diagnosis, and Treatment Strategies for Lymphomatoid Papulosis with Particular Emphasis on the Role of the Immune System. <b>2022</b> , 11, 3697	1
31	Primary extranodal diffuse large B-cell lymphoma: Molecular features, treatment, and prognosis.	o
30	In vivo modelling of cutaneous T-cell lymphoma: The role of SOCS1. 12,	o
29	Lymphome T sous-cutan type de panniculite. <b>2022</b> ,	o
28	Primary Cutaneous Diffuse Large B-Cell Lymphoma, Leg Type on the Dorsal Foot in a Senior Woman: A Case Report. <b>2022</b> , 112,	o
27	Follicle Center Lymphoma (FCL) of the Lower Female Genital Tract (LFGT). Publish Ahead of Print,	o
26	Quality of Life in Cutaneous T-cell Lymphoma Patients Receiving Mogamulizumab: Important Factors to Consider. <b>2023</b> , 15, 32	o
25	Deep learning as a new tool in the diagnosis of mycosis fungoides.	o
24	A retrospective study of 18 children with subcutaneous panniculitis-like T-cell lymphoma: multidrug combination chemotherapy or immunomodulatory therapy?. <b>2022</b> , 17,	o
23	Establishment of primary renal lymphoma model and the clinical relevance.	o
22	Cutaneous lymphomasâfast facts about an orphan diseaseâshort review.	o
21	Subcutaneous panniculitis-like T-cell lymphoma of the breast in an adolescent female: An uncommon presentation.	o
20	The Distinctive Nature of Thyroid MALT Lymphomas Including IRTA1 Expression. Publish Ahead of Print,	o
19	Suggested Guidelines for the Treatment of Mycosis Fungoides in Countries with Limited Resources. <b>2023</b> , 2023, 1-16	o
18	Cutaneous T-Cell Lymphoma and Other Lymphoproliferative Dermatological Diseases. <b>2023</b> , 461-484	o

- 17 Interesting Presentation of Mycosis Fungoides in Staging on F-18 FDG PET/CT. ○
- 16 Mycosis fungoides and Szary syndrome: clinical presentation, diagnosis, staging, and therapeutic management. 13, ○
- 15 Primary Cutaneous Peripheral T-Cell Lymphoma With Follicular Helper T-Cell Phenotype: Report of 2 Epstein-Barr Virus-Positive Cases. **2023**, 45, 73-80 ○
- 14 Diagnosis and management of cutaneous lymphomas and lymphoid proliferations in children, adolescents and young adults (CAYA). **2023**, 36, 101448 ○
- 13 Distribution and clinical features of lymphomas involving skin in Taiwan. ○
- 12 Multidisciplinary Approach to the Diagnosis and Therapy of Mycosis Fungoides. **2023**, 11, 614 ○
- 11 Disparities in Cutaneous T-Cell Lymphoma Incidence by Race/Ethnicity and Area-Based Socioeconomic Status. **2023**, 20, 3578 ○
- 10 Primary Cutaneous Multifocal Indolent CD8+ T-Cell Lymphoma: A Novel Primary Cutaneous CD8+ T-Cell Lymphoma. **2023**, 11, 634 ○
- 9 Total Skin Treatment with Helical Arc Radiotherapy. **2023**, 24, 4492 ○
- 8 Neoplastic and Autoimmune Comorbidities in Patients with Primary Cutaneous B-Cell Lymphoma. **2023**, 15, 157-165 ○
- 7 Blockade of the Immune Checkpoint CD47 by TTI-621 Potentiates the Response to Anti-PD-L1 in Cutaneous T Cell Lymphoma. **2023**, ○
- 6 Cutaneous Lymphoma and Antibody-Directed Therapies. **2023**, 12, 21 ○
- 5 CD30 -positive lymphoproliferative disorders—An Australian Clinical Practice Statement from the Peter MacCallum Cancer Centre. ○
- 4 Cost-Effectiveness of Brentuximab Vedotin Versus Physician's Choice of Methotrexate or Bexarotene for the Treatment of Cutaneous T-cell Lymphoma in Canada. ○
- 3 Pruritus. **2023**, 1607-1636 ○
- 2 Linfoma difuso de células grandes B cutáneo primario no especificado con inmunohistoquímica de centro germinal CD10 + con resolución espontánea. **2023**, ○
- 1 Epidemiology and prognostic factors of 114 patients with mycosis fungoides in a Moroccan cohort: a 29-year review. ○