Estimating the spatial scale of pollen dispersal in the cu Sweden

Holocene 15, 252-262 DOI: 10.1191/0959683605hl790rp

Citation Report

#	Article	IF	CITATIONS
1	Estimating relevant source area of pollen for small Danish lakes around AD 1800. Holocene, 2005, 15, 1006-1020.	0.9	86
2	Detecting differences in vegetation among paired sites using pollen records. Holocene, 2006, 16, 1123-1135.	0.9	15
3	Surface pollen deposition on glacier forelands in southern Norway I: local patterns of representation and source area at Storbreen, Jotunheimen. Holocene, 2006, 16, 1149-1161.	0.9	13
4	Theory of quantitative reconstruction of vegetation I: pollen from large sites REVEALS regional vegetation composition. Holocene, 2007, 17, 229-241.	0.9	533
5	Pollen representation in surface samples of the <i>Juniperus</i> , <i>Picea</i> and <i>Juglans</i> forest belts of Kyrgyzstan, central Asia. Holocene, 2007, 17, 599-611.	0.9	33
6	Detecting open vegetation in a forested landscape: pollen and remote sensing data from New England, USA. Holocene, 2007, 17, 1233-1243.	0.9	10
7	Theory of quantitative reconstruction of vegetation II: all you need is LOVE. Holocene, 2007, 17, 243-257.	0.9	370
8	Pollen productivity estimates for quantitative reconstruction of vegetation cover on the Swiss Plateau. Holocene, 2007, 17, 65-77.	0.9	91
9	POLLEN ANALYSIS, PRINCIPLES. , 2007, , 2486-2497.		18
10	Modern pollen?vegetation relationships in subarctic southern Greenland and the interpretation of fossil pollen data from the Norse landn�m. Journal of Biogeography, 2007, 34, 473-488.	1.4	67
11	Understanding the changing value of natural resources: an integrated palaeoecological?historical investigation into grazing?woodland interactions by Loch Awe, Western Highlands of Scotland. Journal of Biogeography, 2007, 34, 1777-1791.	1.4	37
12	Arable-weed flora and its pollen representation: A case study from the eastern part of France. Review of Palaeobotany and Palynology, 2007, 146, 29-50.	0.8	28
13	A step further towards quantitative reconstruction of past vegetation in Fennoscandian boreal forests: Pollen productivity estimates for six dominant taxa. Review of Palaeobotany and Palynology, 2007, 146, 208-220.	0.8	59
14	Closed forest or open woodland as natural vegetation in the surroundings of Linearbandkeramik settlements?. Vegetation History and Archaeobotany, 2007, 17, 51-64.	1.0	69
15	Response of vegetation and fire to Little Ice Age climate change: regional continuity and landscape heterogeneity. Landscape Ecology, 2007, 22, 25-41.	1.9	42
16	Grazing dynamics at different spatial and temporal scales: examples from the Swedish historical record a.d. 1620–1850. Vegetation History and Archaeobotany, 2008, 17, 563-572.	1.0	23
17	Pollen modelling, palaeoecology and archaeology: virtualisation and/or visualisation of the past?. Vegetation History and Archaeobotany, 2008, 17, 543-549.	1.0	27
18	Relative pollen productivity and fall speed estimates for southern African savanna taxa. Vegetation History and Archaeobotany, 2008, 17, 507-525.	1.0	53

#	Article	IF	CITATIONS
19	Using quantitative pollen-based land-cover estimations and a spatial CA_Markov model to reconstruct the development of cultural landscape at Rõuge, South Estonia. Vegetation History and Archaeobotany, 2008, 17, 527-541.	1.0	47
20	Evaluating Swiss pollen productivity estimates using a simulation approach. Vegetation History and Archaeobotany, 2008, 17, 497-506.	1.0	19
21	Pollen productivity estimates and relevant source area of pollen for selected plant taxa in a pasture woodland landscape of the Jura Mountains (Switzerland). Vegetation History and Archaeobotany, 2008, 17, 479-495.	1.0	87
22	The late Holocene palaeoecological sequence of SerranÃa de las Villuercas (southern Meseta, western) Tj ETQq1 1	0.784314 1.0	l rgBT /Over
23	Pollen productivity estimates of key European plant taxa for quantitative reconstruction of past vegetation: a review. Vegetation History and Archaeobotany, 2008, 17, 461-478.	1.0	275
24	Effects of the sampling design and selection of parameter values on pollen-based quantitative reconstructions of regional vegetation: a case study in southern Sweden using the REVEALS model. Vegetation History and Archaeobotany, 2008, 17, 445-459.	1.0	89
25	The use of modelling and simulation approach in reconstructing past landscapes from fossil pollen data: a review and results from the POLLANDCAL network. Vegetation History and Archaeobotany, 2008, 17, 419-443.	1.0	152
26	The REVEALS model, a new tool to estimate past regional plant abundance from pollen data in large lakes: validation in southern Sweden. Journal of Quaternary Science, 2008, 23, 21-42.	1.1	139
27	A contribution to deciphering the meaning of AP/NAP with respect to vegetation cover. Review of Palaeobotany and Palynology, 2008, 148, 13-35.	0.8	59
28	A pilot study on pollen representation of mountain valley vegetation in the central Alps. Review of Palaeobotany and Palynology, 2008, 149, 208-218.	0.8	20
29	Vegetation history and human impact during the last 300Âyears recorded in a German peat deposit. Review of Palaeobotany and Palynology, 2008, 152, 158-175.	0.8	14
30	Pollen productivity, dispersal, and correction factors for major tree taxa in the Swiss Alps based on pollen-trap results. Review of Palaeobotany and Palynology, 2008, 152, 200-210.	0.8	61
31	Using models of pollen dispersal and deposition in hilly landscapes: Some possible approaches. Palaeogeography, Palaeoclimatology, Palaeoecology, 2008, 259, 77-91.	1.0	21
32	Pollen productivity estimates from the forest—tundra ecotone in west-central Sweden: implications for vegetation reconstruction at the limits of the boreal forest. Holocene, 2008, 18, 323-332.	0.9	61
33	Equifinality and uncertainty in the interpretation of pollen data: the Multiple Scenario Approach to reconstruction of past vegetation mosaics. Holocene, 2009, 19, 799-803.	0.9	66
34	Abrupt forest ecosystem change in SW Sweden during the late Holocene. Holocene, 2009, 19, 691-702.	0.9	9
35	Pollen assemblages of tauber traps and surface soil samples in steppe areas of China and their relationships with vegetation and climate. Review of Palaeobotany and Palynology, 2009, 153, 86-101.	0.8	45
36	Relevant Source Area of Pollen in patchy cultural landscapes and signals of anthropogenic landscape disturbance in the pollen record: A simulation approach. Review of Palaeobotany and Palynology, 2009, 153, 245-258.	0.8	92

#	Article	IF	CITATIONS
37	Estimating the Relevant Source Area of Pollen in the past cultural landscapes of southern Sweden — A forward modelling approach. Review of Palaeobotany and Palynology, 2009, 153, 259-271.	0.8	70
38	The role of climate variability and fire in early and mid Holocene forest dynamics of southern Sweden. Journal of Quaternary Science, 2009, 24, 593-611.	1.1	39
39	Vegetation development at a mountain settlement site in the Swedish Scandes during the late Holocene: palaeoecological evidence of human-induced deforestation. Vegetation History and Archaeobotany, 2009, 18, 297-314.	1.0	15
40	The potential of pollen analyses from urban deposits: multivariate statistical analysis of a data set from the medieval city of Prague, Czech Republic. Vegetation History and Archaeobotany, 2009, 18, 477-488.	1.0	16
41	From forest to open pastures and fields: cultural landscape development in western Norway inferred from two pollen records representing different spatial scales of vegetation. Vegetation History and Archaeobotany, 2009, 18, 459-476.	1.0	31
42	Differences of modern pollen assemblages from lake sediments and surface soils in arid and semi-arid China and their significance for pollen-based quantitative climate reconstruction. Review of Palaeobotany and Palynology, 2009, 156, 519-524.	0.8	78
43	The effect of fire frequency on local cembra pine populations. Ecology, 2009, 90, 476-486.	1.5	27
44	Modern pollen analysis: a reliable tool for discriminating Quercus rotundifolia communities in Central Spain. Phytocoenologia, 2010, 40, 57-72.	1.2	34
45	Pollen dispersal and deposition characteristics of Abies alba, Fagus sylvatica and Pinus sylvestris, Roztocze region (SE Poland). Vegetation History and Archaeobotany, 2010, 19, 91-101.	1.0	68
46	Effect of vegetation data collection strategies on estimates of relevant source area of pollen (RSAP) and relative pollen productivity estimates (relative PPE) for non-arboreal taxa. Vegetation History and Archaeobotany, 2010, 19, 365-374.	1.0	60
47	Testing the Landscape Reconstruction Algorithm for spatially explicit reconstruction of vegetation in northern Michigan and Wisconsin. Quaternary Research, 2010, 74, 289-300.	1.0	117
48	Holocene persistence of wooded steppe in the Great Hungarian Plain. Journal of Biogeography, 2010, 37, 915-935.	1.4	154
49	Resilience of the boreal forest in response to Holocene fire-frequency changes assessed by pollen diversity and population dynamics. International Journal of Wildland Fire, 2010, 19, 1026.	1.0	62
50	Long-term approaches to native woodland restoration: Palaeoecological and stakeholder perspectives on Atlantic forests of Northern Europe. Forest Ecology and Management, 2011, 261, 751-763.	1.4	13
51	Reassessment of Holocene vegetation change on the upper Tibetan Plateau using the pollen-based REVEALS model. Review of Palaeobotany and Palynology, 2011, 168, 31-40.	0.8	51
52	Estimating pollen productivity and relevant source area of pollen using lake sediments in Norway: How does lake size variation affect the estimates?. Holocene, 2012, 22, 313-324.	0.9	55
53	Is relative pollen productivity constant across Europe?. Quaternary International, 2012, 279-280, 138.	0.7	0
54	Woody vegetation, fuel and fire track the melting of the Scandinavian ice-sheet before 9500 cal yr BP. Quaternary Research, 2012, 78, 540-548.	1.0	21

#	Article	IF	Citations
55	Signal and variability within a Holocene peat bog — Chronological uncertainties of pollen, macrofossil and fungal proxies. Review of Palaeobotany and Palynology, 2012, 186, 5-15.	0.8	27
56	Modern pollen rain and fungal spore assemblages from pasture woodlands around Lake Saint-Point (France). Review of Palaeobotany and Palynology, 2012, 186, 69-89.	0.8	40
57	Pollen productivity estimates for a pine woodland in eastern Scotland: The influence of sampling design and vegetation patterning. Review of Palaeobotany and Palynology, 2012, 174, 67-78.	0.8	21
58	Relative pollen productivity estimates in the modern agricultural landscape of Central Bohemia (Czech Republic). Review of Palaeobotany and Palynology, 2012, 179, 1-12.	0.8	55
59	The Fagus sylvatica forests in the Larvik region, south-eastern Norway: their origin and history. Vegetation History and Archaeobotany, 2013, 22, 215-229.	1.0	14
60	Past forest composition, structures and processes – How paleoecology can contribute to forest conservation. Biological Conservation, 2013, 168, 116-127.	1.9	52
61	Palynological perspectives on vegetation survey: a critical step for model-based reconstruction of Quaternary land cover. Quaternary Science Reviews, 2013, 82, 41-55.	1.4	79
62	The role of landscape structure in determining palynological and floristic richness. Vegetation History and Archaeobotany, 2013, 22, 39-49.	1.0	44
63	The Holocene vegetation cover of Britain and Ireland: overcoming problems of scale and discerning patterns of openness. Quaternary Science Reviews, 2013, 73, 132-148.	1.4	118
64	Estimates of relative pollen productivity (RPP) for selected taxa from southern Greenland: A pragmatic solution. Review of Palaeobotany and Palynology, 2013, 190, 66-74.	0.8	29
65	Spore rain in relation to regional sources and beyond. Ecography, 2013, 36, 364-373.	2.1	83
66	Vegetation limits the impact of a warm climate on boreal wildfires. New Phytologist, 2013, 199, 1001-1011.	3.5	103
67	POLLEN METHODS AND STUDIES POLLSCAPE Model: Simulation Approach for Pollen Representation of Vegetation and Land Cover. , 2013, , 871-879.		4
68	Surface pollen deposition on glacier forelands in southern Norway II: Spatial patterns across the Jotunheimen–Jostedalsbreen region. Holocene, 2014, 24, 1675-1685.	0.9	6
69	Reconstruction of Holocene vegetation, tree cover dynamics and human disturbances in central European Russia, using pollen and satellite data sets. Vegetation History and Archaeobotany, 2014, 23, 109-119.	1.0	32
70	The Verijäv area, South Estonia over the last millennium: A high resolution quantitative land-cover reconstruction based on pollen and historical data. Review of Palaeobotany and Palynology, 2014, 207, 5-17.	0.8	25
71	Surface pollen spectra from Shennongjia Mountains, central China: An interpretation aid to Quaternary pollen deposits. Review of Palaeobotany and Palynology, 2015, 214, 40-50.	0.8	8
72	Pollen production estimates (PPEs) and fall speeds for major tree taxa and relevant source areas of pollen (RSAP) in Changbai Mountain, northeastern China. Review of Palaeobotany and Palynology, 2015, 216, 92-100.	0.8	44

#	Article	IF	CITATIONS
73	From pollen percentage to regional vegetation cover — A new insight into cultural landscape development in western Norway. Review of Palaeobotany and Palynology, 2015, 217, 45-60.	0.8	19
74	Later prehistoric vegetation dynamics and Bronze Age agriculture at Hobbister, Orkney, Scotland. Vegetation History and Archaeobotany, 2015, 24, 467-486.	1.0	15
75	From landscape description to quantification: A new generation of reconstructions provides new perspectives on Holocene regional landscapes of SE Sweden. Holocene, 2015, 25, 178-193.	0.9	21
76	Cultural landscape development on a west–east gradient in western Norway – potential of the Landscape Reconstruction Algorithm (LRA). Journal of Archaeological Science, 2015, 61, 1-16.	1.2	14
77	From pollen percentage to vegetation cover: evaluation of the Landscape Reconstruction Algorithm in western Norway. Journal of Quaternary Science, 2015, 30, 312-324.	1.1	31
78	Reconstruction of past landscape openness using the Landscape Reconstruction Algorithm (LRA) applied on three local pollen sites in a southern Swedish biodiversity hotspot. Vegetation History and Archaeobotany, 2015, 24, 253-266.	1.0	29
79	Testing quantitative pollen dispersal models in animal-pollinated vegetation mosaics: An example from temperate Tasmania, Australia. Quaternary Science Reviews, 2016, 154, 214-225.	1.4	29
80	Approaches to quantitative reconstruction of woody vegetation in managed woodlands from pollen records. Review of Palaeobotany and Palynology, 2016, 225, 53-66.	0.8	10
81	Late Holocene regime shifts in moorland ecosystems: high resolution data from the Pennines, UK. Vegetation History and Archaeobotany, 2016, 25, 207-219.	1.0	15
82	Does pollen-assemblage richness reflect floristic richness? A review of recent developments and future challenges. Review of Palaeobotany and Palynology, 2016, 228, 1-25.	0.8	152
83	From deciduous forest to open landscape: application of new approaches to help understand cultural landscape development in western Norway. Vegetation History and Archaeobotany, 2016, 25, 153-176.	1.0	16
84	Vegetation, climate and lake changes over the last 7000 years at the boreal treeline in north-central Siberia. Quaternary Science Reviews, 2016, 147, 422-434.	1.4	45
85	Relative pollen productivities and relevant source area of pollen in the forest–steppe ecotone of northern China. Review of Palaeobotany and Palynology, 2017, 244, 1-12.	0.8	19
86	More reliable pollen productivity estimates and relative source area of pollen in a forest-steppe ecotone with improved vegetation survey. Holocene, 2017, 27, 1567-1577.	0.9	21
87	The effect of local land-use changes on floristic diversity during the past 1000 years in southern Sweden. Holocene, 2017, 27, 694-711.	0.9	9
88	Relation between modern pollen rain, vegetation and climate in northern China: Implications for quantitative vegetation reconstruction in a steppe environment. Science of the Total Environment, 2017, 586, 25-41.	3.9	22
89	Mid-Late Holocene Vegetational History and Land-Use Dynamics in County Monaghan, Northeastern Ireland—The Palynological Record of Lough Muckno. Journal of the North Atlantic, 2017, 32, 1-24.	0.4	11
90	Relative pollen productivity estimates for major plant taxa of cultural landscapes in central eastern China. Vegetation History and Archaeobotany, 2017, 26, 587-605.	1.0	32

#	Article	IF	CITATIONS
91	The Representativeness of Olea Pollen from Olive Groves and the Late Holocene Landscape Reconstruction in Central Mediterranean. Frontiers in Earth Science, 2017, 5, .	0.8	19
92	A Review of Relative Pollen Productivity Estimates From Temperate China for Pollen-Based Quantitative Reconstruction of Past Plant Cover. Frontiers in Plant Science, 2018, 9, 1214.	1.7	44
93	Novel methods of estimating relative pollen productivity: A key parameter for reconstruction of past land cover from pollen records. Progress in Physical Geography, 2019, 43, 731-753.	1.4	9
94	Quantitative indicative significance of pollen assemblages on vegetation coverage in deciduous Quercus forest in the central Loess Plateau, China. Science China Earth Sciences, 2019, 62, 992-1001.	2.3	11
95	Farm establishment, abandonment and agricultural practices during the last 1,300Âyears: a case study from southern Sweden based on pollen records and the LOVE model. Vegetation History and Archaeobotany, 2019, 28, 529-544.	1.0	19
96	Relative pollen productivity estimates in the forest steppe landscape of southeastern Romania. Review of Palaeobotany and Palynology, 2019, 264, 54-63.	0.8	12
97	Relative pollen productivity estimates for alpine meadow vegetation, northeastern Tibetan Plateau. Vegetation History and Archaeobotany, 2020, 29, 447-462.	1.0	13
98	Pollen-based reconstruction of Holocene land-cover in mountain regions: Evaluation of the Landscape Reconstruction Algorithm in the Vicdessos valley, northern Pyrenees, France. Quaternary Science Reviews, 2020, 228, 106049.	1.4	28
99	Modern Pollen–Plant Diversity Relationships Inform Palaeoecological Reconstructions of Functional and Phylogenetic Diversity in Calcareous Fens. Frontiers in Ecology and Evolution, 2020, 8, .	1.1	15
100	Modern pollen representation of the vegetation of the Tagus Basin (central Iberian Peninsula). Review of Palaeobotany and Palynology, 2020, 276, 104193.	0.8	20
101	Interpretation of the herbaceous pollen spectra in paleoecological reconstructions: A spatial extension of Indices of Association and determination of individual pollen source areas from binary data. Review of Palaeobotany and Palynology, 2020, 279, 104238.	0.8	7
102	Evaluating quantitative pollen representation of vegetation in the tropics: A case study on the Hainan Island, tropical China. Ecological Indicators, 2020, 114, 106297.	2.6	14
103	Relative pollen productivity estimates of major plant taxa and relevant source area of pollen in the warm-temperate forest landscape of northern China. Vegetation History and Archaeobotany, 2021, 30, 231-241.	1.0	8
104	Linking modern pollen accumulation rates to biomass: Quantitative vegetation reconstruction in the western Klamath Mountains, NW California, USA. Holocene, 2021, 31, 814-829.	0.9	6
105	Time to better integrate paleoecological research infrastructures with neoecology to improve understanding of biodiversity long-term dynamics and to inform future conservation. Environmental Research Letters, 2021, 16, 095005.	2.2	9
106	Modern pollen-vegetation relationships in the Taihang Mountains: Towards the quantitative reconstruction of land-cover changes in the North China Plain. Ecological Indicators, 2021, 129, 107928.	2.6	8
107	POLLEN METHODS AND STUDIES POLLSCAPE Model. , 2007, , 2561-2570.		3
108	Dating of rock art and the effect of human activity on vegetation: The complementary use of archaeological and scientific methods. Quaternary Science Reviews, 2017, 168, 194-207.	1.4	12

ARTICLE IF CITATIONS Impacto medioambiental de la minerÃa y la metalurgia del cobre durante la Edad del Bronce en Kargaly 110 0.2 4 (regiÃ³n de Orenburgo, Rusia). Trabajos De Prehistoria, 2010, 67, 511-544. Reconstructing Nutrient and Energy Flows Through Terrestrial Ecosystems Of the Holocene. Palaios, 2008, 23, 721-723. Influence of land cover and structure of tree stands on pollen deposition in Zaborski Landscape Park. 112 0.1 2 Ecological Questions, 2012, 16, . Do Local Habitat Conditions Affect Estimates of Relative Pollen Productivity and Source Area in 1.1 Heathlands?. Frontiers in Ecology and Evolution, 2022, 10, . European pollen-based REVEALS land-cover reconstructions for the Holocene: methodology, mapping 114 3.7 42 and potentials. Earth System Science Data, 2022, 14, 1581-1619. A new indicator approach to reconstruct agricultural land use in Europe from sedimentary pollen assemblages. Palaeogeography, Palaeoclimatology, Palaeoecology, 2022, 599, 111051. 1.0 Pollen richness: a reflection of vegetation diversity orÂpollen-specific parameters?. Vegetation History 122 1.0 8 and Archaeobotany, 2022, 31, 611-622. A multiproxy approach to long-term herbivore grazing dynamics in peatlands based on pollen, coprophilous fungi and faecal biomarkers. Palaeogeography, Palaeoclimatology, Palaeoecology, 2022, 1.0 9 598, 111032. Modern Pollen Assemblages From Lake Sediments and Soil in East Siberia and Relative Pollen 124 1.1 3 Productivity Estimates for Major Taxa. Frontiers in Ecology and Evolution, 0, 10, . Spatial and temporal patterns of upland vegetation over the last 200 years in the northern pyrenees: 1.4 Example from the Bassiā's valley, Ariā'ge, France. Quaternary Science Reviews, 2022, 294, 107753. Spatial scaling of pollen-plant diversity relationship in landscapes with contrasting diversity 127 0 1.6 patterns. Scientific Reports, 2022, 12, . La flore des milieux rudéraux et sa représentation polliniqueÂ: une nouvelle approche pour la reconstruction des paléoenvironnements humains. , 2013, 97-108. Reconstructing past human impact on vegetation using pollen data., 2023,,. 130 0