An artificial neural network model for generating hydrohydro-meteorological parameters

Journal of Hydrology 315, 236-251 DOI: 10.1016/j.jhydrol.2005.03.032

Citation Report

#	Article	IF	CITATIONS
1	An Intelligent Decision Support System for Management of Floods. Water Resources Management, 2006, 20, 391-410.	3.9	160
3	Using statistical and artificial neural network models to forecast potentiometric levels at a deep well in South Texas. Environmental Geology, 2007, 51, 885-895.	1.2	53
4	Neural Network Input Selection for Hydrological Forecasting Affected by Snowmelt. Journal of the American Water Resources Association, 2008, 44, 679-688.	2.4	5
5	A coupled model tree–genetic algorithm scheme for flow and water quality predictions in watersheds. Journal of Hydrology, 2008, 349, 364-375.	5.4	48
6	A MONITORING METHOD FOR POLLUTANT LOAD IN RIVERS BY USING ARTIFICIAL NEURAL NETWORK. Proceedings of Hydraulic Engineering, 2008, 52, 127-132.	0.0	0
7	An artificial neural network model for rainfall forecasting in Bangkok, Thailand. Hydrology and Earth System Sciences, 2009, 13, 1413-1425.	4.9	262
8	SOFT COMPUTING TOOLS IN RAINFALL-RUNOFF MODELING. ISH Journal of Hydraulic Engineering, 2009, 15, 84-96.	2.1	9
9	Model Flood Alert System: Development and Application for the Theater District within Downtown Houston, Tex Journal of Hydrologic Engineering - ASCE, 2009, 14, 475-489.	1.9	4
10	Developing a hybrid multiâ€nodel for peak flood forecasting. Hydrological Processes, 2009, 23, 1725-1738.	2.6	42
11	Radial basis function neural network for hydrologic inversion: an appraisal with classical and spatio-temporal geostatistical techniques in the context of site characterization. Stochastic Environmental Research and Risk Assessment, 2009, 23, 933-945.	4.0	17
12	Assessment of diffuse solar energy under general sky condition using artificial neural network. Applied Energy, 2009, 86, 554-564.	10.1	118
13	Using oceanicâ€atmospheric oscillations for long lead time streamflow forecasting. Water Resources Research, 2009, 45, .	4.2	87
14	Rainfall-Runoff Modeling: Comparison of Two Approaches with Different Data Requirements. Water Resources Management, 2010, 24, 37-62.	3.9	52
15	Generation of synthetic seasonal hydrographs for a large river basin. Journal of Hydrology, 2010, 381, 287-296.	5.4	24
16	Artificial neural networks for estimating regional arsenic concentrations in a blackfoot disease area in Taiwan. Journal of Hydrology, 2010, 388, 65-76.	5.4	50
17	Estimating soil moisture using remote sensing data: A machine learning approach. Advances in Water Resources, 2010, 33, 69-80.	3.8	345
18	Rainfall-Runoff Simulation Using Simulated Annealing Wavelet BP Neural Networks. , 2010, , .		4
19	Applications of Artificial Neural Networks in Urban Water System. , 2010, , .		3

#	Article	IF	CITATIONS
20	Rainfall Prediction Using Generalized Regression Neural Network: Case Study Zhengzhou. , 2010, , .		24
21	Artificial neural networks for precipitation prediction: A case study on Eğirdir. , 2011, , .		0
22	Suspended sediment load prediction of river systems: An artificial neural network approach. Agricultural Water Management, 2011, 98, 855-866.	5.6	255
23	Using HEC-HMS for Stormwater Infrastructure Assessment in Response to Changes in Design Storm Depths Calculated from Climate Projections. , 2011, , .		0
24	Flood simulation using parallel genetic algorithm integrated wavelet neural networks. Neurocomputing, 2011, 74, 2734-2744.	5.9	27
25	Predicting Spatial Distribution of Snow Water Equivalent Using Multivariate Non-linear Regression and Computational Intelligence Methods. Water Resources Management, 2011, 25, 1417-1435.	3.9	34
26	Climate change, glacier melting and streamflow in the Niyang River Basin, Southeast Tibet, China. Ecohydrology, 2011, 4, 288-298.	2.4	35
27	Melt index prediction by RBF neural network optimized with an adaptive new ant colony optimization algorithm. Journal of Applied Polymer Science, 2011, 119, 3093-3100.	2.6	28
28	Effect of Pruning and Smoothing while Using M5 Model Tree Technique for Reservoir Inflow Prediction. Journal of Hydrologic Engineering - ASCE, 2011, 16, 563-574.	1.9	41
29	Evaluating Urban Storm-Water Infrastructure Design in Response to Projected Climate Change. Journal of Hydrologic Engineering - ASCE, 2011, 16, 865-873.	1.9	113
31	Neural network approach to output updating for the physically-based model of the Upper Thames River watershed. International Journal of Hydrology Science and Technology, 2012, 2, 306.	0.3	3
32	Nonparametric methods for drought severity estimation at ungauged sites. Water Resources Research, 2012, 48, .	4.2	31
33	Application of Artificial Neural Networks in Instantaneous Peak Flow Estimation for Kharestan Watershed, Iran. Journal of Resources and Ecology, 2012, 3, 379-383.	0.4	7
34	Two decades of anarchy? Emerging themes and outstanding challenges for neural network river forecasting. Progress in Physical Geography, 2012, 36, 480-513.	3.2	235
35	Estimating annual precipitation for the Colorado River Basin using oceanicâ€∎tmospheric oscillations. Water Resources Research, 2012, 48, .	4.2	74
36	Computational Techniques to Manage Natural Resources. International Journal of Organizational and Collective Intelligence, 2012, 3, 117-137.	0.3	0
37	The carbon footprint of water management policy options. Energy Policy, 2012, 42, 201-212.	8.8	109
38	Changing climatic conditions in the Colorado River Basin: Implications for water resources management. Journal of Hydrology, 2012, 430-431, 127-141.	5.4	127

#	Article	IF	CITATIONS
39	A comparative study for prediction of direct runoff for a river basin using geomorphological approach and artificial neural networks. Applied Water Science, 2012, 2, 1-13.	5.6	17
40	Using largeâ€scale climatic patterns for improving long lead time streamflow forecasts for Gunnison and San Juan River Basins. Hydrological Processes, 2013, 27, 1543-1559.	2.6	81
41	A new hybrid artificial neural networks for rainfall–runoff process modeling. Neurocomputing, 2013, 121, 470-480.	5.9	107
42	Increasing streamflow forecast lead time for snowmelt-driven catchment based on large-scale climate patterns. Advances in Water Resources, 2013, 53, 150-162.	3.8	96
43	A Dynamic Model for Vulnerability Assessment of Regional Water Resources in Arid Areas: A Case Study of Bayingolin, China. Water Resources Management, 2013, 27, 3085-3101.	3.9	120
44	Using Paleo Reconstructions to Improve Streamflow Forecast Lead Time in the Western <scp>U</scp> nited <scp>S</scp> tates. Journal of the American Water Resources Association, 2013, 49, 1351-1366.	2.4	55
45	Evaluating the impact of demand-side management on water resources under changing climatic conditions and increasing population. Journal of Environmental Management, 2013, 114, 261-275.	7.8	161
46	Soil Water Dynamic Modeling Using the Physical and Support Vector Machine Methods. Vadose Zone Journal, 2013, 12, 1-12.	2.2	33
47	Improving Streamflow Forecast Lead Time Using Oceanic-Atmospheric Oscillations for Kaidu River Basin, Xinjiang, China. Journal of Hydrologic Engineering - ASCE, 2013, 18, 1031-1040.	1.9	65
48	COMPARATIVE EVALUATION OF IMPLEMENTING PARTICIPATORY IRRIGATION MANAGEMENT IN PUNJAB, PAKISTAN. Irrigation and Drainage, 2014, 63, 315-327.	1.7	21
49	Drought forecasting in a semi-arid watershed using climate signals: a neuro-fuzzy modeling approach. Journal of Mountain Science, 2014, 11, 1593-1605.	2.0	92
50	Forecasting of rainfall using ANN, GPS and mteorological data. , 2014, , .		3
51	Using path analysis to identify the influence of climatic factors on spring peak flow dominated by snowmelt in an alpine watershed. Journal of Mountain Science, 2014, 11, 990-1000.	2.0	68
52	Distributed Hydrological Modeling for a Snow Dominant Watershed Using a Precipitation and Runoff Modeling System. , 2015, , .		6
53	Rainfall-runoff modeling in the Turkey River using numerical and regression methods. Journal of Fundamental and Applied Sciences, 2015, 7, 91.	0.2	4
54	A comparison of numerical and machine-learning modeling of soil water content with limited input data. Journal of Hydrology, 2016, 543, 892-909.	5.4	109
55	Long-range precipitation forecasts using paleoclimate reconstructions in the western United States. Journal of Mountain Science, 2016, 13, 614-632.	2.0	33
56	Assessing the impact of climate change on the frequency of floods in the Red River basin. Canadian Water Resources Journal, 2016, 41, 331-342.	1.2	6

ARTICLE IF CITATIONS # Comparison of different methods for reconstruction of instantaneous peak flow data. Intelligent 57 2.14 Automation and Soft Computing, 2017, 23, 41-49. Computational approaches for annual maximum river flow series. Ain Shams Engineering Journal, 2017, 6.1 8, 51-58. Development and Testing of an ANN Model for Estimation of Runoff from a Snow Covered Catchment. 59 1.2 8 Journal of the Institution of Engineers (India): Series A, 2017, 98, 29-39. Trend analysis using discrete wavelet transform (DWT) for long-term precipitation (1851–2006) over India. Hydrological Sciences Journal, 2017, 62, 2187-2208. ApplicationÂof machine-learning models for diagnosing health hazard of nitrate toxicity in shallow 61 1.8 13 aquifers. Paddy and Water Environment, 2017, 15, 201-215. Application of Artificial Neural Networks for Accuracy Enhancements of Real-Time Flood Forecasting in the Imjin Basin. Water (Switzerland), 2018, 10, 1626. Flood Prediction Using Machine Learning Models: Literature Review. Water (Switzerland), 2018, 10, 63 2.7 692 1536. 2D Hydrodynamic Model for Flood Vulnerability Assessment of Lower Indus River Basin, Pakistan., 64 2018,,. The Effect of Landscape Interventions on Groundwater Flow and Surface Runoff in a Watershed in 65 2.7 12 the Upper Reaches of the Blue Nile. Water (Switzerland), 2019, 11, 2188. Rainfall-Runoff Modeling of Sutlej River Basin (India) Using Soft Computing Techniques. International Journal of Agricultural and Environmental Information Systems, 2019, 10, 1-20. GIS Framework for Spatiotemporal Mapping of Urban Flooding. Geosciences (Switzerland), 2019, 9, 77. 67 2.2 16 Temperature Prediction Based on Long Short Term Memory Networks., 2019,,. 68 Impacts of Urban Development on Flooding: A Case Study of Flamingo and Tropicana Watershed, Clark 69 4 County., 2020, , . Application of Different Separation Methods to Investigate the Baseflow Characteristics of a 2.7 Semi-Arid Sandy Area, Northwestern China. Water (Switzerland), 2020, 12, 434. Multiagent Systems and Role-Playing Games Applied to Natural Resources Management. Advances in 73 0.6 1 Intelligent Systems and Computing, 2021, , 221-230. Artificial neural network for the estimation of soil moisture using earth observation datasets., 2021, 74 ,227-239. Modeling of Groundwater Level Using Artificial Neural Network Algorithm and WA-SVR Model., 2021, 75 14 , 129-150. Robust Ensemble Modeling Paradigm for Groundwater Salinity Predictions in Complex Aquifer Systems., 2021, , 53-72.

#	Article	IF	CITATIONS
77	Flood hydrograph modeling using artificial neural network and adaptive neuro-fuzzy inference system based on rainfall components. Arabian Journal of Geosciences, 2021, 14, 1.	1.3	5
78	Retrieval and Mapping of Soil Organic Carbon Using Sentinel-2A Spectral Images from Bare Cropland in Autumn. Remote Sensing, 2021, 13, 1072.	4.0	19
79	Cumulative infiltration and infiltration rate prediction using optimized deep learning algorithms: A study in Western Iran. Journal of Hydrology: Regional Studies, 2021, 35, 100825.	2.4	24
80	Dam Breach Flood Inundation Modeling for Aripir Dam, Sindh, Pakistan. , 2021, , .		1
81	Machine Learning for Predicting Field Soil Moisture Using Soil, Crop, and Nearby Weather Station Data in the Red River Valley of the North. Soil Systems, 2021, 5, 57.	2.6	20
82	Evaluation of short-term streamflow prediction methods in Urban river basins. Physics and Chemistry of the Earth, 2021, 123, 103027.	2.9	15
83	Black-Box Hydrological Models. , 2019, , 341-387.		2
84	Black-Box Hydrological Models. , 2017, , 1-48.		2
85	Long-range precipitation forecasts using paleoclimate reconstructions in the western United States. , 2016, 13, 614.		3
86	Measuring cotton water status using water-related vegetation indices at leaf and canopy levels. Journal of Arid Land, 2012, 4, 310-319.	2.3	7
87	Prediction of water flows in Colorado River, Argentina. Latin American Journal of Aquatic Research, 2012, 40, 872-880.	0.6	19
89	Artificial Intelligence Applied to Natural Resources Management. , 2010, , 313-330.		0
90	Yapay sinir ağlarıyla coğrafi bilgi sistemi ortamında olasılıklı sıcaklık tahmini ve karşılaştı Bilimleri Dergisi, 2011, 17, 241-252.	′ılması 0.4	. Tarim 1
91	Artificial Intelligence Applied to Natural Resources Management. , 2012, , 1566-1582.		4
92	Analysis of Changes in Runoff Due to Land Cover Change. , 2020, , .		3
93	Zonation of flood prone areas by an integrated framework of a hydrodynamic model and ANN. Water Science and Technology: Water Supply, 2021, 21, 80-97.	2.1	8
94	Flood forecast and flood vulnerability modeling in case of Wadi Fez, Morocco. Arabian Journal of Geosciences, 2022, 15, 1.	1.3	7
95	Application of Physical Modelling Approach in Lower Indus River to Address Approach Flow and Silt Accumulation Issues. , 2022, , .		0

#	Article	IF	CITATIONS
98	FIRAT HAVZASI KARASU NEHRİNDEKİ AYLIK AKIMLARIN YAPAY SİNİR AĞLARI YAKLAŞIMINI İLE TAHMİN Bilimleri Ve Tasarım Dergisi, 2022, 10, 917-928.	₩İMü 0.3	hęndislik
99	An Enhanced Feed-Forward Back Propagation Levenberg–Marquardt Algorithm for Suspended Sediment Yield Modeling. Water (Switzerland), 2022, 14, 3714.	2.7	10
100	Enhancing flood susceptibility modeling using multi-temporal SAR images, CHIRPS data, and hybrid machine learning algorithms. Science of the Total Environment, 2023, 871, 162066.	8.0	13
101	Output updating of a physically based model for gauged and ungauged sites of the Upper Thames River watershed. Journal of Hydrology and Hydromechanics, 2023, 71, 259-270.	2.0	0
102	Evolution and attribution of ecological flow in the Xiangjiang River basin since 1961. Environmental Science and Pollution Research, 2023, 30, 104388-104407.	5.3	1