

# An artificial neural network model for generating hydro- hydro-meteorological parameters

Journal of Hydrology

315, 236-251

DOI: [10.1016/j.jhydrol.2005.03.032](https://doi.org/10.1016/j.jhydrol.2005.03.032)

Citation Report

#	ARTICLE	IF	CITATIONS
1	An Intelligent Decision Support System for Management of Floods. Water Resources Management, 2006, 20, 391-410.	1.9	160
3	Using statistical and artificial neural network models to forecast potentiometric levels at a deep well in South Texas. Environmental Geology, 2007, 51, 885-895.	1.2	53
4	Neural Network Input Selection for Hydrological Forecasting Affected by Snowmelt. Journal of the American Water Resources Association, 2008, 44, 679-688.	1.0	5
5	A coupled model treeâ€“genetic algorithm scheme for flow and water quality predictions in watersheds. Journal of Hydrology, 2008, 349, 364-375.	2.3	48
6	A MONITORING METHOD FOR POLLUTANT LOAD IN RIVERS BY USING ARTIFICIAL NEURAL NETWORK. Proceedings of Hydraulic Engineering, 2008, 52, 127-132.	0.0	0
7	An artificial neural network model for rainfall forecasting in Bangkok, Thailand. Hydrology and Earth System Sciences, 2009, 13, 1413-1425.	1.9	262
8	SOFT COMPUTING TOOLS IN RAINFALL-RUNOFF MODELING. ISH Journal of Hydraulic Engineering, 2009, 15, 84-96.	1.1	9
9	Model Flood Alert System: Development and Application for the Theater District within Downtown Houston, Tex.. Journal of Hydrologic Engineering - ASCE, 2009, 14, 475-489.	0.8	4
10	Developing a hybrid multiâ€“model for peak flood forecasting. Hydrological Processes, 2009, 23, 1725-1738.	1.1	42
11	Radial basis function neural network for hydrologic inversion: an appraisal with classical and spatio-temporal geostatistical techniques in the context of site characterization. Stochastic Environmental Research and Risk Assessment, 2009, 23, 933-945.	1.9	17
12	Assessment of diffuse solar energy under general sky condition using artificial neural network. Applied Energy, 2009, 86, 554-564.	5.1	118
13	Using oceanicâ€“atmospheric oscillations for long lead time streamflow forecasting. Water Resources Research, 2009, 45, .	1.7	87
14	Rainfall-Runoff Modeling: Comparison of Two Approaches with Different Data Requirements. Water Resources Management, 2010, 24, 37-62.	1.9	52
15	Generation of synthetic seasonal hydrographs for a large river basin. Journal of Hydrology, 2010, 381, 287-296.	2.3	24
16	Artificial neural networks for estimating regional arsenic concentrations in a blackfoot disease area in Taiwan. Journal of Hydrology, 2010, 388, 65-76.	2.3	50
17	Estimating soil moisture using remote sensing data: A machine learning approach. Advances in Water Resources, 2010, 33, 69-80.	1.7	345
18	Rainfall-Runoff Simulation Using Simulated Annealing Wavelet BP Neural Networks. , 2010, , .		4
19	Applications of Artificial Neural Networks in Urban Water System. , 2010, , .		3

#	ARTICLE	IF	CITATIONS
20	Rainfall Prediction Using Generalized Regression Neural Network: Case Study Zhengzhou. , 2010, , .		24
21	Artificial neural networks for precipitation prediction: A case study on E&#x011F;irdir. , 2011, , .		0
22	Suspended sediment load prediction of river systems: An artificial neural network approach. Agricultural Water Management, 2011, 98, 855-866.	2.4	255
23	Using HEC-HMS for Stormwater Infrastructure Assessment in Response to Changes in Design Storm Depths Calculated from Climate Projections. , 2011, , .		0
24	Flood simulation using parallel genetic algorithm integrated wavelet neural networks. Neurocomputing, 2011, 74, 2734-2744.	3.5	27
25	Predicting Spatial Distribution of Snow Water Equivalent Using Multivariate Non-linear Regression and Computational Intelligence Methods. Water Resources Management, 2011, 25, 1417-1435.	1.9	34
26	Climate change, glacier melting and streamflow in the Niyang River Basin, Southeast Tibet, China. Ecohydrology, 2011, 4, 288-298.	1.1	35
27	Melt index prediction by RBF neural network optimized with an adaptive new ant colony optimization algorithm. Journal of Applied Polymer Science, 2011, 119, 3093-3100.	1.3	28
28	Effect of Pruning and Smoothing while Using M5 Model Tree Technique for Reservoir Inflow Prediction. Journal of Hydrologic Engineering - ASCE, 2011, 16, 563-574.	0.8	41
29	Evaluating Urban Storm-Water Infrastructure Design in Response to Projected Climate Change. Journal of Hydrologic Engineering - ASCE, 2011, 16, 865-873.	0.8	113
31	Neural network approach to output updating for the physically-based model of the Upper Thames River watershed. International Journal of Hydrology Science and Technology, 2012, 2, 306.	0.2	3
32	Nonparametric methods for drought severity estimation at ungauged sites. Water Resources Research, 2012, 48, .	1.7	31
33	Application of Artificial Neural Networks in Instantaneous Peak Flow Estimation for Kharestan Watershed, Iran. Journal of Resources and Ecology, 2012, 3, 379-383.	0.2	7
34	Two decades of anarchy? Emerging themes and outstanding challenges for neural network river forecasting. Progress in Physical Geography, 2012, 36, 480-513.	1.4	235
35	Estimating annual precipitation for the Colorado River Basin using oceanic&#x00e0;atmospheric oscillations. Water Resources Research, 2012, 48, .	1.7	74
36	Computational Techniques to Manage Natural Resources. International Journal of Organizational and Collective Intelligence, 2012, 3, 117-137.	0.3	0
37	The carbon footprint of water management policy options. Energy Policy, 2012, 42, 201-212.	4.2	109
38	Changing climatic conditions in the Colorado River Basin: Implications for water resources management. Journal of Hydrology, 2012, 430-431, 127-141.	2.3	127

#	ARTICLE	IF	CITATIONS
39	A comparative study for prediction of direct runoff for a river basin using geomorphological approach and artificial neural networks. Applied Water Science, 2012, 2, 1-13.	2.8	17
40	Using large-scale climatic patterns for improving long lead time streamflow forecasts for Gunnison and San Juan River Basins. Hydrological Processes, 2013, 27, 1543-1559.	1.1	81
41	A new hybrid artificial neural networks for rainfall-runoff process modeling. Neurocomputing, 2013, 121, 470-480.	3.5	107
42	Increasing streamflow forecast lead time for snowmelt-driven catchment based on large-scale climate patterns. Advances in Water Resources, 2013, 53, 150-162.	1.7	96
43	A Dynamic Model for Vulnerability Assessment of Regional Water Resources in Arid Areas: A Case Study of Bayingolin, China. Water Resources Management, 2013, 27, 3085-3101.	1.9	120
44	Using Paleo Reconstructions to Improve Streamflow Forecast Lead Time in the Western United States. Journal of the American Water Resources Association, 2013, 49, 1351-1366.	1.0	55
45	Evaluating the impact of demand-side management on water resources under changing climatic conditions and increasing population. Journal of Environmental Management, 2013, 114, 261-275.	3.8	161
46	Soil Water Dynamic Modeling Using the Physical and Support Vector Machine Methods. Vadose Zone Journal, 2013, 12, 1-12.	1.3	33
47	Improving Streamflow Forecast Lead Time Using Oceanic-Atmospheric Oscillations for Kaidu River Basin, Xinjiang, China. Journal of Hydrologic Engineering - ASCE, 2013, 18, 1031-1040.	0.8	65
48	COMPARATIVE EVALUATION OF IMPLEMENTING PARTICIPATORY IRRIGATION MANAGEMENT IN PUNJAB, PAKISTAN. Irrigation and Drainage, 2014, 63, 315-327.	0.8	21
49	Drought forecasting in a semi-arid watershed using climate signals: a neuro-fuzzy modeling approach. Journal of Mountain Science, 2014, 11, 1593-1605.	0.8	92
50	Forecasting of rainfall using ANN, GPS and meteorological data. , 2014, , .		3
51	Using path analysis to identify the influence of climatic factors on spring peak flow dominated by snowmelt in an alpine watershed. Journal of Mountain Science, 2014, 11, 990-1000.	0.8	68
52	Distributed Hydrological Modeling for a Snow Dominant Watershed Using a Precipitation and Runoff Modeling System. , 2015, , .		6
53	Rainfall-runoff modeling in the Turkey River using numerical and regression methods. Journal of Fundamental and Applied Sciences, 2015, 7, 91.	0.2	4
54	A comparison of numerical and machine-learning modeling of soil water content with limited input data. Journal of Hydrology, 2016, 543, 892-909.	2.3	109
55	Long-range precipitation forecasts using paleoclimate reconstructions in the western United States. Journal of Mountain Science, 2016, 13, 614-632.	0.8	33
56	Assessing the impact of climate change on the frequency of floods in the Red River basin. Canadian Water Resources Journal, 2016, 41, 331-342.	0.5	6

#	ARTICLE	IF	CITATIONS
57	Comparison of different methods for reconstruction of instantaneous peak flow data. Intelligent Automation and Soft Computing, 2017, 23, 41-49.	1.6	4
58	Computational approaches for annual maximum river flow series. Ain Shams Engineering Journal, 2017, 8, 51-58.	3.5	3
59	Development and Testing of an ANN Model for Estimation of Runoff from a Snow Covered Catchment. Journal of the Institution of Engineers (India): Series A, 2017, 98, 29-39.	0.6	8
60	Trend analysis using discrete wavelet transform (DWT) for long-term precipitation (1851â€“2006) over India. Hydrological Sciences Journal, 2017, 62, 2187-2208.	1.2	47
61	Application of machine-learning models for diagnosing health hazard of nitrate toxicity in shallow aquifers. Paddy and Water Environment, 2017, 15, 201-215.	1.0	13
62	Application of Artificial Neural Networks for Accuracy Enhancements of Real-Time Flood Forecasting in the Imjin Basin. Water (Switzerland), 2018, 10, 1626.	1.2	33
63	Flood Prediction Using Machine Learning Models: Literature Review. Water (Switzerland), 2018, 10, 1536.	1.2	692
64	2D Hydrodynamic Model for Flood Vulnerability Assessment of Lower Indus River Basin, Pakistan. , 2018, , .		11
65	The Effect of Landscape Interventions on Groundwater Flow and Surface Runoff in a Watershed in the Upper Reaches of the Blue Nile. Water (Switzerland), 2019, 11, 2188.	1.2	12
66	Rainfall-Runoff Modeling of Sutlej River Basin (India) Using Soft Computing Techniques. International Journal of Agricultural and Environmental Information Systems, 2019, 10, 1-20.	1.8	3
67	GIS Framework for Spatiotemporal Mapping of Urban Flooding. Geosciences (Switzerland), 2019, 9, 77.	1.0	16
68	Temperature Prediction Based on Long Short Term Memory Networks. , 2019, , .		4
69	Impacts of Urban Development on Flooding: A Case Study of Flamingo and Tropicana Watershed, Clark County. , 2020, , .		4
71	Application of Different Separation Methods to Investigate the Baseflow Characteristics of a Semi-Arid Sandy Area, Northwestern China. Water (Switzerland), 2020, 12, 434.	1.2	18
73	Multiagent Systems and Role-Playing Games Applied to Natural Resources Management. Advances in Intelligent Systems and Computing, 2021, , 221-230.	0.5	1
74	Artificial neural network for the estimation of soil moisture using earth observation datasets. , 2021, , 227-239.		1
75	Modeling of Groundwater Level Using Artificial Neural Network Algorithm and WA-SVR Model. , 2021, , 129-150.		14
76	Robust Ensemble Modeling Paradigm for Groundwater Salinity Predictions in Complex Aquifer Systems. , 2021, , 53-72.		1

#	ARTICLE	IF	CITATIONS
77	Flood hydrograph modeling using artificial neural network and adaptive neuro-fuzzy inference system based on rainfall components. <i>Arabian Journal of Geosciences</i> , 2021, 14, 1.	0.6	5
78	Retrieval and Mapping of Soil Organic Carbon Using Sentinel-2A Spectral Images from Bare Cropland in Autumn. <i>Remote Sensing</i> , 2021, 13, 1072.	1.8	19
79	Cumulative infiltration and infiltration rate prediction using optimized deep learning algorithms: A study in Western Iran. <i>Journal of Hydrology: Regional Studies</i> , 2021, 35, 100825.	1.0	24
80	Dam Breach Flood Inundation Modeling for Aripir Dam, Sindh, Pakistan. , 2021, , .		1
81	Machine Learning for Predicting Field Soil Moisture Using Soil, Crop, and Nearby Weather Station Data in the Red River Valley of the North. <i>Soil Systems</i> , 2021, 5, 57.	1.0	20
82	Evaluation of short-term streamflow prediction methods in Urban river basins. <i>Physics and Chemistry of the Earth</i> , 2021, 123, 103027.	1.2	15
83	Black-Box Hydrological Models. , 2019, , 341-387.		2
84	Black-Box Hydrological Models. , 2017, , 1-48.		2
85	Long-range precipitation forecasts using paleoclimate reconstructions in the western United States. , 2016, 13, 614.		3
86	Measuring cotton water status using water-related vegetation indices at leaf and canopy levels. <i>Journal of Arid Land</i> , 2012, 4, 310-319.	0.9	7
87	Prediction of water flows in Colorado River, Argentina. <i>Latin American Journal of Aquatic Research</i> , 2012, 40, 872-880.	0.2	19
89	Artificial Intelligence Applied to Natural Resources Management. , 2010, , 313-330.		0
90	Yapay sinir aÄŸlarÄ±yla coÄŸrafi bilgi sistemi ortamÄ±nda olasÄ±lÄ±klÄ± sÄ±caklÄ±k tahmini ve karÄŸÄ±laÄŸÄ±mlarÄ±. <i>Çarim Bilimleri Dergisi</i> , 2011, 17, 241-252.	0.4	1
91	Artificial Intelligence Applied to Natural Resources Management. , 2012, , 1566-1582.		4
92	Analysis of Changes in Runoff Due to Land Cover Change. , 2020, , .		3
93	Zonation of flood prone areas by an integrated framework of a hydrodynamic model and ANN. <i>Water Science and Technology: Water Supply</i> , 2021, 21, 80-97.	1.0	8
94	Flood forecast and flood vulnerability modeling in case of Wadi Fez, Morocco. <i>Arabian Journal of Geosciences</i> , 2022, 15, 1.	0.6	7
95	Application of Physical Modelling Approach in Lower Indus River to Address Approach Flow and Silt Accumulation Issues. , 2022, , .		0

#	ARTICLE	IF	CITATIONS
98	FIRAT HAVZASI KARASU NEHRÄ°NDEKÄ° AYLIK AKIMLARIN YAPAY SÄ°NÄ°R AÄžLARI YAKLAÄžİMİNİ Ä°LE TAHMÄ°NÄ°MÄ¼hendislik Bilimleri Ve TasarÄ±m Dergisi, 2022, 10, 917-928.	0.1	6
99	An Enhanced Feed-Forward Back Propagation Levenbergâ€“Marquardt Algorithm for Suspended Sediment Yield Modeling. Water (Switzerland), 2022, 14, 3714.	1.2	10
100	Enhancing flood susceptibility modeling using multi-temporal SAR images, CHIRPS data, and hybrid machine learning algorithms. Science of the Total Environment, 2023, 871, 162066.	3.9	13