

# Triptolide protects dopaminergic neurons from inflammation induced by lipopolysaccharide intranigral injection

Neurobiology of Disease

18, 441-449

DOI: [10.1016/j.nbd.2004.12.005](https://doi.org/10.1016/j.nbd.2004.12.005)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Catalpol protects dopaminergic neurons from LPS-induced neurotoxicity in mesencephalic neuron-glia cultures. <i>Life Sciences</i> , 2006, 80, 193-199.	2.0	121
2	Triptolide inhibits COX-2 expression via NF-kappa B pathway in astrocytes. <i>Neuroscience Research</i> , 2006, 55, 154-160.	1.0	45
3	Paeoniflorin attenuates neuroinflammation and dopaminergic neurodegeneration in the MPTP model of Parkinson's disease by activation of adenosine A1 receptor. <i>British Journal of Pharmacology</i> , 2006, 148, 314-325.	2.7	114
4	3- $\alpha$ -Hydroxymorphinan, a metabolite of dextromethorphan, protects nigrostriatal pathway against MPTP-elicited damage both in vivo and in vitro. <i>FASEB Journal</i> , 2006, 20, 2496-2511.	0.2	77
5	Simple method for determination of five terpenoids from different parts of <i>Tripterygium wilfordii</i> and its preparations by HPLC coupled with evaporative light scattering detection. <i>Journal of Separation Science</i> , 2007, 30, 1284-1291.	1.3	24
6	Triptolide protects against MPTP-induced neurotoxicity in C57BL/6 mice. <i>European Journal of Neuroscience</i> , 2007, 26, 1500-1508.	1.2	35
7	Neuroprotective effect of catalpol against MPP <sup>+</sup> -induced oxidative stress in mesencephalic neurons. <i>European Journal of Pharmacology</i> , 2007, 568, 142-148.	1.7	58
8	Triptolide Upregulates NGF Synthesis in Rat Astrocyte Cultures. <i>Neurochemical Research</i> , 2007, 32, 1113-1119.	1.6	43
9	The Neuroscience Research Institute at Peking University: A Place for the Solution of Pain and Drug Abuse. <i>Cellular and Molecular Neurobiology</i> , 2008, 28, 13-19.	1.7	4
10	Therapeutic Strategies for Parkinson's Disease: The Ancient Meets the Future" Traditional Chinese Herbal Medicine, Electroacupuncture, Gene Therapy and Stem Cells. <i>Neurochemical Research</i> , 2008, 33, 1956-1963.	1.6	50
11	Triptolide protects against 1-methyl-4-phenyl pyridinium-induced dopaminergic neurotoxicity in rats: Implication for immunosuppressive therapy in Parkinson's disease. <i>Neuroscience Bulletin</i> , 2008, 24, 133-142.	1.5	36
12	Triptolide inhibits COX-2 expression and PGE <sub>2</sub> release by suppressing the activity of NF- $\kappa$ B and JNK in LPS-treated microglia. <i>Journal of Neurochemistry</i> , 2008, 107, 779-788.	2.1	82
13	Neuroprotective role of tripchlorolide on inflammatory neurotoxicity induced by lipopolysaccharide-activated microglia. <i>Biochemical Pharmacology</i> , 2008, 76, 362-372.	2.0	50
14	Prenatal inflammatory effects on nigrostriatal development in organotypic cultures. <i>Brain Research</i> , 2008, 1233, 160-167.	1.1	14
15	Triptolide inhibits amyloid- $\beta$ 1-42-induced TNF- $\alpha$ and IL-1 $\beta$ production in cultured rat microglia. <i>Journal of Neuroimmunology</i> , 2008, 205, 32-36.	1.1	63
16	Luteolin protects dopaminergic neurons from inflammation-induced injury through inhibition of microglial activation. <i>Neuroscience Letters</i> , 2008, 448, 175-179.	1.0	119
17	Protective effect of isoflavones from <i>Trifolium pratense</i> on dopaminergic neurons. <i>Neuroscience Research</i> , 2008, 62, 123-130.	1.0	56
18	Inflammatory priming of the substantia nigra influences the impact of later paraquat exposure: Neuroimmune sensitization of neurodegeneration. <i>Neurobiology of Aging</i> , 2009, 30, 1361-1378.	1.5	72

#	ARTICLE	IF	CITATIONS
19	Microglial responses to dopamine in a cell culture model of Parkinson's disease. <i>Neurobiology of Aging</i> , 2009, 30, 1805-1817.	1.5	90
20	Catalpol attenuates nitric oxide increase via ERK signaling pathways induced by rotenone in mesencephalic neurons. <i>Neurochemistry International</i> , 2009, 54, 264-270.	1.9	33
21	Î²-1,4-Galactosyltransferase-I participates in lipopolysaccharide induced reactive microgliosis. <i>NeuroToxicology</i> , 2009, 30, 1107-1113.	1.4	1
22	Chinese Herbal Medicine: Perspectives on Age-Related Neurodegenerative Diseases. <i>Annals of Traditional Chinese Medicine</i> , 2010, , 143-170.	0.1	0
23	Potential therapeutic agents against Alzheimer's disease from natural sources. <i>Archives of Pharmacal Research</i> , 2010, 33, 1589-1609.	2.7	64
24	Recent progress in neurodegenerative disorder research in China. <i>Science China Life Sciences</i> , 2010, 53, 348-355.	2.3	29
25	Glial cell line-derived neurotrophic factor protects midbrain dopaminergic neurons against lipopolysaccharide neurotoxicity. <i>Journal of Neuroimmunology</i> , 2010, 225, 43-51.	1.1	33
26	Triptolide promotes spinal cord repair by inhibiting astrogliosis and inflammation. <i>Glia</i> , 2010, 58, 901-915.	2.5	59
27	Retrospect and prospect of active principles from Chinese herbs in the treatment of dementia. <i>Acta Pharmacologica Sinica</i> , 2010, 31, 649-664.	2.8	52
28	Extract of <i>Tripterygium wilfordii</i> Hook F Protect Dopaminergic Neurons Against Lipopolysaccharide-Induced Inflammatory Damage. <i>The American Journal of Chinese Medicine</i> , 2010, 38, 801-814.	1.5	20
29	Triptolide T10 enhances AAV-mediated gene transfer in mice striatum. <i>Neuroscience Letters</i> , 2010, 479, 187-191.	1.0	5
30	Triptolide Down-regulates COX-2 Expression and PGE2 Release by Suppressing the Activity of NF-ÎB and MAP kinases in Lipopolysaccharide-treated PC12 Cells. <i>Phytotherapy Research</i> , 2012, 26, 337-343.	2.8	40
31	Inflammatory Animal Model for Parkinson's Disease: The Intranigral Injection of LPS Induced the Inflammatory Process along with the Selective Degeneration of Nigrostriatal Dopaminergic Neurons. <i>ISRN Neurology</i> , 2011, 2011, 1-16.	1.5	36
32	The Inhibition of Spinal Astrocytic JAK2-STAT3 Pathway Activation Correlates with the Analgesic Effects of Triptolide in the Rat Neuropathic Pain Model. <i>Evidence-based Complementary and Alternative Medicine</i> , 2012, 2012, 1-13.	0.5	38
33	Triptolide Inhibits Amyloid-Î² Production and Protects Neural Cells by Inhibiting CXCR2 Activity. <i>Journal of Alzheimer's Disease</i> , 2012, 33, 217-229.	1.2	17
34	Inflammation in Parkinson's Disease. <i>Advances in Protein Chemistry and Structural Biology</i> , 2012, 88, 69-132.	1.0	154
35	Involvement of CtBP2 in LPS-induced microglial activation. <i>Journal of Molecular Histology</i> , 2012, 43, 327-334.	1.0	10
36	Triptolide increases transcript and protein levels of survival motor neurons in human SMA fibroblasts and improves survival in SMA-like mice. <i>British Journal of Pharmacology</i> , 2012, 166, 1114-1126.	2.7	19

#	ARTICLE	IF	CITATIONS
37	Mechanism of Action of the Anti-cancer Agent, Triptolide. , 2012, , 135-150.		4
38	A comprehensive study on long-term injury to nigral dopaminergic neurons following intracerebroventricular injection of lipopolysaccharide in rats. <i>Journal of Neurochemistry</i> , 2012, 123, 771-780.	2.1	22
39	Tenuigenin Protects Dopaminergic Neurons from Inflammation-Mediated Damage Induced by the Lipopolysaccharide. <i>CNS Neuroscience and Therapeutics</i> , 2012, 18, 584-590.	1.9	37
40	Intranigral lipopolysaccharide administration induced behavioral deficits and oxidative stress damage in laboratory rats: Relevance for Parkinson's disease. <i>Behavioural Brain Research</i> , 2013, 253, 25-31.	1.2	25
41	Wnt signaling pathways participate in Astragalus injection-induced differentiation of bone marrow mesenchymal stem cells. <i>Neuroscience Letters</i> , 2013, 553, 29-34.	1.0	5
42	Triptolide with Potential Medicinal Value for Diseases of the Central Nervous System. <i>CNS Neuroscience and Therapeutics</i> , 2013, 19, 76-82.	1.9	74
43	Naturally derived anti-inflammatory compounds from Chinese medicinal plants. <i>Journal of Ethnopharmacology</i> , 2013, 146, 9-39.	2.0	191
44	Recent advances in herbal medicines treating Parkinson's disease. <i>F3-toterap3-3c</i> , 2013, 84, 273-285.	1.1	100
45	Molecular Imaging in Traditional Chinese Medicine Therapy for Neurological Diseases. <i>BioMed Research International</i> , 2013, 2013, 1-11.	0.9	22
46	Study on the Dynamic Changes in Synaptic Vesicle-Associated Protein and Axonal Transport Protein Combined with LPS Neuroinflammation Model. <i>ISRN Neurology</i> , 2013, 2013, 1-12.	1.5	5
47	Improved Retinal Ganglion Cell Survival through Retinal Microglia Suppression by a Chinese Herb Extract, Triptolide, in the DBA/2J Mouse Model of Glaucoma. <i>Ocular Immunology and Inflammation</i> , 2013, 21, 378-389.	1.0	17
48	Herbs treating Parkinson's disease. <i>Biomedicine and Aging Pathology</i> , 2014, 4, 369-376.	0.8	4
49	Terpenes. , 2014, , 189-284.		1
50	Triptolide treatment reduces Alzheimer's disease (AD)-like pathology through inhibition of BACE1 in a transgenic mouse model of AD. <i>DMM Disease Models and Mechanisms</i> , 2014, 7, 1385-1395.	1.2	50
51	Natural Compounds (Small Molecules) as Potential and Real Drugs of Alzheimer's Disease. <i>Studies in Natural Products Chemistry</i> , 2014, 42, 153-194.	0.8	13
52	Triptolide: Progress on research in pharmacodynamics and toxicology. <i>Journal of Ethnopharmacology</i> , 2014, 155, 67-79.	2.0	294
53	Triptolide improves nerve regeneration and functional recovery following crush injury to rat sciatic nerve. <i>Neuroscience Letters</i> , 2014, 561, 198-202.	1.0	21
54	Protective effects of triptolide on retinal ganglion cells in a rat model of chronic glaucoma. <i>Drug Design, Development and Therapy</i> , 2015, 9, 6095.	2.0	11

#	ARTICLE	IF	CITATIONS
55	A novel compound VSC2 has anti-inflammatory and antioxidant properties in microglia and in Parkinson's disease animal model. <i>British Journal of Pharmacology</i> , 2015, 172, 1087-1100.	2.7	48
56	Anti-inflammatory effects of BHBA in both in vivo and in vitro Parkinson's disease models are mediated by GPR109A-dependent mechanisms. <i>Journal of Neuroinflammation</i> , 2015, 12, 9.	3.1	192
57	Possible Anti-Parkinson's Disease Therapeutics From Nature: A Review. <i>Studies in Natural Products Chemistry</i> , 2015, 44, 447-520.	0.8	10
58	A Novel Compound ITC-3 Activates the Nrf2 Signaling and Provides Neuroprotection in Parkinson's Disease Models. <i>Neurotoxicity Research</i> , 2015, 28, 332-345.	1.3	19
59	Neuroinflammation in Neurological Dysfunction and Degeneration. , 2015, , 385-407.		1
60	EP2-PKA signaling is suppressed by triptolide in lipopolysaccharide-induced microglia activation. <i>Journal of Neuroinflammation</i> , 2015, 12, 50.	3.1	19
61	Biochanin A protects dopaminergic neurons against lipopolysaccharide-induced damage and oxidative stress in a rat model of Parkinson's disease. <i>Pharmacology Biochemistry and Behavior</i> , 2015, 138, 96-103.	1.3	63
62	Design, synthesis and biological evaluation of tricyclic diterpene derivatives as novel neuroprotective agents against ischemic brain injury. <i>European Journal of Medicinal Chemistry</i> , 2015, 103, 396-408.	2.6	6
63	GLP-2 Attenuates LPS-Induced Inflammation in BV-2 Cells by Inhibiting ERK1/2, JNK1/2 and NF- $\kappa$ B Signaling Pathways. <i>International Journal of Molecular Sciences</i> , 2016, 17, 190.	1.8	42
64	Alkaloids from piper longum protect dopaminergic neurons against inflammation-mediated damage induced by intranigral injection of lipopolysaccharide. <i>BMC Complementary and Alternative Medicine</i> , 2016, 16, 412.	3.7	23
65	Deciphering variability in the role of interleukin-1 $\beta$ in Parkinson's disease. <i>Reviews in the Neurosciences</i> , 2016, 27, 635-650.	1.4	18
66	Plant-Derived Natural Products for Parkinson's Disease Therapy. <i>Advances in Neurobiology</i> , 2016, 12, 415-496.	1.3	21
67	Biochanin A Protects Against Lipopolysaccharide-Induced Damage of Dopaminergic Neurons Both In Vivo and In Vitro via Inhibition of Microglial Activation. <i>Neurotoxicity Research</i> , 2016, 30, 486-498.	1.3	39
68	Anti-inflammatory and Neuroprotective Effects of Triptolide via the NF- $\kappa$ B Signaling Pathway in a Rat MCAO Model. <i>Anatomical Record</i> , 2016, 299, 256-266.	0.8	65
69	Recent advances in discovery and development of natural products as a source for anti-Parkinson's disease lead compounds. <i>European Journal of Medicinal Chemistry</i> , 2017, 141, 257-272.	2.6	66
70	Neuroprotective strategies to prevent and treat Parkinson's disease based on its pathophysiological mechanism. <i>Archives of Pharmacal Research</i> , 2017, 40, 1117-1128.	2.7	16
71	Licochalcone A Prevents the Loss of Dopaminergic Neurons by Inhibiting Microglial Activation in Lipopolysaccharide (LPS)-Induced Parkinson's Disease Models. <i>International Journal of Molecular Sciences</i> , 2017, 18, 2043.	1.8	65
72	A Novel Immunosuppressor, (5R)-5-Hydroxytriptolide, Alleviates Movement Disorder and Neuroinflammation in a 6-OHDA Hemiparkinsonian Rat Model. , 2017, 8, 31.		13

#	ARTICLE	IF	CITATIONS
73	Protective effects of DL-3-n-butylphthalide in the lipopolysaccharide-induced mouse model of Parkinson's disease. <i>Molecular Medicine Reports</i> , 2017, 16, 6184-6189.	1.1	14
74	Triptolide up-regulates metabotropic glutamate receptor 5 to inhibit microglia activation in the lipopolysaccharide-induced model of Parkinson's disease. <i>Brain, Behavior, and Immunity</i> , 2018, 71, 93-107.	2.0	35
75	Triptolide induces autophagy and apoptosis through ERK activation in human breast cancer MCF7 cells. <i>Experimental and Therapeutic Medicine</i> , 2018, 15, 3413-3419.	0.8	21
76	Myricetin prevents dopaminergic neurons from undergoing neuroinflammation-mediated degeneration in a lipopolysaccharide-induced Parkinson's disease model. <i>Journal of Functional Foods</i> , 2018, 45, 452-461.	1.6	29
77	Peiminine Protects Dopaminergic Neurons from Inflammation-Induced Cell Death by Inhibiting the ERK1/2 and NF- $\kappa$ B Signalling Pathways. <i>International Journal of Molecular Sciences</i> , 2018, 19, 821.	1.8	32
78	Triptolide inhibits angiogenesis in microvascular endothelial cells through regulation of miR-92a. <i>Journal of Physiology and Biochemistry</i> , 2019, 75, 573-583.	1.3	13
79	Chronic unpredictable mild stress accelerates lipopolysaccharide-induced microglia activation and damage of dopaminergic neurons in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2019, 179, 142-149.	1.3	11
80	Treatment of Neurodegenerative Diseases with Bioactive Components of <i>Tripterygium wilfordii</i> . <i>The American Journal of Chinese Medicine</i> , 2019, 47, 769-785.	1.5	36
81	Application and Mechanisms of Triptolide in the Treatment of Inflammatory Diseases—A Review. <i>Frontiers in Pharmacology</i> , 2019, 10, 1469.	1.6	80
82	The Counteracting Performance of Phytoconstituents Against Neurodegeneration Involved in Parkinson's Disease. <i>Journal of Scientific Research</i> , 2021, 65, 146-158.	0.1	4
83	Triptolide improves neurobehavioral functions, inflammation, and oxidative stress in rats under deep hypothermic circulatory arrest. <i>Aging</i> , 2021, 13, 3031-3044.	1.4	11
84	The Role of Chronic Inflammation in Various Diseases and Anti-inflammatory Therapies Containing Natural Products. <i>ChemMedChem</i> , 2021, 16, 1576-1592.	1.6	25
85	Neuroprotective Effects of a GLP-2 Analogue in the MPTP Parkinson's Disease Mouse Model. <i>Journal of Parkinson's Disease</i> , 2021, 11, 529-543.	1.5	9
86	Novel Anti-inflammatory and Neuroprotective Agents for Parkinson's Disease. <i>CNS and Neurological Disorders - Drug Targets</i> , 2010, 9, 232-240.	0.8	27
87	Andrographolide had Positive Effects on Anti-inflammatory and Protected Against LPS-induced DIC in Rabbits. <i>International Journal of Pharmacology</i> , 2016, 12, 532-540.	0.1	1
88	Effects of triptolide on hippocampal microglial cells and astrocytes in the APP/PS1 double transgenic mouse model of Alzheimer's disease. <i>Neural Regeneration Research</i> , 2016, 11, 1492.	1.6	20
89	Neuroinflammatory penumbra in Parkinson's disease. <i>International Neurological Journal</i> , 2021, 17, 82-85.	0.2	0
90	Triptolide Protects Dopaminergic Neurons from 6-OHDA Lesion in a Rat Model of Parkinson's Disease. <i>International Journal of Pharmacology</i> , 2014, 11, 10-18.	0.1	2

#	ARTICLE	IF	CITATIONS
91	A Study on Triptolide Protects Against Lipopolysaccharide- induced Endotoxemia by Anti-inflammation Effect. <i>International Journal of Pharmacology</i> , 2016, 12, 597-604.	0.1	0
92	Effect of Triptolide on retinal ganglion cell survival in an optic nerve crush model. <i>Cellular and Molecular Biology</i> , 2017, 63, 102.	0.3	20
93	<i>Tripterygium hypoglaucum</i> (Levl.) Hutch: A Systematic Review of Its Traditional Uses, Botany, Phytochemistry, Pharmacology, Pharmacokinetics and Toxicology. <i>Pharmacological Research Modern Chinese Medicine</i> , 2022, , 100094.	0.5	0
94	The therapeutic potential of triptolide and celastrol in neurological diseases. <i>Frontiers in Pharmacology</i> , 0, 13, .	1.6	11
95	Neuroprotective Effect of Swertiamarin in a Rotenone Model of Parkinsonâ€™s Disease: Role of Neuroinflammation and Alpha-Synuclein Accumulation. <i>ACS Pharmacology and Translational Science</i> , 2023, 6, 40-51.	2.5	8
96	Neurotrophic Natural Products. <i>Progress in the Chemistry of Organic Natural Products</i> , 2024, , 1-473.	0.8	0