

CITATION REPORT

List of articles citing

Protective effect of melatonin against head trauma-induced hippocampal damage and spatial memory deficits in immature rats

DOI: 10.1016/j.neulet.2005.05.055

Neuroscience Letters, 2005, 385, 234-9.

Source: <https://exaly.com/paper-pdf/39329245/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
604	Urinary metabolites and antioxidant products of exogenous melatonin in the mouse. 2006 , 40, 343-9		50
603	Traumatic injury to the immature brain: inflammation, oxidative injury, and iron-mediated damage as potential therapeutic targets. 2006 , 3, 143-53		117
602	Neurotrophin-mediated neuroprotection of hippocampal neurons following traumatic brain injury is not associated with acute recovery of hippocampal function. 2007 , 148, 359-70		26
601	Neuroprotective effects of resveratrol against traumatic brain injury in immature rats. <i>Neuroscience Letters</i> , 2007 , 420, 133-7	3.3	111
600	The potential of melatonin in reducing morbidity-mortality after craniocerebral trauma. 2007 , 42, 1-11		697
599	Evidence supporting the use of melatonin in short gestation infants. 2007 , 42, 22-7		46
598	Melatonin protects from the long-term consequences of a neonatal hypoxic-ischemic brain injury in rats. 2008 , 44, 157-64		121
597	Melatonin decreases mortality following severe subarachnoid hemorrhage. 2008 , 44, 197-204		45
596	Aluminium-induced electrophysiological, biochemical and cognitive modifications in the hippocampus of aging rats. 2008 , 29, 1069-79		95
595	Single-dose pharmacokinetics of the cholesteryl sulfate complex of amphotericin B in critically ill patients with cholestatic liver failure. 2008 , 12, P23		78
594	Effect of melatonin on testicular damage in streptozotocin-induced diabetes rats. 2008 , 40, 354-60		123
593	Analytical survey of human rabies and animal bite prevalence during one decade in the province of Kerman, Iran. 2008 , 12, P1		0
592	What do people really know about MRSA? A survey of knowledge and attitudes in the general public and hospital visitors. 2008 , 12, P2		78
591	Intensive care infections: risk factors and mortality. 2008 , 12, P3		78
590	Gram-positive nosocomial infections in a general ICU: searching for a clue. 2008 , 12, P4		1
589	Descriptive analysis of ICU patients with hospital-acquired, ventilator-associated, and healthcare-associated pneumonia at four academic medical centers. 2008 , 12, P5		78
588	European multicenter survey on antibiotic prophylaxis in liver transplant patients. 2008 , 12, P6		1

587	A national survey on current practice of use of selective digestive decontamination in the United Kingdom. 2008 , 12, P7	5
586	Community-acquired and healthcare-related urosepsis: a multicenter prospective study. 2008 , 12, P8	1
585	Bedside laparoscopy to diagnose intrabdominal pathology in the ICU. 2008 , 12, P9	78
584	A potential role for the chest X-ray in the transmission of resistant bacteria in the ICU. 2008 , 12, P10	78
583	Healthcare-related bacteraemia admitted to the ICU. 2008 , 12, P11	78
582	Incidence of nosocomial infection in patients with nontraumatic or traumatic coma. 2008 , 12, P12	1
581	Comparative study on infection of the central nervous system in patients with head trauma and spontaneous cerebral hemorrhage. 2008 , 12, P13	2
580	Respiratory community-acquired and healthcare-related sepsis: are they different?. 2008 , 12, P14	78
579	Antibiotic costs in bacteremic and nonbacteremic patients treated with the de-escalation approach. 2008 , 12, P15	78
578	When appropriate antibiotic therapy is relevant in bacteremic septic patients. 2008 , 12, P16	78
577	Incidence of candidemia before and after fluconazole prophylaxis implementation in a 14-bed general ICU. 2008 , 12, P17	78
576	Comparison between mortality and airway colonisation versus noncolonisation with <i>Candida</i> species in critically ill adults. 2008 , 12, P18	78
575	Risk factors for lung colonization by <i>Candida albicans</i> in a general ICU. 2008 , 12, P19	1
574	Combination therapy with efungumab for the treatment of invasive <i>Candida</i> infections: several illustrative case reports. 2008 , 12, P20	3
573	Pooled analysis of safety for micafungin. 2008 , 12, P21	1
572	Pharmacokinetics of micafungin in adult patients with invasive candidiasis and candidaemia. 2008 , 12, P22	78
571	Serum tobramycin levels during selective decontamination of the digestive tract in ICU patients on renal replacement therapy. 2008 , 12, P24	78
570	The pharmacokinetics of dalbavancin in subjects with mild, moderate, or severe hepatic impairment. 2008 , 12, P25	78

569	Dalbavancin dosage adjustments not required for patients with mild to moderate renal impairment. 2008 , 12, P26	78
568	Dalbavancin safety in the phase 2/3 clinical development program. 2008 , 12, P27	78
567	Efficacy of telavancin for treatment of surgical site infections. 2008 , 12, P28	78
566	Recurrence of skin infections in patients treated with telavancin versus vancomycin for complicated skin and soft tissue infections in a New Orleans emergency department. 2008 , 12, P29	2
565	Daptomycin therapy for Gram-positive bacterial infections: a retrospective study of 30 cardiac surgery patients. 2008 , 12, P30	78
564	Therapy with teicoplanin in the ICU: continuous intravenous infusion or intermittent intravenous administration?. 2008 , 12, P31	78
563	Bacterial population and antibiotic resistance in an ICU during a 4-year period. 2008 , 12, P32	78
562	Relationship of microorganism carriage and infections in ICU patients. 2008 , 12, P33	78
561	Rifampicin and colistin association in the treatment of severe multiresistant <i>Acinetobacter baumannii</i> infections. 2008 , 12, P34	78
560	Trends of resistance of Gram-negative bacteria in the ICU during a 3-year period. 2008 , 12, P35	78
559	Colonization and infection by potential Gram-negative multiresistant microorganism in a medical/surgical ICU. 2008 , 12, P36	0
558	Changing resistance pattern for <i>Acinetobacter baumannii</i> through the years. 2008 , 12, P37	78
557	Catheter-related bloodstream infection according to central venous accesses. 2008 , 12, P38	78
556	Comparison of oligon central venous catheters with standard multilumen central venous catheters in cardiac surgery ICU patients. 2008 , 12, P39	78
555	A multicenter randomized controlled clinical trial comparing central venous catheters impregnated with either 5-fluorouracil or chlorhexidine/silver sulfadiazine in preventing catheter colonization. 2008 , 12, P40	3
554	High epithelial lining fluid concentrations of NKTR-061 (inhaled amikacin) twice daily achieved in pneumonic portions of lung. 2008 , 12, P41	78
553	NKTR-061 (inhaled amikacin) delivers high lung doses in mechanically ventilated patients with pneumonia and in healthy subjects. 2008 , 12, P42	4
552	Ten-year exploratory retrospective study on empyema. 2008 , 12, P43	78

551	Validation of predictive rules for ICU patients with community-acquired pneumonia. 2008 , 12, P44	78
550	Effect of age on resolution of ventilator-associated pneumonia. 2008 , 12, P45	78
549	An endotracheal tube with a polyurethane cuff and subglottic secretion drainage reduces the incidence of primary and secondary endogenous ventilator-associated pneumonia. 2008 , 12, P46	1
548	Effect of continuous aspiration of subglottic secretions on the prevention of ventilator-associated pneumonia in mechanically ventilated patients. 2008 , 12, P47	6
547	Effect of an oral care protocol in preventing ventilator-associated pneumonia in ICU patients. 2008 , 12, P48	3
546	Soluble triggering receptor expressed on myeloid cells-1 in bronchoalveolar lavage is not predictive for ventilator-associated pneumonia. 2008 , 12, P49	78
545	Ventilator-associated pneumonia in an ICU: epidemiology, etiology and comparison of two bronchoscopic methods for microbiological specimen sampling. 2008 , 12, P50	78
544	Presence of human metapneumovirus in bronchoalveolar lavage fluid samples detected by means of real-time polymerase chain reaction. 2008 , 12, P51	78
543	Prebiotic, probiotic and synbiotic usage and gastrointestinal and trachea colonization in mechanically ventilated patients. 2008 , 12, P52	78
542	Comparison of the surveillance with quantitative and nonquantitative ETA cultures in predicting ventilator-associated pneumonia etiology in patients receiving antibiotic therapy. 2008 , 12, P53	78
541	Errors regarding specific preventive measures of ventilator-associated pneumonia in the ICU. 2008 , 12, P54	78
540	Clinical predictors for septic shock in patients with ventilator-associated pneumonia. 2008 , 12, P55	78
539	Antibiotic-related acute effects within the intestinal microcirculation in experimental sepsis. 2008 , 12, P56	1
538	Intraperitoneal lipopolysaccharide-induced neutrophil sequestration in the lung microvasculature is due to a factor produced in the peritoneal cavity. 2008 , 12, P57	78
537	Correlation between microcirculatory flow, density and heterogeneity scores in septic shock patients. 2008 , 12, P58	78
536	Effect of iloprost on the microcirculation and liver function after orthotopic liver transplantation. 2008 , 12, P59	78
535	Noninvasive monitoring of peripheral perfusion with physical examination and the peripheral flow index correlates with dynamic near-infrared spectroscopy measurements in patients with septic shock. 2008 , 12, P60	2
534	Effect of intravenous nitroglycerin on the sublingual microcirculation in patients admitted to the intensive cardiac care unit. 2008 , 12, P61	78

533	Relationship between the sublingual microcirculation and lactate levels in patients with heart failure. 2008 , 12, P62	78
532	Sidestream dark-field imaging versus orthogonal polarization spectroscopic imaging: a comparative study. 2008 , 12, P63	1
531	Finger reactive hyperaemia to measure endothelial function in sepsis and health (the FRESH study). 2008 , 12, P64	1
530	Microcirculatory investigation in severe trauma injury. 2008 , 12, P65	78
529	Assessment of tissue hypoperfusion by subcutaneous microdialysis during septic shock: cases with bacteremia versus nonbacteremia. 2008 , 12, P66	1
528	Tissue perfusion evaluation with near-infrared spectroscopy during treatment with activated protein C. 2008 , 12, P67	78
527	Tissue oxygen saturation does not correlate with the oxygen delivery index during major abdominal surgery. 2008 , 12, P68	78
526	Near-infrared spectroscopy as a potential surrogate for mixed venous oxygen saturation for evaluation of patients with hemodynamic derangements. 2008 , 12, P69	3
525	Changes in thenar eminence tissue oxygen saturation measured using near-infrared spectroscopy suggest ischaemic preconditioning in a repeated arterial occlusion forearm ischaemia model. 2008 , 12, P70	1
524	Tissue oxygen saturation during anaesthesia, cardiopulmonary bypass and intensive care stay for cardiac surgery. 2008 , 12, P71	78
523	Near-infrared spectroscopy during stagnant ischemia: a marker of ScvO ₂ vs vO ₂ mismatch in septic patients with low cardiac output. 2008 , 12, P72	78
522	Relationship between central venous oxygen saturation measured in the inferior and superior vena cava. 2008 , 12, P73	78
521	Early worst central venous oxygen saturation is predictive of mortality in severe head trauma but not in moderate head trauma. 2008 , 12, P74	1
520	Comparison between continuous and discontinuous central venous oxygen saturation in the ICU: a prospective study and preliminary results. 2008 , 12, P75	78
519	Influence of tissue perfusion on the outcome of high-risk surgical patients needing blood transfusion. 2008 , 12,	78
518	Hyperlactatemia and low central venous saturation can predict prognosis after cardiac surgery. 2008 , 12,	78
517	Clinical utility of arterialised capillary earlobe sampling in the critical care setting. 2008 , 12, P78	2
516	Emergent internal jugular vein cannulation as a risk factor associated with arterial puncture. 2008 , 12, P79	78

515	Use of ultrasound for central venous catheter placement. 2008 , 12, P80	0
514	Is there a safe mean airways pressure in preterm babies with hyaline membrane disease: an echocardiographic retrospective approach. 2008 , 12, P81	78
513	Right ventricular dysfunction in liver failure: a hemodynamic study. 2008 , 12, P82	78
512	Diastolic function abnormalities in ICU patients with chronic obstructive pulmonary disease. 2008 , 12, P83	78
511	Noninvasive rodent cardiac output: comparison of a compact clinical monitor with echocardiography and proposal of a simple correction factor. 2008 , 12, P84	78
510	Prospective, observational study of the reliability of achieving diagnostic quality transthoracic echocardiography images in critically ill adult patients. 2008 , 12, P85	78
509	Evaluation of bedside lung ultrasonography in the diagnosis of alveolar-interstitial syndrome and pleural effusion in the ICU. 2008 , 12, P86	78
508	Measurement of vena cava inferior diameter in hemorrhagic shock diagnosis. 2008 , 12, P87	1
507	Arterial pressure changes during the Valsalva maneuver to predict fluid responsiveness in spontaneously breathing patients. 2008 , 12, P88	1
506	Passive leg raising predicts fluid responsiveness after cardiac surgery. 2008 , 12,	78
505	Variation of hemodynamic parameters after fluid challenge. 2008 , 12, P90	2
504	Comparison of pulse pressure variation and end-diastolic volume index in an experimental model of hemorrhagic shock in the pig. 2008 , 12,	78
503	Evaluation of systolic pressure variation and pulse pressure variation in an experimental model of acute normovolemic hemodilution. 2008 , 12,	78
502	Venous return in ICU patients. 2008 , 12, P93	2
501	Prediction of fluid responsiveness by FloTrac and PiCCOplus in cardiac surgery patients. 2008 , 12, P94	78
500	Myocardial dysfunction in sepsis studied with the pressure recording analytical method. 2008 , 12, P95	78
499	TruCCOMS: real-time continuous cardiac output?. 2008 , 12, P96	78
498	Evaluation of a modified FloTrac algorithm for cardiac output measurement in cardiac surgery patients. 2008 , 12, P97	78

497	Reliability of continuous pulse contour cardiac output measurement. 2008 , 12, P98	78
496	Indication of peripheral decoupling during extreme hyperdynamic conditions in septic patients. 2008 , 12, P99	78
495	How accurate are different arterial pressure-derived estimates of cardiac output and stroke volume variation measures in critically ill patients?. 2008 , 12, P100	78
494	Uncalibrated arterial pulse contour analysis in major vascular surgery. 2008 , 12, P101	78
493	Comparison of Nicomol bioimpedance cardiac output with lithium dilution (LIDCO) in ICU patients. 2008 , 12, P102	0
492	Intrathoracic blood volume measurement: comparison of transpulmonary lithium indicator dilution with indocyanine green indicator dilution. 2008 , 12, P103	78
491	Global end-diastolic volume as an indicator of cardiac preload in hemorrhagic shock and resuscitation in swine. 2008 , 12, P104	78
490	Prognostic value of the extravascular lung water index in critically ill septic shock patients. 2008 , 12, P105	78
489	Conjunctival microcirculation in patients with traumatic brain injury. 2008 , 12, P106	2
488	Novel models for the prediction of mortality after traumatic brain injury requiring intensive care. 2008 , 12, P107	78
487	Changes in cerebral physiology following cranioplasty: a 15oxygen positron emission tomography study. 2008 , 12, P108	78
486	Brain tissue oxygenation: more than a number. 2008 , 12, P109	78
485	Fatty acid binding protein and tau levels are related to brain damage and outcome after subarachnoid hemorrhage. 2008 , 12, P110	78
484	Transdermal nicotine replacement is associated with lower mortality among active smokers admitted with spontaneous subarachnoid hemorrhage. 2008 , 12, P111	1
483	Impact of treatment with pravastatin on delayed ischemic disease and mortality after aneurysmal subarachnoid hemorrhage. 2008 , 12, P112	12
482	Pentraxin 3 as a marker of vasospasm following subarachnoid hemorrhage. 2008 , 12, P113	78
481	Transcranial sonography investigations of the cerebral blood flow disturbances after hypothalamic pituitary and brain stem surgery. 2008 , 12, P114	78
480	Flow velocity in head injury of different severity: findings of transcranial duplex sonography. 2008 , 12, P115	78

479	Transcranial Doppler in serious malaria. 2008 , 12, P116	78
478	Noninvasive assessment of intracranial pressure using ocular sonography in neurocritical care patients. 2008 , 12, P117	5
477	Clinical and prognostic role of intracranial pressure monitoring in patients with aneurismal subarachnoid haemorrhage. 2008 , 12, P118	78
476	Electroencephalogram desynchronization in brain trauma patients. 2008 , 12, P119	1
475	Effects of mannitol and melatonin on magnetic resonance imaging findings in secondary brain damage. 2008 , 12, P120	78
474	Brain trauma care targets analysis using a high-rate recording and computing network. 2008 , 12, P121	78
473	Audit of compliance with ventilation protocol in severe head injuries: a retrospective study. 2008 , 12, P122	78
472	c-Jun N-terminal kinase pathway activation in human and experimental traumatic brain injury: neuroprotective effects of its inhibition. 2008 , 12, P123	78
471	Hormones and cytokines as biomarkers for immediate cure measures in severe neurosurgical patients: base for inclusion in a neuromonitoring algorithm. 2008 , 12, P124	78
470	Is the ratio of lactated to pyroglutamic acid in cerebral tissue a prognostic index for the outcome of patients with intracerebral hemorrhage?. 2008 , 12, P125	78
469	Coagulopathy predicts poor outcome in traumatic brain injury. 2008 , 12, P126	0
468	Alteplase for acute ischemic stroke: 2 years in a community hospital without previous experience in stroke thrombolysis. 2008 , 12, P127	78
467	Acute lung injury in a neurosciences critical care unit. 2008 , 12, P128	78
466	Hemodynamic changes after hypothalamic and brain stem surgery: interdisciplinary approach to studying. 2008 , 12, P129	78
465	Evaluation of development of diabetes insipidus in the early phase following traumatic brain injury in critically ill patients. 2008 , 12, P130	6
464	Hypernatremia and mortality in patients with severe traumatic brain injury. 2008 , 12, P131	78
463	Gastric tubes in patients with severe brain injury. 2008 , 12, P132	1
462	Alcohol: a risk factor for head injury. 2008 , 12, P133	78

461	Existence of microalbuminuria during evolution of acute coronary syndrome is a powerful short-term and long-term prognostic factor. 2008 , 12, P134	1
460	Nonoperative management of blunt trauma in abdominal solid organ: a prospective study to evaluate the success rate and predictive factors of failure. 2008 , 12, P135	1
459	Evidence for early presence of intestinal epithelial cell damage in multitrauma patients. 2008 , 12, P136	78
458	ICU predictors of morbidity after major trauma. 2008 , 12, P137	78
457	Hospital mortality and length of ICU stay in severely burned patients. 2008 , 12, P138	78
456	Sympathetic responses during hemorrhagic shock. 2008 , 12, P139	78
455	Metabolic evaluation during weaning from mechanical ventilation using indirect calorimetry. 2008 , 12, P140	1
454	Hypocaloric nutrition and outcome in critically ill patients with prolonged ICU stay. 2008 , 12, P141	78
453	Early introduction of enteral feeding for patients with percutaneous cardiopulmonary support. 2008 , 12, P142	78
452	Nutritional activation of the cholinergic pathway after hemorrhagic shock reduces inflammation and preserves intestinal integrity. 2008 , 12, P143	78
451	Inflammatory response in patients requiring parenteral nutrition: comparison of a new fish-oil-containing emulsion (SMOF [®]) versus an olive/soybean oil-based formula. 2008 , 12, P144	6
450	Lipid-enriched nutrition reduces inflammation via local activation of the autonomic nervous system by cholecystokinin. 2008 , 12, P145	78
449	Efficacy of glutamine dipeptide-supplemented total parenteral nutrition in critically ill patients: a prospective, double-blind randomized trial. 2008 , 12, P146	78
448	Arginine reduces leukocyte/endothelial cell interaction in a model of normotensive endotoxemia without attenuating capillary perfusion failure. 2008 , 12, P147	78
447	Antioxidant intake by intensive care patients. 2008 , 12, P148	78
446	Influence of first glycemia determination in acute coronary syndrome: long-term prognosis. 2008 , 12, P149	78
445	Tight blood glucose control decreases surgical wound infection in the cardiac surgical patient population in the ICU. 2008 , 12, P150	78
444	Mechanisms of kidney protection by intensive insulin therapy during critical illness. 2008 , 12, P151	78

443	Complement activation after uncomplicated coronary artery bypass grafting: role of strict glucose control. 2008 , 12, P152	78
442	Relationship between admission blood glucose level and prognosis in acute ischemic and hemorrhagic stroke patients. 2008 , 12, P153	78
441	Significance of the suppression of blood glucose variability in acutely ill severe patients with glucose intolerance evaluated by means of bedside-type artificial pancreas. 2008 , 12, P154	2
440	Implementing intensive insulin therapy in daily practice reduces the incidence of critical illness polyneuropathy and/or myopathy. 2008 , 12, P155	1
439	Evaluation of the implementation of a fully automated algorithm (eMPC) in an interacting infusion pump system for the establishment of tight glycaemic control in medical ICU patients. 2008 , 12, P156	78
438	Tight glucose control by intensive insulin therapy in Belgian ICU: an evaluation of practice. 2008 , 12, P157	1
437	Glucose control and the incidence of severe hypoglycaemia in a burns population following the introduction of intensive insulin therapy. 2008 , 12, P158	78
436	Achieving glycemic control with intensive insulin therapy in the ICU. 2008 , 12, P159	78
435	Intensive insulin therapy: protocols in use in The Netherlands. 2008 , 12, P160	78
434	Serum insulin-like growth factor binding protein 1 and C-peptide to assess insulin resistance in septic patients. 2008 , 12, P161	78
433	Insulin increases deformation-induced lung cell death. 2008 , 12, P162	78
432	Factors influencing accuracy of blood glucose measurements in critically ill patients. 2008 , 12, P163	78
431	Evaluation of a noninvasive blood glucose monitoring device for critically ill patients. 2008 , 12, P164	78
430	Evaluation of a near-infrared automated blood glucose monitor for use in critical care settings. 2008 , 12, P165	2
429	Comparison of accuracy of three point-of-care glucometers in an adult ICU. 2008 , 12, P166	0
428	Accuracy of point-of-care blood glucose measurements in the medical ICU. 2008 , 12, P167	78
427	Tight glycemic control: comparison of a real-time continuous interstitial tissue glucose monitoring system with arterial plasma glucose measurement in critically ill patients. 2008 , 12, P168	1
426	Lactate measurement by the capillary method in shocked patients. 2008 , 12, P169	78

425	Influence of Stewart acid-base variables on plasma pH in critically ill patients. 2008 , 12, P170	78
424	Value of postoperative C-reactive protein and leukocyte count after elective thoracoabdominal aneurysm surgery. 2008 , 12, P171	78
423	Role of inflammation in nonhemorrhagic strokes. 2008 , 12, P172	78
422	Biomarkers that might improve prognostic accuracy in ICU patients. 2008 , 12, P173	78
421	Plasma C-reactive protein and albumin as predictors of readmission to intensive care. 2008 , 12, P174	78
420	Role of the leukocyte antisedimentation rate in prediction of early recognition of post-stroke infection. 2008 , 12, P175	78
419	Identifying sepsis in the emergency room: the best clinical and laboratory variables. 2008 , 12, P176	78
418	Procalcitonin, cytokine and NOx in diabetic ketoacidosis. 2008 , 12, P177	1
417	Assessment of procalcitonin values in deep mycosis associated with high β -D-glucan values. 2008 , 12, P178	78
416	Elevation of procalcitonin in chronic dialysed patients. 2008 , 12, P179	1
415	Role of procalcitonin in diagnostics of acute adrenal insufficiency. 2008 , 12, P180	78
414	Use of procalcitonin as an aid to antibiotic prescribing in intensive care. 2008 , 12, P181	78
413	Procalcitonin to guide length of antibiotic therapy in surgical intensive care patients. 2008 , 12, P182	78
412	Validation of procalcitonin measurement to the side of the stream bed as marking infection in intensive therapy patients. 2008 , 12, P183	78
411	Prognostic value of raised procalcitonin when combined with routine biomarkers of sepsis among critically ill patients. 2008 , 12, P184	78
410	Procalcitonin in elective colorectal surgery and its predictive value for an early discharge of fast-track patients. 2008 , 12, P185	1
409	Endotoxin adsorption method may affect serum procalcitonin. 2008 , 12, P186	1
408	Discriminative procalcitonin values for diagnosis of systemic inflammatory response syndrome and sepsis in the ICU. 2008 , 12, P187	78

407	Measurement of procalcitonin in bronchoalveolar lavage and serum as early predictors in acute respiratory distress syndrome. 2008 , 12, P188	78
406	Correlation of endotoxin, procalcitonin and C-reactive peptide patterns with ICU admission. 2008 , 12, P189	2
405	Why measure endotoxin in septic shock patients?. 2008 , 12, P190	1
404	Measuring endotoxin with newly developed endotoxin scattering photometry. 2008 , 12, P191	78
403	Biochemical markers of the iron metabolism and their relationship with the inflammatory status in multiple trauma patients. 2008 , 12, P192	1
402	Compartmentalization of the inflammatory response in abdominal sepsis. 2008 , 12, P193	78
401	Early elevation of plasma soluble CD14 subtype, a novel biomarker for sepsis, in a rabbit cecal ligation and puncture model. 2008 , 12, P194	22
400	Proinflammatory versus anti-inflammatory cytokine profiles as an early predictor of outcome in severe multiple trauma. 2008 , 12, P195	2
399	Immunoparalysis in patients with acute respiratory distress syndrome. 2008 , 12, P196	78
398	Transforming growth factor beta 1 gene transcription in infection and severe sepsis displays distinguishing characteristics. 2008 , 12, P197	78
397	Accumulation of advanced glycation end products in intensive care patients. 2008 , 12, P198	78
396	Total antioxidant status and lipid metabolism in patients with severe multiple trauma. 2008 , 12, P199	78
395	Evaluation of plasma thiolic groups and reactive oxygen metabolites in critically ill patients. 2008 , 12, P200	78
394	Decreased apolipoprotein A1 levels correlate with sepsis and adverse outcome among ICU patients. 2008 , 12, P201	7
393	Coagulation in hospitalized community-acquired pneumonia: disturbances in even the least ill. 2008 , 12, P202	2
392	Testing of anti-activated protein C antibodies in four drotrecogin alfa (activated) severe sepsis studies. 2008 , 12, P203	78
391	Early infusion of recombinant human activated protein C decreases the number of years lost due to premature death. 2008 , 12, P204	1
390	Extended drotrecogin alfa (activated) therapy in patients with persistent requirement for vasopressor support after 96-hour infusion with commercial drotrecogin alfa (activated). 2008 , 12, P205	2

389	Drotrecogin alfa: start early, ensure response, stop early!. 2008 , 12, P206	78
388	Association of mortality in the surgical ICU with plasma concentrations of plasminogen activator inhibitor-1 and soluble E-selectin. 2008 , 12, P207	78
387	Efficacy of antithrombin administration in the acute phase of burn injury. 2008 , 12, P208	1
386	Whole blood coagulation and platelet activation in the athlete: a comparison of marathon, triathlon and long-distance running. 2008 , 12, P209	78
385	Admission platelet count as a prognostic indicator in intensive care. 2008 , 12, P210	1
384	A phase 1 trial of nebulized heparin in acute lung injury. 2008 , 12, P211	1
383	Thromboelastography in clinical decision-making in the critically ill patient in a district general hospital ICU. 2008 , 12, P212	1
382	Modifications of coagulation imbalance during antithrombin treatment in preeclamptic patients: our experience. 2008 , 12, P213	6
381	Thrombocytopenia is associated with mortality in hospitalized patients with low risk of death. 2008 , 12, P214	78
380	Functional state of the hemostasis system in physiological pregnancy and late toxicosis. 2008 , 12, P215	78
379	Plasma fibrinolysis is related to the SOFA score but not to the von Willebrand factor on ICU admission. 2008 , 12, P216	1
378	Perioperative monitoring of coagulation in patients after abdominal surgery. 2008 , 12, P217	78
377	Neutrophil oxidative burst evaluation during acute normovolemic hemodilution. 2008 , 12,	1
376	Reticulocyte counts and their relation to hemoglobin levels in trauma patients. 2008 , 12, P219	78
375	Geographic variation in the reversal of vitamin K antagonist-associated coagulopathy. 2008 , 12, P220	78
374	Prothrombin complex concentrate use in surgical patients: a retrospective analysis of efficacy and safety for coumarin reversal and bleeding management. 2008 , 12, P221	78
373	Postoperative dose of tranexamic acid decreases postoperative bleeding and inflammatory response associated with cardiopulmonary bypass: a randomized, double-blind study. 2008 , 12, P222	78
372	Predicting response to recombinant activated factor VIIa administration in the critically ill. 2008 , 12, P223	78

371	A multicentre prospective open-label study assessing efficacy and safety of a triple-secured fibrinogen concentrate in the treatment of postpartum haemorrhage. 2008 , 12, P224	0
370	Comparison of prothrombin complex concentrate and fresh frozen plasma on thrombin generation and hemorrhage in experimental dilutional coagulopathy. 2008 , 12, P225	78
369	Potential effects of infused particles in paediatric intensive care patients. 2008 , 12, P226	78
368	What is the efficacy of a filter needle in the retention of typical bacterial pathogens?. 2008 , 12, P227	78
367	Administration of a standardized plasma-protein solution (Biseko [®]) in high-risk patients with systemic inflammatory response syndrome: influence on cytokine levels and survival. 2008 , 12, P228	0
366	Albumin versus colloids in colon surgery patients: preliminary results. 2008 , 12, P229	2
365	Influence of hydroxyethyl starch infusions on cerebral blood flow in patients with severe traumatic brain injury. 2008 , 12, P230	78
364	Haemodynamic effects of a fluid challenge with hydroxyethyl starch 130/0.4 (Voluven [®]) in patients suffering from symptomatic vasospasm after subarachnoid haemorrhage. 2008 , 12, P231	78
363	Hydroxyethyl starch 200/0.5 induces more renal macrophage infiltration than hydroxyethyl starch 130/0.42 in an isolated renal perfusion model. 2008 , 12, P232	78
362	Hydroxyethyl starch 130/0.42/6:1 for perioperative plasma volume replacement is safe and effective in children. 2008 , 12, P233	78
361	Effects of two different hydroxyethylstarch solutions on colloid osmotic pressure and renal function in ovine endotoxemic shock. 2008 , 12, P234	78
360	Transfusion policy and outcome in critically ill patients with a long ICU stay. 2008 , 12, P235	78
359	Outcome of surgical patients who needed blood transfusion. 2008 , 12,	78
358	Immediate transfusion without crossmatching. 2008 , 12, P237	78
357	Intraoperative red blood transfusion is associated with adverse outcome after cardiac surgery. 2008 , 12,	2
356	Acute transfusion reactions in critically ill pediatric patients. 2008 , 12, P239	78
355	Utility of an artificial oxygen carrier in a rat haemorrhagic shock model. 2008 , 12, P240	78
354	Clinical outcome and mortality associated with postoperative low cardiac output after cardiopulmonary bypass: a cohort study. 2008 , 12, P241	78

353	Renal insufficiency is a powerful predictor of worse outcome in patients with acute heart failure. 2008 , 12, P242	78
352	Study of risk factors and prognoses in female patients younger than 60 years old with acute myocardial infarction. 2008 , 12, P243	78
351	Impact factors of multiple organ dysfunction syndromes complicating acute myocardial infarction in the elderly: multivariate logistic regression analysis. 2008 , 12, P244	1
350	Impact factors of pneumonia in hospitalized patients with acute myocardial infarction. 2008 , 12, P245	78
349	Left ventricular TEI index: comparison between flow and tissue Doppler analyses and its association with postoperative atrial fibrillation in cardiopulmonary bypass surgery. 2008 , 12, P246	78
348	Color-coded speckle tracking radial strain dyssynchrony analysis in a canine model of left bundle branch block and cardiac resynchronization therapy. 2008 , 12,	78
347	Endotoxin impairs the human pacemaker current If. 2008 , 12, P248	78
346	Cardiac cycle efficiency correlates with pro-B-type natriuretic peptide in cardiac surgery patients. 2008 , 12, P249	3
345	Bradford Acute Coronary Syndrome study The impact of primary percutaneous coronary intervention in a tertiary centre: a review of the process. 2008 , 12, P250	78
344	Preoperative tissue Doppler imaging and diastolic filling patterns on postoperative new-onset atrial fibrillation in cardiopulmonary bypass surgery. 2008 , 12, P251	78
343	Risk factors of hospitalisation in general surgery units: new application of International Classification of Diseases. 2008 , 12, P252	78
342	Prophylactic modalities against venous thromboembolism in complicated surgery for cancer patients. 2008 , 12, P253	78
341	Cardiac output and oxygen delivery are affected by intraoperative hyperthermic intrathoracic chemotherapy. 2008 , 12, P254	78
340	Influence of donor gender in early outcome after lung transplantation. 2008 , 12, P255	78
339	Early outcome following single versus bilateral lung transplantation in recipients 60 years of age and older. 2008 , 12, P256	1
338	Acute mesenteric ischemia: a comparative study of causes and mortality rates in Shiraz, Southern Iran. 2008 , 12, P257	78
337	Systemic inflammatory response syndrome post cardiac surgery: a useful concept?. 2008 , 12, P258	1
336	Modulation of the inflammatory response induced during coronary artery bypass graft surgery. 2008 , 12, P259	78

335	Intraoperative optimization of hemodynamic parameters is associated with a better outcome after cardiac surgery. 2008 , 12,	78
334	Effects of inhaled iloprost on right ventriculovascular coupling and ventricular interdependence in acute pulmonary hypertension. 2008 , 12, P261	78
333	Dobutamine in acute myocardial infarction: should we use it for reduction of pulmonary hypertension and pulmonary capillary wedge pressure in acute myocardial infarction?. 2008 , 12, P262	78
332	Dobutamine protects lymphocytes against staurosporin-induced apoptosis: investigation of the antioxidative action of the dobutamine molecule. 2008 , 12, P263	78
331	Hemodynamic effects of levosimendan in patients with low-output heart failure. 2008 , 12, P264	78
330	Levosimendan does not improve resuscitation success after hypovolemic cardiac arrest. 2008 , 12, P265	1
329	Early experience with levosimendan in children with low-output syndrome after cardiac surgery. 2008 , 12,	78
328	Effects of levosimendan in acute heart failure, cardiogenic and septic shock. 2008 , 12, P267	78
327	Sedation during mechanical ventilation: a comparison of sedation and awake sedation. 2008 , 12, P268	78
326	Multiparametric evaluation of sedation in the ICU. 2008 , 12, P269	1
325	Short-term sevoflurane sedation using the anaesthetic conserving device AnaConDa [®] after cardiac surgery: feasibility, recovery and clinical issues. 2008 , 12, P270	1
324	Thoracal epidural analgesia in upper abdominal surgery. 2008 , 12, P271	1
323	Etomidate and relative adrenal insufficiency in cardiopulmonary bypass surgery: impact on the postoperative hemodynamic status. 2008 , 12, P272	78
322	Economic evaluation of remifentanyl-based versus conventional sedation for patients with an anticipated mechanical ventilation duration of 2B days in Germany. 2008 , 12, P273	78
321	Propofol pharmacokinetics in preterm and term neonates: the relevance of both postmenstrual and postnatal age. 2008 , 12, P274	1
320	Comparison of sedation with dexmedetomidine versus lorazepam in septic ICU patients. 2008 , 12, P275	13
319	Dexmedetomidine-based sedation for noninvasive ventilation failure. 2008 , 12, P276	78
318	Dexmedetomidine for endovascular neurosurgery. 2008 , 12, P277	78

317	Single-centre audit on the use of intravenous paracetamol in neonates. 2008 , 12, P278	78
316	Postmenstrual age and CYP2D6 polymorphisms determine urinary tramadol O-demethylation excretion in critically ill neonates and infants. 2008 , 12, P279	1
315	Pressure support ventilation improves oxygenation by redistribution of pulmonary blood flow in experimental lung injury. 2008 , 12, P280	78
314	Model based analysis reveals differences in viscoelasticity between acute respiratory distress syndrome and healthy lungs. 2008 , 12, P281	78
313	Short time efficacy and safety of modified pressure-controlled ventilation recruitment maneuver in a group of patients with acute respiratory distress syndrome. 2008 , 12, P282	78
312	Effect of frequency on lung protection during high-frequency oscillation ventilation in a sheep acute respiratory distress syndrome model. 2008 , 12, P283	78
311	Hungarian sites of the multinational VALID study are responsive to training measures advocating the ARDS Network ventilation protocol. 2008 , 12, P284	78
310	High-frequency oscillatory ventilation and adult patients with acute respiratory distress syndrome: our impressions and experience. 2008 , 12, P285	78
309	Perfusion pressure and positive end-expiratory pressure influence edema formation in isolated porcine lungs. 2008 , 12, P286	78
308	Closed system endotracheal suction to reduce loss in functional residual capacity during pressure-controlled mechanical ventilation. 2008 , 12, P287	78
307	Effects of melatonin in an experimental model of ventilator-induced lung injury. 2008 , 12, P288	1
306	Hyperoxia inhibits alveolar epithelial repair by inhibiting the transdifferentiation of alveolar epithelial type II cells into type I cells. 2008 , 12, P289	0
305	Pretreatment with atorvastatin ameliorates lung injury caused by high-pressure/high-tidal-volume mechanical ventilation in isolated normal rabbit lungs. 2008 , 12, P290	78
304	Systemic markers of inflammation in mechanically ventilated brain-injured patients in the absence of sepsis and acute lung injury: the effect of positive end-expiratory pressure. 2008 , 12, P291	78
303	Shotgun proteomics reveals biochemistry of normal and acute respiratory distress syndrome bronchoalveolar lavage fluid proteome. 2008 , 12, P292	78
302	Surrogate markers of pulmonary edema and severity of lung injury do not accurately reflect measured extravascular lung water. 2008 , 12, P293	78
301	Different tidal volumes induce similar elevation of lung injury markers in animals sensitized to injury by previous anesthesia and surgery. 2008 , 12, P294	78
300	Effects of an open lung approach following the ARDS Network ventilatory strategy in patients with early acute lung injury/acute respiratory distress syndrome. 2008 , 12, P295	78

299	From low-tidal-volume ventilation to lowest-tidal-volume ventilation. 2008 , 12, P296	78
298	Relationship of the stress index, lung recruitment and gas exchange in patients with acute respiratory distress syndrome. 2008 , 12, P297	1
297	Pulmonary homogeneity changes during recruitment maneuvers and positive end-expiratory pressure in dogs with acute respiratory distress syndrome. 2008 , 12, P298	78
296	Positive end-expiratory pressure-induced changes of the vibration response image. 2008 , 12, P299	78
295	Effect of positive end-expiratory pressure application on inflammation in acute respiratory distress syndrome patients during pressure-volume curve maneuver. 2008 , 12, P300	78
294	Airway pressure release ventilation: an alternative ventilation mode for pediatric acute respiratory distress syndrome. 2008 , 12, P301	78
293	Influence of rhDNAse on the duration of mechanical ventilation in intensive care patients. 2008 , 12, P302	78
292	Respiratory dialysis: a new therapy for chronic obstructive pulmonary disease. 2008 , 12, P303	78
291	Effect of the inspiratory flow pattern on inspiration/expiration transition of lung vibrations in mechanically ventilated patients. 2008 , 12, P304	78
290	Effect of the pressure ramp on the breathing pattern and respiratory drive in pressure support ventilation. 2008 , 12, P305	78
289	Knowledge acquisition to design a fuzzy system for disease-specific automatic control of mechanical ventilation. 2008 , 12, P306	78
288	Use of chest sonography to estimate alveolar recruitment in general anesthesia. 2008 , 12, P307	78
287	Lung sound analysis to detect recruitment processes during mechanical ventilation. 2008 , 12, P308	2
286	Lung sound patterns of exacerbation of congestive heart failure, chronic obstructive pulmonary disease and asthma. 2008 , 12, P309	78
285	Determination of expiratory lung mechanics using cardiogenic oscillations during decelerated expiration. 2008 , 12, P310	78
284	Cardiogenic oscillations reflect nonlinear lung mechanics. 2008 , 12, P311	78
283	Functional residual capacity measurements during mechanical ventilation in ICU patients. 2008 , 12, P312	78
282	Clinical evaluation of a system for measuring functional residual capacity in mechanically ventilated patients. 2008 , 12, P313	78

281	Effects of alveolar recruitment in patients after cardiac surgery: a prospective, randomized, controlled clinical trial. 2008 , 12, P314	1
280	Evaluation of homogeneity of alveolar ventilation with electrical impedance tomography during anaesthesia and laparoscopic surgery. 2008 , 12, P315	78
279	Serum level of growth-related oncogene alpha during abdominal aortic aneurysm repair in humans. 2008 , 12, P316	78
278	Serum bilirubin over 50 $\mu\text{mol/l}$ on postoperative day 5: causes, consequences and outcome. 2008 , 12, P317	1
277	Liver stiffness measurement for diagnosis of portal hypertension-related digestive bleeding in the ICU. 2008 , 12, P318	78
276	Small intestinal transit time in critically ill patients using endoscopic video capsule. 2008 , 12, P319	1
275	Transpulmonary pressure evaluation in an obese patient under mechanical ventilation. 2008 , 12, P320	78
274	Passive mechanical properties of rat diaphragms: a new method for analyzing mechanical tissue properties. 2008 , 12, P321	78
273	Negative pressure therapy improved outcome in a clinically applicable abdominal compartment syndrome porcine model. 2008 , 12, P322	78
272	Clinically applicable porcine model of abdominal compartment syndrome. 2008 , 12, P323	78
271	Relation between ventilatory pressures and intra-abdominal pressure. 2008 , 12, P324	4
270	Evaluation of the role of noninvasive positive pressure ventilation in prevention of postextubation respiratory failure in high-risk patients. 2008 , 12, P325	78
269	A randomized control trial comparing adaptive support ventilation with pressure-regulated volume control ventilation in weaning patients after cardiac surgery. 2008 , 12, P326	1
268	Effectiveness of a spontaneous breathing trial with a low-pressure support protocol for liberation from the mechanical ventilator in a general surgical ICU. 2008 , 12, P327	78
267	Predicting success in weaning from mechanical ventilation. 2008 , 12, P328	1
266	Is the threshold useful in accelerating weaning from mechanical ventilation?. 2008 , 12, P329	1
265	Addition of a spontaneous awakening trial improves outcome in mechanically ventilated medical ICU patients. 2008 , 12, P330	78
264	Early versus late tracheotomy in the ICU. 2008 , 12, P331	1

263	Precocious tracheotomy versus prolonged intubation in a medical ICU. 2008 , 12, P332	78
262	Ciaglia Blue Dolphin: a new technique for percutaneous tracheostomy using balloon dilation. 2008 , 12, P333	2
261	Percutaneous dilatation tracheostomy in critically ill patients with documented coagulopathy. 2008 , 12, P334	78
260	An audit of perioperative staffing and complications during percutaneous and surgical tracheostomy insertion. 2008 , 12, P335	78
259	Severe airway compromise after percutaneous dilatational tracheostomy. 2008 , 12, P336	78
258	Incidence of postoperative sore throat and cough: comparison of a polyvinylchloride tube and an armoured tube. 2008 , 12, P337	1
257	Efficacy of postprocedural chest radiographs after percutaneous dilational tracheostomy. 2008 , 12, P338	78
256	Tracheal wall pressures in the clinical setting: comparing Portex Soft Seal and Lotrach cuffs. 2008 , 12, P339	78
255	Intraluminal measurement probe increases resistance of pediatric endotracheal tubes. 2008 , 12, P340	78
254	Effect of telemedicine for a prehospital suburban emergency medical service. 2008 , 12, P341	3
253	An improved Bussignac device for the delivery of noninvasive continuous positive airway pressure: the SUPER-Bussignac. 2008 , 12, P342	78
252	Abstract withdrawn. 2008 , 12, P343	78
251	How quick is soon? Early response to continuous positive airway pressure: a randomized controlled trial. 2008 , 12, P344	1
250	Conventional versus noninvasive ventilation in acute respiratory failure. 2008 , 12, P345	78
249	Can the delta Rapid Shallow Breathing Index predict respiratory failure in spontaneously breathing patients receiving positive pressure ventilation?. 2008 , 12, P346	78
248	Plain radiological investigations in admissions to a trauma centre ICU. 2008 , 12, P347	78
247	Needlestick injuries and infectious diseases in emergency medicine. 2008 , 12, P348	78
246	Impact of a pandemic triage tool on intensive care admission. 2008 , 12, P349	1

245	Pneumonia Severity Index: a validation and assessment study for its use as a triage tool in the emergency department. 2008 , 12, P350	78
244	Injuries sustained by patients with behavioral disturbances brought to an emergency department in police custody. 2008 , 12, P351	78
243	A study on the reliability and validity of two four-level emergency triage systems. 2008 , 12, P352	78
242	Patterns of medical illness and injuries in emotionally disturbed patients brought to an emergency department in police custody. 2008 , 12, P353	78
241	Factors of hospitalization for mild heat illness. 2008 , 12, P354	78
240	Missed opportunities to facilitate the diagnosis of colon cancer in emergency department patients. 2008 , 12, P355	4
239	When are chest X-ray scans performed in the emergency department useful?. 2008 , 12, P356	78
238	Management of acute organophosphorus poisoning at a university hospital. 2008 , 12, P357	78
237	Suicidal intoxication by the black stone in Tunisia. 2008 , 12, P358	78
236	Prognosis factors of poisonings treated with extracorporeal life support in the ICU. 2008 , 12, P359	1
235	Prognostic factors of acute calcium-channel blocker poisonings. 2008 , 12, P360	78
234	Retrospective study of patients following deliberate self-poisoning admitted to Cardiff and Vale NHS critical care services between April 2006 and December 2007. 2008 , 12, P361	78
233	Immunological manifestations in paraphenylenediamine poisoning. 2008 , 12, P362	78
232	Introducing rapid response teams in Slovenia. 2008 , 12, P363	78
231	Emergency call system in the hospital. 2008 , 12, P364	78
230	Relevance of a cardiac arrest team in an Indian cancer hospital ICU. 2008 , 12, P365	78
229	Outcome after ICU admission following out-of-hospital cardiac arrest in a UK teaching hospital. 2008 , 12, P366	78
228	Comparison of the characteristics and outcome between patients suffering from out-of-hospital primary cardiac arrest and drowning victims with cardiac arrest: an analysis of variables based on the Utstein Style for Drowning. 2008 , 12, P367	78

227	Trends (1998-2006) in hospital mortality for admissions to UK critical care units following cardiopulmonary resuscitation. 2008 , 12, P368	78
226	Return of spontaneous circulation after cardiac arrest using mechanical chest compressions with the Lund Cardiac Arrest System compared with manual chest compressions. 2008 , 12, P369	78
225	Abstract withdrawn. 2008 , 12, P370	78
224	Return of spontaneous circulation and neurological outcome after in-hospital Lund University Cardiac Arrest System cardiopulmonary resuscitation. 2008 , 12, P371	78
223	Etiology of prehospital cardiac arrest largely determines outcome in patients treated with mild hypothermia. 2008 , 12, P372	78
222	Good neurological recovery at ICU discharge of asystole patients treated with induced mild hypothermia. 2008 , 12, P373	1
221	Use of hypothermia for out-of-hospital cardiac arrest survivors: a single-centre experience. 2008 , 12, P374	78
220	Therapeutic hypothermia preserves the brain by reducing nitric oxide synthase after asphyxial cardiac arrest in rats. 2008 , 12, P375	1
219	Cerebral blood flow and cerebrovascular reactivity during hypothermia after cardiac arrest. 2008 , 12, P376	78
218	Early therapeutic hypothermia in sudden cardiac death and following return of spontaneous circulation. 2008 , 12, P377	78
217	Effect of therapeutic mild hypothermia initiated by cold fluids after cardiac arrest on haemostasis as measured by thrombelastography. 2008 , 12, P378	78
216	Immunomodulatory effects of esmolol in a septic animal model due to multidrug-resistant <i>Pseudomonas aeruginosa</i> pyelonephritis. 2008 , 12, P379	2
215	Applying the 2003 SCCM/ESICM/ACCP/ATS/SIS instead of the 1992 ACCP/SCCM sepsis definitions increases the numbers of patients with systemic inflammatory response syndrome shock and septic shock but decreases mortality rates. 2008 , 12, P380	78
214	Systemic inflammatory response syndrome as a clinical detection tool and inclusion criterion in sepsis trials: too blunt an instrument?. 2008 , 12, P381	78
213	Pharmacokinetic-pharmacodynamic analysis of human purified C1-esterase inhibitor in patients with sepsis. 2008 , 12, P382	1
212	Nitrite consumption and production in the cardiopulmonary circulation during hemorrhagic shock and resuscitation. 2008 , 12, P383	78
211	Postconditioning in a rat model of gut ischemia-reperfusion. 2008 , 12, P384	78
210	Endotoxin-induced activation of hypoxia-inducible factor 1 α in cultured human hepatocytes and monocytes: impact on cellular and mitochondrial respiration. 2008 , 12, P385	78

209	Induction of hypoxia inducible factor 1 β by Toll-like receptors in human dendritic cells. 2008 , 12, P386	1
208	Association between ATP production and oxidative mtDNA damage through mitochondrial respiratory chain in the rat caecal ligation and puncture heart injury model. 2008 , 12, P387	78
207	Cecal ligation and perforation, when disrupting proper abscess formation, provides highly reproducible results and has common features with human data. 2008 , 12, P388	78
206	Hydrogen sulfide for organ protection. 2008 , 12, P389	78
205	Experimental wound healing in severe sepsis and septic shock in humans. 2008 , 12, P390	1
204	Effect of increasing endotoxin doses on oxidative injury and cyclooxygenase-mediated inflammation in the anaesthetised pig. 2008 , 12, P391	78
203	Nitric oxide synthase 2-derived NO in endotoxemia is not sufficient to cause hemodynamic effects. 2008 , 12, P392	78
202	Lipopolysaccharide modulation of phenylephrine-dependent vasoconstriction is dependent on intercellular communication. 2008 , 12, P393	78
201	Effects of inhaled carbon monoxide and glucocorticoids in porcine endotoxin sepsis. 2008 , 12, P394	0
200	Endotoxemia induces an early differential metabolic response in the heart and liver as determined by metabolomic analysis. 2008 , 12, P395	78
199	Noradrenaline for treatment of endotoxemic shock in pigs is associated with improved hepatic mitochondrial respiration. 2008 , 12, P396	78
198	Central-line-related septic shock: early appropriate antimicrobial therapy and rapid source control reduce mortality. 2008 , 12, P397	78
197	Optimal hemodynamic management according to the Surviving Sepsis Guidelines is not applicable to all ICU patients. 2008 , 12, P398	78
196	Outcome and mortality risk factors of patients presenting to the ICU with severe sepsis and septic shock. 2008 , 12, P399	78
195	Evaluation of indications for performing blood cultures in ICU patients: a pilot study. 2008 , 12, P400	78
194	Meta-analysis of dopexamine and its effect on mortality in patients undergoing major surgery. 2008 , 12, P401	78
193	Glucose metabolism during hyperdynamic septic shock: comparison between noradrenaline and vasopressin. 2008 , 12, P402	1
192	Continuous terlipressin versus vasopressin infusion in septic shock: the TERLIVAP study. 2008 , 12, P403	5

191	Hemodynamic effects of association of vasopressin and norepinephrine in patients with septic shock. 2008 , 12, P404	1
190	Vasopressin and terlipressin as first-line therapy in fulminant ovine septic shock. 2008 , 12, P405	3
189	Terlipressin in catecholamine-resistant hyperdynamic shock patients after cardiac surgery. 2008 , 12,	1
188	Selective V1a receptor agonist FE 202158 reverses platelet-activating factor-induced hypotension, vascular leak, impaired tissue perfusion, and mortality in rats. 2008 , 12, P407	8
187	Comparison of vasoactive medications and investigation determinants of mortality in children. 2008 , 12, P408	78
186	Importance of adequate fluid resuscitation in patients with severe septic shock on high catecholamine doses. 2008 , 12, P409	78
185	Low cardiac function index predicts ICU mortality in patients with severe sepsis or septic shock. 2008 , 12, P410	2
184	Australasian Resuscitation in Sepsis Evaluation study. 2008 , 12, P411	78
183	Survival sepsis campaign bundles, compliance and mortality: prospective single-center study. 2008 , 12, P412	78
182	Compliance of Surviving Sepsis Campaign bundles: single-center perspective of 3 years. 2008 , 12, P413	78
181	Compliance with the sepsis care resuscitation bundles is associated with decreased mortality in patients with septic shock. 2008 , 12, P414	78
180	Severe sepsis: international and specialty variations in initial management. 2008 , 12, P415	2
179	Surviving sepsis in Scotland: is the emergency department ready?. 2008 , 12, P416	78
178	A multicentre study on early goal-directed therapy of severe sepsis and septic shock patients in the ICU: collaborative study group on early goal-directed therapy in Zhejiang Province, China. 2008 , 12, P417	1
177	Effect of prolonged emergency department length of stay on inpatient length of stay and inhospital mortality in severe sepsis and septic shock. 2008 , 12, P418	78
176	Does early antibiotic administration affect disposition or length of stay in patients with cryptic shock? A retrospective pilot study. 2008 , 12, P419	78
175	Location of presentation of septic shock has an impact on clinical outcome. 2008 , 12, P420	78
174	Effects of hydrocortisone on posttraumatic stress disorder after septic shock: results from the CORTICUS Berlin Study Group. 2008 , 12, P421	4

173	Possible pharmacologic interactions caused by mixed infusion. 2008 , 12, P422	78
172	Influence of the number of nurses on survival in multiple system organ failure. 2008 , 12, P423	78
171	Racial disparities in quality of care in community-acquired pneumonia. 2008 , 12, P424	78
170	Global assessment of performance of ICUs: a French experience. 2008 , 12, P425	78
169	AIMing to save lives. 2008 , 12, P426	1
168	Standard operating procedures in postresuscitation care: facilitated realisation therapeutic measures in daily practice. 2008 , 12, P427	78
167	Artificial intelligence to reduce practice variation in the ICU. 2008 , 12, P428	78
166	Design, implementation and evaluation of a new drug chart in an intensive care/high-dependency unit. 2008 , 12, P429	78
165	Northern Ireland Critical Care Incident Monitoring Study. 2008 , 12, P430	78
164	Four-dimensional approach to quality and performance of intensive care: rapid routine overview of performance by derived indexes. 2008 , 12, P431	78
163	Quality improvement: reducing ventilator-associated pneumonia. 2008 , 12, P432	1
162	Ventilator-associated pneumonia bundle impact in an intermediate respiratory care unit. 2008 , 12, P433	78
161	Implementing national guidelines in intensive care patients with ventilator-associated, hospital-acquired, and healthcare-associated pneumonia: the IMPACT-HAP project. 2008 , 12, P434	78
160	Prevention of unplanned extubations in the ICU: results of a nurse-driven endotracheal tube care protocol. 2008 , 12, P435	78
159	Evidence-based guidelines for preventing ventilator-associated pneumonia: results of a knowledge test among 3329 European intensive care nurses. 2008 , 12, P436	78
158	Preliminary investigation into the response of free cortisol to the low-dose corticotrophin test in patients with septic shock. 2008 , 12, P437	78
157	Copeptin as a marker of shock and predictor of adverse outcome in critically ill patients. 2008 , 12, P438	0
156	Copeptin and acute renal failure in critically ill patients. 2008 , 12, P439	2

155	Prognostic value of N-terminal B-type natriuretic peptide in patients at high risk of systemic inflammatory response syndrome/sepsis. 2008 , 12, P440	78
154	Incremental power of the combination of brain natriuretic peptide and tumoral antigen carbohydrate 125 for risk stratification in patients with acute heart failure. 2008 , 12, P441	78
153	Pro-brain natriuretic peptide as a marker of successful thrombolysis in patients with submassive pulmonary thromboembolism. 2008 , 12, P442	78
152	Serum measurement of N-terminal pro-brain peptide among septic patients. 2008 , 12, P443	78
151	Plasma brain natriuretic peptide and cardiac troponin I concentrations after adult cardiac surgery: association with cardiovascular death, postoperative cardiac, renal and pulmonary dysfunction. 2008 , 12,	78
150	Prognostic value of plasma amino-terminal pro-brain natriuretic peptide in a large, representative ICU population. 2008 , 12, P445	78
149	N-terminal B-type natriuretic peptide and renal function parameters in cerebral salt wasting syndrome. 2008 , 12, P446	78
148	Sepsis-associated diastolic dysfunction without elevated plasma B-type natriuretic peptide. 2008 , 12, P447	78
147	Effects of postoperative hyperlactatemia on patientsQntensive therapy unit length of stay. 2008 , 12, P449	78
146	Intraoperative base excess and carbon dioxide gap predict length of intensive care stay after cardiac surgery. 2008 , 12, P450	78
145	Lactate clearance: the earlier the better?. 2008 , 12, P451	78
144	Interpretation of serum lactate levels in septic hyperlactatemic patients with acute respiratory distress syndrome. 2008 , 12, P452	78
143	Intravenous immunoglobulin reduces the ischemia/reperfusion-induced renal injury by increasing insulin-like growth factor-I production in mice. 2008 , 12, P453	78
142	Comparative study between intravenous immunoglobulins and standard treatment in septic patients. 2008 , 12, P454	78
141	Lipopolysaccharide adsorption in combined therapy of patients with severe sepsis. 2008 , 12, P455	3
140	Relationship between the use of polymyxin B-immobilized fiber for hemofiltration and some laboratory parameters (endocannabinoids, high mobility group box-1 protein and oxidative stress) in severe pneumonia patients. 2008 , 12, P456	78
139	Effectiveness of continuous venovenous hemodiafiltration using a polymethylmethacrylate membrane hemofilter in septic shock patients. 2008 , 12, P457	78
138	Polymyxin B hemoperfusion in high endotoxin activity level septic shock patients. 2008 , 12, P458	1

137	Efficacy of the CTR-001 direct hemoperfusion adsorption column in sepsis. 2008 , 12, P459	78
136	Coupled plasma filtration adsorption in peritonitis-induced porcine hyperdynamic septic shock. 2008 , 12, P460	78
135	Clinical efficacy of long-term performance with polymyxin-B immobilized fiber treatment for septic shock. 2008 , 12, P461	78
134	Association of IL-6 promoter polymorphism -174C/G with outcome in severe sepsis. 2008 , 12, P462	4
133	Association of (CCTTT)10, a nitric oxide synthase 2 promoter polymorphism, with death due to acute lung injury. 2008 , 12, P463	78
132	Tranexamic acid effects on postoperative bleeding in cardiopulmonary bypass surgery according to the plasminogen activator inhibitor-1 polymorphism. 2008 , 12, P464	78
131	Effect of the IL-6 promoter polymorphism -174 G/C on risk and outcome of pneumonia. 2008 , 12, P465	3
130	Relationship between angiotensin-converting enzyme gene polymorphism (insertion/deletion) and the clinical condition of sepsis. 2008 , 12, P466	78
129	Incidence of renal failure following orthotopic liver transplantation is lower in the Asian population. 2008 , 12, P467	78
128	Renal protection in the ICU: role of fenoldopam. 2008 , 12, P468	78
127	Renal hemodynamic, microcirculatory and metabolic responses to peritonitis-induced acute kidney injury in pigs. 2008 , 12, P469	2
126	Risk factors and outcome of rhabdomyolysis after cardiac surgery. 2008 , 12,	4
125	Requirement for renal replacement therapy following orthotopic liver transplantation in adults is associated with prolonged mechanical ventilation and higher incidence of pneumonia. 2008 , 12, P471	78
124	Slow continuous ultrafiltration: just fluids?. 2008 , 12, P472	78
123	New technology for mini invasive slow continuous ultrafiltration to avoid mechanical ventilation in cardiorespiratory failure: preliminary experience. 2008 , 12, P473	78
122	Provision of intermittent renal replacement service outside an ICU is safe and effective. 2008 , 12, P474	78
121	The Hannover Dialysis Outcome (HAN-D-OUT) study: comparison of standard versus intensified dialysis in treatment of patients with acute kidney injury in the ICU. 2008 , 12, P475	2
120	High-volume continuous venovenous hemofiltration reduces mortality in critically ill patients with acute renal failure. 2008 , 12, P476	78

119	High fluid volume removal with continuous renal replacement therapy as a therapeutic option for early posttraumatic acute respiratory distress syndrome. 2008 , 12, P477	78
118	Serum urea as a marker for initiation of renal replacement therapy in ICU patients with acute kidney injury. 2008 , 12, P478	2
117	Initiation of renal replacement therapy in patients with acute kidney injury and severe lactic acidosis. 2008 , 12, P479	78
116	Pharmacokinetics of ranitidine during hemodiafiltration. 2008 , 12, P480	78
115	Ceftriaxone pharmacokinetic properties during continuous venovenous haemofiltration using an in vitro model. 2008 , 12, P481	1
114	Intermittent versus continuous enoxaparine for anticoagulation during continuous venovenous hemofiltration. 2008 , 12, P482	78
113	Mechanical ventilation in a critical care unit in southern Brazil: mortality risk factors. 2008 , 12, P483	78
112	Long-stay critically ill patients Characteristics and outcomes: a cohort study. 2008 , 12, P484	1
111	Respiratory organ dysfunction: a leading risk factor for hospital mortality in patients with severe sepsis or septic shock. 2008 , 12, P485	78
110	Improved ICU risk prediction modelling using a multivariable fractional polynomial approach. 2008 , 12, P486	78
109	Risk factors for the development of acute lung injury in patients with septic shock: an observational cohort study. 2008 , 12, P487	4
108	Outcome in severe sepsis and septic shock patients with hematological malignancies: impact of recent intravenous chemotherapeutic treatment. 2008 , 12, P488	78
107	Outcome of patients with haematological malignancy admitted to the general ICU. 2008 , 12, P489	78
106	Prognostic factors of cancer patients admitted to the ICU in Brazil: a prospective cohort. 2008 , 12, P490	78
105	Organ dysfunction influences outcome in medical oncology patients without multiorgan failure. 2008 , 12, P491	78
104	Causes and risk factors of maternal mortality in the ICU. 2008 , 12, P492	78
103	Epidemiology and outcome in acute respiratory failure. 2008 , 12, P493	2
102	Outcome for immunocompromised pediatric critical patients. 2008 , 12, P494	78

101	Immunocompromised pediatric patients with acute respiratory failure: outcome and prognosis factors. 2008 , 12, P495	78
100	ICU patients: does age make any difference?. 2008 , 12, P496	0
99	How does care differ for neurological patients admitted to a neuro-ICU versus a general ICU? The Greater New York Hospital Association ICU Prevalence Survey. 2008 , 12, P497	78
98	Analysis of morbimortality in patients with multiorgan dysfunction. 2008 , 12, P498	1
97	Determination of SpO ₂ /FiO ₂ thresholds to impute for PaO ₂ /FiO ₂ ratios in the Sequential Organ Failure Assessment score. 2008 , 12, P499	78
96	Validation of APACHE IV in patients with severe acute pancreatitis. 2008 , 12, P500	1
95	Disparity in outcome prediction between APACHE II, APACHE III and APACHE IV. 2008 , 12, P501	1
94	Assessment of the performance of the SAPS 3, SAPS II, and APACHE II prognostic models in a surgical ICU. 2008 , 12, P502	1
93	Prediction of hospital mortality by support vector machine versus logistic regression in patients with a haematological malignancy admitted to the ICU. 2008 , 12, P503	1
92	Incidence, risk factors and outcome of venous thromboembolism in critically ill obstetric patients. 2008 , 12, P504	78
91	Quality of life after prolonged ICU stay: preliminary results of a prospective survey in critically ill patients. 2008 , 12, P505	78
90	Abstract withdrawn. 2008 , 12, P506	78
89	Quality of life 4 months after ICU discharge. 2008 , 12, P507	78
88	Quality of life among survivors of prolonged critical illness; a mixed methods study. 2008 , 12, P508	78
87	Long-term resource use, quality of life, and cost-effectiveness of liberal and conservative fluid strategies in acute lung injury. 2008 , 12, P509	78
86	Pain in intensive care after sternotomy is predictive for chronic thoracic pain. 2008 , 12, P510	2
85	Pharmacokinetics of oral melatonin in patients recovering from critical illness. 2008 , 12, P511	78
84	Current awareness of delirium in the ICU: a postal survey in The Netherlands. 2008 , 12, P512	78

83	Risk factors associated with delirium in a general ICU: role of S-100 protein. 2008 , 12, P513	78
82	Nicotine replacement therapy is associated with improved outcomes in critically ill smokers. 2008 , 12, P514	78
81	Translation, retranslation and validation of the Dutch Confusion Assessment Method for the Intensive Care Unit. 2008 , 12, P515	5
80	Efficacy of electrical muscle stimulation on preserving the muscle mass of critically ill patients. 2008 , 12, P516	1
79	End of life practices in India. 2008 , 12, P517	78
78	End of life care: communication in a retrospective survey. 2008 , 12, P518	78
77	Care of terminally ill patients: an opinion survey among healthcare providers in the Middle East. 2008 , 12, P519	78
76	Prognostic factors of elderly patients admitted to an ICU. 2008 , 12,	78
75	Intensive care use and mortality in the very elderly patients. 2008 , 12, P521	78
74	Decisions to limit care: evaluation of newly graduated physicians during a selection process for medical residency in Brazil. 2008 , 12, P522	78
73	Interdisciplinary ethics consultation on the surgical ICU: indication on a gut level. 2008 , 12, P523	78
72	Safety assessment of the direct sequence spread spectrum wireless local area network with a medical device. 2008 , 12, P524	78
71	Consumption of ICU resources by long-stay patients does not change over time: 10-year observation in a teaching hospital in The Netherlands. 2008 , 12, P525	1
70	Microcosting study of ICU costs in three European countries. 2008 , 12, P526	3
69	Indication and use of chest X-ray scans in the ICU. 2008 , 12, P527	78
68	Technology in the ICU; the nurses' point of view. 2008 , 12, P528	78
67	Overflow critical care facility in a teaching hospital: how often do we use it?. 2008 , 12, P529	78
66	Visiting policies in Italian pediatric ICUs: a national survey. 2008 , 12, P530	78

65	Multidisciplinary educational needs assessment of critical care in community hospitals. 2008 , 12, P531	78
64	Intensive care not confined to the bedspace: successfully implemented ventilation and monitoring solution for ICU intrahospital transport that is offering improvements in patient care. 2008 , 12, P532	78
63	Quantification and characterisation of work done by intensive care doctors outside the ICU. 2008 , 12, P533	78
62	Information management framework in adult critical care: experience from a large Canadian health region. 2008 , 12, P534	78
61	Serial evaluation of the Multiple Organ Dysfunction Score, Sequential Organ Failure Assessment and Logistic Organ Dysfunction scores to predict ICU mortality in mixed critically ill patients. 2008 , 12, P535	0
60	Impact of the opening of a ward-based noninvasive ventilation unit on critical care. 2008 , 12, P536	78
59	ICU admission during round time is associated with increased mortality. 2008 , 12, P537	78
58	Prognosis of patients with haematological malignancies admitted to the ICU. 2008 , 12, P538	78
57	Communication survey on use of cellphones versus pagers among anesthesiologists. 2008 , 12, P539	78
56	Online learning resources in emergency medicine for primary care professionals. 2008 , 12, P540	78
55	Simulation-based training on emergencies in cardiology: experience with 497 trainees. 2008 , 12, P541	78
54	Antioxidants and neuroprotection in the adult and developing central nervous system. 2008 , 15, 3068-80	73
53	Antioxidant therapies for traumatic brain injury. 2010 , 7, 51-61	274
52	Long-term sleep disturbances in children: a cause of neuronal loss. 2010 , 14, 380-90	114
51	ACh receptors link two signaling pathways to neuroprotection against glutamate-induced excitotoxicity in isolated RGCs. 2010 , 112, 214-26	28
50	Low-level blast raises intracranial pressure and impairs cognitive function in rats: prophylaxis with processed cereal feed. 2010 , 27, 383-9	52
49	Antiepileptic action of exogenous dehydroepiandrosterone in iron-induced epilepsy in rat brain. 2010 , 19, 264-71	16
48	Reactive oxygen species in the regulation of synaptic plasticity and memory. 2011 , 14, 2013-54	327

47	Melatonin and minocycline for combinatorial therapy to improve functional and histopathological deficits following traumatic brain injury. <i>Neuroscience Letters</i> , 2011 , 488, 60-4	3-3	46
46	Edaravone attenuates impairment of synaptic plasticity in granule cell layer of the dentate gyrus following traumatic brain injury. 2011 , 58, 47-58		7
45	Differential effects of injury severity on cognition and cellular pathology after contusive brain trauma in the immature rat. 2011 , 28, 245-57		15
44	Interaction of visual experience and melatonin in the spatial task learning. 2012 , 43, 385-396		1
43	Relationship between circulating IGF-1 levels and traumatic brain injury-induced hippocampal damage and cognitive dysfunction in immature rats. <i>Neuroscience Letters</i> , 2012 , 507, 84-9	3-3	42
42	Antioxidant therapies in traumatic brain and spinal cord injury. 2012 , 1822, 675-84		274
41	Pediatric brain trauma: what do age-appropriate animal models teach us about the age-at-injury effect?. 126-137		
40	Current evaluation of TBI epidemiology in an ageing society with improved preventive measures. 1-16		1
39	Effect of melatonin on intracranial pressure and brain edema following traumatic brain injury: role of oxidative stresses. 2013 , 44, 251-8		53
38	Progesterone treatment decreases traumatic brain injury induced anxiety and is correlated with increased serum IGF-1 levels; prefrontal cortex, amygdala, hippocampus neuron density; and reduced serum corticosterone levels in immature rats. 2013 , 88, 250-7		27
37	Intraperitoneal melatonin is not neuroprotective in the G93ASOD1 transgenic mouse model of familial ALS and may exacerbate neurodegeneration. <i>Neuroscience Letters</i> , 2013 , 548, 170-5	3-3	12
36	Development of hexagonal maze procedure for evaluating memory in rat. 2013 , 1, 134-138		3
35	Perspectives on molecular biomarkers of oxidative stress and antioxidant strategies in traumatic brain injury. 2014 , 2014, 723060		59
34	Melatonin regulates mesenchymal stem cell differentiation: a review. 2014 , 56, 382-97		115
33	Novel therapeutic strategies for traumatic brain injury: acute antioxidant reinforcement. 2014 , 28, 229-48		45
32	Microglial inhibitory effect of ginseng ameliorates cognitive deficits and neuroinflammation following traumatic head injury in rats. 2014 , 22, 155-67		19
31	A double-blind, placebo-controlled intervention trial of 3 and 10 mg sublingual melatonin for post-concussion syndrome in youths (PLAYGAME): study protocol for a randomized controlled trial. 2014 , 15, 271		37
30	What's New in Traumatic Brain Injury: Update on Tracking, Monitoring and Treatment. 2015 , 16, 11903-65		50

29	Ozone exposure of Flinders Sensitive Line rats is a rodent translational model of neurobiological oxidative stress with relevance for depression and antidepressant response. 2015 , 232, 2921-38	39
28	Reduction in traumatic brain injury-induced oxidative stress, apoptosis, and calcium entry in rat hippocampus by melatonin: Possible involvement of TRPM2 channels. 2015 , 30, 223-31	64
27	Combination therapies for neurobehavioral and cognitive recovery after experimental traumatic brain injury: Is more better?. 2016 , 142, 45-67	55
26	Potential pleiotropic beneficial effects of adjuvant melatonergic treatment in posttraumatic stress disorder. 2016 , 61, 3-26	28
25	Neuroprotective Effects of Thymoquinone on the Hippocampus in a Rat Model of Traumatic Brain Injury. 2016 , 86, 243-9	24
24	Chronic Melatonin Treatment Prevents Memory Impairment Induced by Chronic Sleep Deprivation. 2016 , 53, 3439-3447	36
23	Antiepileptic effect of fisetin in iron-induced experimental model of traumatic epilepsy in rats in the light of electrophysiological, biochemical, and behavioral observations. 2017 , 20, 255-264	28
22	Melatonin reverses H-89 induced spatial memory deficit: Involvement of oxidative stress and mitochondrial function. 2017 , 316, 115-124	10
21	Melatonin prevents memory impairment induced by high-fat diet: Role of oxidative stress. 2018 , 336, 93-98	39
20	Does the administration of melatonin during post-traumatic brain injury affect cytokine levels?. 2018 , 26, 1017-1023	9
19	Comparison of the neuroprotective effects of brimonidine tartrate and melatonin on retinal ganglion cells. 2018 , 38, 2553-2562	10
18	Melatonin as a Therapy for Traumatic Brain Injury: A Review of Published Evidence. 2018 , 19,	25
17	Melatonin as a Treatment after Traumatic Brain Injury: A Systematic Review and Meta-Analysis of the Pre-Clinical and Clinical Literature. 2019 , 36, 523-537	30
16	Retinoprotective effect of donepezil in diabetic mice involves mitigation of excitotoxicity and activation of PI3K/mTOR/Bcl pathway. 2020 , 262, 118467	4
15	Melatonin Improves Short-Term Spatial Memory in a Mouse Model of Alzheimer's Disease. 2021 , 11, 15-27	4
14	Oxidative Damage Mechanisms in Traumatic Brain Injury and Antioxidant Neuroprotective Approaches. 2018 , 39-61	1
13	Traumatic injury to the immature brain: Inflammation, oxidative injury, and iron-mediated damage as potential therapeutic targets. 2006 , 3, 143	2
12	Traumatic brain injury-induced dysregulation of the circadian clock. 2012 , 7, e46204	61

11	Mild hypothermia prevents post-traumatic hyperactivity of excitatory synapses in rat hippocampal CA1 pyramidal neurons. 2009 , 56, 49-59	4
10	Effects of the Extremely Low Frequency Electromagnetic Fields on NMDA-Receptor Gene Expression and Visual Working Memory in Male Rhesus Macaques. 2018 , 9, 167-176	9
9	Evidence supporting the use of melatonin in short gestation infants. 2006 , 061129041143002-???	
8	Concussion. 2019 , 287-290	
7	Neuroprotective Agents in the Intensive Care Unit: -Neuroprotective Agents in ICU. 2018 , 21, 226-240	1
6	Neuroprotective Agents in the Intensive Care Unit. 2018 , 21, 226-240	3
5	Antioxidant therapies in traumatic brain injury.. 2022 , 152, 105255	2
4	Mitoquinone supplementation alleviates oxidative stress and pathologic outcomes following repetitive mild traumatic brain injury at a chronic time point.. <i>Experimental Neurology</i> , 2022 , 351, 113987 ⁵⁻⁷	2
3	Perspectives on the Molecular Mediators of Oxidative Stress and Antioxidant Strategies in the Context of Neuroprotection and Neurolongevity: An Extensive Review. 2022 , 2022, 1-20	2
2	Melatonin, Circadian Rhythms, and Sleep: An Opportunity to Understand Mechanisms for Protecting Against Neurodegenerative Disease in <i>Drosophila</i> . 2023 , 521-561	0
1	Traumatic Brain Injury, Sleep, and Melatonin Intrinsic Changes with Therapeutic Potential. 2023 , 5, 177-203	0