
CITATION REPORT List of articles citing



DOI: 10.1016/j.ijcard.2004.04.013 International Journal of Cardiology, 2005, 100, 179-90.

Source: https://exaly.com/paper-pdf/39344224/citation-report.pdf

Version: 2024-04-09

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
351	Bibliography Current World Literature. 2005 , 20, 552-616		
350	One of possible mechanisms on no-reflow in post-percutaneous coronary intervention: coronary shock due to micro-coronary stunning. 2005 , 65, 814		
349	Effect of postconditioning on coronary blood flow velocity and endothelial function in patients with acute myocardial infarction. 2006 , 40, 327-33		52
348	Top downloads from the International Journal of Cardiology entering 2006. <i>International Journal of Cardiology</i> , 2006 , 106, 1-2	3.2	1
347	Intracoronary aqueous oxygen perfusion, performed 24 h after the onset of postinfarction reperfusion, experimentally reduces infarct size and improves left ventricular function. <i>International Journal of Cardiology</i> , 2006 , 113, 371-5	3.2	16
346	Beneficial Role of Tetrahydrobiopterin on Various Cardiovascular Diseases and Regulation of its Levels under Pathological Conditions. 2006 , 17, 5-10		
345	Death and Survival of Cardiomyocytes in Acute Ischemia. 2006 , 36, 165		2
344	Annexin 1 and melanocortin peptide therapy for protection against ischaemic-reperfusion damage in the heart. 2006 , 6, 1008-23		7
343	Activation of poly(ADP-ribose) polymerase by myocardial ischemia and coronary reperfusion in human circulating leukocytes. 2006 , 12, 221-8		39
342	Effects of olprinone on myocardial ischemia-reperfusion injury in dogs. 2006, 68, 865-8		5
341	Chronic wound pathogenesis and current treatment strategies: a unifying hypothesis. 2006 , 117, 35S-4	1S	359
340	Effect of postconditioning on coronary blood flow velocity and endothelial function and LV recovery after myocardial infarction. 2006 , 19, 367-75		93
339	Glioblastoma cell death induced by asiatic acid. 2006 , 22, 393-408		56
338	Surgical and medical management of mesenteric ischemia. 2006 , 8, 137-43		17
337	Tetramethylpyrazine induces heme oxygenase-1 expression and attenuates myocardial ischemia/reperfusion injury in rats. 2006 , 13, 731-40		39
336	Reoxygenation-specific activation of the antioxidant transcription factor Nrf2 mediates cytoprotective gene expression in ischemia-reperfusion injury. 2006 ,		1
335	Administration of C1-esterase inhibitor during emergency coronary artery bypass surgery in acute ST-elevation myocardial infarction. 2006 , 30, 285-93		41

(2007-2006)

334	Reoxygenation-specific activation of the antioxidant transcription factor Nrf2 mediates cytoprotective gene expression in ischemia-reperfusion injury. 2006 , 20, 2624-6	202
333	12-Lipoxygenase-derived eicosanoids protect against myocardial ischemia/reperfusion injury via activation of neuronal TRPV1. 2007 , 21, 2695-703	59
332	Effects of tetrahydrobiopterin on coronary vascular reactivity in atherosclerotic human coronary arteries. 2007 , 76, 539-46	19
331	Cardioprotective effects of nitric oxide-aspirin in myocardial ischemia-reperfused rats. 2007 , 293, H1545-52	24
330	Expression of SERCA isoform with faster Ca2+ transport properties improves postischemic cardiac function and Ca2+ handling and decreases myocardial infarction. 2007 , 293, H2418-28	49
329	Sonic hedgehog carried by microparticles corrects endothelial injury through nitric oxide release. 2007 , 21, 2735-41	130
328	(6R)-5,6,7,8-tetrahydro-L-biopterin and its stereoisomer prevent ischemia reperfusion injury in human forearm. 2007 , 27, 1334-9	36
327	Imaging acute cardiac cell death: temporal and spatial distribution of 99mTc-labeled C2A in the area at risk after myocardial ischemia and reperfusion. 2007 , 48, 1031-6	17
326	Oxidant-induced cardiomyocyte injury: Identification of the cytoprotective effect of a dopamine 1 receptor agonist using a cell-based high-throughput assay. 2007 , 20, 749	
325	Cardiac mitochondrial cGMP stimulates cytochrome c release. 2007 , 112, 113-21	13
324	Low plasma glutathione levels after reperfused acute myocardial infarction are associated with late cardiac events. 2007 , 18, 77-82	8
323	Quantitative analysis of [99mTc]C2A-GST distribution in the area at risk after myocardial ischemia and reperfusion using a compartmental model. 2007 , 34, 897-905	4
322	Necrosis and apoptosis: sequence of liver damage following reperfusion after 60 min ischemia in rats. 2007 , 358, 500-5	35
321	A unicenter, randomized, double-blind, parallel-group, placebo-controlled study of Melatonin as an Adjunct in patients with acute myocaRdial Infarction undergoing primary Angioplasty The Melatonin Adjunct in the acute myocaRdial Infarction treated with Angioplasty (MARIA) trial: study	54
320	Carvedilol preserves endothelial junctions and reduces myocardial no-reflow after acute myocardial infarction and reperfusion. <i>International Journal of Cardiology</i> , 2007 , 115, 334-41	15
319	Simultaneous visualization of myocardial scar, no-reflow phenomenon, ventricular and atrial thrombi by cardiac magnetic resonance. <i>International Journal of Cardiology</i> , 2007 , 115, e10-1	5
318	Role of pre-infarction angina and inflammatory status in the extent of microvascular obstruction detected by MRI in myocardial infarction patients treated by PCI. <i>International Journal of Cardiology</i> 3.2, 2007 , 121, 139-47	27
317	Pathophysiology of acute myocardial infarction. 2007 , 91, 553-72; ix	114

316	Inflammation, proinflammatory mediators and myocardial ischemia-reperfusion Injury. 2007, 21, 123-4	5	59
315	Pathophysiology of cardiogenic shock complicating acute myocardial infarction. 2007 , 91, 701-12; xii		13
314	Protective effects of magnesium against ischaemia-reperfusion injury through inhibition of P-selectin in rats. 2007 , 34, 1234-9		9
313	Cardiovascular diseases: protective effects of melatonin. 2008 , 44, 16-25		205
312	Diverse effects of L-arginine on cardiac function of rats subjected to myocardial ischemia and reperfusion in vivo. 2007 , 39, 201-7		5
311	Cyclovirobuxine D ameliorates acute myocardial ischemia by K(ATP) channel opening, nitric oxide release and anti-thrombosis. 2007 , 569, 103-9		25
310	Sasanquasaponin protects rat cardiomyocytes against oxidative stress induced by anoxia-reoxygenation injury. 2007 , 575, 21-7		25
309	The myocardial infarct size-limiting and antiarrhythmic effects of acyl-CoA:cholesterol acyltransferase inhibitor VULM 1457 protect the hearts of diabetic-hypercholesterolaemic rats against ischaemia/reperfusion injury both in vitro and in vivo. 2007 , 576, 114-21		4
308	Vasopressors for cardiopulmonary resuscitation. Does pharmacological evidence support clinical practice?. 2007 , 115, 37-55		19
307	The subepicardial microcirculation in heterotopically transplanted mouse hearts: an intravital multifluorescence microscopy study. 2007 , 134, 210-7, 217.e1		15
306	HPLC assay with UV detection for determination of RBC purine nucleotide concentrations and application for biomarker study in vivo. 2008 , 47, 377-82		38
305	Limitation of myocardial and endothelial injury of the rat heart graft after preservation with Centre de RBonance MagnEique Biologique et MEicale (CRMB) solution. 2008 , 21, 276-83		8
304	Prevention of atrial fibrillation following cardiac surgery: basis for a novel therapeutic strategy based on non-hypoxic myocardial preconditioning. 2008 , 118, 104-27		47
303	Antiarrhythmogenic effect of reconstituted high-density lipoprotein against ischemia/reperfusion in rats. 2008 , 51, 1604-12		37
302	Effect of cyclosporine on reperfusion injury in acute myocardial infarction. 2008, 359, 473-81		1026
301	Antioxidant UPF1 attenuates myocardial stunning in isolated rat hearts. <i>International Journal of Cardiology</i> , 2008 , 125, 133-5	3.2	18
300	Most frequently cited and downloaded papers from volumes 99 and 100. <i>International Journal of Cardiology</i> , 2008 , 123, e23-e24	3.2	
299	Protective effects of GLP-1 analogues exendin-4 and GLP-1(9-36) amide against ischemia-reperfusion injury in rat heart. 2008 , 146, 243-9		230

(2008-2008)

298	Effect of co-enzyme Q10 and alpha-lipoic acid on response of rabbit urinary bladder to repetitive stimulation and in vitro ischemia. 2008 , 72, 214-9	15
297	Understanding the cardioprotective effects of flavonols: discovery of relaxant flavonols without antioxidant activity. 2008 , 51, 1874-84	71
296	Effects of Ligustrum delavayanum Hariot. on cholesterol levels and arrhythmogenesis induced by myocardial ischaemia-reperfusion injury in diabetic-hypercholesterolaemic rats. 2008 , 26, 255-8	1
295	Effect of intravenous administration of antioxidants alone and in combination on myocardial reperfusion injury in an experimental pig model. 2008 , 69, 423-39	7
294	Endothelial cysteinyl leukotriene 2 receptor expression mediates myocardial ischemia-reperfusion injury. 2008 , 172, 592-602	49
293	Circulating endothelial cell count, plasma vWF and soluble ICAM-1 levels following primary or elective percutaneous coronary intervention. 2008 , 198, 366-72	9
292	Analyzing cell mechanics in hematologic diseases with microfluidic biophysical flow cytometry. 2008 , 8, 1062-70	219
291	Diastolic calcium is elevated in metabolic recovery of cardiomyocytes expressing elevated levels of the Na+/H+ exchanger. 2008 , 86, 850-9	8
29 0	Carbon monoxide inhibits L-type Ca2+ channels via redox modulation of key cysteine residues by mitochondrial reactive oxygen species. 2008 , 283, 24412-9	103
289	Animal models of wound healing: utility in transgenic mice. 2008 , 19, 989-1005	32
289	Animal models of wound healing: utility in transgenic mice. 2008, 19, 989-1005 Reperfusion ventricular arrhythmia NaurstsNpredict larger infarct size despite TIMI 3 flow restoration with primary angioplasty for anterior ST-elevation myocardial infarction. 2009, 30, 757-64	32
	Reperfusion ventricular arrhythmia NaurstsNpredict larger infarct size despite TIMI 3 flow	
288	Reperfusion ventricular arrhythmia NaurstsNpredict larger infarct size despite TIMI 3 flow restoration with primary angioplasty for anterior ST-elevation myocardial infarction. 2009 , 30, 757-64 Contrast-enhanced magnetic resonance imaging guided decision making after primary	
288	Reperfusion ventricular arrhythmia \(\mathbb{\text{b}}\) ursts\(\mathbb{\text{predict larger infarct size despite TIMI 3 flow restoration with primary angioplasty for anterior ST-elevation myocardial infarction. \(\mathbb{2009}, 30, 757-64 \) Contrast-enhanced magnetic resonance imaging guided decision making after primary percutaneous coronary intervention for acute ST-elevation inferior myocardial infarction. \(\mathbb{2008}, 34, 463-5 \) Simulated ischemia-induced preconditioning of isolated ventricular myocytes from young adult and	33
288 287 286	Reperfusion ventricular arrhythmia \(\mathbb{\text{bursts}} \) predict larger infarct size despite TIMI 3 flow restoration with primary angioplasty for anterior ST-elevation myocardial infarction. 2009, 30, 757-64 Contrast-enhanced magnetic resonance imaging guided decision making after primary percutaneous coronary intervention for acute ST-elevation inferior myocardial infarction. 2008, 34, 463-5 Simulated ischemia-induced preconditioning of isolated ventricular myocytes from young adult and aged Fischer-344 rat hearts. 2008, 295, H768-77 Effects of ischemia and reperfusion on isolated ventricular myocytes from young adult and aged	33
288 287 286 285	Reperfusion ventricular arrhythmia burstsNpredict larger infarct size despite TIMI 3 flow restoration with primary angioplasty for anterior ST-elevation myocardial infarction. 2009, 30, 757-64 Contrast-enhanced magnetic resonance imaging guided decision making after primary percutaneous coronary intervention for acute ST-elevation inferior myocardial infarction. 2008, 34, 463-5 Simulated ischemia-induced preconditioning of isolated ventricular myocytes from young adult and aged Fischer-344 rat hearts. 2008, 295, H768-77 Effects of ischemia and reperfusion on isolated ventricular myocytes from young adult and aged Fischer 344 rat hearts. 2008, 294, H2174-83 Is reduced SERCA2a expression detrimental or beneficial to postischemic cardiac function and	33 14 48
288 287 286 285	Reperfusion ventricular arrhythmia \(\) ursts\\ predict larger infarct size despite TIMI 3 flow restoration with primary angioplasty for anterior ST-elevation myocardial infarction. \(\) 2009, 30, 757-64 Contrast-enhanced magnetic resonance imaging guided decision making after primary percutaneous coronary intervention for acute ST-elevation inferior myocardial infarction. \(\) 2008, 34, 463-5 Simulated ischemia-induced preconditioning of isolated ventricular myocytes from young adult and aged Fischer-344 rat hearts. \(\) 2008, 295, H768-77 Effects of ischemia and reperfusion on isolated ventricular myocytes from young adult and aged Fischer 344 rat hearts. \(\) 2008, 294, H2174-83 Is reduced SERCA2a expression detrimental or beneficial to postischemic cardiac function and injury? Evidence from heterozygous SERCA2a knockout mice. \(\) 2008, 294, H1426-34	33 14 48 47

28o **.2009**,

279	Pathophysiology. 26-44		
278	Cardiac function and the proinflammatory cytokine response after recovery from cardiac arrest in swine. 2009 , 29, 749-58		34
277	Opposite effects of two resveratrol (trans-3,5,4Ntrihydroxystilbene) tetramers, vitisin A and hopeaphenol, on apoptosis of myocytes isolated from adult rat heart. 2009 , 328, 90-8		22
276	Intermedin is upregulated and has protective roles in a mouse ischemia/reperfusion model. 2009 , 32, 861-8		26
275	Pathophysiology of the no-reflow phenomenon. 2009 , 11, 69-76		26
274	Hydrogen sulfide therapy attenuates the inflammatory response in a porcine model of myocardial ischemia/reperfusion injury. 2009 , 138, 977-84		120
273	Beta-adrenoceptor stimulation exacerbates detrimental effects of ischemia and reperfusion in isolated guinea pig ventricular myocytes. 2009 , 602, 364-72		9
272	Assessment of fetal canine cardiac myocyte survival in a dual-side flow bioreactor with modeled hypoxia/reperfusion injury. 2009 , 103, 199-206		
271	Preventive role of magnesium on skeletal muscle ischemia-reperfusion injury-an experimental study. 2009 , 127, 183-9		5
270	Changes in Intracellular Calcium during Compression of C2C12 Myotubes. 2009 , 49, 25-33		11
269	Cardioprotective effect of sasanquasaponin preconditioning via bradykinin-NO pathway in isolated rat heart. 2009 , 23, 1146-53		21
268	Targeting calcium transport in ischaemic heart disease. 2009 , 84, 345-52		68
267	Determinants and prognostic implications of reperfusion injury during primary percutaneous coronary intervention in Chinese patients with acute myocardial infarction. 2009 , 32, 148-53		4
266	The protective effect of Ganoderma atrum polysaccharide against anoxia/reoxygenation injury in neonatal rat cardiomyocytes. <i>Life Sciences</i> , 2009 , 85, 634-41	6.8	22
265	Protection against in vivo focal myocardial ischemia/reperfusion injury-induced arrhythmias and apoptosis by hesperidin. 2009 , 43, 817-27		28
264	Antioxidants in the prevention of myocardial ischemia/reperfusion injury. 2009, 2, 673-95		17
263	Role of ischemia modified albumin to ST-segment resolution after mechanical reperfusion in patients with ST-segment elevation myocardial infarction. 2009 , 203, 576-80		6

262	Allopurinol, xanthine oxidase, and cardiac ischemia. 2009 , 57, 902-9	30
261	Role of endothelial progenitor cell mobilization after percutaneous angioplasty procedure. <i>Current Pharmaceutical Design</i> , 2009 , 15, 1107-22	14
260	Cardiac protection by basic fibroblast growth factor from ischemia/reperfusion-induced injury in diabetic rats. 2010 , 33, 444-9	34
259	The molecular mechanism of protective effects of grape seed proanthocyanidin extract on reperfusion arrhythmias in rats in vivo. 2010 , 33, 759-67	20
258	Temporal changes in circulating P-selectin, plasminogen activator inhibitor-1, magnesium, and creatine kinase after percutaneous coronary intervention. 2010 , 11, 575-82	2
257	Dopamine receptor subtypes in the native human heart. 2010 , 25, 432-7	25
256	Controlled reperfusion after ischemia may be the unifying recovery denominator. 2010 , 140, 12-8, 18.e1-2	31
255	Cardioprotective effects of 44Bu, a newly synthesized compound, in rat heart subjected to ischemia/reperfusion injury. 2010 , 640, 117-23	7
254	Hyperbaric oxygen preconditioning improves myocardial function, reduces length of intensive care stay, and limits complications post coronary artery bypass graft surgery. 2010 , 11, 8-19	44
253	Ganoderma atrum polysaccharide protects cardiomyocytes against anoxia/reoxygenation-induced oxidative stress by mitochondrial pathway. 2010 , 110, 191-200	30
252	Isoflurane protects cardiomyocytes and mitochondria by immediate and cytosol-independent action at reperfusion. 2010 , 160, 220-32	38
251	Pretreatment with hemoglobin-based oxygen carriers protect isolated rat heart from myocardial infarction. 2010 , 38, 115-8	5
250	Exercise improves hemodynamic profiles and increases red blood cell concentrations of purine nucleotides in a rodent model. 2010 , 4, 341-7	5
249	Insulin attenuates myocardial ischemia/reperfusion injury via reducing oxidative/nitrative stress. 2010 , 298, E871-80	108
248	Coronary microcirculation changes during myocardial stunning in dogs. 2010 , 117, 68-74	5
247	Influence of functional deficiency of complement mannose-binding lectin on outcome of patients with acute ST-elevation myocardial infarction undergoing primary percutaneous coronary intervention. 2010 , 31, 1181-7	47
246	The protective effects of Polygonum multiflorum stilbeneglycoside preconditioning in an ischemia/reperfusion model of HUVECs. 2010 , 31, 405-12	22
245	Does pressure cause pressure ulcers? An inquiry into the etiology of pressure ulcers. 2010 , 11, 397-405	36

244	Erythropoietin inhibits post-ischemic leukocyte adhesion but does not affect rejection in murine cardiac allografts. 2010 , 29, 1185-92		5
243	Enhancing myocardial salvage and regeneration as adjuncts to reperfusion therapy: unresolved issues after myocardial infarction. <i>International Journal of Cardiology</i> , 2010 , 144, 415-9	3.2	
242	Thrombus Aspiration in ST-Elevation myocardial infarction in Scandinavia (TASTE trial). A multicenter, prospective, randomized, controlled clinical registry trial based on the Swedish angiography and angioplasty registry (SCAAR) platform. Study design and rationale. 2010 , 160, 1042-8		111
241	Cyclosporin a in reperfusion injury: not opening to cell death knocking at the door?. 2010 , 89, 1349-51		2
240	Cardiac conditioning: a review of evolving strategies to reduce ischaemia-reperfusion injury. 2010 , 96, 1179-86		39
239	Protective effect of novel pyridoindole derivatives on ischemia/reperfusion injury of the isolated rat heart. 2011 , 63, 967-74		9
238	Oxidative Stress in Cardiovascular Diseases. 2011 , 153-166		
237	Intra-coronary administration of cyclosporine limits infarct size, attenuates remodeling and preserves left ventricular function in porcine acute anterior infarction. <i>International Journal of Cardiology</i> , 2011 , 147, 79-87	3.2	32
236	Preconditioning, postconditioning, stunning and hibernation: towards an integrated insight into the mechanisms of hypoperfusion/reperfusion. <i>International Journal of Cardiology</i> , 2011 , 146, 442-3	3.2	4
235	The ethanolic extract of Kaempferia parviflora reduces ischaemic injury in rat isolated hearts. 2011 , 137, 184-91		29
234	Deletion of macrophage migration inhibitory factor protects the heart from severe ischemia-reperfusion injury: a predominant role of anti-inflammation. 2011 , 50, 991-9		88
233	Levosimendan versus an intra-aortic balloon pump in adult cardiac surgery patients with low cardiac output. 2011 , 25, 1154-62		5
232	Increased Cell-Cell Coupling Increases Infarct Size and Does not Decrease Incidence of Ventricular Tachycardia in Mice. 2011 , 2, 1		76
231	A single intracoronary injection of midkine reduces ischemia/reperfusion injury in Swine hearts: a novel therapeutic approach for acute coronary syndrome. 2011 , 2, 27		15
230	Cardioprotective effects of luteolin during ischemia-reperfusion injury in rats. 2011 , 75, 443-50		36
229	Remote ischemic preconditioning prevents systemic platelet activation associated with ischemia-reperfusion injury in humans. 2011 , 9, 404-7		41
228	Acute treatment with Danshen-Gegen decoction protects the myocardium against ischemia/reperfusion injury via the redox-sensitive PKCe/mK(ATP) pathway in rats. 2011 , 18, 916-25		15
227	New method of intracoronary adenosine injection to prevent microvascular reperfusion injury in patients with acute myocardial infarction undergoing percutaneous coronary intervention. 2011 , 107, 1131-5		39

226	Antioxidant activity contributes to flavonol cardioprotection during reperfusion of rat hearts. 2011 , 51, 1437-44	16
225	Beneficial effects of follistatin in hepatic ischemia-reperfusion injuries in rats. 2011 , 56, 1075-81	14
224	Oxidative stress versus antioxidant defenses in patients with acute myocardial infarction. 2011 , 26, 55-63	73
223	Improved cardiac metabolism and activation of the RISK pathway contributes to improved post-ischemic recovery in calorie restricted mice. 2011 , 89, 291-302	23
222	Disruption of hypoxia-inducible transcription factor-prolyl hydroxylase domain-1 (PHD-1-/-) attenuates ex vivo myocardial ischemia/reperfusion injury through hypoxia-inducible factor-1 transcription factor and its target genes in mice. 2011 , 15, 1789-97	56
221	Ginsenoside Rb3 ameliorates myocardial ischemia-reperfusion injury in rats. 2011 , 49, 900-6	32
220	Pretreatment before ischemia induction with polymerized human placenta hemoglobin (PolyPHb) attenuates ischemia/reperfusion injury-induced myocardial apoptosis. 2011 , 39, 3-6	8
219	Extract of Scutellaria baicalensis Georgi root exerts protection against myocardial ischemia-reperfusion injury in rats. 2011 , 39, 693-704	24
218	NHE inhibition does not improve Na(+) or Ca(2+) overload during reperfusion: using modeling to illuminate the mechanisms underlying a therapeutic failure. 2011 , 7, e1002241	17
217	Diabetic inhibition of preconditioning- and postconditioning-mediated myocardial protection against ischemia/reperfusion injury. 2012 , 2012, 198048	48
216	Activation of epidermal growth factor receptor mediates reperfusion arrhythmias in anaesthetized rats. 2012 , 93, 60-8	19
215	Midkine and Heart Failure. 2012 , 113-124	
214	Intra-coronary administration of tacrolimus markedly attenuates infarct size and preserves heart function in porcine myocardial infarction. 2012 , 9, 21	8
213	The efficacies of modified mechanical post conditioning on myocardial protection for patients undergoing coronary artery bypass grafting. 2012 , 7, 73	11
212	Computational approaches to understand cardiac electrophysiology and arrhythmias. 2012, 303, H766-83	54
211	The relative influences of phosphometabolites and pH on action potential morphology during myocardial reperfusion: a simulation study. <i>PLoS ONE</i> , 2012 , 7, e47117	5
210	Targeting cell signaling and apoptotic pathways by luteolin: cardioprotective role in rat cardiomyocytes following ischemia/reperfusion. 2012 , 4, 2008-19	51
209	Prevention of postoperative atrial fibrillation: novel and safe strategy based on the modulation of the antioxidant system. 2012 , 3, 93	29

 $_{208}$ Investigation of the Oxidative Stress, the Altered Function of Platelets and Neutrophils, in the Patients with Peripheral Arterial Disease. **2012**,

207	The role of melatonin in acute myocardial infarction. 2012 , 17, 2433-41	51
206	Br-DIF-1 accelerates dimethyl sulphoxide-induced differentiation of P19CL6 embryonic carcinoma cells into cardiomyocytes. 2012 , 165, 870-9	9
205	Endothelial dysfunction in rat mesenteric artery after regional cardiac ischaemia-reperfusion. 2012 , 97, 70-9	6
204	Suppression of rat Frizzled-2 attenuates hypoxia/reoxygenation-induced Ca2+ accumulation in rat H9c2 cells. 2012 , 318, 1480-91	15
203	Telmisartan protects against microvascular dysfunction during myocardial ischemia/reperfusion injury by activation of peroxisome proliferator-activated receptor []2013, 13, 39	18
202	Cardioprotective efficacy of a novel antioxidant mix VitaePro against ex vivo myocardial ischemia-reperfusion injury. 2013 , 67, 281-6	27
201	Thrombus aspiration during ST-segment elevation myocardial infarction. 2013 , 369, 1587-97	736
200	The effect of microvascular obstruction and intramyocardial hemorrhage on contractile recovery in reperfused myocardial infarction: insights from cardiovascular magnetic resonance. 2013 , 15, 58	50
199	Cardio-protection by Ginkgo biloba extract 50 in rats with acute myocardial infarction is related to Na+-Ca[+ exchanger. 2013 , 41, 789-800	20
198	Chronic pretreatment of metformin is associated with the reduction of the no-reflow phenomenon in patients with diabetes mellitus after primary angioplasty for acute myocardial infarction. 2013 , 31, 60-4	16
197	Methylglyoxal chronic administration promotes diabetes-like cardiac ischaemia disease in Wistar normal rats. 2013 , 23, 1223-30	26
196	Reperfusion-induced myocardial dysfunction is prevented by endogenous annexin-A1 and its N-terminal-derived peptide Ac-ANX-A1(2-26). 2013 , 168, 238-52	41
195	Acute hyperglycaemia enhances oxidative stress and aggravates myocardial ischaemia/reperfusion injury: role of thioredoxin-interacting protein. 2013 , 17, 181-91	55
194	TNF-Lipregulates Fgl2 expression in rat myocardial ischemia/reperfusion injury. 2013, 20, 524-33	19
193	Low-dose bisphenol A and estrogen increase ventricular arrhythmias following ischemia-reperfusion in female rat hearts. 2013 , 56, 75-80	32
192	Innate immune response after acute myocardial infarction and pharmacomodulatory action of tacrolimus in reducing infarct size and preserving myocardial integrity. 2013 , 20, 82	17
191	Effect of plant polyphenols on ischemia-reperfusion injury of the isolated rat heart and vessels. 2013 , 27, 1018-22	24

190	The safety and efficacy of intracoronary nitrite infusion during acute myocardial infarction (NITRITE-AMI): study protocol of a randomised controlled trial. 2013 , 3,		27	
189	Ginsenoside RK3 Prevents Hypoxia-Reoxygenation Induced Apoptosis in H9c2 Cardiomyocytes via AKT and MAPK Pathway. 2013 , 2013, 690190		40	
188	Potent cardioprotection from ischemia-reperfusion injury by a two-domain fusion protein comprising annexin V and Kunitz protease inhibitor. 2013 , 11, 1454-63		8	
187	Catalpol decreases peroxynitrite formation and consequently exerts cardioprotective effects against ischemia/reperfusion insult. 2013 , 51, 463-73		36	
186	Cytosolic Ca2+-induced apoptosis in rat cardiomyocytes via mitochondrial NO-cGMP-protein kinase G pathway. 2013 , 344, 77-84		13	
185	Advances in Myocardial Infarction Management. 2013,			
184	The CXCR1/2 ligand NAP-2 promotes directed intravascular leukocyte migration through platelet thrombi. 2013 , 121, 4555-66		90	
183	A Study of the Effect of Isoproterenol on Red Blood Cell Concentrations of Adenine Nucleotides in a Freely Moving Rat Model In Vivo*. 2013 , 2,		3	
182	Surgery-related thrombosis critically affects the brain infarct volume in mice following transient middle cerebral artery occlusion. <i>PLoS ONE</i> , 2013 , 8, e75561	3.7	32	
181	Protective role of AMP-activated protein kinase-evoked autophagy on an in vitro model of ischemia/reperfusion-induced renal tubular cell injury. <i>PLoS ONE</i> , 2013 , 8, e79814	3.7	49	
180	Effect of tacrolimus on myocardial infarction is associated with inflammation, ROS, MAP kinase and Akt pathways in mini-pigs. 2013 , 20, 9-22		23	
179	Intra-Coronary Administration of Tacrolimus Prior to First-Balloon Inflation Attenuates Infarct Size and Improves Left Ventricular Function in Patients with ST-segment Elevation Myocardial Infarction (COAT-STEMI) Undergoing Primary Coronary Intervention. 2014 , 04,			
178	Cardioprotection and pharmacological therapies in acute myocardial infarction: Challenges in the current era. <i>World Journal of Cardiology</i> , 2014 , 6, 100-6	2.1	32	
177	Repeated daily dosing with sildenafil provides sustained protection from endothelial dysfunction caused by ischemia and reperfusion: a human in vivo study. 2014 , 307, H888-94		16	
176	Effect of black tea consumption on brachial artery flow-mediated dilation and ischaemia-reperfusion in humans. 2014 , 39, 145-51		10	
175	Endothelial Cx40 limits myocardial ischaemia/reperfusion injury in mice. 2014 , 102, 329-37		24	
174	An update on primary findings and new designs in biotherapy studies for acute myocardial infarction. 2014 , 10, 781-8		1	
173	Efficacy of selective NCX inhibition by ORM-10103 during simulated ischemia/reperfusion. 2014 , 740, 539-51		11	

172	Pre-clinical and Clinical Safety Studies of CMX-2043: a cytoprotective lipoic acid analogue for ischaemia-reperfusion injury. 2014 , 115, 456-64	5
171	Influence of levosimendan on organ dysfunction in patients with severely reduced left ventricular function undergoing cardiac surgery. 2014 , 42, 750-64	40
170	Overexpression of vasostatin-1 protects hypoxia/reoxygenation injuries in cardiomyocytes-endothelial cells transwell co-culture system. 2014 , 38, 26-31	6
169	Ischemic Heart Disease and its Consequences. 2014 , 79-100	3
168	ApoB gene SpIns/Del, XbaI polymorphisms and myocardial infarction: a meta-analysis of 7169 participants. 2014 , 15, 717-26	7
167	Ang-(1-7) offers cytoprotection against ischemia-reperfusion injury by restoring intracellular calcium homeostasis. 2014 , 63, 259-64	10
166	Diacylglycerol kinase lexacerbates cardiac injury after ischemia/reperfusion. 2014 , 29, 110-8	10
165	Protective effect of CDP-choline on ischemia-reperfusion-induced myocardial tissue injury in rats. 2014 , 183, 539-48	3
164	Diabetic cardiomyopathy: mechanisms and new treatment strategies targeting antioxidant signaling pathways. 2014 , 142, 375-415	354
163	Correlation of electrocardiogram and regional cardiac magnetic resonance imaging findings in ST-elevation myocardial infarction: a literature review. 2014 , 19, 509-23	4
162	Anti-arrhythmic effect of diosgenin in reperfusion-induced myocardial injury in a rat model: activation of nitric oxide system and mitochondrial KATP channel. 2014 , 64, 393-400	24
161	The role of Levosimendan in cardiopulmonary resuscitation. 2014 , 740, 596-602	6
160	8-Methyltryptanthrin-induced differentiation of P19CL6 embryonal carcinoma cells into spontaneously beating cardiomyocyte-like cells. 2014 , 77, 1413-9	10
159	Proanthocyanidins, anthocyanins and cardiovascular diseases. 2014 , 59, 41-52	163
158	Diosmin pretreatment improves cardiac function and suppresses oxidative stress in rat heart after ischemia/reperfusion. 2014 , 736, 131-7	39
157	Resveratrol attenuates hypoxia/reoxygenation-induced Ca2+ overload by inhibiting the Wnt5a/Frizzled-2 pathway in rat H9c2 cells. 2014 , 10, 2542-8	15
156	Comparison of different strategies for acute ST-segment elevation myocardial infarction with high thrombus burden in clinical practice: Symptom-free outcome at one year. 2015 , 44, 487-93	5
155	Total saponins from Aralia taibaiensis protect against myocardial ischemia/reperfusion injury through AMPK pathway. 2015 , 36, 1538-46	17

(2016-2015)

154	Epigallocatechin-3-gallate and zinc provide anti-apoptotic protection against hypoxia/reoxygenation injury in H9c2 rat cardiac myoblast cells. 2015 , 12, 1850-6	16
153	Carotenoids: potential allies of cardiovascular health?. 2015 , 59, 26762	154
152	Molecular Characterization of Reactive Oxygen Species in Myocardial Ischemia-Reperfusion Injury. 2015 , 2015, 864946	113
151	NF45 inhibits cardiomyocyte apoptosis following myocardial ischemia-reperfusion injury. 2015 , 211, 955-62	10
150	Apocynum venetum leaf attenuates myocardial ischemia/reperfusion injury by inhibiting oxidative stress. 2015 , 43, 71-85	15
149	Contribution of apoptosis in myocardial reperfusion injury and loss of cardioprotection in diabetes mellitus. 2015 , 65, 201-15	46
148	Endoplasmic reticulum stress response in spontaneously hypertensive rats is affected by myocardial ischemia reperfusion injury. 2015 , 9, 319-326	20
147	Ginsenoside Rb1 prevents hypoxia-reoxygenation-induced apoptosis in H9c2 cardiomyocytes via an estrogen receptor-dependent crosstalk among the Akt, JNK, and ERK 1/2 pathways using a label-free quantitative proteomics analysis. 2015 , 5, 26346-26363	15
146	Adenosine as an Adjunct Therapy in ST Elevation Myocardial Infarction Patients: Myth or Truth?. 2015 , 29, 481-93	7
145	Cardioprotective potential of annexin-A1 mimetics in myocardial infarction. 2015 , 148, 47-65	48
144	The Role of Mitochondrial Reactive Oxygen Species in Cardiovascular Injury and Protective Strategies. 2016 , 2016, 8254942	72
143	Hydroxytyrosol Protects against Myocardial Ischemia/Reperfusion Injury through a PI3K/Akt-Dependent Mechanism. 2016 , 2016, 1232103	29
142	Effect of Cardiovascular Injury on Catabolism of Adenosine and Adenosine 5-NTriphosphate in Systemic Blood in a Freely Moving Rat Model In Vivo. 2016 , 10, 219-226	2
141	No-Reflow Phoenomenon by Intracoronary Thrombus in Acute Myocardial Infarction. 2016 , 52, 38-44	7
140	Ventricular longitudinal function is associated with microvascular obstruction and intramyocardial haemorrhage. 2016 , 3, e000337	7
139	Suppressing receptor-interacting protein 140: a new sight for esculetin to treat myocardial ischemia/reperfusion injury. 2016 , 6, 112117-112128	5
139	Suppressing receptor-interacting protein 140: a new sight for esculetin to treat myocardial	5

136	Combination of remote ischemic perconditioning and remote ischemic postconditioning fails to increase protection against myocardial ischemia/reperfusion injury, compared with either alone. 2016 , 13, 197-205	4
135	Myocardial Protective Effects of L-Carnitine on Ischemia-Reperfusion Injury in Patients With Rheumatic Valvular Heart Disease Undergoing Cardiac Surgery. 2016 , 30, 1485-1493	9
134	The cardioprotective effect of dihydromyricetin prevents ischemia-reperfusion-induced apoptosis in vivo and in vitro via the PI3K/Akt and HIF-1 ignaling pathways. 2016 , 21, 1366-1385	56
133	Calycosin-7-O-I-D-glucoside attenuates ischemia-reperfusion injury in vivo via activation of the PI3K/Akt pathway. 2016 , 13, 633-40	21
132	Influence of Ischemia-Reperfusion Injury on Cardiac Metabolism. 2016 , 155-167	3
131	Adiponectin and ischemia-reperfusion injury in ST segment elevation myocardial infarction. 2016 , 5, 71-6	16
130	Vitamin D receptor activation may play a protective role in myocardial ischemic/reperfusion injury. International Journal of Cardiology, 2016 , 203, 267-8 3.2	2
129	Antiarrhythmic activity in occlusion-reperfusion model of 1-(1H-indol-4-yloxy)-3-{[2-(2-methoxyphenoxy)ethyl]amino} propan-2-ol and its enantiomers. 2016 , 43, 81-7	
128	Amelioration of persistent left ventricular function impairment through increased plasma ascorbate levels following myocardial infarction. 2016 , 21, 75-83	14
127	Is "Attenuation of Oxidative Stress" Helpful to Understand the Mechanism of Remote Ischemic Preconditioning in Cardiac Surgery?. 2016 , 30, 134-40	6
126	The cardioprotective effect of total flavonoids on myocardial ischemia/reperfusion in rats. 2017 , 88, 277-284	30
125	Ultrafine Particulate Matter Increases Cardiac Ischemia/Reperfusion Injury via Mitochondrial Permeability Transition Pore. 2017 , 17, 441-450	19
124	Subcellular Energetics and Metabolism: A Cross-Species Framework. 2017 , 124, 1857-1871	9
123	Adipose Tissue Drives Response to Ischemia-Reperfusion Injury in a Murine Pressure Sore Model. 2017 , 139, 1128e-1138e	6
122	Inhibition of rapid delayed rectifier potassium current (I) by ischemia/reperfusion and its recovery by vitamin E in ventricular myocytes. 2017 , 50, 437-443	8
121	Preconditioning with the BK channel activator NS-1619 prevents ischemia-reperfusion-induced inflammation and mucosal barrier dysfunction: roles for ROS and heme oxygenase-1. 2017 , 313, H988-H999	16
120	Schisandrin B Ameliorates Myocardial Ischemia/Reperfusion Injury Through Attenuation of Endoplasmic Reticulum Stress-Induced Apoptosis. 2017 , 40, 1903-1911	30
119	Impairment of Coronary Endothelial Function by Hypoxia-Reoxygenation Involves TRPC3 Inhibition-mediated K Channel Dysfunction: Implication in Ischemia-Reperfusion Injury. 2017 , 7, 5895	8

118	Endogenous Annexin-A1 Regulates Haematopoietic Stem Cell Mobilisation and Inflammatory Response Post Myocardial Infarction in Mice In Vivo. 2017 , 7, 16615	25
117	Combined analysis of the safety of intra-coronary drug delivery during primary percutaneous coronary intervention for acute myocardial infarction: A study of three clinical trials. 2017 , 6, 2048004017725	988
116	Cardioprotective effects of combined therapy with diltiazem and superoxide dismutase on myocardial ischemia-reperfusion injury in rats. <i>Life Sciences</i> , 2017 , 183, 50-59	18
115	CREG protects from myocardial ischemia/reperfusion injury by regulating myocardial autophagy and apoptosis. 2017 , 1863, 1893-1903	36
114	Effect of remote ischemic preconditioning on the melatonin and antioxidative status: a pilot study in patients undergoing cardiac surgery. 2017 , 58, 909-915	1
113	Ischemia/Reperfusion Injury following Acute Myocardial Infarction: A Critical Issue for Clinicians and Forensic Pathologists. 2017 , 2017, 7018393	177
112	Chinese herbal medicine Xinji pill protects the heart from ischemia/reperfusion injury through the Akt/Nrf2 pathway. 2017 , 16, 1551-1558	5
111	Protective role of melatonin in cardiac ischemia-reperfusion injury: From pathogenesis to targeted therapy. 2018 , 64, e12471	158
110	Outcome of thrombus aspiration in STEMI patients: a propensity score-adjusted study. 2018 , 45, 240-249	1
109	Anti-arrhythmogenic and anti-inflammatory effects of troxerutin in ischemia/reperfusion injury of diabetic myocardium. 2018 , 102, 385-391	25
108	Role of inducible nitric oxide synthase in myocardial ischemia-reperfusion injury in sleep-deprived rats. 2018 , 22, 353-359	8
107	MicroRNA-410 is involved in mitophagy after cardiac ischemia/reperfusion injury by targeting high-mobility group box 1 protein. 2018 , 119, 2427-2439	34
106	Myrtenol protects against myocardial ischemia-reperfusion injury through antioxidant and anti-apoptotic dependent mechanisms. 2018 , 111, 557-566	24
105	Cardioprotection of CAPE-oNO against myocardial ischemia/reperfusion induced ROS generation via regulating the SIRT1/eNOS/NF- B pathway in vivo and in vitro. 2018 , 15, 62-73	73
104	Flavonols and Flavones - Protecting Against Myocardial Ischemia/Reperfusion Injury by Targeting Protein Kinases. 2018 , 25, 4402-4415	6
103	Ophiopogonin D Reduces Myocardial Ischemia-Reperfusion Injury via Upregulating CYP2J3/EETs in Rats. 2018 , 49, 1646-1658	16
102	MicroRNA-495 Ameliorates Cardiac Microvascular Endothelial Cell Injury and Inflammatory Reaction by Suppressing the NLRP3 Inflammasome Signaling Pathway. 2018 , 49, 798-815	38
101	Notoginsenoside R prevents H9c2 cardiomyocytes apoptosis against hypoxia/reoxygenation the ERs/PI3K/Akt pathway 2018 , 8, 13871-13878	4

100	Shengmai injection reduces apoptosis and enhances angiogenesis after myocardial ischaemia and reperfusion injury in rats. 2018 , 104, 629-636	17
99	New therapies for acute myocardial infarction: current state of research and future promise. 2018 , 14, 329-342	5
98	Rhein protects the myocardiac cells against hypoxia/reoxygention-induced injury by suppressing GSK3 activity. 2018 , 51, 1-6	17
97	Polysaccharide Protected H9c2 Cardiomyocyte From Hypoxia/Reoxygenation Injury Through Regulating Mitochondrial Metabolism and RISK Pathway. 2018 , 9, 699	25
96	Cyclic Nucleotide-Directed Protein Kinases in Cardiovascular Inflammation and Growth. 2018, 5,	3
95	Adenosine 5NTriphosphate Metabolism in Red Blood Cells as a Potential Biomarker for Post-Exercise Hypotension and a Drug Target for Cardiovascular Protection. 2018 , 8,	8
94	Effects of procyanidin on cardiomyocyte apoptosis after myocardial ischemia reperfusion in rats. 2018 , 18, 35	15
93	Bursts of reperfusion arrhythmias occur independently of area at risk size and are the first marker of reperfusion injury. <i>International Journal of Cardiology</i> , 2018 , 271, 240-246	2
92	Galanin and its N-terminal fragments reduce acute myocardial infarction in rats. 2019, 111, 127-131	8
91	Tiotropium bromide, a long acting muscarinic receptor antagonist triggers intracellular calcium signalling in the heart. 2019 , 384, 114778	4
90	Protective effect of miR-20a against hypoxia/reoxygenation treatment on cardiomyocytes cell viability and cell apoptosis by targeting TLR4 and inhibiting p38 MAPK/JNK signaling. 2019 , 55, 793-800	8
89	Circular RNA expression alterations in extracellular vesicles isolated from murine heart post ischemia/reperfusion injury. <i>International Journal of Cardiology</i> , 2019 , 296, 136-140	30
88	Resveratrol alleviates ischemia/reperfusion injury of diabetic myocardium via inducing autophagy. 2019 , 18, 2719-2725	17
87	Downregulation of miRNA-30a enhanced autophagy in osthole-alleviated myocardium ischemia/reperfusion injury. 2019 ,	11
86	Magnesium: The Forgotten Electrolyte-A Review on Hypomagnesemia. 2019, 7,	24
85	Protective effect of T3 peptide, an active fragment of tumstatin, against ischemia/reperfusion injury in rat heart. 2019 , 139, 193-200	6
84	The Role of Adenosine A2b Receptor in Mediating the Cardioprotection of Electroacupuncture Pretreatment via Influencing Ca Key Regulators. 2019 , 2019, 6721286	6
83	Ginsenoside Rb3 protects cardiomyocytes against hypoxia/reoxygenation injury via activating the antioxidation signaling pathway of PERK/Nrf2/HMOX1. 2019 , 109, 254-261	35

(2020-2019)

82	EditorN Choice- Reperfusion cardiac arrhythmias and their relation to reperfusion-induced cell death. 2019 , 8, 142-152	14
81	Rutin alleviates hypoxia/reoxygenation-induced injury in myocardial cells by up-regulating SIRT1 expression. 2019 , 297, 44-49	18
80	The Effect of Hepcidin on Cardiac Ischemia-Reperfusion Injury. 2020 , 33, 813-821	2
79	Long noncoding RNA NEAT1 sponges miR-495-3p to enhance myocardial ischemia-reperfusion injury via MAPK6 activation. 2020 , 235, 105-113	16
78	Calycosin-7-O-I-D-glucoside attenuates myocardial ischemia-reperfusion injury by activating JAK2/STAT3 signaling pathway via the regulation of IL-10 secretion in mice. 2020 , 463, 175-187	13
77	LncRNA SNHG1 alleviates hypoxia-reoxygenation-induced vascular endothelial cell injury as a competing endogenous RNA through the HIF-1 MEGF signal pathway. 2020 , 465, 1-11	26
76	Inhibition of MicroRNA-206 Ameliorates Ischemia-Reperfusion Arrhythmia in a Mouse Model by Targeting Connexin43. 2020 , 13, 584-592	4
75	Ambra1 Alleviates Hypoxia/Reoxygenation Injury in H9C2 Cells by Regulating Autophagy and Reactive Oxygen Species. 2020 , 2020, 3062689	2
74	microRNAs Alterations of Myocardium and Brain Ischemia-Reperfusion Injury: Insight to Improve Infarction. 2020 , 1-22	2
73	Tissue Expression of Atrial and Ventricular Myosin Light Chains in the Mechanism of Adaptation to Oxidative Stress. 2020 , 21,	2
72	Protective effect of Shengmai injection on myocardial endothelial cell glycoprotein detachment after myocardial ischemia-reperfusion injury in isolated rat hearts. 2021 , 36, 757-765	4
71	EMangostin protects against myocardial ischemia reperfusion injury by suppressing the activation of HIF-1[[2020 , 19, 25-31	1
70	Tongmai formula improves cardiac function via regulating mitochondrial quality control in the myocardium with ischemia/reperfusion injury. 2020 , 132, 110897	9
69	Prolonged ursodeoxycholic acid administration reduces acute ischaemia-induced arrhythmias in adult rat hearts. 2020 , 10, 15284	2
68	SUPPORT-1 (Subjects Undergoing PCI and Perioperative Reperfusion Treatment): A Prospective, Randomized Trial of CMX-2043 in Patients Undergoing Elective Percutaneous Coronary Intervention. 2020 , 76, 189-196	1
67	Bisoprolol, a 🛮 antagonist, protects myocardial cells from ischemia-reperfusion injury via PI3K/AKT/GSK3 🗓 pathway. 2020 , 34, 708-720	6
66	Synergistic Effects of Moderate Therapeutic Hypothermia and Levosimendan on Cardiac Function and Survival After Asphyxia-Induced Cardiac Arrest in Rats. 2020 , 9, e016139	4
65	Toll-like receptor 3 mediates ischaemia/reperfusion injury after cardiac transplantation. 2020 , 57, 826-835	2

64	A dendronized polymer variant that facilitates safe delivery of a calcium channel antagonist to the heart. 2020 , 29, 102264		1
63	Herbal Medicine for Cardiovascular Diseases: Efficacy, Mechanisms, and Safety. <i>Frontiers in Pharmacology</i> , 2020 , 11, 422	5.6	80
62	Effects of dietary creatine supplementation on kidney and striated skeletal muscles of rats submitted to ischemia and reperfusion of hind limbs. <i>Acta Cirurgica Brasileira</i> , 2021 , 36, e360305	1.6	
61	S-allylcysteine improves ischemia/reperfusion alteration on cardiac function, antioxidant, and mitochondrial permeability. <i>Life Sciences</i> , 2021 , 269, 119080	6.8	1
60	Percutaneous management of reperfusion arrhythmias during primary percutaneous coronary intervention: a case report. 2021 , 73, 30		1
59	Role of Oxidative Stress in Reperfusion following Myocardial Ischemia and Its Treatments. 2021 , 2021, 6614009		10
58	Nephroprotective Efficacy of Sugammadex in Ischemia-Reperfusion Injury: An Experimental Study in a Rat Model. 2021 , 13, e15726		2
57	Hemodynamic Analysis of a Three-Point Suture During Tapering Technique for Microanastomosis Using Computational Fluid Dynamics. 2021 , 32, 2749-2752		1
56	Hypoxia Inducible Factors as Central Players in the Pathogenesis and Pathophysiology of Cardiovascular Diseases. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 709509	5.4	1
55	Protopanaxadiol and Protopanaxatriol Ginsenosides Can Protect Against Aconitine-induced Injury in H9c2 Cells by Maintaining Calcium Homeostasis and Activating the AKT Pathway. 2021 , 78, e690-e70)2	
54	Cardiac microvascular functions improved by MSC-derived exosomes attenuate cardiac fibrosis after ischemia-reperfusion via PDGFR-Imodulation. <i>International Journal of Cardiology</i> , 2021 , 344, 13-2	4 ^{3.2}	4
53	Protective effects of safranal on hypoxia/reoxygenation-induced injury in H9c2 cardiac myoblasts via the PI3K/AKT/GSK3 signaling pathway. 2021 , 22, 1400		1
52	CHAPTER 10: Wheat Lipids. 2009 , 363-399		24
51	The role and modulation of autophagy in experimental models of myocardial ischemia-reperfusion injury. <i>Journal of Geriatric Cardiology</i> , 2014 , 11, 338-48	1.7	36
50	Acute ethanol exposure increases the susceptibility of the donor hearts to ischemia/reperfusion injury after transplantation in rats. <i>PLoS ONE</i> , 2012 , 7, e49237	3.7	19
49	MicroRNA-206 Protects against Myocardial Ischaemia-Reperfusion Injury in Rats by Targeting Gadd45 Molecules and Cells, 2017, 40, 916-924	3.5	15
48	Effects of Postconditioning with Fructose on Arrhythmias and the Size of Infarct Caused by Global Ischemia and Reperfusion in Isolated Rat Heart. <i>Advanced Pharmaceutical Bulletin</i> , 2018 , 8, 57-62	4.5	1
47	Effects of cyclosporine on ischemia-reperfusion injuries in rat kidneys. An experimental model. <i>Acta Cirurgica Brasileira</i> , 2019 , 34, e201900806	1.6	3

(2020-2019)

46	A Review on the Most Important Medicinal Plants Effective in Cardiac Ischemia-Reperfusion Injury. <i>Current Pharmaceutical Design</i> , 2019 , 25, 352-358	3.3	8
45	Anti-Ischemia Drugs have no Effect on the In Vivo Metabolism of ATP by RBC in Normotensive Restrained Rats#. <i>The Open Drug Metabolism Journal</i> , 2011 , 5, 1-6		4
44	Cardioprotection with Anesthetics - The Role of Mitochondria <i>The Journal of Japan Society for Clinical Anesthesia</i> , 2012 , 32, 145-150	О	1
43	A glance at black cumin () and its active constituent, thymoquinone, in ischemia: a review. <i>Iranian Journal of Basic Medical Sciences</i> , 2018 , 21, 1200-1209	1.8	15
42	[Effects of salvianolic acid B on cardiovascular endothelial cells and platelet activation in a rabbit model of ischemia-reperfusion]. <i>Zhong Xi Yi Jie He Xue Bao</i> , 2008 , 6, 1250-4		9
41	Trimetazidine and Cellular Response in Cardiopulmonary Bypass*. <i>World Journal of Cardiovascular Surgery</i> , 2013 , 03, 171-179	Ο	2
40	Myocardial ischemia-reperfusion injury: Possible role of melatonin. <i>World Journal of Cardiology</i> , 2010 , 2, 233-6	2.1	25
39	Effect of HEMADO on Level of CK-MB and LDH Enzymes after Ischemia/Reperfusion Injury in Isolated Rat Heart. <i>BioImpacts</i> , 2013 , 3, 101-4	3.5	32
38	The effect of mebudipine on cardiac function and activity of the myocardial nitric oxide system in ischaemia-reperfusion injury in rats. <i>Cardiovascular Journal of Africa</i> , 2011 , 22, 319-23	0.7	6
37	The Effect of Sleep Deprivation on Cardiac Function and Tolerance to Ischemia-Reperfusion Injury in Male Rats. <i>Arquivos Brasileiros De Cardiologia</i> , 2016 , 106, 41-8	1.2	8
36	Pulmonale Hypertonie. 2010 , 150-158		
35	Kardiozirkulatorische Notfle. 2010, 137-179		
34	Future directions in the treatment of myocardial infarction. 2013, 134-147		
33	Overview of Oxidative Stress and Cardiovascular Disease. 2014 , 719-764		
32	Magnetic Resonance Imaging Before and After CABG. 2016 , 497-504		
31	Effect of Mean Blood Pressure During Extracorporeal Life Support on Outcome After Out-of-Hospital Cardiac Arrest. <i>Turkish Journal of Anaesthesiology and Reanimation</i> , 2019 , 47, 134-141	0.7	1
30	Hemodynamic Analysis of a Microanastomosis Using Computational Fluid Dynamics. <i>Yonago Acta Medica</i> , 2020 , 63, 308-312	1.3	2
29	Use of Intracoronary Thrombolysis for Huge Thrombus Burden in an Ectatic Right Coronary Artery. <i>Sultan Qaboos University Medical Journal</i> , 2020 , 20, e390-e393	0.9	

28	Optical coherence tomography guided thrombectomy through a "home-made" aspiration catheter in a young patient with myocardial infarction. To stent or not to stent?. <i>Postepy W Kardiologii Interwencyjnej</i> , 2020 , 16, 486-490	0.4	
27	Augmented Cardiac Mitochondrial Capacity in High Capacity Aerobic Running "Disease-Resistant" Phenotype at Rest Is Lost Following Ischemia Reperfusion. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 752640	5.4	
26	Kardiozirkulatorische Notfle. 2008 , 137-179		1
25	Hypomagnesemia and cardiovascular system. <i>Hippokratia</i> , 2006 , 10, 147-52	0.4	25
24	Effect of mebudipine on oxidative stress and lipid peroxidation in myocardial ischemic-reperfusion injury in male rat. <i>Journal of Research in Medical Sciences</i> , 2012 , 17, 1150-5	1.6	18
23	Role of Fructose as a Potent Antiarrhythmic and Anti-infarct agent in Isolated Rat Heart. <i>Iranian Journal of Pharmaceutical Research</i> , 2014 , 13, 1303-11	1.1	2
22	Prophylactic and Therapeutic Effects of Oleuropein on Reperfusion-Induced Arrhythmia in Anesthetized Rat. <i>Iranian Biomedical Journal</i> , 2016 , 20, 41-8	2	5
21	Up-regulation of microRNA-135a protects against myocardial ischemia/reperfusion injury by decreasing TXNIP expression in diabetic mice. <i>American Journal of Translational Research</i> (discontinued), 2015 , 7, 2661-71	3	18
20	Exogenous NAD(+) administration significantly protects against myocardial ischemia/reperfusion injury in rat model. <i>American Journal of Translational Research (discontinued)</i> , 2016 , 8, 3342-50	3	23
19	The effect of asafoetida essential oil on myocardial ischemic-reperfusion injury in isolated rat hearts. <i>Avicenna Journal of Phytomedicine</i> , 2018 , 8, 338-349	1.4	2
18	Protective effects of gallic acid on cardiac electrophysiology and arrhythmias during reperfusion in diabetes. <i>Iranian Journal of Basic Medical Sciences</i> , 2019 , 22, 515-520	1.8	5
17	Early administration of cold water and adipose derived mesenchymal stem cell derived exosome effectively protects the heart from ischemia-reperfusion injury. <i>American Journal of Translational Research (discontinued)</i> , 2019 , 11, 5375-5389	3	5
16	Intra-Coronary Administration of Tacrolimus Improves Myocardial Perfusion and Left Ventricular Function in Patients with ST-Segment Elevation Myocardial Infarction (COAT-STEMI) Undergoing Primary Percutaneous Coronary Intervention. <i>Acta Cardiologica Sinica</i> , 2021 , 37, 239-253	1.1	
15	Increase in Plasma Oxidized Phosphatidylcholines (OxPCs) in Patients Presenting With ST-Elevation Myocardial Infarction (STEMI) <i>Frontiers in Medicine</i> , 2021 , 8, 716944	4.9	О
14	Asiaticoside alleviates cardiomyocyte apoptosis and oxidative stress in myocardial ischemia/reperfusion injury via activating the pathway and <i>Annals of Translational Medicine</i> , 2022 , 10, 69	3.2	O
13	Inhibition of Myocardial Cell Apoptosis Is Important Mechanism for Ginsenoside in the Limitation of Myocardial Ischemia/Reperfusion Injury <i>Frontiers in Pharmacology</i> , 2022 , 13, 806216	5.6	1
12	Purinergic signaling in myocardial ischemia-reperfusion injury Purinergic Signalling, 2022, 1	3.8	1
11	LncRNA TUG1 aggravates cardiomyocyte apoptosis and myocardial ischemia/reperfusion injury. Histology and Histopathology, 2021 , 18381	1.4	1

CITATION REPORT

10	Sphingosine 1-Phosphate Prevents Human Embryonic Stem Cell Death Following Ischemic Injury. European Journal of Lipid Science and Technology, 2200019	3	
9	Activating Hypoxia-Inducible Factor-1 Reduces Myocardial Ischemia-Reperfusion Injury in Mice Through Hexokinase II. <i>Journal of Biomaterials and Tissue Engineering</i> , 2022 , 12, 1626-1635	0.3	
8	Wogonoside preserves against ischemia/reperfusion-induced myocardial injury by suppression of apoptosis, inflammation and fibrosis via modulating Nrf2/HO-1 pathway. <i>Immunopharmacology and Immunotoxicology</i> , 1-11	3.2	
7	The physiological insight of Coenzyme-Q10 administration in preventing the incidence of reperfusion arrhythmia among patients undergoing coronary artery bypass grafting surgery. <i>Journal of Basic and Clinical Physiology and Pharmacology</i> , 2022 ,	1.6	
6	LKB1: An emerging therapeutic target for cardiovascular diseases. <i>Life Sciences</i> , 2022 , 120844	6.8	O
5	LPS preconditioning of MSC-CM improves protection against hypoxia/reoxygenation-induced damage in H9c2 cells partly via HMGB1 /Bach1 signalling.		O
4	Analysis of the Optimum Tapering Angle in Microanastomosis Using Computational Fluid Dynamics. 2022 , 65, 296-302		O
3	Emodin Regulates lncRNA XIST/miR-217 Axis to Protect Myocardial Ischemia-Reperfusion Injury. 2023 , 2023, 1-9		O
2	Targeting VCAM-1: a therapeutic opportunity for vascular damage. 1-17		О
1	Semisynthesis of 22,25-Epoxylanostane Triterpenoids: Structure Revision and Protective Effects against Oxygen-Glucose Deprivation/Reoxygenation Injury in H9c2 Cells. 2023 , 86, 406-415		O