

CITATION REPORT

List of articles citing

Principles of microbial PAH-degradation in soil

DOI: 10.1016/j.envpol.2004.04.015
Environmental Pollution, 2005, 133, 71-84.

Source: <https://exaly.com/paper-pdf/39368048/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
901	Anthracene biodegradation by <i>Pseudomonas</i> sp. isolated from a petrochemical sludge landfarming site. 2005 , 56, 143-150		77
900	Stimulation of pyrene mineralization in freshwater sediments by bacterial and plant bioaugmentation. 2005 , 39, 5729-35		34
899	Long-term fate of polychlorinated biphenyls and polycyclic aromatic hydrocarbons in an agricultural soil. 2005 , 39, 3663-70		93
898	Transcriptomics, proteomics and interactomics: unique approaches to track the insights of bioremediation. 2006 , 4, 355-62		56
897	Isolation and characterization of some polycyclic aromatic hydrocarbon degrading bacteria from Nsukka soils in Nigeria. 2006 , 3, 181-190		21
896	Microbial PAH-Degradation in Soil: Degradation Pathways and Contributing Factors. 2006 , 16, 555-565		111
895	Factors influencing the national distribution of polycyclic aromatic hydrocarbons and polychlorinated biphenyls in British soils. 2006 , 40, 7629-35		94
894	Effect of <i>Sphingobium yanoikuyae</i> B1 inoculation on bacterial community dynamics and polycyclic aromatic hydrocarbon degradation in aged and freshly PAH-contaminated soils. <i>Environmental Pollution</i> , 2006 , 144, 228-37	9.3	106
893	Biodegradation of polycyclic aromatic hydrocarbons in the natural waters of the Yellow River: effects of high sediment content on biodegradation. 2006 , 65, 457-66		62
892	Dissipation of polycyclic aromatic hydrocarbons from soil added with manure or vermicompost. 2006 , 65, 1642-51		27
891	Effects of anthracene, pyrene and benzo[a]pyrene spiking and sewage sludge compost amendment on soil ecotoxicity during a bioremediation process. 2006 , 65, 1153-62		38
890	Impact of fungal and bacterial biocides on microbial induced water repellency in arable soil. 2006 , 135, 72-80		56
889	PAHs and trace elements in volcanic urban and natural soils. 2006 , 136, 20-27		31
888	Removal of polycyclic aromatic hydrocarbons from aged-contaminated soil using cyclodextrins: experimental study. <i>Environmental Pollution</i> , 2006 , 140, 427-35	9.3	78
887	<i>Eisenia fetida</i> increased removal of polycyclic aromatic hydrocarbons from soil. <i>Environmental Pollution</i> , 2006 , 141, 396-401	9.3	85
886	Evaluation of matrices for the sorption and biodegradation of phenanthrene. 2006 , 40, 2397-404		17
885	Biofilms: implications in bioremediation. 2006 , 14, 389-97		547

884	Content of potentially bioavailable polycyclic aromatic hydrocarbons in rhizosphere soil in relation to properties of soils. 2006 , 18, 39-48	6
883	Application of PCR-DGGE to analyse the yeast population dynamics in slurry reactors during degradation of polycyclic aromatic hydrocarbons in weathered oil. 2006 , 23, 879-87	33
882	Microbial degradation of street dust polycyclic aromatic hydrocarbons in microcosms simulating diffuse pollution of urban soil. 2006 , 8, 535-45	49
881	A new green fluorescent protein-based bacterial biosensor for analysing phenanthrene fluxes. 2006 , 8, 697-708	47
880	Biodegradation of benzo(a)pyrene by a newly isolated <i>Fusarium</i> sp. 2006 , 262, 99-106	39
879	Effect of inoculum pretreatment on survival, activity and catabolic gene expression of <i>Sphingobium yanoikuyae</i> B1 in an aged polycyclic aromatic hydrocarbon-contaminated soil. 2006 , 58, 364-72	24
878	Impact of basidiomycete fungi on the wettability of soil contaminated with a hydrophobic polycyclic aromatic hydrocarbon. 2006 , 61, S334-S338	16
877	Bioremediation technologies for treatment of PAH-contaminated soil and strategies to enhance process efficiency. 2006 , 5, 347-374	151
876	Degradation of phenanthrene by <i>Burkholderia</i> sp. C3: initial 1,2- and 3,4-dioxygenation and meta- and ortho-cleavage of naphthalene-1,2-diol. 2007 , 18, 123-31	71
875	Isolation and characterization of a novel thermophilic <i>Bacillus</i> strain degrading long-chain n-alkanes. 2006 , 10, 347-56	114
874	Comparison of mineralization of solid-sorbed phenanthrene by polycyclic aromatic hydrocarbon (PAH)-degrading <i>Mycobacterium</i> spp. and <i>Sphingomonas</i> spp. 2006 , 72, 829-36	39
873	Autecological properties of soil sphingomonads involved in the degradation of polycyclic aromatic hydrocarbons. 2006 , 72, 1083-9	25
872	Biotransformation of 1-naphthol by a strictly aquatic fungus. 2006 , 52, 216-20	24
871	Remediating polluted soils. 2006 , 93, 51-65	81
870	Phenanthrene Biodegradation in Soils Using an Antarctic Bacterial Consortium. 2006 , 10, 191-201	30
869	Population dynamics within a microbial consortium during growth on diesel fuel in saline environments. 2006 , 72, 3531-42	121
868	Strong impact on the polycyclic aromatic hydrocarbon (PAH)-degrading community of a PAH-polluted soil but marginal effect on PAH degradation when priming with bioremediated soil dominated by mycobacteria. 2007 , 73, 1474-80	56
867	Electrokinetically enhanced bioremediation of creosote-contaminated soil: laboratory and field studies. 2007 , 42, 277-87	28

866	Application of hydroxypropyl[β]cyclodextrin to evaluation of polycyclic aromatic hydrocarbon losses during sewage sludges composting. 2008 , 43, 10-7		6
865	Degradation of Polycyclic Aromatic Hydrocarbons (PAHs) by Bacteria Isolated from Light Oil Polluted Soils. 2007 ,		
864	Evidence for in situ degradation of mono-and polyaromatic hydrocarbons in alluvial sediments based on microcosm experiments with ^{13}C -labeled contaminants. <i>Environmental Pollution</i> , 2007 , 148, 739-48	9.3	21
863	Microbial interactions with organic contaminants in soil: definitions, processes and measurement. <i>Environmental Pollution</i> , 2007 , 150, 166-76	9.3	237
862	Dynamics of nitrogen in a PAHs contaminated soil amended with biosolid or vermicompost in the presence of earthworms. 2007 , 67, 2072-81		10
861	Investigation of potentially bioavailable and sequestered forms of polycyclic aromatic hydrocarbons during sewage sludge composting. 2007 , 70, 288-97		24
860	Solid-phase bioassays and soil microbial activities to evaluate PAH-spiked soil ecotoxicity after a long-term bioremediation process simulating landfarming. 2007 , 70, 135-43		52
859	Characterization of a Polycyclic Aromatic Hydrocarbon Degrading Microbial Consortium from a Petrochemical Sludge Landfarming Site. 2007 , 11, 1-11		33
858	Cyclodextrin enhanced biodegradation of polycyclic aromatic hydrocarbons and phenols in contaminated soil slurries. 2007 , 41, 5498-504		76
857	Development of microbial degradation of cypermethrin and diazinon in organically and conventionally managed soils. 2007 , 9, 510-5		26
856	Removal of polycyclic aromatic hydrocarbons from contaminated soil by aqueous DNA solution. 2007 , 41, 4240-5		20
855	Isolation and characterization of bacteria capable of degrading polycyclic aromatic hydrocarbons (PAHs) and organophosphorus pesticides from PAH-contaminated soil in Hilo, Hawaii. 2007 , 55, 5383-9		82
854	In vitro bioaccessibility of soil-bound polycyclic aromatic hydrocarbons in successive digestive compartments in cows. 2007 , 55, 8800-5		10
853	Biorremediaço de solos contaminados com hidrocarbonetos aromticos policclicos. 2007 , 37, 1192-1201		18
852	Contaminaço do solo com antraceno e creosoto e o crescimento vegetal e a colonizaço micorrzica pelo <i>Glomus etunicatum</i> . 2007 , 31, 805-811		3
851	The kinetics of polycyclic aromatic hydrocarbon (PAH) biodegradation assessed by isothermal titration calorimetry (ITC). 2007 , 458, 47-53		11
850	Electro-bioremediation of hydrophobic organic soil-contaminants: A review of fundamental interactions. 2007 , 52, 3441-3448		109
849	Effects of aging on the extractability of naphthalene and phenanthrene from Mediterranean soils. 2007 , 146, 378-84		18

848	Microbial biomass dynamics and soil wettability as affected by the intensity and frequency of wetting and drying during straw decomposition. 2007 , 58, 1482-1492	26
847	Bioaugmentation and biostimulation effects on PAH dissipation and soil ecotoxicity under controlled conditions. 2007 , 39, 1926-1935	134
846	Accumulation of polycyclic aromatic hydrocarbons in rural soils based on mass balances at the catchment scale. 2007 , 26, 591-600	27
845	Biochemical ripening of dredged sediments. Part 2. Degradation of polycyclic aromatic hydrocarbons and total petroleum hydrocarbons in slurried and consolidated sediments. 2007 , 26, 2540-9	9
844	Characterisation of a thermostable catechol-2,3-dioxygenase from phenanthrene-degrading <i>Pseudomonas</i> sp. strain ZJF08. 2007 , 57, 503-508	13
843	Diffuse PAH contamination of surface soils: environmental occurrence, bioavailability, and microbial degradation. 2007 , 76, 533-43	113
842	On-line screening of soil VOCs exchange responses to moisture, temperature and root presence. 2007 , 291, 249-261	93
841	Enhanced degradation of a mixture of polycyclic aromatic hydrocarbons by a defined microbial consortium in a two-phase partitioning bioreactor. 2007 , 18, 211-21	48
840	Adsorption and partition of benzo(a)pyrene on sediments with different particle sizes from the Yellow River. 2007 , 1, 172-178	1
839	Bioremediation of polycyclic aromatic hydrocarbons contaminated soil with <i>Monilinia</i> sp.: degradation and microbial community analysis. 2008 , 19, 247-57	83
838	A microcosm system and an analytical protocol to assess PAH degradation and metabolite formation in soils. 2008 , 19, 425-34	21
837	Conversion of polycyclic aromatic hydrocarbons by <i>Sphingomonas</i> sp. VKM B-2434. 2008 , 19, 567-76	50
836	Pyrene-degradation potentials of <i>Pseudomonas</i> species isolated from polluted tropical soils. 2008 , 24, 2639-2646	53
835	Effect of electrokinetic transport on the vulnerability of PAH-degrading bacteria in a model aquifer. 2008 , 30, 177-82	38
834	Converting wasteland into wonderland by earthworms—low-cost nature—technology for soil remediation: a case study of vermiremediation of PAHs contaminated soil. 2008 , 28, 466-475	39
833	Phenanthrene biodegradation by an indigenous <i>Pseudomonas</i> sp. ZJF08 with TX100 as surfactant. 2008 , 58, 439-442	7
832	Bacterial metabolism of polycyclic aromatic hydrocarbons: strategies for bioremediation. 2008 , 48, 95-113	117
831	Isolation and characterization of naphthalene-degrading bacteria from sediments of Cadiz area (SW Spain). 2008 , 23, 576-82	11

830	Adsorption of phenanthrene on activated carbon increases mineralization rate by specific bacteria. 2008 , 151, 339-47	32
829	Bioremediation of anthracene contaminated soil in bio-slurry phase reactor operated in periodic discontinuous batch mode. 2008 , 153, 244-51	22
828	Microbial consortium bioaugmentation of a polycyclic aromatic hydrocarbons contaminated soil. 2008 , 99, 2637-43	170
827	Characteristics of an endophytic pyrene-degrading bacterium of <i>Enterobacter</i> sp. 12J1 from <i>Allium macrostemon</i> Bunge. 2008 , 62, 88-95	91
826	Ex situ bioremediation of pyrene contaminated soil in bio-slurry phase reactor operated in periodic discontinuous batch mode: Influence of bioaugmentation. 2008 , 62, 162-169	47
825	Effect of sediment particle size on polycyclic aromatic hydrocarbon biodegradation: importance of the sediment-water interface. 2008 , 27, 119-25	38
824	Microbial biodegradation of polyaromatic hydrocarbons. 2008 , 32, 927-55	484
823	Structure of bacterial communities along a hydrocarbon contamination gradient in a coastal sediment. 2008 , 66, 295-305	111
822	Diversity of ring-hydroxylating dioxygenases in pristine and oil contaminated microbial mats at genomic and transcriptomic levels. 2008 , 10, 3201-11	44
821	Distribution of polycyclic aromatic hydrocarbons in particle-size separates and density fractions of typical agricultural soils in the Yangtze River Delta, east China. 2008 , 59, 1020-1026	27
820	Novel aromatic ring-hydroxylating dioxygenase genes from coastal marine sediments of Patagonia. 2008 , 8, 50	47
819	Mixing-controlled biodegradation in a toluene plume--results from two-dimensional laboratory experiments. 2008 , 96, 150-68	73
818	The fate and toxicity of the flavonoids naringenin and formononetin in soil. 2008 , 40, 528-536	38
817	Removal of polycyclic aromatic hydrocarbons from soil amended with biosolid or vermicompost in the presence of earthworms (<i>Eisenia fetida</i>). 2008 , 40, 1954-1959	81
816	Interactions Between Xenobiotics and Microbial and Enzymatic Soil Activity. 2008 , 38, 269-310	89
815	Microbiology of Extreme Soils. 2008 ,	15
814	Effects of the polychaetes <i>Arenicola marina</i> and <i>Nereis diversicolor</i> on microbial pyrene mineralization. 2008 , 50, 197-207	14
813	Cytoplasmic wax ester accumulation during biofilm-driven substrate assimilation at the alkane--water interface by <i>Marinobacter hydrocarbonoclasticus</i> SP17. 2008 , 159, 137-44	47

812	Surface motility of polycyclic aromatic hydrocarbon (PAH)-degrading mycobacteria. 2008 , 159, 255-62		24
811	Life cycle responses of the midge <i>Chironomus riparius</i> to polycyclic aromatic compound exposure. <i>Environmental Pollution</i> , 2008 , 152, 225-32	9.3	28
810	Univariate and multivariate characterization of heavy fuel oil weathering and biodegradation in soil. <i>Environmental Pollution</i> , 2008 , 156, 297-305	9.3	14
809	Assessment of the effects of soil PAH accumulation by a battery of ecotoxicological tests. 2008 , 71, 1937-44		38
808	Improved bioavailability and biodegradation of a model polyaromatic hydrocarbon by a biosurfactant producing bacterium of marine origin. 2008 , 72, 1229-34		146
807	Treatment of PAHs in contaminated soil by extraction with aqueous DNA followed by biodegradation with a pure culture of <i>Sphingomonas</i> sp. 2008 , 73, 1414-9		21
806	Microbial PAH degradation. 2008 , 65, 27-66		47
805	Isolation and characterization of PAHs degrading bacteria from activated sludge. 2008 , 136, S697-S698		1
804	Impact of black carbon in the extraction and mineralization of phenanthrene in soil. 2008 , 42, 740-5		151
803	Effect of different humic substances on the fate of diuron and its main metabolite 3,4-dichloroaniline in soil. 2008 , 42, 8687-91		27
802	Isomer-specific biodegradation of methylphenanthrenes by soil bacteria. 2008 , 42, 4790-6		15
801	Environmental influences on the partitioning and diffusion of hydrophobic organic contaminants in microbial biofilms. 2008 , 42, 1990-6		33
800	Field aging of insecticides after repeated application to a northern Thailand ultisol. 2008 , 56, 9555-62		5
799	Bacteriology of Extremely Cold Soils Exposed to Hydrocarbon Pollution. 2008 , 247-274		5
798	Characterization of a novel angular dioxygenase from fluorene-degrading <i>Sphingomonas</i> sp. strain LB126. 2008 , 74, 1050-7		30
797	Human Health Risk Assessment approach for urban park development. 2008 , 59, 213-21		3
796	VERMICOMPOSTING TECHNOLOGY FOR STABILIZING THE SEWAGE SLUDGE FROM RURAL WASTE WATER TREATMENT PLANTS. 2008 , 3,		2
795	Potential of the soil microbial biomass C to tolerate and degrade persistent organic pollutants. 2008 , 3, 12-20		2

794	Escravos light crude oil degrading potentials of axenic and mixed bacterial cultures. 2008 , 54, 277-84	4
793	<i>Pseudomonas fluorescens</i> ompW: plasmid localization and requirement for naphthalene uptake. 2009 , 55, 553-63	25
792	Diversity, abundance, and consistency of microbial oxygenase expression and biodegradation in a shallow contaminated aquifer. 2009 , 75, 6478-87	27
791	Microbiological polyphasic approach for soil health evaluation in an Italian polluted site. 2009 , 407, 4954-64	12
790	Experimental assessment of an innovative process for simultaneous PAHs and Pb removal from polluted soils. 2009 , 407, 5402-10	28
789	Bacterial responses and interactions with plants during rhizoremediation. 2009 , 2, 452-64	86
788	Isolation of marine benzo[a]pyrene-degrading <i>Ochrobactrum</i> sp. BAP5 and proteins characterization. 2009 , 21, 1446-51	46
787	Impact of moisture dynamic and sun light on anthracene removal from soil. 2009 , 20, 191-8	6
786	Enrichment and identification of polycyclic aromatic compound-degrading bacteria enriched from sediment samples. 2009 , 20, 521-31	7
785	Degradation of hydrocarbons and biosurfactant production by <i>Pseudomonas</i> sp. strain LP1. 2009 , 25, 1615-1623	88
784	Taxonomic identification and use of free and entrapped cells of a new <i>Mycobacterium</i> sp., strain Spyr1 for degradation of polycyclic aromatic hydrocarbons (PAHs). 2009 , 159, 155-67	22
783	Effect of salinity on biodegradation of polycyclic aromatic hydrocarbons (PAHs) of heavy crude oil in soil. 2009 , 82, 179-84	51
782	Characterization of a ring-hydroxylating dioxygenase from phenanthrene-degrading <i>Sphingomonas</i> sp. strain LH128 able to oxidize benz[a]anthracene. 2009 , 83, 465-75	40
781	Improved enrichment and isolation of polycyclic aromatic hydrocarbons (PAH)-degrading microorganisms in soil using anthracene as a model PAH. 2009 , 58, 628-34	16
780	Double-tagged fluorescent bacterial bioreporter for the study of polycyclic aromatic hydrocarbon diffusion and bioavailability. 2009 , 11, 2271-83	36
779	Fungal mycelia allow chemotactic dispersal of polycyclic aromatic hydrocarbon-degrading bacteria in water-unsaturated systems. 2010 , 12, 1391-8	92
778	A spatial approach to environmental risk assessment of PAH contamination. 2009 , 29, 48-61	10
777	Rhamnolipid biosurfactants decrease the toxicity of chlorinated phenols to <i>Pseudomonas putida</i> DOT-T1E. 2009 , 48, 756-62	31

776	Bacterial community dynamics during bioremediation of phenanthrene- and fluoranthene-amended soil. 2009 , 63, 52-56	45
775	Bioremediation of naphthalene in water by <i>Sphingomonas paucimobilis</i> using new biodegradable surfactants based on poly (ε-caprolactone). 2009 , 63, 217-223	17
774	Naphthalene degradation by <i>Pseudomonas</i> sp. HOB1: in vitro studies and assessment of naphthalene degradation efficiency in simulated microcosms. 2009 , 166, 1466-73	64
773	Biodegradation aspects of polycyclic aromatic hydrocarbons (PAHs): a review. 2009 , 169, 1-15	1951
772	Concentration level, pattern and toxic potential of PAHs in traffic soil of Delhi, India. 2009 , 171, 894-900	117
771	Synergic degradation of phenanthrene by consortia of newly isolated bacterial strains. 2009 , 144, 293-8	58
770	In situ phytoremediation of PAH- and PCB-contaminated marine sediments with eelgrass (<i>Zostera marina</i>). 2009 , 35, 1395-1404	67
769	Ex situ slurry phase bioremediation of chrysene contaminated soil with the function of metabolic function: process evaluation by data enveloping analysis (DEA) and Taguchi design of experimental methodology (DOE). 2009 , 100, 164-72	32
768	Effect of activated carbon on microbial bioavailability of phenanthrene in soils. 2009 , 28, 2283-8	32
767	Microbial availability of different forms of phenanthrene in soils. 2009 , 43, 1852-7	48
766	Beyond contaminated land assessment: on costs and benefits of bioaccessibility prediction. 2009 , 35, 911-9	20
765	Effects of humic acid on solubility and biodegradation of polycyclic aromatic hydrocarbons in liquid media and mangrove sediment slurries. 2009 , 76, 1102-8	30
764	Determining exposure dose in soil: the effect of modifying factors on chlorinated benzene toxicity to earthworms. 2009 , 76, 946-51	6
763	Water and phosphorus content affect PAH dissipation in spiked soil planted with mycorrhizal alfalfa and tall fescue. 2009 , 77, 709-13	25
762	Proteomic analysis of <i>Marinobacter hydrocarbonoclasticus</i> SP17 biofilm formation at the alkane-water interface reveals novel proteins and cellular processes involved in hexadecane assimilation. 2009 , 160, 829-37	38
761	Characteristics of earthworms (<i>Eisenia fetida</i>) in PAHs contaminated soil amended with sewage sludge or vermicompost. 2009 , 41, 269-276	44
760	Chapter 4 Inorganic and Organic Constituents and Contaminants of Biosolids: Implications for Land Application. 2009 , 104, 165-267	91
759	Advances in Applied Bioremediation. 2009 ,	36

758	Emission of N ₂ O from Polycyclic Aromatic Hydrocarbons Contaminated Soil at Different Water Contents Added with Vermicompost. 2009 , 17, 48-54	2
757	Characterization of Microbacterium sp. F10a and its role in polycyclic aromatic hydrocarbon removal in low-temperature soil. 2009 , 55, 529-35	44
756	Effects of suspended sediment content on biodegradation of three common endocrine disruptors in river water. 2009 , 60, 758	6
755	Soil type-dependent responses to phenanthrene as revealed by determining the diversity and abundance of polycyclic aromatic hydrocarbon ring-hydroxylating dioxygenase genes by using a novel PCR detection system. 2010 , 76, 4765-71	83
754	Effects of corn steep liquor on growth rate and pyrene degradation by Pseudomonas strains. 2010 , 60, 407-11	19
753	Study of the degradation activity and the strategies to promote the bioavailability of phenanthrene by Sphingomonas paucimobilis strain 20006FA. 2010 , 59, 266-76	31
752	Effect of two types of biosurfactants on phenanthrene availability to the bacterial bioreporter Burkholderia sartisoli strain RP037. 2010 , 85, 1131-9	21
751	The role of salicylate and biosurfactant in inducing phenanthrene degradation in batch soil slurries. 2010 , 86, 1563-71	47
750	Coordination in phenanthrene biodegradation: pyruvate as microbial demarcation. 2010 , 85, 581-4	1
749	Roles of abiotic losses, microbes, plant roots, and root exudates on phytoremediation of PAHs in a barren soil. 2010 , 176, 919-25	142
748	Soil bacterial functional diversity as influenced by cadmium, phenanthrene and degrade bacteria application. 2010 , 59, 1717-1722	11
747	Removal of high concentrations of polycyclic aromatic hydrocarbons from contaminated soil by biodiesel. 2010 , 4, 387-394	18
746	Optimization and enhancement of soil bioremediation by composting using the experimental design technique. 2010 , 21, 345-56	25
745	Electro ultrasonic remediation of polycyclic aromatic hydrocarbons from contaminated soil. 2010 , 40, 1407-1413	16
744	Biodegradation of chrysene by the bacterial strains isolated from oily sludge. 2010 , 26, 329-335	26
743	A comprehensive overview of elements in bioremediation. 2010 , 9, 215-288	229
742	Effect-directed analysis of Ah receptor-mediated activities caused by PAHs in suspended particulate matter sampled in flood events. 2010 , 408, 3327-33	37
741	Degradation capacity of a 1,2,4-trichlorobenzene mineralizing microbial community for traces of organochlorine pesticides. 2010 , 408, 3359-66	11

740	Spatial uncoupling of biodegradation, soil respiration, and PAH concentration in a creosote contaminated soil. <i>Environmental Pollution</i> , 2010 , 158, 2865-71	9-3	12
739	Biodegradation of PAHs in soil: Influence of chemical structure, concentration and multiple amendment. <i>Environmental Pollution</i> , 2010 , 158, 3411-20	9-3	73
738	Degradation of polycyclic aromatic hydrocarbons by free and nanoclay-immobilized manganese peroxidase from <i>Anthracophyllum discolor</i> . 2010 , 80, 271-8		89
737	Nature of bioavailability of DNA-intercalated polycyclic aromatic hydrocarbons to <i>Sphingomonas</i> sp. 2010 , 80, 866-71		3
736	Comparative impact of cadmium on two phenanthrene-degrading bacteria isolated from cadmium and phenanthrene co-contaminated soil in China. 2010 , 174, 818-23		36
735	Application of vegetable oils in the treatment of polycyclic aromatic hydrocarbons-contaminated soils. 2010 , 177, 28-41		59
734	Using orthogonal design to determine optimal conditions for biodegradation of phenanthrene in mangrove sediment slurry. 2010 , 176, 666-71		18
733	Biosorption and biodegradation of polycyclic aromatic hydrocarbons in aqueous solutions by a consortium of white-rot fungi. 2010 , 179, 845-51		108
732	Effect of pH and salinity on the emulsifying capacity and naphthalene solubility of a biosurfactant produced by <i>Pseudomonas fluorescens</i> . 2010 , 180, 131-6		55
731	An efficient PAH-degrading <i>Lentinus (Panus) tigrinus</i> strain: effect of inoculum formulation and pollutant bioavailability in solid matrices. 2010 , 183, 669-76		43
730	Isolation of polycyclic aromatic hydrocarbons (PAHs)-degrading <i>Mycobacterium</i> spp. and the degradation in soil. 2010 , 183, 718-23		74
729	Biological treatment of PAH-contaminated sediments in a Sequencing Batch Reactor. 2010 , 184, 97-104		17
728	Anaerobic degradation of PAHs in soil: Impacts of concentration and amendment stability on the PAHs degradation and biogas production. 2010 , 64, 286-292		24
727	Microbial communities involved in the bioremediation of an aged recalcitrant hydrocarbon polluted soil by using organic amendments. 2010 , 101, 6916-23		77
726	F-RISA fungal clones as potential bioindicators of organic and metal contamination in soil. 2010 , 109, 415-430		10
725	Biorremediação de um solo contaminado com antraceno sob diferentes condições fíísicas e quíímicas. 2010 , 40, 280-287		3
724	Optimal Conditions for Biodegradation of Indeno (1,2,3-cd) Pyrene in Soil Slurry Reactors. 2010 ,		
723	. 2010 ,		

722	Effects of composition and domain arrangement of biopolymer components of soil organic matter on the bioavailability of phenanthrene. 2010 , 44, 3339-44	25
721	Bioremediation of Hazardous Organics. 2010 , 177-212	6
720	Degradation of Polycyclic Aromatic Hydrocarbons by Mycobacterium Strains. 2010 , 1865-1879	16
719	Fungal PAH-metabolites resist mineralization by soil microorganisms. 2010 , 44, 1677-82	40
718	Linear exchange model for the description of mass transfer limited bioavailability at the pore scale. 2010 , 44, 2064-71	25
717	Isothermal titration calorimetry - a new method for the quantification of microbial degradation of trace pollutants. 2010 , 82, 42-8	12
716	A non-invasive fluorescent staining procedure allows Confocal Laser Scanning Microscopy based imaging of Mycobacterium in multispecies biofilms colonizing and degrading polycyclic aromatic hydrocarbons. 2010 , 83, 317-25	15
715	Polycyclic aromatic hydrocarbons in the surface soil of Shanghai, China: Concentrations, distribution and sources. 2010 , 41, 355-362	62
714	Inoculum carrier and contaminant bioavailability affect fungal degradation performances of PAH-contaminated solid matrices from a wood preservation plant. 2010 , 79, 855-64	32
713	Fungi as Transport Vectors for Contaminants and Contaminant-Degrading Bacteria. 2010 , 1555-1561	14
712	Levels of polycyclic aromatic hydrocarbons and polychlorinated biphenyls in sediment of bitumen deposit impacted area. 2010 , 7, 561-570	20
711	A New Method to Evaluate Risk Alleviation of PAHs Contaminated Sites. 2010 ,	
710	Modeling Solubility of Polycyclic Aromatic Compounds in Subcritical Water. 2011 , 50, 11396-11405	5
709	A contaminant trap as a tool for isolating and measuring the desorption resistant fraction of soil pollutants. 2011 , 45, 2932-7	29
708	Life cycle responses of the midge Chironomus riparius to compounds with different modes of action. 2011 , 45, 1645-51	35
707	Bioaugmentation for In Situ Soil Remediation: How to Ensure the Success of Such a Process. 2011 , 129-186	18
706	Semivolatiles in the Forest Environment: The Case of PAHs. 2011 , 47-73	11
705	Understanding the Complexity and Strategic Evolution in PAH Remediation Research. 2011 , 41, 1697-1746	29

704	Microbes and Microbial Technology. 2011,		35
703	Bioaugmentation, Biostimulation and Biocontrol. 2011,		13
702	The Biofilm Returns: Microbial Life at the Interface. 2011, 59-85		1
701	Application of organic wastes on a benzo(a)pyrene polluted soil. Response of soil biochemical properties and role of <i>Eisenia fetida</i> . 2011, 74, 668-74		41
700	Earthworms, a means to accelerate removal of hydrocarbons (PAHs) from soil? A mini-review. 2011, 54, S187-S192		35
699	Identification of nitrogen-incorporating bacteria in petroleum-contaminated arctic soils by using [15N]DNA-based stable isotope probing and pyrosequencing. 2011, 77, 4163-71		102
698	Biodegradation of Organic Xenobiotic Pollutants in the Rhizosphere. 2011, 191-215		15
697	Comparison between different bio-treatments of a hydrocarbon contaminated soil from a landfill site. 2011, 10,		5
696	Effects of suspended sediment on the biodegradation and mineralization of phenanthrene in river water. 2011, 40, 118-25		7
695	Biodegradability of Recalcitrant Aromatic Compounds. 2011, 95-103		0
694	Cells dispersed from <i>Marinobacter hydrocarbonoclasticus</i> SP17 biofilm exhibit a specific protein profile associated with a higher ability to reinitiate biofilm development at the hexadecane-water interface. 2011, 13, 737-46		27
693	Untapped potential: exploiting fungi in bioremediation of hazardous chemicals. 2011, 9, 177-92		636
692	Contribution of <i>Miscanthus x giganteus</i> root exudates to the biostimulation of PAH degradation: an in vitro study. 2011, 409, 4489-95		53
691	Effects of soil organic matter on the development of the microbial polycyclic aromatic hydrocarbons (PAHs) degradation potentials. <i>Environmental Pollution</i> , 2011, 159, 591-5	9-3	91
690	Impact of carbon nanomaterials on the behaviour of 14C-phenanthrene and 14C-benzo-[a] pyrene in soil. <i>Environmental Pollution</i> , 2011, 159, 706-15	9-3	57
689	Microbial growth with vapor-phase substrate. <i>Environmental Pollution</i> , 2011, 159, 858-64	9-3	14
688	Bioremediation of PAHs-contaminated soil through composting: Influence of bioaugmentation and biostimulation on contaminant biodegradation. 2011, 65, 859-865		103
687	Squamocin mode of action to stimulate biofilm formation of <i>Pseudomonas plecoglossicida</i> J26, a PAHs degrading bacterium. 2011, 65, 1066-1072		11

686	Comparative studies on lignin and polycyclic aromatic hydrocarbons degradation by basidiomycetes fungi. 2011 , 102, 8063-70	49
685	Impact of different land uses on polycyclic aromatic hydrocarbon contamination in coastal stream sediments. 2011 , 84, 376-82	17
684	Bacterial-fungal interactions: hyphens between agricultural, clinical, environmental, and food microbiologists. 2011 , 75, 583-609	484
683	Bioremediation of a Soil Industrially Contaminated by Wood Preservatives Degradation of Polycyclic Aromatic Hydrocarbons and Monitoring of Coupled Arsenic Translocation. 2011 , 214, 275-285	16
682	Biodegradation of carbazole by newly isolated <i>Acinetobacter</i> spp. 2011 , 87, 522-6	13
681	Effects of cadmium and phenanthrene mixtures on aquatic fungi and microbially mediated leaf litter decomposition. 2011 , 61, 211-9	30
680	Extracellular polymeric substances enhanced mass transfer of polycyclic aromatic hydrocarbons in the two-liquid-phase system for biodegradation. 2011 , 90, 1063-71	36
679	Impacts of cell surface characteristics on population dynamics in a sequencing batch yeast reactor treating vegetable oil-containing wastewater. 2011 , 90, 1785-93	7
678	Biodegradation of anthracene by <i>Aspergillus fumigatus</i> . 2011 , 185, 174-81	81
677	Biodegrading of pyrene by a newly isolated <i>Pseudomonas putida</i> PL2. 2011 , 16, 1000-1008	15
676	Microbial communities to mitigate contamination of PAHs in soil--possibilities and challenges: a review. 2011 , 18, 12-30	156
675	Chitosan-coated alginate-polyvinyl alcohol beads for encapsulation of silicone oil containing pyrene: a novel method for biodegradation of polycyclic aromatic hydrocarbons. 2011 , 86, 266-272	18
674	Bioremediation of polyaromatic hydrocarbon contaminated soils by native microflora and bioaugmentation with <i>Sphingobium chlorophenicum</i> strain C3R: A feasibility study in solid- and slurry-phase microcosms. 2011 , 65, 191-197	38
673	Enhanced microbial degradation of humin-bound phenanthrene in a two-liquid-phase system. 2011 , 186, 1830-6	12
672	Biodegradation of phenanthrene using adapted microbial consortium isolated from petrochemical contaminated environment. 2011 , 187, 333-40	161
671	Low temperature oxidation of a coking plant soil organic matter and its major constituents: an experimental approach to simulate a long term evolution. 2011 , 188, 221-30	31
670	Degradation of pyrene in soils by extracellular polymeric substances (EPS) extracted from liquid cultures. 2011 , 46, 1627-1631	39
669	Growth kinetics of some subsurface microbial strains using naphthalene as a probe contaminant. 2011 , 32, 1453-62	3

668	Mobilization Assessment and Possibility of Increased Availability of PAHs in Contaminated Soil Using Column Tests. 2011 , 20, 581-591	5
667	Influence of soil texture on the electrokinetic transport of diesel-degrading microorganisms. 2011 , 46, 914-9	18
666	Mutagenesis and screening of highly efficient pyrene degrading strains by N+-implantation. 2011 ,	1
665	Polycyclic aromatic hydrocarbon metabolic network in <i>Mycobacterium vanbaalenii</i> PYR-1. 2011 , 193, 4326-37	83
664	Exposure to solute stress affects genome-wide expression but not the polycyclic aromatic hydrocarbon-degrading activity of <i>Sphingomonas</i> sp. strain LH128 in biofilms. 2012 , 78, 8311-20	20
663	Soil Microbial Degradation of Vacuum Residue. 2012 , 30, 2218-2226	3
662	Characterization of Culturable PAH and BTEX Degrading Bacteria from Heavy Oil of the Rancho La Brea Tarpits. 2012 , 32, 600-614	4
661	Levels, Sources, and Toxic Potential of Polycyclic Aromatic Hydrocarbons in Urban Soil of Delhi, India. 2012 , 18, 393-411	31
660	Effect of Exposure Time, Contamination Level, and Type of PAH Compound on Biodegradation Capacity of Mangrove Sediment. 2012 , 21, 291-304	4
659	Biodegradation of petroleum hydrocarbons in hypersaline environments. 2012 , 43, 865-72	44
658	Mycelia promote active transport and spatial dispersion of polycyclic aromatic hydrocarbons. 2012 , 46, 5463-70	68
657	Bioremediation of a tropical clay soil contaminated with diesel oil. 2012 , 113, 510-6	29
656	Effect of surfactant-induced cell surface modifications on electron transport system and catechol 1,2-dioxygenase activities and phenanthrene biodegradation by <i>Citrobacter</i> sp. SA01. 2012 , 123, 42-8	48
655	Responses of microbial community from northern Gulf of Mexico sandy sediments following exposure to Deepwater Horizon crude oil. 2012 , 31, 1004-11	25
654	Ecotoxicity of polycyclic aromatic hydrocarbons, aromatic amines, and nitroarenes through molecular properties. 2012 , 10, 349-361	32
653	Acute effect of benzo[a]anthracene on the biodegradation of peptone under aerobic conditions. 2012 , 19, 3412-20	2
652	Used lubricating oil degradation and biosurfactant production by SC-9 consortia obtained from oil-contaminated soil. 2012 , 62, 1757-1767	29
651	Deciphering Rhizosphere Soil System for Strains Having Plant Growth Promoting and Bioremediation Traits. 2012 , 1, 251-257	12

650	PAHs in Road Dust: Ubiquity, Fate, and Summary of Available Data. 2012 , 42, 1191-1232	32
649	Application of aqueous saponin on the remediation of polycyclic aromatic hydrocarbons-contaminated soil. 2012 , 47, 1138-45	29
648	Toxicity assessment of sediments associated with the wreck of s/s Stuttgart in the Gulf of Gdańsk (Poland). 2012 , 14, 1231-6	11
647	Influence of activated charcoal on desorption kinetics and biodegradation of phenanthrene in soil. 2012 , 46, 12445-51	52
646	Fate of naphthalene in laboratory-scale bioretention cells: implications for sustainable stormwater management. 2012 , 46, 995-1002	43
645	Dynamic passive dosing for studying the biotransformation of hydrophobic organic chemicals: microbial degradation as an example. 2012 , 46, 4852-60	43
644	Isolation and Identification of Polycyclic Aromatic Hydrocarbon-Degrading Bacteria from Crude Oil Exploration Bore Well Sludge. 2012 , 16, 141-146	3
643	Metabolism of polycyclic aromatic hydrocarbons by the wood-feeding termite <i>Coptotermes formosanus</i> (Shiraki). 2012 , 60, 1788-97	8
642	Polycyclic aromatic hydrocarbons (PAHs) in lake sediments record historic fire events: Validation using HPLC-fluorescence detection. 2012 , 45, 7-17	81
641	Biosorption and biodegradation of phenanthrene and pyrene in sterilized and unsterilized soil slurry systems stimulated by <i>Phanerochaete chrysosporium</i> . 2012 , 229-230, 159-69	37
640	Does anthracene affect microbial activities and organic matter decomposition? A comparative study in <i>Pinus halepensis</i> litters from Mediterranean coastal and inland areas. 2012 , 89, 548-55	6
639	Aerobic bacterial degradation of polycyclic aromatic hydrocarbons (PAHs) and its kinetic aspects. 2012 , 81, 639-650	44
638	Marine crude-oil biodegradation: a central role for interspecies interactions. 2012 , 8, 10	249
637	Assessment of <i>Miscanthus giganteus</i> secondary root metabolites for the biostimulation of PAH-utilizing soil bacteria. 2012 , 62, 142-146	23
636	Enhanced desorption of humin-bound phenanthrene by attached phenanthrene-degrading bacteria. 2012 , 123, 92-7	12
635	Electrokinetics-enhanced biodegradation of heavy polycyclic aromatic hydrocarbons in soil around iron and steel industries. 2012 , 85, 228-234	39
634	Wetting properties of fungi mycelium alter soil infiltration and soil water repellency in a sterilized wettable and repellent soil. 2012 , 116, 1212-8	13
633	Biodegradation of Aromatic Pollutants by Ligninolytic Fungal Strains. 2012 , 291-316	5

632	Characterization and phylogenetic analysis of microbial surface active compound-producing bacteria. 2012 , 168, 1003-18		14
631	Biodegradation of Phenanthrene by <i>Pseudomonas putida</i> and a Bacterial Consortium in the Presence and in the Absence of a Surfactant. 2012 , 52, 420-6		9
630	Biosurfactants: Synthesis, Properties and Applications in Environmental Bioremediation. 2012 , 137-211		2
629	Enhanced dissipation of polycyclic aromatic hydrocarbons in the rhizosphere of the Athel tamarisk (<i>Tamarix aphylla</i> L. Karst.) grown in saline-alkaline soils of the former lake Texcoco. 2012 , 14, 741-53		4
628	Deciphering the traits associated with PAH degradation by a novel <i>Serratia marcescens</i> L-11 strain. 2012 , 47, 755-65		18
627	Indirect effects of polycyclic aromatic hydrocarbon contamination on microbial communities in legume and grass rhizospheres. 2012 , 358, 169-182		58
626	Microbial Degradation of Xenobiotics. 2012 ,		22
625	Dynamics of bacterial communities in two unpolluted soils after spiking with phenanthrene: soil type specific and common responders. 2012 , 3, 290		63
624	Characterization of pyrene utilizing <i>Bacillus</i> spp. from crude oil contaminated soil. 2012 , 43, 606-17		12
623	Mechanisms regulating bioavailability of phenanthrene sorbed on a peat soil-origin humic substance. 2012 , 31, 1431-7		15
622	Polycyclic aromatic hydrocarbon-degrading bacteria from aviation fuel spill site at Ibeno, Nigeria. 2012 , 88, 1014-9		26
621	Assessing the chemical and biological accessibility of the herbicide isoproturon in soil amended with biochar. 2012 , 88, 77-83		78
620	Effects of biostimulation and bioaugmentation on diesel removal and bacterial community. 2012 , 66, 39-46		74
619	Case study of the relationship between fungi and bacteria associated with high-molecular-weight polycyclic aromatic hydrocarbon degradation. 2012 , 113, 624-30		54
618	Evaluation of dissipation gradients of polycyclic aromatic hydrocarbons in rice rhizosphere utilizing a sequential extraction procedure. <i>Environmental Pollution</i> , 2012 , 162, 413-21	9-3	44
617	Betaproteobacteria dominance and diversity shifts in the bacterial community of a PAH-contaminated soil exposed to phenanthrene. <i>Environmental Pollution</i> , 2012 , 162, 345-53	9-3	113
616	Effects of Tween 80 on the removal, sorption and biodegradation of pyrene by <i>Klebsiella oxytoca</i> PYR-1. <i>Environmental Pollution</i> , 2012 , 164, 169-74	9-3	64
615	A reactive transport modeling approach to simulate biogeochemical processes in pore structures with pore-scale heterogeneities. 2012 , 30, 102-114		46

614	Walking the tightrope of bioavailability: growth dynamics of PAH degraders on vapour-phase PAH. 2012 , 5, 79-86	16
613	The Spatial Heterogeneity of Polycyclic Aromatic Hydrocarbons in Soil Depends on Their Physico-chemical Properties. 2012 , 223, 969-977	12
612	Why do microorganisms produce rhamnolipids?. 2012 , 28, 401-19	127
611	¹ H NMR-based metabolomic analysis of polar and non-polar earthworm metabolites after sub-lethal exposure to phenanthrene. 2013 , 9, 44-56	32
610	The effect of polycyclic aromatic hydrocarbon contamination on distribution of the <i>Sphingomonas</i> community in the Shenfu irrigation area of Northeast China. 2013 , 63, 1005-1012	4
609	Organic matter-microorganism-plant in soil bioremediation: a synergic approach. 2013 , 12, 399-419	61
608	Impact of mycelia on the accessibility of fluorene to PAH-degrading bacteria. 2013 , 47, 6908-15	58
607	Natural attenuation and biosurfactant-stimulated bioremediation of estuarine sediments contaminated with diesel oil. 2013 , 171, 173-88	6
606	The effect of long-term soil irrigation by wastewater on organic matter, polycyclic aromatic hydrocarbons, and heavy metals evolution: case study of Zaouit Sousse (Tunisia). 2013 , 6, 4337-4346	14
605	GammaProteobacteria as a potential bioindicator of a multiple contamination by polycyclic aromatic hydrocarbons (PAHs) in agricultural soils. <i>Environmental Pollution</i> , 2013 , 180, 199-205	9-3 59
604	Influence of mass transfer on stable isotope fractionation. 2013 , 97, 441-52	52
603	Biocalcification Mediated Reduction of PAHs Bioavailability in Artificially Contaminated Soil. 2013 , 224, 1	2
602	Sediment Toxicity Testing for Prospective Risk Assessment: A New Framework and How to Establish It. 2013 , 19, 98-117	5
601	Hydrocarbon biodegradation and dynamic laser speckle for detecting chemotactic responses at low bacterial concentration. 2013 , 25, 613-25	17
600	Impact of black carbon on the bioaccessibility of organic contaminants in soil. 2013 , 261, 808-16	93
599	How suitable are peat cores to study historical deposition of PAHs?. 2013 , 450-451, 271-9	19
598	Interaction of phenanthrene and potassium uptake by wheat roots: a mechanistic model. 2013 , 13, 168	12
597	Mixing of an anthracene-contaminated soil: a simple but efficient remediation technique?. 2013 , 96, 238-41	8

596	Removal of benzo (a) pyrene from soil using an endogeic earthworm <i>Pontoscolex corethrurus</i> (). 2013 , 70, 62-69	31
595	Bioavailability of High Molecular Weight Polycyclic Aromatic Hydrocarbons Using Renewable Resources. 2013 ,	1
594	Laherradurin, a natural stressor, stimulates QS mechanism involved in biofilm formation of a PAHs degrading bacterium. 2013 , 85, 78-84	13
593	Atmospheric sources and soil filtering of PAH content in karst seepage waters. 2013 , 65, 37-45	12
592	Microcalorimetric investigation of the effect of non-ionic surfactant on biodegradation of pyrene by PAH-degrading bacteria <i>Burkholderia cepacia</i> . 2013 , 98, 361-7	42
591	Intrinsic rates of petroleum hydrocarbon biodegradation in Gulf of Mexico intertidal sandy sediments and its enhancement by organic substrates. 2013 , 244-245, 537-44	29
590	Dynamics of metabolically active bacterial communities involved in PAH and toxicity elimination from oil-contaminated sludge during anoxic/oxic oscillations. 2013 , 97, 4199-211	16
589	Phenanthrene degradation and strategies to improve its bioavailability to microorganisms isolated from brackish sediments. 2013 , 84, 161-167	28
588	Assessment of polycyclic aromatic hydrocarbon biodegradation potential in mangrove sediment from Don Hoi Lot, Samut Songkram Province, Thailand. 2013 , 114, 1311-24	40
587	Successive transformation of benzo[a]pyrene by laccase of <i>Trametes versicolor</i> and pyrene-degrading <i>Mycobacterium</i> strains. 2013 , 97, 3183-94	12
586	Application of supported metallic catalysts in catalytic hydrogenation of arenes. 2013 , 3, 14219	64
585	Distribution of PAHs in the northwestern part of the Japan Sea. 2013 , 86-87, 19-24	29
584	Effects of hydroxypropyl-β-cyclodextrin and β-cyclodextrin on the distribution and biodegradation of phenanthrene in NAPL-water system. 2013 , 83, 105-111	8
583	Experimental increase in availability of a PAH complex organic contamination from an aged contaminated soil: consequences on biodegradation. <i>Environmental Pollution</i> , 2013 , 177, 98-105	9-3 51
582	Dominant petroleum hydrocarbon-degrading bacteria in the Archipelago Sea in South-West Finland (Baltic Sea) belong to different taxonomic groups than hydrocarbon degraders in the oceans. 2013 , 72, 174-80	15
581	Remarkable impact of PAHs and TPHs on the richness and diversity of bacterial species in surface soils exposed to long-term hydrocarbon pollution. 2013 , 29, 1989-2002	40
580	Ex Situ Bioremediation of Contaminated Soils: An Overview of Conventional and Innovative Technologies. 2013 , 43, 2107-2139	73
579	Enrichment and Identification of Condensed Aromatics in a Bio-oil from Degraded Wheat Stalk in Supercritical Ethanol. 2013 , 27, 596-598	10

- 578 Biodegradability of Corexit 9500 and dispersed South Louisiana crude oil at 5 and 25 °C. **2013**, 47, 1960-7 92
- 577 Effects of electrokinetic operation mode on removal of polycyclic aromatic hydrocarbons (PAHs), and the indigenous fungal community in PAH-contaminated soil. **2013**, 48, 1677-84 16
- 576 Gene Cloning and Function Analysis Involved in the Biodegradation of Aromatic Compounds by Bacillus NAPZ. **2013**, 726-731, 373-377
- 575 Field Study on Remediation of PAHs Contaminated Soil by Ex Situ Technologies at a Coking Site. **2013**, 773, 744-748
- 574 Practical considerations and challenges involved in surfactant enhanced bioremediation of oil. **2013**, 2013, 328608 53
- 573 Carbon Nanotubes in Electronics: Background and Discussion for Waste-Handling Strategies. **2013**, 4, 75-85 11
- 572 Mineral composition and charcoal determine the bacterial community structure in artificial soils. **2013**, 86, 15-25 63
- 571 Metal oxides, clay minerals and charcoal determine the composition of microbial communities in matured artificial soils and their response to phenanthrene. **2013**, 86, 3-14 30
- 570 Degradation of Spiked Pyrene and Non-pyrene Hydrocarbons in Soil Microcosms by Pseudomonas Species Isolated From Petroleum Polluted Soils. **2013**, 31, 1674-1680 4
- 569 Properties of catechol 1,2-dioxygenase in the cell free extract and immobilized extract of Mycobacterium fortuitum. **2013**, 44, 291-7 14
- 568 Polycyclic Aromatic Hydrocarbons Degradation Techniques: A Review. **2013**, 5, 46
- 567 Rhizoremediation: A Promising Rhizosphere Technology. **2013**, 9
- 566 Chronic Toxicity Of High Molecular Weight Polynuclear Aromatic Hydrocarbon- Pyrene On Freshwater Cyanobacterium Anabaena Fertlissima Rao. **2013**, 2, 175-183 4
- 565 Bioremediation of Petroleum hydrocarbon by using Pseudomonas species isolated from Petroleum contaminated soil. **2014**, 30, 1771-1776 20
- 564 Role of Microbial Surface-Active Compounds in Environmental Protection. **2014**, 41-83 4
- 563 Processes, Assessment and Remediation of Contaminated Sediments. **2014**, 13
- 562 The source apportionment of polycyclic aromatic hydrocarbons (PAHs) in the topsoil in Xiaodian sewage irrigation area, North of China. **2014**, 23, 1943-50 15
- 561 Evaluation of the biodegradation of Alaska North Slope oil in microcosms using the biodegradation model BIOB. **2014**, 5, 212 10

560	Anaerobic biodegradation of high-molecular-weight polycyclic aromatic hydrocarbons by a facultative anaerobe <i>Pseudomonas</i> sp. JP1. 2014 , 25, 825-33	62
559	Quantification of small-scale variation in the size and composition of phenanthrene-degrader populations and PAH contaminants in traffic-impacted topsoil. 2014 , 88, 84-93	7
558	Enhanced biodegradation of crude oil in contaminated soil by inoculation of hydrocarbon-degraders. 2014 , 52, 5126-5135	10
557	The marine bacterium <i>Marinobacter hydrocarbonoclasticus</i> SP17 degrades a wide range of lipids and hydrocarbons through the formation of oleolytic biofilms with distinct gene expression profiles. 2014 , 90, 816-31	37
556	Enhancing Performance of <i>Sphingobacterium spiritivorum</i> in Bioremediation Phenanthrene Contaminated Sand. 2014 , 24, 119-128	7
555	Distribution of selected carcinogenic hydrocarbon and heavy metals in an oil-polluted agriculture zone. 2014 , 186, 8697-706	35
554	Biofilm-Mediated Bioremediation of Polycyclic Aromatic Hydrocarbons. 2014 , 203-232	37
553	Bioavailability and biodegradation of polycyclic aromatic hydrocarbons. 2014 , 35, 199	1
552	Novel approach to ecotoxicological risk assessment of sediments cores around the shipwreck by the use of self-organizing maps. 2014 , 104, 239-46	3
551	Desorption kinetics of PAHs from aged industrial soils for availability assessment. 2014 , 470-471, 639-45	87
550	Water Repellency in Calcareous Soils Under Different Land Uses in Western Iran. 2014 , 24, 378-390	11
549	Mass balance and decontamination times of Polycyclic Aromatic Hydrocarbons in rural nested catchments of an early industrialized region (Seine River basin, France). 2014 , 470-471, 608-17	33
548	Specific detection of bioavailable phenanthrene and mercury by bacterium reporters in the red soil. 2014 , 11, 685-694	13
547	Adsorption of phenanthrene on Al (oxy)hydroxides formed under the influence of tannic acid. 2014 , 71, 773-782	7
546	Interfacial interaction between methyl parathion-degrading bacteria and minerals is important in biodegradation. 2014 , 25, 1-9	20
545	Short-term effect of aniline on soil microbial activity: a combined study by isothermal microcalorimetry, glucose analysis, and enzyme assay techniques. 2014 , 21, 674-83	23
544	Utilizing pyrene-degrading endophytic bacteria to reduce the risk of plant pyrene contamination. 2014 , 374, 251-262	52
543	Solvent-water extraction method for the evaluation of polycyclic aromatic hydrocarbons bioavailability in coal-tar-contaminated soils. 2014 , 11, 1999-2008	2

542	Rapid impact of phenanthrene and arsenic on bacterial community structure and activities in sand batches. 2014 , 67, 129-44	10
541	Controlling microbiological interfacial behaviors of hydrophobic organic compounds by surfactants in biodegradation process. 2014 , 8, 305-315	17
540	Potential of earthworms to accelerate removal of organic contaminants from soil: A review. 2014 , 79, 10-25	130
539	Biodegradation of single pyrene and mixtures of pyrene by a fusant bacterial strain F14. 2014 , 87, 75-80	29
538	Bioremediation of PAH-contaminated soil with fungi IFrom laboratory to field scale. 2014 , 86, 238-247	97
537	The influence of bioaugmentation and biosurfactant addition on bioremediation efficiency of diesel-oil contaminated soil: feasibility during field studies. 2014 , 132, 121-8	115
536	Enzymes as useful tools for environmental purposes. 2014 , 107, 145-162	161
535	Effect of surfactant on phenanthrene metabolic kinetics by <i>Citrobacter</i> sp. SA01. 2014 , 26, 2298-306	8
534	Degradation of acenaphthylene and anthracene by chemically modified laccase from <i>Trametes versicolor</i> . 2014 , 4, 31120-31122	13
533	Ecotoxicity and biodegradability of new brominated flame retardants: a review. 2014 , 110, 153-67	80
532	Steam-treatment-based soil remediation promotes heat-tolerant, potentially pathogenic microbiota. 2014 , 35, 773-80	3
531	Pesticide relevance and their microbial degradation: a-state-of-art. 2014 , 13, 429-466	135
530	Degradation of benzo[a]pyrene by bacterial isolates from human skin. 2014 , 88, 129-39	49
529	Predicting PAH bioremediation efficacy using bioaccessibility assessment tools: Validation of PAH biodegradationBioaccessibility correlations. 2014 , 95, 320-329	22
528	Occurrence of tar balls on the beaches of Fernando de Noronha Island, South Equatorial Atlantic. 2014 , 36, 1199-203	1
527	Correlations between PAH bioavailability, degrading bacteria, and soil characteristics during PAH biodegradation in five diffusely contaminated dissimilar soils. 2014 , 21, 8133-45	36
526	Characterization of hydrocarbon-degrading and biosurfactant-producing <i>Pseudomonas</i> sp. P-1 strain as a potential tool for bioremediation of petroleum-contaminated soil. 2014 , 21, 9385-95	69
525	Response of bacterial pdo1, nah, and C12O genes to aged soil PAH pollution in a coke factory area. 2014 , 21, 9754-63	29

524	Influence of mixtures of acenaphthylene and benzo[a]anthracene on their degradation by <i>Pleurotus ostreatus</i> in sandy soil. 2014 , 14, 829-834	2
523	Degradation of phenanthrene by the rhizobacterium <i>Ensifer meliloti</i> . 2014 , 25, 787-95	34
522	Impact of clay mineral on air oxidation of PAH-contaminated soils. 2014 , 21, 11017-26	7
521	Surfactant-modified fatty acid composition of <i>Citrobacter</i> sp. SA01 and its effect on phenanthrene transmembrane transport. 2014 , 107, 58-64	22
520	Tenax extraction for exploring rate-limiting factors in methyl-β-cyclodextrin enhanced anaerobic biodegradation of PAHs under denitrifying conditions in a red paddy soil. 2014 , 264, 505-13	30
519	PAH phytoremediation: rhizodegradation or rhizoattenuation?. 2014 , 16, 46-61	28
518	Microbial biodegradation of polycyclic aromatic hydrocarbons. 2014 , 331-350	3
517	When Vacant Lots Become Urban Gardens: Characterizing the Perceived and Actual Food Safety Concerns of Urban Agriculture in Ohio. 2015 , 78, 2070-80	21
516	Impact of oil spills on coral reefs can be reduced by bioremediation using probiotic microbiota. 2015 , 5, 18268	59
515	Two distinct old yellow enzymes are involved in naphthyl ring reduction during anaerobic naphthalene degradation. 2015 , 95, 162-72	36
514	Characterization and Evaluation of Polycyclic Aromatic Hydrocarbon (PAH) Degrading Bacteria Isolated from Oil Contaminated Soil. 2015 , 1,	1
513	Biodegradation of Polycyclic Aromatic Hydrocarbons in Agricultural Soil Contaminated with Crude Oil from Nigeria Refinery using <i>leurotus sajor-caju</i> . 2015 , 06,	4
512	Biodegradation of PAHs by <i>Burkholderia</i> sp. VITRSB1 Isolated from Marine Sediments. 2015 , 2015, 867586	16
511	Microorganisms and Organic Pollutants. 2015 , 377-413	19
510	Carbazole degradation in the soil microcosm by tropical bacterial strains. 2015 , 46, 1037-44	10
509	ELECTROBIORREMEDIACIÓN DE UN SUELO CON UNA CONTAMINACIÓN ANTIGUA DE HIDROCARBURO. 2015 , 20,	
508	Chemical fingerprinting of hydrocarbon-contamination in soil. 2015 , 17, 606-18	12
507	Impact of dissolved organic matter on bacterial tactic motility, attachment, and transport. 2015 , 49, 4498-505	44

506	Polycyclic Aromatic Hydrocarbons and Nitropolycyclic Aromatic Hydrocarbons in Atmospheric Particles and Soil at a Traffic Site in Hanoi, Vietnam. 2015 , 35, 355-371	13
505	Heavy metal-immobilizing organoclay facilitates polycyclic aromatic hydrocarbon biodegradation in mixed-contaminated soil. 2015 , 298, 129-37	53
504	Irrigation with Treated Wastewater: Potential Impacts on Microbial Function and Diversity in Agricultural Soils. 2015 , 105-128	3
503	Production and applications of lipopeptide biosurfactant for bioremediation and oil recovery by <i>Bacillus subtilis</i> CN2. 2015 , 101, 168-178	112
502	Accelerated degradation of PAHs using edaphic biostimulants obtained from sewage sludge and chicken feathers. 2015 , 300, 235-242	14
501	Biodegradation of polycyclic aromatic hydrocarbons by <i>Trichoderma</i> species: a mini review. 2015 , 22, 19426-33	47
500	Effects of oxygen injection on oil biodegradation and biodiversity of reservoir microorganisms in Dagang oil field, China. 2015 , 98, 59-65	13
499	Endocrine disrupting chemicals in the atmosphere: Their effects on humans and wildlife. 2015 , 76, 78-97	177
498	Applied Microbial Ecology and Bioremediation. 2015 , 659-753	5
497	Impact of clay mineral, wood sawdust or root organic matter on the bacterial and fungal community structures in two aged PAH-contaminated soils. 2015 , 22, 13724-38	40
496	Bacterial community composition and biogeochemical heterogeneity in PAH-contaminated riverbank sediments. 2015 , 15, 225-239	20
495	Insight into the Modulation of Dissolved Organic Matter on Microbial Remediation of PAH-Contaminated Soils. 2015 , 70, 400-10	9
494	Ecotoxicity of neutral red (dye) and its environmental applications. 2015 , 122, 186-92	17
493	Volatile organic compounds (VOCs) in soil gases from Solfatara crater (Campi Flegrei, southern Italy): Geogenic source(s) vs. biogeochemical processes. 2015 , 56, 37-49	23
492	Phenanthrene biodegradation by sphingomonads and its application in the contaminated soils and sediments: A review. 2015 , 104, 333-349	101
491	Extracellular polymeric substances govern the development of biofilm and mass transfer of polycyclic aromatic hydrocarbons for improved biodegradation. 2015 , 193, 274-80	70
490	Polycyclic aromatic hydrocarbons in deep sea sediments: Microbe-pollutant interactions in a remote environment. 2015 , 526, 312-28	64
489	Antibacterial effect of the <i>Trichoderma viride</i> fungi on soil microbiome during PAH's biodegradation. 2015 , 104, 170-177	23

488	Accumulation of polycyclic aromatic hydrocarbons (PAHs) and oxygenated PAHs (OPAHs) in organic and mineral soil horizons from four U.S. remote forests. 2015 , 134, 98-105	29
487	Abundance and diversity of polycyclic aromatic hydrocarbon degradation bacteria in urban roadside soils in Shanghai. 2015 , 99, 3639-49	18
486	Pilot-scale study on nitrogen and aromatic compounds removal in printing and dyeing wastewater by reinforced hydrolysis-denitrification coupling process and its microbial community analysis. 2015 , 22, 9483-93	11
485	In Situ Resonant UV-Raman Spectroscopy of Polycyclic Aromatic Hydrocarbons. 2015 , 119, 11694-11698	21
484	Simultaneous biodegradation of organic (chlorophenols) and inorganic compounds from secondary sludge of pulp and paper mill by <i>Eisenia fetida</i> . 2015 , 4, 53-62	5
483	Improved PAHs removal performance by a defined bacterial consortium of indigenous <i>Pseudomonas</i> and actinobacteria from Patagonia, Argentina. 2015 , 101, 23-31	63
482	High Voltage Electrochemiluminescence (ECL) as a New Method for Detection of PAH During Screening for PAH-Degrading Microbial Consortia. 2015 , 226, 270	1
481	Bioremediation of a Benzo[a]Pyrene-Contaminated Soil Using a Microbial Consortium with <i>Pseudomonas aeruginosa</i> , <i>Candida albicans</i> , <i>Aspergillus flavus</i> , and <i>Fusarium sp.</i> . 2015 , 226, 1	9
480	Degradation of oil by fungi isolated from Gulf of Mexico beaches. 2015 , 100, 327-333	36
479	"Omics" Insights into PAH Degradation toward Improved Green Remediation Biotechnologies. 2015 , 49, 11281-91	105
478	Cultivation of Hydrocarbon-Degrading Fungi. 2015 , 269-281	1
477	Dual partitioning and attachment effects of rhamnolipid on pyrene biodegradation under bioavailability restrictions. <i>Environmental Pollution</i> , 2015 , 205, 378-84	9.3 17
476	Fluazifop-P-butyl (herbicide) affects richness and structure of soil bacterial communities. 2015 , 81, 89-97	11
475	Sedimentary organic biomarkers suggest detrimental effects of PAHs on estuarine microbial biomass during the 20th century in San Francisco Bay, CA, USA. 2015 , 119, 961-970	26
474	Elucidation of fluoranthene degradative characteristics in a newly isolated <i>Achromobacter xylosoxidans</i> DN002. 2015 , 175, 1294-305	36
473	Polar metabolites of polycyclic aromatic compounds from fungi are potential soil and groundwater contaminants. 2015 , 119, 250-257	16
472	The impact of biochars on sorption and biodegradation of polycyclic aromatic hydrocarbons in soils--a review. 2015 , 22, 3314-41	83
471	Using chemical desorption of PAHs from sediment to model biodegradation during bioavailability assessment. 2015 , 283, 60-9	32

470	Determination of the Residual Anthracene Concentration in Cultures of Haloalkalitolerant Actinomycetes by Excitation Fluorescence, Emission Fluorescence, and Synchronous Fluorescence: Comparative Study. 2016 , 2016, 6287931	1
469	Current State of Knowledge in Microbial Degradation of Polycyclic Aromatic Hydrocarbons (PAHs): A Review. 2016 , 7, 1369	397
468	Contaminants in the Marine Environment. 2016 , 1-34	6
467	Isolation and identification of <i>Bacillus megaterium</i> YB3 from an effluent contaminated site efficiently degrades pyrene. 2016 , 56, 369-78	14
466	Polycyclic Aromatic Hydrocarbons in Soil Practical Options for Remediation. 2016 , 44, 648-653	31
465	Bioremediation of Polycyclic Aromatic Hydrocarbon Contaminated Soil by a Microbial Consortium through Supplementation of Biosurfactant Produced by <i>Pseudomonas aeruginosa</i> Strain. 2016 , 36, 848-872	6
464	Immediate ecotoxicological effects of short-lived oil spills on marine biota. 2016 , 7, 11206	76
463	Long-term transport behavior of psychoactive compounds in sewage-affected groundwater. 2016 , 21, 321-332	3
462	Effects of Facilitated Bacterial Dispersal on the Degradation and Emission of a Desorbing Contaminant. 2016 , 50, 6320-6	14
461	Bioremediation of petroleum contaminated soil to combat toxicity on <i>Withania somnifera</i> through seed priming with biosurfactant producing plant growth promoting rhizobacteria. 2016 , 174, 79-86	33
460	Enrichment and identification of naphthalene-degrading bacteria from the Persian Gulf. 2016 , 107, 59-65	31
459	Effect of carbonyl cyanide m-chlorophenylhydrazone (CCCP) on microbial activity and polycyclic aromatic hydrocarbons (PAH) degradation in contaminated river sediments. 2016 , 75, 1	1
458	Comparison of phytoremediation, bioaugmentation and natural attenuation for remediating saline soil contaminated by heavy crude oil. 2016 , 112, 170-177	40
457	Single-walled carbon nanotube release affects the microbial enzyme-catalyzed oxidation processes of organic pollutants and lignin model compounds in nature. 2016 , 163, 217-226	46
456	Buffered cyclodextrin extraction of 14C-phenanthrene from black carbon amended soil. 2016 , 6, 177-184	8
455	Characterization of Crude Oil Degrading Bacteria Isolated from Contaminated Soils Surrounding Gas Stations. 2016 , 97, 684-688	9
454	Bioavailability of phenanthrene and nitrobenzene sorbed on carbonaceous materials. 2016 , 110, 404-413	17
453	Prospects for arbuscular mycorrhizal fungi (AMF) to assist in phytoremediation of soil hydrocarbon contaminants. 2016 , 162, 105-16	52

452	Bioconversion of Industrial CO2 Emissions into Utilizable Products. 2016 , 125-170	35
451	Microbial Degradation Mechanism of Textile Dye and Its Metabolic Pathway for Environmental Safety. 2016 , 413-454	5
450	Biodegradation of Polycyclic Aromatic Hydrocarbons in Mangrove Sediments Under Different Strategies: Natural Attenuation, Biostimulation, and Bioaugmentation with <i>Rhodococcus erythropolis</i> T902.1. 2016 , 227, 1	18
449	Biogenic methane in shale gas and coal bed methane: A review of current knowledge and gaps. 2016 , 165, 106-120	67
448	Anaerobic digestion for solids reduction and detoxification of refinery waste streams. 2016 , 51, 1552-1560	9
447	Pyrene dissipation potential varies with soil type and associated bacterial community changes. 2016 , 103, 71-85	36
446	Hydrocarbon Degradation and Biosurfactant Production by an Acenaphthene-degrading <i>Pseudomonas</i> Species. 2016 , 25, 837-856	5
445	Biological Remediation of the Petroleum and Diesel Contaminated Soil with Earthworms <i>Eisenia Fetida</i> . 2016 , 152, 122-133	18
444	Biodegradation of phenanthrene by <i>Rhizobium petrolearium</i> SL-1. 2016 , 121, 1616-1626	18
443	Arbuscular mycorrhizal fungal-assisted phytoremediation of soil contaminated with persistent organic pollutants: a review. 2016 , 67, 624-640	43
442	Bioremediation of Petroleum-Contaminated Acid Soil by a Constructed Bacterial Consortium Immobilized on Sawdust: Influences of Multiple Factors. 2016 , 227, 1	11
441	Biofilm. 2016 , 94-107	
440	Ecological Impacts of Tsunamis on Coastal Ecosystems. 2016 ,	4
439	A bio-hybrid material for adsorption and degradation of phenanthrene: bacteria immobilized on sawdust coated with a silica layer. 2016 , 6, 107189-107199	8
438	Biodegradation of Polycyclic Aromatic Hydrocarbons by Microbial Consortium: A Distinctive Approach for Decontamination of Soil. 2016 , 25, 597-623	17
437	Degradation of polynuclear aromatic hydrocarbons by two strains of <i>Pseudomonas</i> . 2016 , 47, 551-62	26
436	Improving Mathematical Model in Biodegradation of PAHs Contaminated Soil Using Gram-Positive Bacteria. 2016 , 25, 443-458	8
435	Association between polycyclic aromatic hydrocarbons and thyroid function among males and females: data from NHANES 2007-2008. 2016 , 26, 405-19	11

434	Development of a novel kinetic model for the analysis of PAH biodegradation in the presence of lead and cadmium co-contaminants. 2016 , 307, 240-52	16
433	Biofilm and Planktonic Bacterial and Fungal Communities Transforming High-Molecular-Weight Polycyclic Aromatic Hydrocarbons. 2016 , 82, 2288-2299	26
432	Distribution characteristics and source apportionment of polycyclic aromatic hydrocarbons (PAHs) in the Liao River drainage basin, northeast China. 2016 , 188, 227	10
431	Selection of oxidant doses for in situ chemical oxidation of soils contaminated by polycyclic aromatic hydrocarbons (PAHs): A review. 2016 , 312, 280-297	96
430	Genetic basis and importance of metal resistant genes in bacteria for bioremediation of contaminated environments with toxic metal pollutants. 2016 , 100, 2967-84	106
429	Composition and morphology characterization of exopolymeric substances produced by the PAH-degrading fungus of <i>Mucor mucedo</i> . 2016 , 23, 8421-30	9
428	Effect of rhizodeposition on alterations of soil structure and microbial community in pyrene/lead co-contaminated soils. 2016 , 75, 1	3
427	Phyto-enhanced remediation of soil co-contaminated with lead and diesel fuel using biowaste and <i>Dracaena reflexa</i> : A laboratory study. 2016 , 34, 246-53	3
426	Application of compost for effective bioremediation of organic contaminants and pollutants in soil. 2016 , 100, 3433-49	83
425	Polycyclic aromatic hydrocarbons (PAHs) concentration levels, pattern, source identification and soil toxicity assessment in urban traffic soil of Dhanbad, India. 2016 , 545-546, 353-60	144
424	Isolation of hydrocarbon-degrading and biosurfactant-producing bacteria and assessment their plant growth-promoting traits. 2016 , 168, 175-84	39
423	Bioremediation of creosote contaminated soil in both laboratory and field scale: Investigating the ability of methyl- β -cyclodextrin to enhance biostimulation. 2016 , 106, 117-126	31
422	Biochemical and physicochemical processes contributing to the removal of endocrine-disrupting chemicals and pharmaceuticals by the aquatic ascomycete <i>Phoma</i> sp. UHH 5-1-03. 2016 , 100, 2381-99	40
421	Soil-on-a-Chip: microfluidic platforms for environmental organismal studies. 2016 , 16, 228-41	81
420	In-Situ Remediation Approaches for the Management of Contaminated Sites: A Comprehensive Overview. 2016 , 236, 1-115	44
419	Reviews of Environmental Contamination and Toxicology Volume 236. 2016 ,	2
418	Phytoremediation of sediments polluted with phenanthrene and pyrene by four submerged aquatic plants. 2016 , 16, 309-317	28
417	Detection of exposure effects of mixtures of heavy polycyclic aromatic hydrocarbons in zebrafish embryos. 2017 , 37, 253-264	13

4 ¹⁶	Bioremediation of PAH-contaminated soils: Consequences on formation and degradation of polar-polycyclic aromatic compounds and microbial community abundance. 2017 , 329, 1-10	44
4 ¹⁵	Effects of different agricultural wastes on the dissipation of PAHs and the PAH-degrading genes in a PAH-contaminated soil. 2017 , 172, 286-293	28
4 ¹⁴	Inland navigation: PAH inventories in soil and vegetation after EU fuel regulation 2009/30/EC. 2017 , 584-585, 19-28	7
4 ¹³	Microbial Strategies for Oil Biodegradation. 2017 , 19-39	8
4 ¹²	Rapid biodegradation of polycyclic aromatic hydrocarbons (PAHs) using effective MM045 (KT933253). 2017 , 4, 104-117	21
4 ¹¹	Bioavailability/Phytostabilization of Xenobiotics in Soil. 2017 , 217-233	
4 ¹⁰	Pre-exposition to polycyclic aromatic hydrocarbons (PAHs) enhance biofilm formation and hydrocarbon removal by native multi-species consortium. 2017 , 5, 1372-1378	23
4 ⁰⁹	Biodegradation of the benzo[a]pyrene-contaminated sediment of the Jiaozhou Bay wetland using <i>Pseudomonas</i> sp. immobilization. 2017 , 117, 283-290	24
4 ⁰⁸	Metabolism of pyrene through phthalic acid pathway by enriched bacterial consortium composed of <i>Pseudomonas</i> , <i>Burkholderia</i> , and <i>Rhodococcus</i> (PBR). 2017 , 7, 29	31
4 ⁰⁷	A review on the efficiency of landfarming integrated with composting as a soil remediation treatment. 2017 , 6, 94-116	19
4 ⁰⁶	Extracellular Polymeric Substances from a Fungus Are More Effective than Those from a Bacterium in Polycyclic Aromatic Hydrocarbon Biodegradation. 2017 , 228, 1	7
4 ⁰⁵	Co-effects of pyrene and nitrate on the activity and abundance of soil denitrifiers under anaerobic condition. 2017 , 199, 1091-1101	6
4 ⁰⁴	Electrokinetic - Enhanced ryegrass cultures in soils polluted with organic and inorganic compounds. 2017 , 158, 118-125	40
4 ⁰³	Anthracene and benzo(a)pyrene degradation in soil is favoured by compost amendment: Perspectives for a bioremediation approach. 2017 , 339, 395-400	23
4 ⁰²	Hydrocarbon and Lipid Microbiology Protocols. 2017 ,	1
4 ⁰¹	Development of new remediation technologies for contaminated soils based on the application of zero-valent iron nanoparticles and bioremediation with compost. 2017 , 3, 166-176	45
4 ⁰⁰	Effects of Variable Site Conditions on Phytoremediation of Mixed Contaminants: Field-Scale Investigation at Big Marsh Site. 2017 , 143, 04017057	3
399	Drivers and applications of integrated clean-up technologies for surfactant-enhanced remediation of environments contaminated with polycyclic aromatic hydrocarbons (PAHs). <i>Environmental Pollution</i> , 2017 , 225, 129-140	9.3 61

398	Soil Pollution - An Emerging Threat to Agriculture. 2017 ,	44
397	Role of a halothermophilic bacterial consortium for the biodegradation of PAHs and the treatment of petroleum wastewater at extreme conditions. 2017 , 121, 44-54	47
396	Remediation and Management of Polluted Sites. 2017 , 317-372	2
395	Inoculation of a phenanthrene-degrading endophytic bacterium reduces the phenanthrene level and alters the bacterial community structure in wheat. 2017 , 101, 5199-5212	11
394	Two-liquid-phase system: A promising technique for predicting bioavailability of polycyclic aromatic hydrocarbons in long-term contaminated soils. 2017 , 169, 685-692	2
393	Flood-induced transport of PAHs from streambed coal tar deposits. 2017 , 575, 247-257	6
392	Characteristics of PAH tar oil contaminated soils-Black particles, resins and implications for treatment strategies. 2017 , 327, 206-215	20
391	Fire and human record at Lake Victoria, East Africa, during the Early Iron Age: Did humans or climate cause massive ecosystem changes?. 2017 , 27, 997-1007	28
390	Microbial remediation of aromatics-contaminated soil. 2017 , 11, 1	24
389	Effects of predation and dispersal on bacterial abundance and contaminant biodegradation. 2017 , 93,	9
388	Performance evaluation of Malathion biodegradation in batch and continuous packed bed bioreactor (PBBR). 2017 , 227, 56-65	60
387	Indigenous C-phenanthrene biodegradation in "pristine" woodland and grassland soils from Norway and the United Kingdom. 2017 , 19, 1437-1444	4
386	Polycyclic Aromatic Hydrocarbons (PAHs) Degradation and Detoxification of Water Environment in Single-chamber Air-cathode Microbial Fuel Cells (MFCs). 2017 , 17, 618-626	30
385	Implications of Bioremediation of Polycyclic Aromatic Hydrocarbon-Contaminated Soils for Human Health and Cancer Risk. 2017 , 51, 9458-9468	55
384	Comparative proteomic analysis and characterization of benzo(a)pyrene removal by Microbacterium sp. strain M.CSW3 under denitrifying conditions. 2017 , 40, 1825-1838	14
383	The uncertainty of biodegradation rate constants of emerging organic compounds in soil and groundwater - A compilation of literature values for 82 substances. 2017 , 126, 122-133	55
382	Genetic Adaptations of Bacteria for Metabolism of Polycyclic Aromatic Hydrocarbons. 2017 , 133-164	3
381	Biodegradation of Selected Polycyclic Aromatic Hydrocarbons by Axenic Bacterial Species Belonging to the Genera Lysinibacillus and Paenibacillus. 2017 , 41, 577-587	4

380	Kinetics of petroleum oil biodegradation by a consortium of three protozoan isolates (sp., sp. and sp.). 2017 , 15, 125-131	17
379	Squamocin, an annonaceous acetogenin, enhances naphthalene degradation mediated by <i>Bacillus atrophaeus</i> CN4. 2017 , 49, 282-288	9
378	Plant Root Associated Biofilms in Bioremediation. 2017 , 337-355	3
377	Biodegradation of Benzo(a)pyrene by biofilm forming and plant growth promoting <i>Acinetobacter</i> sp. strain PDB4.. 2017 , 8, 256-268	26
376	A comparative intracellular proteomic profiling of <i>Pseudomonas aeruginosa</i> strain ASP-53 grown on pyrene or glucose as sole source of carbon and identification of some key enzymes of pyrene biodegradation pathway. 2017 , 167, 25-35	19
375	Phenanthrene-responsive microRNAs and their targets in wheat roots. 2017 , 186, 588-598	11
374	Comparative genomic analysis of 26 <i>Sphingomonas</i> and <i>Sphingobium</i> strains: Dissemination of bioremediation capabilities, biodegradation potential and horizontal gene transfer. 2017 , 609, 1238-1247	79
373	Biodegradation of 2-hydroxyl-1,4 naphthoquinone (lawsone) by <i>Pseudomonas taiwanensis</i> LH-3 isolated from activated sludge. 2017 , 7, 6795	8
372	PAH metabolism in the earthworm <i>Eisenia fetida</i> – Identification of phase II metabolites of phenanthrene and pyrene. 2017 , 97, 1151-1162	7
371	Characteristics, source, and potential ecological risk assessment of polycyclic aromatic hydrocarbons (PAHs) in the Songhua River Basin, Northeast China. 2017 , 24, 17090-17102	27
370	Catch me if you can: dispersal and foraging of <i>Bdellovibrio bacteriovorus</i> 109J along mycelia. 2017 , 11, 386-393	23
369	Biosurfactant Producing Bacteria from Hydrocarbon Contaminated Environment. 2017 , 259-305	1
368	Biodegradation of polycyclic aromatic hydrocarbons by an acidophilic <i>Stenotrophomonas maltophilia</i> strain AJH1 isolated from a mineral mining site in Saudi Arabia. 2017 , 21, 163-174	48
367	Biodegradation of low and high molecular weight hydrocarbons in petroleum refinery wastewater by a thermophilic bacterial consortium. 2017 , 38, 2381-2391	14
366	Evaluation of rhamnolipid addition on the natural attenuation of estuarine sediments contaminated with diesel oil. 2017 , 24, 25522-25533	4
365	Photocatalytic efficiency of iron oxide nanoparticles for the degradation of priority pollutant anthracene. 2017 , 20, 21-27	22
364	Changes in Polycyclic Aromatic Hydrocarbons (PAHs) and Soil Biological Parameters in a Revegetated Coal Mine Spoil. 2017 , 28, 1047-1055	24
363	Detoxification of polycyclic aromatic hydrocarbons (PAHs) in <i>Arabidopsis thaliana</i> involves a putative flavonol synthase. 2017 , 321, 268-280	29

362	Status, source and health risk assessment of polycyclic aromatic hydrocarbons (PAHs) in soil from the water-level-fluctuation zone of the Three Gorges Reservoir, China. 2017 , 172, 20-28	37
361	Interaction of minerals, organic matter, and microorganisms during biogeochemical interface formation as shown by a series of artificial soil experiments. 2017 , 53, 9-22	41
360	New insights in the early extracellular events in hydrocarbon and lipid biodegradation. 2017 , 19, 15-18	7
359	Soil polychemical contamination on Belyi Island as key background and reference plot for Yamal region. 2017 , 38, 313-332	18
358	RESIDUE ANALYSIS OF ORGANOCHLORINE AND ORGANOPHOSPHORUS PESTICIDES IN URBAN LAKE SEDIMENTS. 2017 ,	1
357	Leachates and Organic Extracts From Solids. 2017 , 349-378	3
356	Role of Plasmids in Microbiology. 2017 , 08,	3
355	Kinetics and thermodynamics of phenanthrene adsorption from water on orange rind activated carbon. 2018 , 10, 208-214	27
354	Polycyclic aromatic hydrocarbon contamination and source profiling in watersheds serving three small Wisconsin, USA cities. 2018 , 627, 1453-1463	9
353	Effects of hydroxypropyl- β -cyclodextrin on pyrene and benzo[<i>a</i>]pyrene: bioavailability and degradation in soil. 2018 , 34, 519-531	2
352	Evidence for selective bacterial community structuring on microplastics. 2018 , 20, 2796-2808	139
351	Efficiency of surfactant-enhanced bioremediation of aged polycyclic aromatic hydrocarbon-contaminated soil: Link with bioavailability and the dynamics of the bacterial community. 2018 , 634, 224-234	29
350	Enhancing the removal of pollutants from coke wastewater by bioaugmentation: A scoping study. 2018 , 93, 2535-2543	7
349	The Effects of 15-Year Treated Municipal Wastewater Irrigation on Biological Parameters of Olive Cultivated Soil (Zaouit Sousse Perimeter, Oriental Tunisia). 2018 , 307-309	
348	Optimization, modeling and its conformity with the reality of physico-chemical and microbial processes of petroleum hydrocarbons reduction in soil: a case study of Tehran oil refinery. 2018 , 77, 1	4
347	Effect of lead, cadmium, and mercury co-contaminants on biodegradation in PAH-polluted soils. 2018 , 29, 1583-1594	10
346	Biodegradation and metabolic pathway of phenanthrene by a new tropical fungus, <i>Trametes hirsuta</i> D7. 2018 , 6, 2454-2460	19
345	Role of biosurfactants in bioremediation of oil pollution-a review. 2018 , 4, 241-249	196

344	Multimedia and Spatial Distribution, Internal Accumulation and Source Diagnostics of Polycyclic Aromatic Hydrocarbons (PAHs) of the Luan River Basin, China. 2018 , 38, 1-12	9
343	Biodegradation of benzo[a]pyrene by bacterial consortium isolated from mangrove sediment. 2018 , 39, 527-535	18
342	Isolation, Screening, and Characterization of Naphthalene-Degrading Bacteria from Zarand Mine, Iran. 2018 , 38, 410-419	6
341	Surfactant-enhanced bioremediation of DDTs and PAHs in contaminated farmland soil. 2018 , 39, 1733-1744	21
340	Biodegradation of anthracene and several PAHs by the marine-derived fungus <i>Cladosporium</i> sp. CBMAI 1237. 2018 , 129, 525-533	40
339	The effect of sewage sludge fertilization on the concentration of PAHs in urban soils. <i>Environmental Pollution</i> , 2018 , 232, 347-357	9-3 33
338	Sorption, transport and biodegradation - An insight into bioavailability of persistent organic pollutants in soil. 2018 , 610-611, 1154-1163	304
337	Pyrolysis of domestic based feedstock at temperatures up to 300 °C. 2018 , 5, 117-143	52
336	Investigations of microbial degradation of polycyclic aromatic hydrocarbons based on C-labeled phenanthrene in a soil co-contaminated with trace elements using a plant assisted approach. 2018 , 25, 6364-6377	7
335	Could saponins be used to enhance bioremediation of polycyclic aromatic hydrocarbons in aged-contaminated soils?. 2018 , 194, 414-421	18
334	Polycyclic aromatic hydrocarbons in house dust and surface soil in major urban regions of Nepal: Implication on source apportionment and toxicological effect. 2018 , 616-617, 223-235	44
333	Impact of plant photosystems in the remediation of benzo[a]pyrene and pyrene spiked soils. 2018 , 193, 625-634	34
332	Microscopy in addition to chemical analyses and ecotoxicological assays for the environmental hazard assessment of coal tar-polluted soils. 2018 , 25, 2594-2602	1
331	Influence of compost and biochar on microbial communities and the sorption/degradation of PAHs and NSO-substituted PAHs in contaminated soils. 2018 , 345, 107-113	54
330	Bioslurry phase remediation of petroleum-contaminated soil using potato peels powder through biosurfactant producing <i>Bacillus licheniformis</i> J1. 2018 , 15, 525-532	8
329	Hidrokarbon Aromatik Polisiklik pada Lahan Tercemar Limbah Minyak Bumi: Tinjauan Pertumbuhan Mikro-Organisme, Proses Metabolisme dan Biodegradasi. 2018 , 16, 9	
328	Microbial Degradation of Petroleum Hydrocarbons. 2018 , 299-320	5
327	Long-term biodegradation of aged saline-alkali oily sludge with the addition of bulking agents and microbial agents. 2018 , 5, 180418	4

- 326 Biodegradation of Polyaromatic Hydrocarbons by Acclimatized Mixed Culture Using Shake Flask and Roller Bioreactors. **2018**, 09,
- 325 Effect of a Flood in the Amur River on Organic Matter Dynamics in Groundwater. **2018**, 45, 887-896 0
- 324 Comparison of phenanthrene removal by *Aspergillus niger* ATC 16404 (filamentous fungi) and *Pseudomonas putida* KT2442 (bacteria) in enriched nutrient-liquid medium. **2018**, 140, 012047 2
- 323 Contaminant Accumulation in Stormwater Retention and Detention Pond Sediments: Implications for Maintenance and Ecological Health. **2018**, 123-153 2
- 322 Bioremediation of Polyaromatic Hydrocarbons: Current Status and Recent Advances. **2018**, 275-293 2
- 321 Metabolism and removal of anthracene and lead by a α -produced biosurfactant. **2018**, 5, 1120-1123 7
- 320 The accumulation of metals, PAHs and alkyl PAHs in the roots of *Echinacea purpurea*. **2018**, 13, e0208325 11
- 319 Perspectives of Microbial Inoculation for Sustainable Development and Environmental Management. **2018**, 9, 2992 77
- 318 Organic chemicals in coal available to microbes to produce biogenic coalbed methane: A review of current knowledge. **2018**, 60, 40-48 15
- 317 Fire, vegetation, and Holocene climate in a southeastern Tibetan lake: a multi-biomarker reconstruction from Paru Co. **2018**, 14, 1543-1563 9
- 316 Degradation of tetrabromobisphenol A in a paddy soil during sequential anoxic-oxic incubation: Kinetics, metabolites, and potential pathways. **2018**, 8, 13435 7
- 315 Biodegradation of β -Hexachlorocyclohexane by *Burkholderia* sp. IPL04. **2018**, 16, 331-339 17
- 314 Polycyclic aromatic hydrocarbon in urban soils of an Eastern European megalopolis: distribution, source identification and cancer risk evaluation. **2018**, 9, 669-682 16
- 313 Interaction of plant growth promoting bacteria with tomato under abiotic stress: A review. **2018**, 267, 129-140 59
- 312 Degradation of petroleum hydrocarbons and treatment of refinery wastewater under saline condition by a halophilic bacterial consortium enriched from marine environment (Red Sea), Jeddah, Saudi Arabia. **2018**, 8, 276 21
- 311 Establishing anaerobic hydrocarbon-degrading enrichment cultures of microorganisms under strictly anoxic conditions. **2018**, 13, 1310-1330 16
- 310 Contamination of Scots pine forests with polycyclic aromatic hydrocarbons on the territory of industrial city of Siberia, Russia. **2018**, 25, 21176-21184 4
- 309 Problems of Hydrophobicity/Bioavailability: An Introduction. **2018**, 3-15

308	Microorganism-Hydrophobic Compound Interactions. 2018 , 17-31	
307	Activate persulfate for catalytic degradation of adsorbed anthracene on coking residues: Role of persistent free radicals. 2018 , 351, 631-640	29
306	Optimization of Landfarming Amendments Based on Soil Texture and Crude Oil Concentration. 2018 , 229, 1	16
305	Linking initial soil bacterial diversity and polycyclic aromatic hydrocarbons (PAHs) degradation potential. 2018 , 359, 500-509	44
304	Effect of straw incorporation on aldehyde emissions from a maize cropping system: A field experiment. 2018 , 189, 116-124	2
303	Anaerobic degradation of phenanthrene by a sulfate-reducing enrichment culture. 2018 , 20, 3589-3600	27
302	Microplastics Reduce Short-Term Effects of Environmental Contaminants. Part II: Polyethylene Particles Decrease the Effect of Polycyclic Aromatic Hydrocarbons on Microorganisms. 2018 , 15,	69
301	Ecology of Contaminant Biotransformation in the Mycosphere: Role of Transport Processes. 2018 , 104, 93-133	7
300	The rhizosphere microbiome: Significance in rhizoremediation of polyaromatic hydrocarbon contaminated soil. 2018 , 217, 858-870	55
299	Niche partition of phenanthrene-degrading bacteria along a <i>Phragmites australis</i> rhizosphere gradient. 2018 , 54, 607-616	4
298	Impact of Chemoeffectors on Bacterial Motility, Transport, and Contaminant Degradation in Sand-Filled Percolation Columns. 2018 , 52, 10673-10679	9
297	A Novel Raman Setup Based on Magnetic-Driven Rotation of Sample. 2018 , 61, 1491-1498	11
296	Rhizoremediation prospects of Polyaromatic hydrocarbon degrading rhizobacteria, that facilitate glutathione and glutathione-S-transferase mediated stress response, and enhance growth of rice plants in pyrene contaminated soil. 2018 , 164, 579-588	23
295	Concentration and Potential Ecological Risk of PAHs in Different Layers of Soil in the Petroleum-Contaminated Areas of the Loess Plateau, China. 2018 , 15,	19
294	The Mycosphere as a Hotspot for the Biotransformation of Contaminants in Soil. 2018 , 315-324	
293	Effect of the nitrification inhibitor (3, 4-dimethylpyrazole phosphate) on the activities and abundances of ammonia-oxidizers and denitrifiers in a phenanthrene polluted and waterlogged soil. 2018 , 161, 474-481	8
292	Seasonal occurrence and cancer risk assessment of polycyclic aromatic hydrocarbons in street dust from the Novi Sad city, Serbia. 2019 , 647, 191-203	38
291	Soil Chemical Pollution and Sustainable Agriculture. 2019 , 187-200	13

290	Polycyclic aromatic hydrocarbons in atmospheric particulate depositions and urban soils of Moscow, Russia. 2019 , 19, 3155-3165	7
289	PAH removal by simultaneous and sequential inoculation of <i>Pseudomonas monteilii</i> P26 and <i>Gordonia</i> sp. H19 in the presence of biostimulants. 2019 , 144, 104752	4
288	Mycoremediation of Environmental Pollutants from Contaminated Soil. 2019 , 239-274	9
287	Marine Biosurfactants: Biosynthesis, Structural Diversity and Biotechnological Applications. 2019 , 17,	63
286	Sorbent-modified biodegradation studies of the biocidal cationic surfactant cetylpyridinium chloride. 2019 , 182, 109417	5
285	Mass Transfer Limitation during Slow Anaerobic Biodegradation of 2-Methylnaphthalene. 2019 , 53, 9481-9490	8
284	Microbe-driven chemical ecology: past, present and future. 2019 , 13, 2656-2663	48
283	Variability in Assembly of Degradation Operons for Naphthalene and its derivative, Carbaryl, Suggests Mobilization through Horizontal Gene Transfer. 2019 , 10,	22
282	Analysis of petroleum biodegradation by a bacterial consortium isolated from worms of the polychaeta class (Annelida): Implications for NPK fertilizer supplementation. 2019 , 246, 617-624	5
281	Growth management of white-rot fungus improved degradation of high-molecular-weight polycyclic aromatic hydrocarbons. 2019 , 9, 403	6
280	DNA stable isotope probing reveals contrasted activity and phenanthrene-degrading bacteria identity in a gradient of anthropized soils. 2019 , 95,	3
279	Introductory Chapter: Preface to Plasmids. 2019 ,	
278	Stable Isotope Fractionation by Transport and Transformation. 2019 , 85, 239-264	10
277	Simultaneous Application of Biosurfactant and Bioaugmentation with Rhamnolipid-Producing <i>Shewanella</i> for Enhanced Bioremediation of Oil-Polluted Soil. 2019 , 9, 3773	16
276	Recultivation of soils contaminated with oil (50 g/kg) by earthworms <i>E. fetida</i> , <i>E. andrei</i> , <i>D. veneta</i> and their probiotics. 2019 ,	1
275	Soil bacteria and protists show different sensitivity to polycyclic aromatic hydrocarbons at controlled chemical activity. 2019 , 366,	7
274	Modelling PAH Degradation in Contaminated Soils in Canada using a Modified Process-Based Model (DNDC). 2019 , 83, 605-613	6
273	Petroleum Hydrocarbon Contamination in Terrestrial Ecosystems-Fate and Microbial Responses. 2019 , 24,	55

272	Combined toxic effects of microcystin-LR and phenanthrene on growth and antioxidant system of duckweed (<i>Lemna gibba</i> L.). 2019 , 185, 109668	7
271	Characterization and Enhanced Degradation Potentials of Biosurfactant-Producing Bacteria Isolated from a Marine Environment. 2019 , 4, 1645-1651	26
270	Acidogenic Fermentation Facilitates Anaerobic Biodegradation of Polycyclic Aromatic Hydrocarbons in Waste Activated Sludge. 2019 , 7, 5404-5411	9
269	Biodegradation of naphthalene, BTEX, and aliphatic hydrocarbons by <i>Paraburkholderia aromaticivorans</i> BN5 isolated from petroleum-contaminated soil. 2019 , 9, 860	44
268	Isolation of diverse pyrene-degrading bacteria via introducing readily utilized phenanthrene. 2019 , 222, 534-540	21
267	Respirometric evaluation and modeling of the impact of continuous benzo[a]anthracene feeding on activated sludge. 2019 , 94, 2621-2629	5
266	Effects of natural organic matters on bioavailability of petroleum hydrocarbons in soil-water environments. 2019 , 233, 843-851	16
265	Environmental applications of microbial extremophiles in the degradation of petroleum hydrocarbons in extreme environments. 2019 , 2, 311-328	8
264	Bacterial nanocellulose production from naphthalene. 2019 , 12, 662-676	14
263	Enhancement of Detoxification of Petroleum Hydrocarbons and Heavy Metals in Oil-Contaminated Soil by Using Glycine- β -Cyclodextrin. 2019 , 16,	13
262	New insights into bioremediation strategies for oil-contaminated soil in cold environments. 2019 , 142, 58-72	52
261	Anaerobic Microbial Degradation of Polycyclic Aromatic Hydrocarbons: A Comprehensive Review. 2020 , 251, 25-108	13
260	Pyrene degradation by marine-derived ascomycete: process optimization, toxicity, and metabolic analyses. 2019 , 26, 12412-12424	18
259	Structure and predictive functional profiling of microbial communities in two biotrickling filters treated with continuous/discontinuous waste gases. 2019 , 9, 2	6
258	Monitoring polycyclic aromatic hydrocarbon concentrations and distributions in rice paddy soils from Gyeonggi-do, Ulsan, and Pohang. 2019 , 62,	15
257	Influence of Anthropogenic Activities on Metals in Arctic Permafrost: A Characterization of Benchmark Soils on the Yamal and Gydan Peninsulas in Russia. 2019 , 76, 540-553	13
256	Microbial diversity and bioremediation of rhizospheric soils from Trindade Island - Brazil. 2019 , 236, 358-364	10
255	An Update on the Genomic View of Mycobacterial High-Molecular-Weight Polycyclic Aromatic Hydrocarbon Degradation. 2019 , 623-638	1

254	Mitigation of environmental pollution by genetically engineered bacteria - Current challenges and future perspectives. 2019 , 667, 444-454	116
253	Co-metabolic degradation of the antibiotic ciprofloxacin by the enriched bacterial consortium XG and its bacterial community composition. 2019 , 665, 41-51	44
252	Comparison of oxidoreductive enzyme activities in three coal tar creosote-contaminated soils. 2019 , 57, 814	6
251	Phyto and Rhizo Remediation. 2019 ,	
250	Microbial Controls on the Biogeochemical Dynamics in the Subsurface. 2019 , 85, 265-302	12
249	Biogas production from slaughterhouse wastewaters and use of biofertilizer obtained for biodegradation of aromatic hydrocarbons. 2019 , 29, 97-104	2
248	Current status and challenges of remediating petroleum-derived PAHs in soils: Nigeria as a case study for developing countries. 2019 , 30, 65-75	8
247	Investigating the Effect of Medicago sativa L. and Trifolium pratense L. Root Exudates on PAHs Bioremediation in an Aged-Contaminated Soil. 2019 , 230, 1	3
246	9. Microbial Controls on the Biogeochemical Dynamics in the Subsurface. 2019 , 265-302	
245	Soil Properties and Multi-Pollution Affect Taxonomic and Functional Bacterial Diversity in a Range of French Soils Displaying an Anthropisation Gradient. 2019 , 77, 993-1013	11
244	Impact of rhizobacterial inoculants on plant growth and enzyme activities in soil treated with contaminated bottom sediments. 2019 , 21, 325-333	8
243	Isolation and characterization of a lindane-degrading bacteria Paracoccus sp. NITDBR1 and evaluation of its plant growth promoting traits. 2019 , 22, 155-167	17
242	Phytotoxicity alleviation by bacterial species isolated from polycyclic aromatic hydrocarbons (PAHs) contaminated sites. 2019 , 13, 104-112	2
241	Coupling electrokinetic remediation with phytoremediation for depolluting soil with petroleum and the use of electrochemical technologies for treating the effluent generated. 2019 , 208, 194-200	30
240	Removal and biodegradation of different petroleum hydrocarbons using the filamentous fungus Aspergillus sp. RFC-1. 2019 , 8, e00619	39
239	Evaluation of PAHs concentration and cancer risk assessment on human health in a roadside soil: A case study. 2020 , 26, 1042-1061	3
238	Characterization and properties of the biosurfactant produced by PAH-degrading bacteria isolated from contaminated oily sludge environment. 2020 , 27, 27268-27278	27
237	Plant-Microbe Interaction: An Ecofriendly Approach for the Remediation of Metal Contaminated Environments. 2020 , 444-450	3

236	Rhizospheric remediation of organic pollutants from the soil; a green and sustainable technology for soil clean up. 2020 , 263-286	3
235	Mycoremediation of polycyclic aromatic hydrocarbons. 2020 , 127-149	13
234	Reviews of Environmental Contamination and Toxicology Volume 251. 2020 ,	
233	Metal and organic pollutants bioremediation by extremophile microorganisms. 2020 , 382, 121024	70
232	Enhanced bioremediation of PAH-contaminated soil by wheat bran and microbial community response. 2020 , 66, 1089-1102	2
231	Effects of biochar and organic substrates on biodegradation of polycyclic aromatic hydrocarbons and microbial community structure in PAHs-contaminated soils. 2020 , 385, 121595	49
230	Electrokinetic effects on the interaction of phenanthrene with geo-sorbents. 2020 , 242, 125161	3
229	Bacteria involved in biodegradation of creosote PAH - A case study of long-term contaminated industrial area. 2020 , 187, 109843	21
228	Derivation of site-specific remediation goals by incorporating the bioaccessibility of polycyclic aromatic hydrocarbons with the probabilistic analysis method. 2020 , 384, 121239	7
227	Use of a biostimulant obtained from okara in the bioremediation of a soil polluted by used motor car oil. 2020 , 389, 121820	5
226	Role of aquifer media in determining the fate of polycyclic aromatic hydrocarbons in the natural water and sediments along the lower Ganges river basin. 2020 , 55, 354-373	6
225	Biodegradation of phthalate esters in four agricultural soils: Main influencing factors and mechanisms. 2020 , 147, 104867	9
224	Phytoremediation technology, plant response to environmental contaminants and the need for soil augmentation. 2020 , 12, 486-499	1
223	Formation of non-extractable residues as a potentially dominant process in the fate of PAHs in soil: Insights from a combined field and modeling study on the eastern Tibetan Plateau. <i>Environmental Pollution</i> , 2020 , 267, 115383	9.3 2
222	Comparative Study on Multiway Enhanced Bio- and Phytoremediation of Aged Petroleum-Contaminated Soil. 2020 , 10, 947	4
221	Why Biodegradable Chemicals Persist in the Environment? A Look at Bioavailability. 2020 , 243-265	4
220	Young «oil site» of the Uzon Caldera as a habitat for unique microbial life. 2020 , 20, 349	0
219	Adsorption-Degradation of Polycyclic Aromatic Hydrocarbons in Soil by Immobilized Mixed Bacteria and Its Effect on Microbial Communities. 2020 , 68, 14907-14916	11

218	Potential for native hydrocarbon-degrading bacteria to remediate highly weathered oil-polluted soils in Qatar through self-purification and bioaugmentation in biopiles. 2020 , 28, e00543	6
217	Application of microbial consortia in degradation and detoxification of industrial pollutants. 2020 , 401-418	3
216	Niche Partitioning between Coastal and Offshore Shelf Waters Results in Differential Expression of Alkane and Polycyclic Aromatic Hydrocarbon Catabolic Pathways. 2020 , 5,	7
215	Phenanthrene contamination and ploidy level affect the rhizosphere bacterial communities of <i>Spartina</i> spp. 2020 , 96,	2
214	Leveraging Oxidative Stress to Regulate Redox Balance-Based, Growth Selections for Oxygenase Engineering. 2020 , 9, 3124-3133	3
213	Interactions between organic pollutants and carbon nanomaterials and the associated impact on microbial availability and degradation in soil: a review. 2020 , 7, 2486-2508	7
212	The Preliminary Study on the Association Between PAHs and Air Pollutants and Microbiota Diversity. 2020 , 79, 321-332	6
211	Bioavailability as a Microbial System Property: Lessons Learned from Biodegradation in the Mycosphere. 2020 , 267-289	1
210	Contamination of Polycyclic aromatic hydrocarbon compounds and Impact on fungi in water of Al-Najaf Sea. 2020 , 1664, 012136	
209	Characterization and Identification of Naphthalene Degrading Bacteria Isolated from Petroleum Contaminated Sites and Their Possible Use in Bioremediation. 2020 , 1-12	8
208	Environmental Biotechnology Vol. 2. 2020 ,	1
207	Bacterial chemotaxis: a way forward to aromatic compounds biodegradation. 2020 , 32,	18
206	Viability and distribution of bacteria immobilized on Sawdust@silica: The removal mechanism of phenanthrene in soil. 2020 , 198, 110649	3
205	Effects of ozonized rapeseed oil on bioremediation of diesel oil contaminated soil by <i>Bacillus mycoides</i> NS1020. 2020 , 24, 204-213	3
204	A comprehensive review of metabolic and genomic aspects of PAH-degradation. 2020 , 202, 2033-2058	49
203	Rhizobacterial community of <i>Jatropha curcas</i> associated with pyrene biodegradation by consortium of PAH-degrading bacteria. 2020 , 155, 103685	9
202	Biotransformation of Phthalate Plasticizers and Bisphenol A by Marine-Derived, Freshwater, and Terrestrial Fungi. 2020 , 11, 317	10
201	Microbial biofilm: An advanced eco-friendly approach for bioremediation. 2020 , 205-219	2

200	Rhizosphere assisted biodegradation of benzo(a)pyrene by cadmium resistant plant-probiotic <i>Serratia marcescens</i> S217, and its genomic traits. 2020 , 10, 5279	8
199	Plant Microbe Symbiosis. 2020 ,	11
198	Temporal Evolution of PAHs Bioaccessibility in an Aged-Contaminated Soil during the Growth of Two. 2020 , 17,	3
197	Mechanistic understanding of the root microbiome interaction for sustainable agriculture in polluted soils. 2020 , 61-84	20
196	Biofilms of as a tool for phenanthrene bioremediation. 2020 , 36, 564-575	2
195	Distribution, Origins and Hazardous Effects of Polycyclic Aromatic Hydrocarbons in Topsoil Surrounding Oil Fields: A Case Study on the Loess Plateau, China. 2020 , 17,	7
194	Characteristics, Sources, and Risks of Polycyclic Aromatic Hydrocarbons in Topsoil and Surface Water from the Liuxi River Basin, South China. 2020 , 78, 401-415	1
193	Mud volcanoes and the presence of PAHs. 2020 , 10, 1253	7
192	Adsorption of Polycyclic Aromatic Hydrocarbons from aqueous solution by Organic Montmorillonite Sodium Alginate Nanocomposites. 2020 , 251, 126074	28
191	Evaluation of fatty acid derivatives in the remediation of aged PAH-contaminated soil and microbial community and degradation gene response. 2020 , 248, 125983	16
190	Effect of soil organic matter (SOM) on the degradation of polycyclic aromatic hydrocarbons using <i>Pleurotus dryinus</i> IBB 903-A microcosm study. 2020 , 260, 110153	19
189	Determination of (Bio)-available mercury in soils: A review. <i>Environmental Pollution</i> , 2020 , 263, 114323	9.3 9
188	Remediation of crude oil-contaminated coastal marsh soil: Integrated effect of biochar, rhamnolipid biosurfactant and nitrogen application. 2020 , 396, 122595	33
187	The effects of adsorptive materials on microbial community composition and PAH degradation at the sediment cap-water interface. 2021 , 36, 555-565	
186	Naphthalene catabolism by biofilm forming marine bacterium <i>Pseudomonas aeruginosa</i> N6P6 and the role of quorum sensing in regulation of dioxygenase gene. 2021 , 130, 1217-1231	3
185	Biodegradation of fluorene by the newly isolated marine-derived fungus, <i>Mucor irregularis</i> strain bpo1 using response surface methodology. 2021 , 208, 111619	4
184	Advances in research on petroleum biodegradability in soil. 2021 , 23, 9-27	6
183	Ingestion and Dermal Cancer Risk via Exposure to Polycyclic Aromatic Hydrocarbon-Contaminated Soils in an Oil-Producing Community, Niger Delta, Nigeria. 2021 , 40, 261-271	5

182	DNA-SIP identification of phenanthrene-degrading bacteria undergoing bioaugmentation and natural attenuation in petroleum-contaminated soil. 2021 , 266, 128984	6
181	Soil Carbon Loss and Weak Fire Feedbacks During Pliocene C4 Grassland Expansion in Australia. 2021 , 48, e2020GL090964	3
180	Polynuclear aromatic anthracene biodegradation by psychrophilic <i>Sphingomonas</i> sp., cultivated with tween-80. 2021 , 263, 128115	7
179	Sources, fate, and treatment of polycyclic aromatic hydrocarbons from the polluted environment. 2021 , 369-379	
178	Role of Soil Microbial Flora in Remediation of Hydrocarbon Stressed Soils. 2021 , 295-319	
177	Recent Trends in Nanobioremediation. 2021 , 327-348	
176	Revealing of Non-Cultivable Bacteria Associated with the Mycelium of Fungi in the Kerosene-Degrading Community Isolated from the Contaminated Jet Fuel. 2021 , 7,	1
175	Biosurfactant-Producing Bacteria as Potent Scavengers of Petroleum Hydrocarbons. 2021 , 321-348	
174	Remediation of Heavy Metals Through Genetically Engineered Microorganism. 2021 , 315-366	1
173	Soil carbon degradation during the Paleocene-Eocene Thermal Maximum in the Piceance Basin, USA. 2021 , 564, 110182	2
172	Priority mono-aromatics measured in anthropogenic impacted soils from Delta, Nigeria: concentrations, origin, and human health risk. 1-13	4
171	Structural and quantitative evolution of organic matters in oil shale during two different retorting processes. 2021 , 67, e17278	0
170	Alternating current enhanced bioremediation of petroleum hydrocarbon-contaminated soils. 2021 , 28, 47562-47573	0
169	Pollution and Risk Assessment of Polycyclic Aromatic Hydrocarbons (Pahs) in Agricultural Soil along a Highway of Jilin Province, China. 1-17	1
168	Diversity and Oil Degradation Potential of Culturable Microbes Isolated from Chronically Contaminated Soils in Trinidad. 2021 , 9,	4
167	Recent advances in biochar engineering for soil contaminated with complex chemical mixtures: Remediation strategies and future perspectives. 2021 , 767, 144351	30
166	Enhanced Electrochemical Treatment of Phenanthrene-polluted Soil using Microbial Fuel Cells. 37-63	0
165	Development and Characterization of Cellulose Modified Surface with Allylthiourea as Functional Sites to Remove Basic Red 5 from Aqueous Solution. 2021 , 397, 2000238	

164	Monitoring the aerosol solids deposited in snow in the area affected by the technological road of the Gorlov anthracite mining pit (Novosibirsk region, Russia). 2021 , 4,	
163	Polycyclic Aromatic Hydrocarbons in Soils of Anthracite Deposit Dumps in Siberia. 2021 , 54, 875-887	1
162	Decreased soil carbon in a warming world: Degraded pyrogenic carbon during the Paleocene-Eocene Thermal Maximum, Bighorn Basin, Wyoming. 2021 , 566, 116970	2
161	Potential use of fungal-bacterial co-cultures for the removal of organic pollutants. 2021 , 1-23	6
160	Biosurfactant assisted design treatments for remediation of petroleum contaminated soil and metabolomics based interactive study with <i>Brassica nigra</i> L. 2021 , 4, 100080	2
159	Tracing historical changes, degradation, and original sources of airborne polycyclic aromatic hydrocarbons (PAHs) in Jilin Province, China, by <i>Abies holophylla</i> and <i>Pinus tabuliformis</i> needle leaves. 2021 , 1	0
158	Bioremediation of polycyclic aromatic hydrocarbons in contaminated mangroves: Understanding the historical and key parameter profiles. 2021 , 169, 112553	3
157	Distribution, sources and risk assessment of PAHs in soil from the water level fluctuation zone of Xiangxi Bay, Three Gorges Reservoir. 2021 , 1	0
156	Key factors to enhance soil remediation by bioelectrochemical systems (BESs): A review. 2021 , 419, 129600	9
155	Effectiveness of biochar application and bioaugmentation techniques for the remediation of freshly and aged diesel-polluted soils. 2021 , 163, 105259	1
154	Biodiversity and biocatalyst activity of culturable hydrocarbonoclastic fungi isolated from Marac-Moruga mud volcano in South Trinidad. 2021 , 11, 19466	1
153	Attainment and characterization of a microbial consortium that efficiently degrades biphenyl and related substances. 2021 , 173, 108073	0
152	Microbial community structure and co-occurrence are essential for methanogenesis and its contribution to phenanthrene degradation in paddy soil. 2021 , 417, 126086	5
151	Impact of palaeo-wildfires on higher plant parameter revealed by new biomarker indicator. 2021 , 579, 110606	4
150	Constraining bioavailable polyaromatic hydrocarbons effectively during the production and application of biochar. 2021 , 24, 101838	0
149	Octanol-water partition coefficient (logK) dependent movement and time lagging of polycyclic aromatic hydrocarbons (PAHs) from emission sources to lake sediments: A case study of Taihu Lake, China. <i>Environmental Pollution</i> , 2021 , 288, 117709	9.3 13
148	Experimental study of thermally enhanced recovery of high-viscosity DNAPL in saturated porous media under non-isothermal conditions. 2021 , 243, 103861	4
147	Effect of site-specific conditions and operating parameters on the removal efficiency of petroleum-originating pollutants by using ozonation. 2021 , 800, 149393	4

146	Promotion mechanism of self-transmissible degradative plasmid transfer in maize rhizosphere and its application in naphthalene degradation in soil.. 2022 , 115, 240-252	0
145	Negative correlations between cultivable and active-yet-uncultivable pyrene degraders explain the postponed bioaugmentation. 2022 , 423, 127189	2
144	Fungi in bioremediation of soil: Mycoremediation of PAHs compounds. 2021 , 157-170	
143	Potential of microbial inoculants for organic waste decomposition and decontamination. 2021 , 103-132	0
142	Insights into Bacterial Community Involved in Bioremediation of Aged Oil-Contaminated Soil in Arid Environment. 2021 , 17, 11769343211016887	2
141	Source Characterisation and Contamination. 2021 , 255-278	
140	Rhizosphere: Niche for Microbial Rejuvenation and Biodegradation of Pollutants. 2021 , 1-22	1
139	Capping for Remediation of Contaminated Sediments. 2014 , 325-363	5
138	Fungal Attack on Environmental Pollutants Representing Poor Microbial Growth Substrates. 2020 , 33-57	1
137	Rhizoremediation: A Unique Plant Microbiome Association of Biodegradation. 2020 , 203-220	4
136	Polycyclic Aromatic Hydrocarbons: Toxic Effects and Their Bioremediation Strategies. 2020 , 65-105	3
135	Microorganism-Hydrophobic Compound Interactions. 2017 , 1-15	1
134	Microorganism-Hydrophobic Compound Interactions. 2010 , 1479-1490	15
133	Production and Roles of Biosurfactants and Bioemulsifiers in Accessing Hydrophobic Substrates. 2010 , 1501-1512	57
132	A Methodology Applying Two-Dimensional Gel Electrophoresis to Analyze Bacterial Response to Contact with Hydrocarbon-Water Interface. 2010 , 4377-4383	1
131	Genomic View of Mycobacterial High Molecular Weight Polycyclic Aromatic Hydrocarbon Degradation. 2010 , 1165-1178	8
130	Soil Bioremediation Strategies Based on the Use of Fungal Enzymes. 2009 , 123-149	16
129	Microbial Degradation of PAHs: Organisms and Environmental Compartments. 2012 , 263-290	4

128	Microbial Degradation of Recalcitrant PAHs-Microbial Diversity Involving Remediation Process. 2012 , 395-410	2
127	Bioremediation of PAH-Contaminated Soil by Fungi. 2013 , 159-179	8
126	Impacts of Fuel Spills Caused by the Great East Japan Earthquake and Tsunami on the Subtidal Soft-Bottom Communities of a Semi-enclosed Bay Located on the Sanriku Coast. 2016 , 223-250	3
125	Role of Clay and Organic Matter in the Biodegradation of Organics in Soil. 2010 , 367-384	4
124	Microwave-Assisted Organic Pollutants Degradation. 2012 , 177-200	3
123	Organic Pollutants in Sediment Core Archives. 2015 , 161-185	11
122	The Sustainable Use of Delftia in Agriculture, Bioremediation, and Bioproducts Synthesis. 2016 , 227-247	4
121	Agronomic Crop Responses and Tolerance to Polycyclic Aromatic Hydrocarbon Toxicity. 2020 , 265-283	2
120	Microbial Peroxidases and Their Unique Catalytic Potentialities to Degrade Environmentally Related Pollutants. 2020 , 1-24	3
119	Rhizoremediation: A Sustainable Approach to Improve the Quality and Productivity of Polluted Soils. 2019 , 33-66	5
118	Humification Process and Total Petroleum Hydrocarbons Assessment During Oily Sludge Composting. 2020 , 11, 6625-6635	5
117	Microbial Detoxification of Polluted Soils and Agroecosystem. 2020 , 237-257	1
116	Occurrence, Origin and Risk Assessment of Trace Metals Measured in Petroleum Tank-farm Impacted Soils. 2021 , 30, 384-408	6
115	Phenanthrene contamination and ploidy level influence the rhizosphere microbiome of Spartina.	2
114	Conversion of cis-2-carboxycyclohexylacetyl-CoA in the downstream pathway of anaerobic naphthalene degradation. 2017 , 19, 2819-2830	14
113	A Computational Study of the Ozonolysis of Phenanthrene. 2017 , 132, 1149-1156	8
112	Identification of bacteria utilizing biphenyl, benzoate, and naphthalene in long-term contaminated soil. 2012 , 7, e40653	96
111	Effect of Rhamnolipids on Microbial Biomass Content and Biochemical Parameters in Soil Contaminated with Coal Tar Creosote. 2019 , 14, 537-548	1

110	Biodegradation of naphthalene and anthracene by chemo-tactically active rhizobacteria of populus deltoides. 2010 , 41, 922-30	5
109	Bioremediation of Polycyclic Aromatic Hydrocarbon (PAHs): A Perspective. 2016 , 10, 363-378	35
108	[Not Available]. 2009 , 3, 75-86	12
107	Occurrence and sources of aliphatic hydrocarbons in anthropogenic impacted soils from petroleum tank-farms in the Niger Delta, Nigeria. 2020 , 31, 132-144	4
106	Mixture of High Molecular Weight Polycyclic Aromatic Hydrocarbons Biodegradation by Tropical Bacteria and via Co-Metabolism with Phenanthrene. 2010 , 4, 317-326	3
105	Bioremediation via Nanoparticles. 2015 , 491-515	8
104	Uptake of Polycyclic Aromatic Hydrocarbons across Bacterial Membrane. 2020 , 10, 331-348	3
103	Characterization of Petroleum Hydrocarbon Degradation by a Sphingomonas sp. 3Y Isolated from a Diesel-Contaminated Site.. 2009 , 19, 659-663	2
102	Half-lives of PAHs and temporal microbiota changes in commonly used urban landscaping materials. 2018 , 6, e4508	34
101	The Polycyclic Aromatic Hydrocarbon (PAH) degradation activities and genome analysis of a novel strain . Pemsol isolated from Mexico. 2020 , 8, e8102	11
100	Humic acid enhanced pyrene degradation by Mycobacterium sp. NJS-1. 2021 , 288, 132613	2
99	Detoxification of phenanthrene in Arabidopsis thaliana involves a Dioxygenase For Auxin Oxidation 1 (AtDAO1). 2021 , 342, 36-44	1
98	Integrated Management of Polluted Soils for Enhancing Productivity and Quality of Crops. 2014 , 1-21	3
97	Chapter 6. Influence of elevated ozone levels on the fate of pyrene in soil grown with wheat (Triticum aestivum L.). 2014 , 99-114	
96	A Prospective Study on Emerging Role of Phytoremediation by Endophytic Microorganisms. 2016 , 236-265	2
95	The Mycosphere as a Hotspot for the Biotransformation of Contaminants in Soil. 2017 , 1-10	
94	Problems of Hydrophobicity/Bioavailability: An Introduction. 2017 , 1-13	0
93	Isolation and Identification of Phenanthrene-degrading Bacteria and Increasing the Biodegrading Ability by Synergistic Relationship. 2017 , 5, 22-27	

92	An Update on the Genomic View of Mycobacterial High-Molecular-Weight Polycyclic Aromatic Hydrocarbon Degradation. 2018 , 1-16		
91	Environmental Applications of Rhamnolipids. 2018 , 51-63		
90	A Prospective Study on Emerging Role of Phytoremediation by Endophytic Microorganisms. 2019 , 2154-2183		
89	Rhizoremediation of Polyaromatic Hydrocarbons (PAHs): A Task Force of Plants and Microbes. 2019 , 193-211		
88	Pollution (Poly Aromatic Hydrocarbons and Heavy Metals) Evaluation in Soil of Selected Area of Kaduna Towns in Kaduna State. 2019 , 2,		
87	Caracterizaci3n del potencial de degradaci3n de compuestos xenobi3ticos por la rizobacteria <i>Azospirillum brasilense</i> . 2019 , 4, 10-22		2
86	Microbial Omics: Role in Ecological Studies and Environmental Control Measures. 2020 , 173-196		1
85	Impacto del aceite residual automotriz en un suelo: remediaci3n por bioestimulaci3n. 2020 , 11, 84-93		
84	Thermokarst Disturbance Drives Concentration and Composition of Metals and Polycyclic Aromatic Compounds in Lakes of the Western Canadian Arctic. 2020 , 125, e2020JG005834		1
83	Biodegradation of micropollutants. 2022 , 477-507		
82	Immune-mediated disease associated microbial community responded to PAH stress in phyllosphere of roadside greenspaces in Shanghai. <i>Environmental Pollution</i> , 2022 , 292, 118379	9.3	2
81	The Use of Biosurfactants in the Bioremediation of Oil Spills in Water. 2020 , 333-350		3
80	Niche Partitioning Between Coastal and Offshore Shelf Waters Results in Differential Expression of Alkane and PAH Catabolic Pathways.		0
79	Current perspective of innovative strategies for bioremediation of organic pollutants from wastewater. 2022 , 344, 126305		6
78	Toxic effects of phenanthrene on fertilization and normal embryogenesis rates of <i>Mesocentrotus nudus</i> and <i>Hemicentrotus pulcherrimus</i> . 2020 , 38, 333-342		
77	Bioremediation of heavy oil contaminated intertidal zones by immobilized bacterial consortium. 2022 , 158, 70-78		1
76	Microbial degradation of n-hexadecane using <i>Pseudomonas aeruginosa</i> PU1 isolated from transformer-oil contaminated soil. 2021 , 38, 102213		1
75	Bacterial biofilm and extracellular polymeric substances in the moving bed biofilm reactor for wastewater treatment: A review. 2021 , 345, 126476		15

74	Bioremediation of PAHs and heavy metals co-contaminated soils: Challenges and enhancement strategies.. <i>Environmental Pollution</i> , 2021 , 295, 118686	9.3	11
73	Bioremediation of HMW-PAHs-contaminated soils by rhizosphere microbial community of Fire Phoenix plants. 2022 , 432, 134246		0
72	Bioremediation of fuel oil polluted soil by vermiculture of <i>E. fetida</i> , <i>E. andrei</i> , <i>D. veneta</i> and their probiotics. 2021 ,		0
71	Effect of pyrene-induced changes in root activity on growth of Chinese cabbage (<i>Brassica campestris</i> L.), and the health risks caused by pyrene in Chinese cabbage at different growth stages. 2022 , 9,		0
70	Structural Selectivity of PAH Removal Processes in Soil, and the Effect of Metal Co-Contaminants. 2022 , 9, 23		0
69	Biosurfactants and chemotaxis interplay in microbial consortium-based hydrocarbons degradation.. 2022 , 29, 24391		1
68	Reconstructing polyaromatic hydrocarbons degrading pathways in the enriched bacterial consortium and their biosurfactants characterization. 2022 , 10, 107219		0
67	The relationships between soil physicochemical properties, bacterial communities and polycyclic aromatic hydrocarbon concentrations in soils proximal to coking plants.. <i>Environmental Pollution</i> , 2022 , 298, 118823	9.3	1
66	Biodegradation dynamics disparity between n -alkanes and polycyclic aromatic hydrocarbons in the vadose zone: A critical review.		
65	Behavioral, histopathological, genetic, and organism-wide responses to phenanthrene-induced oxidative stress in <i>Eisenia fetida</i> earthworms in natural soil microcosms.. 2022 , 1		0
64	New Insights into Lincomycin Biodegradation by <i>Conexibacter</i> Sp. Ld01: Genomics Characterization, Biodegradation Kinetics and Pathways.		
63	An approach toward the biodegradation of PAHs by microbial consortia. 2022 , 383-406		0
62	Bioremediation of Agriculture Soil Contaminated by Organic Pollutants. 2022 , 15, 1561		1
61	Predicting the total PAHs concentrations in sediments from selected congeners using a multiple linear relationship.. 2022 , 12, 3334		
60	Dilution of concentrations of PAHs from atmospheric particles, bulk deposition to soil: a review.. 2022 , 1		1
59	Distribution and Source Apportionment of Polycyclic Aromatic Hydrocarbons in Soils at Different Distances and Depths around Three Power Plants in Bijie, Guizhou Province. 1-12		0
58	A review on biotransformation of polyaromatic hydrocarbons mediated by biosurfactant producing bacteria. 1-21		1
57	Polycyclic aromatic hydrocarbons accumulation in soil horizons of different temperate forest stands. 2022 , 33, 945-959		0

56	Ordovician and Silurian Formations of the Baltic Syncline (NE Poland): An Organic Geochemistry Approach. 2022 , 2022,		
55	Microbial exopolymeric substances and biosurfactants as Bioavailability enhancers for polycyclic aromatic hydrocarbons biodegradation. 1		0
54	Emerging Contaminants in Soil and Water. 2022 , 10,		2
53	Tolerance of earthworms in soil contaminated with polycyclic aromatic hydrocarbon. 2022 , 2, 9-16		1
52	Leaching of microplastic-associated additives in aquatic environments: A critical review.. <i>Environmental Pollution</i> , 2022 , 119258	9.3	0
51	Accumulation of high-molecular-weight polycyclic aromatic hydrocarbon impacted the performance and microbial ecology of bioretention systems.. 2022 , 298, 134314		1
50	Exploring the effectiveness of microbial fuel cell for the degradation of organic pollutants coupled with bio-energy generation. 2022 , 52, 102183		4
49	Spatially calibrating polycyclic aromatic hydrocarbons (PAHs) as proxies of area burned by vegetation fires: Insights from comparisons of historical data and sedimentary PAH fluxes. 2022 , 596, 110995		1
48	Data_Sheet_1.PDF. 2020 ,		
47	Microbial Stewardship- The Integral Component of Sustainable Development. 2022 , 265-285		
46	Optimization of biomass production by autochthonous sp MT1A3 as strategy to apply bioremediation in situ in a chronically hydrocarbon-contaminated soil.. 2022 , 12, 118		
45	Microbial Remediation Approaches for PAH Degradation. 2022 , 355-399		0
44	Dissipation of a mix of priority PAHs in soils by using availability enhancers. Effect of aging and pollutant interactions.. 2022 , 837, 155744		0
43	Mechanistic insights into phenanthrene acropetal translocation via wheat xylem: Separation and identification of transfer proteins.. 2022 , 155919		
42	Design and construction of 3D-printed devices to investigate active and passive bacterial dispersal on hydrated surfaces.		0
41	Kinetic modeling and half-life study on bioremediation of crude oil dispersed by palm bunch enhanced stimulant. 2022 , 2, 100031		0
40	Azospirillum spp. from Plant Growth-Promoting Bacteria to Their Use in Bioremediation. 2022 , 10, 1057		2
39	Microbial consortia for pollution remediation Success stories. 2022 , 95-121		

- 38 A metagenomic portrait of the microbial community responsible for two decades of bioremediation of poly-contaminated groundwater. **2022**, 118767 0
- 37 Biodegradation of naphthalene by biocatalysts isolated from the contaminated environment under optimal conditions. **2022**, 305, 135274 0
- 36 Integrated Application of Green Nanotechnology, Bioremediation, and Solubility Enhancing Chemicals for Improving Phytoremediation Efficiency: A Case Study in Egypt. **2022**, 455-478
- 35 Earthworms Effect on Microbial Population and Soil Fertility as Well as Their Interaction with Agriculture Practices. **2022**, 14, 7803 3
- 34 Microbial Degradation of Nondesorbable Organic Compounds on Biochars by Extracellular Reactive Oxygen Species. **2022**, 129625 0
- 33 Artificial humic acid improves maize growth and soil phosphorus utilization efficiency. **2022**, 179, 104587 0
- 32 Nationwide distribution of polycyclic aromatic hydrocarbons in soil of China and the association with bacterial community. **2022**, 0
- 31 Distribution and ecological risk assessment of polycyclic aromatic hydrocarbons in different compartments in Kenya: A review. **2022**, 8, 351-359
- 30 Waste management through bioremediation technology: An eco-friendly and sustainable solution. **2022**, 205-234 1
- 29 A systematic assessment of research trends on polycyclic aromatic hydrocarbons in different environmental compartments using bibliometric parameters. 0
- 28 New Insights into Lincomycin Biodegradation by *Conexibacter* sp. LD01: Genomics Characterization, Biodegradation Kinetics and Pathways. **2022**, 129824 0
- 27 Physio-chemical analysis and kinetic modeling of phenol degradation by the endophyte *Kocuria rhizophila* 14asp.
- 26 Current and emerging trends in bioaugmentation of organic contaminated soils: A review. **2022**, 320, 115799 1
- 25 Seasonal variation of temperature affects HMW-PAH accumulation in fishery species by bacterially mediated LMW-PAH degradation. **2022**, 853, 158617 1
- 24 Bioremediation of oil-contaminated sites using biosurfactants. **2022**, 419-434 0
- 23 Restricted substances for textiles. **2022**, 54, 1-101 1
- 22 Polycyclic Aromatic Hydrocarbons in Water: A Review of the Sources, Properties, Exposure Pathways, Bionetwork and Strategies for Remediation. **2022**, 10, 137-144 0
- 21 Interspecies Metabolic Interactions in a Synergistic Consortium Drive Efficient Degradation of the Herbicide Bromoxynil Octanoate. **2022**, 70, 11613-11622 0

20	Design and construction of 3D printed devices to investigate active and passive bacterial dispersal on hydrated surfaces. 2022 , 20,	1
19	Warhorses in soil bioremediation: Seed biopriming with PGPF secretome to phytostimulate crop health under heavy metal stress. 2022 , 114498	1
18	Impact of different nitrogen amendments on the biodegradation of 14C-phenanthrene by endophytic fungal strains in liquid culture. 2022 , 127223	0
17	Polycyclic Aromatic Hydrocarbon-Degrading Bacteria in Three Different Functional Zones of the Cities of Moscow and Murmansk. 2022 , 10, 1979	1
16	Paleo-wildfire signatures revealing co-occurrence of angiosperm-gymnosperm in the early Paleogene: Evidences from woody charcoal and biomarker analysis from the Gurha lignite mine, Rajasthan, India. 2023 , 265, 104164	0
15	Microbiome enrichment from contaminated marine sediments unveils novel bacterial strains for petroleum hydrocarbon and heavy metal bioremediation. 2023 , 317, 120772	0
14	Diversity and Metabolic Potential of a PAH-Degrading Bacterial Consortium in Technogenically Contaminated Haplic Chernozem, Southern Russia. 2022 , 10, 2555	1
13	Kinetics of Bioremediation of Oil Contaminated Water Dispersed by Environment-Friendly Bacteria (<i>Pseudomonas aeruginosa</i>) and Fungi (<i>Aspergillus niger</i>). 2023 , 13, 19-35	0
12	Microbial Biofilm – modern sustainable approach for bioremediation in 21st century. 2022 , 65-92	0
11	?????????????????. 2023 , 40, 48-55	0
10	Microbial machinery dealing diverse aromatic compounds: Decoded from pelagic sediment ecogenomics in the gulfs of Kathiawar Peninsula and Arabian Sea. 2023 , 225, 115603	0
9	Deposition of atmospheric polycyclic aromatic hydrocarbons in rural areas: Current data and historical record from an ombrotrophic peatland. 2023 , 268, 104199	0
8	An Insight Into the Consequences of Emerging Contaminants in Soil and Water and Plant Responses. 2023 , 1-27	0
7	Buried and surface oil degradation [Evaluating bioremediation to increase PAHs removal through linear mathematical models. 2023 , 189, 114727	0
6	Recent advances in biofilm formation and their role in environmental protection. 2023 , 263-279	0
5	Distribution, sources, and ecological risk assessment of polycyclic aromatic hydrocarbons in agricultural and dumpsite soils in Sierra Leone. 2023 , 13, 7102-7116	0
4	Determination of Polycyclic Aromatic Hydrocarbons (PAHs) in Coffee Samples by DI-SPME-GC/MS.	0
3	Vermicompost: Enhancing Plant Growth and Combating Abiotic and Biotic Stress. 2023 , 13, 1134	0

- 2 Microbial Diversity of Soils Contaminated with Persistent Organic Pollutants and POP-Degrading Strains. **2023**, 234, ○
- 1 Polycyclic aromatic hydrocarbon (PAH) biodegradation capacity revealed by a genome-function relationship approach. **2023**, 18, ○