

A high-resolution, absolute-dated Holocene and deglacial
Dongge Cave, China

Earth and Planetary Science Letters

233, 71-86

DOI: [10.1016/j.epsl.2005.01.036](https://doi.org/10.1016/j.epsl.2005.01.036)

Citation Report

#	ARTICLE	IF	CITATIONS
1	The Holocene Asian Monsoon: Links to Solar Changes and North Atlantic Climate. <i>Science</i> , 2005, 308, 854-857.	6.0	2,115
3	ENSO-controlled rainfall variability records archived in tropical stalagmites from the mid-ocean island of Niue, South Pacific. <i>Geochemistry, Geophysics, Geosystems</i> , 2006, 7, n/a-n/a.	1.0	24
4	Holocene thermal optimal and climate variability of East Asian monsoon inferred from forest reconstruction of a subalpine pollen sequence, Taiwan. <i>Earth and Planetary Science Letters</i> , 2006, 250, 596-605.	1.8	85
5	Stable isotope microsampling of speleothems for palaeoenvironmental studies: A comparison of microdrill, micromill and laser ablation techniques. <i>Chemical Geology</i> , 2006, 235, 48-58.	1.4	68
6	Dust influx reconstruction during the last 26,000 years inferred from a sedimentary leaf wax record from the Japan Sea. <i>Global and Planetary Change</i> , 2006, 54, 239-250.	1.6	30
7	Timing and dynamics of the last deglaciation from European and North African $\delta^{13}C$ stalagmite profiles – comparison with Chinese and South Hemisphere stalagmites. <i>Quaternary Science Reviews</i> , 2006, 25, 2118-2142.	1.4	236
8	Interhemispheric anti-phasing of rainfall during the last glacial period. <i>Quaternary Science Reviews</i> , 2006, 25, 3391-3403.	1.4	242
9	High resolution characterization of the Asian Monsoon between 146,000 and 99,000 years B.P. from Dongge Cave, China and global correlation of events surrounding Termination II. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2006, 236, 20-38.	1.0	146
10	Climate-human-environment interactions: resolving our past. <i>Climate of the Past</i> , 2006, 2, 187-203.	1.3	98
11	Karst subzone division in vertical cycle zone and its significance. <i>Journal of Chinese Geography</i> , 2006, 16, 472-478.	1.5	3
12	Modification and preservation of environmental signals in speleothems. <i>Earth-Science Reviews</i> , 2006, 75, 105-153.	4.0	669
13	Holocene monsoonal dynamics and fluvial terrace formation in the northwest Himalaya, India. <i>Geology</i> , 2006, 34, 601.	2.0	113
14	East-Asian monsoon variability between 15 000 and 2000 cal. yr BP recorded in varved sediments of Lake Sihailongwan (northeastern China, Long Gang volcanic field). <i>Holocene</i> , 2006, 16, 1043-1057.	0.9	110
15	Climate Variations and Changes in World History. <i>Journal of Geography (Chigaku Zasshi)</i> , 2007, 116, 62-78.	0.1	7
16	Holocene ITCZ and Indian monsoon dynamics recorded in stalagmites from Oman and Yemen (Socotra). <i>Quaternary Science Reviews</i> , 2007, 26, 170-188.	1.4	866
17	Abrupt resumption of the African Monsoon at the Younger Dryas – Holocene climatic transition. <i>Quaternary Science Reviews</i> , 2007, 26, 690-704.	1.4	115
18	Correlation between the oxygen isotope record from Dasuopu ice core and the Asian Southwest Monsoon during the last millennium. <i>Quaternary Science Reviews</i> , 2007, 26, 1810-1817.	1.4	25
19	Paleoenvironmental change in the middle Okinawa Trough since the last deglaciation: Evidence from the sedimentation rate and planktonic foraminiferal record. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2007, 243, 378-393.	1.0	94

#	ARTICLE	IF	CITATIONS
20	Stable isotopic compositions of waters in the karst environments of China: Climatic implications. <i>Applied Geochemistry</i> , 2007, 22, 1748-1763.	1.4	10
21	A high-resolution, absolute-dated deglacial speleothem record of Indian Ocean climate from Socotra Island, Yemen. <i>Earth and Planetary Science Letters</i> , 2007, 259, 442-456.	1.8	159
22	Regional-scale climate influences on temporal variations of rainwater and cave dripwater oxygen isotopes in northern Borneo. <i>Earth and Planetary Science Letters</i> , 2007, 263, 207-220.	1.8	118
23	Millennial-scale interhemispheric asymmetry of low-latitude precipitation: Speleothem evidence and possible high-latitude forcing. <i>Geophysical Monograph Series</i> , 2007, , 279-294.	0.1	9
24	Environmental applications of single collector high resolution ICP-MS. <i>Journal of Environmental Monitoring</i> , 2007, 9, 790.	2.1	44
25	¹⁴ C reservoir ages show deglacial changes in ocean currents and carbon cycle. <i>Geophysical Monograph Series</i> , 2007, , 175-196.	0.1	46
26	Holocene East Asian monsoon variability: Links to solar and tropical Pacific forcing. <i>Geophysical Research Letters</i> , 2007, 34, .	1.5	104
27	Sea surface temperature records in the northern South China Sea from mid-Holocene coral Sr/Ca ratios. <i>Paleoceanography</i> , 2007, 22, .	3.0	61
28	Lessons from a distant monsoon. <i>Nature</i> , 2007, 445, 270-271.	13.7	26
29	Sacrificial synthesis. <i>Nature</i> , 2007, 445, 271-272.	13.7	21
30	Influence of the intertropical convergence zone on the East Asian monsoon. <i>Nature</i> , 2007, 445, 74-77.	13.7	781
31	Yancheva et al. reply. <i>Nature</i> , 2007, 450, E8-E9.	13.7	9
32	Record of winter monsoon strength. <i>Nature</i> , 2007, 450, E10-E11.	13.7	36
33	Temperature and precipitation changes in China during the Holocene. <i>Advances in Atmospheric Sciences</i> , 2007, 24, 1024-1036.	1.9	24
34	Southwest monsoon changes indicated by oxygen isotope of ostracode shells from sediments in Qinghai Lake since the late Glacial. <i>Science Bulletin</i> , 2007, 52, 539-544.	1.7	144
35	Modern stalagmite oxygen isotopic composition and its implications of climatic change from a high-elevation cave in the eastern Qinghai-Tibet Plateau over the past 50 years. <i>Science Bulletin</i> , 2007, 52, 1238-1247.	1.7	18
36	The early Holocene optimum inferred from a high-resolution pollen record of Huguangyan Maar Lake in southern China. <i>Science Bulletin</i> , 2007, 52, 2829-2836.	1.7	102
37	Late glacial environment and climate development in northeastern China derived from geochemical and isotopic investigations of the varved sediment record from Lake Sihailongwan (Jilin Province). <i>Journal of Paleolimnology</i> , 2008, 40, 471-487.	0.8	39

#	ARTICLE	IF	CITATIONS
38	Using multiple archives to understand past and present climate–human–environment interactions: the lake Erhai catchment, Yunnan Province, China. <i>Journal of Paleolimnology</i> , 2008, 40, 3-31.	0.8	163
39	Response of the Asian summer monsoon to weakening of Atlantic thermohaline circulation. <i>Advances in Atmospheric Sciences</i> , 2008, 25, 723-736.	1.9	51
40	High-resolution geochemistry records of climate changes since late-glacial from Dajiuhu peat in Shennongjia Mountains, Central China. <i>Science Bulletin</i> , 2008, 53, 28-41.	4.3	52
41	Holocene depocenter shift in the middle-lower Changjiang River basins and coastal area in response to sea level change. <i>Frontiers of Earth Science</i> , 2008, 2, 17-26.	0.5	7
42	Sedimentary characteristics of terrigenous debris at site MD05-2905 in the northeastern part of the South China Sea since 36 ka and evolution of the East Asian monsoon. <i>Frontiers of Earth Science</i> , 2008, 2, 170-176.	0.5	1
43	The rhythm of the rains. <i>Nature</i> , 2008, 451, 1062-1063.	13.7	14
44	Distinct climate change synchronous with Heinrich event one, recorded by stable oxygen and carbon isotopic compositions in stalagmites from China. <i>Quaternary Research</i> , 2008, 69, 306-315.	1.0	53
45	High-resolution and Precisely dated record of weathering and hydrological dynamics recorded by manganese and rare-earth elements in a stalagmite from Central China. <i>Quaternary Research</i> , 2008, 69, 438-446.	1.0	34
46	Decoupling of stalagmite-derived Asian summer monsoon records from North Atlantic temperature change during marine oxygen isotope stage 5d. <i>Quaternary Research</i> , 2008, 70, 315-321.	1.0	18
47	Paleoclimate reconstruction in the Levant region from the geochemistry of a Holocene stalagmite from the Jeita cave, Lebanon. <i>Quaternary Research</i> , 2008, 70, 368-381.	1.0	128
48	Paleoenvironmental changes during the last 8400 years in the southern Yellow Sea: Benthic foraminiferal and stable isotopic evidence. <i>Marine Micropaleontology</i> , 2008, 67, 104-119.	0.5	92
49	A dry episode during the Younger Dryas and centennial-scale weak monsoon events during the early Holocene: A high-resolution stalagmite record from southeast of the Loess Plateau, China. <i>Geophysical Research Letters</i> , 2008, 35, .	1.5	23
50	Long-term sunspot forcing of savanna structure inferred from carbon and oxygen isotopes. <i>Geophysical Research Letters</i> , 2008, 35, .	1.5	5
51	Meridional reorganizations of marine and terrestrial productivity during Heinrich events. <i>Paleoceanography</i> , 2008, 23, .	3.0	108
52	On the definition of seasons in paleoclimate simulations with orbital forcing. <i>Paleoceanography</i> , 2008, 23, .	3.0	51
53	Evidence for a widespread climatic anomaly at around 9.2 ka before present. <i>Paleoceanography</i> , 2008, 23, .	3.0	145
54	Distribution of aliphatic des-A-triterpenoids in the Dajiuhu peat deposit, southern China. <i>Organic Geochemistry</i> , 2008, 39, 1765-1771.	0.9	41
55	High-resolution late Holocene speleothem record from Kaite Cave, northern Spain: $\delta^{18}O$ variability and possible causes. <i>Quaternary International</i> , 2008, 187, 40-51.	0.7	39

#	ARTICLE	IF	CITATIONS
56	Evolution of Chaka Salt Lake in NW China in response to climatic change during the Latest Pleistocene–Holocene. <i>Quaternary Science Reviews</i> , 2008, 27, 867-879.	1.4	136
57	Molecular organic matter in speleothems and its potential as an environmental proxy. <i>Quaternary Science Reviews</i> , 2008, 27, 905-921.	1.4	63
58	Holocene changes in eastern tropical Pacific climate inferred from a Galápagos lake sediment record. <i>Quaternary Science Reviews</i> , 2008, 27, 1166-1180.	1.4	578
59	Mid- to Late Holocene climate change: an overview. <i>Quaternary Science Reviews</i> , 2008, 27, 1791-1828.	1.4	1,389
60	Natural and anthropogenic forest fires recorded in the Holocene pollen record from a Jinchuan peat bog, northeastern China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2008, 261, 47-57.	1.0	80
61	Millennial-scale variability in the Asian monsoon: Evidence from oxygen isotope records from stalagmites in southeastern China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2008, 266, 3-12.	1.0	53
62	Quantification of Holocene Asian monsoon rainfall from spatially separated cave records. <i>Earth and Planetary Science Letters</i> , 2008, 266, 221-232.	1.8	626
63	A detailed comparison of Asian Monsoon intensity and Greenland temperature during the Allerød and Younger Dryas events. <i>Earth and Planetary Science Letters</i> , 2008, 272, 691-697.	1.8	50
64	East Asian monsoon variability since the Mid-Holocene recorded in a high-resolution, absolute-dated aragonite speleothem from eastern China. <i>Earth and Planetary Science Letters</i> , 2008, 275, 296-307.	1.8	150
65	Diatom-based inference of variations in the strength of Asian winter monsoon winds between 17,500 and 6000 calendar years B.P.. <i>Journal of Geophysical Research</i> , 2008, 113, .	3.3	84
66	Holocene variability of the East Asian summer monsoon from Chinese cave records: a re-assessment. <i>Holocene</i> , 2008, 18, 861-866.	0.9	209
67	Sun and planets from a climate point of view. <i>Proceedings of the International Astronomical Union</i> , 2008, 4, 29-43.	0.0	4
68	Precipitation variations of Longxi, northeast margin of Tibetan Plateau since AD 960 and their relationship with solar activity. <i>Climate of the Past</i> , 2008, 4, 19-28.	1.3	88
69	East Asian Monsoon and paleoclimatic data analysis: a vegetation point of view. <i>Climate of the Past</i> , 2008, 4, 137-145.	1.3	23
70	Ice Age Terminations. <i>Science</i> , 2009, 326, 248-252.	6.0	794
71	Timing and structure of the 8.2 kyr B.P. event inferred from $\delta^{18}O$ records of stalagmites from China, Oman, and Brazil. <i>Geology</i> , 2009, 37, 1007-1010.	2.0	251
72	Diatom response to changes in palaeoenvironments of the northern South China Sea during the last 15000 years. <i>Marine Micropaleontology</i> , 2009, 72, 99-109.	0.5	26
73	Planktonic foraminiferal records of East Asia monsoon changes in the southern South China Sea during the last 40,000 years. <i>Marine Micropaleontology</i> , 2009, 73, 1-13.	0.5	24

#	ARTICLE	IF	CITATIONS
74	Paleoecological evidence for abrupt cold reversals during peak Holocene warmth on Baffin Island, Arctic Canada. <i>Quaternary Research</i> , 2009, 71, 142-149.	1.0	55
75	Constraints from strontium and neodymium isotopic ratios and trace elements on the sources of the sediments in Lake Huguang Maar. <i>Quaternary Research</i> , 2009, 72, 289-300.	1.0	35
76	Vegetation response to Holocene climate change in monsoon-influenced region of China. <i>Earth-Science Reviews</i> , 2009, 97, 242-256.	4.0	247
77	Determining the spatial and temporal patterns of climate changes in China's western interior during the last 15‰ka from lacustrine oxygen isotope records. <i>Journal of Quaternary Science</i> , 2009, 24, 237-247.	1.1	19
78	Early Pleistocene evolution of the Japan Sea Intermediate Water. <i>Journal of Quaternary Science</i> , 2009, 24, 880-889.	1.1	8
79	A new high-resolution Late Glacial-Holocene climatic record from eastern Nanling Mountains in South China. <i>Chinese Geographical Science</i> , 2009, 19, 274-282.	1.2	5
80	Climate changes in East China since the Late-glacial inferred from high-resolution mountain peat humification records. <i>Science in China Series D: Earth Sciences</i> , 2009, 52, 118-131.	0.9	62
81	Carbon isotopic composition and its implications on paleoclimate of the underground ancient forest ecosystem in Sihui, Guangdong. <i>Science in China Series D: Earth Sciences</i> , 2009, 52, 638-646.	0.9	6
82	Asian-Pacific Oscillation index and variation of East Asian summer monsoon over the past millennium. <i>Science Bulletin</i> , 2009, 54, 3768-3771.	1.7	50
83	Increasing Australian-Indonesian monsoon rainfall linked to early Holocene sea-level rise. <i>Nature Geoscience</i> , 2009, 2, 636-639.	5.4	294
84	Holocene environmental change in the marginal area of the Asian monsoon: a record from Zhuye Lake, NW China. <i>Boreas</i> , 2009, 38, 349-361.	1.2	63
85	Dune mobility and aridity at the desert margin of northern China at a time of peak monsoon strength. <i>Geology</i> , 2009, 37, 947-950.	2.0	145
86	Oxygen-18 of O ₂ Records the Impact of Abrupt Climate Change on the Terrestrial Biosphere. <i>Science</i> , 2009, 324, 1431-1434.	6.0	152
87	Evidence for tropical South Pacific climate change during the Younger Dryas and the Bølling-Allerød from geochemical records of fossil Tahiti corals. <i>Earth and Planetary Science Letters</i> , 2009, 288, 96-107.	1.8	59
88	A record of temperature and monsoon intensity over the past 40kyr from groundwater in the North China Plain. <i>Chemical Geology</i> , 2009, 259, 168-180.	1.4	57
89	Hydrothermal CO ₂ degassing in seismically active zones during the late Quaternary. <i>Chemical Geology</i> , 2009, 265, 442-454.	1.4	142
90	Deglacial variations of Sr and 87Sr/86Sr ratio recorded by a stalagmite from Central China and their association with past climate and environment. <i>Chemical Geology</i> , 2009, 268, 233-247.	1.4	42
91	Instability of seawater pH in the South China Sea during the mid-late Holocene: Evidence from boron isotopic composition of corals. <i>Geochimica Et Cosmochimica Acta</i> , 2009, 73, 1264-1272.	1.6	47

#	ARTICLE	IF	CITATIONS
92	Late Pleistocene spread of (cool-)temperate forests in Northeast China and climate changes synchronous with the North Atlantic region. <i>Global and Planetary Change</i> , 2009, 65, 56-70.	1.6	109
93	Hydrological changes and Holocene climate variations in NW China, inferred from lake sediments of Juyanze palaeolake by factor analyses. <i>Quaternary International</i> , 2009, 194, 28-44.	0.7	98
94	Dry late-glacial and early Holocene climate in arid central Asia indicated by lithological and palynological evidence from Bosten Lake, China. <i>Quaternary International</i> , 2009, 194, 19-27.	0.7	168
95	Lake surface fluctuations since the late glaciation at Lake Daihai, North central China: A direct indicator of hydrological process response to East Asian monsoon climate. <i>Quaternary International</i> , 2009, 194, 45-54.	0.7	49
96	Climatic and environmental controls on speleothem oxygen-isotope values. <i>Quaternary Science Reviews</i> , 2009, 28, 412-432.	1.4	569
97	Holocene glacier fluctuations and migration of Neolithic yak pastoralists into the high valleys of northwest Bhutan. <i>Quaternary Science Reviews</i> , 2009, 28, 1217-1237.	1.4	55
98	High-resolution isotope records of early Holocene rapid climate change from two coeval stalagmites of Katerloch Cave, Austria. <i>Quaternary Science Reviews</i> , 2009, 28, 2527-2538.	1.4	87
99	<i>Homo floresiensis</i> and the late Pleistocene environments of eastern Indonesia: defining the nature of the relationship. <i>Quaternary Science Reviews</i> , 2009, 28, 2897-2912.	1.4	21
100	Early and middle Holocene in the Aegean Sea: interplay between high and low latitude climate variability. <i>Quaternary Science Reviews</i> , 2009, 28, 3246-3262.	1.4	117
101	Holocene environmental changes in the Ugii Nur basin, Mongolia. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2009, 279, 160-171.	1.0	42
102	Climatic and local effects on stalagmite $\delta^{13}C$ values at Lianhua Cave, China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2009, 280, 235-244.	1.0	88
103	Too low $\delta^{18}O$ of paleo-meteoric, low latitude, water; do paleo-tropical cyclones explain it?. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2009, 280, 387-395.	1.0	7
104	Summer monsoon precipitation variations in central China over the past 750years derived from a high-resolution absolute-dated stalagmite. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2009, 280, 432-439.	1.0	106
105	Variations in temperature and salinity of the surface water above the middle Okinawa Trough during the past 37kyr. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2009, 281, 154-164.	1.0	57
106	Resource intensification in the Late Upper Paleolithic: a view from southern China. <i>Journal of Archaeological Science</i> , 2009, 36, 1027-1037.	1.2	46
107	Timing and climatic impact of Greenland interstadials recorded in stalagmites from northern Turkey. <i>Geophysical Research Letters</i> , 2009, 36, .	1.5	379
108	Possible orographic and solar controls of Late Holocene centennial-scale moisture oscillations in the northeastern Tibetan Plateau. <i>Geophysical Research Letters</i> , 2009, 36, .	1.5	40
109	Synchronous Td'-derived SSTs (.DEG.C.) off Japan with Climatic Events in the Northern Hemisphere. <i>Journal of Geography (Chigaku Zasshi)</i> , 2010, 119, 489-509.	0.1	8

#	ARTICLE	IF	CITATIONS
110	Declining oaks, increasing artistry, and cultivating rice: the environmental and social context of the emergence of farming in the Lower Yangtze Region. <i>Environmental Archaeology</i> , 2010, 15, 139-159.	0.6	68
111	Late Quaternary environmental history of the south-eastern Tibetan Plateau inferred from the Lake Naleng non-pollen palynomorph record. <i>Vegetation History and Archaeobotany</i> , 2010, 19, 453-468.	1.0	44
112	Multiple factors causing Holocene lake-level change in monsoonal and arid central Asia as identified by model experiments. <i>Climate Dynamics</i> , 2010, 35, 1119-1132.	1.7	64
113	Precise dating of abrupt shifts in the Asian Monsoon during the last deglaciation based on stalagmite data from Yamen Cave, Guizhou Province, China. <i>Science China Earth Sciences</i> , 2010, 53, 633-641.	2.3	67
114	Pollen-inferred vegetation and environmental changes since 16.7 ka BP at Balikun Lake, Xinjiang. <i>Science Bulletin</i> , 2010, 55, 2449-2457.	1.7	74
115	Implications of stalagmite density for past climate change: An example from stalagmite growth during the last deglaciation from Wanxiang Cave, western Loess Plateau. <i>Science Bulletin</i> , 2010, 55, 3936-3943.	1.7	14
116	Sediment geochemistry of Lake Daihai, north-central China: implications for catchment weathering and climate change during the Holocene. <i>Journal of Paleolimnology</i> , 2010, 43, 75-87.	0.8	64
117	A multi-proxy approach to reconstruct hydrological changes and Holocene climate development of Nam Co, Central Tibet. <i>Journal of Paleolimnology</i> , 2010, 43, 625-648.	0.8	138
118	Variations of monsoonal precipitation over the last 16,000 years in the eastern Nanling Mountains, South China. <i>Journal of Paleolimnology</i> , 2010, 44, 177-188.	0.8	13
119	Holocene millennial-scale climate variations documented by multiple lake-level proxies in sediment cores from Hurleg Lake, Northwest China. <i>Journal of Paleolimnology</i> , 2010, 44, 995-1008.	0.8	68
120	Asynchronous evolution of the Indian and East Asian Summer Monsoon indicated by Holocene moisture patterns in monsoonal central Asia. <i>Earth-Science Reviews</i> , 2010, 103, 135-153.	4.0	286
121	Lithological and Palynological Evidence of late Quaternary Depositional Environments in the Subaqueous Yangtze Delta, China. <i>Quaternary Research</i> , 2010, 73, 550-562.	1.0	54
122	Climate change since 11.5 ka on the Diancang Massif on the southeastern margin of the Tibetan Plateau. <i>Quaternary Research</i> , 2010, 73, 304-312.	1.0	5
123	Late glacial vegetation and climate oscillations on the southeastern Tibetan Plateau inferred from the Lake Naleng pollen profile. <i>Quaternary Research</i> , 2010, 73, 324-335.	1.0	86
124	The East Asian Monsoon During MIS 2 Expressed in a Speleothem $\delta^{18}O$ Record From Jintanwan Cave, Hunan, China. <i>Quaternary Research</i> , 2010, 73, 541-549.	1.0	18
125	Lateglacial and Holocene variation in aeolian sediment flux over the northeastern Tibetan Plateau recorded by laminated sediments of a saline meromictic lake. <i>Journal of Quaternary Science</i> , 2010, 25, 162-177.	1.1	93
126	Climatic changes since the last deglaciation inferred from a lacustrine sedimentary sequence in the eastern Nanling Mountains, south China. <i>Journal of Quaternary Science</i> , 2010, 25, 975-984.	1.1	49
127	A detailed pollen record of vegetation and climate changes in Central China during the past 16,000 years. <i>Boreas</i> , 2010, 39, 69-76.	1.2	75

#	ARTICLE	IF	CITATIONS
128	An improved methodology of the modern analogues technique for palaeoclimate reconstruction in arid and semi-arid regions. <i>Boreas</i> , 2010, 39, 145-153.	1.2	54
129	Postglacial changes in the Asian summer monsoon system: a pollen record from the eastern margin of the Tibetan Plateau. <i>Boreas</i> , 2010, 39, 528-539.	1.2	57
130	THIS ARTICLE HAS BEEN RETRACTED: What caused the mid-Holocene forest decline on the eastern Tibetan-Qinghai Plateau?. <i>Global Ecology and Biogeography</i> , 2010, 19, 278-286.	2.7	33
131	Abrupt climate changes of the last deglaciation detected in a Western Mediterranean forest record. <i>Climate of the Past</i> , 2010, 6, 245-264.	1.3	146
132	Freshwater Outburst from Lake Superior as a Trigger for the Cold Event 9300 Years Ago. <i>Science</i> , 2010, 328, 1262-1266.	6.0	107
133	Pollen records from southern Taiwan: implications for East Asian summer monsoon variation during the Holocene. <i>Holocene</i> , 2010, 20, 81-89.	0.9	29
134	Holocene land-cover changes on the Tibetan Plateau. <i>Holocene</i> , 2010, 20, 91-104.	0.9	62
135	A high-resolution stalagmite record of the Holocene East Asian monsoon from Mt Shennongjia, central China. <i>Holocene</i> , 2010, 20, 257-264.	0.9	242
136	How East Asian Monsoon responds to solar forcing at multiple time scales during the Holocene with EMD method. , 2010, , .		0
137	Variations of East Asian summer monsoon since the last deglaciation based on Mg/Ca and oxygen isotope of planktic foraminifera in the northern East China Sea. <i>Paleoceanography</i> , 2010, 25, n/a-n/a.	3.0	109
138	SOLAR INFLUENCES ON CLIMATE. <i>Reviews of Geophysics</i> , 2010, 48, .	9.0	1,014
139	Orbital-scale timing and mechanisms driving Late Pleistocene Indo-Asian summer monsoons: Reinterpreting cave speleothem $\delta^{18}O$. <i>Paleoceanography</i> , 2010, 25, n/a-n/a.	3.0	289
140	Bulk organic carbon isotopic record of lacustrine sediments in Dahu Swamp, eastern Nanling Mountains in South China: Implication for catchment environmental and climatic changes in the last 16,000 years. <i>Journal of Asian Earth Sciences</i> , 2010, 38, 162-169.	1.0	32
141	Climatic and hydrologic variability in the East China Sea during the last 7000years based on oxygen isotope records of the submarine cavernicolous micro-bivalve <i>Carditella lejimensis</i> . <i>Global and Planetary Change</i> , 2010, 72, 131-140.	1.6	13
142	Holocene cold events on the Tibetan Plateau. <i>Global and Planetary Change</i> , 2010, 72, 155-163.	1.6	141
143	Persistent multidecadal power of the Indian Summer Monsoon. <i>Earth and Planetary Science Letters</i> , 2010, 290, 166-172.	1.8	144
144	The variation of summer monsoon precipitation in central China since the last deglaciation. <i>Earth and Planetary Science Letters</i> , 2010, 291, 21-31.	1.8	355
145	Evidence for Holocene changes in Australian-Indonesian monsoon rainfall from stalagmite trace element and stable isotope ratios. <i>Earth and Planetary Science Letters</i> , 2010, 292, 27-38.	1.8	112

#	ARTICLE	IF	CITATIONS
146	Younger Dryas–Holocene temperature and rainfall history of southern Indonesia from $\delta^{18}O$ in speleothem calcite and fluid inclusions. <i>Earth and Planetary Science Letters</i> , 2010, 295, 30-36.	1.8	65
147	The seasonality of east central North American precipitation based on three coeval Holocene speleothems from southern West Virginia. <i>Earth and Planetary Science Letters</i> , 2010, 295, 342-348.	1.8	43
148	Lessons learned from oxygen isotopes in modern precipitation applied to interpretation of speleothem records of paleoclimate from eastern Asia. <i>Earth and Planetary Science Letters</i> , 2010, 295, 219-230.	1.8	217
149	^{40}Ar – ^{39}Ar muscovite dating as a constraint on sediment provenance and erosion processes in the Red and Yangtze River systems, SE Asia. <i>Earth and Planetary Science Letters</i> , 2010, 295, 379-389.	1.8	37
150	High-resolution stalagmite $\delta^{18}O$ records of Asian monsoon changes in central and southern China spanning the MIS 3/2 transition. <i>Earth and Planetary Science Letters</i> , 2010, 298, 191-198.	1.8	60
151	Holocene treeline shifts and monsoon variability in the Hengduan Mountains (southeastern Tibetan) Tj ETQq1 1 0.784314 rgBT /Over Palaeoecology, 2010, 286, 23-41.	1.0	141
152	Modern hydrology and late Holocene history of Lake Karakul, eastern Pamirs (Tajikistan): A reconnaissance study. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2010, 289, 10-24.	1.0	80
153	Lateglacial and Holocene dune evolution in the Horqin dunefield of northeastern China based on luminescence dating. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2010, 296, 44-51.	1.0	46
154	Mid-Holocene regional reorganization of climate variability: Analyses of proxy data in the frequency domain. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2010, 298, 189-200.	1.0	31
155	Paleoenvironmental significance of compound-specific $\delta^{13}C$ variations in n-alkanes in the Hongyuan peat sequence from southwest China over the last 13ka. <i>Organic Geochemistry</i> , 2010, 41, 491-497.	0.9	30
156	A multiproxy lake record from Inner Mongolia displays a late Holocene teleconnection between Central Asian and North Atlantic climates. <i>Quaternary International</i> , 2010, 227, 170-182.	0.7	43
157	Timing and extent of late Quaternary glaciation in the western Himalaya constrained by ^{10}Be moraine dating in Garhwal, India. <i>Quaternary Science Reviews</i> , 2010, 29, 815-831.	1.4	82
158	Hydrological evolution during the last 15kyr in the Tso Kar lake basin (Ladakh, India), derived from geomorphological, sedimentological and palynological records. <i>Quaternary Science Reviews</i> , 2010, 29, 1138-1155.	1.4	191
159	Temperature and precipitation history of the Arctic. <i>Quaternary Science Reviews</i> , 2010, 29, 1679-1715.	1.4	226
160	Isotopic characterization of rapid climatic events during OIS3 and OIS4 in Villars Cave stalagmites (SW-France) and correlation with Atlantic and Mediterranean pollen records. <i>Quaternary Science Reviews</i> , 2010, 29, 2799-2820.	1.4	64
161	Geochemical and climate modeling evidence for Holocene aridification in Hawaii: dynamic response to a weakening equatorial cold tongue. <i>Quaternary Science Reviews</i> , 2010, 29, 3057-3066.	1.4	12
162	Regionalization of Present-Day Precipitation in the Greater Monsoon Region of Asia*. <i>Journal of Climate</i> , 2011, 24, 4073-4095.	1.2	64
163	Plant-wax hydrogen isotopic evidence for postglacial variations in delivery of precipitation in the monsoon domain of China. <i>Geology</i> , 2011, 39, 875-878.	2.0	46

#	ARTICLE	IF	CITATIONS
164	Climatic Fluctuations and Early Farming in West and East Asia. <i>Current Anthropology</i> , 2011, 52, S175-S193.	0.8	139
165	Meridional shifts in the marine ITCZ and the tropical hydrologic cycle over the last three glacial cycles. <i>Paleoceanography</i> , 2011, 26, .	3.0	51
166	Milankovitch-paced Termination II in a Nevada speleothem?. <i>Geophysical Research Letters</i> , 2011, 38, n/a-n/a.	1.5	29
167	The Role of Hudson Strait Outlet in Younger Dryas Sedimentation in the Labrador Sea. <i>Geophysical Monograph Series</i> , 2011, , 93-110.	0.1	5
168	Seasonal variation of fatty acids from drip water in Heshang Cave, central China. <i>Applied Geochemistry</i> , 2011, 26, 341-347.	1.4	17
169	Oxygen and carbon isotopic systematics of aragonite speleothems and water in Furong Cave, Chongqing, China. <i>Geochimica Et Cosmochimica Acta</i> , 2011, 75, 4140-4156.	1.6	87
170	Oxygen isotopes in calcite grown under cave-analogue conditions. <i>Geochimica Et Cosmochimica Acta</i> , 2011, 75, 3956-3972.	1.6	85
171	Speleothem calcite farmed in situ: Modern calibration of $\delta^{18}O$ and $\delta^{13}C$ paleoclimate proxies in a continuously-monitored natural cave system. <i>Geochimica Et Cosmochimica Acta</i> , 2011, 75, 4929-4950.	1.6	302
172	Improved provenance tracing of Asian dust sources using rare earth elements and selected trace elements for palaeomonsoon studies on the eastern Tibetan Plateau. <i>Geochimica Et Cosmochimica Acta</i> , 2011, 75, 6374-6399.	1.6	165
173	Responses of the upriver valley sediment to Holocene environmental changes in the Paju area of Korea. <i>Geomorphology</i> , 2011, 133, 80-89.	1.1	10
174	Past dynamics of the East Asian monsoon: No inverse behaviour between the summer and winter monsoon during the Holocene. <i>Global and Planetary Change</i> , 2011, 78, 170-177.	1.6	108
175	Decoupled warming and monsoon precipitation in East Asia over the last deglaciation. <i>Earth and Planetary Science Letters</i> , 2011, 301, 256-264.	1.8	204
176	Sampling strategy and climatic implications of tree-ring stable isotopes on the southeast Tibetan Plateau. <i>Earth and Planetary Science Letters</i> , 2011, 301, 307-316.	1.8	54
177	New Arabian Sea records help decipher orbital timing of Indo-Asian monsoon. <i>Earth and Planetary Science Letters</i> , 2011, 308, 433-444.	1.8	137
178	Comparison of speleothem $\delta^{18}O$ records from eastern China with solar insolation, ice core and marine records: Similarities and discrepancies on different time scales. <i>Journal of Asian Earth Sciences</i> , 2011, 40, 1151-1163.	1.0	8
179	The $\delta^{18}O$ and $\delta^{13}C$ records in an aragonite stalagmite from Furong Cave, Chongqing, China: A-2000-year record of monsoonal climate. <i>Journal of Asian Earth Sciences</i> , 2011, 40, 1121-1130.	1.0	56
180	Patterns of local and regional grain size distribution and their application to Holocene climate reconstruction in semi-arid Inner Mongolia, China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2011, 307, 168-176.	1.0	41
181	Potential influence of the Pacific Ocean on the Indian summer monsoon and Harappan decline. <i>Quaternary International</i> , 2011, 229, 140-148.	0.7	56

#	ARTICLE	IF	CITATIONS
182	Holocene vegetation and climate in Northeast China revealed from Jingbo Lake sediment. <i>Quaternary International</i> , 2011, 229, 67-73.	0.7	65
183	Records of late-Holocene East Asian winter monsoon in the East China Sea: Key grain-size component of quartz versus bulk sediments. <i>Quaternary International</i> , 2011, 230, 106-114.	0.7	36
184	Lignin biomarker and isotopic records of paleovegetation and climate changes from Lake Erhai, southwest China, since 18.5kaBP. <i>Quaternary International</i> , 2011, 229, 47-56.	0.7	46
185	Abrupt change of sediment records in the southern South China Sea during the last glacial period and its environment significance. <i>Quaternary International</i> , 2011, 237, 109-122.	0.7	12
186	Reconstructing climate variability on the northeastern Tibetan Plateau since the last Lateglacial – a multi-proxy, dual-site approach comparing terrestrial and aquatic signals. <i>Quaternary Science Reviews</i> , 2011, 30, 82-97.	1.4	133
187	A global context for megadroughts in monsoon Asia during the past millennium. <i>Quaternary Science Reviews</i> , 2011, 30, 47-62.	1.4	176
188	New insights on Late Quaternary Asian palaeomonsoon variability and the timing of the Last Glacial Maximum in southwestern China. <i>Quaternary Science Reviews</i> , 2011, 30, 808-820.	1.4	60
189	Development and carbon sequestration of tropical peat domes in south-east Asia: links to post-glacial sea-level changes and Holocene climate variability. <i>Quaternary Science Reviews</i> , 2011, 30, 999-1010.	1.4	164
190	Deconstructing the Last Glacial termination: the role of millennial and orbital-scale forcings. <i>Quaternary Science Reviews</i> , 2011, 30, 1155-1172.	1.4	124
191	Holocene vegetation and climate histories in the eastern Tibetan Plateau: controls by insolation-driven temperature or monsoon-derived precipitation changes?. <i>Quaternary Science Reviews</i> , 2011, 30, 1173-1184.	1.4	203
192	Holocene and Eemian climatic optima in the Korean Peninsula based on textural and carbon isotopic records from the stalagmite of the Daeya Cave, South Korea. <i>Quaternary Science Reviews</i> , 2011, 30, 1218-1231.	1.4	30
193	Holocene monsoon climate documented by oxygen and carbon isotopes from lake sediments and peat bogs in China: a review and synthesis. <i>Quaternary Science Reviews</i> , 2011, 30, 1973-1987.	1.4	226
194	Vegetation and climate variability in East Asia driven by low-latitude oceanic forcing during the middle to late Holocene. <i>Quaternary Science Reviews</i> , 2011, 30, 2487-2497.	1.4	42
195	Magnetic susceptibility as a proxy for rainfall: Worldwide data from tropical and temperate climate. <i>Quaternary Science Reviews</i> , 2011, 30, 2732-2744.	1.4	158
196	Late Pleistocene monsoon variability in northwest Thailand: an oxygen isotope sequence from the bivalve <i>Margaritanopsis laosensis</i> excavated in Mae Hong Son province. <i>Quaternary Science Reviews</i> , 2011, 30, 3088-3098.	1.4	52
197	A review of molecular organic proxies for examining modern and ancient lacustrine environments. <i>Quaternary Science Reviews</i> , 2011, 30, 2851-2891.	1.4	327
198	Structure and origin of Holocene cold events. <i>Quaternary Science Reviews</i> , 2011, 30, 3109-3123.	1.4	652
199	Moisture dynamics in central Asia for the last 15kyr: new evidence from Yili Valley, Xinjiang, NW China. <i>Quaternary Science Reviews</i> , 2011, 30, 3457-3466.	1.4	139

#	ARTICLE	IF	CITATIONS
200	Orbital timing of the Indian, East Asian and African boreal monsoons and the concept of a "global monsoon". <i>Quaternary Science Reviews</i> , 2011, 30, 3705-3715.	1.4	82
201	The magnetic properties of Quaternary aeolian dusts and sediments, and their palaeoclimatic significance. <i>Aeolian Research</i> , 2011, 3, 87-144.	1.1	196
202	NALPS: a precisely dated European climate record 120±60 ka. <i>Climate of the Past</i> , 2011, 7, 1247-1259.	1.3	127
203	Dating the Lascaux Cave Gour Formation. <i>Radiocarbon</i> , 2011, 53, 479-500.	0.8	15
204	Humification degree as a proxy climatic record since the last deglaciation derived from a limnological sequence in South China. <i>Geochemistry International</i> , 2011, 49, 407-414.	0.2	5
205	Geomorphic and climatic change over the past 12,900 yr at Swiftcurrent Lake, Glacier National Park, Montana, USA. <i>Quaternary Research</i> , 2011, 75, 80-90.	1.0	10
206	Sensitive grain-size records of Holocene East Asian summer monsoon in sediments of northern South China Sea slope. <i>Quaternary Research</i> , 2011, 75, 734-744.	1.0	59
207	Seismostratigraphic analysis with centennial to decadal time resolution of the sediment sink in the Ganges-Brahmaputra subaqueous delta. <i>Continental Shelf Research</i> , 2011, 31, 712-730.	0.9	37
208	Middle to late Holocene initiation of the annual flood pulse in Tonle Sap Lake, Cambodia. <i>Journal of Paleolimnology</i> , 2011, 45, 85-99.	0.8	20
209	Holocene climate variation denoted by Barkol Lake sediments in northeastern Xinjiang and its possible linkage to the high and low latitude climates. <i>Science China Earth Sciences</i> , 2011, 54, 603-614.	2.3	24
210	East Asian-North Indian Ocean thermal contrast and variation in the East Asian summer monsoon for the past 2650 years. <i>Science China Earth Sciences</i> , 2011, 54, 773-779.	2.3	3
211	Holocene palynological records and their responses to the controversies of climate system in the Shiyang River drainage basin. <i>Science Bulletin</i> , 2011, 56, 535-546.	1.7	24
212	Speleothem-derived Asian summer monsoon variations in Central China, 54±46 ka. <i>Journal of Quaternary Science</i> , 2011, 26, 781-790.	1.1	74
213	Speleothem records of changes in tropical hydrology over the Holocene and possible implications for atmospheric methane. <i>Holocene</i> , 2011, 21, 735-741.	0.9	21
215	Changes in the Indonesian Throughflow during the past 2000 yr. <i>Geology</i> , 2011, 39, 63-66.	2.0	21
216	$\delta^{13}C$, $\delta^{18}O$ and deposition rate of tufa in Xiangshui River, SW China: implications for land-cover change caused by climate and human impact during the late Holocene. <i>Geological Society Special Publication</i> , 2011, 352, 85-96.	0.8	12
217	Human-environment interactions in the development of early Chinese civilization. <i>Geological Society Special Publication</i> , 2011, 352, 125-136.	0.8	8
218	Interplay between the Westerlies and Asian monsoon recorded in Lake Qinghai sediments since 32 ka. <i>Scientific Reports</i> , 2012, 2, 619.	1.6	629

#	ARTICLE	IF	CITATIONS
219	A dramatic climatic transition at ~4000 cal. yr BP and its cultural responses in Chinese cultural domains. <i>Holocene</i> , 2012, 22, 1181-1197.	0.9	167
220	From Foraging to Farming in Western and Eastern Asia. , 0, , 57-91.		6
221	Isotopic and lithologic variations of one precisely-dated stalagmite across the Medieval/LIA period from Heilong Cave, central China. <i>Climate of the Past</i> , 2012, 8, 1541-1550.	1.3	19
222	The Global Paleomonsoon as seen through speleothem records from Asia and the Americas. <i>Climate Dynamics</i> , 2012, 39, 1045-1062.	1.7	311
223	Decreasing Asian summer monsoon intensity after 1860 AD in the global warming epoch. <i>Climate Dynamics</i> , 2012, 39, 2079-2088.	1.7	71
224	Deep sea records of the continental weathering and erosion response to East Asian monsoon intensification since 14ka in the South China Sea. <i>Chemical Geology</i> , 2012, 326-327, 1-18.	1.4	120
225	Tracking millennial-scale climate change by analysis of the modern summer precipitation in the marginal regions of the Asian monsoon. <i>Journal of Asian Earth Sciences</i> , 2012, 58, 78-87.	1.0	39
226	Holocene moist period recorded by the chronostratigraphy of a lake sedimentary sequence from Lake Tangra Yumco on the south Tibetan Plateau. <i>Quaternary Geochronology</i> , 2012, 10, 136-142.	0.6	62
227	Holocene palaeoclimate and sea level fluctuation recorded from the coastal Barker Swamp, Rottneest Island, south-western Western Australia. <i>Quaternary Science Reviews</i> , 2012, 54, 40-57.	1.4	30
228	Millennial-scale erosion rates in three inland drainage basins and their controlling factors since the Last Deglaciation, arid China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2012, 365-366, 263-275.	1.0	12
229	Provenance and climate change inferred from Sr ⁸⁷ / ⁸⁶ and Pb isotopes of late Quaternary sediments in the Huanghe (Yellow River) Delta, China. <i>Quaternary Research</i> , 2012, 78, 561-571.	1.0	57
230	Temporally changing drivers for late-Holocene vegetation changes on the northern Tibetan Plateau. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2012, 353-355, 10-20.	1.0	12
231	Climatic change recorded in the sediments of the Chew Bahir basin, southern Ethiopia, during the last 45,000 years. <i>Quaternary International</i> , 2012, 274, 25-37.	0.7	111
232	A continuous record of vegetation and climate change over the past 50,000 years in the Fujian Province of eastern subtropical China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2012, 365-366, 115-123.	1.0	79
233	Palaeovegetation and palaeoclimate in low-latitude southern China during the Last Glacial Maximum. <i>Quaternary International</i> , 2012, 248, 79-85.	0.7	35
234	Early Holocene vegetation, human activity and climate from Sarawak, Malaysian Borneo. <i>Quaternary International</i> , 2012, 249, 105-119.	0.7	41
235	Holocene millennial-scale vegetation changes in the Yugu floodplain, Kongju area, central South Korea. <i>Quaternary International</i> , 2012, 254, 92-98.	0.7	15
236	Rivers of the Hadramawt watershed (Yemen) during the Holocene: Clues of late functioning. <i>Quaternary International</i> , 2012, 266, 142-161.	0.7	39

#	ARTICLE	IF	CITATIONS
237	Climatic fluctuations during the LIA and post-LIA in the Kumaun Lesser Himalaya, India: Evidence from a 400-yr old stalagmite record. <i>Quaternary International</i> , 2012, 263, 129-138.	0.7	79
238	The East Asian winter monsoon over the last 15,000 years: its links to high-latitudes and tropical climate systems and complex correlation to the summer monsoon. <i>Quaternary Science Reviews</i> , 2012, 32, 131-142.	1.4	180
239	A 50,000-year record of late Pleistocene tropical vegetation and human impact in lowland Borneo. <i>Quaternary Science Reviews</i> , 2012, 37, 61-80.	1.4	70
240	Timing and structure of the Younger Dryas event in northern China. <i>Quaternary Science Reviews</i> , 2012, 41, 83-93.	1.4	96
241	Asian summer monsoonal variations during the Holocene revealed by Huguangyan maar lake sediment record. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2012, 323-325, 13-21.	1.0	74
242	Early- to middle Holocene lake-desert evolution in northern Ulan Buh Desert, China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2012, 331-332, 31-38.	1.0	51
243	Palaeoclimate dynamics in continental Southeast Asia over the last ~30,000 Calyrs BP. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2012, 339-341, 1-11.	1.0	25
244	Multiple early Holocene climate oscillations at Silver Lake, New Jersey and their possible linkage with outburst floods. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2012, 350-352, 171-179.	1.0	4
245	A 750-kyr detrital-layer stratigraphy for the North Atlantic (IODP Sites U1302- U1303, Orphan Knoll,) Tj ETQq0 0.0.rgBT /Overlock 10	1.8	92
246	The Holocene Indian monsoon variability over the southern Tibetan Plateau and its teleconnections. <i>Earth and Planetary Science Letters</i> , 2012, 335-336, 135-144.	1.8	171
247	Holocene dynamics of the Rhone Glacier, Switzerland, deduced from ice flow models and cosmogenic nuclides. <i>Earth and Planetary Science Letters</i> , 2012, 351-352, 27-35.	1.8	16
248	The inorganic geochemistry of a peat deposit on the eastern Qinghai-Tibetan Plateau and insights into changing atmospheric circulation in central Asia during the Holocene. <i>Geochimica Et Cosmochimica Acta</i> , 2012, 91, 7-31.	1.6	36
249	The sources and sinks of CO ₂ in caves under mixed woodland and grassland vegetation. <i>Geochimica Et Cosmochimica Acta</i> , 2012, 96, 230-246.	1.6	93
250	Last glacial to post glacial climate changes in continental Asia inferred from multi-proxy records (geochemistry, clay mineralogy, and paleontology) from Lake Hovsgol, northwest Mongolia. <i>Global and Planetary Change</i> , 2012, 88-89, 53-63.	1.6	13
251	Holocene environmental changes in northeast Thailand as reconstructed from a tropical wetland. <i>Global and Planetary Change</i> , 2012, 92-93, 148-161.	1.6	25
252	Timing of Late Quaternary palaeolake evolution in Tengger Desert of northern China and its possible forcing mechanisms. <i>Global and Planetary Change</i> , 2012, 92-93, 119-129.	1.6	100
253	Elevated foraminifera-bound nitrogen isotopic composition during the last ice age in the South China Sea and its global and regional implications. <i>Global Biogeochemical Cycles</i> , 2012, 26, .	1.9	29
254	Holocene linkages between char, soot, biomass burning and climate from Lake Daihai, China. <i>Global Biogeochemical Cycles</i> , 2012, 26, .	1.9	58

#	ARTICLE	IF	CITATIONS
255	Predictability of biomass burning in response to climate changes. <i>Global Biogeochemical Cycles</i> , 2012, 26, .	1.9	201
256	Interannual variability of H ₂ ¹⁸ O in precipitation over the Asian monsoon region. <i>Journal of Geophysical Research</i> , 2012, 117, .	3.3	52
257	Holocene environmental change and archaeology, Yangtze River Valley, China: Review and prospects. <i>Geoscience Frontiers</i> , 2012, 3, 875-892.	4.3	51
258	Reworking effects in the Holocene Zhuye Lake sediments: A case study by pollen concentrates AMS 14C dating. <i>Science China Earth Sciences</i> , 2012, 55, 1669-1678.	2.3	13
259	Paleoproductivity variations in the southern Okinawa Trough since the middle Holocene: Calcareous nannofossil records. <i>Science Bulletin</i> , 2012, 57, 3917-3922.	1.7	4
260	High-resolution climate evolution derived from the sediment records of Erlongwan Maar Lake since 14 ka BP. <i>Science Bulletin</i> , 2012, 57, 3610-3616.	1.7	17
261	Principles and development of the stalagmite paleoclimatology. <i>Journal of the Geological Society of Japan</i> , 2012, 118, 157-171.	0.2	3
262	Possible link between Holocene East Asian monsoon and solar activity obtained from the EMD method. <i>Nonlinear Processes in Geophysics</i> , 2012, 19, 421-430.	0.6	19
263	Oxygen isotopes from Chinese caves: records not of monsoon rainfall but of circulation regime. <i>Journal of Quaternary Science</i> , 2012, 27, 615-624.	1.1	182
264	Holocene environmental change at Lake Shudu, Yunnan Province, southwestern China. <i>Hydrobiologia</i> , 2012, 693, 223-235.	1.0	20
265	Changes in palaeoproductivity of Genggahai Lake over the past 16 ka in the Gonghe Basin, northeastern Qinghai-Tibetan Plateau. <i>Science Bulletin</i> , 2012, 57, 2595-2605.	1.7	18
266	Biomarker evidence for paleoenvironmental changes in the southern Yellow Sea over the last 8200 years. <i>Chinese Journal of Oceanology and Limnology</i> , 2012, 30, 1-11.	0.7	23
267	Vegetation response to Holocene climate change in East Asian monsoon-margin region. <i>Earth-Science Reviews</i> , 2012, 113, 1-10.	4.0	142
268	Visibility graph analysis of geophysical time series: Potentials and possible pitfalls. <i>Acta Geophysica</i> , 2012, 60, 589-623.	1.0	101
269	Sediment geochemistry of Dahu Swamp in the Nanling Mountains, South China: implication for catchment weathering during the last 16,000 years. <i>International Journal of Earth Sciences</i> , 2012, 101, 453-462.	0.9	9
270	A 16-ka lake-level record inferred from macrofossils in a sediment core from Genggahai Lake, northeastern Qinghai-Tibetan Plateau (China). <i>Journal of Paleolimnology</i> , 2013, 49, 575-590.	0.8	70
271	Environmental magnetic studies of sediment cores from Gonghai Lake: implications for monsoon evolution in North China during the late glacial and Holocene. <i>Journal of Paleolimnology</i> , 2013, 49, 447-464.	0.8	53
272	Holocene lake level variations on the Qinghai-Tibetan Plateau. <i>International Journal of Earth Sciences</i> , 2013, 102, 2007-2016.	0.9	40

#	ARTICLE	IF	CITATIONS
273	Interruptions of the ancient Shu Civilization: triggered by climate change or natural disaster?. International Journal of Earth Sciences, 2013, 102, 933-947.	0.9	8
274	Holocene vegetational and climatic variation in westerly-dominated areas of Central Asia inferred from the Sayram Lake in northern Xinjiang, China. Science China Earth Sciences, 2013, 56, 339-353.	2.3	117
275	Temporal and spatial variations in hydro-geochemistry of cave percolation water and their implications for four caves in Guizhou, China. Diqiu Huaxue, 2013, 32, 119-129.	0.5	6
276	Early to mid-Holocene lake high-stand sediments at Lake Donggi Cona, northeastern Tibetan Plateau, China. Quaternary Research, 2013, 79, 325-336.	1.0	82
277	Characteristics of the East Asian summer monsoon in the South Sea of Korea during the Little Ice Age. Quaternary International, 2013, 286, 36-44.	0.7	9
278	Oxygen and carbon isotope patterns archived in shells of the aquatic gastropod Radix: Hydrologic and climatic signals across the Tibetan Plateau in sub-monthly resolution. Quaternary International, 2013, 290-291, 282-298.	0.7	24
279	Cross-continent comparison of high-resolution Holocene climate records from southern Australia â€” Deciphering the impacts of far-field teleconnections. Earth-Science Reviews, 2013, 121, 55-72.	4.0	24
280	Holocene moisture variations across China and driving mechanisms: A synthesis of climatic records. Quaternary International, 2013, 313-314, 179-193.	0.7	111
281	Late Quaternary floodplain development along the Stung Sen River in the Lower Mekong Basin, Cambodia. Geomorphology, 2013, 198, 84-95.	1.1	11
282	Early holocene monsoonal fluctuations in the Garhwal higher Himalaya as inferred from multi-proxy data from the Malari paleolake. Quaternary Research, 2013, 80, 447-458.	1.0	38
283	Holocene temperature records from the East China sea mud area southwest of the Cheju Island reconstructed by the U 37 Kâ€² and TEX86 paleothermometers. Journal of Ocean University of China, 2013, 12, 599-604.	0.6	15
284	Carbonate formation and water level changes in a paleo-lake and its implication for carbon cycle and climate change, arid China. Frontiers of Earth Science, 2013, 7, 487-500.	0.9	4
285	Radiocarbon chronology and the correlation of hunter-gatherer sociocultural change with abrupt palaeoclimate change: the Middle Mesolithic in the Rhine-Meuse-Scheldt area of northwest Europe. Journal of Archaeological Science, 2013, 40, 755-763.	1.2	32
286	The Chinese Upper Paleolithic: Geography, Chronology, and Techno-typology. Journal of Archaeological Research, 2013, 21, 1-73.	1.4	99
287	Winter and summer monsoonal evolution in northeastern Qinghai-Tibetan Plateau during the Holocene period. Chemie Der Erde, 2013, 73, 309-321.	0.8	14
288	Vegetation responses to mid-Holocene extreme drought events and subsequent long-term drought on the southeastern Inner Mongolian Plateau, China. Agricultural and Forest Meteorology, 2013, 178-179, 3-9.	1.9	35
289	A comparative study on the stable isotopes from precipitation to speleothem in four caves of Guizhou, China. Chemie Der Erde, 2013, 73, 205-215.	0.8	26
290	Total organic carbon isotopes: A novel proxy of lake level from Lake Qinghai in the Qinghai-Tibet Plateau, China. Chemical Geology, 2013, 347, 153-160.	1.4	114

#	ARTICLE	IF	CITATIONS
291	East Asian Summer Monsoon variations in the past 12.5ka: High-resolution $\delta^{18}O$ record from a precisely dated aragonite stalagmite in central China. <i>Journal of Asian Earth Sciences</i> , 2013, 73, 162-175.	1.0	63
292	Lake Kumphawapi – an archive of Holocene palaeoenvironmental and palaeoclimatic changes in northeast Thailand. <i>Quaternary Science Reviews</i> , 2013, 68, 59-75.	1.4	40
293	Impacts of abrupt climate changes in the Levant from Last Glacial Dead Sea levels. <i>Quaternary Science Reviews</i> , 2013, 69, 1-7.	1.4	181
294	Holocene paleofloods related to climatic events in the upper reaches of the Hanjiang River valley, middle Yangtze River basin, China. <i>Geomorphology</i> , 2013, 195, 1-12.	1.1	54
295	Paleoclimate influence on early diagenesis of plant triterpenes in the Dajiuhu peatland, central China. <i>Geochimica Et Cosmochimica Acta</i> , 2013, 123, 106-119.	1.6	46
296	Late Quaternary aeolian activity in Gonghe Basin, northeastern Qinghai-Tibetan Plateau, China. <i>Quaternary Research</i> , 2013, 79, 403-412.	1.0	87
297	Vegetation and climate history of northern Japan inferred from the 5500-year pollen record from the Oshima Peninsula, SW Hokkaido. <i>Quaternary International</i> , 2013, 290-291, 151-163.	0.7	13
298	Climate instability during the last deglaciation in central Asia, reconstructed by pollen data from Yili Valley, NW China. <i>Review of Palaeobotany and Palynology</i> , 2013, 189, 8-17.	0.8	20
299	Global biomass burning: a synthesis and review of Holocene paleofire records and their controls. <i>Quaternary Science Reviews</i> , 2013, 65, 5-25.	1.4	297
300	Holocene stalagmite oxygen isotopic record from the Japan Sea side of the Japanese Islands, as a new proxy of the East Asian winter monsoon. <i>Quaternary Science Reviews</i> , 2013, 75, 150-160.	1.4	40
301	Holocene climate and vegetation changes inferred from pollen records of Lake Aibi, northern Xinjiang, China: A potential contribution to understanding of Holocene climate pattern in East-central Asia. <i>Quaternary International</i> , 2013, 311, 54-62.	0.7	127
302	Millennial-scale environmental changes in the Asian monsoon margin during the Holocene, implicated by the lake evolution of Huahai Lake in the Hexi Corridor of northwest China. <i>Quaternary International</i> , 2013, 313-314, 100-109.	0.7	43
303	Diurnal to interannual rainfall $\delta^{18}O$ variations in northern Borneo driven by regional hydrology. <i>Earth and Planetary Science Letters</i> , 2013, 369-370, 108-119.	1.8	134
304	Clay mineralogy indicates the Holocene monsoon climate in the Changjiang (Yangtze River) Catchment, China. <i>Applied Clay Science</i> , 2013, 74, 28-36.	2.6	54
305	Catchment instability and Asian summer monsoon variability during the early Holocene in southwestern China. <i>Boreas</i> , 2013, 42, 224-235.	1.2	27
306	A Reconstruction of Regional and Global Temperature for the Past 11,300 Years. <i>Science</i> , 2013, 339, 1198-1201.	6.0	1,322
307	Links between the East Asian monsoon and North Atlantic climate during the 8,200 year event. <i>Nature Geoscience</i> , 2013, 6, 117-120.	5.4	147
308	Holocene evolution in weathering and erosion patterns in the Pearl River delta. <i>Geochemistry, Geophysics, Geosystems</i> , 2013, 14, 2349-2368.	1.0	113

#	ARTICLE	IF	CITATIONS
309	Climatic stages recorded in sediments of the Gunang Cave, South Korea. <i>Quaternary International</i> , 2013, 313-314, 194-209.	0.7	8
310	Holocene peatland development along the eastern margin of the Tibetan Plateau. <i>Quaternary Research</i> , 2013, 80, 47-54.	1.0	24
311	Response of forest distribution to past climate change: An insight into future predictions. <i>Science Bulletin</i> , 2013, 58, 4426-4436.	1.7	30
312	Climatic and environmental change in Yanchi Lake, Northwest China since the Late Glacial: A comprehensive analysis of lake sediments. <i>Journal of Chinese Geography</i> , 2013, 23, 932-946.	1.5	16
313	Variation in $\delta^{15}N$ of a lacustrine sedimentary sequence in the Nanling Mountains and its potential implication for climatic conditions over the past ~ 16 000 years. <i>Chinese Journal of Oceanology and Limnology</i> , 2013, 31, 1098-1106.	0.7	2
314	Holocene changes in eastern equatorial Atlantic salinity as estimated by water isotopologues. <i>Earth and Planetary Science Letters</i> , 2013, 362, 151-162.	1.8	28
315	Late Holocene coupled moisture and temperature changes on the northern Tibetan Plateau. <i>Quaternary Science Reviews</i> , 2013, 80, 47-57.	1.4	103
316	Mid- to late Holocene Indian Ocean Monsoon variability recorded in four speleothems from Socotra Island, Yemen. <i>Quaternary Science Reviews</i> , 2013, 65, 129-142.	1.4	52
317	Westerly jet-E East Asian summer monsoon connection during the Holocene. <i>Geochemistry, Geophysics, Geosystems</i> , 2013, 14, 5041-5053.	1.0	56
318	Mid- to late-Holocene Indian winter monsoon variability from a terrestrial record in eastern and southeastern coastal environments of Sri Lanka. <i>Holocene</i> , 2013, 23, 945-960.	0.9	17
319	Asynchronous marine-terrestrial signals of the last deglacial warming in East Asia associated with low- and high-latitude climate changes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 9657-9662.	3.3	60
320	Hydrologic impacts of past shifts of Earth's thermal equator offer insight into those to be produced by fossil fuel CO ₂ . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 16710-16715.	3.3	73
321	Holocene Dune Mobility and Forcing Mechanisms at the Northern Margin of the East Asian Monsoon. <i>Acta Geologica Sinica</i> , 2013, 87, 1168-1178.	0.8	10
322	Stable Carbon Isotope Variations in Cave Percolation Waters and their Implications in Four Caves of Guizhou, China. <i>Acta Geologica Sinica</i> , 2013, 87, 1396-1411.	0.8	11
323	Quantitative reconstruction of mid- to late-Holocene climate in NE China from peat cellulose stable oxygen and carbon isotope records and mechanistic models. <i>Holocene</i> , 2013, 23, 1507-1516.	0.9	13
324	Paleotemperature variability in central China during the last 13 ka recorded by a novel microbial lipid proxy in the Dajiuhu peat deposit. <i>Holocene</i> , 2013, 23, 1123-1129.	0.9	58
325	Replicated stalagmite-inferred centennial-to decadal-scale monsoon precipitation variability in southwest China since the mid Holocene. <i>Holocene</i> , 2013, 23, 841-849.	0.9	19
326	PALEOCLIMATE Paleoclimate History of the Arctic. , 2013, , 113-125.		2

#	ARTICLE	IF	CITATIONS
327	Methyl chloride variability in the Taylor Dome ice core during the Holocene. <i>Journal of Geophysical Research D: Atmospheres</i> , 2013, 118, 12,218-12,228.	1.2	10
328	Tetraether biomarker records from a loess-paleosol sequence in the western Chinese Loess Plateau. <i>Frontiers in Microbiology</i> , 2013, 4, 199.	1.5	65
329	Radiocarbon Calibration/Comparison Records Based on Marine Sediments from the Pakistan and Iberian Margins. <i>Radiocarbon</i> , 2013, 55, 1999-2019.	0.8	40
330	Proxy benchmarks for intercomparison of 8.2 ka simulations. <i>Climate of the Past</i> , 2013, 9, 423-432.	1.3	56
331	PALEOCLIMATE The Younger Dryas Climate Event. , 2013, , 126-134.		58
332	Southern Hemisphere imprint for Indo-Asian summer monsoons during the last glacial period as revealed by Arabian Sea productivity records. <i>Biogeosciences</i> , 2013, 10, 7347-7359.	1.3	22
333	PALEOCEANOGRAPHY, RECORDS Postglacial North Pacific. , 2013, , 62-72.		0
334	Global Speleothem Oxygen Isotope Measurements Since the Last Glacial Maximum. <i>Dataset Papers in Geosciences</i> , 2013, 2013, 1-9.	0.3	11
335	Comment on "Holocene evolution in weathering and erosion patterns in the Pearl River delta" by Hu et al.. <i>Geochemistry, Geophysics, Geosystems</i> , 2014, 15, 2727-2731.	1.0	5
336	The global monsoon across timescales: coherent variability of regional monsoons. <i>Climate of the Past</i> , 2014, 10, 2007-2052.	1.3	152
337	Testing the detectability of spatio-temporal climate transitions from paleoclimate networks with the START model. <i>Nonlinear Processes in Geophysics</i> , 2014, 21, 691-703.	0.6	5
338	Variation in the Asian monsoon intensity and dry-wet conditions since the Little Ice Age in central China revealed by an aragonite stalagmite. <i>Climate of the Past</i> , 2014, 10, 1803-1816.	1.3	25
339	Water pH and temperature in Lake Biwa from MBT'/CBT indices during the last 280 000 years. <i>Climate of the Past</i> , 2014, 10, 1843-1855.	1.3	8
340	Similarity estimators for irregular and age-uncertain time series. <i>Climate of the Past</i> , 2014, 10, 107-122.	1.3	48
341	Holocene shifts in riverine fine-grained sediment supply to the East China Sea Distal Mud in response to climate change. <i>Holocene</i> , 2014, 24, 1253-1268.	0.9	32
342	Diatom response to Asian monsoon variability during the Late Glacial to Holocene in a small treeline lake, SW China. <i>Holocene</i> , 2014, 24, 1369-1377.	0.9	40
343	Holocene stalagmite $\delta^{18}O$ records in the East Asian monsoon region and their correlation with those in the Indian monsoon region. <i>Holocene</i> , 2014, 24, 1657-1664.	0.9	52
344	Major mid-late Holocene cooling in the East China Sea revealed by an alkenone sea surface temperature record. <i>Journal of Ocean University of China</i> , 2014, 13, 935-940.	0.6	13

#	ARTICLE	IF	CITATIONS
345	Reconstructed moisture evolution of the deserts in northern China since the Last Glacial Maximum and its implications for the East Asian Summer Monsoon. <i>Global and Planetary Change</i> , 2014, 121, 101-112.	1.6	106
346	North Atlantic Paleoceanography from Integrated Ocean Drilling Program Expeditions (2003–2013). <i>Developments in Marine Geology</i> , 2014, 7, 359-393.	0.4	0
347	Paleoenvironmental shifts and precipitation variations recorded in tropical maar lake sediments during the Holocene in Southern China. <i>Holocene</i> , 2014, 24, 1216-1225.	0.9	13
348	Biomarker-based reconstructions of Holocene lake-level changes at Lake Gahai on the northeastern Tibetan Plateau. <i>Holocene</i> , 2014, 24, 405-412.	0.9	44
349	An Abrupt Centennial-Scale Drought Event and Mid-Holocene Climate Change Patterns in Monsoon Marginal Zones of East Asia. <i>PLoS ONE</i> , 2014, 9, e90241.	1.1	5
350	Diatom-based reconstruction of summer sea-surface salinity in the South China Sea over the last 15,000 years. <i>Boreas</i> , 2014, 43, 208-219.	1.2	11
351	Holocene vegetation history, precipitation changes and Indian Summer Monsoon evolution documented from sediments of Xingyun Lake, southwest China. <i>Journal of Quaternary Science</i> , 2014, 29, 661-674.	1.1	171
352	Climate over mainland Southeast Asia 10.5–5 ka. <i>Journal of Quaternary Science</i> , 2014, 29, 445-454.	1.1	14
353	Asian monsoon climate during the Last Glacial Maximum: palaeo-data-model comparisons. <i>Boreas</i> , 2014, 43, 220-242.	1.2	35
354	Orbital control of western North America atmospheric circulation and climate over two glacial cycles. <i>Nature Communications</i> , 2014, 5, 3805.	5.8	86
355	¹⁴ C Chronostratigraphy for Qinghai Lake in China. <i>Radiocarbon</i> , 2014, 56, 143-155.	0.8	52
356	Asian Monsoon Variability Recorded in Other Archives. <i>Developments in Paleoenvironmental Research</i> , 2014, , 145-337.	7.5	0
357	Last Deglaciation Climatic Fluctuation Record by the Palaeo-Daocheng Ice Cap, Southeastern Qinghai-Tibetan Plateau. <i>Acta Geologica Sinica</i> , 2014, 88, 1863-1874.	0.8	8
358	The development of late Holocene coastal cooling in the northern South China Sea. <i>Quaternary International</i> , 2014, 349, 300-307.	0.7	45
359	Water salinity and productivity recorded by ostracod assemblages and their carbon isotopes since the early Holocene at Lake Qinghai on the northeastern Qinghai-Tibet Plateau, China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2014, 407, 25-33.	1.0	38
360	Coupled climate impacts of the Drake Passage and the Panama Seaway. <i>Climate Dynamics</i> , 2014, 43, 37-52.	1.7	33
361	Late Holocene monsoon climate as evidenced by proxy records from a lacustrine sediment sequence in western Guangdong, South China. <i>Journal of Asian Earth Sciences</i> , 2014, 80, 56-62.	1.0	8
362	The effects of solar irradiation changes on the migration of the Congo Air Boundary and water levels of paleo-Lake Suguta, Northern Kenya Rift, during the African Humid Period (15–5 ka BP). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2014, 396, 1-16.	1.0	73

#	ARTICLE	IF	CITATIONS
363	Reconstructing glacier retreat since the Little Ice Age in SE Tibet by glacier mapping and equilibrium line altitude calculation. <i>Geomorphology</i> , 2014, 214, 22-39.	1.1	86
364	Speleothem based 1000-year high resolution record of Indian monsoon variability during the last deglaciation. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2014, 395, 1-8.	1.0	36
365	A Holocene pollen record from the northwestern Himalayan lake Tso Moriri: Implications for palaeoclimatic and archaeological research. <i>Quaternary International</i> , 2014, 348, 93-112.	0.7	151
366	Isotopic reconstruction of the African Humid Period and Congo Air Boundary migration at Lake Tana, Ethiopia. <i>Quaternary Science Reviews</i> , 2014, 83, 58-67.	1.4	157
367	Diatom response to climate forcing of a deep, alpine lake (Lugu Hu, Yunnan, SW China) during the Last Glacial Maximum and its implications for understanding regional monsoon variability. <i>Quaternary Science Reviews</i> , 2014, 86, 1-12.	1.4	77
368	Reconstructing chemical weathering, physical erosion and monsoon intensity since 25Ma in the northern South China Sea: A review of competing proxies. <i>Earth-Science Reviews</i> , 2014, 130, 86-102.	4.0	402
369	Orbital Asian summer monsoon dynamics revealed using an isotope-enabled global climate model. <i>Nature Communications</i> , 2014, 5, 5371.	5.8	145
370	High-resolution multi-proxy evidence for millennial- and centennial-scale climate oscillations during the last deglaciation in Jeju Island, South Korea. <i>Quaternary Science Reviews</i> , 2014, 105, 112-125.	1.4	28
371	Modeling constraints on the spread of agriculture to Southwest China with thermal niche models. <i>Quaternary International</i> , 2014, 349, 29-41.	0.7	58
372	Relationship between environmental change on Geoje Island, southern coast of Korea, and regional monsoon and temperature changes during the late Holocene. <i>Quaternary International</i> , 2014, 344, 11-16.	0.7	11
373	Overbank flooding and human occupation of the Shalongka site in the Upper Yellow River Valley, northeast Tibet Plateau in relation to climate change since the last deglaciation. <i>Quaternary Research</i> , 2014, 82, 354-365.	1.0	9
374	Interpretation of speleothem calcite $\delta^{13}C$ variations: Evidence from monitoring soil CO ₂ , drip water, and modern speleothem calcite in central Texas. <i>Geochimica Et Cosmochimica Acta</i> , 2014, 142, 281-298.	1.6	61
375	Spatiotemporal relationship between temperature and precipitation in inland China from meteorological data and paleoclimatic implications for lacustrine oxygen records. <i>Quaternary International</i> , 2014, 349, 291-299.	0.7	2
376	Archaeology of the Anthropocene in the Yellow River region, China, 8000â€“2000 cal. BP. <i>Holocene</i> , 2014, 24, 1602-1623.	0.9	69
377	Rapid environmental change during dynastic transitions in Yunnan Province, China. <i>Quaternary Science Reviews</i> , 2014, 98, 24-32.	1.4	48
378	Climatic and palaeoecological changes during the mid- to Late Holocene transition in eastern China: high-resolution pollen and non-pollen palynomorph analysis at Pingwang, Yangtze coastal lowlands. <i>Quaternary Science Reviews</i> , 2014, 99, 164-175.	1.4	63
379	Prehistoric demographic fluctuations in China inferred from radiocarbon data and their linkage with climate change over the past 50,000 years. <i>Quaternary Science Reviews</i> , 2014, 98, 45-59.	1.4	99
380	Sensitivity of temperate vegetation to Holocene development of East Asian monsoon. <i>Quaternary Science Reviews</i> , 2014, 98, 126-134.	1.4	37

#	ARTICLE	IF	CITATIONS
381	Evolution of the Indian Summer Monsoon and terrestrial vegetation in the Bengal region during the past 18Åka. <i>Quaternary Science Reviews</i> , 2014, 102, 133-148.	1.4	114
382	Quantification of low molecular weight fatty acids in cave drip water and speleothems using HPLC-ESI-IT/MS â€” development and validation of a selective method. <i>Analytical and Bioanalytical Chemistry</i> , 2014, 406, 3167-3177.	1.9	21
383	Spatialâ€”temporal differences in climate change at different altitudes, northeastern Qinghai-Tibetan Plateau during the Holocene period. <i>International Journal of Earth Sciences</i> , 2014, 103, 1699-1710.	0.9	1
384	A 16-ka $\delta^{18}O$ record of lacustrine sugar biomarkers from the High Himalaya reflects Indian Summer Monsoon variability. <i>Journal of Paleolimnology</i> , 2014, 51, 241-251.	0.8	23
385	The spatialâ€”temporal patterns of Asian summer monsoon precipitation in response to Holocene insolation change: a model-data synthesis. <i>Quaternary Science Reviews</i> , 2014, 85, 47-62.	1.4	94
386	Solar forcing of centennial-scale East Asian winter monsoon variability in the mid- to late Holocene. <i>Earth and Planetary Science Letters</i> , 2014, 395, 124-135.	1.8	70
387	The Stable Isotopic Composition of Atmospheric O ₂ . , 2014, , 363-383.		6
388	Evidence of late Holocene climate variability in the western Nanling Mountains, South China. <i>Journal of Paleolimnology</i> , 2014, 52, 1-10.	0.8	18
389	Ecological responses to holocene millennial-scale climate change at high altitudes of east and Central Asia: A case study of Picea/Abies pollen changes in lacustrine sediments. <i>Journal of Mountain Science</i> , 2014, 11, 674-687.	0.8	2
390	Early Holocene environment at a key location of the northwest boundary of the Asian summer monsoon: a synthesis on chronologies of Zhuye Lake, Northwest China. <i>Journal of Arid Land</i> , 2014, 6, 511-528.	0.9	5
391	Relative humidity history on the Batangâ€”Litang Plateau of western China since 1755 reconstructed from tree-ring $\delta^{18}O$ and δ^2H . <i>Climate Dynamics</i> , 2014, 42, 2639-2654.	1.7	56
392	Settlement distribution and its relationship with environmental changes from the Paleolithic to Shangâ€”Zhou period in Liyang Plain, China. <i>Quaternary International</i> , 2014, 321, 29-36.	0.7	18
393	Latest Pleistocene and Holocene vegetation and climate history inferred from an alpine lacustrine record, northwestern Yunnan Province, southwestern China. <i>Quaternary Science Reviews</i> , 2014, 86, 35-48.	1.4	166
394	Palaeosol development in the Chinese Loess Plateau as an indicator of the strength of the East Asian summer monsoon: Evidence for a mid-Holocene maximum. <i>Quaternary International</i> , 2014, 334-335, 155-164.	0.7	129
395	A 48.5-ka climate record from Wulagai Lake in Inner Mongolia, Northeast China. <i>Quaternary International</i> , 2014, 333, 13-19.	0.7	11
396	Signatures of the late Holocene Neoglacial cold event and their marineâ€”terrestrial linkage in the northwestern Pacific margin. <i>Progress in Oceanography</i> , 2014, 124, 54-65.	1.5	10
397	Landscape evolution of the Ulan Buh Desert in northern China during the late Quaternary. <i>Quaternary Research</i> , 2014, 81, 476-487.	1.0	53
398	Late Holocene elemental and isotopic carbon and nitrogen records from the East China Sea inner shelf: Implications for monsoon and upwelling. <i>Marine Chemistry</i> , 2014, 162, 60-70.	0.9	43

#	ARTICLE	IF	CITATIONS
399	Late Holocene (~ 2 ka) East Asian Monsoon variations inferred from river discharge and climate interrelationships in the Pearl River Estuary. <i>Quaternary Research</i> , 2014, 81, 240-250.	1.0	14
400	Holocene climate change inferred from stratigraphy and OSL chronology of aeolian sediments in the Qaidam Basin, northeastern Qinghai-Tibetan Plateau. <i>Quaternary Research</i> , 2014, 81, 488-499.	1.0	74
401	Paleoclimatic changes on the southern Tibetan Plateau over the past 19,000 years recorded in Lake Pumoyum Co, and their implications for the southwest monsoon evolution. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2014, 396, 75-92.	1.0	23
402	Evidence of Holocene millennial-scale climatic change from Gonghe Basin peat deposit, northeastern Qinghai-Tibet Plateau. <i>Journal of Arid Environments</i> , 2014, 106, 1-10.	1.2	18
403	Changes in ITCZ location and cross-equatorial heat transport at the Last Glacial Maximum, Heinrich Stadial 1, and the mid-Holocene. <i>Earth and Planetary Science Letters</i> , 2014, 390, 69-79.	1.8	241
404	Reconstructing late Holocene vegetation and fire histories in monsoonal region of southeastern China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2014, 393, 102-110.	1.0	23
405	Magnetism of the Huguangyan Maar Lake sediments, Southeast China and its paleoenvironmental implications. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2014, 395, 158-167.	1.0	40
406	Holocene climate variation determined from rubidium and strontium contents and ratios of sediments collected from the BadainJaran Desert, Inner Mongolia, China. <i>Chemie Der Erde</i> , 2014, 74, 571-576.	0.8	9
407	Chinese cave records and the East Asia Summer Monsoon. <i>Quaternary Science Reviews</i> , 2014, 83, 115-128.	1.4	452
408	Synchronous or asynchronous Holocene Indian and East Asian summer monsoon evolution: A synthesis on Holocene Asian summer monsoon simulations, records and modern monsoon indices. <i>Global and Planetary Change</i> , 2014, 116, 30-40.	1.6	51
409	Decoupling of the East Asian summer monsoon and Indian summer monsoon between 20 and 17 ka. <i>Quaternary Research</i> , 2014, 82, 146-153.	1.0	17
410	Carbon storage and release in Indonesian peatlands since the last deglaciation. <i>Quaternary Science Reviews</i> , 2014, 97, 1-32.	1.4	122
411	Controls on erosion intensity in the Yangtze River basin tracked by U-Pb detrital zircon dating. <i>Earth-Science Reviews</i> , 2014, 136, 121-140.	4.0	69
412	New evidence on deglacial climatic variability from an alpine lacustrine record in northwestern Yunnan Province, southwestern China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2014, 406, 9-21.	1.0	49
413	Monsoon-influenced variation in productivity and lithogenic sediment flux since 110 ka in the offshore Mahanadi Basin, northern Bay of Bengal. <i>Marine and Petroleum Geology</i> , 2014, 58, 502-525.	1.5	65
414	Varied responses of forest at its distribution margin to Holocene monsoon development in northern China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2014, 409, 239-248.	1.0	39
415	Late Quaternary water depth changes in Hala Lake, northeastern Tibetan Plateau, derived from ostracod assemblages and sediment properties in multiple sediment records. <i>Quaternary Science Reviews</i> , 2014, 95, 95-114.	1.4	75
416	Abrupt variations of Indian and East Asian summer monsoons during the last deglacial stadial and interstadial. <i>Quaternary Science Reviews</i> , 2014, 97, 58-70.	1.4	39

#	ARTICLE	IF	CITATIONS
417	Linking Holocene drying trends from Lonar Lake in monsoonal central India to North Atlantic cooling events. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2014, 410, 164-178.	1.0	59
418	Tetraether lipids from the southern Yellow Sea of China: Implications for the variability of East Asia Winter Monsoon in the Holocene. <i>Organic Geochemistry</i> , 2014, 70, 10-19.	0.9	31
419	Agricultural Revolutions. , 0, , 121-164.		0
420	The Mid-Holocene, the Late Neolithic, and the Urban-State Revolution. , 0, , 165-212.		0
421	Domestication, Agriculture, and the Rise of the State. , 0, , 109-120.		0
422	Data Bibliography: Full Citations for Data Used in Figures and Tables. , 0, , 581-592.		0
423	ITCZ and ENSO pacing on East Asian winter monsoon variation during the Holocene: Sedimentological evidence from the Okinawa Trough. <i>Journal of Geophysical Research: Oceans</i> , 2014, 119, 4410-4429.	1.0	66
424	Late Quaternary climatic and environmental conditions of northern Spain: An isotopic approach based on the mammalian record from La Paloma cave. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2015, 440, 417-430.	1.0	17
425	The consequences of opening the Sunda Strait on the hydrography of the eastern tropical Indian Ocean. <i>Paleoceanography</i> , 2015, 30, 1358-1372.	3.0	26
426	Offset timing of climate oscillations during the last two glacial-interglacial transitions connected with large-scale freshwater perturbation. <i>Paleoceanography</i> , 2015, 30, 768-788.	3.0	38
427	Millennial-scale variability in biomass burning covering the interval ~ 41,000â€“7050 cal BP in the tropical Leizhou Peninsula (south China). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2015, 438, 344-351.	1.0	7
428	è²â½çè™«ç¾¼é¼±â,â,âÿâ,æµ·â«âšââ,«éžâž»1,700â¹é–“â®âç’°âçfâ%é•. <i>The Quaternary Research</i> , 2015, 54, 53-68.		3
429	Two modes of climatic control in the Holocene stalagmite record from the Japan Sea side of the Japanese islands. <i>Island Arc</i> , 2015, 24, 342-358.	0.5	6
430	Diatom response to Asian monsoon variability during the Holocene in a deep lake at the southeastern margin of the Tibetan Plateau. <i>Boreas</i> , 2015, 44, 785-793.	1.2	21
431	Evidence for sea level and monsoonally driven variations in terrigenous input to the northern East China Sea during the last 24.3â€%ka. <i>Paleoceanography</i> , 2015, 30, 642-658.	3.0	23
432	A diatom record of midâ€“to late Holocene palaeoenvironmental changes in the southern Okinawa Trough. <i>Journal of Quaternary Science</i> , 2015, 30, 32-43.	1.1	12
433	Vegetation, fire, and climate history during the last 18â€%500 cal a BP in southâ€“western Yunnan Province, China. <i>Journal of Quaternary Science</i> , 2015, 30, 859-869.	1.1	69
434	Peatland initiation and carbon dynamics in northeast China: links to Holocene climate variability. <i>Boreas</i> , 2015, 44, 575-587.	1.2	22

#	ARTICLE	IF	CITATIONS
435	Solar influence and hydrological variability during the Holocene from a speleothem annual record (Molinos Cave, NE Spain). <i>Terra Nova</i> , 2015, 27, 300-311.	0.9	16
436	Changes in East Asian summer monsoon precipitation during the Holocene deduced from a freshwater flux reconstruction of the Changjiang (Yangtze River) based on the oxygen isotope mass balance in the northern East China Sea. <i>Climate of the Past</i> , 2015, 11, 265-281.	1.3	41
437	A 22 570-year record of vegetational and climatic change from Wenhai Lake in the Hengduan Mountains biodiversity hotspot, Yunnan, Southwest China. <i>Biogeosciences</i> , 2015, 12, 1525-1535.	1.3	21
438	Effects of changes in moisture source and the upstream rainout on stable isotopes in precipitation – a case study in Nanjing, eastern China. <i>Hydrology and Earth System Sciences</i> , 2015, 19, 4293-4306.	1.9	60
439	Late-glacial to late-Holocene shifts in global precipitation $\delta^{18}O$. <i>Climate of the Past</i> , 2015, 11, 1375-1393.	1.3	57
440	Changes in the Radiocarbon Reservoir Age in Lake Xingyun, Southwestern China during the Holocene. <i>PLoS ONE</i> , 2015, 10, e0121532.	1.1	23
441	Quantifying the Intra-Regional Precipitation Variability in Northwestern China over the Past 1,400 Years. <i>PLoS ONE</i> , 2015, 10, e0131693.	1.1	11
442	Last deglacial and Holocene vegetation evolution and climate variability in the subalpine western Nanling Mountains in South China. <i>Holocene</i> , 2015, 25, 1330-1340.	0.9	24
443	Changes in climate and vegetation of central Guizhou in southwest China since the last glacial reflected by stalagmite records from Yelang Cave. <i>Journal of Asian Earth Sciences</i> , 2015, 114, 549-561.	1.0	29
444	A high-resolved record of the Asian Summer Monsoon from Dongge Cave, China for the past 1200 years. <i>Quaternary Science Reviews</i> , 2015, 122, 250-257.	1.4	67
445	Environmental change and human occupation of southern Ethiopia and northern Kenya during the last 20,000 years. <i>Quaternary Science Reviews</i> , 2015, 129, 333-340.	1.4	54
446	Asian summer monsoon variability during the late glacial and Holocene inferred from the stable carbon isotope record of black carbon in the sediments of Muge Co, southeastern Tibetan Plateau, China. <i>Holocene</i> , 2015, 25, 1857-1868.	0.9	27
447	A Framework for the Initial Occupation of the Americas. <i>PaleoAmerica</i> , 2015, 1, 217-250.	0.4	71
448	Interactions among millennial-scale geomorphic processes in different parts of a drainage basin, arid China. <i>Physical Geography</i> , 2015, 36, 367-394.	0.6	2
449	Middle Holocene environmental change in central Korea and its linkage to summer and winter monsoon changes. <i>Quaternary Research</i> , 2015, 84, 37-45.	1.0	10
450	Holocene environmental change at the southern coast of Korea based on organic carbon isotope ($\delta^{13}C$) and C/S ratios. <i>Quaternary International</i> , 2015, 384, 160-168.	0.7	20
451	Late Quaternary carbon cycling responses to environmental change revealed by multi-proxy analyses of a sediment core from an upland lake in southwest China. <i>Quaternary Research</i> , 2015, 84, 415-422.	1.0	9
452	Lake Level Reconstruction for 12.8–2.3 ka of the Ngangla Ring Tso Closed-Basin Lake System, Southwest Tibetan Plateau. <i>Quaternary Research</i> , 2015, 83, 66-79.	1.0	67

#	ARTICLE	IF	CITATIONS
453	Mid- to late-Holocene East Asian summer monsoon variability recorded in lacustrine sediments from Jingpo Lake, Northeastern China. <i>Holocene</i> , 2015, 25, 454-468.	0.9	59
454	Aerosol forcing of the position of the intertropical convergence zone since ad 1550. <i>Nature Geoscience</i> , 2015, 8, 195-200.	5.4	112
455	Holocene glacier fluctuations. <i>Quaternary Science Reviews</i> , 2015, 111, 9-34.	1.4	294
456	Abrupt Holocene Indian Summer Monsoon failures: A primary response to solar activity?. <i>Holocene</i> , 2015, 25, 677-685.	0.9	41
457	Variability of stalagmite-inferred Indian monsoon precipitation over the past 252,000 y. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 2954-2959.	3.3	233
458	Hydrogeochemical and climatic interpretations of isotopic signals from precipitation to drip waters in Liangfeng Cave, Guizhou Province, China. <i>Environmental Earth Sciences</i> , 2015, 74, 1509-1519.	1.3	14
459	Centennial-scale monsoon climate fluctuations from a stalagmite record during the mid-Holocene Epoch in Fulu cave of Huaping, Yunnan, China. <i>Environmental Earth Sciences</i> , 2015, 74, 929-935.	1.3	5
460	Biogeochemical evidence of Holocene East Asian summer and winter monsoon variability from a tropical maar lake in southern China. <i>Quaternary Science Reviews</i> , 2015, 111, 51-61.	1.4	121
461	Increasing summer rainfall in arid eastern-Central Asia over the past 8500 years. <i>Scientific Reports</i> , 2014, 4, 5279.	1.6	99
462	Multispectral analysis of Northern Hemisphere temperature records over the last five millennia. <i>Climate Dynamics</i> , 2015, 45, 83-104.	1.7	22
463	Evidence for solar cycles in a late Holocene speleothem record from Dongge Cave, China. <i>Scientific Reports</i> , 2014, 4, 5159.	1.6	47
464	Cyclic changes of Asian monsoon intensity during the early mid-Holocene from annually-laminated stalagmites, central China. <i>Quaternary Science Reviews</i> , 2015, 121, 1-10.	1.4	20
465	Radiocarbon chronology of the last glacial maximum and its termination in northwestern Patagonia. <i>Quaternary Science Reviews</i> , 2015, 122, 233-249.	1.4	90
466	Late Pleistocene–Holocene vegetation and Indian summer monsoon record from the Lahaul, Northwest Himalaya, India. <i>Quaternary Science Reviews</i> , 2015, 114, 167-181.	1.4	150
467	The Tienchi Pond on Lanyu Island (Western Pacific): Lake formation and potential as environmental archive. <i>Journal of Asian Earth Sciences</i> , 2015, 114, 435-446.	1.0	0
468	Eastern Mediterranean hydroclimate over the late glacial and Holocene, reconstructed from the sediments of Nar lake, central Turkey, using stable isotopes and carbonate mineralogy. <i>Quaternary Science Reviews</i> , 2015, 124, 162-174.	1.4	105
469	Are aragonite stalagmites reliable paleoclimate proxies? Tests for oxygen isotope time-series replication and equilibrium. <i>Bulletin of the Geological Society of America</i> , 2015, 127, 1521-1533.	1.6	26
470	Transient coupling relationships of the Holocene Australian monsoon. <i>Quaternary Science Reviews</i> , 2015, 121, 120-131.	1.4	18

#	ARTICLE	IF	CITATIONS
471	Reconciliation of hydroclimate sequences from the Chinese Loess Plateau and low-latitude East Asian Summer Monsoon regions over the past 14,500years. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2015, 435, 127-135.	1.0	82
472	Holocene climate change on the northeastern Tibetan Plateau inferred from mountain-slope pollen and non-pollen palynomorphs. <i>Review of Palaeobotany and Palynology</i> , 2015, 221, 22-31.	0.8	12
473	East Asian summer monsoon precipitation variability since the last deglaciation. <i>Scientific Reports</i> , 2015, 5, 11186.	1.6	534
474	Morphodynamics and lake level variations at Paiku Co, southern Tibetan Plateau, China. <i>Geomorphology</i> , 2015, 246, 489-501.	1.1	29
475	Linkages between climate, fire and vegetation in southwest China during the last 18.5ka based on a sedimentary record of black carbon and its isotopic composition. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2015, 435, 86-94.	1.0	61
476	Millennial-scale tropical atmospheric and Atlantic Ocean circulation change from the Last Glacial Maximum and Marine Isotope Stage 3. <i>Earth and Planetary Science Letters</i> , 2015, 427, 47-56.	1.8	15
477	Reconstructing Mid- to Late Holocene East Asian Monsoon Variability in the Jingpo Lake, Northeastern China. , 2015, , 95-127.		0
478	Holocene East Asian summer monsoon records in northern China and their inconsistency with Chinese stalagmite $\delta^{18}O$ records. <i>Earth-Science Reviews</i> , 2015, 148, 194-208.	4.0	275
479	A lake-level chronology based on feldspar luminescence dating of beach ridges at Tangra Yum Co (Southern Tibet). <i>Quaternary Research</i> , 2015, 83, 469-478.	1.0	43
480	Peatland evolution and associated environmental changes in central China over the past 40,000 years. <i>Quaternary Research</i> , 2015, 84, 255-261.	1.0	26
481	Laurentide ice-sheet instability during the last deglaciation. <i>Nature Geoscience</i> , 2015, 8, 534-537.	5.4	30
482	Quartz OSL and K-feldspar pIRIR dating of a loess/paleosol sequence from arid central Asia, Tianshan Mountains, NW China. <i>Quaternary Geochronology</i> , 2015, 28, 40-53.	0.6	56
483	Clay mineral and grain size studies of sediment provenances and paleoenvironment evolution in the middle Okinawa Trough since 17ka. <i>Marine Geology</i> , 2015, 366, 49-61.	0.9	59
484	Late Quaternary vegetation and climate dynamics at the northern limit of the East Asian summer monsoon and its regional and global-scale controls. <i>Quaternary Science Reviews</i> , 2015, 116, 57-71.	1.4	38
485	Contrasting sea surface temperature of summer and winter monsoon variability in the northern Arabian Sea over the last 25 ka. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2015, 426, 10-21.	1.0	40
486	Investigating extreme flood response to Holocene palaeoclimate in the Chinese monsoonal zone: A palaeoflood case study from the Hanjiang River. <i>Geomorphology</i> , 2015, 238, 187-197.	1.1	24
487	Late Quaternary sedimentary environmental evolution offshore of the Hangzhou Bay, East China—implications for sea level change and formation of Changjiang alongshore current. <i>Chinese Journal of Oceanology and Limnology</i> , 2015, 33, 748-763.	0.7	16
488	Linkages between Quaternary climate change and sedimentary processes in Hala Lake, northern Tibetan Plateau, China. <i>Journal of Asian Earth Sciences</i> , 2015, 107, 140-150.	1.0	26

#	ARTICLE	IF	CITATIONS
489	Vegetation and climate history reconstructed from an alpine lake in central Tianshan Mountains since 8.5 ka BP. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2015, 432, 36-48.	1.0	76
490	Direct measurements of deglacial monsoon strength in a Chinese stalagmite. <i>Geology</i> , 2015, 43, 555-558.	2.0	56
491	Climate variability on the south-eastern Tibetan Plateau since the Lateglacial based on a multiproxy approach from Lake Naleng – comparing pollen and non-pollen signals. <i>Quaternary Science Reviews</i> , 2015, 115, 112-122.	1.4	41
492	Magnetic properties of tidal flat sediments on the Yangtze coast, China: Early diagenetic alteration and implications. <i>Holocene</i> , 2015, 25, 832-843.	0.9	20
493	Holocene aeolian activity and climatic change in Qinghai Lake basin, northeastern Qinghai–Tibetan Plateau. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2015, 430, 1-10.	1.0	69
494	Holocene aeolian activities in the southeastern Mu Us Desert, China. <i>Aeolian Research</i> , 2015, 19, 267-274.	1.1	42
495	Climate controls on carbon accumulation in peatlands of Northeast China. <i>Quaternary Science Reviews</i> , 2015, 115, 78-88.	1.4	61
496	High-resolution magnetic and palynological records of the last deglaciation and Holocene from Lake Xiarinur in the Hunshandake Sandy Land, Inner Mongolia. <i>Holocene</i> , 2015, 25, 844-856.	0.9	30
497	Vegetation responses to the last glacial and early Holocene environmental changes in the northern Leizhou Peninsula, south China. <i>Quaternary Research</i> , 2015, 84, 223-231.	1.0	17
498	A record of wet glacial stages and dry interglacial stages over the last 560 kyr from a standing massive stalagmite in Carlsbad Cavern, New Mexico, USA. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2015, 438, 256-266.	1.0	16
499	Indication of millennial-scale moisture changes by the temporal distribution of Holocene calcareous root tubes in the deserts of the Alashan Plateau, Northwest China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2015, 440, 496-505.	1.0	44
500	Reconstruction of winter monsoon strength by elemental ratio of sediments in the East China Sea. <i>Journal of Asian Earth Sciences</i> , 2015, 114, 467-475.	1.0	15
501	Marine palynological record for tropical climate variations since the late last glacial maximum in the northern South China Sea. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2015, 122, 153-162.	0.6	37
502	A 15,400-year record of climate variation from a subalpine lacustrine sedimentary sequence in the western Nanling Mountains in South China. <i>Quaternary Research</i> , 2015, 84, 246-254.	1.0	30
503	Dating of debris flow fan complexes from Lantau Island, Hong Kong, China: The potential relationship between landslide activity and climate change. <i>Geomorphology</i> , 2015, 248, 205-227.	1.1	19
504	Holocene vegetation and climate dynamics of NE China based on the pollen record from Sihailongwan Maar Lake. <i>Quaternary Science Reviews</i> , 2015, 124, 275-289.	1.4	224
505	Anthropocene archaeology of the Yellow River, China, 5000–2000 BP. <i>Holocene</i> , 2015, 25, 1627-1639.	0.9	35
506	A 13,000 year record of environmental magnetic variations in the lake and peat deposits from the Chandra valley, Lahaul: Implications to Holocene monsoonal variability in the NW Himalaya. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2015, 440, 116-127.	1.0	55

#	ARTICLE	IF	CITATIONS
507	Vegetation and climate history in arid western China during MIS2: New insights from pollen and grain-size data of the Balikun Lake, eastern Tien Shan. <i>Quaternary Science Reviews</i> , 2015, 126, 112-125.	1.4	59
508	Holocene environmental change in Kamchatka: A synopsis. <i>Global and Planetary Change</i> , 2015, 134, 166-174.	1.6	17
509	Advancements in the use of speleothems as climate archives. <i>Quaternary Science Reviews</i> , 2015, 127, 1-18.	1.4	116
510	Gradual onset and recovery of the Younger Dryas abrupt climate event in the tropics. <i>Nature Communications</i> , 2015, 6, 8061.	5.8	55
511	Geomorphological and palaeoclimate dynamics recorded by the formation of aeolian archives on the Tibetan Plateau. <i>Earth-Science Reviews</i> , 2015, 150, 393-408.	4.0	82
512	Patterns of vegetation and climate change in the northern South China Sea during the last glaciation inferred from marine palynological records. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2015, 440, 249-258.	1.0	28
513	Holocene vegetation, environment and anthropogenic influence in the Fuzhou Basin, southeast China. <i>Journal of Asian Earth Sciences</i> , 2015, 99, 85-94.	1.0	39
515	Lake Sediments. , 2015, , 319-343.		3
516	Speleothems. , 2015, , 291-318.		0
517	Holocene wildfire history and human activity from high-resolution charcoal and elemental black carbon records in the Guanzhong Basin of the Loess Plateau, China. <i>Quaternary Science Reviews</i> , 2015, 109, 76-87.	1.4	53
518	A Holocene East Asian winter monsoon record at the southern edge of the Gobi Desert and its comparison with a transient simulation. <i>Climate Dynamics</i> , 2015, 45, 1219-1234.	1.7	51
519	Reconstructing lake evaporation history and the isotopic composition of precipitation by a coupled $\delta^{18}O$ - δ^2H biomarker approach. <i>Journal of Hydrology</i> , 2015, 529, 622-631.	2.3	29
520	Precipitation variability in the Indian Central Himalaya during last ca. 4,000 years inferred from a speleothem record: Impact of Indian Summer Monsoon (ISM) and Westerlies. <i>Quaternary International</i> , 2015, 371, 244-253.	0.7	108
521	Climatic changes in the western part of the Chinese Loess Plateau during the Last Deglacial and the Holocene: A synthesis of pollen records. <i>Quaternary International</i> , 2015, 372, 130-141.	0.7	15
522	Diatom-based inference of variations in the strength of East Asian spring wind speeds since mid-Holocene. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2015, 418, 65-74.	1.0	5
523	Global Monsoon Dynamics and Climate Change. <i>Annual Review of Earth and Planetary Sciences</i> , 2015, 43, 29-77.	4.6	331
524	Holocene Vegetation Succession and Response to Climate Change on the South Bank of the Heilongjiang-Amur River, Mohe County, Northeast China. <i>Advances in Meteorology</i> , 2016, 2016, 1-11.	0.6	2
525	The climate reconstruction in Shandong Peninsula, northern China, during the last millennium based on stalagmite laminae together with a comparison to $\delta^{18}O$. <i>Climate of the Past</i> , 2016, 12, 871-881.	1.3	14

#	ARTICLE	IF	CITATIONS
526	Interactions between climate change and human activities during the early to mid-Holocene in the eastern Mediterranean basins. <i>Climate of the Past</i> , 2016, 12, 1847-1877.	1.3	38
527	Quantification of southwest China rainfall during the 8.2 ka BP event with response to North Atlantic cooling. <i>Climate of the Past</i> , 2016, 12, 1583-1590.	1.3	13
528	Macro-Process of Past Plant Subsistence from the Upper Paleolithic to Middle Neolithic in China: A Quantitative Analysis of Multi-Archaeobotanical Data. <i>PLoS ONE</i> , 2016, 11, e0148136.	1.1	13
529	Climate Change and Drought Events in the Geochemical Records of the Lacustrine Deposits in the Southeastern Tibetan Plateau. <i>PLoS ONE</i> , 2016, 11, e0168928.	1.1	9
530	Lake level reconstruction of Huangqihai Lake in northern China since MIS 3 based on pulsed optically stimulated luminescence dating. <i>Journal of Quaternary Science</i> , 2016, 31, 225-238.	1.1	23
531	Climate-driven sediment aggradation and incision since the late Pleistocene in the NW Himalaya, India. <i>Earth and Planetary Science Letters</i> , 2016, 449, 321-331.	1.8	50
532	Response of chironomid assemblages to East Asian summer monsoon precipitation variability in northern China since the last deglaciation. <i>Journal of Quaternary Science</i> , 2016, 31, 967-982.	1.1	12
533	Sources and burial of organic carbon in the middle Okinawa Trough during late Quaternary paleoenvironmental change. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2016, 118, 46-56.	0.6	20
534	A 15 ka lake water δD record from Genggahai Lake, northeastern Tibetan Plateau, and its paleoclimatic significance. <i>Organic Geochemistry</i> , 2016, 97, 5-16.	0.9	20
535	Solar-, monsoon- and Kuroshio-influenced thermocline depth and sea surface salinity in the southern Okinawa Trough during the past 17,300 years. <i>Geo-Marine Letters</i> , 2016, 36, 281-291.	0.5	9
536	Potential influence of temperature changes in the Southern Hemisphere on the evolution of the Asian summer monsoon during the last glacial period. <i>Quaternary International</i> , 2016, 392, 239-250.	0.7	29
537	Holocene vegetation succession and responses to climate change in the northern sector of Northeast China. <i>Science China Earth Sciences</i> , 2016, 59, 1390-1400.	2.3	15
538	Biogeochemical processes and response to climate change recorded in the isotopes of lacustrine organic matter, southeastern Qinghai-Tibetan Plateau, China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 453, 93-100.	1.0	14
539	Pollen- and charcoal-based evidence for climatic and human impact on vegetation in the northern edge of Wuyi Mountains, China, during the last 8200 years. <i>Holocene</i> , 2016, 26, 1616-1626.	0.9	52
540	Changes in monsoon-driven upwelling in the South China Sea over glacial Terminations I and II: a multi-proxy record. <i>International Journal of Earth Sciences</i> , 2016, 105, 1273-1285.	0.9	6
541	Influence of climate change on the evolution of ancient culture from 4500 to 3700 cal. yr BP in the Chengdu Plain, upper reaches of the Yangtze River, China. <i>Catena</i> , 2016, 147, 742-754.	2.2	22
542	Multi-decadal periods of enhanced aeolian activity on the north-eastern Tibet Plateau during the last 2ka. <i>Quaternary Science Reviews</i> , 2016, 149, 91-101.	1.4	30
543	Asynchronous Holocene Asian monsoon vapor transport and precipitation. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 461, 195-200.	1.0	8

#	ARTICLE	IF	CITATIONS
544	Ocean mixing and ice-sheet control of seawater $^{234}\text{U}/^{238}\text{U}$ during the last deglaciation. <i>Science</i> , 2016, 354, 626-629.	6.0	43
545	Timing, cause and consequences of mid-Holocene climate transition in the Arabian Sea. <i>Quaternary Research</i> , 2016, 86, 162-169.	1.0	20
546	Synchronicity of Kuroshio Current and climate system variability since the Last Glacial Maximum. <i>Earth and Planetary Science Letters</i> , 2016, 452, 247-257.	1.8	57
547	History and possible mechanisms of prehistoric human migration to the Tibetan Plateau. <i>Science China Earth Sciences</i> , 2016, 59, 1765-1778.	2.3	59
548	Holocene climate controls on water isotopic variations on the northeastern Tibetan Plateau. <i>Chemical Geology</i> , 2016, 440, 239-247.	1.4	29
549	A 5,500-Year Model of Changing Crop Niches on the Tibetan Plateau. <i>Current Anthropology</i> , 2016, 57, 517-522.	0.8	35
550	Geological record of meltwater events at Qinghai Lake, China from the past 40 ka. <i>Quaternary Science Reviews</i> , 2016, 149, 279-287.	1.4	41
551	Late Quaternary glacial advances in the eastern Qilianshan, northeastern Tibet, as inferred from luminescence dating of fluvio-glacial sediments. <i>Journal of Quaternary Science</i> , 2016, 31, 587-597.	1.1	14
552	Peatland development and climate changes in the Dajiuhu basin, central China, over the last 14,100 years. <i>Quaternary International</i> , 2016, 425, 273-281.	0.7	29
553	Plant-wax D/H ratios in the southern European Alps record multiple aspects of climate variability. <i>Quaternary Science Reviews</i> , 2016, 148, 176-191.	1.4	20
554	Paleohydrological processes revealed by n-alkane δD in lacustrine sediments of Lake Pumoyum Co, southern Tibetan Plateau, and their response to climate changes during the past 18.5 cal ka. <i>Journal of Paleolimnology</i> , 2016, 56, 223-238.	0.8	10
555	Direct versus indirect climate controls on Holocene diatom assemblages in a sub-tropical deep, alpine lake (Lugu Hu, Yunnan, SW China). <i>Quaternary Research</i> , 2016, 86, 1-12.	1.0	49
556	Palaeoclimatic records of the loess/palaeosol sequences of the Chinese Loess Plateau. <i>Quaternary Science Reviews</i> , 2016, 154, 23-84.	1.4	211
557	Disentangling the impacts of climate and human colonization on the flora and fauna of the Australian arid zone over the past 100 ka using stable isotopes in avian eggshell. <i>Quaternary Science Reviews</i> , 2016, 151, 27-57.	1.4	34
558	Vegetation and climate history inferred from a Qinghai Crater Lake pollen record from Tengchong, southwestern China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 461, 1-11.	1.0	50
559	Late-Pleistocene precipitation $\delta^{18}\text{O}$ interpolated across the global landmass. <i>Geochemistry, Geophysics, Geosystems</i> , 2016, 17, 3274-3288.	1.0	17
560	Comparison of grain-size distributions between nearshore sections and a deep-water sediment core from Dali Lake, North China, and inferred Holocene lake-level changes. <i>Journal of Paleolimnology</i> , 2016, 56, 123-135.	0.8	10
561	Tracking regional and global teleconnections recorded by western North American speleothem records. <i>Quaternary Science Reviews</i> , 2016, 149, 18-33.	1.4	17

#	ARTICLE	IF	CITATIONS
562	Millennial-scale Asian summer monsoon variations in South China since the last deglaciation. <i>Earth and Planetary Science Letters</i> , 2016, 451, 22-30.	1.8	77
563	Aeolian activity in the south margin of the Tengger Desert in northern China since the Late Glacial Period revealed by luminescence chronology. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 457, 330-341.	1.0	16
564	Interannual controls on oxygen isotope variability in Asian monsoon precipitation and implications for paleoclimate reconstructions. <i>Journal of Geophysical Research D: Atmospheres</i> , 2016, 121, 8410-8428.	1.2	77
565	Late-Holocene vegetation and climate change in Jeju Island, Korea and its implications for ENSO influences. <i>Quaternary Science Reviews</i> , 2016, 153, 40-50.	1.4	40
566	Holocene moisture and East Asian summer monsoon evolution in the northeastern Tibetan Plateau recorded by Lake Qinghai and its environs: A review of conflicting proxies. <i>Quaternary Science Reviews</i> , 2016, 154, 111-129.	1.4	143
567	Responses of the summer Asian-Pacific zonal thermal contrast and the associated evolution of atmospheric circulation to transient orbital changes during the Holocene. <i>Scientific Reports</i> , 2016, 6, 35816.	1.6	2
568	Indian winter monsoon: Present and past. <i>Earth-Science Reviews</i> , 2016, 163, 297-322.	4.0	99
569	On the timing of the East Asian summer monsoon maximum during the Holocene—Does the speleothem oxygen isotope record reflect monsoon rainfall variability?. <i>Science China Earth Sciences</i> , 2016, 59, 2328-2338.	2.3	76
570	Expansion and Contraction of the Indo-Pacific Tropical Rain Belt over the Last Three Millennia. <i>Scientific Reports</i> , 2016, 6, 34485.	1.6	60
571	Multi-scale Holocene Asian monsoon variability deduced from a twin-stalagmite record in southwestern China. <i>Quaternary Research</i> , 2016, 86, 34-44.	1.0	10
572	Environmental processes derived from peatland geochemistry since the last deglaciation in Dajiuhu, Shennongjia, central China. <i>Boreas</i> , 2016, 45, 423-438.	1.2	20
573	Evolution of the East China Sea sedimentary environment in the past 14 kyr: Insights from tetraethers-based proxies. <i>Science China Earth Sciences</i> , 2016, 59, 927-938.	2.3	8
574	Middle to late-Holocene decreased fluvial aggradation and widespread peat initiation in the Ishikari lowland (northern Japan). <i>Holocene</i> , 2016, 26, 1924-1938.	0.9	15
575	Investigating the long-term palaeoclimatic controls on the δD and $\delta^{18}O$ of precipitation during the Holocene in the Indian and East Asian monsoonal regions. <i>Earth-Science Reviews</i> , 2016, 159, 292-305.	4.0	98
576	Mechanisms rectifying the annual mean response of tropical Atlantic rainfall to precessional forcing. <i>Climate Dynamics</i> , 2016, 47, 271-293.	1.7	6
577	A multi-index analysis of the extraordinary paleoflood events recorded by slackwater deposits in the Yunxi Reach of the upper Hanjiang River, China. <i>Catena</i> , 2016, 145, 1-14.	2.2	25
578	Calcium isotopes in caves as a proxy for aridity: Modern calibration and application to the 8.2 kyr event. <i>Earth and Planetary Science Letters</i> , 2016, 443, 129-138.	1.8	42
579	Quantitative reconstructions of mid- to late holocene climate and vegetation in the north-eastern altai mountains recorded in lake teletskoye. <i>Global and Planetary Change</i> , 2016, 141, 12-24.	1.6	49

#	ARTICLE	IF	CITATIONS
580	Holocene millennial-scale climate variations from the record of primary chemical elements in Badain Jaran Desert, China. <i>Arabian Journal of Geosciences</i> , 2016, 9, 1.	0.6	1
581	Long-term weakening of the East Asian summer and winter monsoons during the mid- to late Holocene recorded by aeolian deposits at the eastern edge of the Mu Us Desert. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 457, 258-268.	1.0	20
582	A persistent Holocene wetting trend in arid central Asia, with wettest conditions in the late Holocene, revealed by multi-proxy analyses of loess-paleosol sequences in Xinjiang, China. <i>Quaternary Science Reviews</i> , 2016, 146, 134-146.	1.4	261
583	Multi-scale Holocene Asian monsoon variability deduced from a twin-stalagmite record in southwestern China. <i>Quaternary Research</i> , 2016, 86, 34-44.	1.0	21
584	The Asian monsoon over the past 640,000 years and ice age terminations. <i>Nature</i> , 2016, 534, 640-646.	13.7	956
585	Testing chemical weathering proxies in Mioceneâ€“Recent fluvial-derived sediments in the South China Sea. <i>Geological Society Special Publication</i> , 2016, 429, 45-72.	0.8	11
586	Black carbon record of the wildfire history of western Sichuan Province in China over the last 12.8 ka. <i>Frontiers of Earth Science</i> , 2016, 10, 634-643.	0.9	13
587	Holocene hydrological changes in SE Iran, a key region between Indian Summer Monsoon and Mediterranean winter precipitation zones, as revealed from a lacustrine sequence from Lake Hamoun. <i>Quaternary International</i> , 2016, 408, 25-39.	0.7	34
588	The isotopic response of Lake Chenghai, SW China, to hydrologic modification from human activity. <i>Holocene</i> , 2016, 26, 906-916.	0.9	21
589	Rapid uranium-series age screening of carbonates by laser ablation mass spectrometry. <i>Quaternary Geochronology</i> , 2016, 31, 28-39.	0.6	35
590	Geochemical characteristics and palaeoenvironmental reconstruction of the sediments from the Gulf of Tonkin, South China Sea. <i>Geological Society Special Publication</i> , 2016, 429, 73-85.	0.8	4
591	East Asian summer monsoon precipitation variations in China over the last 9500 years: A comparison of pollen-based reconstructions and model simulations. <i>Holocene</i> , 2016, 26, 592-602.	0.9	20
592	Geochemical records of Taiwan-sourced sediments in the South China Sea linked to Holocene climate changes. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 441, 871-881.	1.0	53
593	Late Pleistocene and Holocene aeolian sedimentation in Gonghe Basin, northeastern Qinghai-Tibetan Plateau: Variability, processes, and climatic implications. <i>Quaternary Science Reviews</i> , 2016, 132, 57-73.	1.4	84
594	Holocene millennial-scale erosion and deposition processes in the middle reaches of inland drainage basins, arid China. <i>Environmental Earth Sciences</i> , 2016, 75, 1.	1.3	0
595	Grain size of Lake Qinghai sediments: Implications for riverine input and Holocene monsoon variability. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 449, 41-51.	1.0	104
596	Terrigenous supplies variability over the past 22,000yr in the southern South China Sea slope: Relation to sea level and monsoon rainfall changes. <i>Journal of Asian Earth Sciences</i> , 2016, 117, 317-327.	1.0	24
597	North Atlantic climatic changes reflected in the Late Quaternary foraminiferal abundance record of the Andaman Sea, north-eastern Indian Ocean. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 446, 11-18.	1.0	18

#	ARTICLE	IF	CITATIONS
598	Pollen-detected altitudinal migration of forests during the Holocene in the mountainous forestâ€“steppe ecotone in northern China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 446, 70-77.	1.0	13
599	Changes in dominant moisture sources and the consequences for hydroclimate on the northeastern Tibetan Plateau during the past 32Åkyr. <i>Quaternary Science Reviews</i> , 2016, 131, 157-167.	1.4	87
600	Provenance weathering and erosion records in southern Okinawa Trough sediments since 28 ka: Geochemical and Srâ€“Ndâ€“Pb isotopic evidences. <i>Chemical Geology</i> , 2016, 425, 93-109.	1.4	85
601	Centennial-scale East Asian summer monsoon intensity based on $\delta^{18}O$ values in ostracode shells and its relationship to land-ocean air temperature gradients over the past 1700 years. <i>Geology</i> , 2016, 44, 255-258.	2.0	11
602	A high-resolution speleothem record of western equatorial Pacific rainfall: Implications for Holocene ENSO evolution. <i>Earth and Planetary Science Letters</i> , 2016, 442, 61-71.	1.8	75
603	Holocene climate change evidence from high-resolution loess/paleosol records and the linkage to fireâ€“climate changeâ€“human activities in the Horqin dunefield in northern China. <i>Journal of Asian Earth Sciences</i> , 2016, 121, 1-8.	1.0	16
604	Determinants of soil erosion during the last 1600 years in the forestâ€“steppe ecotone in Northern China reconstructed from lacustrine sediments. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 449, 79-84.	1.0	5
605	Lacustrine record of centennial- and millennial-scale rainfall variability of the East Asian summer monsoon during the last deglaciation: Multi-proxy evidence from Taiwan. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 450, 38-49.	1.0	14
606	The verification of millennial-scale monsoon water vapor transport channel in northwest China. <i>Journal of Hydrology</i> , 2016, 536, 273-283.	2.3	20
607	Holocene climate and landscape change in the northeastern Tibetan Plateau foreland inferred from the Zhuyeze Lake record. <i>Holocene</i> , 2016, 26, 643-654.	0.9	23
608	Holocene peatland initiation and carbon storage in temperate peatlands of the Sanjiang Plain, Northeast China. <i>Holocene</i> , 2016, 26, 70-79.	0.9	12
609	Lake Kumphawapi revisited â€“ The complex climatic and environmental record of a tropical wetland in NE Thailand. <i>Holocene</i> , 2016, 26, 614-626.	0.9	22
610	History and mechanisms for the expansion of the Badain Jaran Desert, northern China, since 20â€“ka: Geological and luminescence chronological evidence. <i>Holocene</i> , 2016, 26, 532-548.	0.9	24
611	Stable nitrogen isotope record of lacustrine sediments in Lake Onuma (Northern Japan) indicates regional hydrological variability during the past four centuries. <i>Quaternary International</i> , 2016, 397, 307-316.	0.7	9
612	Assessing effective provenance methods for fluvial sediment in the South China Sea. <i>Geological Society Special Publication</i> , 2016, 429, 9-29.	0.8	14
613	The role of fire in the late Holocene forest decline in semi-arid North China. <i>Holocene</i> , 2016, 26, 93-101.	0.9	20
614	Vegetation evolution and human expansion on the Qinghaiâ€“Tibet Plateau since the Last Deglaciation. <i>Quaternary International</i> , 2017, 430, 82-93.	0.7	21
615	Late Holocene relative humidity history on the southeastern Tibetan plateau inferred from a tree-ring $\delta^{18}O$ record: Recent decrease and conditions during the last 1500 years. <i>Quaternary International</i> , 2017, 430, 52-59.	0.7	51

#	ARTICLE	IF	CITATIONS
616	Highly negative oxygen isotopes in precipitation in southwest China and their significance in paleoclimatic studies. <i>Quaternary International</i> , 2017, 440, 64-71.	0.7	11
617	Controls on erosion patterns and sediment transport in a monsoonal, tectonically quiescent drainage, Song Gianh, central Vietnam. <i>Basin Research</i> , 2017, 29, 659-683.	1.3	27
618	History of moisture change derived from slope sediments of the eastern Gonghe Basin (northeastern) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	0.8	9
619	Quantifying climatic variability in monsoonal northern China over the last 2200 years and its role in driving Chinese dynastic changes. <i>Quaternary Science Reviews</i> , 2017, 159, 35-46.	1.4	55
620	Temporal and spatial patterns of sediment deposition in the northern South China Sea over the last 50,000 years. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 465, 212-224.	1.0	41
621	Solar and tropical ocean forcing of late-Holocene climate change in coastal East Asia. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 469, 74-83.	1.0	44
622	Lacustrine lignin biomarker record reveals a severe drought during the late Younger Dryas in southern Taiwan. <i>Journal of Asian Earth Sciences</i> , 2017, 135, 281-290.	1.0	8
623	Impact of deep convection on the isotopic amount effect in tropical precipitation. <i>Journal of Geophysical Research D: Atmospheres</i> , 2017, 122, 1505-1523.	1.2	43
624	Holocene changes in flooding frequency in South Korea and their linkage to centennial-to-millennial-scale El Niño–Southern Oscillation activity. <i>Quaternary Research</i> , 2017, 87, 37-48.	1.0	19
625	Carbon and nitrogen signatures of sedimentary organic matter from Dali Lake in Inner Mongolia: Implications for Holocene hydrological and ecological variations in the East Asian summer monsoon margin. <i>Quaternary International</i> , 2017, 452, 65-78.	0.7	57
626	Response of A Coarse-Grained, Fluvial To Coastal Depositional System To Glacio-Eustatic Sea-Level Fluctuation Since the Last Glacial Maximum: An Example From the Tenryu River, Japan. <i>Journal of Sedimentary Research</i> , 2017, 87, 133-151.	0.8	7
627	Link between black carbon, fires, climate change, and human activity during the Holocene period shown in the loess-paleosol sequence from Henan, China. <i>Quaternary Research</i> , 2017, 87, 288-297.	1.0	2
628	Northward extent of East Asian monsoon covaries with intensity on orbital and millennial timescales. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 1817-1821.	3.3	192
629	Pollen record of the centennial climate changes during 9±7 cal ka BP in the Changjiang (Yangtze) River Delta plain, China. <i>Quaternary Research</i> , 2017, 87, 275-287.	1.0	22
630	A 20,000-year high-resolution pollen record from Huguangyan Maar Lake in tropical–subtropical South China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 472, 83-92.	1.0	45
631	Middle to late Holocene flood activity estimated from loss on ignition of peat in the Ishikari lowland, northern Japan. <i>Global and Planetary Change</i> , 2017, 153, 1-15.	1.6	16
632	Records of East Asian monsoon activities in Northeastern China since 15.6 ka, based on grain size analysis of peaty sediments in the Changbai Mountains. <i>Quaternary International</i> , 2017, 447, 158-169.	0.7	51
633	Holocene high-resolution quantitative summer temperature reconstruction based on subfossil chironomids from the southeast margin of the Qinghai-Tibetan Plateau. <i>Quaternary Science Reviews</i> , 2017, 165, 1-12.	1.4	79

#	ARTICLE	IF	CITATIONS
634	Sea-surface temperatures for the last 7200 years from the eastern Sunda Shelf, South China Sea: Climatic inferences from planktonic foraminiferal Mg/Ca ratios. <i>Quaternary Science Reviews</i> , 2017, 165, 13-24.	1.4	6
635	Paleoenvironment change and its impact on carbon and nitrogen accumulation in the <i>Zuoig</i> wetland, northeastern <i>Qinghai-Tibetan Plateau</i> over the past 14,000 years. <i>Geochemistry, Geophysics, Geosystems</i> , 2017, 18, 1775-1792.	1.0	22
636	Organic geochemical investigations of the Dali Lake sediments in northern China: Implications for environment and climate changes of the last deglaciation in the East Asian summer monsoon margin. <i>Journal of Asian Earth Sciences</i> , 2017, 140, 135-146.	1.0	13
637	Basin-Wide Sediment Grain-Size Numerical Analysis and Paleo-Climate Interpretation in the Shiyang River Drainage Basin. <i>Geographical Analysis</i> , 2017, 49, 309-327.	1.9	5
638	Holocene temperature and precipitation variability on the central Tibetan Plateau revealed by multiple palaeo-climatic proxy records from an alpine wetland sequence. <i>Holocene</i> , 2017, 27, 1669-1681.	0.9	15
639	Evidence for paleoclimate changes from lignin records of sediment core A02 in the southern Yellow Sea since ~ 9.5 cal. kyr B.P.. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 479, 173-184.	1.0	6
640	Quantitative precipitation estimates for the northeastern Qinghai-Tibetan Plateau over the last 18,000 years. <i>Journal of Geophysical Research D: Atmospheres</i> , 2017, 122, 5132-5143.	1.2	63
641	Early human impacts on vegetation on the northeastern Qinghai-Tibetan Plateau during the middle to late Holocene. <i>Progress in Physical Geography</i> , 2017, 41, 286-301.	1.4	56
642	Pattern of Holocene glaciation in the monsoon-dominated Kosa Valley, central Himalaya, Uttarakhand, India. <i>Geomorphology</i> , 2017, 284, 130-141.	1.1	25
643	Climate conditions and relative abundance of C3 and C4 vegetation during the past 40 ka inferred from lake sediments in Wudalianchi, northeast China. <i>Journal of Paleolimnology</i> , 2017, 58, 243-256.	0.8	4
644	Coherent tropical-subtropical Holocene see-saw moisture patterns in the Eastern Hemisphere monsoon systems. <i>Quaternary Science Reviews</i> , 2017, 169, 231-242.	1.4	22
645	Volcanic influence on centennial to millennial Holocene Greenland temperature change. <i>Scientific Reports</i> , 2017, 7, 1441.	1.6	120
646	Holocene floodplain evolution in the Shiribeshi-Toshibetsu River lowland, northern Japan. <i>Geomorphology</i> , 2017, 292, 25-34.	1.1	3
647	Sediment provenance and paleoenvironmental changes in the northwestern shelf mud area of the South China Sea since the mid-Holocene. <i>Continental Shelf Research</i> , 2017, 144, 21-30.	0.9	20
648	Evolution of the Asian summer monsoon during Dansgaard/Oeschger events 13-17 recorded in a stalagmite constrained by high-precision chronology from southwest China. <i>Quaternary Research</i> , 2017, 88, 121-128.	1.0	16
649	Branched GDGT-based paleotemperature reconstruction of the last 30,000 years in humid monsoon region of Southeast China. <i>Chemical Geology</i> , 2017, 463, 94-102.	1.4	46
650	Holocene climatic and environmental change on the western Tibetan Plateau revealed by glycerol dialkyl glycerol tetraethers and leaf wax deuterium-to-hydrogen ratios at Aweng Co. <i>Quaternary Research</i> , 2017, 87, 455-467.	1.0	40
651	Tropical rainfall over the last two millennia: evidence for a low-latitude hydrologic seesaw. <i>Scientific Reports</i> , 2017, 7, 45809.	1.6	48

#	ARTICLE	IF	CITATIONS
652	Summer temperature variability inferred from subfossil chironomid assemblages from the south-east margin of the Qinghai-Tibetan Plateau for the last 5000 years. <i>Holocene</i> , 2017, 27, 1876-1884.	0.9	20
653	Human-induced changes in the distribution of rainfall. <i>Science Advances</i> , 2017, 3, e1600871.	4.7	88
654	Climatic implications of hydrologic changes in two lake catchments on the central Tibetan Plateau since the last glacial. <i>Journal of Paleolimnology</i> , 2017, 58, 257-273.	0.8	29
655	Loess deposits of the upper Hanjiang River valley, south of Qinling Mountains, China: Implication for the pedogenic dynamics controlled by paleomonsoon climate evolution. <i>Aeolian Research</i> , 2017, 25, 63-77.	1.1	9
656	The Preboreal-like Asian monsoon climate in the early last interglacial period recorded from the Dark Cave, Southwest China. <i>Journal of Asian Earth Sciences</i> , 2017, 143, 39-44.	1.0	7
657	Chinese cave $\delta^{18}O$ records do not represent northern East Asian summer monsoon rainfall. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E2987-E2988.	3.3	49
658	Postglacial transgression maximum documented by the core sediments of Xixi Wetland, East China. <i>Quaternary International</i> , 2017, 436, 84-95.	0.7	10
659	Deglacial variability in Okhotsk Sea Intermediate Water ventilation and biogeochemistry: Implications for North Pacific nutrient supply and productivity. <i>Quaternary Science Reviews</i> , 2017, 160, 116-137.	1.4	19
660	Influence of the Indian monsoon and the subtropical jet on climate change on the Tibetan Plateau since the late Pleistocene. <i>Quaternary Science Reviews</i> , 2017, 163, 84-94.	1.4	102
661	The 5400 a BP extreme weakening event of the Asian summer monsoon and cultural evolution. <i>Science China Earth Sciences</i> , 2017, 60, 1171-1182.	2.3	25
662	A high-resolution history of the South American Monsoon from Last Glacial Maximum to the Holocene. <i>Scientific Reports</i> , 2017, 7, 44267.	1.6	117
663	High-resolution palynological record of Holocene climatic and oceanographic changes in the northern South China Sea. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 483, 94-124.	1.0	39
664	Millennial-scale hydroclimate variations in southwest China linked to tropical Indian Ocean since the Last Glacial Maximum. <i>Geology</i> , 2017, 45, 435-438.	2.0	67
665	A 16-ka oxygen-isotope record from Genggahai Lake on the northeastern Qinghai-Tibetan Plateau: Hydroclimatic evolution and changes in atmospheric circulation. <i>Quaternary Science Reviews</i> , 2017, 162, 72-87.	1.4	51
666	A multi-proxy lake sediment record of Indian summer monsoon variability during the Holocene in southern India. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 476, 1-14.	1.0	45
667	Provenance study of the Holocene sediments in the Changjiang (Yangtze River) estuary and inner shelf of the East China sea. <i>Quaternary International</i> , 2017, 441, 147-161.	0.7	49
668	Air mass origin signals in $\delta^{18}O$ of tree-ring cellulose revealed by back-trajectory modeling at the monsoonal Tibetan plateau. <i>International Journal of Biometeorology</i> , 2017, 61, 1109-1124.	1.3	17
669	Multi-century humidity reconstructions from the southeastern Tibetan Plateau inferred from tree-ring $\delta^{18}O$. <i>Global and Planetary Change</i> , 2017, 149, 26-35.	1.6	44

#	ARTICLE	IF	CITATIONS
670	Two phases of the Holocene East African Humid Period: Inferred from a high-resolution geochemical record off Tanzania. <i>Earth and Planetary Science Letters</i> , 2017, 460, 123-134.	1.8	34
671	Discussion of Suitable Chemical Weathering Proxies in Sediments by Comparing the Dissolution Rates of Minerals in Different Rocks. <i>Journal of Geology</i> , 2017, 125, 83-99.	0.7	22
672	A 15.4-ka paleoclimate record inferred from $\delta^{13}C$ and $\delta^{15}N$ of organic matter in sediments from the sub-alpine Daping Swamp, western Nanling Mountains, South China. <i>Journal of Paleolimnology</i> , 2017, 57, 127-139.	0.8	23
673	Remote vs. local control on the Preboreal Asian hydroclimate and soil processes recorded by an annually-laminated stalagmite from Daoguan Cave, southern China. <i>Quaternary International</i> , 2017, 452, 79-90.	0.7	3
674	Oscillations in the Indian summer monsoon during the Holocene inferred from a stable isotope record from pyrogenic carbon from Lake Chenghai, southwest China. <i>Journal of Asian Earth Sciences</i> , 2017, 134, 29-36.	1.0	28
675	Holocene carbon dynamics at the forest-steppe ecotone of southern Siberia. <i>Global Change Biology</i> , 2017, 23, 1942-1960.	4.2	15
676	Decoupling of monsoon activity across the northern and southern Indo-Pacific during the Late Glacial. <i>Quaternary Science Reviews</i> , 2017, 176, 101-105.	1.4	22
677	Holocene peatland development and vegetation changes in the Zoige Basin, eastern Tibetan Plateau. <i>Science China Earth Sciences</i> , 2017, 60, 1826-1837.	2.3	28
678	Northern South China Sea SST changes over the last two millennia and possible linkage with solar irradiance. <i>Quaternary International</i> , 2017, 459, 29-34.	0.7	19
679	Mid-Holocene palaeoflood events recorded at the Zhongqiao Neolithic cultural site in the Jiangnan Plain, middle Yangtze River Valley, China. <i>Quaternary Science Reviews</i> , 2017, 173, 145-160.	1.4	49
680	A multi-proxy lacustrine record of last deglacial-early Holocene environmental variability in the lower Yangtze region from the Chaohu Lake Basin, eastern China. <i>Quaternary Research</i> , 2017, 88, 446-457.	1.0	3
681	Holocene Indian Summer Monsoon variation inferred from geochemical and grain size records from Lake Ximenglongtan, southwestern China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 487, 260-269.	1.0	29
682	Holocene moisture variations over the arid central Asia revealed by a comprehensive sand-dune record from the central Tian Shan, NW China. <i>Quaternary Science Reviews</i> , 2017, 174, 13-32.	1.4	108
683	Climatic and in-cave influences on $\delta^{18}O$ and $\delta^{13}C$ in a stalagmite from northeastern India through the last deglaciation. <i>Quaternary Research</i> , 2017, 88, 458-471.	1.0	32
684	High-resolution $\delta^{18}O$ and $\delta^{13}C$ records of an AMS ^{14}C and $^{230}Th/U$ dated stalagmite from Xinya Cave in Chongqing: Climate and vegetation change during the late Holocene. <i>Quaternary International</i> , 2017, 447, 75-88.	0.7	13
685	Link between Indian monsoon rainfall and physical erosion in the Himalayan system during the Holocene. <i>Geochemistry, Geophysics, Geosystems</i> , 2017, 18, 3452-3469.	1.0	23
686	Holocene vegetation dynamics in response to climate change and human activities derived from pollen and charcoal records from southeastern China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 485, 644-660.	1.0	56
687	Distinct control mechanism of fine-grained sediments from Yellow River and Kunlun supply in the northern Okinawa Trough since the last glacial. <i>Geochemistry, Geophysics, Geosystems</i> , 2017, 18, 2949-2969.	1.0	30

#	ARTICLE	IF	CITATIONS
688	Spatiotemporal variations of deep-sea sediment components and their fluxes since the last glaciation in the northern South China Sea. <i>Science China Earth Sciences</i> , 2017, 60, 1368-1381.	2.3	21
689	Abrupt vegetation shifts caused by gradual climate changes in central Asia during the Holocene. <i>Science China Earth Sciences</i> , 2017, 60, 1317-1327.	2.3	33
690	Mid-late Holocene vegetation response to climatic drivers and biotic disturbances in the Banni grasslands of western India. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 485, 869-878.	1.0	26
691	Sediment record of environmental change at Lake Lop Nur (Xinjiang, NW China) from 13.0 to 5.6 cal ka BP. <i>Chinese Journal of Oceanology and Limnology</i> , 2017, 35, 1070-1078.	0.7	6
692	Holocene climate change in the western part of Taihu Lake region, East China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 485, 963-973.	1.0	42
693	Rapid and punctuated Late Holocene recession of Siling Co, central Tibet. <i>Quaternary Science Reviews</i> , 2017, 172, 15-31.	1.4	45
694	Reconstruction of Indian monsoon precipitation variability between 4.0 and 1.6 ka BP using speleothem $\delta^{18}O$ records from the Central Lesser Himalaya, India. <i>Arabian Journal of Geosciences</i> , 2017, 10, 1.	0.6	19
695	New methods and progress in research on the origins and evolution of prehistoric agriculture in China. <i>Science China Earth Sciences</i> , 2017, 60, 2141-2159.	2.3	47
696	Counter-intuitive influence of Himalayan river morphodynamics on Indus Civilisation urban settlements. <i>Nature Communications</i> , 2017, 8, 1617.	5.8	82
697	1000-Year Quasi-Periodicity of Weak Monsoon Events in Temperate Northeast Asia since the Mid-Holocene. <i>Scientific Reports</i> , 2017, 7, 15196.	1.6	24
698	Contrasting early Holocene temperature variations between monsoonal East Asia and westerly dominated Central Asia. <i>Quaternary Science Reviews</i> , 2017, 178, 14-23.	1.4	70
699	A wet and dry story: distinguishing rice and millet arable systems using phytoliths. <i>Vegetation History and Archaeobotany</i> , 2017, 26, 99-109.	1.0	13
700	Indian summer monsoon variability in southern India during the last deglaciation: Evidence from a high resolution stalagmite $\delta^{18}O$ record. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 485, 476-485.	1.0	10
701	Long-Term Fine-Grained Sediment Records in a Drainage System in Arid China: A New Perspective from Paleo-Climatological Records and Simulations. <i>Annals of the American Association of Geographers</i> , 2017, 107, 1216-1228.	1.5	1
702	The Bengal fan: External controls on the Holocene Active Channel turbidite activity. <i>Holocene</i> , 2017, 27, 900-913.	0.9	29
703	Holocene fire on the northeast Tibetan Plateau in relation to climate change and human activity. <i>Quaternary International</i> , 2017, 443, 124-131.	0.7	31
704	The primacy of multidecadal to centennial variability over late-Holocene forced change of the Asian Monsoon on the southern Tibetan Plateau. <i>Earth and Planetary Science Letters</i> , 2017, 458, 337-348.	1.8	23
705	High-resolution $\delta^{18}O$ and $\delta^{13}C$ records during the past 65 ka from Fengyu Cave in Guilin: Variation of monsoonal climates in south China. <i>Quaternary International</i> , 2017, 441, 117-128.	0.7	11

#	ARTICLE	IF	CITATIONS
706	Terrestrial n-alkanes and their carbon isotope records from the Hanon paleo-maar sediment, Jeju Island, Korea: Implications for paleoclimate and paleovegetation over the last 35 kyrs. <i>Quaternary International</i> , 2017, 441, 89-100.	0.7	8
707	Holocene climate variability in Central Germany and a potential link to the polar North Atlantic: A replicated record from three coeval speleothems. <i>Holocene</i> , 2017, 27, 509-525.	0.9	19
708	Early Holocene groundwater table fluctuations in relation to rice domestication in the middle Yangtze River basin, China. <i>Quaternary Science Reviews</i> , 2017, 155, 79-85.	1.4	7
709	$\delta^{18}O$, $\delta^{13}C$, elemental content and depositional features of a stalagmite from Yelang Cave reflecting climate and vegetation changes since late Pleistocene in central Guizhou, China. <i>Quaternary International</i> , 2017, 452, 102-115.	0.7	11
710	The climate change during early Holocene recorded by trace elements of Shenmu section, Mu Us Desert. <i>Geochemistry International</i> , 2017, 55, 1171-1179.	0.2	0
711	Human and Societal Dimensions of Past Climate Change. , 0, , 41-83.		6
712	Exploring the Spatial-Seasonal Dynamics of Water Quality, Submerged Aquatic Plants and Their Influencing Factors in Different Areas of a Lake. <i>Water (Switzerland)</i> , 2017, 9, 707.	1.2	16
713	Atmospheric methane control mechanisms during the early Holocene. <i>Climate of the Past</i> , 2017, 13, 1227-1242.	1.3	16
714	Decadal resolution record of Oman upwelling indicates solar forcing of the Indian summer monsoon (9â€“6â€“ka). <i>Climate of the Past</i> , 2017, 13, 491-509.	1.3	15
715	Three distinct Holocene intervals of stalagmite deposition and nondeposition revealed in NW Madagascar, and their paleoclimate implications. <i>Climate of the Past</i> , 2017, 13, 1771-1790.	1.3	23
716	A chironomid-based mean July temperature inference model from the south-east margin of the Tibetan Plateau, China. <i>Climate of the Past</i> , 2017, 13, 185-199.	1.3	30
717	Aromatic acids in a Eurasian Arctic ice core: a 2600-year proxy record of biomass burning. <i>Climate of the Past</i> , 2017, 13, 395-410.	1.3	23
718	Postglacial fire history and interactions with vegetation and climate in southwestern Yunnan Province of China. <i>Climate of the Past</i> , 2017, 13, 613-627.	1.3	31
719	Centennial to millennial climate variability in the far northwestern Pacific (off Kamchatka) and its linkage to the East Asian monsoon and North Atlantic from the Last Glacial Maximum to the early Holocene. <i>Climate of the Past</i> , 2017, 13, 1063-1080.	1.3	7
720	Late Holocene aridification recorded in the stable carbon and nitrogen isotope composition of soils from Nainital, Lesser Himalaya. <i>Quaternary International</i> , 2018, 467, 195-203.	0.7	14
721	Earlyâ€“middle Holocene ecological change and its influence on human subsistence strategies in the Luoyang Basin, north-central China. <i>Quaternary Research</i> , 2018, 89, 446-458.	1.0	24
722	The linkages with fires, vegetation composition and human activity in response to climate changes in the Chinese Loess Plateau during the Holocene. <i>Quaternary International</i> , 2018, 488, 18-29.	0.7	13
723	Spatiotemporal temperature variations in the East China Sea shelf during the Holocene in response to surface circulation evolution. <i>Quaternary International</i> , 2018, 482, 46-55.	0.7	21

#	ARTICLE	IF	CITATIONS
724	Changes in vegetation and environment in Yamzhog Yumco Lake on the southern Tibetan Plateau over past 2000 years. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 501, 30-44.	1.0	19
725	Multiple paths to straths: A review and reassessment of terrace genesis. <i>Geomorphology</i> , 2018, 312, 12-23.	1.1	27
726	Timing and nature of Holocene glacier advances at the northwestern end of the Himalayan-Tibetan orogen. <i>Quaternary Science Reviews</i> , 2018, 187, 177-202.	1.4	51
727	A high-resolution Holocene record of the East Asian summer monsoon variability in sediments from Mountain Ganhai Lake, North China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 508, 17-34.	1.0	5
728	Evolution of integrated lake status since the last deglaciation: A high-resolution sedimentary record from Lake Gonghai, Shanxi, China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 496, 175-182.	1.0	17
729	Holocene climatic fluctuations and periodic changes in the Asian southwest monsoon region. <i>Journal of Asian Earth Sciences</i> , 2018, 156, 90-95.	1.0	11
730	The respective characteristics of millennial-scale changes of the India summer monsoon in the Holocene and the Last Glacial. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 496, 155-165.	1.0	9
731	Palaeoenvironmental implications of a Holocene sequence of lacustrine-peat sediments from the desert-loess transitional zone in Northern China. <i>Journal of Asian Earth Sciences</i> , 2018, 156, 167-173.	1.0	8
732	Holocene fire history in eastern monsoonal region of China and its controls. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 496, 136-145.	1.0	19
733	Migration of the Kuroshio Extension in the Northwest Pacific since the Last Glacial Maximum. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 496, 323-331.	1.0	4
734	Evidence for crop structure from phytoliths at the Dongzhao site on the Central Plains of China from Xinzhai to Erligang periods. <i>Journal of Archaeological Science: Reports</i> , 2018, 17, 852-859.	0.2	5
735	Contrasting Patterns in Abrupt Asian Summer Monsoon Changes in the Last Glacial Period and the Holocene. <i>Paleoceanography and Paleoclimatology</i> , 2018, 33, 214-226.	1.3	24
736	East Asian Winter Monsoon Variations and Their Links to Arctic Sea Ice During the Last Millennium, Inferred From Sea Surface Temperatures in the Okinawa Trough. <i>Paleoceanography and Paleoclimatology</i> , 2018, 33, 61-75.	1.3	9
737	Variations of the Indian summer monsoon over the last 30,000 years inferred from a pyrogenic carbon record from southwest China. <i>Journal of Quaternary Science</i> , 2018, 33, 131-138.	1.1	28
738	Pollen record of early- to mid-Holocene vegetation and climate dynamics on the eastern coast of the Yellow Sea, South Korea. <i>Holocene</i> , 2018, 28, 1011-1022.	0.9	6
739	Evolution of Peatlands in the Mu Us Desert, Northern China, Since the Last Deglaciation. <i>Journal of Geophysical Research F: Earth Surface</i> , 2018, 123, 252-261.	1.0	28
740	Speleothems and Climate. <i>Springer Theses</i> , 2018, , 21-37.	0.0	0
741	A new assessment of modern climate change, China—An approach based on paleo-climate. <i>Earth-Science Reviews</i> , 2018, 177, 458-477.	4.0	15

#	ARTICLE	IF	CITATIONS
742	Diatom-based inference of Asian monsoon precipitation from a volcanic lake in southwest China for the last 18.5 ka. <i>Quaternary Science Reviews</i> , 2018, 182, 109-120.	1.4	41
743	Response of a land-terminating sector of the western Greenland Ice Sheet to early Holocene climate change: Evidence from ¹⁰ Be dating in the SÅndre Isortoq region. <i>Quaternary Science Reviews</i> , 2018, 180, 145-156.	1.4	18
744	The 5.5 cal ka BP climate event, population growth, circumscription and the emergence of the earliest complex societies in China. <i>Science China Earth Sciences</i> , 2018, 61, 134-148.	2.3	36
745	Tropical Indo-Pacific hydroclimate response to North Atlantic forcing during the last deglaciation as recorded by a speleothem from Sumatra, Indonesia. <i>Earth and Planetary Science Letters</i> , 2018, 492, 264-278.	1.8	44
746	Precession and glacial-cycle controls of monsoon precipitation isotope changes over East Asia during the Pleistocene. <i>Earth and Planetary Science Letters</i> , 2018, 494, 1-11.	1.8	23
747	Temperature and Monsoon Tango in a Tropical Stalagmite: Last Glacial-Interglacial Climate Dynamics. <i>Scientific Reports</i> , 2018, 8, 5386.	1.6	20
748	Transition from a warm and dry to a cold and wet climate in NE China across the Holocene. <i>Earth and Planetary Science Letters</i> , 2018, 493, 36-46.	1.8	80
749	Holocene environmental changes and human activity at the Jijitan site in the Nihewan Basin, China. <i>Holocene</i> , 2018, 28, 1151-1159.	0.9	2
750	A late-Holocene pollen record from the western Qilian Mountains and its implications for climate change and human activity along the Silk Road, Northwestern China. <i>Holocene</i> , 2018, 28, 1141-1150.	0.9	21
751	Multi-proxy evidence for an arid shift in the climate and vegetation of the Banni grasslands of western India during the mid- to late-Holocene. <i>Holocene</i> , 2018, 28, 1057-1070.	0.9	18
752	Potential forcings of summer temperature variability of the southeastern Tibetan Plateau in the past 12â€ka. <i>Journal of Asian Earth Sciences</i> , 2018, 159, 34-41.	1.0	4
753	High-resolution mid-Holocene Indian Summer Monsoon recorded in a stalagmite from the Kotumsar Cave, Central India. <i>Quaternary International</i> , 2018, 479, 19-24.	0.7	40
754	Environmental changes during the late Pleistocene and the Holocene in the Gonghe Basin, north-eastern Tibetan Plateau. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 509, 144-155.	1.0	24
755	Quantitative Holocene climatic reconstructions for the lower Yangtze region of China. <i>Climate Dynamics</i> , 2018, 50, 1101-1113.	1.7	60
756	A multi-proxy record of environmental changes during the Holocene from the Haolaihure Paleolake sediments, Inner Mongolia. <i>Quaternary International</i> , 2018, 479, 148-159.	0.7	19
757	The 9.2â€ka event in Asian summer monsoon area: the strongest millennial scale collapse of the monsoon during the Holocene. <i>Climate Dynamics</i> , 2018, 50, 2767-2782.	1.7	37
758	Early middle Holocene climate oscillations recorded in the Beihuqiao Core, Yuhang, Zhejiang Province, China. <i>Journal of Paleolimnology</i> , 2018, 59, 263-278.	0.8	7
759	Orbital-scale nonlinear response of East Asian summer monsoon to its potential driving forces in the late Quaternary. <i>Climate Dynamics</i> , 2018, 50, 2183-2197.	1.7	14

#	ARTICLE	IF	CITATIONS
760	Holocene Brahmaputra River path selection and variable sediment bypass as indicators of fluctuating hydrologic and climate conditions in Sylhet Basin, Bangladesh. <i>Basin Research</i> , 2018, 30, 302-320.	1.3	22
761	Rapid retreat of the East Asian summer monsoon in the middle Holocene and a millennial weak monsoon interval at 9â€ka in northern China. <i>Journal of Asian Earth Sciences</i> , 2018, 151, 31-39.	1.0	37
762	Late Pleistocene to Holocene paleoenvironmental evolution of Lake Hazar, Eastern Anatolia, Turkey. <i>Quaternary International</i> , 2018, 486, 4-16.	0.7	26
763	Holocene fire and forest histories in relation to climate change and agriculture development in southeastern China. <i>Quaternary International</i> , 2018, 488, 30-40.	0.7	31
764	Multi-scale variability of the Asian monsoon recorded in an annually-banded stalagmite during the Neoglacial from Qixing Cave, Southwestern China. <i>Quaternary International</i> , 2018, 487, 78-86.	0.7	9
765	Prehistoric heavy metal pollution on the continental shelf off Hainan Island, South China Sea: From natural to anthropogenic impacts around 4.0 kyr BP. <i>Holocene</i> , 2018, 28, 455-463.	0.9	28
766	Temporal changes of mixed millet and rice agriculture in Neolithic-Bronze Age Central Plain, China: Archaeobotanical evidence from the Zhuzhai site. <i>Holocene</i> , 2018, 28, 738-754.	0.9	46
767	A geochemical record of the link between chemical weathering and the East Asian summer monsoon during the late Holocene preserved in lacustrine sediments from Poyang Lake, central China. <i>Journal of Asian Earth Sciences</i> , 2018, 154, 17-25.	1.0	14
768	Glacioaeolian Processes, Sediments, and Landforms. , 2018, , 273-308.		4
769	Centennial- to decadal-scale monsoon precipitation variations in the upper Hanjiang River region, China over the past 6650 years. <i>Earth and Planetary Science Letters</i> , 2018, 482, 580-590.	1.8	93
770	Carbon accumulation in Dahu Swamp in the eastern Nanling Mountains (south China) and its implications for hydroclimatic variability over the past 47,000 years. <i>Boreas</i> , 2018, 47, 469-480.	1.2	4
771	Pollen record of the mid- to late-Holocene centennial climate change on the East coast of South Korea and its influential factors. <i>Journal of Asian Earth Sciences</i> , 2018, 151, 240-249.	1.0	15
772	Provenance, sea-level and monsoon climate controls on silicate weathering of Yellow River sediment in the northern Okinawa Trough during late last glaciation. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 490, 227-239.	1.0	29
773	Sedimentary evolution of the Yangtze River mouth (East China Sea) over the past 19,000 years, with emphasis on the Holocene variations in coastal currents. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 490, 431-449.	1.0	25
774	Low-latitude climate control on sea-surface temperatures recorded in the southern Okinawa Trough during the last 13.3 kyr. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 490, 210-217.	1.0	10
775	East Asian summer monsoon variations during the last deglaciation, recorded from a stalagmite at Linyi, northern China. <i>Quaternary International</i> , 2018, 464, 327-335.	0.7	7
776	Late Pleistocene - Holocene vegetation and climate from the palaeolake sediments, Rukti valley, Kinnaur, Himachal Himalaya. <i>Quaternary International</i> , 2018, 479, 79-89.	0.7	15
777	Impact of Convective Activity on Precipitation $\langle \hat{\tau} \rangle$ in Isotope-Enabled General Circulation Models. <i>Journal of Geophysical Research D: Atmospheres</i> , 2018, 123, 13,595.	1.2	22

#	ARTICLE	IF	CITATIONS
778	Late Quaternary glaciations in the Cogarbu valley, Bhutanese Himalaya. <i>Journal of Quaternary Science</i> , 2019, 34, 40-50.	1.1	27
779	Connecting the Greenland ice-core and U ²³⁵ Th timescales via cosmogenic radionuclides: testing the synchronicity of Dansgaard-Oeschger events. <i>Climate of the Past</i> , 2018, 14, 1755-1781.	1.3	62
780	A last deglacial climate dataset comprising ice core data, marine data, and stalagmite data. <i>Data in Brief</i> , 2018, 21, 1764-1770.	0.5	0
781	Prolonged Heavy Snowfall During the Younger Dryas. <i>Journal of Geophysical Research D: Atmospheres</i> , 2018, 123, 13,748.	1.2	19
782	Forest Migration Patterns and Uncertainties. <i>Springer Theses</i> , 2018, , 91-100.	0.0	0
783	A 14 ka high-resolution $\delta^{18}O$ lake record reveals a paradigm shift for the process-based reconstruction of hydroclimate on the northern Tibetan Plateau. <i>Quaternary Science Reviews</i> , 2018, 200, 65-84.	1.4	47
784	The paleoclimatic implication of oxygen isotopes of authigenic carbonates in loess on the Northeastern Tibetan Plateau since Last Glacial Maximum. <i>Progress in Physical Geography</i> , 2018, 42, 826-840.	1.4	2
785	Echo of the Younger Dryas in Holocene Lake Sediments on the Tibetan Plateau. <i>Geophysical Research Letters</i> , 2018, 45, 11,154.	1.5	15
786	Temporal and spatial characteristics of sediment sources on the southern Yangtze Shoal over the Holocene. <i>Scientific Reports</i> , 2018, 8, 15577.	1.6	10
787	Reliability of phytoliths for reconstructing vegetation dynamics in northern temperate forest regions: A case study in northeast China. <i>Quaternary Science Reviews</i> , 2018, 201, 1-12.	1.4	29
788	Regional-scale Precipitation Anomalies in Northern China During the Holocene and Possible Impact on Prehistoric Demographic Changes. <i>Geophysical Research Letters</i> , 2018, 45, 12,477.	1.5	12
789	Late Quaternary climate change in the north-eastern highlands of Ethiopia: A high resolution 15,600 year diatom and pigment record from Lake Hayk. <i>Quaternary Science Reviews</i> , 2018, 202, 166-181.	1.4	10
790	Response of lake-catchment processes to Holocene climate variability: Evidences from the NE Tibetan Plateau. <i>Quaternary Science Reviews</i> , 2018, 201, 261-279.	1.4	29
791	Millennial-scale East Asian monsoon variability of the last glacial deduced from annually laminated sediments from Lake Sihailongwan, N.E. China. <i>Quaternary Science Reviews</i> , 2018, 201, 57-76.	1.4	45
792	Environmental conditions framing the first evidence of modern humans at Tam P \acute{a} Ling, Laos: A stable isotope record from terrestrial gastropod carbonates. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 511, 352-363.	1.0	14
793	Natural and anthropogenic impacts on environmental changes over the past 7500 years based on the multi-proxy study of shelf sediments in the northern South China Sea. <i>Quaternary Science Reviews</i> , 2018, 197, 35-48.	1.4	31
794	Deglacial mobilization of pre-aged terrestrial carbon from degrading permafrost. <i>Nature Communications</i> , 2018, 9, 3666.	5.8	53
795	Three-dimensional evolution of the Yangtze River mouth, China during the Holocene: impacts of sea level, climate and human activity. <i>Earth-Science Reviews</i> , 2018, 185, 938-955.	4.0	92

#	ARTICLE	IF	CITATIONS
796	Middle to late Holocene delta plain evolution of the Kimotsuki lowland, Kyushu (southern Japan). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 502, 74-85.	1.0	3
797	Asian monsoon dynamics at Dansgaard/Oeschger events 14â€“8 and Heinrich events 5â€“4 in northern China. <i>Quaternary Geochronology</i> , 2018, 47, 72-80.	0.6	19
798	Variations in the westerlies in Central Asia since 16â€“ka recorded by a loess section from the Tien Shan Mountains. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 504, 156-161.	1.0	44
799	Vegetation change and human impacts on Rebus Island (Northwest Pacific) over the last 6000 years. <i>Quaternary Science Reviews</i> , 2018, 193, 129-144.	1.4	22
800	Timing and duration of the East Asian summer monsoon maximum during the Holocene based on stalagmite data from North China. <i>Holocene</i> , 2018, 28, 1631-1641.	0.9	36
801	Late Holocene climate changes from diatom records in the historical Reservoir Gonggeomji, Korea. <i>Journal of Applied Phycology</i> , 2018, 30, 3205-3219.	1.5	6
802	High-resolution clay mineral assemblages in the inner shelf mud wedge of the East China Sea during the Holocene: Implications for the East Asian Monsoon evolution. <i>Science China Earth Sciences</i> , 2018, 61, 1316-1329.	2.3	10
803	Abrupt climate change at ~2800 yr BP evidenced by a stalagmite record from peninsular India. <i>Holocene</i> , 2018, 28, 1720-1730.	0.9	20
804	Orbital- and suborbital-scale changes in the East Asian summer monsoon since the last deglaciation. <i>Holocene</i> , 2018, 28, 1216-1224.	0.9	14
805	Middle Holocene Organic Carbon and Biomarker Records from the South Yellow Sea: Relationship to the East Asian Monsoon. <i>Journal of Ocean University of China</i> , 2018, 17, 823-834.	0.6	2
806	Differentiated climate-driven Holocene biome migration in western and eastern China as mediated by topography. <i>Earth-Science Reviews</i> , 2018, 182, 174-185.	4.0	15
807	Direct and indirect effects of Holocene climate variations on catchment and lake processes of a treeline lake, SW China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 502, 119-129.	1.0	11
808	Geochemical provenance of sediments from the northern East China Sea document a gradual migration of the Asian Monsoon belt over the past 400,000 years. <i>Quaternary Science Reviews</i> , 2018, 190, 161-175.	1.4	16
809	Rapid shift and millennial-scale variations in Holocene North Pacific Intermediate Water ventilation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 5365-5370.	3.3	12
810	The Holocene. , 2018, , 175-182.		2
811	The 8.2 ka cooling event in coastal East Asia: High-resolution pollen evidence from southwestern Korea. <i>Scientific Reports</i> , 2018, 8, 12423.	1.6	17
812	Holocene surface hydroclimate changes in the Indo-Pacific warm pool. <i>Quaternary International</i> , 2018, 482, 1-12.	0.7	4
813	Response of dune mobility and pedogenesis to fluctuations in monsoon precipitation and human activity in the Hulunbuir dune field, northeastern China, since the last deglaciation. <i>Global and Planetary Change</i> , 2018, 168, 1-14.	1.6	16

#	ARTICLE	IF	CITATIONS
814	Magnetic characteristics of sediments from a radial sand ridge field in the South Yellow Sea, eastern China, and environmental implications during the mid- to late-Holocene. <i>Journal of Asian Earth Sciences</i> , 2018, 163, 224-234.	1.0	17
815	Influence of Sea Level Change and Centennial East Asian Monsoon Variations on Northern South China Sea Sediments Over the Past 36 kyr. <i>Geochemistry, Geophysics, Geosystems</i> , 2018, 19, 1674-1689.	1.0	13
816	Responses of the East Asian Summer Monsoon in the Low-Latitude South China Sea to High-Latitude Millennial-Scale Climatic Changes During the Last Glaciation: Evidence From a High-Resolution Clay Mineralogical Record. <i>Paleoceanography and Paleoclimatology</i> , 2018, 33, 745-765.	1.3	35
817	Decoupled early Holocene summer temperature and monsoon precipitation in southwest China. <i>Quaternary Science Reviews</i> , 2018, 193, 54-67.	1.4	90
818	Inconsistent sea surface temperature and salinity changing trend in the northern South China Sea since 7.0 ka BP. <i>Journal of Asian Earth Sciences</i> , 2019, 171, 178-186.	1.0	8
819	High-resolution paleoclimatic records spanning the past 30 ka BP inferred from Qionghai Lake sediments in southwest China: Insights from geochemical investigations and grain-size characteristics. <i>Geological Journal</i> , 2019, 54, 2495-2507.	0.6	6
820	Solar insolation driven periodicities in southwest monsoon and its impact on NE Arabian Sea paleoceanography. <i>Geoscience Frontiers</i> , 2019, 10, 2251-2263.	4.3	14
821	Geochemical characteristics of Holocene aeolian deposits east of Qinghai Lake, China, and their paleoclimatic implications. <i>Science of the Total Environment</i> , 2019, 692, 917-929.	3.9	26
822	New constraints on the late Quaternary landscape evolution of the eastern Tibetan Plateau from ¹⁰ Be and ²⁶ Al in-situ cosmogenic nuclides. <i>Quaternary Science Reviews</i> , 2019, 220, 244-262.	1.4	12
823	Differentiated roles of mean climate and climate stability on post-glacial birch distributions in northern China. <i>Holocene</i> , 2019, 29, 1758-1766.	0.9	4
824	Multiproxy studies of lake sediments during mid-Holocene in Zhengzhou region of the Henan Province, central China, and the implications for reconstructing the paleoenvironments. <i>Quaternary International</i> , 2019, 521, 104-110.	0.7	9
825	Changes in Indian Summer Monsoon Using Neodymium (Nd) Isotopes in the Andaman Sea During the Last 24,000 Years. <i>Earth Systems and Environment</i> , 2019, 3, 241-253.	3.0	10
826	Evidence of abrupt climate change at 9.3 ka and 8.2 ka in the central Canadian Arctic: Connection to the North Atlantic and Atlantic Meridional Overturning Circulation. <i>Quaternary Science Reviews</i> , 2019, 219, 204-217.	1.4	10
827	The Asian Summer Monsoon: Teleconnections and Forcing Mechanisms—A Review from Chinese Speleothem δ ¹⁸ O Records. <i>Quaternary</i> , 2019, 2, 26.	1.0	68
828	Holocene evolution of the Indian Summer Monsoon inferred from a lacustrine record of Lake Wuxu, southeast Tibetan Plateau. <i>Journal of Quaternary Science</i> , 2019, 34, 463-474.	1.1	8
829	Climate as a factor for Neolithic cultural collapses approximately 4000 years BP in China. <i>Earth-Science Reviews</i> , 2019, 197, 102915.	4.0	57
830	Response and feedback of the Indian summer monsoon and the Southern Westerly Winds to a temperature contrast between the hemispheres during the last glacial-interglacial transitional period. <i>Earth-Science Reviews</i> , 2019, 197, 102917.	4.0	10
831	Abrupt Holocene climate shifts in coastal East Asia, including the 8.2 ka, 4.2 ka, and 2.8 ka BP events, and societal responses on the Korean peninsula. <i>Scientific Reports</i> , 2019, 9, 10806.	1.6	44

#	ARTICLE	IF	CITATIONS
832	Investigating environmental changes as the driving force of agricultural intensification in the lower reaches of the Yellow River: A case study at the Sanyangzhuang site. <i>Quaternary International</i> , 2019, 521, 25-34.	0.7	7
833	Contrasting effects of winter and summer climate on Holocene montane vegetation belts evolution in southeastern Qinghai-Tibetan Plateau, China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019, 533, 109232.	1.0	21
834	Reconstructing Chemical Weathering Intensity in the Mekong River Basin Since the Last Glacial Maximum. <i>Paleoceanography and Paleoclimatology</i> , 2019, 34, 1710-1725.	1.3	15
835	Large-scale pollen distribution in marine surface sediments from the Bohai Sea, China: Insights into pollen provenance, transport, deposition, and coastal-shelf paleoenvironment. <i>Progress in Oceanography</i> , 2019, 178, 102183.	1.5	16
836	Characteristics of time-transgressive Holocene Optimum in the East Asian monsoon region. <i>Earth Sciences Research Journal</i> , 2019, 23, 259-263.	0.4	6
837	Chronology and Plant Utilization from the Earliest Walled Settlement in the Hexi Corridor, Northwestern China. <i>Radiocarbon</i> , 2019, 61, 971-989.	0.8	9
838	The Possible Stimulation of the Mid-Holocene Period's Initial Hydrological Recession on the Development of Neolithic Cultures along the Margin of the East Asian Summer Monsoon. <i>Sustainability</i> , 2019, 11, 6146.	1.6	2
839	Local and Regional Indian Summer Monsoon Precipitation Dynamics During Termination II and the Last Interglacial. <i>Geophysical Research Letters</i> , 2019, 46, 12454-12463.	1.5	15
840	Biotic response to the environmental and climatic variability in a deep alpine lake (Lake Lugu) over the last 30,000 years in southwest China. <i>Journal of Plankton Research</i> , 2019, 41, 771-785.	0.8	3
841	Evaluating model outputs using integrated global speleothem records of climate change since the last glacial. <i>Climate of the Past</i> , 2019, 15, 1557-1579.	1.3	37
842	Linking Monsoon Activity with River-Derived Sediments Deposition in the Northern South China Sea. <i>Journal of Ocean University of China</i> , 2019, 18, 1098-1104.	0.6	4
843	High-frequency Holocene glacier fluctuations in the Himalayan-Tibetan orogen. <i>Quaternary Science Reviews</i> , 2019, 220, 372-400.	1.4	42
844	A High-Resolution Speleothem Record of Marine Isotope Stage 11 as a Natural Analog to Holocene Asian Summer Monsoon Variations. <i>Geophysical Research Letters</i> , 2019, 46, 9949-9957.	1.5	12
845	Evolution of the Asian-African Monsoonal Precipitation over the last 21 kyr and the Associated Dynamic Mechanisms. <i>Journal of Climate</i> , 2019, 32, 6551-6569.	1.2	27
846	Last Glacial Maximum, early Holocene and modern environments of the northern South China Sea region: Insight from SEM analysis of Oak (<i>Quercus</i>) pollen. <i>Science of the Total Environment</i> , 2019, 691, 1065-1071.	3.9	2
847	Chinese stalagmite paleoclimate researches: A review and perspective. <i>Science China Earth Sciences</i> , 2019, 62, 1489-1513.	2.3	96
848	Rare earth element fractionations of the northwestern South China Sea sediments, and their implications for East Asian monsoon reconstruction during the last 36 kyr. <i>Quaternary International</i> , 2019, 525, 16-24.	0.7	10
849	Late Holocene Anthropogenic and Climatic Impact on a Tropical Island Ecosystem of Northern Vietnam. <i>Frontiers in Ecology and Evolution</i> , 2019, 7, .	1.1	5

#	ARTICLE	IF	CITATIONS
850	Mid-Holocene moisture maximum revealed by pH changes derived from branched tetraethers in loess deposits of the northeastern Tibetan Plateau. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019, 520, 138-149.	1.0	16
851	Factors controlling frequency of turbidites in the Bengal fan during the last 248 kyr cal BP: Clues from a presently inactive channel. <i>Marine Geology</i> , 2019, 415, 105965.	0.9	10
852	Dust Storm Outbreak in Central Asia After ~3.5 kyr BP. <i>Geophysical Research Letters</i> , 2019, 46, 7624-7633.	1.5	30
853	Abrupt changes in Indian summer monsoon strength during the last deglaciation and early Holocene based on stable isotope evidence from Lake Chenghai, southwest China. <i>Quaternary Science Reviews</i> , 2019, 218, 1-9.	1.4	22
854	Developing a Holocene tephrostratigraphy for northern Japan using the sedimentary record from Lake Kushu, Rebun Island. <i>Quaternary Science Reviews</i> , 2019, 215, 272-292.	1.4	13
855	The 4.2 ka BP climatic event and its cultural responses. <i>Quaternary International</i> , 2019, 521, 158-167.	0.7	61
856	Regional sediment sources versus the Indus River system: The Plio-Pleistocene of the Peshawar Basin (NW-Pakistan). <i>Sedimentary Geology</i> , 2019, 389, 26-41.	1.0	6
857	Holocene changes in biome size and tropical cyclone activity around the Northern South China Sea. <i>Quaternary Science Reviews</i> , 2019, 215, 45-63.	1.4	8
858	Paleoclimate records from speleothems. , 2019, , 784-793.		3
859	Pollen reconstruction and vegetation dynamics of the middle Holocene maximum summer monsoon in northern China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019, 528, 204-217.	1.0	23
860	Holocene mean annual air temperature (MAAT) reconstruction based on branched glycerol dialkyl glycerol tetraethers from Lake Ximenglongtan, southwestern China. <i>Organic Geochemistry</i> , 2019, 133, 65-76.	0.9	30
861	Decadal- to centennial-scale climate changes over the last 2000 yr recorded from varved sediments of Lake Kusai, northern Qinghai-Tibetan Plateau. <i>Quaternary Research</i> , 2019, 92, 340-351.	1.0	8
862	Weathering and erosion in central Vietnam over the Holocene and Younger Dryas: Clay mineralogy and elemental geochemistry from the Vietnam Shelf, western South China Sea. <i>Journal of Asian Earth Sciences</i> , 2019, 179, 1-10.	1.0	16
863	A Novel Approach Using Time-Depth Distortions to Assess Multicentennial Variability in Deep-Sea Oxygen Deficiency in the Eastern Mediterranean Sea During Sapropel S5. <i>Paleoceanography and Paleoclimatology</i> , 2019, 34, 774-786.	1.3	6
864	Arid Central Asia saw mid-Holocene drought. <i>Geology</i> , 2019, 47, 255-258.	2.0	106
865	Response of alpine vegetation to climate changes in the Nanling Mountains during the second half of the Holocene. <i>Quaternary International</i> , 2019, 522, 12-22.	0.7	4
866	A Late Pleistocene and Holocene vegetation and environmental record from Shuangchi Maar, Hainan Province, South China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019, 523, 89-96.	1.0	15
867	Reconciling the "westerlies" and "monsoon" models: A new hypothesis for the Holocene moisture evolution of the Xinjiang region, NW China. <i>Earth-Science Reviews</i> , 2019, 191, 263-272.	4.0	58

#	ARTICLE	IF	CITATIONS
868	Early-Holocene monsoon instability and climatic optimum recorded by Chinese stalagmites. <i>Holocene</i> , 2019, 29, 1059-1067.	0.9	56
869	Spatio-temporal evolution of Australasian monsoon hydroclimate over the last 40,000 years. <i>Earth and Planetary Science Letters</i> , 2019, 513, 103-112.	1.8	38
870	A grain size and n-alkanes record of Holocene environmental evolution from a groundwater recharge lake in Badain Jaran Desert, Northwestern China. <i>Holocene</i> , 2019, 29, 1045-1058.	0.9	12
871	Late onset of the Holocene rainfall maximum in northeastern China inferred from a pollen record from the sediments of Tianchi Crater Lake. <i>Quaternary Research</i> , 2019, 92, 133-145.	1.0	16
872	Pollen and non-pollen palynomorph analyses of Upper Holocene sediments from Dianshan, Yangtze coastal lowlands, China: Hydrology, vegetation history and human activity. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019, 523, 30-47.	1.0	17
873	A new speleothem record of the penultimate deglacial: Insights into spatial variability and centennial-scale instabilities of East Asian monsoon. <i>Quaternary Science Reviews</i> , 2019, 210, 113-124.	1.4	14
874	Multiscale analysis of Asian Monsoon over the past 640 ka. <i>Science China Earth Sciences</i> , 2019, 62, 843-852.	2.3	3
875	An 11 000-year-old giant muntjac subfossil from Northern Vietnam: implications for past and present populations. <i>Royal Society Open Science</i> , 2019, 6, 181461.	1.1	8
876	Early and late Holocene paleoenvironmental reconstruction of the Pearl River estuary, South China Sea using foraminiferal assemblages and stable carbon isotopes. <i>Estuarine, Coastal and Shelf Science</i> , 2019, 222, 112-125.	0.9	15
877	Past climate changes over South Korea during MIS3 and MIS1 and their links to regional and global climate changes. <i>Quaternary International</i> , 2019, 519, 74-81.	0.7	13
878	A 13,000-year peatland palaeohydrological response to the ENSO-related Asian monsoon precipitation changes in the middle Yangtze Valley. <i>Quaternary Science Reviews</i> , 2019, 212, 80-91.	1.4	68
879	Isotopes in groundwater (^2H , ^{18}O , ^{14}C) revealed the climate and groundwater recharge in the Northern China. <i>Science of the Total Environment</i> , 2019, 666, 298-307.	3.9	28
880	Local marine reservoir age variability at Luzon Strait in the South China Sea during the Holocene. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2019, 455, 171-177.	0.6	11
881	Multicultural responses to environmental changes of the Holocene in the Nihewan-Huliou Basin of North China. <i>Quaternary International</i> , 2019, 507, 53-61.	0.7	3
882	Multi-proxy evidence for paleoclimate evolution performed on a paleolake sediment core in the East Asian Monsoon Region. <i>Environmental Earth Sciences</i> , 2019, 78, 1.	1.3	4
883	Paleoclimatic evolution of the SW and NE South China Sea and its relationship with spectral reflectance data over various age scales. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019, 525, 25-43.	1.0	16
884	Timing and structure of Termination II in north China constrained by a precisely dated stalagmite record. <i>Earth and Planetary Science Letters</i> , 2019, 512, 1-7.	1.8	10
885	North Iberian temperature and rainfall seasonality over the Younger Dryas and Holocene. <i>Quaternary Science Reviews</i> , 2019, 226, 105998.	1.4	34

#	ARTICLE	IF	CITATIONS
886	Pollen record of precipitation changes during the Younger Dryas and Early Holocene in the North China Plain. <i>Quaternary International</i> , 2019, 532, 116-125.	0.7	9
887	A new perspective for the sediment provenance evolution of the middle Okinawa Trough since the last deglaciation based on integrated methods. <i>Earth and Planetary Science Letters</i> , 2019, 528, 115839.	1.8	25
888	Rare earth element geochemistry of sediments from the southern Okinawa Trough since 3 ka: Implications for river-sea processes and sediment source. <i>Open Geosciences</i> , 2019, 11, 929-947.	0.6	4
889	Deciphering Oxygen Isotope Records From Chinese Speleothems With an Isotope-Enabled Climate Model. <i>Paleoceanography and Paleoclimatology</i> , 2019, 34, 2098-2112.	1.3	66
890	Centennial-scale climate variability during the past 2000 years derived from lacustrine sediment on the western Tibetan Plateau. <i>Quaternary International</i> , 2019, 510, 65-75.	0.7	22
891	Vegetation and climate changes since the middle MIS 3 inferred from a Wulagai Lake pollen record, Inner Mongolia, Northeastern China. <i>Review of Palaeobotany and Palynology</i> , 2019, 262, 44-51.	0.8	11
892	Solar-forcing-induced spatial synchronisation of the East Asian summer monsoon on centennial timescales. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019, 514, 536-549.	1.0	18
893	High-resolution reconstruction of Indian summer monsoon during the BÅlling-AllerÅd from a central Indian stalagmite. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019, 514, 567-576.	1.0	14
894	Climate variability and evolution of the Indus civilization. <i>Quaternary International</i> , 2019, 507, 15-23.	0.7	25
895	Large-scale vegetation history in China and its response to climate change since the Last Glacial Maximum. <i>Quaternary International</i> , 2019, 500, 108-119.	0.7	24
896	Response of prehistoric human activity to environmental changes since 7,000â€calâ€yr BP in Nenjiang River Basin, northeast China. <i>Quaternary International</i> , 2019, 507, 74-83.	0.7	7
897	The 1800â€year variation of the lower Yellow River bank breachings in relation to the drainage basin vegetation reconstructed using cave stalagmite records. <i>Earth Surface Processes and Landforms</i> , 2019, 44, 1050-1063.	1.2	1
898	Summer temperature fluctuations in Southwestern China during the end of the LGM and the last deglaciation. <i>Earth and Planetary Science Letters</i> , 2019, 509, 78-87.	1.8	48
899	Late glacial and Holocene vegetation and climate variations at Lake Tangra Yumco, central Tibetan Plateau. <i>Global and Planetary Change</i> , 2019, 174, 16-25.	1.6	43
900	Speleothem U/Th age constraints for the Last Glacial conditions in the Apuan Alps, northwestern Italy. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019, 518, 62-71.	1.0	20
901	Holocene climate dynamics derived from pollen record of Jiulongchi wetland in Fanjing Mountain, southwest China. <i>Quaternary International</i> , 2019, 513, 1-7.	0.7	10
902	Quantifying regional vegetation changes in China during three contrasting temperature intervals since the last glacial maximum. <i>Journal of Asian Earth Sciences</i> , 2019, 174, 23-36.	1.0	15
903	Indian summer monsoon variability and vegetation changes in the core monsoon zone, India, during the Holocene: A multiproxy study. <i>Holocene</i> , 2019, 29, 110-119.	0.9	14

#	ARTICLE	IF	CITATIONS
904	High-resolution reconstruction of sedimentary organic matter variability during the Holocene in the mud area of the Yellow Sea using multiple organic geochemical proxies. <i>Quaternary International</i> , 2019, 503, 178-188.	0.7	6
905	Resonance of the ~4.2ka event™ and terminations of global civilizations during the Holocene, in the palaeoclimate records around PT Tso Lake, Eastern Himalaya. <i>Quaternary International</i> , 2019, 507, 206-216.	0.7	18
906	Complex responses of vegetation diversity to Holocene climate change in the eastern Tibetan Plateau. <i>Vegetation History and Archaeobotany</i> , 2019, 28, 379-390.	1.0	6
907	Paleoclimate changes of the past 30â€calâ€ka BP inferred from lipid biomarkers and geochemical records from Qionghai Lake, southwest China. <i>Journal of Asian Earth Sciences</i> , 2019, 172, 346-358.	1.0	14
908	A Late Pleistocene-Holocene multi-proxy record of climate variability in the Jazmurian playa, southeastern Iran. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019, 514, 754-767.	1.0	40
909	Holocene Precipitation Records from Inner Mongolia Derived from Hydrogen Isotope Compositions of Sediment Fatty Acids. <i>Radiocarbon</i> , 2019, 61, 51-65.	0.8	1
910	Variability of East Asian summer monsoon precipitation during the Holocene and possible forcing mechanisms. <i>Climate Dynamics</i> , 2019, 52, 969-989.	1.7	96
911	Mineralogy and carbonate geochemistry of the Dali Lake sediments: Implications for paleohydrological changes in the East Asian summer monsoon margin during the Holocene. <i>Quaternary International</i> , 2019, 527, 103-112.	0.7	20
912	Sedimentary responses to the East Asian monsoon and sea level variations recorded in the northern South China Sea over the past 36â€kyr. <i>Journal of Asian Earth Sciences</i> , 2019, 171, 213-224.	1.0	37
913	Sedimentation and glaciations during the Pleistocene: Palaeoclimate reconstruction in the Peshawar Basin, Pakistan. <i>Geological Journal</i> , 2020, 55, 671-693.	0.6	7
914	Palynological record of Holocene climate change from a <i>Sphagnum</i> peat mire on Qizimei Mountain, Central China. <i>Palynology</i> , 2020, 44, 336-343.	0.7	2
915	Evolution of humanâ€environmental interactions in China from the Late Paleolithic to the Bronze Age. <i>Progress in Physical Geography</i> , 2020, 44, 233-250.	1.4	84
916	A study of Holocene Asian summer and winter monsoon change by an analog of climate factors between millennial and modern interannual scales. <i>Progress in Physical Geography</i> , 2020, 44, 315-337.	1.4	2
917	Combining and competing effects between precipitation and temperature on Holocene fire regime evolution inferred from a sedimentary black carbon record in southwestern China. <i>Quaternary Research</i> , 2020, 93, 243-254.	1.0	4
918	Using coprophilous fungi to reconstruct the history of pastoralism in the Qinghai Lake Basin, Northeastern Qinghai-Tibetan Plateau. <i>Progress in Physical Geography</i> , 2020, 44, 70-93.	1.4	25
919	Humidity variations spanning the ~Little Ice Age™ from an upland lake in southwestern China. <i>Holocene</i> , 2020, 30, 289-299.	0.9	4
920	A stalagmite $\delta^{18}O$ record from Jinfo Cave, southern China reveals early-mid holocene variations in the East Asian Summer Monsoon. <i>Quaternary International</i> , 2020, 537, 61-68.	0.7	6
921	A quantitative temperature reconstruction of the ~Little Ice Age™ in southern China. <i>Holocene</i> , 2020, 30, 709-720.	0.9	2

#	ARTICLE	IF	CITATIONS
922	Holocene climate variability and Indian Summer Monsoon: An overview. <i>Holocene</i> , 2020, 30, 744-773.	0.9	46
923	History of moisture change indicated by aeolian deposit in the Horqin sandy land, Northeastern China since the Last Glacial Maximum. <i>Quaternary International</i> , 2020, 547, 50-62.	0.7	2
924	Deglaciation of the Greenland and Laurentide ice sheets interrupted by glacier advance during abrupt coolings. <i>Quaternary Science Reviews</i> , 2020, 229, 106091.	1.4	47
925	14 kyr of atmospheric mineral dust deposition in north-eastern China: A record of palaeoclimatic and palaeoenvironmental changes in the Chinese dust source regions. <i>Holocene</i> , 2020, 30, 492-506.	0.9	17
926	Postglacial floral and climate changes in southeastern China recorded by distributions of n-alkan-2-ones in the Dahu sediment-peat sequence. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2020, 538, 109448.	1.0	5
927	Global ocean heat content in the Last Interglacial. <i>Nature Geoscience</i> , 2020, 13, 77-81.	5.4	31
928	Vegetation response in subtropical southwest China to rapid climate change during the Younger Dryas. <i>Earth-Science Reviews</i> , 2020, 201, 103080.	4.0	29
929	Paleomagnetic evidence for the Gothenburg geomagnetic excursion during the Pleistocene-Holocene transition recorded in the Paleo-Danyang Lake, eastern China. <i>Journal of Asian Earth Sciences</i> , 2020, 201, 104140.	1.0	2
930	Regional patterns of pastoralist migrations under the push of reduced precipitation in imperial China. <i>Global Ecology and Biogeography</i> , 2020, 29, 433-443.	2.7	7
931	Temporal variability in the Holocene marine radiocarbon reservoir effect for the Tropical and South Pacific. <i>Quaternary Science Reviews</i> , 2020, 249, 106613.	1.4	15
932	Pacific warm pool subsurface heat sequestration modulated Walker circulation and ENSO activity during the Holocene. <i>Science Advances</i> , 2020, 6, .	4.7	37
933	Stable isotope compositions, sources and paleoenvironmental significance of Holocene calcareous root tubes in the Tengger Desert, Northwest China. <i>Catena</i> , 2020, 195, 104846.	2.2	7
934	Temperature Variation on the Central Tibetan Plateau Revealed by Glycerol Dialkyl Glycerol Tetraethers From the Sediment Record of Lake Linggo Co Since the Last Deglaciation. <i>Frontiers in Earth Science</i> , 2020, 8, .	0.8	16
935	Reconstructing East African monsoon variability from grain-size distributions: End-member modeling and source attribution of diatom-rich sediments from Lake Chala. <i>Quaternary Science Reviews</i> , 2020, 247, 106574.	1.4	19
936	Westerly jet stream controlled climate change mode since the Last Glacial Maximum in the northern Qinghai-Tibet Plateau. <i>Earth and Planetary Science Letters</i> , 2020, 549, 116529.	1.8	23
937	Fire history and human activity revealed through poly cyclic aromatic hydrocarbon (PAH) records at archaeological sites in the middle reaches of the Yellow River drainage basin, China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2020, 560, 110015.	1.0	9
938	Holocene vegetation dynamics and climatic fluctuations from Shuanghaizi Lake in the Hengduan Mountains, southwestern China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2020, 560, 110035.	1.0	4
939	Abrupt mid-Holocene decline in the Indian Summer Monsoon caused by tropical Indian Ocean cooling. <i>Climate Dynamics</i> , 2020, 55, 1961-1977.	1.7	21

#	ARTICLE	IF	CITATIONS
940	Insolation and Greenhouse Gas Forcing of the South American Monsoon System Across Three Glacial-Interglacial Cycles. <i>Geophysical Research Letters</i> , 2020, 47, e2020GL087948.	1.5	14
941	Century-scale climatic oscillations during the Last Glacial Maximum revealed by stalagmite isotopic records from Longfugong Cave, China. <i>Environmental Earth Sciences</i> , 2020, 79, 1.	1.3	0
942	Holocene paleoenvironmental changes in mud area southwest off Cheju Island, East China Sea: Evidence from benthic foraminiferal assemblages and stable isotope records. <i>Marine Geology</i> , 2020, 429, 106319.	0.9	4
943	Revisiting growth and decline of late Quaternary mega-lakes across the south-central Tibetan Plateau. <i>Quaternary Science Reviews</i> , 2020, 248, 106475.	1.4	24
944	Centennial-scale climatic changes in Central China during the Holocene climatic optimum. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2020, 558, 109950.	1.0	8
945	Migration of Afro-Asian Monsoon Fringe Since Last Glacial Maximum. <i>Frontiers in Earth Science</i> , 2020, 8, .	0.8	4
946	Climate change, vegetation history, and landscape responses on the Tibetan Plateau during the Holocene: A comprehensive review. <i>Quaternary Science Reviews</i> , 2020, 243, 106444.	1.4	180
947	Holocene tephrostratigraphic framework and monsoon evolution of East Asia: Key tephra beds for synchronising palaeoclimate records. <i>Quaternary Science Reviews</i> , 2020, 242, 106467.	1.4	7
948	Organic geochemical evidence of past changes in hydro- and sediment-dynamic processes at river mouths: A case study of Holocene sedimentary records in the Changjiang River delta, China. <i>Continental Shelf Research</i> , 2020, 204, 104189.	0.9	6
949	Holocene East Asian Summer Monsoon Rainfall Variability in Taiwan. <i>Frontiers in Earth Science</i> , 2020, 8, .	0.8	6
950	Seasonal control on coastal dune morphostratigraphy under a monsoon climate, Mui Ne dunefield, SE Vietnam. <i>Geomorphology</i> , 2020, 370, 107371.	1.1	7
951	Holocene Monsoon Change and Abrupt Events on the Western Chinese Loess Plateau as Revealed by Accurately Dated Stalagmites. <i>Geophysical Research Letters</i> , 2020, 47, e2020GL090273.	1.5	54
952	Hydrological (in)stability in Southern Siberia during the Younger Dryas and early Holocene. <i>Global and Planetary Change</i> , 2020, 195, 103333.	1.6	6
953	Variations of Stable Isotopic Composition in Atmospheric Water Vapor and their Controlling Factors—A 6-Year Continuous Sampling Study in Nanjing, Eastern China. <i>Journal of Geophysical Research D: Atmospheres</i> , 2020, 125, e2019JD031697.	1.2	21
954	Early Holocene tidal flat evolution in a western embayment of East China Sea, in response to sea level rise episodes. <i>Quaternary Science Reviews</i> , 2020, 250, 106642.	1.4	10
955	Social development and living environment changes in the Northeast Tibetan Plateau and contiguous regions during the late prehistoric period. <i>Regional Sustainability</i> , 2020, 1, 59-67.	1.1	8
956	Speleothems of South American and Asian Monsoons Influenced by a Green Sahara. <i>Geophysical Research Letters</i> , 2020, 47, e2020GL089695.	1.5	16
957	Rainwater isotopes in central Vietnam controlled by two oceanic moisture sources and rainout effects. <i>Scientific Reports</i> , 2020, 10, 16482.	1.6	29

#	ARTICLE	IF	CITATIONS
958	How to Deal With Multi-Proxy Data for Paleoenvironmental Reconstructions: Applications to a Holocene Lake Sediment Record From the Tian Shan, Central Asia. <i>Frontiers in Earth Science</i> , 2020, 8, .	0.8	6
959	The Climate Fluctuation of the 8.2 ka BP Cooling Event and the Transition into Neolithic Lifeways in North China. <i>Quaternary</i> , 2020, 3, 23.	1.0	6
960	Timing and structure of the Younger Dryas event and its underlying climate dynamics. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 23408-23417.	3.3	119
961	Lake-Level Oscillation Based on Sediment Strata and Geochemical Proxies Since 11,000 Year From Tengger Nuur, Inner Mongolia, China. <i>Frontiers in Earth Science</i> , 2020, 8, .	0.8	2
962	Synchronous timing of abrupt climate changes during the last glacial period. <i>Science</i> , 2020, 369, 963-969.	6.0	62
963	A high-resolution sediment record of East Asian summer monsoon from the northern South China Sea spanning the past 7500 years. <i>Holocene</i> , 2020, 30, 1669-1680.	0.9	6
964	High-resolution Evidence for Middle Holocene East Asian Winter and Summer Monsoon Variations: Snapshots of Fossil Coral Records. <i>Geophysical Research Letters</i> , 2020, 47, e2020GL088509.	1.5	10
965	High-resolution sea surface temperature and salinity dynamics in the northern Okinawa Trough over the last 24 kyr. <i>Palaeoworld</i> , 2021, 30, 770-785.	0.5	1
966	Profiling interactions between the Westerlies and Asian summer monsoons since 45 ka: Insights from biomarker, isotope, and numerical modeling studies in the Qaidam Basin. <i>Bulletin of the Geological Society of America</i> , 2021, 133, 1531-1541.	1.6	2
967	$^{87}\text{Sr}/^{86}\text{Sr}$ and $^{147}\text{Sm}/^{143}\text{Nd}$ isotopes indicating the provenance of siliciclastic sediments and paleoenvironmental changes in the middle Okinawa Trough during the last deglaciation. <i>Continental Shelf Research</i> , 2020, 210, 104277.	0.9	5
968	Eustatic, Climatic and Tectonic Controls on the Evolution of a Middle to Late Holocene Coastal Dune System in Shimokita, Northeast Japan. <i>Geosciences (Switzerland)</i> , 2020, 10, 410.	1.0	0
969	Mineralogical Record for Stepwise Hydroclimatic Changes in Lake Qinghai Sediments Since the Last Glacial Period. <i>Minerals (Basel, Switzerland)</i> , 2020, 10, 963.	0.8	4
970	BIRDS AND BEASTS WERE MANY: THE ECOLOGY AND CLIMATE OF THE GUANZHONG BASIN IN THE PRE-IMPERIAL PERIOD. <i>Early China</i> , 2020, 43, 207-245.	0.3	8
971	Long-term sediment decline causes ongoing shrinkage of the Mekong megadelta, Vietnam. <i>Scientific Reports</i> , 2020, 10, 8085.	1.6	41
972	ENSO-Like Pacing of the Asian Summer Monsoon during the Early Holocene. <i>Journal of Meteorological Research</i> , 2020, 34, 325-335.	0.9	2
973	New insights on Chinese cave $\delta^{18}\text{O}$ records and their paleoclimatic significance. <i>Earth-Science Reviews</i> , 2020, 207, 103216.	4.0	67
974	Evidence for climate instability during the Younger Dryas interval in the Hengduan Mountains, Yunnan, southwestern China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2020, 554, 109798.	1.0	9
975	Chronology and sediment provenance of extreme floods of Siang River (Tsangpo-Brahmaputra River) Tj ETQq1 1 0.784314 ggBT /Overl 1.2 36	0.784314	36

#	ARTICLE	IF	CITATIONS
976	Late-Holocene vegetation change reveals the environment of ancient people and the origin of Huashan cliff paintings in Guangxi, southwestern China. <i>Holocene</i> , 2020, 30, 1296-1309.	0.9	1
977	Historical change of carbon burial in Late Quaternary sediments of the ancient Yellow River delta on the west coast of Bohai Bay, China. <i>Catena</i> , 2020, 193, 104619.	2.2	11
978	Quantitative reconstruction of Holocene millennial-scale precipitation in the Asian monsoon margin of northwest China, revealed by phytolith assemblages from calcareous root tubes in the Tengger Desert. <i>Climate Dynamics</i> , 2020, 55, 755-770.	1.7	18
979	Quantitative precipitation reconstructions from Chagan Nur revealed lag response of East Asian summer monsoon precipitation to summer insolation during the Holocene in arid northern China. <i>Quaternary Science Reviews</i> , 2020, 239, 106365.	1.4	44
980	Enriched East Asian oxygen isotope of precipitation indicates reduced summer seasonality in regional climate and westerlies. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 14745-14750.	3.3	50
981	Holocene peatland water regulation response to ~1000-year solar cycle indicated by phytoliths in central China. <i>Journal of Hydrology</i> , 2020, 589, 125169.	2.3	12
982	Holocene carbon accumulation in lakes of the current east Asian monsoonal margin: Implications under a changing climate. <i>Science of the Total Environment</i> , 2020, 737, 139723.	3.9	7
983	Lacustrine record from the eastern Tibetan Plateau associated with Asian summer monsoon changes over the past ~6ka and its links with solar and ENSO activity. <i>Climate Dynamics</i> , 2020, 55, 1075-1086.	1.7	17
984	A decadal-resolution stalagmite record of strong Asian summer monsoon from northwestern Vietnam over the Dansgaard-Oeschger events 2-4. <i>Journal of Asian Earth Sciences: X</i> , 2020, 3, 100027.	0.6	4
985	Climate Change, Geopolitics, and Human Settlements in the Hexi Corridor over the Last 5,000 Years. <i>Acta Geologica Sinica</i> , 2020, 94, 612-623.	0.8	14
986	Grain-size Age Model in Reconstructing Orbital and Suborbital-scale Climate Changes on the Northeastern Tibetan Plateau Since the Late Glacial. <i>Acta Geologica Sinica</i> , 2020, 94, 698-706.	0.8	2
987	Archaeal lipid-inferred paleohydrology and paleotemperature of Lake Chenghai during the Pleistocene-Holocene transition. <i>Climate of the Past</i> , 2020, 16, 833-845.	1.3	8
988	Late Quaternary lacustrine Ostracoda and their implications for hydro-climatic variation in Northeastern Tibetan Plateau. <i>Earth-Science Reviews</i> , 2020, 207, 103251.	4.0	14
989	Beach ridges of Dali Lake in Inner Mongolia reveal precipitation variation during the Holocene. <i>Journal of Quaternary Science</i> , 2020, 35, 716-725.	1.1	23
990	Peatland development and carbon dynamics since the Last Glacial Maximum in the Hengduan Mountains Region. <i>Catena</i> , 2020, 190, 104525.	2.2	9
991	Link between East Asian summer monsoon and sedimentation in river-mouth sandbars since the early Holocene preserved in the Yangtze River subaqueous delta front. <i>Quaternary Research</i> , 2020, 95, 84-96.	1.0	5
992	Climate-induced speleothem radiocarbon variability on Socotra Island from the Last Glacial Maximum to the Younger Dryas. <i>Climate of the Past</i> , 2020, 16, 409-421.	1.3	6
993	Late Quaternary loess accumulation at the Rudak section in Uzbekistan, central Asia: Chronology and palaeoclimate implications. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2020, 547, 109695.	1.0	15

#	ARTICLE	IF	CITATIONS
994	Late-Holocene climatic record from a glacial lake in Ladakh range, Trans-Himalaya, India. <i>Holocene</i> , 2020, 30, 1029-1042.	0.9	27
995	Changes in the depth of Lake Qinghai since the last deglaciation and asynchrony between lake depth and precipitation over the northeastern Tibetan Plateau. <i>Global and Planetary Change</i> , 2020, 188, 103156.	1.6	12
996	Hydroclimate variability of western Thailand during the last 1400 years. <i>Quaternary Science Reviews</i> , 2020, 241, 106423.	1.4	8
997	Surface Ocean Hydrographic Changes in the Western Pacific Marginal Seas Since the Early Holocene. <i>Frontiers in Earth Science</i> , 2020, 8, .	0.8	3
998	Holocene development and human use of mangroves and limestone forest at an ancient hong lagoon in the TrĂng An karst, Ninh Binh, Vietnam. <i>Quaternary Science Reviews</i> , 2020, 242, 106416.	1.4	7
999	Geochemical records of Qionghai Lake sediments in southwestern China linked to late Quaternary climate changes. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2020, 560, 109902.	1.0	10
1000	Interactions between climate change and early agriculture in SW China and their effect on lake ecosystem functioning at centennial timescales over the last 2000 years. <i>Quaternary Science Reviews</i> , 2020, 233, 106238.	1.4	18
1001	Solar forcing of desert vegetation and drought frequency during the last 2700 years in the interior Qaidam Basin, northeastern Tibetan Plateau. <i>Science China Earth Sciences</i> , 2020, 63, 561-574.	2.3	6
1002	Centennial- to millennial-scale monsoon changes since the last deglaciation linked to solar activities and North Atlantic cooling. <i>Climate of the Past</i> , 2020, 16, 315-324.	1.3	42
1003	Formation of the Yangtze Shoal in response to the post-glacial transgression of the paleo-Yangtze (Changjiang) estuary, China. <i>Marine Geology</i> , 2020, 423, 106080.	0.9	16
1004	Moisture variations in Lacustrine-ēolian sequence from the Hunshandake sandy land associated with the East Asian Summer Monsoon changes since the late Pleistocene. <i>Quaternary Science Reviews</i> , 2020, 233, 106210.	1.4	28
1005	Multi-proxy records of Holocene hydroclimatic and environmental changes on the southern coast of South Korea. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2020, 545, 109642.	1.0	10
1006	Human behavioral responses to the 8.2 ka BP climatic event: Archaeological evidence from the Zhongshandong Cave Site in Bubing basin, Guangxi, southern China. <i>Quaternary International</i> , 2020, 563, 96-104.	0.7	8
1007	Juxtaposition of Western Pacific Subtropical High on Asian Summer Monsoon Shapes Subtropical East Asian Precipitation. <i>Geophysical Research Letters</i> , 2020, 47, e2019GL084705.	1.5	50
1008	Mechanisms for Spatially Inhomogeneous Changes in East Asian Summer Monsoon Precipitation during the Mid-Holocene. <i>Journal of Climate</i> , 2020, 33, 2945-2965.	1.2	12
1009	Long-term herbivore population dynamics in the northeastern Qinghai-Tibetan Plateau and its implications for early human impacts. <i>Review of Palaeobotany and Palynology</i> , 2020, 275, 104171.	0.8	29
1010	Hydrological reconstruction of extreme palaeoflood events 9000-8500 a BP in the Danjiang River Valley, tributary of the Danjiangkou Reservoir, China. <i>Arabian Journal of Geosciences</i> , 2020, 13, 1.	0.6	3
1011	Vegetation, climate and human impact since 20 ka in central Yunnan Province based on high-resolution pollen and charcoal records from Dianchi, southwestern China. <i>Quaternary Science Reviews</i> , 2020, 236, 106297.	1.4	58

#	ARTICLE	IF	CITATIONS
1012	Asian monsoon dynamics and sediment transport in SE Asia. <i>Journal of Asian Earth Sciences</i> , 2020, 195, 104352.	1.0	21
1013	Impacts of cave ventilation on drip water $\delta^{13}C_{DIC}$ and its paleoclimate implication. <i>Quaternary International</i> , 2020, 547, 7-21.	0.7	10
1014	STEPPED-COMBUSTION ^{14}C DATING IN LOESS-PALEOSOL SEDIMENT. <i>Radiocarbon</i> , 2020, 62, 1209-1220.	0.8	4
1015	Climate changes in the Qaidam Basin in NW China over the past 40 kyr. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2020, 551, 109679.	1.0	17
1016	Reconstruction of Holocene Optimum paleoclimatic variations using long-chain n-alkanes and alkenones in sediments from Dabusu Lake, northeastern China. <i>Quaternary International</i> , 2020, 550, 27-38.	0.7	8
1017	Holocene lake level, vegetation, and climate at the East Asian summer monsoon margin: A record from the Lake Wulanhushao basin, southern Inner Mongolia. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021, 561, 110051.	1.0	12
1018	Holocene climate changes inferred from peat humification: A case study from the Daiyun Mountains, Southeast China. <i>Quaternary International</i> , 2021, 599-600, 15-23.	0.7	4
1019	An evaluation of soil phytoliths for reconstructing plant communities and palaeoclimate in the northern temperate region. <i>European Journal of Soil Science</i> , 2021, 72, 900-917.	1.8	4
1020	The impact of early trans-Eurasian exchange on animal utilization in northern China during 5000–2500 BP. <i>Holocene</i> , 2021, 31, 294-301.	0.9	24
1021	Sedimentary grain-size record of Holocene runoff fluctuations in the Lake Lugu watershed, SE Tibetan Plateau. <i>Holocene</i> , 2021, 31, 346-355.	0.9	7
1022	Holocene climatic optimum in the East Asian monsoon region of China defined by climatic stability. <i>Earth-Science Reviews</i> , 2021, 212, 103450.	4.0	41
1023	A review of 6000–5000 cal BP climatic anomalies in China. <i>Quaternary International</i> , 2021, 571, 58-72.	0.7	5
1024	Penetration of monsoonal water vapour into arid central Asia during the Holocene: An isotopic perspective. <i>Quaternary Science Reviews</i> , 2021, 251, 106713.	1.4	28
1025	Early and mid-Holocene hydroclimate change recorded in tufa deposits in the Jiuzhaigou gully, eastern Tibetan Plateau. <i>Catena</i> , 2021, 196, 104834.	2.2	11
1026	A diatom-based Holocene record of sedimentary and oceanographic environmental changes within the Beibu Gulf, NW South China Sea. <i>Marine Geology</i> , 2021, 432, 106395.	0.9	3
1027	Late Quaternary seasonal process variations in lake basins on the NE Tibetan Plateau. <i>Quaternary Science Reviews</i> , 2021, 252, 106736.	1.4	12
1028	Abrupt climate variability since the last deglaciation based on a high-resolution peat dust deposition record from southwest China. <i>Quaternary Science Reviews</i> , 2021, 252, 106749.	1.4	7
1029	The elemental enrichments at Dajiuhu Peatland in the Middle Yangtze Valley in response to changes in East Asian monsoon and human activity since 20,000 cal BP. <i>Science of the Total Environment</i> , 2021, 757, 143990.	3.9	17

#	ARTICLE	IF	CITATIONS
1030	Seasonality in Holocene Temperature Reconstructions in Southwestern China. <i>Paleoceanography and Paleoclimatology</i> , 2021, 36, .	1.3	18
1031	Holocene hydroclimate in the source region of the Yellow River: A new sediment record from Lake Gyaring, NE Tibetan Plateau. <i>Journal of Asian Earth Sciences</i> , 2021, 205, 104601.	1.0	13
1032	Reconstruction of temperature and precipitation spanning the past 28 kyr based on branched tetraether lipids from Qionghai Lake, southwestern China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021, 562, 110094.	1.0	11
1033	Role of Indian Summer Monsoon and Westerlies on glacier variability in the Himalaya and East Africa during Late Quaternary: Review and new data. <i>Earth-Science Reviews</i> , 2021, 212, 103431.	4.0	24
1034	In-phase and out-of-phase behavior of the East Asian summer and winter monsoons recorded in the South Yellow Sea sediment over the past 9.5 ka. <i>Quaternary Research</i> , 2021, 99, 96-113.	1.0	3
1035	Interpreting the lake-status record of the East Asian monsoon using a hydrological model. <i>Quaternary Research</i> , 2021, 99, 80-95.	1.0	4
1036	Accurate dating of stalagmites from low seasonal contrast tropical Pacific climate using Sr 2D maps, fabrics and annual hydrological cycles. <i>Scientific Reports</i> , 2021, 11, 2178.	1.6	16
1037	Orbitally driven evolution of Asian monsoon and stable water isotope ratios during the Holocene: Isotope-enabled climate model simulations and proxy data comparisons. <i>Quaternary Science Reviews</i> , 2021, 252, 106743.	1.4	8
1038	Neolithic pathways in East Asia: early sedentism on the Mongolian Plateau. <i>Antiquity</i> , 2021, 95, 45-64.	0.5	3
1039	Late Quaternary record of Indian summer monsoon-induced stratification and productivity collapse in the Andaman Sea. <i>Journal of Quaternary Science</i> , 2021, 36, 298-310.	1.1	10
1040	Hydroclimate variability of central Indo-Pacific region during the Holocene. <i>Quaternary Science Reviews</i> , 2021, 253, 106779.	1.4	13
1041	New insights towards an integrated understanding of NE Asian monsoon during mid to late Holocene. <i>Quaternary Science Reviews</i> , 2021, 254, 106793.	1.4	22
1042	Influence of Quaternary environmental changes on mole populations inferred from mitochondrial sequences and evolutionary rate estimation. <i>Zoological Letters</i> , 2021, 7, 2.	0.7	3
1043	Holocene sedimentary evolution of the Mekong River floodplain, Cambodia. <i>Quaternary Science Reviews</i> , 2021, 253, 106767.	1.4	11
1044	Late Holocene lagoon succession and its response to environmental variations at Yongle atoll, Xisha Islands, South China Sea. <i>Geological Journal</i> , 2021, 56, 3155-3169.	0.6	0
1045	Linking Holocene East Asian monsoon variability to solar forcing and ENSO activity: Multi-proxy evidence from a peatland in Northeastern China. <i>Holocene</i> , 2021, 31, 966-982.	0.9	15
1046	Influences of temperature and the meteoric water $\delta^{18}O$ value on a stalagmite record in the last deglacial to middle Holocene period from southwestern Japan. <i>Quaternary Science Reviews</i> , 2021, 253, 106746.	1.4	6
1047	Distribution of $\delta^{13}C_{org}$ in Qionghai Lake sediments, southwest China, and its potential for late Quaternary paleoclimate reconstruction. <i>Journal of Quaternary Science</i> , 2021, 36, 288-297.	1.1	4

#	ARTICLE	IF	CITATIONS
1048	Reconstruction of the Persian Gulf SST variability over the last five millennia. <i>Quaternary International</i> , 2022, 642, 93-102.	0.7	7
1049	Two-season agriculture and irrigated rice during the Dian: radiocarbon dates and archaeobotanical remains from Dayingzhuang, Yunnan, Southwest China. <i>Archaeological and Anthropological Sciences</i> , 2021, 13, 62.	0.7	9
1050	Holocene variability of East Asian summer monsoon as viewed from the speleothem $\delta^{18}O$ records in central China. <i>Earth and Planetary Science Letters</i> , 2021, 558, 116758.	1.8	37
1051	Holocene Environmental Archaeology of the Yangtze River Valley in China: A Review. <i>Land</i> , 2021, 10, 302.	1.2	10
1052	Synchronous changes in the East Asian-Australian summer monsoons around 7.2 ka. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021, 567, 110303.	1.0	5
1053	Monitoring Australian Monsoon variability over the past four glacial cycles. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021, 568, 110280.	1.0	14
1054	Climate-driven late Quaternary fan surface abandonment in the NW Himalaya. , 2021, , .		1
1055	Asian paleomonsoon variation linked to $\delta^{18}O$ -environmental changes. , 2021, , .		0
1056	Magnetic Properties of a Holocene Sediment Core from the Yeongsan Estuary, Southwest Korea: Implications for Diagenetic Effects and Availability as Paleoenvironmental Proxies. <i>Frontiers in Earth Science</i> , 2021, 9, .	0.8	6
1057	A 17,000-year multi-proxy study of the Indian Summer Monsoon from Lake Dian, Yunnan, China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021, 567, 110292.	1.0	6
1058	Pacific Decadal Oscillation-like variability at a millennial timescale during the Holocene. <i>Global and Planetary Change</i> , 2021, 199, 103448.	1.6	9
1059	The Zealandia Switch: Ice age climate shifts viewed from Southern Hemisphere moraines. <i>Quaternary Science Reviews</i> , 2021, 257, 106771.	1.4	59
1060	High precise dating on the variation of the Asian summer monsoon since 37 ka BP. <i>Scientific Reports</i> , 2021, 11, 9375.	1.6	13
1061	Comparison of boosted regression trees vs WA-PLS regression on diatom-inferred glacial-interglacial climate reconstruction in Lake Tiancai (southwest China). <i>Quaternary International</i> , 2021, 580, 53-66.	0.7	9
1062	A multi-proxy record of climate variations over the last millennium from Kulun-nuur Lake sediments, Inner Mongolia, north-central China. <i>Journal of Paleolimnology</i> , 2021, 66, 103-116.	0.8	4
1063	Terrestrial biomarker isotope records of late Quaternary climate and source-to-sink sediment transport processes in southwestern Taiwan. <i>Numerische Mathematik</i> , 2021, 321, 393-423.	0.7	2
1064	Lateglacial and Holocene climate change in the NE Tibetan Plateau: Reconciling divergent proxies of Asian summer monsoon variability. <i>Catena</i> , 2021, 199, 105089.	2.2	15
1065	The connection of east Asia and southwestern north America in climate change mode since the last glacial maximum at various timescales. <i>Quaternary Science Reviews</i> , 2021, 260, 106935.	1.4	2

#	ARTICLE	IF	CITATIONS
1066	Vegetation Determines Lake Sediment Carbon Accumulation during Holocene in the Forest-Steppe Ecotone in Northern China. <i>Forests</i> , 2021, 12, 696.	0.9	6
1067	Elevational differences in Holocene thermal maximum revealed by quantitative temperature reconstructions at ~30° N on eastern Tibetan Plateau. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021, 570, 110364.	1.0	26
1068	Timescale dependent sedimentary record during the past 130 kyr from a tropical mixed siliciclastic-carbonate shelf edge and slope: Ashmore Trough (southern Gulf of Papua). <i>Sedimentology</i> , 2021, 68, 2606-2648.	1.6	8
1069	Analysis of relationship between soil erosion and lake deposition during the Holocene in Xingyun Lake, southwestern China. <i>Holocene</i> , 0, , 095968362110190.	0.9	6
1070	Clay Li and Nd isotopes response to hydroclimate changes in the Changjiang (Yangtze) basin over the past 14,000 years. <i>Earth and Planetary Science Letters</i> , 2021, 561, 116793.	1.8	15
1071	High-frequency shifts in the Indian summer monsoon following termination of the YD event. <i>Quaternary Science Reviews</i> , 2021, 259, 106888.	1.4	6
1072	Oxygen isotopes in terrestrial gastropod shells track Quaternary climate change in the American Southwest. <i>Quaternary Research</i> , 2021, 104, 43-53.	1.0	5
1073	Evaluation of the sources and seasonal production of brGDGTs in lake Sihailongwan (N.E. China) and application to reconstruct paleo-temperatures over the period 60±8 ka BP. <i>Quaternary Science Reviews</i> , 2021, 261, 106946.	1.4	8
1074	A data-model approach to interpreting speleothem oxygen isotope records from monsoon regions. <i>Climate of the Past</i> , 2021, 17, 1119-1138.	1.3	14
1075	Multi-proxy Reconstructions of Climate Change and Human Impacts Over the Past 7000 Years From an Archive of Continental Shelf Sediments off Eastern Hainan Island, China. <i>Frontiers in Earth Science</i> , 2021, 9, .	0.8	6
1076	Holocene hydroclimate reconstruction based on pollen, XRF, and grain-size analyses and its implications for past societies of the Korean Peninsula. <i>Holocene</i> , 2021, 31, 1489-1500.	0.9	8
1077	Paleoclimatic proxies from global closed basins and the possible beginning of Anthropocene. <i>Journal of Chinese Geography</i> , 2021, 31, 765-785.	1.5	0
1078	A data-model comparison pinpoints Holocene spatiotemporal pattern of East Asian summer monsoon. <i>Quaternary Science Reviews</i> , 2021, 261, 106911.	1.4	72
1079	The History and Driving Force for Prehistoric Human Expansion Upward to the Hinterland of the Tibetan Plateau Post-Last Glacial Maximum. <i>Sustainability</i> , 2021, 13, 7065.	1.6	2
1080	The Holocene lake-evaporation history of the afro-alpine Lake Garba Guracha in the Bale Mountains, Ethiopia, based on δ ¹⁸ O records of sugar biomarker and diatoms. <i>Quaternary Research</i> , 2022, 105, 23-36.	1.0	5
1081	Cycles of grazing and agricultural activity during the historical period and its relationship with climatic and societal changes in northern China. <i>Land Degradation and Development</i> , 2021, 32, 3315-3325.	1.8	11
1082	The remote response of the South Asian Monsoon to reduced dust emissions and Sahara greening during the middle Holocene. <i>Climate of the Past</i> , 2021, 17, 1243-1271.	1.3	4
1083	Paleolake evolution in response to climate change since middle MIS 3 inferred from Jilantai Salt Lake in the marginal regions of the ASM domain. <i>Quaternary International</i> , 2022, 607, 48-57.	0.7	9

#	ARTICLE	IF	CITATIONS
1084	Holocene monsoon dynamics at Kunlun Pass on the northeastern Qinghai-Tibet Plateau. <i>Science of the Total Environment</i> , 2021, 771, 145369.	3.9	4
1085	History of Mid- and Late Holocene Palaeofloods in the Yangtze Coastal Lowlands, East China: Evaluation of Non-Pollen Palynomorph Evidence, Review and Synthesis. <i>Quaternary</i> , 2021, 4, 21.	1.0	5
1086	Organic geochemical characterization of Early-Mid-Holocene swamp deposits near the Neolithic settlement in Yenikapı-Istanbul: Assessment of environmental variability and anthropogenic impacts. <i>Holocene</i> , 2021, 31, 1690-1704.	0.9	0
1087	Data-Model Comparisons of Tropical Hydroclimate Changes Over the Common Era. <i>Paleoceanography and Paleoclimatology</i> , 2021, 36, e2020PA003934.	1.3	13
1088	The spatio-temporal structure of the Lateglacial to early Holocene transition reconstructed from the pollen record of Lake Suigetsu and its precise correlation with other key global archives: Implications for palaeoclimatology and archaeology. <i>Global and Planetary Change</i> , 2021, 202, 103493.	1.6	21
1089	Timing and structure of early-Holocene climate anomalies inferred from north Chinese stalagmite records. <i>Holocene</i> , 2021, 31, 1777-1785.	0.9	8
1090	Pollen-based mapping of Holocene vegetation on the Qinghai-Tibetan Plateau in response to climate change. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021, 573, 110412.	1.0	8
1091	High-resolution reconstructions of Holocene sea-surface conditions from dinoflagellate cyst assemblages in the northern South China Sea. <i>Marine Geology</i> , 2021, 438, 106528.	0.9	4
1092	Mid-Holocene monsoons in South and Southeast Asia: dynamically downscaled simulations and the influence of the Green Sahara. <i>Climate of the Past</i> , 2021, 17, 1645-1664.	1.3	5
1093	Holocene hydrologic fluctuations on the southern coast of Korea and their link to ENSO activity. <i>Geosciences Journal</i> , 0, , 1.	0.6	2
1094	East Asian monsoon and sea-level controls on clay mineral variations in the southern South China Sea since the Last Glacial Maximum. <i>Quaternary International</i> , 2021, 592, 1-11.	0.7	6
1095	A 16.2-kyr lacustrine sediment record of mercury deposition in Dahu Swamp, eastern Nanling Mountains, southern China: Analysis of implications for climatic changes. <i>Quaternary International</i> , 2021, 592, 12-21.	0.7	11
1096	Reconstruction of local-scale plant community characteristics using phytolith: A case study of a forested region in Northeast China. <i>Catena</i> , 2021, 203, 105146.	2.2	8
1097	Paleoclimatic changes during the penultimate interglacial period archived by multiple proxies of Xiashu Loess in the Chaohu Lake Basin, East China. <i>Quaternary International</i> , 2022, 607, 58-64.	0.7	1
1098	Sedimentary Dynamics of the Central South Yellow Sea Revealing the Relation Between East Asian Summer and Winter Monsoon Over the Past 6000 years. <i>Frontiers in Earth Science</i> , 2021, 9, .	0.8	1
1099	Sedimentary Pediastrum record of middle-late Holocene temperature change and its impacts on early human culture in the desert-oasis area of northwestern China. <i>Quaternary Science Reviews</i> , 2021, 265, 107054.	1.4	34
1100	Asian Winter Monsoon Imprint on the Water Column Structure at the Northern South China Sea Coast. <i>Frontiers in Earth Science</i> , 2021, 9, .	0.8	1
1101	OSL Chronology of the Siling Co Paleolithic Site in Central Tibetan Plateau. <i>Frontiers in Earth Science</i> , 2021, 9, .	0.8	10

#	ARTICLE	IF	CITATIONS
1102	Migration of the Northern Boundary of the East Asian Summer Monsoon Over the Last 21,000 Years. <i>Journal of Geophysical Research D: Atmospheres</i> , 2021, 126, e2021JD035078.	1.2	17
1103	Paleolithic-Neolithic transition and late-to-postglacial climate change in East Asia: A review of archaeological data from karst caves in Southern China. <i>Quaternary International</i> , 2021, , .	0.7	0
1104	Intensive acorn processing in the early Holocene of southern China. <i>Holocene</i> , 2022, 32, 1305-1316.	0.9	8
1105	Vegetation history with implication of climate changes and human impacts over the last 9000 years in the Lake Nanyi area, Anhui Province, East China. <i>Palaeoworld</i> , 2021, 30, 583-592.	0.5	8
1106	Hydrological Changes Related to ENSO-like States During the Last Deglaciation in Central Eastern China. <i>Paleoceanography and Paleoclimatology</i> , 2021, 36, e2021PA004279.	1.3	5
1107	Holocene peatland development, carbon accumulation and its response to climate forcing and local conditions in Laolike peatland, northeast China. <i>Quaternary Science Reviews</i> , 2021, 268, 107124.	1.4	9
1108	Indian monsoon wind variability since ~11 kyr in the northwestern and northeastern Arabian Sea. <i>Journal of Asian Earth Sciences</i> , 2021, 218, 104882.	1.0	5
1109	Meridional migration of Indian Ocean Monsoon precipitation during the early Holocene: Evidence from the Andaman Sea. <i>Quaternary Science Reviews</i> , 2021, 267, 107102.	1.4	10
1110	Holocene vegetation history and environmental changes inferred from pollen records of a groundwater recharge lake, Badain Jaran Desert, northwestern China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021, 577, 110538.	1.0	10
1111	Cladocera responses to climate changes and treeline shifts in an alpine lake-catchment since the Last Glacial Maximum. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021, 577, 110547.	1.0	4
1112	Holocene aeolian activity in the Ganzhihe sandy land, Qinghai Lake basin. <i>Quaternary International</i> , 2021, 598, 56-65.	0.7	1
1113	Contribution of continuously stable sediment input to the formation of the Pearl River delta since the middle Holocene. <i>Quaternary International</i> , 2021, 598, 78-89.	0.7	3
1114	Quantitative pollen-based reconstruction of the vegetation diversity in response to the late-Holocene climate change near Karwar, south-west coast of India. <i>Quaternary International</i> , 2021, 599-600, 95-106.	0.7	5
1115	Holocene moisture evolution and its response to atmospheric circulation recorded by aeolian deposits in the southern Tibetan Plateau. <i>Quaternary Science Reviews</i> , 2021, 270, 107169.	1.4	18
1116	Precipitation dynamics on the Tibetan Plateau during the Late Quaternary – Hydroclimatic sedimentary proxies versus lake level variability. <i>Global and Planetary Change</i> , 2021, 205, 103594.	1.6	21
1117	Early-Mid Holocene climatic changes inferred from colors of eolian deposits in the Mu Us Desert. <i>Geoderma</i> , 2021, 401, 115172.	2.3	11
1118	Divergent patterns of Holocene hydro-climatic evolution in arid central Asia and the Asian summer monsoon margin indicated by <i>Pediastrum</i> records. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021, 582, 110662.	1.0	10
1119	Organic carbon burial and quasi-periodic environmental changes in the Indian summer monsoon region during the Holocene. <i>Catena</i> , 2021, 206, 105462.	2.2	5

#	ARTICLE	IF	CITATIONS
1120	Climatically- and tectonically-controlled development of the late quaternary alluvial fan in the north piedmont of Zhongtiao Shan (ZTS), north China. <i>Quaternary International</i> , 2021, 604, 51-59.	0.7	3
1121	East Asian monsoon during the past 10,000 years recorded by grain size of Yangtze River delta. <i>Open Geosciences</i> , 2021, 13, 505-516.	0.6	0
1123	Evolution and Development of the Indian Monsoon. <i>Springer Geology</i> , 2020, , 499-535.	0.2	8
1124	Chinese Loess and the East Asian Monsoon. <i>Developments in Paleoenvironmental Research</i> , 2014, , 23-143.	7.5	11
1125	Late Cenozoic Climate Change in Monsoon-Arid Asia and Global Changes. <i>Developments in Paleoenvironmental Research</i> , 2014, , 491-581.	7.5	22
1126	Lake evolution and hydroclimate variation at Lake Qinghai (China) over the past 32 Åka inferred from ostracods and their stable isotope composition. <i>Journal of Paleolimnology</i> , 2017, 58, 299-316.	0.8	19
1127	Sensitivity of altitudinal vegetation in southwest China to changes in the Indian summer monsoon during the past 68000 years. <i>Quaternary Science Reviews</i> , 2020, 239, 106359.	1.4	46
1128	Geological support for the Umbrella Effect as a link between geomagnetic field and climate. <i>Scientific Reports</i> , 2017, 7, 40682.	1.6	19
1129	On the glacial-interglacial variability of the Asian monsoon in speleothem $\delta^{18}O$ records. <i>Science Advances</i> , 2020, 6, eaay8189.	4.7	41
1130	A New Theory of Change in the Insolation of the Earth over Millions of Years against Marine Isotope Stages. <i>Izvestiya - Atmospheric and Oceanic Physics</i> , 2020, 56, 721-747.	0.2	3
1131	Provenance changes in fine detrital quartz in the inner shelf sediments of the East China Sea associated with shifts in the East Asian summer monsoon front during the last 6 Åkyrs. <i>Progress in Earth and Planetary Science</i> , 2020, 7, .	1.1	6
1132	Influence of Land Development on Holocene Porites Coral Calcification at Nagura Bay, Ishigaki Island, Japan. <i>PLoS ONE</i> , 2014, 9, e88790.	1.1	44
1133	The Impact of Climate on the Spread of Rice to North-Eastern China: A New Look at the Data from Shandong Province. <i>PLoS ONE</i> , 2015, 10, e0130430.	1.1	33
1134	Molecular Paleoclimate Reconstructions over the Last 9 ka from a Peat Sequence in South China. <i>PLoS ONE</i> , 2016, 11, e0160934.	1.1	8
1135	Phytolith records of flourishing early Holocene Pooideae linked to an 8.2 ka cold event in subtropical China. <i>Elementa</i> , 2020, 8, .	1.1	4
1136	Banana Cultivation in South Asia and East Asia: A review of the evidence from archaeology and linguistics. <i>Ethnobotany Research and Applications</i> , 0, 7, 333.	0.3	83
1137	A 4000-year moisture evolution recorded by sediments of Lake Kusai in the Hoh Xil area, northern Tibetan Plateau. <i>Hupo Kexue/Journal of Lake Sciences</i> , 2008, 20, 605-612.	0.3	16
1138	n -alkanes distributions and compound-specific carbon isotope records and their paleoenvironmental significance of sediments from Lake Sifangshan in the Great Khingan Mountain, Northeastern China. <i>Hupo Kexue/Journal of Lake Sciences</i> , 2017, 29, 498-511.	0.3	7

#	ARTICLE	IF	CITATIONS
1139	Holocene wetland developing history and its response to climate change in northeast China. Hupo Kexue/Journal of Lake Sciences, 2019, 31, 1391-1402.	0.3	3
1140	Middle Holocene Coastal Environmental and Climate Change on the Southern Coast of Korea. Applied Sciences (Switzerland), 2021, 11, 230.	1.3	5
1141	FORAMINIFERAL Mg/Ca AND $\delta^{18}O$ RECORDS IN THE MUD AREA OF THE EAST CHINA SEA DURING THE LAST 8 000 YEARS AND THEIR PALAEOENVIRONMENTAL IMPLICATIONS. Marine Geology & Quaternary Geology, 2010, 30, 79-86.	0.1	3
1142	THE MID-HOLOCENE CLIMATE VARIATION INFERRED FROM A DATED STALAGMITE RECORD FROM WANGJIAWEI CAVE, NORTHEAST CHINA. Marine Geology & Quaternary Geology, 2012, 32, 119-126.	0.1	3
1143	Stable isotope ratios and speleothem chronology from a high-elevation alpine cave, southern San Juan Mountains, Colorado (USA): Evidence for substantial deglaciation as early as 13.5 ka. AIMS Geosciences, 2019, 5, 41-65.	0.4	2
1145	A mechanism for dust-induced destabilization of glacial climates. Climate of the Past, 2012, 8, 2061-2067.	1.3	5
1158	Topographic Relief Response to Fluvial Incision in the Central Tibetan Plateau: Evidence From Cosmogenic ^{10}Be . Journal of Geophysical Research F: Earth Surface, 2021, 126, .	1.0	1
1159	Global Wet/Dry Patterns and Mechanisms Since the Last Glacial Maximum: A Key to Future Projection. Earth's Future, 2021, 9, e2020EF001907.	2.4	3
1160	Geochemistry of major and trace elements in sediments from the Lubei Plain, China: Constraints for paleoclimate, paleosalinity, and paleoredox environment. Journal of Asian Earth Sciences: X, 2021, 6, 100071.	0.6	6
1161	Lake-level records support a mid-Holocene maximum precipitation in northern China. Science China Earth Sciences, 2021, 64, 2161-2171.	2.3	14
1162	Color Reflectance of Coastal Sediments in the South Bohai Sea and its Implication to Orbital Forcing of East Asian Summer Monsoon. Frontiers in Earth Science, 2021, 9, .	0.8	2
1163	Holocene hydroclimate changes on the northeastern Tibetan Plateau inferred from geochemical records in Lake Gyaring. Journal of Quaternary Science, 2022, 37, 516-526.	1.1	4
1164	Evidence of ENSO signals in a stalagmite-based Asian monsoon record during the medieval warm period. Palaeogeography, Palaeoclimatology, Palaeoecology, 2021, 584, 110714.	1.0	5
1165	Late Holocene climate variability in central Korea indicated by vegetation, geochemistry, and fire records of the Yongneup moor. Palaeogeography, Palaeoclimatology, Palaeoecology, 2021, 584, 110705.	1.0	2
1168	Cenozoic Climatic Record for Monsoonal Rainfall over the Indian Region. , 0, , .		2
1171	Mid- and Late-Holocene Climate Change in South Korea. Journal of Climate Research, 2013, 8, 127-142.	0.1	2
1176	Possible Cavern-Forming Activity at Millennial Time Scales and its Impact on Variations in Submarine Cave Environments and Habitat Availability, Okinawa, Japan. Journal of Cave and Karst Studies, 2014, 76, 164-172.	0.3	0
1177	TrendVis: an Elegant Interface for dense, sparkline-like, quantitative visualizations of multiple series using matplotlib. , 2015, , .		0

#	ARTICLE	IF	CITATIONS
1180	Setting the Stage: The Geography and Burial Record of the Liangshan Region. , 2017, , 35-67.		0
1182	Holocene climate evolution in the monsoonal margin region revealed by the pollen record from Jilantai Playa. Hupo Kexue/Journal of Lake Sciences, 2018, 30, 1161-1176.	0.3	3
1183	Effects of Vertical Migration on Local Vegetation. Springer Theses, 2018, , 57-74.	0.0	0
1184	Local Vegetation Dynamics and Forest Advance/Retreat. Springer Theses, 2018, , 75-90.	0.0	0
1185	Research Area and Research Methods. Springer Theses, 2018, , 17-29.	0.0	0
1186	Research Advancement on the Paleofire Occurrences and Its Significance of Global Change since the Last Deglaciation. Advances in Geosciences, 2018, 08, 106-119.	0.0	0
1187	Jotunheim â€œIn the Realm of Giants. , 2018, , 193-250.		0
1188	Different facets of dryâ€œwet patterns in south-western China over the past 27â€œ000 years. Climate of the Past, 2021, 17, 2291-2303.	1.3	4
1189	New definition for the subdivision of the Holocene Epoch and climate. The Quaternary Research, 2020, 59, 129-157.	0.2	1
1190	New evidence of mid- to late- Holocene vegetation and climate change from a Neolithic settlement in western fringe of Central Ganga Plain: Implications for Neolithic to Historic phases. Holocene, 2021, 31, 392-408.	0.9	2
1191	Climate-tectonic imprints on the Late Quaternary Ravi River Valley Terraces of the Chamba region in the NW Himalaya. Journal of Asian Earth Sciences, 2022, 223, 104990.	1.0	9
1192	Fire history and its drivers based on peatland charcoal analysis in the Changbai Mountains, north-east China, during the last 13â€œ000 years. International Journal of Wildland Fire, 2020, 29, 841.	1.0	5
1193	Research and extension completed and on-going registered programs database system (RECORDS). Linguistics and Culture Review, 2021, 5, 214-222.	0.2	1
1194	Last glacial temperature reconstructions using coupled isotopic analyses of fossil snails and stalagmites from archaeological caves in Okinawa, Japan. Scientific Reports, 2021, 11, 21922.	1.6	2
1195	¹⁴ C GEOCHRONOLOGY AND RADIOCARBON RESERVOIR EFFECT OF REVIEWED LAKES STUDY IN CHINA. Radiocarbon, 2022, 64, 833-844.	0.8	17
1196	Late Quaternary Slip Behavior of the Jinqianghe Fault in the Middle Qilianâ€œHaiyuan Fault Zone, Northeastern Tibetan Plateau. Acta Geologica Sinica, 2022, 96, 825-843.	0.8	2
1197	Spatio-temporal variations of the major meteorological disasters and its response to climate change in Henan Province during the past two millennia. PeerJ, 2021, 9, e12365.	0.9	2
1198	Synergy of the westerly winds and monsoons in the lake evolution of global closed basins since the Last Glacial Maximum and implications for hydrological change in central Asia. Climate of the Past, 2020, 16, 2239-2254.	1.3	6

#	ARTICLE	IF	CITATIONS
1200	Accumulation of aeolian sediments around the Tengger Desert during the late Quaternary and its implications on interpreting chronostratigraphic records from drylands in north China. <i>Quaternary Science Reviews</i> , 2022, 275, 107288.	1.4	14
1201	Vegetation change and human-environment interactions in the Qinghai Lake Basin, northeastern Tibetan Plateau, since the last deglaciation. <i>Catena</i> , 2022, 210, 105892.	2.2	14
1202	Collapse of the Liangzhu and other Neolithic cultures in the lower Yangtze region in response to climate change. <i>Science Advances</i> , 2021, 7, eabi9275.	4.7	81
1203	Reconstruction of Climate Changes Based $\delta^{18}O_{carb}$ on the Northeastern Tibetan Plateau: A 16.1-cal kyr BP Record From Hurlig Lake. <i>Frontiers in Earth Science</i> , 2021, 9, .	0.8	4
1204	Mid-Late Holocene Stalagmite $\delta^{18}O$ and $\delta^{13}C$ Records in Naduo Cave, Guizhou Province, China. <i>Journal of Chemistry</i> , 2021, 2021, 1-11.	0.9	0
1205	Understanding the Collapse of the Longshan Culture (4400-3800 BP) and the 4.2 ka Event in the Haidai Region of China “from an Agricultural Perspective. <i>Environmental Archaeology</i> , 0, , 1-15.	0.6	9
1206	Hydroclimate response in Texas and Gulf of Mexico to rapid warming during the last deglacial: High-resolution speleothem proxy and monitoring evidence. <i>Quaternary Science Reviews</i> , 2021, 273, 107244.	1.4	2
1207	Late Holocene Vegetation and Climate Variations in Northern China: A Varved Evidence from the Western Loess Plateau. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
1208	Potential CO ₂ forcing and Asian summer monsoon precipitation trends during the last 2,000 years. <i>Open Geosciences</i> , 2021, 13, 1552-1560.	0.6	0
1209	Geoarchaeological and Paleo-Hydrological Overview of the Central-Western Mediterranean Early Neolithic Human-Environment Interactions. <i>Open Archaeology</i> , 2021, 7, 1371-1397.	0.3	5
1210	Provenance and Climate Variations Since 5250a on the Lubei Plain, China: Inferred from Grain-Size End-Member Modeling and Element Geochemistry. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
1211	Carbonate weathering dominates magnesium isotopes in large rivers: Clues from the Yangtze River. <i>Chemical Geology</i> , 2022, 588, 120677.	1.4	16
1212	Asynchronous responses of aquatic ecosystems to hydroclimatic forcing on the Tibetan Plateau. <i>Communications Earth & Environment</i> , 2022, 3, .	2.6	5
1213	Holocene moisture variations across the Tibetan Plateau: A synthesis of pollen records. <i>Review of Palaeobotany and Palynology</i> , 2022, 297, 104581.	0.8	6
1214	High-precision U-series dating of the late Pleistocene “early Holocene rock paintings at Tiger Leaping Gorge, Jinsha River valley, southwestern China. <i>Journal of Archaeological Science</i> , 2022, 138, 105535.	1.2	8
1215	Late Holocene environmental evolution of Qililai Lagoon, North China, based on a high-resolution multi-proxy sedimentary record. <i>Catena</i> , 2022, 210, 105942.	2.2	5
1216	Changes in the Indian Summer Monsoon during the past 600 years: A high-resolution record from the Anshupa Lake, Upper Mahanadi Delta, Core Monsoon Zone of India. <i>Journal of Asian Earth Sciences</i> , 2022, 226, 105048.	1.0	5
1217	The Magnetic and Color Reflectance Properties of Hematite: From Earth to Mars. <i>Reviews of Geophysics</i> , 2022, 60, .	9.0	37

#	ARTICLE	IF	CITATIONS
1218	Biome reconstruction on the Tibetan Plateau since the Last Glacial Maximum using a machine learning method. <i>Science China Earth Sciences</i> , 2022, 65, 518-535.	2.3	13
1219	Indian summer monsoon variations during the Younger Dryas as revealed by a laminated stalagmite record from the Tibetan Plateau. <i>Quaternary Science Reviews</i> , 2022, 278, 107375.	1.4	7
1220	Stepwise evolution of the Asian summer monsoon during the Holocene revealed by a stalagmite record from Heifeng Cave, Southwest China. <i>Holocene</i> , 2022, 32, 369-377.	0.9	0
1221	Holocene Millennial-scale Precipitation Variations in the Asian Summer Monsoon Margin of Northwest China and Their Relation to Migrations of Monsoon Northern Boundary via Oxygen Isotope Analysis of Calcareous Root Tubes in Deserts. <i>Journal of Geophysical Research D: Atmospheres</i> , 2022, 127, .	1.2	4
1222	Fast valley landscape response to climate change in the Lower Jinsha River, Southeastern Tibetan Plateau: Field investigations and numerical modeling. <i>Geomorphology</i> , 2022, 403, 108158.	1.1	6
1224	Hydroclimatic and Glacial Variabilities in the Himalayan and Tibetan Regions Since Last Glacial Maxima: A Synthesis. <i>Springer Climate</i> , 2022, , 73-102.	0.3	1
1225	Long-term trends in diatom diversity and palaeoproductivity: a 160000-year multidecadal record from Lake Baikal, southern Siberia. <i>Climate of the Past</i> , 2022, 18, 363-380.	1.3	4
1226	New insight into pattern divergence of the Indian summer monsoon during the Holocene. <i>Holocene</i> , 2022, 32, 597-608.	0.9	1
1227	Variations in monsoon precipitation over southwest China during the last 1500 years and possible driving forces. <i>Science China Earth Sciences</i> , 2022, 65, 949-965.	2.3	4
1228	Paleoclimate Records of the Middle Okinawa Trough Since the Middle Holocene: Modulation of the Low-Latitude Climate. <i>Frontiers in Earth Science</i> , 2022, 10, .	0.8	1
1229	Linking sedimentary and speleothem precipitation isotope proxy records to improve lacustrine and marine 14C chronologies. <i>Quaternary Science Reviews</i> , 2022, 282, 107444.	1.4	6
1230	Lake eutrophication in northeast China induced by the recession of the East Asian summer monsoon. <i>Quaternary Science Reviews</i> , 2022, 281, 107448.	1.4	12
1231	Indian monsoon variability during the past 148.5 kyr as recorded in the sediments of the northeastern Arabian Sea. <i>Quaternary International</i> , 2022, , .	0.7	1
1232	A quantitative reconstruction of Holocene annual precipitation in the marginal zone of the East Asian summer monsoon. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, 596, 110968.	1.0	5
1233	A high-resolution stalagmite record from Luoshui Cave, Central China over the past 23.5 kyr. <i>Quaternary Science Reviews</i> , 2022, 282, 107443.	1.4	10
1234	Multi-proxy records of paleoclimatic changes in sediment core ST2 from the southern Zhejiang-Fujian muddy coastal area since 1650 yr BP. <i>Continental Shelf Research</i> , 2022, 239, 104717.	0.9	1
1235	Late Holocene hydroclimatic changes inferred from a karst peat archive in the western Guizhou Plateau, SW China. <i>Journal of Asian Earth Sciences</i> , 2022, 229, 105179.	1.0	5
1236	Post-Neolithic broadening of agriculture in Yunnan, China: Archaeobotanical evidence from Haimenkou. <i>Archaeological Research in Asia</i> , 2022, 30, 100364.	0.2	13

#	ARTICLE	IF	CITATIONS
1259	Holocene variation in the Indian Summer Monsoon modulated by the tropical Indian Ocean sea-surface temperature mode. <i>Catena</i> , 2022, 215, 106302.	2.2	4
1260	Luminescence dating of shoreline sediments indicates a late deglacial lake-level rise of Selin Co on the central Tibetan Plateau. <i>Quaternary Geochronology</i> , 2022, 71, 101313.	0.6	1
1261	Bay-Head Delta Progradation and Delta Plain Development in the Ishikari Lowland. <i>Geographical Review of Japan Series A</i> , 2017, 90, 105-124.	0.4	1
1262	Evolution of the paleo-Daesan Bay (Nakdong River, South Korea) as a result of Holocene sea level change. <i>Quaternary Research</i> , 0, , 1-12.	1.0	1
1263	Spatial Distribution and Evolution of Ancient Settlements From the Neolithic to the Bronze Age in Dalian Area, China. <i>Frontiers in Earth Science</i> , 2022, 10, .	0.8	1
1264	Gradually Increasing Precipitation Since 20 Ka as Evidenced by Loess Dolomite Abundance in the Ili Basin, Central Asian Core. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
1265	The origins of multi-cropping agriculture in Southwestern China: Archaeobotanical insights from third to first millennium B.C. Yunnan. <i>Asian Archaeology</i> , 2022, 6, 65-85.	0.3	10
1266	Geochemistry of Sediments from a Subalpine Lake Sedimentary Succession in the Western Nanling Mountains, Southern China: Implications for Catchment Weathering During the Last 15 400 Years. <i>Chinese Geographical Science</i> , 2022, 32, 537-548.	1.2	4
1267	Evolution of the groundwater flow system driven by the sedimentary environment since the Last Glacial Maximum in the central Yangtze River Basin. <i>Journal of Hydrology</i> , 2022, 610, 127997.	2.3	5
1268	Direct dating of the earliest domesticated cattle and caprines in northwestern China reveals the history of pastoralism in the Gansu-Qinghai region. <i>Journal of Archaeological Science</i> , 2022, 144, 105627.	1.2	11
1270	Sedimentary Rock Magnetic Response to Holocene Environmental Instability in the Pearl River Delta. <i>Frontiers in Earth Science</i> , 0, 10, .	0.8	1
1271	Holocene Environmental Evolution Response to the Human Activities and East Asian Summer Monsoon Variation in the Liangzhu Ancient City Complex, Eastern China. <i>Frontiers in Marine Science</i> , 0, 9, .	1.2	0
1272	The timing, duration and magnitude of the 8.2Ka event in global speleothem records. <i>Scientific Reports</i> , 2022, 12, .	1.6	9
1273	Variation in humidity and the forcing mechanism in Asian monsoon-influenced regions indicated by hematite/goethite from Baxian Lake, southern China, since AD 800. <i>Holocene</i> , 2022, 32, 977-990.	0.9	4
1274	A fossil diatom-based reconstruction of sea-level changes for the Late Pleistocene and Holocene period in the NW South China Sea. <i>Oceanologia</i> , 2023, 65, 211-229.	1.1	2
1275	Holocene climate background for lake evolution in the Badain Jaran Desert of northwestern China revealed by proxies from calcareous root tubes. <i>Quaternary Research</i> , 0, , 1-12.	1.0	2
1276	Effects of human activities on mountain forest in northern China during the middle Holocene. <i>Quaternary Science Reviews</i> , 2022, 288, 107580.	1.4	14
1277	Aeolian landform processes since the last deglaciation revealed by OSL chronology and stratigraphy in the Hulunbuir dune field in NE China. <i>Quaternary Geochronology</i> , 2022, 72, 101352.	0.6	3

#	ARTICLE	IF	CITATIONS
1296	Holocene evolution of the shelf mud deposits in the north-western South China Sea. <i>Frontiers in Marine Science</i> , 0, 9, .	1.2	0
1297	Indian summer monsoon variability during the last 20 kyr: Evidence from peat record from the Baspa Valley, northwest Himalaya, India. <i>Journal of Earth System Science</i> , 2022, 131, .	0.6	1
1298	Chemical Weathering of the Mekong River Basin With Implication for East Asian Monsoon Evolution During the Late Quaternary: Marine Sediment Records in the Southern South China Sea. <i>Frontiers in Earth Science</i> , 0, 10, .	0.8	4
1299	Long-term latitudinal effects of precipitation change in global monsoon regions. <i>Frontiers in Earth Science</i> , 0, 10, .	0.8	1
1300	Environmental landscape and subsistence strategy of the Shunshanji Culture: A review. <i>Frontiers in Plant Science</i> , 0, 13, .	1.7	1
1301	The 14C reservoir effects and paleoclimatic reconstructions in Lake Qinghai, northeastern Tibet. <i>Quaternary International</i> , 2022, , .	0.7	1
1302	Fluvial Sedimentary Response to Late Quaternary Climate and Tectonics at the Himalayan Frontal Thrust, Central Nepal. <i>Geochemistry, Geophysics, Geosystems</i> , 2022, 23, .	1.0	2
1303	Vegetation landscape and paleoenvironment evolution recorded at the late Neolithic Zhumucun site, East China. <i>Quaternary International</i> , 2022, 640, 12-22.	0.7	1
1304	Pollen-based biome reconstruction on the Qinghai-Tibetan Plateau during the past 15,000 years. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, , 111190.	1.0	3
1305	Potential winter-season bias of annual temperature variations in monsoonal Tibetan Plateau since the last deglaciation. <i>Quaternary Science Reviews</i> , 2022, 292, 107690.	1.4	4
1306	The response of the Dajiuhu Peatland ecosystem to hydrological variations: Implications for carbon sequestration and peatlands conservation. <i>Journal of Hydrology</i> , 2022, 612, 128307.	2.3	2
1307	Palynological implications for paleoenvironmental changes over the past 81,000 years on the Jeju Strait shelf, off southwestern Korea. <i>Marine Geology</i> , 2022, 451, 106876.	0.9	1
1308	Spatio-temporal patterns of centennial-scale climate change over the Tibetan Plateau during the past two millennia and their possible mechanisms. <i>Quaternary Science Reviews</i> , 2022, 292, 107664.	1.4	12
1309	Variability of East Asian winter monsoon during Middle-Late Holocene: A study based on a crater lake on Jeju Island, South Korea. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, 603, 111193.	1.0	0
1310	Palynology-based reconstruction of Holocene environmental history in the northern Yangtze Delta, China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, 603, 111186.	1.0	8
1311	Holocene paleotemperature reconstruction based on phytolith records of lacustrine sediments in the Badain Jaran Desert, northwestern China. <i>Frontiers in Earth Science</i> , 0, 10, .	0.8	0
1312	Environmental change inferred from multiple proxies from an 18 ka BP sediment record, Lake Barrine, NE Australia. <i>Quaternary Science Reviews</i> , 2022, 294, 107751.	1.4	4
1314	Influence of Lateglacial meltwater influx from alpine glaciers on the aquatic ecosystem of Kanas Lake in the Altai Mountains, China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, 604, 111214.	1.0	4

#	ARTICLE	IF	CITATIONS
1315	Response of East Asian summer monsoon climate to North Atlantic meltwater during the Younger Dryas. <i>Quaternary Science Reviews</i> , 2022, 295, 107766.	1.4	5
1316	Organic matter source traced by n-alkane records derived from lacustrine sediments from Daping swamp in the western Nanling Mountains (South China) and its response to climatic variability since the last deglacial. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, 605, 111217.	1.0	2
1317	“Cold and wet” and “warm and dry” climate transitions at the East Asian summer monsoon boundary during the last deglaciation. <i>Quaternary Science Reviews</i> , 2022, 295, 107767.	1.4	4
1318	Holocene hydroclimatic change in the Altai Mountains and its impact on human migration. <i>Catena</i> , 2022, 219, 106617.	2.2	2
1319	Pollen evidence for a wet Younger Dryas in northern NE China. <i>Catena</i> , 2023, 220, 106667.	2.2	3
1320	Monsoon in history and present. , 2022, 71, 45-74.		0
1321	Sedimentary records and chronology of the late Pleistocene overbank flooding in the Yellow River source area, NE Tibetan Plateau. <i>Frontiers in Earth Science</i> , 0, 10, .	0.8	0
1322	Timing and Structure of 10.9 and 10.3 ka BP Events Revealed by Annually Laminated Stalagmite Records From Shihua Cave, Northern China. <i>Paleoceanography and Paleoclimatology</i> , 2022, 37, .	1.3	3
1323	Multi-decadal to centennial scales variability in the East Asian Summer Monsoon around the 5.5 kyr B.P. climate event. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, 607, 111262.	1.0	1
1324	Vegetation and climate changes since the Last Glacial Maximum inferred from high-resolution pollen records from the Sichuan Basin, southwest China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, 606, 111231.	1.0	4
1325	Role of Stable Isotopes in Climate Studies “ A Multi-archive Approach Focusing on Holocene to Anthropocene Records. <i>Disaster Resilience and Green Growth</i> , 2022, , 121-142.	0.2	0
1326	Hydroclimate changes related to thermal state of the tropical Pacific in the northern coast of the South China Sea since ~148000 cal. B.P.. <i>Journal of Palaeogeography</i> , 2022, 11, 410-426.	0.9	0
1327	Palynological evidence reveals an arid early Holocene for the northeast Tibetan Plateau. <i>Climate of the Past</i> , 2022, 18, 2381-2399.	1.3	5
1328	Late Pleistocene to early Holocene ENSO-related hydroclimatic changes revealed by palynological records from the coastal Xixi Basin, eastern China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, , 111294.	1.0	0
1329	Centennial-Scale Climatic Oscillations during the Dansgaard“Oeschger 14 Revealed by Stalagmite Isotopic Records from Shouyuangong Cave, Southern China. <i>Geosciences (Switzerland)</i> , 2022, 12, 400.	1.0	0
1330	Organic Carbon Deposition on the Inner Shelf of the East China Sea Constrained by Sea Level and Climatic Changes Since the Last Deglaciation. <i>Journal of Ocean University of China</i> , 0, , .	0.6	1
1331	Large-scale vegetation response to the 8.2 ka BP cooling event in East Asia. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, 608, 111303.	1.0	6
1332	Grain-Size End-Members of Anguli-Nuur Lake Core Sediments: Evidence for Moisture Variability in Northern China since the Last Deglaciation. <i>Atmosphere</i> , 2022, 13, 1826.	1.0	0

#	ARTICLE	IF	CITATIONS
1333	Climatic implication of stalagmite $\delta^{13}\text{C}$ in the middle reaches of the Yangtze River since the Last Glacial Maximum and coupling with $\delta^{18}\text{O}$. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, 608, 111290.	1.0	4
1334	Human impacts on vegetation exceeded the hydroclimate control 20ka ago in the Qinghai Lake basin revealed by n-alkanes of loess. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, 607, 111269.	1.0	4
1335	Last 10 millennial history of Indian summer monsoon in the Bengal region – a multi-proxy reconstruction from a lacustrine archive. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2023, 609, 111308.	1.0	2
1336	Millennial-scale glacier fluctuations on the southeastern Tibetan Plateau during MIS 2. <i>Earth and Planetary Science Letters</i> , 2023, 601, 117903.	1.8	12
1337	Hydroclimatic changes since the Last Glacial Maximum recorded in mountain peat deposit on the southwestern margin of the Sichuan Basin, China. <i>Frontiers in Ecology and Evolution</i> , 0, 10, .	1.1	1
1338	Water and soil management strategies and the introduction of wheat and barley to northern China: an isotopic analysis of cultivation on the Loess Plateau. <i>Antiquity</i> , 2022, 96, 1478-1494.	0.5	3
1339	Hydroclimatic record from an Altiplano cushion peatland (24°S) indicates large-scale reorganisation of atmospheric circulation for the late Holocene. <i>PLoS ONE</i> , 2022, 17, e0277027.	1.1	1
1340	Interactions of the Westerlies and Asian Summer Monsoon Since the Last Deglaciation in the Northeastern Qinghai-Tibet Plateau. <i>Paleoceanography and Paleoclimatology</i> , 2022, 37, .	1.3	10
1341	Meltwater Contribution to Lake Water Budget in Mid-Latitude Asia During the Deglaciation and Early Holocene. <i>Geophysical Research Letters</i> , 2022, 49, .	1.5	2
1342	Phytoplankton productivity and community structure changes in the middle Okinawa Trough since the last deglaciation. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2023, 610, 111349.	1.0	2
1343	Detailed notes in Japanese language on Nakagawa et al. (2021) Global and Planetary Change 202, 103493. <i>The Quaternary Research</i> , 2023, 62, 1-31.	0.2	0
1344	Hydroclimate variability in the Madagascar and Southeast African summer monsoons at the Mid- to Late-Holocene transition. <i>Quaternary Science Reviews</i> , 2023, 300, 107874.	1.4	4
1345	Concurrent mid-Holocene East Asian temperature and summer monsoon maxima forced by high- and low-latitude interplay. <i>Global and Planetary Change</i> , 2023, 220, 104008.	1.6	3
1346	Vegetation succession, climate change and cold events during 9.2–8.0 cal kyr BP in eastern China: High-resolution pollen evidence from the Yangtze delta plain area. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2023, 610, 111335.	1.0	2
1347	Seasonal variations in surface processes and hydroclimate on an alpine lake, NE Tibetan Plateau. <i>Quaternary Science Reviews</i> , 2023, 300, 107876.	1.4	6
1348	Quantitative reconstruction of the relative humidity by a coupled $\delta^{18}\text{O}$ - $\delta^2\text{H}$ approach during the Younger Dryas in central China. <i>Quaternary Science Reviews</i> , 2023, 299, 107879.	1.4	1
1349	High-frequency climatic fluctuations over the past 30 ka in northwestern margin of the East Asian monsoon region, China. <i>Journal of Arid Land</i> , 2022, 14, 1331-1343.	0.9	0
1350	Synchronous change in the intensified millet cultivation and ecological environment from the early to middle Holocene on the Inner Mongolia Plateau, northern China. <i>Holocene</i> , 2023, 33, 347-354.	0.9	1

#	ARTICLE	IF	CITATIONS
1351	New insights into the origin of buckwheat cultivation in southwestern China from pollen data. <i>New Phytologist</i> , 2023, 237, 2467-2477.	3.5	6
1352	Abrupt Drying on the Southeast Coast of China During the Mid-to-Late Holocene Transition. <i>Geophysical Research Letters</i> , 2022, 49, .	1.5	3
1353	External forcing mechanisms controlling the Qiongdong upwelling in the northern South China Sea during the Holocene. <i>Global and Planetary Change</i> , 2023, 220, 104021.	1.6	0
1354	Simulation of exchange routes on the Qinghai-Tibetan Plateau shows succession from the neolithic to the bronze age and strong control of the physical environment and production mode. <i>Frontiers in Earth Science</i> , 0, 10, .	0.8	1
1355	Insights into Alpine-Karst-Type Tufa Deposits in Geological Environmental Records: A Case Study of the Calcareous Tufa Profile of the Jiuzhaigou Natural Reserve on the Eastern Margin of the Tibetan Plateau. <i>Minerals (Basel, Switzerland)</i> , 2023, 13, 120.	0.8	2
1356	Anthropogenic activity and millennial climate variability affect Holocene mercury deposition of an alpine wetland near the largest mercury mine in China. <i>Chemosphere</i> , 2023, 316, 137855.	4.2	2
1357	Hydroclimate seasonality from paired coral Sr/Ca and $\delta^{18}O$ records of Kikai Island, Southern Japan: Evidence of East Asian monsoon during mid-to late Holocene. <i>Quaternary Science Reviews</i> , 2023, 301, 107926.	1.4	5
1358	Centennial-scale variability of the Indian Summer Monsoon during the middle to late Holocene and its links with ENSO activity. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2023, 612, 111380.	1.0	4
1359	Inconsistent patterns of Holocene rainfall changes at the East Asian monsoon margin compared to the core monsoon region. <i>Quaternary Science Reviews</i> , 2023, 301, 107952.	1.4	5
1360	Lake level evidence for a mid-Holocene East Asian summer monsoon maximum and the impact of an abrupt late-Holocene drought event on prehistoric cultures in north-central China. <i>Holocene</i> , 2023, 33, 382-399.	0.9	4
1361	Rare earth elements in aeolian loess sediments from Menyuan Basin, northeastern Tibetan plateau: Implications for provenance. <i>Frontiers in Environmental Science</i> , 0, 11, .	1.5	2
1362	Dynamic changes in forest cover and human activities during the Holocene on the northeast Tibetan plateau. <i>Frontiers in Earth Science</i> , 0, 11, .	0.8	2
1363	Links between geochemical weathering on the NE Tibetan Plateau and global climate change since the Last Deglacial. <i>Catena</i> , 2023, 224, 106971.	2.2	1
1364	Response of the Lake Ecosystem of the Lesser Kuril Ridge to Paleoclimatic and Seismic Events. <i>Izvestiya - Atmospheric and Oceanic Physics</i> , 2022, 58, 1377-1397.	0.2	1
1365	Factors controlling the Early-Mid Holocene aeolian sediment accumulation in the Pum Qu catchment and environmental implications for the southern Tibetan Plateau. <i>Quaternary International</i> , 2023, 652, 17-32.	0.7	0
1366	Moisture changes in a mountain-basin system since the last deglaciation revealed by the pollen record of Genggahai Lake, northeastern Qinghai-Tibetan Plateau. <i>Catena</i> , 2023, 225, 107046.	2.2	3
1367	Holocene warming and evergreen/deciduous forest replacement across eastern China. <i>Quaternary Science Reviews</i> , 2023, 307, 108057.	1.4	10
1368	High-resolution records of sea surface temperature and salinity in the East China Sea over the past 14.2 kyr: Implication from alkenone and its hydrogen isotopes. <i>Global and Planetary Change</i> , 2023, 224, 104099.	1.6	1

#	ARTICLE	IF	CITATIONS
1369	Last Glacial Maximum and subsequent glacial chronology in the monsoon-dominated Sikkim Himalaya, India. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2023, 617, 111480.	1.0	1
1370	Holocene sea surface temperature and salinity variations in the central South China Sea. <i>Marine Micropaleontology</i> , 2023, 181, 102229.	0.5	0
1371	Phytolith evidence for changes in the vegetation diversity and cover of a grassland ecosystem in Northeast China since the mid-Holocene. <i>Catena</i> , 2023, 226, 107061.	2.2	7
1372	Atlantic ITCZ variability during the Holocene based on high-resolution speleothem isotope records from northern Venezuela. <i>Quaternary Science Reviews</i> , 2023, 307, 108056.	1.4	2
1373	Iron-bearing minerals indicate sea-level rise of the East China Sea inner shelf since the last deglaciation. <i>Science Bulletin</i> , 2023, 68, 364-366.	4.3	3
1374	Geochemical Characterization of Laminated Crystalline Crust Travertines Formed by Ca ²⁺ -Deficient Hot Springs at Sobcha (China). <i>Minerals (Basel, Switzerland)</i> , 2023, 13, 220.	0.8	0
1375	Provenance and paleoenvironmental significance of sediments in the Beipo seamount of the northern South China Sea during the last deglaciation. <i>Frontiers in Marine Science</i> , 0, 10, .	1.2	1
1376	Quantifying the dynamic processes of soil erosion and lake sediment deposition in the Holocene in China. <i>Quaternary Science Reviews</i> , 2023, 304, 107993.	1.4	1
1377	Desertification and Related Climate Change in the Alashan Plateau since the Last 40 ka of the Last Glacial Period. <i>Atmosphere</i> , 2023, 14, 384.	1.0	1
1378	Weakening of the Summer Monsoon Over the Past 1500 Years Shown by a Tree-Ring Record From Shandong, Eastern China, and the Potential Role of North Atlantic Climate. <i>Paleoceanography and Paleoclimatology</i> , 2023, 38, .	1.3	1
1379	Holocene synchronous evolution of precipitation and soil moisture as evidenced by paleosol deposits in the Ili Basin, Central Asia. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2023, 615, 111466.	1.0	2
1380	Arctic climate-Indian monsoon teleconnection during the last millennium revealed through geochemical proxies from an Arctic fjord. <i>Global and Planetary Change</i> , 2023, 222, 104075.	1.6	1
1381	Optically stimulated luminescence dating and paleoclimatic implications of the Holocene dune sands in the Hunshandake Sandy Land, Northeast China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2023, 615, 111469.	1.0	0
1382	ä, ä... ä-°ä, -ä»¥æ¥ç™1/2æ±ÿæ²³¥ç, æ²¹/4æ³¹/²çš,, ä*è, ²è;†çˆ: äšä... ¶æžšä~¶ä»çˆ. <i>SCIENTIA SINICA Terrae</i> , 2023, 50, 572-586		
1383	The development process of a temperate montane peatland and its controlling factors since the middle Holocene. <i>Science China Earth Sciences</i> , 2023, 66, 594-608.	2.3	2
1384	The new Kr-86 excess ice core proxy for synoptic activity: West Antarctic storminess possibly linked to Intertropical Convergence Zone (ITCZ) movement through the last deglaciation. <i>Climate of the Past</i> , 2023, 19, 579-606.	1.3	0
1385	Maternal genetic history of ancient Tibetans over the past 4000 years. <i>Journal of Genetics and Genomics</i> , 2023, 50, 765-775.	1.7	4
1386	Authigenic beryllium isotopes reveal fluctuations in the East Asian monsoon over the past two millennia. <i>Quaternary Science Reviews</i> , 2023, 306, 108043.	1.4	1

#	ARTICLE	IF	CITATIONS
1387	Weakening monsoon event during 2.8 ka BP in East China linked to the North Atlantic cooling. <i>Quaternary Science Reviews</i> , 2023, 306, 108037.	1.4	2
1388	Fast response of vegetation in East Asia to abrupt climatic events during the last deglaciation. , 2023, 2, .		4
1389	Temperature and Climatic Seasonality Affecting C ₃ Versus C ₄ Plants Since the Last Deglacial on the Northeastern Tibetan Plateau. <i>Geochemistry, Geophysics, Geosystems</i> , 2023, 24, .	1.0	3
1390	Recurring summer and winter droughts from 4.2-3.97 thousand years ago in north India. <i>Communications Earth & Environment</i> , 2023, 4, .	2.6	5
1391	Holocene vegetation dynamics of Horqin Sandy Land in northern China inferred from the phytolith record of a sand-paleosol section. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2023, 622, 111571.	1.0	1
1392	Concomitant changes of lipid biomarker and water column mixing since mid-Holocene. <i>Chemical Geology</i> , 2023, 629, 121502.	1.4	1
1433	The Younger Dryas climate event. , 2023, , .		0
1435	Proxy Response in Various Climatic Conditions. <i>SpringerBriefs in Environmental Science</i> , 2023, , 97-105.	0.3	0