

CITATION REPORT

List of articles citing

Radical prostatectomy: long-term cancer control and recovery of sexual and urinary function ("trifecta")

DOI: 10.1016/j.urology.2005.06.116
Urology, 2005, 66, 83-94.

Source: <https://exaly.com/paper-pdf/39390948/citation-report.pdf>

Version: 2024-04-29

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
478	Oncologic Outcomes of Laparoscopic Radical Prostatectomy: Intermediate-Term Follow-up. 2006 , 5, 934-941		3
477	Minimally invasive approaches to localized prostate carcinoma. 2006 , 20, 879-95		11
476	The association between total and positive lymph node counts, and disease progression in clinically localized prostate cancer. <i>Journal of Urology</i> , 2006 , 175, 1320-4; discussion 1324-5	2.5	168
475	Contemporary intracavernous pharmacotherapy for erectile dysfunction in the aging male. 2006 , 2, 559-570		2
474	Bibliography. Current world literature. Reconstructive surgery. 2006 , 16, 460-3		
473	Recovery of sexual function after prostate cancer treatment. 2006 , 16, 444-8		7
472	Nomograms for prostate cancer. <i>BJU International</i> , 2006 , 98, 39-46	5.6	47
471	The effect of intracavernosal growth differentiation factor-5 therapy in a rat model of cavernosal nerve injury. <i>BJU International</i> , 2006 , 98, 632-6	5.6	17
470	Frozen sections for positive margins?. 2006 , 49, 950-1		4
469	Clinical and pathologic outcome after radical prostatectomy for prostate cancer patients with a preoperative Gleason sum of 8 to 10. 2006 , 107, 1265-72		88
468	Long-term outcome after adult-onset cancer. 2006 , 17 Suppl 10, x293-8		1
467	Defining biochemical recurrence of prostate cancer after radical prostatectomy: a proposal for a standardized definition. 2006 , 24, 3973-8		372
466	Predicting the outcome of salvage radiation therapy for recurrent prostate cancer after radical prostatectomy. 2007 , 25, 2035-41		694
465	Imaging prostate cancer: a multidisciplinary perspective. 2007 , 243, 28-53		462
464	Identifying patients at risk for prostate-cancer-specific mortality: implications for clinical trial design. 2007 , 4, 362-3		
463	Bibliography. Current world literature. Prostate cancer. 2007 , 17, 208-19		
462	Prostate volume measured preoperatively predicts for organ-confined disease in men with clinically localized prostate cancer. <i>Urology</i> , 2007 , 69, 343-6	1.6	13

461	Preoperative risk stratification predicts likelihood of concurrent PSA-free survival, continence, and potency (the trifecta analysis) after radical retropubic prostatectomy. <i>Urology</i> , 2007 , 70, 717-22	1.6	40
460	Laparoscopic radical prostatectomy: contemporary comparison with open surgery. 2007 , 25, 499-504		12
459	Low risk prostate cancer in men under age 65: the case for definitive treatment. 2007 , 25, 510-4		18
458	Relationship between the integrity of the pelvic floor muscles and early recovery of continence after radical prostatectomy. <i>Journal of Urology</i> , 2007 , 178, 208-11	2.5	76
457	Testosterone replacement for hypogonadism after treatment of early prostate cancer with brachytherapy. 2007 , 109, 536-41		153
456	How to preserve potency and continence in localized prostate cancer. <i>BJU International</i> , 2007 , 100 Suppl 2, 29-31	5.6	3
455	Radical prostatectomy in Austria: a nationwide analysis of 16,524 cases. 2007 , 51, 684-8; discussion 689		14
454	Perineal salvage prostatectomy for radiation resistant prostate cancer. 2007 , 51, 1565-71; discussion 1572		21
453	Natural history of biochemical recurrence after radical prostatectomy: risk assessment for secondary therapy. 2007 , 51, 1175-84		172
452	Robotic prostatectomy: where are we now?. 2007 , 12, 29-34		0
451	Age-stratified outcomes after robotic-assisted laparoscopic radical prostatectomy. 2007 , 1, 125-32		12
450	Transition from open to robotic-assisted radical prostatectomy is associated with a reduction of positive surgical margins amongst private-practice-based urologists. 2007 , 1, 145-9		5
449	Radical prostatectomy for high-risk prostate cancer. 2008 , 26, 219-24		22
448	Long term physical sequelae after adult-onset cancer. 2008 , 2, 3-11		51
447	High prostatic fascia release or standard nerve sparing? A viewpoint from the Royal Melbourne Hospital. 2008 , 2, 181-5		3
446	Emerging neuromodulatory molecules for the treatment of neurogenic erectile dysfunction caused by cavernous nerve injury. <i>Asian Journal of Andrology</i> , 2008 , 10, 54-9	2.8	31
445	Comparison of prostate-specific antigen recurrence-free survival in a contemporary cohort of patients undergoing either radical retropubic or robot-assisted laparoscopic radical prostatectomy. <i>BJU International</i> , 2008 , 102, 28-32	5.6	53
444	Secondary therapy, metastatic progression, and cancer-specific mortality in men with clinically high-risk prostate cancer treated with radical prostatectomy. 2008 , 53, 950-9		144

443	It's not a radical prostatectomy, it's a total prostatectomy. 2008 , 54, 715-6		5
442	Good outcome for patients with few lymph node metastases after radical retropubic prostatectomy. 2008 , 54, 344-52		151
441	Should nerve-sparing procedures be reserved to men only?. 2008 , 5, 2259-63		
440	Radiation therapy for prostate cancer increases subsequent risk of bladder and rectal cancer: a population based cohort study. <i>Journal of Urology</i> , 2008 , 180, 2005-9; discussion 2009-10	2.5	111
439	Re: Bianco FJ, Scardino PT, and Eastham JA: Radical prostatectomy: long-term cancer control and recovery of sexual and urinary function ("Trifecta") (Urology 66(5 suppl): 83-94, 2005). <i>Urology</i> , 2008 , 71, 362	1.6	1
438	Prostate-specific antigen doubling time is a reliable predictor of imageable metastases in men with biochemical recurrence after radical retropubic prostatectomy. <i>Urology</i> , 2008 , 71, 501-5	1.6	15
437	Trainees do not negatively impact the institutional learning curve for robotic prostatectomy as characterized by operative time, estimated blood loss, and positive surgical margin rate. <i>Urology</i> , 2008 , 71, 597-601	1.6	79
436	Conventional treatments of localized prostate cancer. <i>Urology</i> , 2008 , 72, S25-35	1.6	34
435	Quality of life in men with locally advanced adenocarcinoma of the prostate: an exploratory analysis using data from the CaPSURE database. <i>Journal of Urology</i> , 2008 , 180, 2409-13; discussion 2414	2.5	22
434	Predicting an optimal outcome after radical prostatectomy: the trifecta nomogram. <i>Journal of Urology</i> , 2008 , 179, 2207-10; discussion 2210-1	2.5	142
433	[Management of male urinary incontinence after radical prostatectomy (CTMH AFU 2006 - 5/5). Prevention of incontinence and CTMH guidelines]. 2008 , 18, 89-94		5
432	[Radical prostatectomy with bladder neck preservation: surgical margins and urinary continence]. 2008 , 18, 304-10		8
431	Zero positive surgical margins after radical prostatectomy: is the end in sight. 2008 , 5, 709-17		12
430	The case for robot-assisted radical prostatectomy. 2008 , 22, 2039-43; discussion 2049		1
429	Urinary and sexual function outcomes among different age groups after robot-assisted laparoscopic prostatectomy. 2008 , 22, 519-24		27
428	Targeting SRC family kinases inhibits growth and lymph node metastases of prostate cancer in an orthotopic nude mouse model. 2008 , 68, 3323-33		197
427	Association of single nucleotide polymorphisms in SOD2, XRCC1 and XRCC3 with susceptibility for the development of adverse effects resulting from radiotherapy for prostate cancer. 2008 , 170, 49-59		72
426	Robotic Urology. 2008 ,		1

425	Laparoscopic nerve-sparing prostatectomy: the use of clips for vascular control. 2008 , 22, 1971-3; discussion 1975	1
424	Long-term functional and oncological outcomes of patients undergoing sural nerve interposition grafting during robot-assisted laparoscopic radical prostatectomy. 2008 , 22, 1005-12	22
423	Surgical treatment of prostate cancer. 43-57	
422	Incremental value of magnetic resonance imaging in the advanced management of prostate cancer. 2009 , 1, 3-14	6
421	Rehabilitation in older cancer patients. 2009 , 5, 369-384	2
420	Prostate cancer-specific mortality after radical prostatectomy for patients treated in the prostate-specific antigen era. 2009 , 27, 4300-5	351
419	Erectile dysfunction following prostatectomy: prevention and treatment. 2009 , 6, 415-27	72
418	Evolution of robot-assisted radical prostatectomy. 2009 , 98, 76-88	47
417	Diagnostic evaluation of PSA recurrence and review of hormonal management after radical prostatectomy. 2009 , 12, 116-23	4
416	Scientific and technical advances in continence recovery following radical prostatectomy. 2009 , 6, 431-53	17
415	Prostatakarzinom. 2009 , 485-635	
414	Gleason score and lethal prostate cancer: does $3 + 4 = 4 + 3$?. 2009 , 27, 3459-64	276
413	Open, laparoscopic and robotic radical prostatectomy: optimizing the surgical approach. 2009 , 18, 233-41	30
412	Importance of baseline potency rate assessment of men diagnosed with clinically localized prostate cancer prior to radical prostatectomy. 2009 , 6, 498-504	27
411	Oncologic outcome after laparoscopic radical prostatectomy: 10 years of experience. 2009 , 55, 1014-9	55
410	Retropubic, laparoscopic, and robot-assisted radical prostatectomy: a systematic review and cumulative analysis of comparative studies. 2009 , 55, 1037-63	686
409	Selective versus standard ligature of the deep venous complex during laparoscopic radical prostatectomy: effects on continence, blood loss, and margin status. 2009 , 55, 1377-83	41
408	Editorial comment on: Selective versus standard ligature of the deep venous complex during laparoscopic radical prostatectomy: effects on continence, blood loss, and margin status. 2009 , 55, 1383-4	

407	Editorial comment on: Selective versus standard ligature of the deep venous complex during laparoscopic radical prostatectomy: effects on continence, blood loss, and margin status. 2009 , 55, 1384-5		
406	Photodynamic diagnosis using 5-aminolevulinic acid for the detection of positive surgical margins during radical prostatectomy in patients with carcinoma of the prostate: a multicentre, prospective, phase 2 trial of a diagnostic procedure. 2009 , 55, 1281-8		37
405	Words of wisdom. Re: Pathologic stage T2a and T2b prostate cancer in the recent prostate-specific antigen era: implications for unilateral ablative therapy. Polascik TJ, Mayes JM, Sun L, Madden JF, Moul JW, Mouraviev V. 2009 , 56, 573-5		
404	Words of wisdom. Re: Development of a second-generation antiandrogen for treatment of advanced prostate cancer. Tran C, Ouk S, Clegg NJ, et al. 2009 , 56, 575		4
403	Nomograms for staging, prognosis, and predicting treatment outcomes. 2009 , 115, 3107-11		105
402	Postprostatectomy incontinence. 2009 , 4, 205-211		1
401	Outcomes after robot-assisted laparoscopic radical prostatectomy. <i>Asian Journal of Andrology</i> , 2009 , 11, 94-9	2.8	8
400	Salvage radiotherapy following radical prostatectomy. 2009 , 16, 31-6		8
399	Prostate-specific antigen kinetics in localized and advanced prostate cancer. <i>BJU International</i> , 2009 , 103, 578-87	5.6	30
398	High-intensity focused ultrasound for localized prostate cancer: initial experience with a 2-year follow-up. <i>BJU International</i> , 2009 , 104, 200-4	5.6	40
397	Outcomes after radical prostatectomy in men receiving previous pelvic radiation for non-prostate malignancies. <i>BJU International</i> , 2009 , 104, 482-5	5.6	7
396	Biochemical recurrence rate in patients with positive surgical margins at radical prostatectomy with further negative resected tissue. <i>BJU International</i> , 2009 , 104, 605-10	5.6	9
395	Laparoscopy or robotics: where does the future lie?. <i>BJU International</i> , 2009 , 104, 1551-3	5.6	6
394	Treatment of prostate cancer in unfit senior adult patients. 2009 , 35, 522-7		18
393	Persistent vesicourethral anastomotic leak after laparoscopic radical prostatectomy: laparoscopic solution. <i>Urology</i> , 2009 , 73, 124-6	1.6	16
392	Nerve-sparing prostatectomy and urinary function: a prospective analysis using validated quality-of-life measures. <i>Urology</i> , 2009 , 73, 1336-40	1.6	15
391	Interposition nerve grafting during radical prostatectomy: cumulative review and critical appraisal of literature. <i>Urology</i> , 2009 , 74, 245-50	1.6	8
390	Nerve quantification and computerized planimetry to evaluate periprostatic nerve distribution-does size matter?. <i>Urology</i> , 2009 , 74, 398-403	1.6	15

389	Trifecta outcomes after robotic-assisted laparoscopic prostatectomy. <i>Urology</i> , 2009 , 74, 619-23	1.6	83
388	Editorial comment. <i>Urology</i> , 2009 , 74, 623-4; author reply 624	1.6	
387	Clinical interpretation of the Expanded Prostate Cancer Index Composite-Short Form sexual summary score. <i>Journal of Urology</i> , 2009 , 182, 2844-9	2.5	22
386	Robotic and open radical prostatectomy: is there reason to be receptive to change now and in the future?. 2009 , 9, 863-5		2
385	Prevention and Management of Postprostatectomy Erectile Dysfunction. 2009 , 8, 80-87		3
384	Prostate size is associated with surgical difficulty but not functional outcome at 1 year after radical prostatectomy. <i>Journal of Urology</i> , 2009 , 182, 949-55	2.5	54
383	Expanded Prostate Cancer Index Composite versus Incontinence Symptom Index and Sexual Health Inventory for Men to measure functional outcomes after prostatectomy. <i>Journal of Urology</i> , 2009 , 182, 221-7; discussion 227-8	2.5	19
382	Critical appraisal of outcomes following open radical prostatectomy. 2009 , 19, 297-302		14
381	Prophylaxis of erectile function after radical prostatectomy with phosphodiesterase type 5 inhibitors. 2009 , 15, 3496-501		4
380	Optimizing cancer control and functional outcomes following robotic prostatectomy. 2010 , 17, 233-44		4
379	[Conservative management of postoperative urinary incontinence in men]. 2010 , 49, 498-503		
378	Factors predicting early return of continence after radical prostatectomy. 2010 , 11, 191-7		52
377	Downsides of robot-assisted laparoscopic radical prostatectomy: limitations and complications. 2010 , 57, 735-46		90
376	Cancer and sexual problems. 2010 , 7, 349-73		182
375	Should experienced open prostatic surgeons convert to robotic surgery? The real learning curve for one surgeon over 3 years. <i>BJU International</i> , 2010 , 106, 378-84	5.6	68
374	Location and number of positive surgical margins as prognostic factors of biochemical recurrence after salvage radiation therapy after radical prostatectomy. <i>BJU International</i> , 2010 , 106, 1454-7	5.6	11
373	Detection of urinary leakage after radical retropubic prostatectomy by contrast enhanced ultrasound - do we still need conventional retrograde cystography?. <i>BJU International</i> , 2010 , 106, 1632-7 ^{5.6}		10
372	Continence, potency and oncological outcomes after robotic-assisted radical prostatectomy: early trifecta results of a high-volume surgeon. <i>BJU International</i> , 2010 , 106, 696-702	5.6	84

371	De novo detrusor underactivity after laparoscopic radical prostatectomy. 2010 , 17, 643-8		30
370	Evidence-based comparison of robotic and open radical prostatectomy. 2010 , 10, 2228-37		17
369	Radical prostatectomy: evolution of surgical technique from the laparoscopic point of view. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2010 , 36, 129-39; discussion 140	2	9
368	Erectile dysfunction after robot-assisted radical prostatectomy. 2010 , 10, 747-54		13
367	Predicting non-organ-confined prostate cancer in men diagnosed after 2000. 2010 , 13, 248-51		5
366	Descending nerve-sparing radical prostatectomy--results and consequences. 2010 , 41 Suppl 1, S66-9		2
365	Prostate cancer. Saturation biopsy does not accurately localize tumors. 2010 , 7, 479-80		1
364	Predicting biochemical recurrence-free survival for patients with positive pelvic lymph nodes at radical prostatectomy. <i>Journal of Urology</i> , 2010 , 184, 143-8	2.5	58
363	Evaluation of combined oncological and functional outcomes after radical prostatectomy: trifecta rate of achieving continence, potency and cancer control--a literature review. <i>Urology</i> , 2010 , 76, 1194-8	1.6	23
362	Reply. <i>Urology</i> , 2010 , 76, 1198-1199	1.6	2
361	Retropubic, laparoscopic, and robot-assisted radical prostatectomy: a critical review of outcomes reported by high-volume centers. 2010 , 24, 2003-15		189
360	Robotgeassisteerde laparoscopische radicale prostatectomie in een perifeer ziekenhuis: perioperatieve parameters en korte termijn functionele en oncologische resultaten bij de eerste 400 patiënten. 2011 , 1, 126-132		1
359	Surgical therapy for intermediate risk prostate cancer. 2011 , 29, 833-6		1
358	Predicting 15-year prostate cancer specific mortality after radical prostatectomy. <i>Journal of Urology</i> , 2011 , 185, 869-75	2.5	463
357	Age, obesity, medical comorbidities and surgical technique are predictive of symptomatic anastomotic strictures after contemporary radical prostatectomy. <i>Journal of Urology</i> , 2011 , 185, 2148-52	2.5	44
356	Influence of (11)C-choline PET/CT on the treatment planning for salvage radiation therapy in patients with biochemical recurrence of prostate cancer. 2011 , 99, 193-200		90
355	Experience of 100 laparoscopic radical prostatectomies performed by a single surgeon: an analysis of surgical and functional outcomes. 2011 , 52, 517-23		5
354	Oncological and functional outcomes following open radical prostatectomy: how patients may achieve the "Trifecta"?. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2011 , 37, 320-7; discussion 327	2	8

353	Open versus robotic-assisted radical prostatectomy: which is better?. 2011 , 21, 200-5		22
352	Robotic radical prostatectomy: a critical analysis of surgical quality. 2011 , 21, 195-9		6
351	A critical systematic review of recent clinical trials comparing open retropubic, laparoscopic and robot-assisted laparoscopic radical prostatectomy. 2011 , 6, 241-9		11
350	Prospective evaluation of combined oncological and functional outcomes after laparoscopic radical prostatectomy: trifecta rate of achieving continence, potency and cancer control at 2 years. <i>BJU International</i> , 2011 , 107, 274-9	5.6	20
349	Trifecta outcomes after robot-assisted laparoscopic radical prostatectomy. <i>BJU International</i> , 2011 , 107, 100-4	5.6	37
348	Five year expanded prostate cancer index composite-based quality of life outcomes after prostatectomy for localized prostate cancer. <i>BJU International</i> , 2011 , 107, 585-90	5.6	43
347	Pathological results and rates of treatment failure in high-risk prostate cancer patients after radical prostatectomy. <i>BJU International</i> , 2011 , 107, 765-770	5.6	99
346	Dramatic increase in prostate cancer cases by 2021. <i>BJU International</i> , 2011 , 108, 1734-8	5.6	28
345	Critical review of 'pentafecta' outcomes after robot-assisted laparoscopic prostatectomy in high-volume centres. <i>BJU International</i> , 2011 , 108, 1007-17	5.6	42
344	Balancing continence function and oncological outcomes during robot-assisted radical prostatectomy (RARP). <i>BJU International</i> , 2011 , 108, 999-1006	5.6	18
343	Factors predicting continence recovery 1 month after radical prostatectomy: results of a multicenter survey. 2011 , 18, 700-8		33
342	Patients' desire to preserve sexual activity and final decision for a nerve-sparing approach: results from the MIRROR (Multicenter Italian Report on Radical Prostatectomy Outcomes and Research) Study. 2011 , 8, 1495-502		8
341	Cancer control and functional outcomes after radical prostatectomy as markers of surgical quality: analysis of heterogeneity between surgeons at a single cancer center. 2011 , 59, 317-22		85
340	Long-term risk of clinical progression after biochemical recurrence following radical prostatectomy: the impact of time from surgery to recurrence. 2011 , 59, 893-9		203
339	Anatomical description of the periprostatic nerves in the male rhesus monkey (<i>Macaca mulatta</i>). 2011 , 29, 375-80		1
338	Early hypofractionated salvage radiotherapy for postprostatectomy biochemical recurrence. 2011 , 117, 2629-36		51
337	Salvage radiation in men after prostate-specific antigen failure and the risk of death. 2011 , 117, 3925-32		76
336	Inguinal hernia after radical retropubic prostatectomy: risk factors and prevention. 2011 , 8, 267-73		31

335	Surgery for high-risk localized prostate cancer. 2011 , 3, 173-82		11
334	Prognostic determinants in prostate cancer. 2011 , 17, 429-37		35
333	Fifth-generation digital immunoassay for prostate-specific antigen by single molecule array technology. 2011 , 57, 1712-21		47
332	Focal therapy with high-intensity focused ultrasound for prostate cancer in the elderly. A feasibility study with 10 years follow-up. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2011 , 37, 213-9; discussion 220-2	2	74
331	Natural orifice transendoluminal surgery and laparoendoscopic single-site surgery: the future of laparoscopic radical prostatectomy. 2011 , 7, 427-34		7
330	The impact of anterior urethropexy during robotic prostatectomy on urinary and sexual outcomes. 2011 , 25, 615-9		10
329	Diagnosis and management of biochemical recurrence in patients with prostate cancer who received definitive treatment. 2011 , 37, 295-302		
328	HIFU ablation is not a proven standard treatment for localized prostate cancer. <i>Canadian Urological Association Journal</i> , 2011 , 5, 424-6	1.2	5
327	Radiation therapy for prostate cancer after prostatectomy: adjuvant or salvage?. 2011 , 8, 385-92		28
326	Robot-assisted radical prostatectomy: surgical, oncological, and functional outcomes. 2012 , 38, 8-13		1
325	Optimizing postoperative sexual function after radical prostatectomy. 2012 , 4, 347-65		12
324	MR imaging of treated prostate cancer. 2012 , 262, 26-42		103
323	Variations in the quality of care at radical prostatectomy. 2012 , 4, 61-75		4
322	Optimizing radical prostatectomy for the early recovery of urinary continence. 2012 , 9, 189-95		11
321	Percent tumor volume predicts biochemical recurrence after radical prostatectomy: multi-institutional data analysis. 2012 , 17, 355-60		20
320	Early salvage radiation therapy does not compromise cancer control in patients with pT3N0 prostate cancer after radical prostatectomy: results of a match-controlled multi-institutional analysis. 2012 , 62, 472-87		129
319	Best practices in robot-assisted radical prostatectomy: recommendations of the Pasadena Consensus Panel. 2012 , 62, 368-81		206
318	High occurrence of aberrant lymph node spread on magnetic resonance lymphography in prostate cancer patients with a biochemical recurrence after radical prostatectomy. 2012 , 82, 1405-10		29

317	Pelvic lymph node dissection for prostate cancer: frequency and distribution of nodal metastases in a contemporary radical prostatectomy series. <i>Journal of Urology</i> , 2012 , 187, 2082-6	2.5	30
316	Surgical implantation of artificial urinary device and penile prosthesis through trans-scrotal incision for postprostatectomy urinary incontinence and erectile dysfunction: synchronous or delayed procedure?. <i>Urology</i> , 2012 , 80, 1046-50	1.6	24
315	Robot-assisted radical prostatectomy: 5-year oncological and biochemical outcomes. <i>Journal of Urology</i> , 2012 , 188, 2205-10	2.5	52
314	A systematic review of the role of adjuvant and neoadjuvant pharmacotherapy in patients undergoing radical prostatectomy. 2012 , 13, 1421-36		2
313	A prospective, controlled phase II study of neoadjuvant exisulind therapy before radical prostatectomy: effect on apoptosis. <i>Urology</i> , 2012 , 80, 484.e17-22	1.6	7
312	The multi-disciplinary management of high-risk prostate cancer. 2012 , 30, 3-15		16
311	Robotic radical prostatectomy: The new gold standard. 2012 , 10, 23-31		10
310	Anesthetic considerations for robotic prostatectomy: a review of the literature. 2012 , 24, 494-504		47
309	Comparative analysis of multiparametric magnetic resonance and PET-CT in the management of local recurrence after radical prostatectomy for prostate cancer. 2012 , 84, 109-21		27
308	Natural history of biochemical recurrence after radical prostatectomy with adjuvant radiation therapy. <i>Journal of Urology</i> , 2012 , 188, 1761-6	2.5	15
307	Transplantation of Stem/Progenitor Cells: Potential Treatment for Erectile Dysfunction Following Radical Prostatectomy. 2012 , 319-327		
306	Optimizing Outcomes During Laparoscopic and Robot-Assisted Radical Prostatectomy: Oncologic Concerns, Potency, and Continence. 2012 , 1135-1146		
305	Open Radical Prostatectomy. 2012 , 93-103		1
304	Does physiotherapist-guided pelvic floor muscle training increase the quality of life in patients after radical prostatectomy? A randomized clinical study. 2012 , 46, 397-404		24
303	Treatment of Localized Prostate Cancer. 2012 , 141-154		
302	The association between pre-operative PSA and prostate cancer-specific mortality in patients with long-term follow-up after radical prostatectomy. 2012 , 72, 24-9		5
301	Treatment modalities for localised prostate cancer. 2012 , 3, 21-25		2
300	Advances in the management of high-risk localised and metastatic prostate cancer. <i>BJU International</i> , 2012 , 109 Suppl 2, 8-13	5.6	8

299	Postoperative radiation therapy for pathologically advanced prostate cancer after radical prostatectomy. 2012 , 61, 443-51		84
298	Re: Seong Cheol Kim, Cheryn Song, Wansuk Kim, et al. Factors determining functional outcomes after radical prostatectomy: robot-assisted versus retropubic. <i>Eur Urol</i> 2011;60:413-9. 2012 , 61, e6; author reply e7		1
297	Systematic review of methods for reporting combined outcomes after radical prostatectomy and proposal of a novel system: the survival, continence, and potency (SCP) classification. 2012 , 61, 541-8		65
296	A critical analysis of the long-term impact of radical prostatectomy on cancer control and function outcomes. 2012 , 61, 664-75		160
295	Multipotent stromal cell therapy for cavernous nerve injury-induced erectile dysfunction. 2012 , 9, 385-403		54
294	The evolution of orgasmic pain (dysorgasmia) following radical prostatectomy. 2012 , 9, 1454-8		18
293	Among potent men post radical prostatectomy, does the need for phosphodiesterase inhibitors have an impact on sexual bother scores?. <i>BJU International</i> , 2012 , 109, 1520-4	5.6	4
292	Achieving the 'bifecta' using salvage cryotherapy for locally recurrent prostate cancer: analysis of the Cryo On-Line Data (COLD) registry data. <i>BJU International</i> , 2012 , 110, 217-20	5.6	17
291	Laparoscopic versus robot-assisted bilateral nerve-sparing radical prostatectomy: comparison of pentafecta rates for a single surgeon. 2013 , 27, 4297-304		27
290	Does the Presence of Preoperative LUTS Affect Urinary Outcomes after Radical Prostatectomy?. 2013 , 8, 160-165		
289	Local recurrence after retropubic radical prostatectomy for prostate cancer does not exclusively occur at the anastomotic site. <i>BJU International</i> , 2013 , 112, E243-9	5.6	21
288	Evaluation of combined oncologic and functional outcomes after robotic-assisted laparoscopic extraperitoneal radical prostatectomy: trifecta rate of achieving continence, potency and cancer control. 2013 , 31, 99-103		26
287	Actualizaci3n de la estadificaci3n del c3ncer de pr3stata. 2013 , 77, 301-305		2
286	Risk stratification of patients with extraprostatic extension and negative lymph nodes at radical prostatectomy: identifying optimal candidates for adjuvant therapy. <i>Journal of Urology</i> , 2013 , 190, 1735-45		14
285	Use of prostate-specific antigen testing as a disease surveillance tool following radical prostatectomy. 2013 , 119, 3523-30		18
284	The dilemma of a rising prostate-specific antigen level after local therapy: what are our options?. 2013 , 40, 322-36		31
283	25-Year disease-free survival rate after irradiation for prostate cancer calculated with the prostate specific antigen definition of recurrence used for radical prostatectomy. <i>Journal of Urology</i> , 2013 , 189, 878-83	2.5	40
282	Post Prostatectomy Incontinence. 2013 , 8, 268-276		1

281	Management of prostate cancer in Asia: resource-stratified guidelines from the Asian Oncology Summit 2013. 2013 , 14, e524-34		26
280	Early postoperative urinary and sexual function predicts functional recovery 1 year after prostatectomy. <i>Journal of Urology</i> , 2013 , 190, 1233-8	2.5	4
279	Survival following biochemical recurrence after radical prostatectomy and adjuvant radiotherapy in patients with prostate cancer: the impact of competing causes of mortality and patient stratification. 2013 , 64, 557-64		33
278	Beyond the learning curve of the Retzius-sparing approach for robot-assisted laparoscopic radical prostatectomy: oncologic and functional results of the first 200 patients with 1 year of follow-up. 2013 , 64, 974-80		147
277	Re: "trifecta" in partial nephrectomy: A. J. Hung, j. Cai, M. N. Simmons and I. S. Gill <i>J Urol</i> 2013; 189: 36-42. <i>Journal of Urology</i> , 2013 , 190, 810-1	2.5	3
276	Active surveillance vs. treatment for low-risk prostate cancer: a cost comparison. 2013 , 31, 576-80		41
275	Comparative outcomes and assessment of trifecta in 500 robotic and laparoscopic partial nephrectomy cases: a single surgeon experience. <i>Journal of Urology</i> , 2013 , 189, 1236-42	2.5	171
274	Adjuvant and salvage radiation therapy after prostatectomy: American Society for Radiation Oncology/American Urological Association guidelines. 2013 , 86, 822-8		135
273	Clinical implementation of quality of life instruments and prediction tools for localized prostate cancer: results from a national survey of radiation oncologists and urologists. <i>Journal of Urology</i> , 2013 , 189, 2092-8	2.5	27
272	The trifecta outcome in 300 consecutive cases of robotic-assisted laparoscopic radical prostatectomy according to D'Amico risk criteria. 2013 , 39, 107-13		46
271	Pathological features of lymph node metastasis for predicting biochemical recurrence after radical prostatectomy for prostate cancer. <i>Journal of Urology</i> , 2013 , 189, 1314-8	2.5	30
270	Techniques of Nerve Sparing in Robot-Assisted Radical Prostatectomy. 2013 , 259-271		1
269	Outcome Measures After Robot-Assisted Radical Prostatectomy. 2013 , 347-364		1
268	Urinary Incontinence After Robotic-Assisted Laparoscopic Radical Prostatectomy. 2013 , 365-379		
267	Adjuvant and salvage radiotherapy after prostatectomy: AUA/ASTRO Guideline. <i>Journal of Urology</i> , 2013 , 190, 441-9	2.5	315
266	Urinary Incontinence. 2013 , 951-971		
265	Reporting the Canadian robotic experience: The outcomes and how we report them. <i>Canadian Urological Association Journal</i> , 2013 , 7, 333-4	1.2	1
264	Advances in Robotic-Assisted Radical Prostatectomy over Time. 2013 , 2013, 902686		22

263	Robotic-assisted radical prostatectomy after the first decade: surgical evolution or new paradigm. 2013 , 2013, 157379			27
262	Oncological outcomes in low-, intermediate- and high D'Amico-risk patients undergoing laparoscopic radical prostatectomy at a single UK centre. 2013 , 6, 295-301			1
261	Impact of a nurse-run clinic on prevalence of urinary incontinence and everyday life in men undergoing radical prostatectomy. 2013 , 40, 309-12			5
260	The impact of prior TURP on radical prostatectomy surgical margins: a multicenter analysis. 2013 , 91, 62-8			3
259	Cabazitaxel: A novel taxane for metastatic castration-resistant prostate cancer-current implications and future prospects. 2013 , 4, 230-7			51
258	Margins, ischaemia and complications rate after laparoscopic partial nephrectomy: impact of learning curve and tumour anatomical characteristics. <i>BJU International</i> , 2013 , 112, 1125-32	5.6		49
257	Increased expression of putative cancer stem cell markers in the bone marrow of prostate cancer patients is associated with bone metastasis progression. 2013 , 73, 1738-46			25
256	Radiotherapy in the management of prostate cancer after radical prostatectomy. 2013 , 9, 669-79			5
255	Detection of prostate cancer by radio-frequency near-field spectroscopy in radical prostatectomy ex vivo specimens. 2013 , 16, 73-8			4
254	Generation (spark) gap: developments in lithotripsy. <i>BJU International</i> , 2013 , 112, 880-1	5.6		
253	'Trifecta' after radical prostatectomy: is there a standard definition?. <i>BJU International</i> , 2013 , 112, 60-7	5.6		21
252	Prospective evaluation of pentafecta outcomes at 5 years after laparoscopic radical prostatectomy: results of 170 patients at a single center. 2013 , 60, 309-14			4
251	Future prospects in the diagnosis and management of localized prostate cancer. 2013 , 2013, 347263			6
250	Guideline for optimization of surgical and pathological quality performance for radical prostatectomy in prostate cancer management: evidentiary base. <i>Canadian Urological Association Journal</i> , 2013 , 4, 13		1.2	
249	HIFU ablation is not a proven standard treatment for localized prostate cancer. <i>Canadian Urological Association Journal</i> , 2013 , 5, 424		1.2	
248	Posttherapy Follow-up and First Intervention. 2014 , 211-229			
247	Prediction of complications after partial nephrectomy by RENAL nephrometry score. 2014 , 96, 475-9			25
246	. 2014 ,			

245	Oncological outcomes after robot-assisted radical prostatectomy: long-term follow-up in 4803 patients. <i>BJU International</i> , 2014 , 114, 824-31	5.6	32
244	Reporting combined outcomes with Trifecta and survival, continence, and potency (SCP) classification in 337 patients with prostate cancer treated with image-guided hypofractionated radiotherapy. <i>BJU International</i> , 2014 , 114, E3-E10	5.6	5
243	Adoption of Radiation Therapy Oncology Group consensus guidelines for post-prostatectomy radiation therapy in an academic tertiary care center. 2014 , 3, 395-400		1
242	Quality of Life and Sexual Health in the Aging of PCa Survivors. 2014 , 2014, 470592		10
241	Extraperitoneal robot-assisted laparoscopic radical prostatectomy: Initial experience. 2014 , 6, 130-4		6
240	Stereotactic body radiation therapy for prostate cancer patients with old age or medical comorbidity: a 5-year follow-up of an investigational study. 2014 , 93, e290		17
239	Die roboterassistierte radikale Prostatektomie. 2014 , 01, 49-68		1
238	[Robot-assisted radical prostatectomy - review of the literature concerning oncological and functional outcome of patients]. 2014 , 45, 471-85; quiz 486-7		1
237	Long-acting testosterone injections for treatment of testosterone deficiency after brachytherapy for prostate cancer. <i>BJU International</i> , 2014 , 114, 125-30	5.6	43
236	Cryoablation for locally advanced clinical stage T3 prostate cancer: a report from the Cryo-On-Line Database (COLD) Registry. <i>BJU International</i> , 2014 , 113, 714-8	5.6	13
235	Survival, Continence and Potency (SCP) recovery after radical retropubic prostatectomy: a long-term combined evaluation of surgical outcomes. 2014 , 40, 1716-23		17
234	Five-year oncological outcomes of endoscopic extraperitoneal radical prostatectomy (EERPE) for prostate cancer: results from a medium-volume UK centre. <i>BJU International</i> , 2014 , 113, 449-57	5.6	9
233	Erectile Function Outcomes after Robot-Assisted Radical Prostatectomy: Is It Superior to Open Retropubic or Laparoscopic Approach?. 2014 , 2, 10-23		6
232	Neurturin enhances the recovery of erectile function following bilateral cavernous nerve crush injury in the rat. 2007 , 2, 5		22
231	R-LESS partial nephrectomy trifecta outcome is inferior to multiport robotic partial nephrectomy: comparative analysis. 2014 , 66, 512-7		32
230	The Quadrella: a novel approach to analyzing optimal outcomes after permanent seed prostate brachytherapy. 2014 , 111, 110-3		5
229	Autologous retro-pubic urethral sling: a novel, quick, intra-operative technique to improve continence after robotic-assisted radical prostatectomy. 2014 , 8, 99-104		5
228	High-risk prostate cancer-classification and therapy. 2014 , 11, 308-23		215

227	Do margins matter? The influence of positive surgical margins on prostate cancer-specific mortality. 2014 , 65, 675-80		61
226	Radical Prostatectomy. 2014 ,		3
225	Retzius-sparing robot-assisted laparoscopic radical prostatectomy: combining the best of retropubic and perineal approaches. <i>BJU International</i> , 2014 , 114, 236-44	5.6	90
224	Extraperitoneal transumbilical laparoendoscopic single-site radical prostatectomy using a homemade single-port device: 20 cases with midterm outcomes. 2014 , 32, 829-36		8
223	Age and baseline quality of life at radical prostatectomy--who has the most to lose?. <i>Journal of Urology</i> , 2014 , 192, 396-401	2.5	19
222	Optimal definition of biochemical recurrence after radical prostatectomy depends on pathologic risk factors: identifying candidates for early salvage therapy. 2014 , 66, 204-10		37
221	Low detectable prostate specific antigen after radical prostatectomy--treat or watch?. <i>Journal of Urology</i> , 2014 , 192, 1390-6	2.5	8
220	Randomized Trials for Adjuvant Radiotherapy. 2014 , 231-242		
219	Comparison between robotic-assisted laparoscopic radical prostatectomy and radiotherapy with regard to oncologic control and functional outcome in elderly patients with prostate cancer. 2015 , 26, 244-249		2
218	What is the correct staging and treatment strategy for locally advanced prostate cancer extending to the bladder?. 2015 , 87, 130-5		2
217	Surgical treatment for prostate cancer. 2015 , 58, 15		
216	Robotic assisted radical prostatectomy. 2015 , 12, 82-86		
215	Are biochemical recurrence outcomes similar after radical prostatectomy and radiation therapy? Analysis of prostate cancer-specific mortality by nomogram-predicted risks of biochemical recurrence. 2015 , 67, 204-9		34
214	Natural history of surgically treated high-risk prostate cancer. 2015 , 33, 163.e7-13		77
213	Prostate-specific antigen persistence after radical prostatectomy as a predictive factor of clinical relapse-free survival and overall survival: 10-year data of the ARO 96-02 trial. 2015 , 91, 288-94		63
212	The high prevalence of undiagnosed prostate cancer at autopsy: implications for epidemiology and treatment of prostate cancer in the Prostate-specific Antigen-era. 2015 , 137, 2795-802		151
211	Nomogram Predicting Prostate Cancer-specific Mortality for Men with Biochemical Recurrence After Radical Prostatectomy. 2015 , 67, 1160-1167		133
210	A randomized, double-blind, solifenacin succinate versus placebo control, phase 4, multicenter study evaluating urinary continence after robotic assisted radical prostatectomy. <i>Journal of Urology</i> , 2015 , 193, 1305-10	2.5	21

209	Impact of pelvic biometric measurements, visceral and subcutaneous adipose tissue areas on trifecta outcome and surgical margin status after open radical retropubic prostatectomy. 2015 , 49, 108-14		2
208	Radical treatment of localised prostate cancer in the elderly. <i>BJU International</i> , 2015 , 116, 847-52	5.6	10
207	Tumor volume in insignificant prostate cancer: increasing threshold gains increasing risk. 2015 , 75, 45-9		17
206	Role of 3T multiparametric magnetic resonance imaging without endorectal coil in the detection of local recurrent prostate cancer after radical prostatectomy: the radiation oncology point of view. 2015 , 49, 360-5		10
205	Margin, ischemia, and complications system to report perioperative outcomes of robotic partial nephrectomy: a European Multicenter Observational Study (EMOS project). <i>Urology</i> , 2015 , 85, 589-95	1.6	38
204	Complications following surgery with or without radiotherapy or radiotherapy alone for prostate cancer. 2015 , 112, 977-82		22
203	Altered glycosylation in prostate cancer. 2015 , 126, 345-82		70
202	Pitfalls in Interpreting mp-MRI of the Prostate: A Pictorial Review with Pathologic Correlation. 2015 , 6, 611-30		46
201	Optimizing outcome reporting after radical cystectomy for organ-confined urothelial carcinoma of the bladder using oncological trifecta and pentapecta. 2015 , 33, 1945-50		16
200	National estimated costs of never events following radical prostatectomy. 2015 , 33, 385.e1-6		6
199	Low Use of Immediate and Delayed Postoperative Radiation for Prostate Cancer with Adverse Pathological Features. <i>Journal of Urology</i> , 2015 , 194, 972-6	2.5	19
198	[Functional results and treatment of functional dysfunctions after radical prostatectomy]. 2015 , 25, 1028-66		4
197	[Treatments around surgery of prostate cancer and surgery of recurrence]. 2015 , 25, 1086-107		2
196	Radiotherapy in Prostate Cancer. 2015 ,		5
195	Safe-R: a novel score, accounting for oncological safe nerve-sparing at radical prostatectomy for localized prostate cancer. 2015 , 33, 77-83		2
194	Immediate Continence Rates in RALRP: A Comparison of Three Techniques. 2016 , 20,		
193	Gaps between Evidence and Practice in Postoperative Radiotherapy for Prostate Cancer: Focus on Toxicities and the Effects on Health-Related Quality of Life. 2016 , 6, 70		9
192	Target Definition in Salvage Radiotherapy for Recurrent Prostate Cancer: The Role of Advanced Molecular Imaging. 2016 , 6, 73		15

191	Detailed Surgical Anatomy of Prostate: Relationship between Urethra and Dorsal Vein Complex with Apex. 2016 , 96, 260-7		4
190	[Social medicine assessment of patients with prostate cancer]. 2016 , 55, 1481-1486		1
189	Standardized procedure of robotic assisted laparoscopic radical prostatectomy from case 1 to case 1200. 2016 , 27, 199-207		1
188	[CCAFU french national guidelines 2016-2018 on prostate cancer]. 2016 , 27 Suppl 1, S95-S143		33
187	Robotic Prostatectomy on the Web: A Cross-Sectional Qualitative Assessment. 2016 , 14, e355-62		9
186	The Current Status of PSMA PET-CT for Evaluating Biochemical PSA Relapse in Prostate Cancer. 2016 , 4, 1		
185	Salvage radiation therapy following radical prostatectomy. A national Danish study. 2016 , 55, 598-603		15
184	Comparisons of oncological and functional outcomes among radical retropubic prostatectomy, high dose rate brachytherapy, cryoablation and high-intensity focused ultrasound for localized prostate cancer. 2016 , 5, 1905		18
183	Intraoperative Frozen Section of the Prostate Reduces the Risk of Positive Margin Whilst Ensuring Nerve Sparing in Patients with Intermediate and High-Risk Prostate Cancer Undergoing Robotic Radical Prostatectomy: First Reported UK Series. 2016 , 9, 93-103		17
182	Detecting positive surgical margins: utilisation of light-reflectance spectroscopy on ex vivo prostate specimens. <i>BJU International</i> , 2016 , 118, 885-889	5.6	5
181	Interval to biochemical failure is prognostic for distant metastases after salvage radiation therapy for prostate cancer. 2016 , 5, 79-85		
180	Erectile Function Recovery After Nerve-Sparing Radical Prostatectomy for Prostate Cancer: Is Back to Baseline Status Enough for Patient Satisfaction?. 2016 , 13, 669-78		9
179	Cancer, Benign Gynecology, and Sexual Function--Issues and Answers. 2016 , 13, 519-37		10
178	Effect of preoperative urodynamic detrusor overactivity on post-prostatectomy incontinence: a systematic review and meta-analysis. <i>International Urology and Nephrology</i> , 2016 , 48, 53-63	2.3	4
177	Predicting survival of men with recurrent prostate cancer after radical prostatectomy. 2016 , 54, 27-34		25
176	Homemade laparoscopic surgical simulator: a cost-effective solution to the challenge of acquiring laparoscopic skills?. 2016 , 185, 791-796		10
175	Fluorescent Image-Guided Surgery with an Anti-Prostate Stem Cell Antigen (PSCA) Diabody Enables Targeted Resection of Mouse Prostate Cancer Xenografts in Real Time. 2016 , 22, 1403-12		36
174	Efficacy and safety of the first and repeated intradetrusor injections of abobotulinum toxin A 750U for treating neurological detrusor overactivity. 2016 , 34, 755-61		11

173	CyberKnife stereotactic radiotherapy for isolated recurrence in the prostatic bed. 2016 , 34, 311-7		18
172	Neoplasms of the Prostate. 2017 , 1-38		
171	Low rates of androgen deprivation therapy use with salvage radiation therapy in patients with prostate cancer after radical prostatectomy. 2017 , 35, 542.e25-542.e32		5
170	Evaluation of in vitro antioxidant and anticancer activity of <i>Allophylus cobbe</i> leaf extracts on DU-145 and PC-3 human prostate cancer cell lines. 2017 , 69, 167-177		9
169	Updated postoperative nomogram incorporating the number of positive lymph nodes to predict disease recurrence following radical prostatectomy. 2017 , 20, 105-109		4
168	Managing Cancer Relapse After Radical Prostatectomy: Adjuvant Versus Salvage Radiation Therapy. <i>Urologic Clinics of North America</i> , 2017 , 44, 597-609	2.9	0
167	Treating Sexual Problems in Cancer Patients and Survivors. 2017 , 369-388		
166	Impact of Gleason score on biochemical recurrence in patients with pT3aN0/Nx prostate cancer with positive surgical margins: a multicenter study from the Prostate Cancer Research Committee. 2017 , 143, 2393-2400		5
165	[Surgical approach and sexual outcomes after radical prostatectomy]. 2017 , 27, 283-296		0
164	Surgical Techniques to Optimize Early Urinary Continence Recovery Post Robot Assisted Radical Prostatectomy for Prostate Cancer. 2017 , 18, 71		39
163	Retropubic Radical Prostatectomy. 2017 , 231-249		
162	Adjuvant Versus Salvage Radiotherapy for Patients With Adverse Pathological Findings Following Radical Prostatectomy: A Decision Analysis. 2017 , 2, 2381468317709476		2
161	Can Anterior Prostatic Fat Harbor Prostate Cancer Metastasis? A Prospective Cohort Study. 2017 , 10, 182-185		3
160	Comparative study of laparoscopic radical prostatectomy and robot-assisted radical prostatectomy on perioperative, oncological and functional outcomes. <i>Surgical Practice</i> , 2017 , 21, 141-148	0.4	0
159	Prostatic Tumors. 2017 , 95-167		
158	Oncologic Imaging: Urology. 2017 ,		2
157	Comparison of perioperative, functional, and oncologic outcomes between standard laparoscopic and robotic-assisted radical prostatectomy: a systemic review and meta-analysis. 2017 , 31, 1045-1060		30
156	The role of detrusor overactivity in urinary incontinence after radical prostatectomy: a systematic review. <i>Minerva Urology and Nephrology</i> , 2017 , 69, 234-241	2.3	5

155	Open radical prostatectomy reproducing robot-assisted radical prostatectomy: Involving antegrade nerve sparing and continuous anastomosis. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2017 , 43, 1043-1051	2	3
154	Factors contributing to treatment outcomes of post-prostatectomy incontinence surgery for the selection of the proper surgical procedure for individual patients: A single-center experience. 2018 , 37, 1978-1987		5
153	Long-term cancer control outcomes in patients with biochemical recurrence and the impact of time from radical prostatectomy to biochemical recurrence. 2018 , 78, 676-681		13
152	Does Subclassification of Pathologically Organ Confined (pT2) Prostate Cancer Provide Prognostic Discrimination of Outcomes after Radical Prostatectomy?. <i>Journal of Urology</i> , 2018 , 199, 1502-1509	2.5	4
151	Stochastic Modeling of Temporal Enhanced Ultrasound: Impact of Temporal Properties on Prostate Cancer Characterization. 2018 , 65, 1798-1809		4
150	The impact of time to catheter removal on short-, intermediate- and long-term urinary continence after radical prostatectomy. 2018 , 36, 1247-1253		9
149	Predictive modelling of 2-year potency outcomes using a novel 90-day erection fullness scale after robot-assisted radical prostatectomy. <i>BJU International</i> , 2018 , 122, 249-254	5.6	4
148	Surgical Management of Organ-Confined Prostate Cancer with Review of Literature and Evolving Evidence. 2018 , 9, 225-231		1
147	Long-term urodynamic findings following radical prostatectomy and salvage radiotherapy. 2018 , 52, 20-26		5
146	Travel Distance as a Barrier to Receipt of Adjuvant Radiation Therapy After Radical Prostatectomy. 2018 , 41, 953-959		9
145	Management of Biochemical Recurrence after Primary Curative Treatment for Prostate Cancer: A Review. 2018 , 100, 251-262		97
144	[French ccAFU guidelines - Update 2018-2020: Prostate cancer]. 2018 , 28 Suppl 1, R81-R132		11
143	RETRACTED: Recommandations françaises du Comité de Cancérologie de l'AFU [Actualisation 2018-2020]: cancer de la prostate French ccAFU guidelines [Update 2018-2020: Prostate cancer]. 2018 , 28, S79-S130		21
142	Functional and Oncological Outcomes of Robotic Radical Prostatectomy. 2018 , 409-425		
141	Bidirectional Barbed Only vs Poliglecaprone Suture with Rhabdosphincter Reconstruction for Urethrovesical Anastomosis During Robotic Radical Prostatectomy: Does It Make Any Difference?. 2018 , 32, 944-949		4
140	Imaging Prostate Cancer With Prostate-Specific Membrane Antigen PET/CT and PET/MRI: Current and Future Applications. 2018 , 211, 286-294		18
139	Bei Patienten mit Prostatakarzinom auch die berufliche Eignung beurteilen. 2018 , 22, 20-25		
138	PSMA Ligand PET/MRI for Primary Prostate Cancer: Staging Performance and Clinical Impact. 2018 , 24, 6300-6307		67

137	Image-guided, whole-pelvic, intensity-modulated radiotherapy for biochemical recurrence following radical prostatectomy in high-risk prostate cancer patients. 2018 , 13, e0190479		6
136	Sexual function recovery after robot-assisted radical prostatectomy: Outcomes from an Italian referral centre and predicting nomogram. 2019 , 51, e13385		4
135	Integrity of the Urethral Sphincter Complex, Nerve-sparing, and Long-term Continence Status after Robotic-assisted Radical Prostatectomy. 2019 , 5, 823-830		16
134	Retzius-sparing robot-assisted laparoscopic radical prostatectomy: functional and early oncologic results in aggressive and locally advanced prostate cancer. 2019 , 19, 113		20
133	Class III β -tubulin expression as a predictor of docetaxel-resistance in metastatic castration-resistant prostate cancer. 2019 , 14, e0222510		6
132	Relative effects of body position and spatial cognition on presence when playing virtual reality games. 2019 , 6, S439		
131	Distinct neural circuits for food- and water-related presystemic regulation of VP release. 2019 , 6, S262		
130	Adjuvant and Salvage Radiation Therapy After Prostatectomy: ASTRO/AUA Guideline Amendment, Executive Summary 2018. 2019 , 9, 208-213		21
129	Patient-reported Outcomes and Late Toxicity After Postprostatectomy Intensity-modulated Radiation Therapy. 2019 , 76, 686-692		8
128	Proceedings: Pathways for Successful Translation of New Imaging Agents and Modalities-Phase III Studies. 2019 , 60, 736-744		4
127	Predictors for immediate recovery of continence following Retzius-sparing robot-assisted radical prostatectomy: a case-control study. <i>International Urology and Nephrology</i> , 2019 , 51, 825-830	2.3	7
126	Unbiased data mining identifies cell cycle transcripts that predict non-indolent Gleason score 7 prostate cancer. 2019 , 19, 4		6
125	Salvage radiation therapy for prostate cancer patients after prostatectomy. 2019 , 49, 281-286		2
124	Trifecta outcome of ureteral reconstruction in iatrogenic injury and non-iatrogenic ureteral lesions: a 10-year experience at a tertiary referral center. 2019 , 37, 1949-1957		4
123	Atlas of Ex Vivo Prostate Tissue and Cancer Images Using Confocal Laser Endomicroscopy: A Project for Intraoperative Positive Surgical Margin Detection During Radical Prostatectomy. 2020 , 6, 941-958		5
122	Quality of life and sexual health in men with prostate cancer undergoing radical prostatectomy. 2020 , 23, 346-353		8
121	Internal and External Validation of a 90-Day Percentage Erection Fullness Score Model Predicting Potency Recovery Following Robot-assisted Radical Prostatectomy. 2020 , 3, 657-662		0
120	A new method in robotic-assisted laparoscopic radical prostatectomy: personalised neuroprotective surgery with neuromonitoring system-randomised controlled study. <i>International Urology and Nephrology</i> , 2020 , 52, 263-269	2.3	

119	Clinical Anatomy of the Puboprostatic Ligament for the Safe Guidance for the Prostate Surgery. <i>Urology</i> , 2020 , 136, 190-195	1.6	1
118	Nonlinear microscopy for detection of prostate cancer: analysis of sensitivity and specificity in radical prostatectomies. 2020 , 33, 916-923		7
117	Laparoscopic radical prostatectomy versus robot-assisted radical prostatectomy: comparison of oncological outcomes at a single center. 2020 , 8, 16-21		5
116	Relationship between robotic-assisted radical prostatectomy and retropubic radical prostatectomy in the learning curve of a single surgeon as a novice in radical prostatectomy: A retrospective cohort study. 2020 , 81, 74-79		5
115	The Use of Cumulative Sum Analysis to Derive Institutional and Surgeon-Specific Learning Curves for Robot-Assisted Radical Prostatectomy. 2020 , 34, 969-973		0
114	Dosimetric correlations with urinary quality of life in patients receiving post-prostatectomy radiation therapy. 2020 , 9, 97-102		
113	Longitudinal analysis of trifecta outcome in Japanese patients with prostate cancer following robot-assisted laparoscopic radical prostatectomy. 2020 , 1		0
112	Trends in prostatectomy utilization: Increasing upfront prostatectomy and postprostatectomy radiotherapy for high-risk prostate cancer. 2020 , 9, 8754-8764		2
111	Risk of Recurrent Disease 6 Years After Open or Robotic-assisted Radical Prostatectomy in the Prospective Controlled Trial LAPPRO. 2020 , 20, 54-61		2
110	Association Between Contrast-Enhanced Ultrasound Indicators and Prostate Cancer Biochemical Recurrence After Treatment. 2020 , 12, 4959-4968		2
109	Single-fraction image-guided robotic radiosurgery efficiently controls local prostate cancer recurrence after radical prostatectomy.. 2020 , 1, 139-145		0
108	Prostaatspecifiek membraanantigeengestuurde chirurgie voor prostaatkanker. 2020 , 10, 124-130		0
107	Dynamic contrast enhancement in prostate MRI as predictor of erectile function and recovery after radical prostatectomy. 2020 , 23, 1518-1526		1
106	Comparison of Ga-prostate-specific membrane antigen (PSMA) positron emission tomography/computed tomography (PET/CT) and multi-parametric magnetic resonance imaging (MRI) in the evaluation of tumor extension of primary prostate cancer. 2020 , 9, 382-390		9
105	Commentary RE: Radical Prostatectomy: Long-Term Results on Cancer Control, Survival and Trifecta (Freedom from PSA, Continence, and Potency) Probabilities. <i>Urology</i> , 2020 , 145, 313	1.6	
104	Radical prostatectomy versus deferred treatment for localised prostate cancer. 2020 , 6, CD006590		9
103	State-of-the-art Intraoperative Imaging Technologies for Prostate Margin Assessment: A Systematic Review. 2021 , 7, 733-741		4
102	Prostate bed and organ-at-risk deformation: Prospective volumetric and dosimetric data from a phase II trial of stereotactic body radiotherapy after radical prostatectomy. 2020 , 148, 44-50		8

101	Salvage radiation therapy in prostate cancer: relationship between rectal dose and long-term, self-reported rectal bleeding. 2021 , 23, 397-404		
100	Surgeon heterogeneity significantly affects functional and oncological outcomes after radical prostatectomy in the Swedish LAPPRO trial. <i>BJU International</i> , 2021 , 127, 361-368	5.6	9
99	[Early salvage radiotherapy in prostate cancer: A future standard treatment?]. 2021 , 108, 40-42		
98	Defining Clinically Meaningful Positive Surgical Margins in Patients Undergoing Radical Prostatectomy for Localised Prostate Cancer. 2021 , 4, 42-48		15
97	Management of Positive Surgical Margins After Radical Prostatectomy. 2021 , 1047-1058		
96	Impact of protruded median lobe on perioperative, urinary continence and oncological outcomes of Retzius-sparing robot-assisted radical prostatectomy. 2021 , 10, 538-547		1
95	Cavernous Branched Nerve Regeneration Using Non-Tubular Artificial Nerve Sheets Using Freeze-Dried Alginate Gel Combined With Polyglycolic Acid Mesh in a Rat Model. 2021 , 9, 100308		
94	Is Retzius-sparing robot-assisted laparoscopic radical prostatectomy effective in early continence? A single-center experience of the first 50 patients. <i>Turkish Journal of Urology</i> , 2021 , 47, 125-130	1.3	1
93	Comparative effectiveness of robotic and open radical prostatectomy. 2021 , 10, 2158-2170		0
92	Control of pelvic organs changes in men after combined treatment with magnetic resonance imaging. 2021 , 2, 20-21		
91	Identification of patients at risk for biochemical recurrence after radical prostatectomy with intra-operative frozen section. <i>BJU International</i> , 2021 , 128, 598-606	5.6	
90	Robotic Radical Prostatectomy at the Egyptian National Cancer Institute: Overcoming the Challenges in the Initial Case Series. 2020 , 9, 367-372		
89	Definition and Unfavorable Risk Factors of Trifecta in Mini-Percutaneous Nephrolithotomy. 2021 , 35, 1140-1145		0
88	A phase 3 randomised study of enzalutamide plus leuprolide and enzalutamide monotherapy in high-risk non-metastatic hormone-sensitive prostate cancer with rising PSA after local therapy: EMBARK study design. 2021 , 11, e046588		1
87	The evolution of image guidance in robotic-assisted laparoscopic prostatectomy (RALP): a glimpse into the future. 2021 , 1		0
86	Diagnostic Accuracy of 68Ga-PSMA-11 PET for Pelvic Nodal Metastasis Detection Prior to Radical Prostatectomy and Pelvic Lymph Node Dissection: A Multicenter Prospective Phase 3 Imaging Trial. 2021 , 7, 1635-1642		20
85	The impact of transition from conventional robot-assisted radical prostatectomy to retzius sparing robot-assisted radical prostatectomy: A retrospective multivariate analysis. 2021 , 37, 140-146		2
84	Sexual Dysfunction and Disability. 2021 , 431-446.e6		1

83	Robotic-Assisted Radical Prostatectomy: The Technique. 2013 , 691-697		1
82	IntraOperative Real-Time Transrectal Ultrasound Monitoring During Energy-Free Nerve-Sparing Laparoscopic Radical Prostatectomy. 2009 , 41-47		1
81	Magnetic resonance imaging of the prostate after focal therapy with high-intensity focused ultrasound. 2020 , 45, 3882-3895		4
80	[French ccAFU guidelines - update 2020-2022: prostate cancer]. 2020 , 30, S136-S251		14
79	The 5-year functional outcomes after radical prostatectomy: a real-life experience in Korea. <i>Asian Journal of Andrology</i> , 2010 , 12, 835-40	2.8	2
78	Biochemical outcomes after robot-assisted radical prostatectomy in patients with follow-up more than 5-years. <i>Asian Journal of Andrology</i> , 2013 , 15, 404-8	2.8	7
77	Adjuvant and Salvage Radiotherapy after Prostatectomy: ASTRO/AUA Guideline Amendment 2018-2019. <i>Journal of Urology</i> , 2019 , 202, 533-538	2.5	40
76	High expression of SLCO2B1 is associated with prostate cancer recurrence after radical prostatectomy. <i>Oncotarget</i> , 2018 , 9, 14207-14218	3.3	31
75	The novel laparoscopic training 3D model in urology with surgical anatomic remarks: Fresh-frozen cadaveric tissue. <i>Turkish Journal of Urology</i> , 2016 , 42, 224-229	1.3	13
74	Comparison of surgical, oncological, and functional outcomes of robot-assisted and laparoscopic radical prostatectomy in patients with prostate cancer. <i>Turkish Journal of Urology</i> , 2019 , 45, 410-417	1.3	8
73	What is the possible role of PSA doubling time (PSADT) and PSA velocity (PSAV) in the decision-making process to initiate salvage radiotherapy following radical prostatectomy in patients with prostate cancer?. <i>Central European Journal of Urology</i> , 2011 , 64, 67-70	0.9	4
72	Effectiveness of extended pelvic lymphadenectomy in the survival of prostate cancer: a systematic review and meta-analysis. <i>Central European Journal of Urology</i> , 2018 , 71, 262-269	0.9	6
71	Guideline for optimization of surgical and pathological quality performance for radical prostatectomy in prostate cancer management: evidentiary base. <i>Canadian Urological Association Journal</i> , 2010 , 4, 13-25	1.2	27
70	Prostate specific antigen. Current clinical application and future prospects. <i>Biomedical Papers of the Medical Faculty of the University Palacky&#x0301;, Olomouc, Czechoslovakia</i> , 2015 , 159, 18-26	1.7	9
69	Does The Learning Curve Affect the Surgical, Functional, and Oncologic Outcomes in Bilateral Nerve-Sparing Robot Assisted Laparoscopic Prostatectomy?. <i>Cureus</i> , 2019 , 11, e5274	1.2	2
68	Prostate Cancer: Locoregional Disease. <i>UNIPA Springer Series</i> , 2021 , 791-803	0.1	
67	Emerging Intraoperative Imaging Technologies in Urologic Oncology. <i>Urologic Clinics of North America</i> , 2022 , 49, 57-63	2.9	0
66	Oncologic Outcomes of Robotic Radical Prostatectomy. 2008 , 101-106		

65	The effect of the number of biopsy cores on the concordance between prostate biopsy and prostatectomy Gleason score: a prostate volume-controlled study. <i>Archives of Pathology and Laboratory Medicine</i> , 2008 , 132, 989-92	5	4
64	Non-pharmacologic Erectile Dysfunction Treatments After Prostate Cancer Therapy. 2009 , 209-231		o
63	Sexual Dysfunction After Radical Prostatectomy. 2009 , 1-16		
62	Cancer of the Prostate. 2011 , 465-485		
61	Pelvic Surgery for Urological Cancers. 2011 , 477-488		
60	Transferring Knowledge of Anatomical Dissection from the Laboratory to the Patient: An Australian Perspective. 2011 , 243-253		
59	Penile Rehabilitation After Robotic Radical Prostatectomy: The Best Strategy. 2011 , 361-370		
58	Factors Influencing Outcomes After Robotic-Assisted Laparoscopic Radical Prostatectomy: The Search for the Trifecta. 2011 , 161-177		
57	Treatment Modalities of Post-prostatectomy Incontinence: A Historical Perspective as Well as Current Therapy Options. 2012 , 319-345		
56	Treatment of Incidental Prostate Cancer Diagnosed during BPH Surgery with Radical Prostatectomy: Appropriate or over Treatment?. <i>Journal of Cancer Therapy</i> , 2012 , 03, 256-262	0.2	
55	Standardisation of Focal Therapy Protocols. 2013 , 255-269		
54	Retropubic Radical Prostatectomy: The Results. 2013 , 655-662		
53	Immediate/Early Surgical Complications. 2013 , 997-1011		
52	A Review of the Robotic Radical Prostatectomy Outcomes. <i>World Journal of Laparoscopic Surgery</i> , 2013 , 6, 69-73		o
51	Open Radical Retropubic Prostatectomy. 2014 , 107-129		
50	How to Define the Primary Treatment: The Role of Urologist and Radiotherapist in an MDT. 2014 , 73-88		
49	Laparoscopic Prostatectomy and Pelvic Lymph Node Dissection. 2015 , 33-45		
48	External beam radiotherapy for localized prostate cancer. <i>Asian Journal of Andrology</i> , 2015 , 17, 892-8; discussion 897	2.8	1

47	Refining the American Urological Association and American Society for Radiation Oncology guideline for adjuvant radiotherapy after radical prostatectomy using the pathologic Gleason score. <i>Asian Journal of Andrology</i> , 2017 , 19, 20-25	2.8	1
46	Gasless Single-Port RoboSurgeon Retroperitoneoscopic Radical Prostatectomy. 2015 , 105-126		
45	Nomograms for Prostate Cancer Decision Making. 2015 , 93-111		
44	Long-term results of radical retropubic prostatectomy. <i>I P Pavlov Russian Medical Biological Herald</i> , 2015 , 23, 120	0.4	1
43	Open Versus Robotic Prostatectomy. 2016 , 307-313		
42	Partial Neurovascular Bundle Sparing During Robot-Assisted Radical Prostatectomy. 2016 , 75-84		
41	Pelvic Lymph Node Dissection: Open Benchmarks with Lymphoscintigraphy. 2016 , 131-142		
40	Open Radical Prostatectomy. 2017 , 171-180		
39	Urinary Incontinence After Robot-Assisted Laparoscopic Radical Prostatectomy. 2018 , 439-453		
38	Techniques of Nerve Sparing in Robot-Assisted Radical Prostatectomy. 2018 , 313-327		
37	Effect of pelvimetric diameters on success of surgery in patients submitted to robot-assisted perineal radical prostatectomy. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2020 , 46, 425-433	2	0
36	Effect of Reconstructive Techniques on Continence in Robot-Assisted Laparoscopic Prostatectomy: Novel Combination of Long Urethral Stump and Anterior Suspension Suture. <i>Eurasian Journal of Medicine</i> , 2020 , 52, 57-60	1.3	1
35	Urinary Incontinence After Robotic-assisted Laparoscopic Radical Prostatectomy. 2008 , 137-152		
34	Erectile Function After Robotic Prostatectomy: Anatomical Aspects and Treatment. 2008 , 153-175		
33	Robotic Assisted Radical Prostatectomy: the Apical Dissection. 2008 , 103-108		
32	. <i>Canadian Urological Association Journal</i> , 2009 , 3, 245-250	1.2	10
31	The First Pilot Comprehensive Evaluation of the Outcomes of Different Types of Robotic Surgeries in the Different Surgical Departments: The Penta, Tetra and Trifecta Achievements in Robotic Surgeries. <i>Yonago Acta Medica</i> , 2016 , 59, 135-42	1.3	1
30	Robotic Surgical System for Radical Prostatectomy: A Health Technology Assessment. <i>Ontario Health Technology Assessment Series</i> , 2017 , 17, 1-172	3.1	10

29	Recurrence of prostate cancer after HIFU. Proposal of a novel predictive index. <i>Acta Biomedica</i> , 2018 , 89, 220-226	3.2	7
28	High-intensity focused ultrasound for localized prostate Cancer in Cathay General Hospital. <i>Journal of Cancer Research and Practice</i> , 2019 , 6, 64	0.4	
27	Predictors and survival benefit of achieving pentafecta in a contemporary series of open radical cystectomy. <i>Minerva Urology and Nephrology</i> , 2021 ,	2.3	2
26	The Emerging Role of Next-Generation Imaging in Prostate Cancer.. <i>Current Oncology Reports</i> , 2022 , 24, 33	6.3	0
25	Clinical and Biological Significance of DNA Methylation-Driven Differentially Expressed Genes in Biochemical Recurrence After Radical Prostatectomy.. <i>Frontiers in Genetics</i> , 2022 , 13, 727307	4.5	1
24	Safety and efficacy of salvage high-dose rate brachytherapy for prostate-bed recurrences following radical prostatectomy and external beam radiotherapy.. <i>International Urology and Nephrology</i> , 2022 , 54, 1031	2.3	1
23	The Effectiveness of Pelvic Floor Muscle Training in Men after Radical Prostatectomy Measured with the Insert Test.. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19,	4.6	2
22	Results of salvage radiotherapy for prostate cancer after radical prostatectomy. <i>Medical Alphabet</i> , 2021 , 1, 31-33	0.3	
21	Radical Prostatectomy for Prostate Cancer [Hong Kong Status in the Era of SOMIP. <i>Surgical Practice</i> ,	0.4	
20	Risk of severe late toxicity after radiotherapy following radical prostatectomy - a nationwide study.. <i>BJU International</i> , 2022 ,	5.6	
19	Nachkontrolle beim kurativ behandelten Prostatakarzinom. <i>Urologie in Der Praxis</i> ,	0.1	
18	The predictors of short and long term urinary continence recovery after laparoscopic radical prostatectomy: a single cancer center report in China.		
17	Biochemical recurrence after radical prostatectomy [a large, comprehensive, population-based study with long follow-up. 1-6		
16	Rehabilitation bei Vorliegen einer Harn- und/oder Stuhlinkontinenz. 2022 , 1-6		0
15	Oncological validation and discriminative ability of pentafecta criteria after open radical cystectomy.		0
14	Association of nerve-sparing grading in robotic radical prostatectomy and trifecta outcome.		0
13	Comparison of the Oncological and Functional Outcomes of Brachytherapy and Radical Prostatectomy for Localized Prostate Cancer. 2022 , 58, 1387		0
12	Neoplasms of the Prostate. 1-46		0

- 11 UCL Technique. **2022**, 191-196 ○
- 10 Reaching Consensus for Comprehensive Outcome Measurement After Urethral Stricture Surgery: Development of Study Protocol for Stricture-Fecta Criteria. Volume 14, 423-426 ○
- 9 Radiotherapy after radical prostatectomy. **2022**, 19, ○
- 8 Deep learning-based seminal vesicle and vas deferens recognition in the posterior approach of robot-assisted radical prostatectomy. **2022**, ○
- 7 Treatment Success After Urethroplasty: The Ongoing Quest for a Pragmatic and Universal Definition. **2023**, ○
- 6 The role of adaptive planning in margin-reduced, MRI-guided stereotactic body radiotherapy to the prostate bed following radical prostatectomy: Post-hoc analysis of a phase II clinical trial. **2023**, 183, 109631 ○
- 5 Latest Evidence on Post-Prostatectomy Urinary Incontinence. **2023**, 12, 1190 ○
- 4 The combination of prostate MRI PI-RADS scoring system and a genomic classifier is associated with pelvic lymph node metastasis at the time of radical prostatectomy. **2023**, 96, ○
- 3 Comparison of oncological and functional outcomes of perineoscopic radical prostatectomy and robot-assisted radical prostatectomy. ○
- 2 Improved early and late continence following robot-assisted radical prostatectomy with concurrent bladder neck fascial sling (RoboSling). ○
- 1 Prediction of pelvic lymph node metastases and PSMA PET positive pelvic lymph nodes with multiparametric MRI and clinical information in primary staging of prostate cancer. **2023**, 10, 100487 ○