

Frequent attenders in general practice care: A literature methodological considerations

Public Health

119, 118-137

DOI: [10.1016/j.puhe.2004.03.007](https://doi.org/10.1016/j.puhe.2004.03.007)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Counselling in primary care: A study of the psychological impact and cost benefits for four chronic conditions. <i>European Journal of Psychotherapy and Counselling</i> , 2005, 7, 269-290.	0.2	9
2	Is frequent attendance in primary care disease-specific?. <i>Family Practice</i> , 2006, 23, 444-452.	0.8	45
3	Patient psychosocial factors and primary care consultation: a cohort study. <i>Family Practice</i> , 2007, 24, 562-569.	0.8	28
4	Predictive factors for long-term sick leave and disability pension among frequent and normal attenders in primary health care over 5 years. <i>Public Health</i> , 2007, 121, 25-33.	1.4	36
5	Prescription Drug Data and the National Diabetes Surveillance System Case Definition. <i>Canadian Journal of Diabetes</i> , 2007, 31, 47-53.	0.4	6
6	Preschool Children as Frequent Attenders in Primary Health Care in Croatia: Retrospective Study. <i>Croatian Medical Journal</i> , 2007, 48, 852-859.	0.2	7
7	Response of Chronic Pain Patients to Terrorism: The Role of Underlying Depression. <i>Pain Medicine</i> , 2007, 8, 425-432.	0.9	7
8	Impact of a primary care intervention on smoking, drinking, diet, weight, sun exposure, and work risk in families with cancer experience. <i>Cancer Causes and Control</i> , 2007, 18, 525-535.	0.8	25
9	Defining frequent attendance in general practice. <i>BMC Family Practice</i> , 2008, 9, 21.	2.9	40
10	Utilization of the out of hours service in Poland: an observational study from Krakow. <i>BMC Health Services Research</i> , 2008, 8, 212.	0.9	7
11	With an attack I associate it more with going into hospital: Understandings of asthma and psychosocial stressors; are they related to use of services?. <i>Social Science and Medicine</i> , 2008, 66, 765-775.	1.8	20
12	Morbidity severity classifying routine consultations from English and Dutch general practice indicated physical health status. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 386.e1-386.e9.	2.4	8
14	Interventions on frequent attenders in primary care. <i>Scandinavian Journal of Primary Health Care</i> , 2008, 26, 111-116.	0.6	44
15	Can social prescribing provide the missing link?. <i>Primary Health Care Research and Development</i> , 2008, 9, 310.	0.5	115
16	Frequent consulting and multiple morbidity: a qualitative comparison of 'high' and 'low' consulters of GPs. <i>Family Practice</i> , 2008, 25, 168-175.	0.8	32
17	Frequent Attenders in Primary Care: Impact of Medical, Psychiatric and Psychosomatic Diagnoses. <i>Psychotherapy and Psychosomatics</i> , 2008, 77, 306-314.	4.0	66
18	Why Parents Seek Medical Evaluations for Their Children With Mild Acute Illnesses. <i>Clinical Pediatrics</i> , 2008, 47, 244-251.	0.4	8
19	Identification of UK sickness certification rates, standardised for age and sex. <i>British Journal of General Practice</i> , 2009, 59, 510-516.	0.7	45

#	ARTICLE	IF	CITATIONS
20	The many faces of depression in primary care. <i>Texto E Contexto Enfermagem</i> , 2009, 18, 155-164.	0.4	10
21	Predictability of persistent frequent attendance: a historic 3-year cohort study. <i>British Journal of General Practice</i> , 2009, 59, e44-e50.	0.7	38
22	Relationship Between Parenting Stress and Concerns Identified by Developmental Screening and Their Effects on Parental Medical Care-seeking Behavior. <i>Clinical Pediatrics</i> , 2009, 48, 362-368.	0.4	11
23	Epidemiology of frequent attenders: a 3-year historic cohort study comparing attendance, morbidity and prescriptions of one-year and persistent frequent attenders. <i>BMC Public Health</i> , 2009, 9, 36.	1.2	112
25	Repeat attenders at National Health Service walk-in centres – a descriptive study using routine data. <i>Public Health</i> , 2009, 123, 506-510.	1.4	7
26	Recognition and treatment of depression in primary care: Effect of patients' presentation and frequency of consultation. <i>Journal of Psychosomatic Research</i> , 2009, 66, 335-341.	1.2	68
27	Effects of team care of frequent attenders on patients and physicians.. <i>Families, Systems and Health</i> , 2010, 28, 247-257.	0.4	14
28	Health care utilization following a non-urgent visit in emergency department and primary care. <i>Internal and Emergency Medicine</i> , 2010, 5, 539-546.	1.0	6
29	Patient attitudes to being treated by junior residents in the community. <i>Patient Education and Counseling</i> , 2010, 78, 111-116.	1.0	7
30	Mental health and employment in the big society: is there a role for big employers?. <i>British Journal of Wellbeing</i> , 2010, 1, 12-15.	0.1	0
31	Frequent attendance in primary care: comparison and implications of different definitions. <i>British Journal of General Practice</i> , 2010, 60, e49-e55.	0.7	45
32	Persistent frequent attenders. <i>British Journal of General Practice</i> , 2010, 60, 293.3-294.	0.7	4
33	Frequent attendance of primary care out-of-hours services in The Netherlands: characteristics of patients and presented morbidity. <i>Family Practice</i> , 2010, 27, 129-134.	0.8	28
34	Increased attendance rate: BMI matters, lifestyles don't. Results from the Dutch SMILE study. <i>Family Practice</i> , 2010, 27, 632-637.	0.8	13
35	Risk factors for persistent frequent use of the primary health care services among frequent attenders: A Bayesian approach. <i>Scandinavian Journal of Primary Health Care</i> , 2010, 28, 55-61.	0.6	38
36	Mental Disorders Among Frequent Attenders in Primary Care. <i>Journal of Nervous and Mental Disease</i> , 2011, 199, 744-749.	0.5	45
37	Male frequent attenders of general practice and their help seeking preferences. <i>Journal of Men's Health</i> , 2011, 8, 21-26.	0.1	10
38	The role of patient activation in frequent attendance at primary care: A population-based study of people with chronic disease. <i>Patient Education and Counseling</i> , 2011, 83, 217-221.	1.0	43

#	ARTICLE	IF	CITATIONS
39	Patient-Reported Care Coordination: Associations With Primary Care Continuity and Specialty Care Use. <i>Annals of Family Medicine</i> , 2011, 9, 323-329.	0.9	54
40	Mental disorders, chronic conditions and psychological factors: A path analysis model for healthcare consumption in general practice. <i>International Review of Psychiatry</i> , 2011, 23, 20-27.	1.4	8
41	“Straight to the GP; that would be where I would go”: An analysis of male frequent attenders’ constructions of their decisions to use or not use health-care services in the UK. <i>Psychology and Health</i> , 2012, 27, 865-880.	1.2	13
42	Frequent attendance in family practice and common mental disorders in an open access health care system. <i>Journal of Psychosomatic Research</i> , 2012, 72, 413-418.	1.2	22
43	Depressive symptoms and healthcare utilization in patients with noncardiac chest pain compared to patients with ischemic heart disease. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2012, 41, 446-455.	0.8	22
45	Adolescents who are frequent attenders to primary care: contribution of psychosocial factors. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 323-329.	1.6	21
46	Characteristics of the elderly who do not visit primary care physicians. <i>Israel Journal of Health Policy Research</i> , 2013, 2, 7.	1.4	9
47	Heavy consumption of dental services; a longitudinal cohort study among Finnish adults. <i>BMC Oral Health</i> , 2013, 13, 18.	0.8	4
48	Primary Care Utilization and Mental Health Diagnoses Among Adult Patients Requiring Interpreters: a Retrospective Cohort Study. <i>Journal of General Internal Medicine</i> , 2013, 28, 386-391.	1.3	14
49	Morbidity and doctor characteristics only partly explain the substantial healthcare expenditures of frequent attenders: a record linkage study between patient data and reimbursements data. <i>BMC Family Practice</i> , 2013, 14, 138.	2.9	40
50	Low prevalence of irritable bowel syndrome in primary health care in four Swedish counties. <i>Scandinavian Journal of Primary Health Care</i> , 2013, 31, 132-137.	0.6	10
53	Use of unconventional therapies by primary care patients – Religious resources vs. complementary or alternative medicine services. <i>Complementary Therapies in Medicine</i> , 2013, 21, 517-524.	1.3	3
54	The inter-contact interval: a new measure to define frequent attenders in primary care. <i>BMC Family Practice</i> , 2013, 14, 162.	2.9	10
55	The Unifying Concept of Illness Behavior. <i>Psychotherapy and Psychosomatics</i> , 2013, 82, 74-81.	4.0	97
56	Estimating the Population Prevalence of Diagnosed and Undiagnosed Diabetes. <i>Diabetes Care</i> , 2013, 36, 3002-3008.	4.3	42
57	Self-care in primary care: findings from a longitudinal comparison study. <i>Primary Health Care Research and Development</i> , 2013, 14, 29-39.	0.5	1
58	Association of Common Mental Disorders and Quality of Life with the Frequency of Attendance in Slovenian Family Medicine Practices: Longitudinal Study. <i>PLoS ONE</i> , 2013, 8, e54241.	1.1	17
59	The Effect of a Physical Activity Program on the Total Number of Primary Care Visits in Inactive Patients: A 15-Month Randomized Controlled Trial. <i>PLoS ONE</i> , 2013, 8, e66392.	1.1	5

#	ARTICLE	IF	CITATIONS
60	Managing the consultation with patients with medically unexplained symptoms: a grounded theory study of supervisors and registrars in general practice. <i>BMC Family Practice</i> , 2014, 15, 192.	2.9	30
61	The monitoring of longer term prescriptions of antidepressants: observational study in a primary care setting. <i>Family Practice</i> , 2014, 31, 419-426.	0.8	18
62	Frequent attenders in general practice and immigrant status in Norway: A nationwide cross-sectional study. <i>Scandinavian Journal of Primary Health Care</i> , 2014, 32, 232-240.	0.6	27
63	Prevalence of anxiety disorders among Finnish primary care high utilizers and validation of Finnish translation of GAD-7 and GAD-2 screening tools. <i>Scandinavian Journal of Primary Health Care</i> , 2014, 32, 78-83.	0.6	37
64	Why do they keep coming back? Psychosocial etiology of persistence of frequent attendance in primary care: A prospective cohort study. <i>Journal of Psychosomatic Research</i> , 2014, 77, 492-503.	1.2	49
65	Screening for bipolar depression in family medicine practices: Prevalence and clinical correlates. <i>Journal of Affective Disorders</i> , 2014, 162, 120-127.	2.0	7
66	Antenatal telephone support intervention with and without uterine artery Doppler screening for low risk nulliparous women: a randomised controlled trial. <i>BMC Pregnancy and Childbirth</i> , 2014, 14, 121.	0.9	7
67	Longitudinal cohort study describing persistent frequent attenders in Australian primary healthcare. <i>BMJ Open</i> , 2015, 5, e008975.	0.8	35
69	Variations of the social: some reflections on public health, social research and the health-society relation. <i>Saude E Sociedade</i> , 2015, 24, 124-140.	0.1	2
70	Doctor-Shopping Behavior among Patients with Eye Floaters. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 7949-7958.	1.2	8
71	Doctor-Shopping Behaviors among Traditional Chinese Medicine Users in Taiwan. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 9237-9247.	1.2	8
72	What determines frequent attendance at out-of-hours primary care services?. <i>European Journal of Public Health</i> , 2015, 25, 563-568.	0.1	17
73	Does medical certification of workers with injuries influence patterns of health service use?. <i>Work</i> , 2016, 54, 669-678.	0.6	2
74	Contribuciones de la Medicina Psicosomática a la Medicina Clínica y Preventiva. <i>Anales De Psicología</i> , 2016, 32, 828.	0.3	5
75	Healthcare Use for Pain in Women Waiting for Gynaecological Surgery. <i>Pain Research and Management</i> , 2016, 2016, 1-14.	0.7	8
76	Factors associated with high use of general practitioner and psychiatrist services among patients attending an addiction rehabilitation center. <i>BMC Psychiatry</i> , 2016, 16, 258.	1.1	8
77	Family physician-patient relationship and frequent attendance of primary and specialist health care: Results from a German population-based cohort study. <i>Patient Education and Counseling</i> , 2016, 99, 1213-1219.	1.0	22
78	Improving access and managing healthcare demand with walk-in clinic. <i>International Journal of Public Sector Management</i> , 2016, 29, 148-163.	1.2	10

#	ARTICLE	IF	CITATIONS
79	Generalised anxiety disorder symptoms and utilisation of health care services. A cross-sectional study from the "Northern Finland 1966 Birth Cohort". Scandinavian Journal of Primary Health Care, 2016, 34, 151-158.	0.6	18
80	Frequent Attenders with Chronic Respiratory Diseases in Primary Care Settings. Advances in Experimental Medicine and Biology, 2016, 952, 17-29.	0.8	1
81	Patients'™ perceptions and experiences of patient safety in primary care in England. Family Practice, 2016, 33, 535-542.	0.8	33
82	Determinants related to gender differences in general practice utilization: Danish Diet, Cancer and Health Cohort. Scandinavian Journal of Primary Health Care, 2016, 34, 240-249.	0.6	19
84	Is frequent attendance of longer duration related to less transient episodes of care? A retrospective analysis of transient and chronic episodes of care. BMJ Open, 2016, 6, e012563.	0.8	3
85	Adherence to health regimens among frequent attenders of Finnish healthcare. International Journal of Circumpolar Health, 2016, 75, 30726.	0.5	4
86	The effects of interventions on quality of life, morbidity and consultation frequency in frequent attenders in primary care: A systematic review. European Journal of General Practice, 2016, 22, 71-82.	0.9	27
87	Frequency and characteristics of healthcare visits associated with chronic pain: results from a population-based Canadian study. Canadian Journal of Anaesthesia, 2016, 63, 411-441.	0.7	28
88	Determinants of frequent attendance in Danish general practice: a cohort-based cross-sectional study. BMC Family Practice, 2016, 17, 9.	2.9	36
89	Overutilization of ambulatory medical care in the elderly German population? " An empirical study based on national insurance claims data and a review of foreign studies. BMC Health Services Research, 2016, 16, 129.	0.9	30
90	Analysing predictors for future high-cost patients using German SHI data to identify starting points for prevention. European Journal of Public Health, 2016, 26, 549-555.	0.1	14
93	Pain Management Strategies and Health Care Use in Community-Dwelling Individuals Living with Chronic Pain. Pain Medicine, 2017, 18, 2267-2279.	0.9	11
94	Chlamydia and HIV testing, contraception advice, and free condoms offered in general practice: a qualitative interview study of young adults'™ perceptions of this initiative. British Journal of General Practice, 2017, 67, e490-e500.	0.7	6
95	Health Service Utilisation, Detection Rates by Family Practitioners, and Management of Patients with Common Mental Disorders in French Family Practice. Canadian Journal of Psychiatry, 2017, 62, 521-530.	0.9	1
96	Patients with psychological ICPC codes in primary care; a case-control study investigating the decade before presenting with problems. European Journal of General Practice, 2017, 23, 217-224.	0.9	2
97	The association of generalized anxiety disorder and Somatic Symptoms with frequent attendance to health care services. International Journal of Psychiatry in Medicine, 2017, 52, 147-159.	0.8	14
98	Association of general psychological factors with frequent attendance in primary care: a population-based cross-sectional observational study. BMC Family Practice, 2017, 18, 48.	2.9	25
99	Frequent attenders in late life in primary care: a systematic review of European studies. BMC Family Practice, 2017, 18, 104.	2.9	37

#	ARTICLE	IF	CITATIONS
100	Psychiatric conditions and general practitioner attendance prior to HPV vaccination and the risk of referral to a specialized hospital setting because of suspected adverse events following HPV vaccination: a register-based, matched case–control study. <i>Clinical Epidemiology</i> , 2017, Volume 9, 465-473.	1.5	13
101	10-minute clinical assessment: Frequent attenders. <i>InnovAiT</i> , 2017, 10, 760-761.	0.0	1
102	A register-based case-control study of health care utilization and costs in binge-eating disorder. <i>Journal of Psychosomatic Research</i> , 2018, 108, 47-53.	1.2	33
103	Frequent attendance and the concordance between PHQ screening and GP assessment in the detection of common mental disorders. <i>Journal of Psychosomatic Research</i> , 2018, 110, 1-10.	1.2	0
104	Negative perceptions of illness and health are associated with frequent use of physiotherapy in primary healthcare. <i>Musculoskeletal Care</i> , 2018, 16, 133-138.	0.6	7
105	The effects of psychological distress and its interaction with socioeconomic position on risk of developing four chronic diseases. <i>Journal of Psychosomatic Research</i> , 2018, 109, 79-85.	1.2	64
106	Social Isolation Predicts Frequent Attendance in Primary Care. <i>Annals of Behavioral Medicine</i> , 2018, 52, 817-829.	1.7	41
107	Is regular use of physiotherapy treatment associated with health locus of control and self-management competency? A study of patients with musculoskeletal disorders undergoing physiotherapy in primary health care. <i>Musculoskeletal Science and Practice</i> , 2018, 36, 43-47.	0.6	14
108	Frequent attenders in general medical practice in Italy: a preliminary report on clinical variables related to low functioning. <i>Neuropsychiatric Disease and Treatment</i> , 2019, Volume 15, 115-125.	1.0	16
109	Cognitive behavioral therapy for frequent attenders in primary care. <i>Health Science Reports</i> , 2018, 1, e80.	0.6	2
110	Effect of administrative information on visit rate of frequent attenders in primary health care: ten-year follow-up study. <i>BMC Family Practice</i> , 2018, 19, 142.	2.9	5
111	Frequency and predictors of health services use by Native Hawaiians and Pacific Islanders: evidence from the U.S. National Health Interview Survey. <i>BMC Health Services Research</i> , 2018, 18, 575.	0.9	15
112	Frequent attenders in primary health care: A concept analysis. <i>International Journal of Nursing Studies</i> , 2018, 86, 115-124.	2.5	25
113	Frequent attenders at primary care out-of-hours services: a registry-based observational study in Norway. <i>BMC Health Services Research</i> , 2018, 18, 492.	0.9	17
114	The extent, quality and impact of patient and public involvement in primary care research: a mixed methods study. <i>Research Involvement and Engagement</i> , 2018, 4, 16.	1.1	87
115	Uptake of health checks by residents from the Danish social housing sector â€“ a register-based cross-sectional study of patient characteristics in the â€˜Your Life â€“ Your Healthâ€™ program. <i>BMC Public Health</i> , 2018, 18, 585.	1.2	12
116	Social capital and frequent attenders in general practice: a register-based cohort study. <i>BMC Public Health</i> , 2018, 18, 310.	1.2	9
117	Frequent attenders in occupational health primary care: A cross-sectional study. <i>Scandinavian Journal of Public Health</i> , 2019, 47, 28-36.	1.2	22

#	ARTICLE	IF	CITATIONS
118	The connecting adolescents to reduce relapse (CARR) trial: study protocol for a randomized controlled trial comparing the efficacy of Groups 4 Health and cognitive behaviour therapy in young people. <i>BMC Public Health</i> , 2019, 19, 788.	1.2	10
119	Characteristics of Case Management in Primary Care Associated With Positive Outcomes for Frequent Users of Health Care: A Systematic Review. <i>Annals of Family Medicine</i> , 2019, 17, 448-458.	0.9	52
120	Psychological distress in frequent users of primary health care and emergency departments: a scoping review. <i>Public Health</i> , 2019, 172, 1-7.	1.4	8
121	Determinants of Frequent Attendance of Outpatient Physicians: A Longitudinal Analysis Using the German Socio-Economic Panel (GSOEP). <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1553.	1.2	12
122	Help-seeking behavior among community-dwelling adults with chronic pain. <i>Canadian Journal of Pain</i> , 2019, 3, 8-19.	0.6	3
123	Personality and psychopathology as predictors of patient-initiated overuse in general practice. <i>Journal of Psychosomatic Research</i> , 2019, 120, 53-59.	1.2	3
124	One-session cognitive behavior treatment for long-term frequent attenders in primary care: randomized controlled trial. <i>Scandinavian Journal of Primary Health Care</i> , 2019, 37, 98-104.	0.6	2
125	Sociodemographic and health-related determinants for making repeated calls to a medical helpline: a prospective cohort study. <i>BMJ Open</i> , 2019, 9, e030173.	0.8	6
126	Occasional and persistent frequent attenders and sickness absences in occupational health primary care: a longitudinal study in Finland. <i>BMJ Open</i> , 2019, 9, e024980.	0.8	12
127	Prevalence of common mental health disorders in adults who are high or costly users of healthcare services: protocol for a systematic review and meta-analysis. <i>BMJ Open</i> , 2019, 9, e028295.	0.8	12
128	Association between socioeconomic position and occupational health service utilisation trajectories among young municipal employees in Finland. <i>BMJ Open</i> , 2019, 9, e028742.	0.8	6
129	Psychosomatic therapy for patients frequently attending primary care with medically unexplained symptoms, the CORPUS trial: study protocol for a randomised controlled trial. <i>Trials</i> , 2019, 20, 697.	0.7	4
130	Patients'™ perceptions of participation: Pilot validation study of the FI-PPRQ questionnaire in Finnish primary healthcare settings. <i>Nordic Journal of Nursing Research</i> , 2019, 39, 117-126.	0.6	1
132	Frequent attenders at risk of disability pension: a longitudinal study combining routine and register data. <i>Scandinavian Journal of Public Health</i> , 2020, 48, 181-189.	1.2	15
133	Psychosocial characteristics and affective symptomatology associated with patient self-initiated consultations in Spanish general practice. <i>Health and Social Care in the Community</i> , 2020, 28, 2312-2319.	0.7	3
134	Does an emergency access button increase the patients'™ satisfaction and feeling of safety with the out-of-hours health services? A randomised controlled trial in Denmark. <i>BMJ Open</i> , 2020, 10, e030267.	0.8	1
135	Relationships Between Somatic Symptoms and Panic-Agoraphobic Spectrum Among Frequent Attenders of the General Practice in Italy. <i>Journal of Nervous and Mental Disease</i> , 2020, 208, 540-548.	0.5	5
136	Differentiating middle-aged long-term and short-term frequent attenders by means of the Northern Finland Birth Cohort 1966 Study. <i>Scandinavian Journal of Caring Sciences</i> , 2020, 35, 813-823.	1.0	3

#	ARTICLE	IF	CITATIONS
137	The benefits of participation in a choir and an exercise group on older adults'™ wellbeing in a naturalistic setting. <i>Musicae Scientiae</i> , 2022, 26, 144-171.	2.2	12
138	The effects of health coaching on frequent attenders'™ adherence to health regimens and lifestyle factors: a quasi-experimental study. <i>Scandinavian Journal of Caring Sciences</i> , 2020, 35, 1075-1085.	1.0	2
139	High cost or frequent attender " both spend resources, but are they linked to work disability? A cohort study from occupational health primary care in Finland. <i>BMC Health Services Research</i> , 2020, 20, 456.	0.9	4
140	Association between Subjective Well-Being and Frequent Dental Visits in the German Ageing Survey. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3207.	1.2	5
141	Self-perceptions of ageing, GP visits and frequent attendance. Longitudinal findings from the German Ageing Survey. <i>Aging and Mental Health</i> , 2020, 25, 1-6.	1.5	7
142	Frequent attendance in primary care in the oldest old: evidence from the AgeCoDe-AgeQualiDe study. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 2629-2638.	1.4	10
143	The effects of nurse-led health coaching on health-related quality of life and clinical health outcomes among frequent attenders: A quasi-experimental study. <i>Patient Education and Counseling</i> , 2020, 103, 1554-1561.	1.0	8
144	Frequent attenders in the German healthcare system: determinants of high utilization of primary care services. Results from the cross-sectional German health interview and examination survey for adults (DEGS). <i>BMC Family Practice</i> , 2020, 21, 10.	2.9	11
145	Characteristics of Frequent Attenders Compared with Non-Frequent Attenders in Primary Care: Study of Remote Communities in Taiwan. <i>Healthcare (Switzerland)</i> , 2020, 8, 96.	1.0	5
146	Higher Distress in Patients with Breast Cancer Is Associated with Declining Breast Reconstruction. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2020, 8, e2636.	0.3	5
147	"It takes time, but recovering makes it worthwhile"™. A qualitative study of long-term users'™ experiences of physiotherapy in primary health care. <i>Physiotherapy Theory and Practice</i> , 2021, 37, 6-16.	0.6	5
148	Frequent attenders' experiences of encounters with healthcare personnel: A systematic review of qualitative studies. <i>Australian Journal of Cancer Nursing</i> , 2021, 23, 53-68.	0.8	4
149	General practitioner follow-up after hospitalisation in Central and Eastern Sydney, Australia: access and impact on health services. <i>Australian Health Review</i> , 2021, 45, 247-254.	0.5	4
150	Developing a clinical prediction rule for repeated consultations with functional somatic symptoms in primary care: a cohort study. <i>BMJ Open</i> , 2021, 11, e040730.	0.8	3
151	Determinants of Frequent Attendance in Primary Care. A Systematic Review of Longitudinal Studies. <i>Frontiers in Medicine</i> , 2021, 8, 595674.	1.2	10
152	El Aprendizaje y Servicio como herramienta para la aplicaci3n de los objetivos de Salud PÅblica en el colectivo de personas mayores. <i>Revista EspaÅola De Educaci3n MÅdica</i> , 2021, 2, 66-73.	0.3	0
153	The effects of patient's frequency of attendance and etiology of symptoms, on the General Practitioners wellbeing. <i>Revue Europeenne De Psychologie Appliquee</i> , 2021, 71, 100629.	0.4	0
154	Association of chronic pain with comorbidities and health care utilization: a retrospective cohort study using health administrative data. <i>Pain</i> , 2021, 162, 2737-2749.	2.0	23

#	ARTICLE	IF	CITATIONS
155	Frequent attenders of three outpatient health care schemes in Finland: characteristics and association with long-term sickness absences, 2016–2018. <i>BMC Public Health</i> , 2021, 21, 870.	1.2	8
156	Can social capital play a role in contracting services of family doctors in China? Reflections based on an integrative review. <i>BMC Family Practice</i> , 2021, 22, 117.	2.9	3
157	GROUPS 4 HEALTH reduces loneliness and social anxiety in adults with psychological distress: Findings from a randomized controlled trial. <i>Journal of Consulting and Clinical Psychology</i> , 2019, 87, 787-801.	1.6	104
158	Predictability of Persistent Frequent Attendance in Primary Care: A Temporal and Geographical Validation Study. <i>PLoS ONE</i> , 2013, 8, e73125.	1.1	7
159	Estilo de vida y adherencia al tratamiento de la población canaria con diabetes mellitus tipo 2. <i>Revista Española De Salud Pública</i> , 2009, 83, .	0.3	14
163	Measuring the complexity of general practice consultations: a Delphi and cross-sectional study in English primary care. <i>British Journal of General Practice</i> , 2021, 71, e423-e431.	0.7	12
164	A consultation-level intervention to improve care of frequently attending patients: a cluster randomised controlled feasibility trial. <i>BJGP Open</i> , 2019, 3, bjgpopen18X101623.	0.9	5
165	The Prevalence and Characteristics of Frequent Attenders in Primary Health Care in A'Dakhiliyah Governorate of Oman. <i>Oman Medical Journal</i> , 2018, 33, 331-336.	0.3	2
166	Characteristics of Elderly Frequent Attendees in Slovene Family Medicine Practices - a Cross-sectional Study. <i>Materia Socio-medica</i> , 2019, 31, 93.	0.3	3
167	Frequent users of the Royal Flying Doctor Service primary clinic and aeromedical services in remote New South Wales: a quality study. <i>Medical Journal of Australia</i> , 2009, 191, 602-604.	0.8	14
168	Sociodemographic characteristics and disability pensions of frequent attenders in occupational health primary care – a follow-up study in Finland. <i>BMC Public Health</i> , 2021, 21, 1847.	1.2	3
169	Health Service Use Among Patients With Chronic or Multiple Illnesses, and Frequent Attenders. <i>Deutsches Arzteblatt International</i> , 2012, 109, 814-20.	0.6	21
170	Hiperfrecuentación médica en mayores y salud. <i>International Journal of Developmental and Educational Psychology Revista INFAD De Psicología</i> , 2018, 4, 249.	0.0	0
171	Vulnerabilità sociale e cure primarie: il caso dei frequent attenders. <i>Welfare E Ergonomia</i> , 2019, , 73-85.	0.1	0
172	Paljon palveluja tarvitsevien asiakkaiden yksilöllisyys sosiaali- ja terveystalvelujen yhteen kokoaminen. <i>Sosiaalilaaketieteellinen Aikakauslehti</i> , 2020, 57, .	0.0	0
173	Defining and Characterizing Frequent Attenders: Systematic Literature Review and Recommendations. <i>Journal of Patient-centered Research and Reviews</i> , 2020, 7, 255-264.	0.6	13
174	Children as frequent attenders in primary care: a systematic review. <i>BJGP Open</i> , 2020, 4, bjgpopen20X101076.	0.9	2
175	Continuity of care as a predictor of ongoing frequent attendance in primary care: a retrospective cohort study. <i>BJGP Open</i> , 2020, 4, bjgpopen20X101083.	0.9	1

#	ARTICLE	IF	CITATIONS
176	Social environment and frequent attendance in Danish general practice. <i>British Journal of General Practice</i> , 2005, 55, 510-5.	0.7	49
177	Social isolation in older adults who are frequent users of primary care services. <i>Canadian Family Physician</i> , 2014, 60, e322, e324-9.	0.1	15
178	Risk factors for the frequent attendance of older patients at community health service centers in China: a cross-sectional study based on stratified sampling. <i>BMC Family Practice</i> , 2021, 22, 221.	2.9	4
179	Factors Contributing to Persistent Frequent Attendance in Primary Care Among the Oldest Old: Longitudinal Evidence From the AgeCoDe-AgeQualiDe Study. <i>Frontiers in Medicine</i> , 2022, 9, 815419.	1.2	3
180	Health care centre and emergency department utilization by patients with episodes of tachycardia. <i>BMC Cardiovascular Disorders</i> , 2022, 22, 124.	0.7	1
181	Consultation patterns and frequent attenders in UK primary care from 2000 to 2019: a retrospective cohort analysis of consultation events across 845 general practices. <i>BMJ Open</i> , 2021, 11, e054666.	0.8	8
182	The Association of Loneliness With Health and Social Care Utilization in Older Adults in the General Population: A Systematic Review. <i>Gerontologist, The</i> , 2022, 62, e578-e596.	2.3	6
183	Parallel use of primary and secondary healthcare by frequent attenders in occupational health and their work disability: a longitudinal study in Finland. <i>BMJ Open</i> , 2022, 12, e052740.	0.8	1
184	Legal aid and clients with multiple problems: a first screening at the Dutch Legal Services Counter. <i>International Journal of the Legal Profession</i> , 0, , 1-15.	0.1	0
185	Usability of information systems: Experiences of outpatient physicians, outpatient nurses, and open care social welfare professionals from three large cross-sectional surveys in Finland. <i>International Journal of Medical Informatics</i> , 2022, , 104836.	1.6	1
186	Twenty years of real-world data to estimate chronic kidney disease prevalence and staging in an unselected population. <i>CKJ: Clinical Kidney Journal</i> , 2023, 16, 111-124.	1.4	4
187	Social prescribing link workersâ€™ A qualitative Australian perspective. <i>Health and Social Care in the Community</i> , 2022, 30, .	0.7	7
188	Understanding Health Attitudes and Behavior. <i>American Journal of Medicine</i> , 2023, 136, 252-259.	0.6	12
190	Consultation frequency and general practitionersâ€™™ and practicesâ€™™ characteristics. , 2023, 24, .		0