

Frequent attenders in general practice care: A literature methodological considerations

Public Health

119, 118-137

DOI: [10.1016/j.puhe.2004.03.007](https://doi.org/10.1016/j.puhe.2004.03.007)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Counselling in primary care: A study of the psychological impact and cost benefits for four chronic conditions. <i>European Journal of Psychotherapy and Counselling</i> , 2005, 7, 269-290.	0.4	9
2	Is frequent attendance in primary care disease-specific?. <i>Family Practice</i> , 2006, 23, 444-452.	1.9	45
3	Patient psychosocial factors and primary care consultation: a cohort study. <i>Family Practice</i> , 2007, 24, 562-569.	1.9	28
4	Predictive factors for long-term sick leave and disability pension among frequent and normal attenders in primary health care over 5 years. <i>Public Health</i> , 2007, 121, 25-33.	2.9	36
5	Prescription Drug Data and the National Diabetes Surveillance System Case Definition. <i>Canadian Journal of Diabetes</i> , 2007, 31, 47-53.	0.8	6
6	Preschool Children as Frequent Attenders in Primary Health Care in Croatia: Retrospective Study. <i>Croatian Medical Journal</i> , 2007, 48, 852-859.	0.7	7
7	Response of Chronic Pain Patients to Terrorism: The Role of Underlying Depression. <i>Pain Medicine</i> , 2007, 8, 425-432.	1.9	7
8	Impact of a primary care intervention on smoking, drinking, diet, weight, sun exposure, and work risk in families with cancer experience. <i>Cancer Causes and Control</i> , 2007, 18, 525-535.	1.8	25
9	Defining frequent attendance in general practice. <i>BMC Family Practice</i> , 2008, 9, 21.	2.9	40
10	Utilization of the out of hours service in Poland: an observational study from Krakow. <i>BMC Health Services Research</i> , 2008, 8, 212.	2.2	7
11	With an attack I associate it more with going into hospital: Understandings of asthma and psychosocial stressors; are they related to use of services?. <i>Social Science and Medicine</i> , 2008, 66, 765-775.	3.8	20
12	Morbidity severity classifying routine consultations from English and Dutch general practice indicated physical health status. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 386.e1-386.e9.	5.0	8
14	Interventions on frequent attenders in primary care. <i>Scandinavian Journal of Primary Health Care</i> , 2008, 26, 111-116.	1.5	44
15	Can social prescribing provide the missing link?. <i>Primary Health Care Research and Development</i> , 2008, 9, 310.	1.2	115
16	Frequent consulting and multiple morbidity: a qualitative comparison of 'high' and 'low' consulters of GPs. <i>Family Practice</i> , 2008, 25, 168-175.	1.9	32
17	Frequent Attenders in Primary Care: Impact of Medical, Psychiatric and Psychosomatic Diagnoses. <i>Psychotherapy and Psychosomatics</i> , 2008, 77, 306-314.	8.8	66
18	Why Parents Seek Medical Evaluations for Their Children With Mild Acute Illnesses. <i>Clinical Pediatrics</i> , 2008, 47, 244-251.	0.8	8
19	Identification of UK sickness certification rates, standardised for age and sex. <i>British Journal of General Practice</i> , 2009, 59, 510-516.	1.4	45

#	ARTICLE	IF	CITATIONS
20	The many faces of depression in primary care. <i>Texto E Contexto Enfermagem</i> , 2009, 18, 155-164.	0.4	10
21	Predictability of persistent frequent attendance: a historic 3-year cohort study. <i>British Journal of General Practice</i> , 2009, 59, e44-e50.	1.4	38
22	Relationship Between Parenting Stress and Concerns Identified by Developmental Screening and Their Effects on Parental Medical Care—Seeking Behavior. <i>Clinical Pediatrics</i> , 2009, 48, 362-368.	0.8	11
23	Epidemiology of frequent attenders: a 3-year historic cohort study comparing attendance, morbidity and prescriptions of one-year and persistent frequent attenders. <i>BMC Public Health</i> , 2009, 9, 36.	2.9	112
25	Repeat attenders at National Health Service walk-in centres — a descriptive study using routine data. <i>Public Health</i> , 2009, 123, 506-510.	2.9	7
26	Recognition and treatment of depression in primary care: Effect of patients' presentation and frequency of consultation. <i>Journal of Psychosomatic Research</i> , 2009, 66, 335-341.	2.6	68
27	Effects of team care of frequent attenders on patients and physicians.. <i>Families, Systems and Health</i> , 2010, 28, 247-257.	0.6	14
28	Health care utilization following a non-urgent visit in emergency department and primary care. <i>Internal and Emergency Medicine</i> , 2010, 5, 539-546.	2.0	6
29	Patient attitudes to being treated by junior residents in the community. <i>Patient Education and Counseling</i> , 2010, 78, 111-116.	2.2	7
30	Mental health and employment in the big society: is there a role for big employers?. <i>British Journal of Wellbeing</i> , 2010, 1, 12-15.	0.1	0
31	Frequent attendance in primary care: comparison and implications of different definitions. <i>British Journal of General Practice</i> , 2010, 60, e49-e55.	1.4	45
32	Persistent frequent attenders. <i>British Journal of General Practice</i> , 2010, 60, 293.3-294.	1.4	4
33	Frequent attendance of primary care out-of-hours services in The Netherlands: characteristics of patients and presented morbidity. <i>Family Practice</i> , 2010, 27, 129-134.	1.9	28
34	Increased attendance rate: BMI matters, lifestyles don't. Results from the Dutch SMILE study. <i>Family Practice</i> , 2010, 27, 632-637.	1.9	13
35	Risk factors for persistent frequent use of the primary health care services among frequent attenders: A Bayesian approach. <i>Scandinavian Journal of Primary Health Care</i> , 2010, 28, 55-61.	1.5	38
36	Mental Disorders Among Frequent Attenders in Primary Care. <i>Journal of Nervous and Mental Disease</i> , 2011, 199, 744-749.	1.0	45
37	Male frequent attenders of general practice and their help seeking preferences. <i>Journal of Men's Health</i> , 2011, 8, 21-26.	0.3	10
38	The role of patient activation in frequent attendance at primary care: A population-based study of people with chronic disease. <i>Patient Education and Counseling</i> , 2011, 83, 217-221.	2.2	43

#	ARTICLE	IF	CITATIONS
39	Patient-Reported Care Coordination: Associations With Primary Care Continuity and Specialty Care Use. <i>Annals of Family Medicine</i> , 2011, 9, 323-329.	1.9	54
40	Mental disorders, chronic conditions and psychological factors: A path analysis model for healthcare consumption in general practice. <i>International Review of Psychiatry</i> , 2011, 23, 20-27.	2.8	8
41	“Straight to the GP; that would be where I would go”: An analysis of male frequent attenders’ constructions of their decisions to use or not use health-care services in the UK. <i>Psychology and Health</i> , 2012, 27, 865-880.	2.2	13
42	Frequent attendance in family practice and common mental disorders in an open access health care system. <i>Journal of Psychosomatic Research</i> , 2012, 72, 413-418.	2.6	22
43	Depressive symptoms and healthcare utilization in patients with noncardiac chest pain compared to patients with ischemic heart disease. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2012, 41, 446-455.	1.6	22
45	Adolescents who are frequent attenders to primary care: contribution of psychosocial factors. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 323-329.	3.1	21
46	Characteristics of the elderly who do not visit primary care physicians. <i>Israel Journal of Health Policy Research</i> , 2013, 2, 7.	2.6	9
47	Heavy consumption of dental services; a longitudinal cohort study among Finnish adults. <i>BMC Oral Health</i> , 2013, 13, 18.	2.3	4
48	Primary Care Utilization and Mental Health Diagnoses Among Adult Patients Requiring Interpreters: a Retrospective Cohort Study. <i>Journal of General Internal Medicine</i> , 2013, 28, 386-391.	2.6	14
49	Morbidity and doctor characteristics only partly explain the substantial healthcare expenditures of frequent attenders: a record linkage study between patient data and reimbursements data. <i>BMC Family Practice</i> , 2013, 14, 138.	2.9	40
50	Low prevalence of irritable bowel syndrome in primary health care in four Swedish counties. <i>Scandinavian Journal of Primary Health Care</i> , 2013, 31, 132-137.	1.5	10
53	Use of unconventional therapies by primary care patients – Religious resources vs. complementary or alternative medicine services. <i>Complementary Therapies in Medicine</i> , 2013, 21, 517-524.	2.7	3
54	The inter-contact interval: a new measure to define frequent attenders in primary care. <i>BMC Family Practice</i> , 2013, 14, 162.	2.9	10
55	The Unifying Concept of Illness Behavior. <i>Psychotherapy and Psychosomatics</i> , 2013, 82, 74-81.	8.8	97
56	Estimating the Population Prevalence of Diagnosed and Undiagnosed Diabetes. <i>Diabetes Care</i> , 2013, 36, 3002-3008.	8.6	42
57	Self-care in primary care: findings from a longitudinal comparison study. <i>Primary Health Care Research and Development</i> , 2013, 14, 29-39.	1.2	1
58	Association of Common Mental Disorders and Quality of Life with the Frequency of Attendance in Slovenian Family Medicine Practices: Longitudinal Study. <i>PLoS ONE</i> , 2013, 8, e54241.	2.5	17
59	The Effect of a Physical Activity Program on the Total Number of Primary Care Visits in Inactive Patients: A 15-Month Randomized Controlled Trial. <i>PLoS ONE</i> , 2013, 8, e66392.	2.5	5

#	ARTICLE	IF	CITATIONS
60	Managing the consultation with patients with medically unexplained symptoms: a grounded theory study of supervisors and registrars in general practice. BMC Family Practice, 2014, 15, 192.	2.9	30
61	The monitoring of longer term prescriptions of antidepressants: observational study in a primary care setting. Family Practice, 2014, 31, 419-426.	1.9	18
62	Frequent attenders in general practice and immigrant status in Norway: A nationwide cross-sectional study. Scandinavian Journal of Primary Health Care, 2014, 32, 232-240.	1.5	27
63	Prevalence of anxiety disorders among Finnish primary care high utilizers and validation of Finnish translation of GAD-7 and GAD-2 screening tools. Scandinavian Journal of Primary Health Care, 2014, 32, 78-83.	1.5	37
64	Why do they keep coming back? Psychosocial etiology of persistence of frequent attendance in primary care: A prospective cohort study. Journal of Psychosomatic Research, 2014, 77, 492-503.	2.6	49
65	Screening for bipolar depression in family medicine practices: Prevalence and clinical correlates. Journal of Affective Disorders, 2014, 162, 120-127.	4.1	7
66	Antenatal telephone support intervention with and without uterine artery Doppler screening for low risk nulliparous women: a randomised controlled trial. BMC Pregnancy and Childbirth, 2014, 14, 121.	2.4	7
67	Longitudinal cohort study describing persistent frequent attenders in Australian primary healthcare. BMJ Open, 2015, 5, e008975.	1.9	35
69	Variations of the social: some reflections on public health, social research and the health-society relation. Saude E Sociedade, 2015, 24, 124-140.	0.3	2
70	Doctor-Shopping Behavior among Patients with Eye Floaters. International Journal of Environmental Research and Public Health, 2015, 12, 7949-7958.	2.6	8
71	Doctor-Shopping Behaviors among Traditional Chinese Medicine Users in Taiwan. International Journal of Environmental Research and Public Health, 2015, 12, 9237-9247.	2.6	8
72	What determines frequent attendance at out-of-hours primary care services?. European Journal of Public Health, 2015, 25, 563-568.	0.3	17
73	Does medical certification of workers with injuries influence patterns of health service use?. Work, 2016, 54, 669-678.	1.1	2
74	Contribuciones de la Medicina Psicosomática a la Medicina Clínica y Preventiva. Anales De Psicología, 2016, 32, 828.	0.7	5
75	Healthcare Use for Pain in Women Waiting for Gynaecological Surgery. Pain Research and Management, 2016, 2016, 1-14.	1.8	8
76	Factors associated with high use of general practitioner and psychiatrist services among patients attending an addiction rehabilitation center. BMC Psychiatry, 2016, 16, 258.	2.6	8
77	Family physician-patient relationship and frequent attendance of primary and specialist health care: Results from a German population-based cohort study. Patient Education and Counseling, 2016, 99, 1213-1219.	2.2	22
78	Improving access and managing healthcare demand with walk-in clinic. International Journal of Public Sector Management, 2016, 29, 148-163.	1.8	10

#	ARTICLE	IF	CITATIONS
79	Generalised anxiety disorder symptoms and utilisation of health care services. A cross-sectional study from the "Northern Finland 1966 Birth Cohort". Scandinavian Journal of Primary Health Care, 2016, 34, 151-158.	1.5	18
80	Frequent Attenders with Chronic Respiratory Diseases in Primary Care Settings. Advances in Experimental Medicine and Biology, 2016, 952, 17-29.	1.6	1
81	Patients'™ perceptions and experiences of patient safety in primary care in England. Family Practice, 2016, 33, 535-542.	1.9	33
82	Determinants related to gender differences in general practice utilization: Danish Diet, Cancer and Health Cohort. Scandinavian Journal of Primary Health Care, 2016, 34, 240-249.	1.5	19
84	Is frequent attendance of longer duration related to less transient episodes of care? A retrospective analysis of transient and chronic episodes of care. BMJ Open, 2016, 6, e012563.	1.9	3
85	Adherence to health regimens among frequent attenders of Finnish healthcare. International Journal of Circumpolar Health, 2016, 75, 30726.	1.2	4
86	The effects of interventions on quality of life, morbidity and consultation frequency in frequent attenders in primary care: A systematic review. European Journal of General Practice, 2016, 22, 71-82.	2.0	27
87	Frequency and characteristics of healthcare visits associated with chronic pain: results from a population-based Canadian study. Canadian Journal of Anaesthesia, 2016, 63, 411-441.	1.6	28
88	Determinants of frequent attendance in Danish general practice: a cohort-based cross-sectional study. BMC Family Practice, 2016, 17, 9.	2.9	36
89	Overutilization of ambulatory medical care in the elderly German population? " An empirical study based on national insurance claims data and a review of foreign studies. BMC Health Services Research, 2016, 16, 129.	2.2	30
90	Analysing predictors for future high-cost patients using German SHI data to identify starting points for prevention. European Journal of Public Health, 2016, 26, 549-555.	0.3	14
93	Pain Management Strategies and Health Care Use in Community-Dwelling Individuals Living with Chronic Pain. Pain Medicine, 2017, 18, 2267-2279.	1.9	11
94	Chlamydia and HIV testing, contraception advice, and free condoms offered in general practice: a qualitative interview study of young adults'™ perceptions of this initiative. British Journal of General Practice, 2017, 67, e490-e500.	1.4	6
95	Health Service Utilisation, Detection Rates by Family Practitioners, and Management of Patients with Common Mental Disorders in French Family Practice. Canadian Journal of Psychiatry, 2017, 62, 521-530.	1.9	1
96	Patients with psychological ICPC codes in primary care; a case-control study investigating the decade before presenting with problems. European Journal of General Practice, 2017, 23, 217-224.	2.0	2
97	The association of generalized anxiety disorder and Somatic Symptoms with frequent attendance to health care services. International Journal of Psychiatry in Medicine, 2017, 52, 147-159.	1.8	14
98	Association of general psychological factors with frequent attendance in primary care: a population-based cross-sectional observational study. BMC Family Practice, 2017, 18, 48.	2.9	25
99	Frequent attenders in late life in primary care: a systematic review of European studies. BMC Family Practice, 2017, 18, 104.	2.9	37

#	ARTICLE	IF	CITATIONS
100	Psychiatric conditions and general practitioner attendance prior to HPV vaccination and the risk of referral to a specialized hospital setting because of suspected adverse events following HPV vaccination: a register-based, matched case–control study. <i>Clinical Epidemiology</i> , 2017, Volume 9, 465-473.	3.0	13
101	10-minute clinical assessment: Frequent attenders. <i>InnovAiT</i> , 2017, 10, 760-761.	0.0	1
102	A register-based case-control study of health care utilization and costs in binge-eating disorder. <i>Journal of Psychosomatic Research</i> , 2018, 108, 47-53.	2.6	33
103	Frequent attendance and the concordance between PHQ screening and GP assessment in the detection of common mental disorders. <i>Journal of Psychosomatic Research</i> , 2018, 110, 1-10.	2.6	0
104	Negative perceptions of illness and health are associated with frequent use of physiotherapy in primary healthcare. <i>Musculoskeletal Care</i> , 2018, 16, 133-138.	1.4	7
105	The effects of psychological distress and its interaction with socioeconomic position on risk of developing four chronic diseases. <i>Journal of Psychosomatic Research</i> , 2018, 109, 79-85.	2.6	64
106	Social Isolation Predicts Frequent Attendance in Primary Care. <i>Annals of Behavioral Medicine</i> , 2018, 52, 817-829.	2.9	41
107	Is regular use of physiotherapy treatment associated with health locus of control and self-management competency? A study of patients with musculoskeletal disorders undergoing physiotherapy in primary health care. <i>Musculoskeletal Science and Practice</i> , 2018, 36, 43-47.	1.3	14
108	Frequent attenders in general medical practice in Italy: a preliminary report on clinical variables related to low functioning. <i>Neuropsychiatric Disease and Treatment</i> , 2019, Volume 15, 115-125.	2.2	16
109	Cognitive behavioral therapy for frequent attenders in primary care. <i>Health Science Reports</i> , 2018, 1, e80.	1.5	2
110	Effect of administrative information on visit rate of frequent attenders in primary health care: ten-year follow-up study. <i>BMC Family Practice</i> , 2018, 19, 142.	2.9	5
111	Frequency and predictors of health services use by Native Hawaiians and Pacific Islanders: evidence from the U.S. National Health Interview Survey. <i>BMC Health Services Research</i> , 2018, 18, 575.	2.2	15
112	Frequent attenders in primary health care: A concept analysis. <i>International Journal of Nursing Studies</i> , 2018, 86, 115-124.	5.6	25
113	Frequent attenders at primary care out-of-hours services: a registry-based observational study in Norway. <i>BMC Health Services Research</i> , 2018, 18, 492.	2.2	17
114	The extent, quality and impact of patient and public involvement in primary care research: a mixed methods study. <i>Research Involvement and Engagement</i> , 2018, 4, 16.	2.9	87
115	Uptake of health checks by residents from the Danish social housing sector â€” a register-based cross-sectional study of patient characteristics in the â€”Your Life â€” Your Healthâ€™ program. <i>BMC Public Health</i> , 2018, 18, 585.	2.9	12
116	Social capital and frequent attenders in general practice: a register-based cohort study. <i>BMC Public Health</i> , 2018, 18, 310.	2.9	9
117	Frequent attenders in occupational health primary care: A cross-sectional study. <i>Scandinavian Journal of Public Health</i> , 2019, 47, 28-36.	2.3	22

#	ARTICLE	IF	CITATIONS
118	The connecting adolescents to reduce relapse (CARR) trial: study protocol for a randomized controlled trial comparing the efficacy of Groups 4 Health and cognitive behaviour therapy in young people. BMC Public Health, 2019, 19, 788.	2.9	10
119	Characteristics of Case Management in Primary Care Associated With Positive Outcomes for Frequent Users of Health Care: A Systematic Review. Annals of Family Medicine, 2019, 17, 448-458.	1.9	52
120	Psychological distress in frequent users of primary health care and emergency departments: a scoping review. Public Health, 2019, 172, 1-7.	2.9	8
121	Determinants of Frequent Attendance of Outpatient Physicians: A Longitudinal Analysis Using the German Socio-Economic Panel (GSOEP). International Journal of Environmental Research and Public Health, 2019, 16, 1553.	2.6	12
122	Help-seeking behavior among community-dwelling adults with chronic pain. Canadian Journal of Pain, 2019, 3, 8-19.	1.7	3
123	Personality and psychopathology as predictors of patient-initiated overuse in general practice. Journal of Psychosomatic Research, 2019, 120, 53-59.	2.6	3
124	One-session cognitive behavior treatment for long-term frequent attenders in primary care: randomized controlled trial. Scandinavian Journal of Primary Health Care, 2019, 37, 98-104.	1.5	2
125	Sociodemographic and health-related determinants for making repeated calls to a medical helpline: a prospective cohort study. BMJ Open, 2019, 9, e030173.	1.9	6
126	Occasional and persistent frequent attenders and sickness absences in occupational health primary care: a longitudinal study in Finland. BMJ Open, 2019, 9, e024980.	1.9	12
127	Prevalence of common mental health disorders in adults who are high or costly users of healthcare services: protocol for a systematic review and meta-analysis. BMJ Open, 2019, 9, e028295.	1.9	12
128	Association between socioeconomic position and occupational health service utilisation trajectories among young municipal employees in Finland. BMJ Open, 2019, 9, e028742.	1.9	6
129	Psychosomatic therapy for patients frequently attending primary care with medically unexplained symptoms, the CORPUS trial: study protocol for a randomised controlled trial. Trials, 2019, 20, 697.	1.6	4
130	Patients' perceptions of participation: Pilot validation study of the FI-PPRQ questionnaire in Finnish primary healthcare settings. Nordic Journal of Nursing Research, 2019, 39, 117-126.	1.5	1
132	Frequent attenders at risk of disability pension: a longitudinal study combining routine and register data. Scandinavian Journal of Public Health, 2020, 48, 181-189.	2.3	15
133	Psychosocial characteristics and affective symptomatology associated with patient self-initiated consultations in Spanish general practice. Health and Social Care in the Community, 2020, 28, 2312-2319.	1.6	3
134	Does an emergency access button increase the patients' satisfaction and feeling of safety with the out-of-hours health services? A randomised controlled trial in Denmark. BMJ Open, 2020, 10, e030267.	1.9	1
135	Relationships Between Somatic Symptoms and Panic-Agoraphobic Spectrum Among Frequent Attenders of the General Practice in Italy. Journal of Nervous and Mental Disease, 2020, 208, 540-548.	1.0	5
136	Differentiating middle-aged long-term and short-term frequent attenders by means of the Northern Finland Birth Cohort 1966 Study. Scandinavian Journal of Caring Sciences, 2020, 35, 813-823.	2.1	3

#	ARTICLE	IF	CITATIONS
137	The benefits of participation in a choir and an exercise group on older adults'™ wellbeing in a naturalistic setting. <i>Musicae Scientiae</i> , 2022, 26, 144-171.	2.9	12
138	The effects of health coaching on frequent attenders'™ adherence to health regimens and lifestyle factors: a quasi-experimental study. <i>Scandinavian Journal of Caring Sciences</i> , 2020, 35, 1075-1085.	2.1	2
139	High cost or frequent attender " both spend resources, but are they linked to work disability? A cohort study from occupational health primary care in Finland. <i>BMC Health Services Research</i> , 2020, 20, 456.	2.2	4
140	Association between Subjective Well-Being and Frequent Dental Visits in the German Ageing Survey. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3207.	2.6	5
141	Self-perceptions of ageing, GP visits and frequent attendance. Longitudinal findings from the German Ageing Survey. <i>Aging and Mental Health</i> , 2020, 25, 1-6.	2.8	7
142	Frequent attendance in primary care in the oldest old: evidence from the AgeCoDe-AgeQualiDe study. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 2629-2638.	2.9	10
143	The effects of nurse-led health coaching on health-related quality of life and clinical health outcomes among frequent attenders: A quasi-experimental study. <i>Patient Education and Counseling</i> , 2020, 103, 1554-1561.	2.2	8
144	Frequent attenders in the German healthcare system: determinants of high utilization of primary care services. Results from the cross-sectional German health interview and examination survey for adults (DEGS). <i>BMC Family Practice</i> , 2020, 21, 10.	2.9	11
145	Characteristics of Frequent Attenders Compared with Non-Frequent Attenders in Primary Care: Study of Remote Communities in Taiwan. <i>Healthcare (Switzerland)</i> , 2020, 8, 96.	2.0	5
146	Higher Distress in Patients with Breast Cancer Is Associated with Declining Breast Reconstruction. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2020, 8, e2636.	0.6	5
147	"It takes time, but recovering makes it worthwhile"™. A qualitative study of long-term users'™ experiences of physiotherapy in primary health care. <i>Physiotherapy Theory and Practice</i> , 2021, 37, 6-16.	1.3	5
148	Frequent attenders' experiences of encounters with healthcare personnel: A systematic review of qualitative studies. <i>Australian Journal of Cancer Nursing</i> , 2021, 23, 53-68.	1.6	4
149	General practitioner follow-up after hospitalisation in Central and Eastern Sydney, Australia: access and impact on health services. <i>Australian Health Review</i> , 2021, 45, 247-254.	1.1	4
150	Developing a clinical prediction rule for repeated consultations with functional somatic symptoms in primary care: a cohort study. <i>BMJ Open</i> , 2021, 11, e040730.	1.9	3
151	Determinants of Frequent Attendance in Primary Care. A Systematic Review of Longitudinal Studies. <i>Frontiers in Medicine</i> , 2021, 8, 595674.	2.6	10
152	El Aprendizaje y Servicio como herramienta para la aplicaci3n de los objetivos de Salud PÅblica en el colectivo de personas mayores. <i>Revista EspaÅola De Educaci3n MÅdica</i> , 2021, 2, 66-73.	0.1	0
153	The effects of patient's frequency of attendance and etiology of symptoms, on the General Practitioners wellbeing. <i>Revue Europeenne De Psychologie Appliquee</i> , 2021, 71, 100629.	0.8	0
154	Association of chronic pain with comorbidities and health care utilization: a retrospective cohort study using health administrative data. <i>Pain</i> , 2021, 162, 2737-2749.	4.2	23

#	ARTICLE	IF	CITATIONS
155	Frequent attenders of three outpatient health care schemes in Finland: characteristics and association with long-term sickness absences, 2016–2018. BMC Public Health, 2021, 21, 870.	2.9	8
156	Can social capital play a role in contracting services of family doctors in China? Reflections based on an integrative review. BMC Family Practice, 2021, 22, 117.	2.9	3
157	GROUPS 4 HEALTH reduces loneliness and social anxiety in adults with psychological distress: Findings from a randomized controlled trial.. Journal of Consulting and Clinical Psychology, 2019, 87, 787-801.	2.0	104
158	Predictability of Persistent Frequent Attendance in Primary Care: A Temporal and Geographical Validation Study. PLoS ONE, 2013, 8, e73125.	2.5	7
159	Estilo de vida y adherencia al tratamiento de la población canaria con diabetes mellitus tipo 2. Revista Española De Salud Pública, 2009, 83, .	0.3	14
163	Measuring the complexity of general practice consultations: a Delphi and cross-sectional study in English primary care. British Journal of General Practice, 2021, 71, e423-e431.	1.4	12
164	A consultation-level intervention to improve care of frequently attending patients: a cluster randomised controlled feasibility trial. BJGP Open, 2019, 3, bjgpopen18X101623.	1.8	5
165	The Prevalence and Characteristics of Frequent Attenders in Primary Health Care in A'Dakhiliyah Governorate of Oman. Oman Medical Journal, 2018, 33, 331-336.	1.0	2
166	Characteristics of Elderly Frequent Attendees in Slovene Family Medicine Practices - a Cross-sectional Study. Materia Socio-medica, 2019, 31, 93.	0.7	3
167	Frequent users of the Royal Flying Doctor Service primary clinic and aeromedical services in remote New South Wales: a quality study. Medical Journal of Australia, 2009, 191, 602-604.	1.7	14
168	Sociodemographic characteristics and disability pensions of frequent attenders in occupational health primary care – a follow-up study in Finland. BMC Public Health, 2021, 21, 1847.	2.9	3
169	Health Service Use Among Patients With Chronic or Multiple Illnesses, and Frequent Attenders. Deutsches Ärztblatt International, 2012, 109, 814-20.	0.9	21
170	Hiperfrecuentaci3n m3dica en mayores y salud.. International Journal of Developmental and Educational Psychology Revista INFAD De Psicolog3a, 2018, 4, 249.	0.1	0
171	Vulnerabilit3 sociale e cure primarie: il caso dei frequent attenders. Welfare E Ergonomia, 2019, , 73-85.	0.1	0
172	Paljon palveluja tarvitsevien asiakkaiden yksil3ity sosiaali- ja terveyspalvelujen yhteen kokoaminen. Sosiaalilaaketieteellinen Aikakauslehti, 2020, 57, .	0.1	0
173	Defining and Characterizing Frequent Attenders: Systematic Literature Review and Recommendations. Journal of Patient-centered Research and Reviews, 2020, 7, 255-264.	0.9	13
174	Children as frequent attenders in primary care: a systematic review. BJGP Open, 2020, 4, bjgpopen20X101076.	1.8	2
175	Continuity of care as a predictor of ongoing frequent attendance in primary care: a retrospective cohort study. BJGP Open, 2020, 4, bjgpopen20X101083.	1.8	1

#	ARTICLE	IF	CITATIONS
176	Social environment and frequent attendance in Danish general practice. British Journal of General Practice, 2005, 55, 510-5.	1.4	49
177	Social isolation in older adults who are frequent users of primary care services. Canadian Family Physician, 2014, 60, e322, e324-9.	0.4	15
178	Risk factors for the frequent attendance of older patients at community health service centers in China: a cross-sectional study based on stratified sampling. BMC Family Practice, 2021, 22, 221.	2.9	4
179	Factors Contributing to Persistent Frequent Attendance in Primary Care Among the Oldest Old: Longitudinal Evidence From the AgeCoDe-AgeQualiDe Study. Frontiers in Medicine, 2022, 9, 815419.	2.6	3
180	Health care centre and emergency department utilization by patients with episodes of tachycardia. BMC Cardiovascular Disorders, 2022, 22, 124.	1.7	1
181	Consultation patterns and frequent attenders in UK primary care from 2000 to 2019: a retrospective cohort analysis of consultation events across 845 general practices. BMJ Open, 2021, 11, e054666.	1.9	8
182	The Association of Loneliness With Health and Social Care Utilization in Older Adults in the General Population: A Systematic Review. Gerontologist, The, 2022, 62, e578-e596.	3.9	6
183	Parallel use of primary and secondary healthcare by frequent attenders in occupational health and their work disability: a longitudinal study in Finland. BMJ Open, 2022, 12, e052740.	1.9	1
184	Legal aid and clients with multiple problems: a first screening at the Dutch Legal Services Counter. International Journal of the Legal Profession, 0, , 1-15.	0.3	0
185	Usability of information systems: Experiences of outpatient physicians, outpatient nurses, and open care social welfare professionals from three large cross-sectional surveys in Finland. International Journal of Medical Informatics, 2022, , 104836.	3.3	1
186	Twenty years of real-world data to estimate chronic kidney disease prevalence and staging in an unselected population. CKJ: Clinical Kidney Journal, 2023, 16, 111-124.	2.9	4
187	Social prescribing link workersâ€™A qualitative Australian perspective. Health and Social Care in the Community, 2022, 30, .	1.6	7
188	Understanding Health Attitudes and Behavior. American Journal of Medicine, 2023, 136, 252-259.	1.5	12
190	Consultation frequency and general practitionersâ€™™ and practicesâ€™™ characteristics. , 2023, 24, .		0
191	Frequent attenders in primary health care: a mixedâ€™™ methods study of patient and staff perspectives. Journal of Clinical Nursing, 0, , .	3.0	2
192	Patterns of acceptance and use of digital health services among the persistent frequent attenders of outpatient care: A qualitatively driven multimethod analysis. Digital Health, 2023, 9, 205520762311784.	1.8	1
193	How is primary care access changing? A retrospective, repeated cross-sectional study of patient-initiated demand at general practices in England using a modern access model, 2019â€™™2022. BMJ Open, 2023, 13, e072944.	1.9	0
194	Identifying user profiles of healthcare, social and employment services in a working-age population: A cluster analysis with linked individual-level register data from Finland. PLoS ONE, 2023, 18, e0293622.	2.5	0

#	ARTICLE	IF	CITATIONS
195	Social inequalities in trajectories of contacts with the healthcare system in adolescence and young adulthood. Preventive Medicine, 2023, 177, 107745.	3.4	0
196	Exploring the association between social isolation and utilization of primary health services by older adults: evidence from China. Frontiers in Public Health, 0, 12, .	2.7	0
197	Long- and short-term frequent attenders' perceptions of patient-centredness in Finnish primary healthcare: A cross-sectional survey and the equivalence of the factor structure of the 36-item patient-centred primary care instrument. Scandinavian Journal of Caring Sciences, 0, , .	2.1	0