

CITATION REPORT

List of articles citing

Clinical measurement of arterial stiffness obtained from noninvasive pressure waveforms

DOI: 10.1016/j.amjhyper.2004.10.009

American Journal of Hypertension, 2005, 18, 3S-10S.

Source: <https://exaly.com/paper-pdf/39408552/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
708	Two major QTLs and several others relate to factors of metabolic syndrome in the family blood pressure program. 2005 , 46, 751-7		29
707	Why don't we use nitrates to treat older hypertensive patients?. 2005 , 7, 685-7, 690		4
706	Arterial aging: is it an immutable cardiovascular risk factor?. 2005 , 46, 454-62		508
705	Arterial stiffness and diastolic blood pressure: what is the connection?. 2006 , 1, S1		8
704	Lipoprotein (a) as a determinant of arterial stiffness in elderly patients with type 2 diabetes mellitus. 2006 , 373, 127-31		13
703	Elevated endothelin-1 levels are associated with decreased arterial elasticity in hypertensive patients. 2006 , 8, 549-54		13
702	Differences between middle cerebral artery blood velocity waveforms of young and postmenopausal women. 2006 , 13, 303-13		14
701	Vascular failure: A new clinical entity for vascular disease. 2006 , 24, 2121-30		53
700	Usefulness of colour tissue Doppler imaging in assessing aortic elastic properties in Type 1 diabetic patients. 2006 , 23, 1201-6		23
699	Rapid onset and offset of circulatory adaptations to exercise training in men. 2006 , 20, 193-200		17
698	Endothelial progenitor cells in the vascular pathophysiology of hypertension: arterial stiffness, ageing and more. 2006 , 20, 475-7		12
697	Elastic fibres and vascular structure in hypertension. 2006 , 111, 771-91		183
696	The latest generation of beta-blockers: new pharmacologic properties. 2006 , 8, 279-86		17
695	The relation between D-galactose injection and mitochondrial DNA 4834 bp deletion mutation. 2006 , 41, 628-34		32
694	Plasma aldosterone is independently associated with the metabolic syndrome. 2006 , 48, 239-45		172
693	Does hormone treatment alter arterial properties in postmenopausal women?. 2007 , 2, 653-665		0
692	Relationship between blood pressure parameters and pulse wave velocity in normotensive and hypertensive subjects: invasive study. 2007 , 21, 141-8		106

691	Migraine is associated with enhanced arterial stiffness. 2007 , 30, 577-83	20
690	Arterial pulse waveform analysis by the probability distribution of amplitude. 2007 , 28, 803-12	6
689	Fourier analysis of the envelope of the ophthalmic artery blood flow velocity: age- and blood pressure related impact. 2007 , 50, 964-9	13
688	Multimarker approach to evaluate the incidence of the metabolic syndrome and longitudinal changes in metabolic risk factors: the Framingham Offspring Study. 2007 , 116, 984-92	153
687	Numerical simulation of non-invasive determination of the propagation coefficient in arterial system using two measurements sites. 2007 , 40, 211-219	10
686	Circadian blood pressure variation: relationship between dipper status and measures of arterial stiffness. 2007 , 25, 1233-9	59
685	Comparison of pulse wave analysis between persons with white coat hypertension and normotensive persons. 2007 , 9, 513-7	12
684	Prevalence and patterns of hypertension in Peruvian Andean Hispanics: the PREVENCIÓN study. 2007 , 1, 216-25	18
683	Vascular remodeling and extracellular matrix breakdown in the uterine spiral arteries during pregnancy. 2007 , 14, 28-34	37
682	Obstructive sleep apnea, hypertension, and their interaction on arterial stiffness and heart remodeling. 2007 , 131, 1379-86	190
681	The Role of Arterial Stiffness in Stratifying the Overall Cardiovascular Risk. 2007 , 14, 89-97	
680	Simulation of arterial pulse wave propagation with fluid-structure interaction using Fluent and Abaqus software. 2007 , 10, 61-62	2
679	The role of noninvasive hemodynamic monitoring in the evaluation and treatment of hypertension. 2007 , 1, 113-8	7
678	Influence of age, hypertension, and diabetes on cardiac reserve in a rat model. 2007 , 20, 731-7	2
677	Diurnal variation of pulse wave velocity assessed non-invasively by applanation tonometry in young healthy men. 2007 , 48, 665-70	11
676	Asymmetrical oscillation of a bubble confined inside a micro pseudoelastic blood vessel and the corresponding vessel wall stresses. 2007 , 44, 7197-7212	20
675	Drug effects on the mechanical properties of large arteries in humans. 2007 , 34, 688-93	18
674	Discordant effects of beta-blockade on central aortic systolic and brachial systolic blood pressure: considerations beyond the cuff. 2007 , 27, 1322-33	7

673	Arterial stiffness in adult patients with cyanotic congenital heart disease. 2007 , 2, 134-8	7
672	Acute hyperglycaemia rapidly increases arterial stiffness in young patients with type 1 diabetes. 2007 , 50, 1808-1814	51
671	A one-dimensional model of blood flow in arteries with friction and convection based on the Womersley velocity profile. 2007 , 7, 51-73	47
670	Arterial haemodynamics on ventricular hypertrophy in rats with simulated aortic stiffness. 2008 , 455, 595-606	2
669	Arterial compliance and endothelial function. 2007 , 7, 269-75	23
668	The vasodilatory beta-blockers. 2007 , 9, 269-77	103
667	Simultaneous determination of wave speed and arrival time of reflected waves using the pressure-velocity loop. 2007 , 45, 1201-10	25
666	Changes of elastic properties of central arteries during acute static exercise and lower body negative pressure. 2008 , 102, 633-41	37
665	Changes in central artery blood pressure and wave reflection during a cold pressor test in young adults. 2008 , 103, 539-43	27
664	Evidence suggests rigid aortic grafts increase systolic blood pressure: results of a preliminary study. 2008 , 30, 109-15	13
663	Radial augmentation index is related to cardiovascular risk in hemodialysis patients. 2008 , 12, 157-63	7
662	Predicting arterial stiffness with ambulatory blood pressure: an 11-year follow-up. 2008 , 28, 378-83	2
661	Increased arterial stiffness in female-to-male transsexuals treated with androgen. 2008 , 34, 890-7	33
660	Radial augmentation index associated with increase in B-type natriuretic peptide in patients with hypertension. 2008 , 130, 414-9	10
659	Increased brachial-ankle pulse wave velocity is independently associated with risk of cerebral ischemic small vessel disease in elderly hypertensive patients. 2008 , 110, 599-604	42
658	Waves in arteries: A review of wave intensity analysis in the systemic and coronary circulations. 2008 , 2, 51	25
657	The effects of head-out-of-water immersion on arterial wave reflection in healthy adults. 2008 , 2, 455-61	13
656	Arginase and vascular aging. 2008 , 105, 1632-42	120

655	Distensibilidad arterial: un parámetro más para valorar el riesgo cardiovascular. 2008 , 34, 284-290		1
654	New techniques for assessing arterial stiffness. 2008 , 34 Suppl 1, S21-6		11
653	Monitoring of Cardiovascular Reactivity During Cold Pressor Test Using Photoplethysmography. 2008 ,		3
652	Neural and nonneural mechanisms for sex differences in elderly hypertension: can exercise training help?. 2008 , 52, 787-94		18
651	Aldosterone and metabolic syndrome: is increased aldosterone in metabolic syndrome patients an additional risk factor?. 2008 , 51, 1252-8		84
650	Is schizophrenia a syndrome of accelerated aging?. 2008 , 34, 1024-32		195
649	New techniques for assessment of vascular function. 2008 , 2, 373-85		2
648	Acute changes in vascular function among welders exposed to metal-rich particulate matter. 2008 , 19, 217-25		42
647	Pulse wave velocity in children following renal transplantation. 2009 , 24, 309-15		26
646	Pulse wave velocity in end-stage renal disease: influence of age and body dimensions. 2008 , 63, 95-8		50
645	Confluence of incident and reflected waves interferes with systolic foot detection of the carotid artery distension waveform. 2008 , 26, 2374-80		28
644	Pressure Waves as a Noninvasive Tool for Artery Stiffness Estimation. 2008 , 2,		3
643	Association between wasted pressure effort and left ventricular hypertrophy in hypertension: influence of arterial wave reflection. <i>American Journal of Hypertension</i> , 2008 , 21, 329-33	2-3	94
642	Attenuated radial augmentation index is associated with successful long-term antihypertensive treatment. 2008 , 22, 144-6		7
641	Heightened aberrant deposition of hard-wearing elastin in conduit arteries of prehypertensive SHR is associated with increased stiffness and inward remodeling. 2008 , 295, H2299-307		40
640	Impact of aging on central pressure wave reflection characteristics during exercise. <i>American Journal of Hypertension</i> , 2008 , 21, 419-24	2-3	48
639	Wave reflection augments central systolic and pulse pressures during facial cooling. 2008 , 294, H2535-9		25
638	Incremental value of arterial wave reflections in the determination of left ventricular diastolic dysfunction in untreated patients with essential hypertension. 2008 , 22, 687-98		37

637	Effects of obesity and smoking on mental stress-induced blood pressure and augmentation index responses in normotensive young males: the J-SHIPP study. 2008 , 31, 1219-24	17
636	Arterial stiffness and QT interval prolongation in a general population: the Hisayama study. 2008 , 31, 1339-45	17
635	Ambulatory arterial stiffness index or pulse pressure: which correlates better with arterial stiffness in resistant hypertension?. 2008 , 31, 607-13	35
634	Blood pressure is the main determinant of the reflection wave in patients with type 2 diabetes. 2008 , 31, 493-9	17
633	Towards new indices of arterial stiffness using systolic pulse contour analysis: a theoretical point of view. 2008 , 51, 111-7	22
632	Fluvastatin improves arterial stiffness in patients with coronary artery disease and hyperlipidemia: a 5-year follow-up study. 2008 , 72, 722-8	44
631	Different role of wave reflection magnitude and timing on left ventricular mass reduction during antihypertensive treatment. 2008 , 26, 1017-24	105
630	Peripheral wave reflection and endothelial function in untreated essential hypertensive patients with and without the metabolic syndrome. 2008 , 26, 1216-22	19
629	Wave reflection and central aortic pressure are increased in response to static and dynamic muscle contraction at comparable workloads. 2008 , 104, 439-45	22
628	Design of a Portable Apparatus for Assessing Vascular Stiffness. 2009 ,	
627	Feature Extraction for Pulse Waveform in Traditional Chinese Medicine by Hemodynamic Analysis. 2009 ,	1
626	Dietary saturated and unsaturated fats as determinants of blood pressure and vascular function. 2009 , 22, 18-38	113
625	Antihypertensive therapy and central hemodynamics in women with hypertensive disorders in pregnancy. 2009 , 113, 646-654	50
624	Synergistic effect of smoking and blood pressure on augmentation index in men, but not in women. 2009 , 32, 122-6	34
623	Characterization of arterial wave reflection in healthy bonnet macaques: feasibility of applanation tonometry. 2009 , 2009, 876093	6
622	Clinical usefulness of the second peak of radial systolic blood pressure for estimation of aortic systolic blood pressure. 2009 , 23, 538-45	24
621	Insight into the dicrotic notch in photoplethysmographic pulses from the finger tip of young adults. 2009 , 33, 628-33	20
620	Atorvastatin treatment is associated with less augmentation of the carotid pressure waveform in hypertension: a substudy of the Anglo-Scandinavian Cardiac Outcome Trial (ASCOT). 2009 , 54, 1009-13	28

619	Serum carboxymethyl-lysine, an advanced glycation end product, is associated with increased aortic pulse wave velocity in adults. <i>American Journal of Hypertension</i> , 2009 , 22, 74-9	2.3	113
618	Aortic Pulse Wave Analysis is not a surrogate for central arterial Pulse Wave Velocity. 2009 , 234, 1339-44		19
617	How Stiff Are Your Arteries? An Emerging Vital Sign for Determining Cardiovascular Disease Risk. 2009 , 5, 745-751		1
616	Blood pressure goals and arterial stiffness in chronic kidney disease. 2009 , 11, 201-6		3
615	Arterial wave reflection during antihypertensive therapy with barnidipine: a 6-month, open-label study using an integrated cardiovascular ultrasound approach in patients with newly diagnosed hypertension. 2009 , 31, 2873-85		18
614	Phase-contrast MRI-based elastography technique detects early hypertensive changes in ex vivo porcine aortic wall. 2009 , 29, 583-7		23
613	The role of pulse transit time as an index of arterial stiffness during exercise. 2009 , 9, 92-7		12
612	Pulse wave velocity is more closely associated with cardiovascular risk than augmentation index in the relatively low-risk population. 2009 , 24, 413-8		27
611	Pulse wave analysis: a preliminary study of a novel technique for the prediction of pre-eclampsia. 2009 , 116, 268-76; discussion 276-7		66
610	Arterial wave intensity and ventricular-arterial coupling by vascular ultrasound: rationale and methods for the automated analysis of forwards and backwards running waves. 2009 , 35, 266-77		22
609	[Biology of arterial ageing and arteriosclerosis]. 2009 , 332, 433-47		1
608	Increased wave reflection rather than central arterial stiffness is the main determinant of raised pulse pressure in women and relates to mismatch in arterial dimensions: a twin study. 2009 , 54, 695-703		95
607	Les fibres élastiques: un régulateur du vieillissement normal ou pathologique des vaisseaux sanguins élastiques. 2009 , 1, 64-75		1
606	Some mechanical aspects of arterial aging: physiological overview based on pulse wave analysis. 2009 , 3, 367-78		34
605	The vascular risk associations with migraine: relation to migraine susceptibility and progression. 2009 , 205, 15-22		36
604	Radial augmentation index unmask premature coronary artery disease in younger males. 2009 , 14, 59-67		19
603	The effects of passive leg raising on arterial wave reflection in healthy adults. 2009 , 14, 202-7		12
602	Effect of hot flushes on vascular function: a randomized controlled trial. 2009 , 114, 777-785		28

601	Associations between augmentation index and severity of atheroma or aortic stiffness of the descending thoracic aorta by transesophageal echocardiography. 2009 , 73, 1151-6	16
600	Indices of arterial stiffness in African American and African Caribbean subjects. 2009 , 101, 992-8	2
599	[Significance of arterial stiffness parameters for predicting cardiovascular mortality in hemodialysis patients: a prospective cohort study]. 2010 , 151, 741-8	
598	Non-invasive vascular function tests: their pathophysiological background and clinical application. 2010 , 74, 24-33	218
597	Aging and arterial stiffness. 2010 , 74, 2257-62	380
596	Increased cardiovascular reactivity to the cold pressor test is not associated with increased reactivity to isometric handgrip exercise. 2010 , 108, 837-43	12
595	Present and Prospective Clinical Therapeutic Options for the Elderly Patient with Hypertension. 2010 , 2, CMT.S2110	
594	[Effects of aromatherapy on changes in the autonomic nervous system, aortic pulse wave velocity and aortic augmentation index in patients with essential hypertension]. 2010 , 40, 705-13	18
593	The effects of sleep-disordered breathing on arterial stiffness are modulated by age. 2010 , 33, 1081-5	23
592	The endothelium and its role in regulating vascular tone. 2010 , 4, 302-12	395
591	Does dark chocolate have a role in the prevention and management of hypertension?: commentary on the evidence. 2010 , 55, 1289-95	33
590	Determinants of a blunted carotid-to-radial pulse wave velocity decline in response to hyperemia. 2010 , 61, 591-4	4
589	ICS Medal Winners and Research Abstract Presentations. 2010 , 11, 54-68	
588	Arterial stiffness: a brief review. 2010 , 31, 1267-76	175
587	Characterization of volumetric flow rate waveforms at the carotid bifurcations of older adults. 2010 , 31, 291-302	88
586	Effect of reactive hyperemia on carotid-radial pulse wave velocity in hypertensive participants and direct comparison with flow-mediated dilation: a pilot study. 2010 , 61, 100-6	17
585	A piezo-film-based measurement system for global haemodynamic assessment. 2010 , 31, 697-714	21
584	Feature extraction and recognition for pulse waveform in Traditional Chinese Medicine based on hemodynamics principle. 2010 ,	7

583	The acute effects of smokeless tobacco on central aortic blood pressure and wave reflection characteristics. 2010 , 235, 1263-8	23
582	Forearm and upper-arm oscillometric blood pressure comparison in acutely ill adults. 2010 , 32, 322-40	11
581	Surveillance of cardiovascular risk in the normotensive patient with repaired aortic coarctation. 2010 , 139, 283-8	21
580	The relation between blood pressure changes induced by passive leg raising and arterial stiffness. 2010 , 4, 284-9	9
579	Single-dose effects of isosorbide mononitrate alone or in combination with losartan on central blood pressure. 2010 , 4, 311-8	8
578	Arterial stiffness and inflammation [A potential target for a drug therapy. 2010 , 4, 99	4
577	Associations between dietary patterns and arterial stiffness, carotid artery intima-media thickness and atherosclerosis. 2010 , 17, 718-24	52
576	Relation between arterial elastic characteristic and time-domain parameters of pulse waveform in Traditional Chinese Medicine. 2010 ,	
575	Using blood pressure telemetry to assess acute changes in arterial stiffness in rats after nitric oxide synthase inhibition or environmental tobacco smoke exposure. 2010 , 88, 918-28	6
574	A cardiac signal monitoring and processing system. 2011 ,	
573	Extreme Nocturnal Blood Pressure Dipping is Associated With Increased Arterial Stiffness in Individuals With Components of the Metabolic Syndrome. 2011 , 3, 132-136	
572	The Relationship between coronary artery calcification as assessed by multi-detector computed tomography and arterial stiffness. 2011 , 33, 501-5	14
571	Pulse wave analysis and pulse wave velocity techniques: are they ready for the clinic?. 2011 , 34, 166-9	15
570	Arterial stiffness, central hemodynamics and wave reflection in normal pregnancy and control nonpregnant women. 2011 , 159, 49-52	17
569	Cardiovascular changes after transcatheter endovascular stenting of adult aortic coarctation. 2011 , 149, 157-163	13
568	Effect of beta blockers on central aortic pressure in African-Americans. 2011 , 5, 94-101	6
567	ADVANCES IN ARTERIAL STIFFNESS ASSESSMENT. 2011 , 5, 130	7
566	Subtherapeutic, low-dose fluvastatin improves functional and morphological arterial wall properties in apparently healthy, middle-aged males--a pilot study. 2011 , 215, 446-51	34

565	Isolated systolic hypertension of young-to-middle-age individuals implies a relatively low risk of developing hypertension needing treatment when central blood pressure is low. 2011 , 29, 1311-9	36
564	The age-dependent contribution of aortic incident and reflected pressure waves to central blood pressure in african-americans. 2011 , 2011, 585703	1
563	Effects of acute cold exposure on carotid and femoral wave intensity indexes: evidence for reflection coefficient as a measure of distal vascular resistance. 2011 , 110, 738-45	9
562	Effects of Azelnidipine plus OlmesaRTAn versus amlodipine plus olmesartan on central blood pressure and left ventricular mass index: the AORTA study. 2011 , 7, 383-90	10
561	Evaluation of arterial propagation velocity based on the automated analysis of the Pulse Wave Shape. 2011 , 332, 012014	
560	Vascular compliance in blood pressure. 2011 , 20, 457-64	21
559	Arterial wave reflection and subclinical left ventricular systolic dysfunction. 2011 , 29, 574-82	30
558	Profiles of atherosclerotic risk factors in gastrectomized men. 2011 , 58, 657-62	
557	The relationship between aortic stiffness and E/A filling ratio and myocardial strain in the context of left ventricular diastolic dysfunction in heart failure with normal ejection fraction: insights from magnetic resonance imaging. 2011 , 29, 1222-34	12
556	An innovative method to measure the peripheral arterial elasticity: spring constant modeling based on the arterial pressure wave with radial vibration. 2011 , 39, 2695-705	6
555	Pulse wave velocity normal levels in a Uruguayan population: differences between 'adjusted' and measured values vary depending on age and the calculation algorithm used. 2011 , 2011, 211-4	2
554	Review article: implications of vascular aging. 2011 , 112, 1048-60	68
553	Effects of different contacting pressure on the transfer function between finger photoplethysmographic and radial blood pressure waveforms. 2011 , 225, 575-83	23
552	Comparison of hyperemic changes in carotid-radial pulse wave velocity by upper and lower arm cuff occlusion. 2011 , 62, 409-14	3
551	Exercise training restores hypertension-induced changes in the elastic tissue of the thoracic aorta. 2011 , 48, 513-24	26
550	Radial pulse transit time is an index of arterial stiffness. 2011 , 34, 884-7	35
549	Vascular function and morphology in rheumatoid arthritis: a systematic review. 2011 , 50, 2125-39	104
548	Association of age with timing and amplitude of reflected pressure waves during exercise in men. <i>American Journal of Hypertension</i> , 2011 , 24, 415-20	2.3 11

547	Arterial stiffness profiles: investigating various sections of the arterial tree of African and Caucasian people. 2011 , 33, 511-7	41
546	A Linear Transformation Approach for Estimating Pulse Arrival Time. 2012 , 2012, 1-12	
545	Central adiposity and protein intake are associated with arterial stiffness in overweight children. 2012 , 142, 878-85	30
544	Validated methods for assessment of subclinical atherosclerosis in rheumatology. 2012 , 8, 224-34	90
543	Effects of resistance exercise training on resting and post-exercise forearm blood flow and wave reflection in overweight and obese women. 2012 , 26, 684-90	14
542	NONINVASIVE POWER SPECTRUM ANALYSIS OF RADIAL PRESSURE WAVEFORM FOR ASSESSMENT OF VASCULAR SYSTEM. 2012 , 12, 1250021	5
541	Impact of passive vibration on pressure pulse wave characteristics. 2012 , 26, 610-5	13
540	Central aortic blood pressure and augmentation index during normal pregnancy. 2012 , 35, 633-8	39
539	A novel ovine ex vivo arteriovenous shunt model to test vascular implantability. 2012 , 195, 108-21	28
538	Defining vascular aging and cardiovascular risk. 2012 , 30 Suppl, S3-8	73
537	Comprehensive MRI analysis of early cardiac and vascular remodeling in middle-aged patients with abdominal obesity. 2012 , 30, 567-73	17
536	Maternal cardiovascular changes from pre-pregnancy to very early pregnancy. 2012 , 30, 2168-72	47
535	Rarefaction and blood pressure in systemic and pulmonary arteries. 2012 , 705, 280-305	27
534	Human common carotid wall shear stress as a function of age and gender: a 12-year follow-up study. 2012 , 34, 1553-62	39
533	The association between aortic regurgitation and increased arterial wave reflection. 2012 , 6, 49	
532	The effects of ischemia with and without remote conditioning on hyperemia induced decline in carotid-radial pulse wave velocity. 2012 , 220, 151-4	4
531	Asymptomatic aortic stenosis: the influence of the systemic vasculature on exercise time. 2012 , 25, 613-9	10
530	Pulse wave velocity and the non-invasive methods used to assess it: Complior, SphygmoCor, Arteriograph and Vicorder. 2012 , 20, 342-9	33

529	Factors affecting ocular pulse amplitude in eyes with open angle glaucoma and glaucoma-suspect eyes. 2012 , 90, 552-8		10
528	Arterial stiffness and endothelial dysfunction independently and synergistically predict cardiovascular and renal outcome in patients with type 1 diabetes. 2012 , 29, 990-4		30
527	Nitrates and Arterial Function. 2013 , 7, 224-232		10
526	Cardiovascular Calcifications in Old Age: Mechanisms and Clinical Implications. 2013 , 2, 255-267		7
525	Pre-clinical validation study of optical probes for hemodynamic parameters assessment. 2013 ,		1
524	Cardiovascular function in women with recurrent miscarriage, pre-eclampsia and/or intrauterine growth restriction. 2013 , 26, 351-6		14
523	ABCA1-dependent serum cholesterol efflux capacity inversely correlates with pulse wave velocity in healthy subjects. 2013 , 54, 238-43		28
522	Study of agreement of aortic, radial and femoral blood pressures during aortic endografting. 2013 , 32, e97-e101		3
521	Leptin and endothelial function in the elderly: the Prospective Investigation of the Vasculature in Uppsala Seniors (PIVUS) study. 2013 , 228, 485-90		30
520	Elevation of central arterial stiffness and vascular ageing in opiate withdrawal: cross-sectional and longitudinal studies. 2013 , 13, 55-67		5
519	Augmentation index and aortic stiffness in bicuspid aortic valve patients with non-dilated proximal aortas. 2013 , 13, 19		16
518	Maternal arterial stiffness in normotensive pregnant women who subsequently deliver babies that are small for gestational age. 2013 , 169, 24-7		14
517	Flexible polymer transistors with high pressure sensitivity for application in electronic skin and health monitoring. 2013 , 4, 1859		1446
516	Heart rate after cardiac transplantation-lessons from the tortoise and the shrew. 2013 , 95, 259-65		5
515	Casein improves brachial and central aortic diastolic blood pressure in overweight adolescents: a randomised, controlled trial. 2013 , 2, e43		11
514	The effects of short term L-citrulline supplementation on wave reflection responses to cold exposure with concurrent isometric exercise. <i>American Journal of Hypertension</i> , 2013 , 26, 518-26	2.3	22
513	Effects of hypocaloric diet, low-intensity resistance exercise with slow movement, or both on aortic hemodynamics and muscle mass in obese postmenopausal women. 2013 , 20, 967-72		28
512	Exploring the link between cardiovascular reactivity and end-organ damage in African and Caucasian men: the SABPA study. <i>American Journal of Hypertension</i> , 2013 , 26, 68-75	2.3	21

511	Exercise: a vital means to moderate cardiovascular aging. 2013 , 9, 473-482		1
510	The Arterial System. 2013 , 135-151		4
509	Comparison of the efficacy between hydrochlorothiazide and chlorthalidone on central aortic pressure when added on to candesartan in treatment-naïve patients of hypertension. 2013 , 36, 79-84		18
508	Central blood pressure: a powerful predictor of the development of hypertension. 2013 , 36, 19-24		25
507	The feasibility of prospectively studying maternal cardiovascular changes from before conception. 2013 , 36, 698-704		9
506	Traditional East Asian medical pulse diagnosis: a preliminary physiologic investigation. 2013 , 19, 793-8		11
505	A log-linearized arterial viscoelastic model for evaluation of the carotid artery. 2013 , 2013, 2591-4		1
504	Cohort profile: the Fremantle Diabetes Study. 2013 , 42, 412-21		88
503	Depressive symptoms contribute to increased wave reflection during cold pressor test in young adult men. <i>American Journal of Hypertension</i> , 2013 , 26, 778-83	2-3	9
502	The association between functional and morphological assessments of endothelial function in patients with rheumatoid arthritis: a cross-sectional study. 2013 , 15, R107		11
501	Fish Oil Fatty Acids and Vascular Reactivity. 2013 , 627-646		1
500	Factor structure of indices of the second derivative of the finger photoplethysmogram with metabolic components and other cardiovascular risk indicators. 2013 , 37, 40-5		7
499	Lifetime opiate exposure as an independent and interactive cardiovascular risk factor in males: a cross-sectional clinical study. 2013 , 9, 551-61		12
498	Arterial stiffness and functional outcome in acute ischemic stroke. 2014 , 16, 11-9		16
497	Wrist Pulse Detection System Based on Changes in the Near-Field Reflection Coefficient of a Resonator. 2014 , 24, 719-721		17
496	Reflection magnitude as a predictor of mortality: the Multi-Ethnic Study of Atherosclerosis. 2014 , 64, 958-64		57
495	Highly Sensitive Flexible Printed Accelerometer System for Monitoring Vital Signs. 2014 , 1, 132-135		19
494	Psychosocial stress but not hypertensive status associated with angiogenesis in Africans. 2014 , 23, 307-14		2

493	Impact of lifetime opioid exposure on arterial stiffness and vascular age: cross-sectional and longitudinal studies in men and women. 2014 , 4, e004521		33
492	Pulse wave velocity in four extremities for assessing cardiovascular risk using a new device. 2014 , 16, 378-84		9
491	Duration of opiate exposure as a determinant of arterial stiffness and vascular age in male opiate dependence: a longitudinal study. 2014 , 39, 158-67		7
490	Gender and measuring-position differences in the radial pulse of healthy individuals. 2014 , 7, 324-30		10
489	Fully automated tool to identify the aorta and compute flow using phase-contrast MRI: validation and application in a large population based study. 2014 , 40, 221-8		17
488	Long-term intense resistance training in men is associated with preserved cardiac structure/function, decreased aortic stiffness, and lower central augmentation pressure. 2014 , 32, 286-93		7
487	Exercise, vascular stiffness, and tissue transglutaminase. 2014 , 3, e000599		50
486	The Aging Heart: A Post-Genomic Appraisal. 2014 , 641-682		
485	School burnout and cardiovascular functioning in young adult males: a hemodynamic perspective. 2014 , 17, 79-87		19
484	Acute effects of a mixed meal on arterial stiffness and central hemodynamics in healthy adults. <i>American Journal of Hypertension</i> , 2014 , 27, 331-7	2,3	25
483	Reduction of atherogenic risk in patients with type 2 diabetes by curcuminoid extract: a randomized controlled trial. 2014 , 25, 144-50		198
482	A new echocardiographic parameter of arterial stiffness in end-stage renal disease. 2014 , 39, 749-54		2
481	Should there be sex-specific criteria for the diagnosis and treatment of heart failure?. 2014 , 7, 139-55		29
480	Blood pressure regulation V: in vivo mechanical properties of precapillary vessels as affected by long-term pressure loading and unloading. 2014 , 114, 499-509		10
479	Ivabradine therapy to unmask heart rate-independent effects of β blockers on pulse wave reflections. 2014 , 103, 487-94		9
478	Arterial stiffness as a risk factor for coronary artery disease. 2014 , 16, 387		50
477	A wearable and highly sensitive pressure sensor with ultrathin gold nanowires. 2014 , 5, 3132		1392
476	Study of central aortic pressure in hypertensive patients and characteristic of radial artery pressure waveform in Traditional Chinese Medicine. 2014 ,		1

475	Carotid-radial pulse wave velocity responses following hyperemia in patients with congestive heart failure. 2014 , 8, 687-92	2
474	Effect of weight loss on central systolic blood pressure in elderly community-dwelling persons. 2014 , 37, 933-8	14
473	Conformable amplified lead zirconate titanate sensors with enhanced piezoelectric response for cutaneous pressure monitoring. 2014 , 5, 4496	57 ¹
472	Continuous wireless pressure monitoring and mapping with ultra-small passive sensors for health monitoring and critical care. 2014 , 5, 5028	32 ⁰
471	Impact of acute whole-body cold exposure with concurrent isometric handgrip exercise on aortic pressure waveform characteristics. 2014 , 114, 1779-87	11
470	Abnormal pressure-wave reflection in pregnant women with chronic hypertension: association with maternal and fetal outcomes. 2014 , 37, 989-92	15
469	Vascular wall extracellular matrix proteins and vascular diseases. 2014 , 1842, 2106-2119	181
468	Pulse volume recording does not enhance segmental pressure readings for peripheral arterial disease stratification. 2014 , 28, 18-27	14
467	Eight weeks of stretching training reduces aortic wave reflection magnitude and blood pressure in obese postmenopausal women. 2014 , 28, 246-50	35
466	The effect of lower body weight support on arterial wave reflection in healthy adults. 2014 , 8, 388-93	2
465	Low BMI is inversely associated with arterial stiffness in Africans. 2015 , 113, 1621-7	8
464	A Sensor Array Using Multi-functional Field-effect Transistors with Ultrahigh Sensitivity and Precision for Bio-monitoring. 2015 , 5, 12705	7 ⁰
463	Effects of 2-year vitamin B12 and folic acid supplementation in hyperhomocysteinemic elderly on arterial stiffness and cardiovascular outcomes within the B-PROOF trial. 2015 , 33, 1897-906; discussion 1906	24
462	A Novel Echocardiographic Method for Assessing Arterial Stiffness in Obstructive Sleep Apnea Syndrome. 2015 , 45, 500-9	6
461	Acute Effect on Arterial Stiffness after Performing Resistance Exercise by Using the Valsalva Manoeuvre during Exertion. 2015 , 2015, 343916	4
460	Cardiovascular responses of blood pressure hyperreactors to the cold pressor test and exercise. 2015 , 4, 331-335	
459	Different Impacts of Cardiovascular Risk Factors on Arterial Stiffness versus Arterial Wall Thickness in Japanese Patients with Type 2 Diabetes Mellitus. 2015 , 22, 971-80	10
458	Risk Stratification of Patients with Peripheral Arterial Disease and Abdominal Aortic Aneurysm Using Aortic Augmentation Index. 2015 , 10, e0139887	16

457	A highly sensitive pressure sensor using a double-layered graphene structure for tactile sensing. 2015 , 7, 11652-9	63
456	The relationship between heart-carotid pulse transit time and carotid intima-media thickness in hypertensive patients. 2015 , 29, 663-8	7
455	Highly Stretchy Black Gold E-Skin Nanopatches as Highly Sensitive Wearable Biomedical Sensors. 2015 , 1, 1400063	331
454	Overview of the Normal Structure and Function of the Macrocirculation and Microcirculation. 2015 , 13-46	
453	Association between endothelial NO synthase polymorphisms and arterial properties in the general population. 2015 , 44, 47-51	9
452	Vascular Aging and Cardiovascular Disease. 2015 , 261-271	2
451	Vascular and central hemodynamic changes following exercise-induced heat stress. 2015 , 20, 222-9	13
450	Impact of blood pressure perturbations on arterial stiffness. 2015 , 309, R1540-5	44
449	Circulating levels of TNF-like cytokine 1A correlate with reflected waves and atherosclerosis extent and may predict cardiac death in patients with stable coronary artery disease. 2015 , 72, 102-4	5
448	Tetrahydrobiopterin lowers muscle sympathetic nerve activity and improves augmentation index in patients with chronic kidney disease. 2015 , 308, R208-18	22
447	Eardrum-inspired active sensors for self-powered cardiovascular system characterization and throat-attached anti-interference voice recognition. 2015 , 27, 1316-26	366
446	Solution-Processed Large-Area Nanocrystal Arrays of Metal-Organic Frameworks as Wearable, Ultrasensitive, Electronic Skin for Health Monitoring. 2015 , 11, 3351-6	61
445	Blood pressure and the obese. 2015 , 50, 241-55	1
444	Compartment-specific expression of collagens and their processing enzymes in intrapulmonary arteries of IPAH patients. 2015 , 308, L1002-13	44
443	Evaluation of aortic elastic properties in patients with exaggerated systolic blood pressure response to exercise testing. 2015 , 37, 97-101	2
442	Brachial-ankle pulse wave velocity is a predictor of walking distance in community-dwelling adults. 2015 , 27, 187-93	2
441	Flexible and self-powered temperature-pressure dual-parameter sensors using microstructure-frame-supported organic thermoelectric materials. 2015 , 6, 8356	330
440	Fingertip skin-inspired microstructured ferroelectric skins discriminate static/dynamic pressure and temperature stimuli. 2015 , 1, e1500661	485

439	A Sensitive and Biodegradable Pressure Sensor Array for Cardiovascular Monitoring. 2015 , 27, 6954-61		400
438	Aortic Hemodynamics and Arterial Stiffness Responses to Muscle Metaboreflex Activation With Concurrent Cold Pressor Test. <i>American Journal of Hypertension</i> , 2015 , 28, 1332-8	2,3	9
437	Estimation of aortic pulse wave transit time in cardiovascular magnetic resonance using complex wavelet cross-spectrum analysis. 2015 , 17, 65		20
436	Evidence for contemporary arterial stiffening in obese children and adolescents using pulse wave velocity: A systematic review and meta-analysis. 2015 , 241, 376-86		40
435	[Alterations in arterial compliance of dyslipidemic patients]. 2015 , 27, 129-35		
434	Cardiovascular Alterations in Normal and Preeclamptic Pregnancy. 2015 , 291-313		2
433	Arterial Stiffness in Patients Taking Second-generation Antipsychotics. 2016 , 14, 365-370		12
432	Dual benefits of renin-angiotensin-aldosterone blockade: lowering the blood pressure and de-stiffening the arteries. 2016 , 8, 1371-3		
431	Development of a Tonometric Sensor with a Decoupled Circular Array for Precisely Measuring Radial Artery Pulse. 2016 , 16,		8
430	Flexible Polymer Transducers for Dynamic Recognizing Physiological Signals. 2016 , 26, 3640-3648		56
429	Sensitive transmit receive architecture for body wearable RF plethysmography sensor. 2016 ,		2
428	Oxytocin decreases diurnal and nocturnal arterial blood pressure in the conscious unrestrained spontaneously hypertensive rat. 2016 , 23, 111-21		7
427	Association between arterial stiffness, disease activity and functional impairment in ankylosing spondylitis patients: a cross-sectional study. 2016 , 35, 2017-2022		10
426	Highly Sensitive and Patchable Pressure Sensors Mimicking Ion-Channel-Engaged Sensory Organs. 2016 , 10, 4550-8		38
425	Tunneling piezoresistive tactile sensing array for continuous blood pressure monitoring. 2016 ,		2
424	Ultralight Biomass-Derived Carbonaceous Nanofibrous Aerogels with Superelasticity and High Pressure-Sensitivity. 2016 , 28, 9512-9518		310
423	Flexible and Stretchable Piezoelectric Sensor with Thickness-Tunable Configuration of Electrospun Nanofiber Mat and Elastomeric Substrates. 2016 , 8, 24773-81		123
422	Effects of acute and chronic interval sprint exercise performed on a manually propelled treadmill on upper limb vascular mechanics in healthy young men. 2016 , 4, e12861		7

421	Large-Area Compliant, Low-Cost, and Versatile Pressure-Sensing Platform Based on Microcrack-Designed Carbon Black@Polyurethane Sponge for HumanMachine Interfacing. 2016 , 26, 6246-6256	353
420	Non invasive assessment of brachial arterial stiffness using fiber Bragg grating sensor. 2016 ,	2
419	Central hemodynamics and arterial stiffness in adult humans depend on the conditions of early development in the Northern Kola Peninsula. 2016 , 42, 150-155	3
418	Continuous non-invasive blood pressure during continuous repositioning by pulse transit time. 2016 , 3, 1221202	1
417	Relationship between aortic augmentation index and blood pressure during metaboreflex activation in healthy young men. 2016 , 21, 288-94	5
416	3D Dewetting for Crystal Patterning: Toward Regular Single-Crystalline Belt Arrays and Their Functionality. 2016 , 28, 2266-73	53
415	Assessment of arterial stiffness in type 1 diabetes using digital pulse contour analysis: Is it a reliable method?. 2016 , 53, 477-82	3
414	Effect of acute nitrate ingestion on central hemodynamic load in hypoxia. 2016 , 52, 49-55	5
413	Assessment of arterial stiffness from pedal artery Korotkoff sound recordings: feasibility and potential utility. 2016 , 10, 34-40	
412	Highly Sensitive, Flexible, and Wearable Pressure Sensor Based on a Giant Piezocapacitive Effect of Three-Dimensional Microporous Elastomeric Dielectric Layer. 2016 , 8, 16922-31	287
411	Linearly and Highly Pressure-Sensitive Electronic Skin Based on a Bioinspired Hierarchical Structural Array. 2016 , 28, 5300-6	371
410	Flexible Non-Constrained RF Wrist Pulse Detection Sensor Based on Array Resonators. 2016 , 10, 300-8	23
409	Volume-invariant ionic liquid microbands as highly durable wearable biomedical sensors. 2016 , 3, 208-213	96
408	Ultrasensitive strain gauge with tunable temperature coefficient of resistivity. 2016 , 9, 1346-1357	14
407	Tau pathology-dependent remodelling of cerebral arteries precedes Alzheimer's disease-related microvascular cerebral amyloid angiopathy. 2016 , 131, 737-52	67
406	Liquid-Wetting-Solid Strategy To Fabricate Stretchable Sensors for Human-Motion Detection. 2016 , 1, 303-311	52
405	Combined whole-body vibration training and l-citrulline supplementation improves pressure wave reflection in obese postmenopausal women. 2016 , 41, 292-7	33
404	An ultra-sensitive and rapid response speed graphene pressure sensors for electronic skin and health monitoring. 2016 , 23, 7-14	368

403	A paired stretchable printed sensor system for ambulatory blood pressure monitoring. 2016 , 238, 329-336	17
402	Pulsations with reflected boundary waves: a hydrodynamic reverse transport mechanism for perivascular drainage in the brain. 2016 , 73, 469-90	23
401	Ultrasensitive, passive and wearable sensors for monitoring human muscle motion and physiological signals. 2016 , 77, 907-13	54
400	Photoplethysmography Revisited: From Contact to Noncontact, From Point to Imaging. 2016 , 63, 463-77	260
399	Oxygen deteriorates arterial function in type 1 diabetes. 2016 , 53, 349-57	3
398	Carbonized Silk Nanofiber Membrane for Transparent and Sensitive Electronic Skin. 2017 , 27, 1605657	293
397	Laboratory model of the cardiovascular system for experimental demonstration of pulse wave propagation. 2017 , 52, 025001	
396	Arterial stiffness and arterial function in adult cyanotic patients with congenital heart disease. 2017 , 70, 62-67	5
395	Connecting You to New Products [Product Reviews]. 2017 , 6, 139-143	
394	An Ultrasensitive, Visco-Poroelastic Artificial Mechanotransducer Skin Inspired by Piezo2 Protein in Mammalian Merkel Cells. 2017 , 29, 1605973	93
393	Ultrathin and Wearable Microtubular Epidermal Sensor for Real-Time Physiological Pulse Monitoring. 2017 , 2, 1700016	55
392	Electrospun gelatin nanofiber based self-powered bio-e-skin for health care monitoring. 2017 , 36, 166-175	127
391	High-Performance Piezoresistive Electronic Skin with Bionic Hierarchical Microstructure and Microcracks. 2017 , 9, 14911-14919	86
390	Ultrasensitive and ultraflexible e-skins with dual functionalities for wearable electronics. 2017 , 38, 28-35	150
389	Wearable Resistive Pressure Sensor Based on Highly Flexible Carbon Composite Conductors with Irregular Surface Morphology. 2017 , 9, 17499-17507	101
388	Age-related change in contribution of stroke volume to central pulse pressure. 2017 , 39, 284-289	1
387	Full-field wrist pulse signal acquisition and analysis by 3D Digital Image Correlation. 2017 , 98, 76-82	29
386	Arterial stiffness in fertile women with metabolic syndrome. 2017 , 49, 636-643	2

385	Difference in protective effects of GIP and GLP-1 on endothelial cells according to cyclic adenosine monophosphate response. 2017 , 13, 2558-2564	16
384	Serum calcification propensity is associated with renal tissue oxygenation and resistive index in patients with arterial hypertension or chronic kidney disease. 2017 , 35, 2044-2052	20
383	Performance Investigation of a Wearable Distributed-Deflection Sensor in Arterial Pulse Waveform Measurement. 2017 , 17, 3994-4004	12
382	Noninvasive Evaluation of Varying Pulse Pressures Using Brachial Sphygmomanometry, Applanation Tonometry, and Pulse Wave Ultrasound Manometry. 2017 , 18, 22-28	4
381	Flexible Piezoelectric-Induced Pressure Sensors for Static Measurements Based on Nanowires/Graphene Heterostructures. 2017 , 11, 4507-4513	315
380	Toll-like receptor 4 mediates vascular remodeling in hyperhomocysteinemia. 2017 , 433, 177-194	3
379	Ejection time: influence of hemodynamics and site of measurement in the arterial tree. 2017 , 40, 811-818	5
378	Micropatterned Pyramidal Ionic Gels for Sensing Broad-Range Pressures with High Sensitivity. 2017 , 9, 10128-10135	191
377	Flexible Sensing Electronics for Wearable/Attachable Health Monitoring. 2017 , 13, 1602790	491
376	Ultrasensitive cellular fluorocarbon piezoelectret pressure sensor for self-powered human physiological monitoring. 2017 , 32, 42-49	94
375	Designing Metallic and Insulating Nanocrystal Heterostructures to Fabricate Highly Sensitive and Solution Processed Strain Gauges for Wearable Sensors. 2017 , 13, 1702534	33
374	A facile, precise radial artery pulse sensor based on stretchable graphene-coated fiber. 2017 , 267, 532-537	13
373	Paper/Carbon Nanotube-Based Wearable Pressure Sensor for Physiological Signal Acquisition and Soft Robotic Skin. 2017 , 9, 37921-37928	154
372	Suitability of the forearm for non-invasive blood pressure measurement in children. 2017 , 27, 1125-1130	2
371	High-performance wearable strain sensors based on fragmented carbonized melamine sponges for human motion detection. 2017 , 9, 17948-17956	58
370	Spontaneous Coronary Artery Dissection: Clinical Outcomes and Risk of Recurrence. 2017 , 70, 1148-1158	264
369	Highly Stretchable, Ultrasensitive, and Wearable Strain Sensors Based on Facilely Prepared Reduced Graphene Oxide Woven Fabrics in an Ethanol Flame. 2017 , 9, 32054-32064	117
368	Pulse pressure amplification and its relationship with age in young, apparently healthy black and white adults: The African-PREDICT study. 2017 , 249, 387-391	10

367	Facile Fabrication of a Flexible LiNbO Piezoelectric Sensor through Hot Pressing for Biomechanical Monitoring. 2017 , 9, 34687-34695	19
366	Sustainable Energy Generation from Piezoelectric Biomaterial for Noninvasive Physiological Signal Monitoring. 2017 , 5, 8836-8843	70
365	Electrospun nanofabric based all-fabric iontronic pressure sensor. 2017 ,	1
364	Low-voltage, high-sensitivity and high-reliability bimodal sensor array with fully inkjet-printed flexible conducting electrode for low power consumption electronic skin. 2017 , 41, 301-307	72
363	Self-Powered Real-Time Arterial Pulse Monitoring Using Ultrathin Epidermal Piezoelectric Sensors. 2017 , 29, 1702308	308
362	Supercapacitive Iontronic Nanofabric Sensing. 2017 , 29, 1700253	113
361	Diastolic Augmentation Index Improves Radial Augmentation Index in Assessing Arterial Stiffness. 2017 , 7, 5864	12
360	Central systolic blood pressure and aortic stiffness response to dietary sodium in young and middle-aged adults. 2017 , 11, 627-634	20
359	Association of Haemodynamic Indices of Central and Peripheral Pressure with Subclinical Target Organ Damage. 2018 , 5, 133-143	3
358	Highly Sensitive Flexible Pressure Sensors Based on Printed Organic Transistors with Centro-Apically Self-Organized Organic Semiconductor Microstructures. 2017 , 9, 42996-43003	38
357	Heart failure: a story of damage, fatigue and injury?. 2017 , 4, e000684	7
356	A Stretchable and Transparent Nanocomposite Nanogenerator for Self-Powered Physiological Monitoring. 2017 , 9, 42200-42209	92
355	A new mathematical model of wrist pulse waveforms characterizes patients with cardiovascular disease - A pilot study. 2017 , 48, 142-149	10
354	A Wearable and Highly Sensitive Graphene Strain Sensor for Precise Home-Based Pulse Wave Monitoring. 2017 , 2, 967-974	194
353	Pathophysiology of preeclampsia: an angiogenic imbalance and long-lasting systemic vascular dysfunction. 2017 , 40, 305-310	68
352	The association of endothelin-1 with markers of oxidative stress in a biethnic South African cohort: the SABPA study. 2017 , 40, 189-195	8
351	Aortopathy in adults with tetralogy of Fallot has a negative impact on the left ventricle. 2017 , 228, 380-384	13
350	Is arterial stiffening associated with adiposity, severity of obesity and other contemporary cardiometabolic markers in a community sample of adolescents with obesity in the UK?. 2017 , 1, e000061	8

- 349 Fractal Analysis of Cardiovascular Signals Empowering the Bioengineering Knowledge. **2017**, 2
- 348 Numerical Investigation of Pulse Wave Propagation in Arteries Using Fluid Structure Interaction Capabilities. **2017**, 2017, 4198095 4
- 347 Difference between ejection times measured at two different peripheral locations as a novel marker of vascular stiffness. **2017**, 12, e0187781
- 346 Electrocardiogram R-wave is an Unreliable Indicator of Pulse Wave Initialization. **2017**, 50, 856-861 5
- 345 Color M-mode echocardiography-derived propagation velocity of descending aorta decreases with aging. **2017**, 13, 669-674
- 344 Differential effects of brachial and central blood pressures on circulating levels of high-sensitivity cardiac troponin I in the general population. **2018**, 269, 185-191 5
- 343 Flexible Normal-Tangential Force Sensor with Opposite Resistance Responding for Highly Sensitive Artificial Skin. **2018**, 28, 1707503 114
- 342 Tailoring force sensitivity and selectivity by microstructure engineering of multidirectional electronic skins. **2018**, 10, 163-176 95
- 341 Flexible Ferroelectric Sensors with Ultrahigh Pressure Sensitivity and Linear Response over Exceptionally Broad Pressure Range. **2018**, 12, 4045-4054 212
- 340 Development of pharmacological screening method for evaluation of effect of drug on elevated pulse pressure and arterial stiffness. **2018**, 91, 59-65
- 339 Bio-inspired highly flexible dual-mode electronic cilia. **2018**, 6, 896-902 18
- 338 Highly Sensitive and Ultrastable Skin Sensors for Biopressure and Bioforce Measurements Based on Hierarchical Microstructures. **2018**, 10, 4086-4094 59
- 337 A Self-Powered Sensor Mimicking Slow- and Fast-Adapting Cutaneous Mechanoreceptors. **2018**, 30, e1706299 75
- 336 Comparison of laboratory and ambulatory measures of central blood pressure and pulse wave reflection: hitting the target or missing the mark?. **2018**, 12, 275-284 5
- 335 A wearable pressure sensor based on ultra-violet/ozone microstructured carbon nanotube/polydimethylsiloxane arrays for electronic skins. **2018**, 29, 115502 67
- 334 Enhanced Piezocapacitive Effect in CaCu₃Ti₄O₁₂/Polydimethylsiloxane Compositated Sponge for Ultrasensitive Flexible Capacitive Sensor. **2018**, 1, 274-283 32
- 333 Recent Developments in Graphene-Based Tactile Sensors and E-Skins. **2018**, 3, 1700248 100
- 332 Left ventricular remodeling and arterial afterload in older women with uncontrolled and controlled hypertension. **2018**, 25, 554-562 5

331	Resistance training-induced decrease in central arterial compliance is associated with decreased subendocardial viability ratio in healthy young men. 2018 , 43, 510-516	8
330	A flexible and highly sensitive pressure sensor based on elastic carbon foam. 2018 , 6, 1451-1458	97
329	Acupuncture therapy improves vascular hemodynamics and stiffness in middle-age hypertensive individuals. 2018 , 30, 14-18	8
328	Noncontact Heartbeat and Respiration Monitoring Based on a Hollow Microstructured Self-Powered Pressure Sensor. 2018 , 10, 3660-3667	81
327	Blood flow characteristics of diabetic patients with complications detected by optical measurement. 2018 , 17, 25	9
326	Scalable fabrication of free-standing, stretchable CNT/TPE ultrathin composite films for skin adhesive epidermal electronics. 2018 , 6, 6666-6671	23
325	An ultrasensitive flexible pressure sensor for multimodal wearable electronic skins based on large-scale polystyrene ball@reduced graphene-oxide core-shell nanoparticles. 2018 , 6, 5514-5520	63
324	Highly sensitive strain sensors based on fragmented carbon nanotube/polydimethylsiloxane composites. 2018 , 29, 235501	45
323	Fully Printed Wearable Vital Sensor for Human Pulse Rate Monitoring using Ferroelectric Polymer. 2018 , 8, 4442	68
322	Maternal arterial stiffness and fetal cardiovascular physiology in diabetic pregnancy. 2018 , 52, 654-661	8
321	A Self-Healable, Highly Stretchable, and Solution Processable Conductive Polymer Composite for Ultrasensitive Strain and Pressure Sensing. 2018 , 28, 1705551	285
320	Ultrasensitive and Highly Stable Resistive Pressure Sensors with Biomaterial-Incorporated Interfacial Layers for Wearable Health-Monitoring and Human-Machine Interfaces. 2018 , 10, 1067-1076	58
319	Chemically Designed Metallic/Insulating Hybrid Nanostructures with Silver Nanocrystals for Highly Sensitive Wearable Pressure Sensors. 2018 , 10, 1389-1398	29
318	A data-driven approach for addressing the lack of flow waveform data in studies of cerebral arterial flow in older adults. 2018 , 39, 015006	10
317	Relationships between central arterial stiffness, lean body mass, and absolute and relative strength in young and older men and women. 2018 , 38, 676-680	12
316	Evaluation of TT-Based Local PWV Estimation for Different Propagation Velocities. 2018 ,	1
315	The Effect of Lower Body Positive Pressure on Left Ventricular Ejection Duration in Patients With Heart Failure. 2018 , 16, 1559325818811543	1
314	Central haemodynamics in normal pregnancy: a prospective longitudinal study. 2018 , 36, 2102-2108	3

313	Sewing machine stitching of polyvinylidene fluoride fibers: programmable textile patterns for wearable triboelectric sensors. 2018 , 6, 22879-22888	50
312	The First Harmonic of Radial Pulse as an Early Predictor of Silent Coronary Artery Disease and Adverse Cardiac Events in Type 2 Diabetic Patients. 2018 , 2018, 5128626	6
311	Quantitative Vascular Evaluation: From Laboratory Experiments to Point-of-Care Patient (Experimental Approach). 2018 , 14, 76-85	5
310	The Semiconductor/Conductor Interface Piezoresistive Effect in an Organic Transistor for Highly Sensitive Pressure Sensors. 2019 , 31, e1805630	63
309	Transcatheter aortic valve replacement (TAVR) leads to an increase in the subendocardial viability ratio assessed by pulse wave analysis. 2018 , 13, e0207537	8
308	Sex differences in the contribution of blood pressure to acute changes in aortic augmentation index. 2018 , 32, 752-758	3
307	Tunable wrinkled graphene foams for highly reliable piezoresistive sensor. 2018 , 281, 141-149	10
306	Industrial Grade, Bending-Insensitive, Transparent Nanoforce Touch Sensor via Enhanced Percolation Effect in a Hierarchical Nanocomposite Film. 2018 , 28, 1804721	35
305	Flexible and Highly Sensitive Resistive Pressure Sensor Based on Carbonized Crepe Paper with Corrugated Structure. 2018 , 10, 34646-34654	81
304	Laser-microengineered flexible electrodes with enhanced sensitivity for wearable pressure sensors. 2018 , 281, 124-129	28
303	Parameters of pulse wave velocity: determinants and reference values assessed in the population-based study LIFE-Adult. 2018 , 107, 1050-1061	27
302	Laminated Object Manufacturing of 3D-Printed Laser-Induced Graphene Foams. 2018 , 30, e1707416	118
301	Multiscale Hierarchical Design of a Flexible Piezoresistive Pressure Sensor with High Sensitivity and Wide Linearity Range. 2018 , 14, e1800819	190
300	Effects of exercise intensity and cardiorespiratory fitness on the acute response of arterial stiffness to exercise in older adults. 2018 , 118, 1673-1688	8
299	Changes in arterial pressure hemodynamics in response to renal nerve stimulation both before and after renal denervation. 2018 , 107, 1131-1138	8
298	Pulsatile arterial haemodynamics in heart failure. 2018 , 39, 3847-3854	62
297	Wood Derived Composites for High Sensitivity and Wide Linear-Range Pressure Sensing. 2018 , 14, e1801520	56
296	Self-Powered Force Sensor Based on Thinned Bulk PZT for Real-Time Cutaneous Activities Monitoring. 2018 , 39, 1226-1229	13

295	Accuracy of a Novel Handheld Wireless Platform for Detection of Cardiac Dysfunction in Anthracycline-Exposed Survivors of Childhood Cancer. 2018 , 24, 3119-3125	13
294	Bioinspired Microstructured Pressure Sensor Based on a Janus Graphene Film for Monitoring Vital Signs and Cardiovascular Assessment. 2018 , 4, 1800252	44
293	Pulse sensor based on single-electrode triboelectric nanogenerator. 2018 , 280, 326-331	17
292	Highly-sensitive linear tactile array for continuously monitoring blood pulse waves. 2018 , 280, 261-270	6
291	Arterial Stiffness: A Prognostic Marker in Coronary Heart Disease. Available Methods and Clinical Application. 2018 , 5, 64	38
290	A Triple-Mode Flexible E-Skin Sensor Interface for Multi-Purpose Wearable Applications. 2017 , 18,	24
289	Micropatterned Elastic Gold-Nanowire/Polyacrylamide Composite Hydrogels for Wearable Pressure Sensors. 2018 , 3, 1800051	37
288	Rational Design of Ultrasensitive Pressure Sensors by Tailoring Microscopic Features. 2018 , 5, 1800403	56
287	Piezoresistive E-Skin Sensors Produced with Laser Engraved Molds. 2018 , 4, 1800182	33
286	Wearable Piezoresistive Sensors with Ultrawide Pressure Range and Circuit Compatibility Based on Conductive-Island-Bridging Nanonetworks. 2019 , 11, 32291-32300	19
285	Simple and efficient pressure sensor based on PDMS wrapped CNT arrays. 2019 , 155, 71-76	35
284	Acute systemic inflammation reduces both carotid and aortic wave reflection in healthy adults. 2019 , 7, e14203	3
283	Ultralow-Cost, Highly Sensitive, and Flexible Pressure Sensors Based on Carbon Black and Airlaid Paper for Wearable Electronics. 2019 , 11, 33370-33379	72
282	Ultrafast Self-Healing and Injectable Conductive Hydrogel for Strain and Pressure Sensors. 2019 , 4, 1900346	34
281	The Effects of Acute Bouts of Whole Body Vibration on Central Hemodynamics in Frail Older Adults: A Pilot Study. 2019 , 37, 223-233	
280	Arterial Stiffness. 2019 , 203-213	
279	Increased mitochondrial NADPH oxidase 4 (NOX4) expression in aging is a causative factor in aortic stiffening. 2019 , 26, 101288	39
278	Flexible and Washable Poly(Ionic Liquid) Nanofibrous Membrane with Moisture Proof Pressure Sensing for Real-Life Wearable Electronics. 2019 , 11, 27200-27209	55

277	Wearable, Antifreezing, and Healable Epidermal Sensor Assembled from Long-Lasting Moist Conductive Nanocomposite Organohydrogel. 2019 , 11, 41701-41709	53
276	A wearable and sensitive graphene-cotton based pressure sensor for human physiological signals monitoring. 2019 , 9, 14457	16
275	A Noninvasive, Electromagnetic, Epidermal Sensing Device for Hemodynamics Monitoring. 2019 , 13, 1393-1404	6
274	A Tough and Self-Powered Hydrogel for Artificial Skin. 2019 , 31, 9850-9860	56
273	Stretchable and Highly Sensitive Optical Strain Sensors for Human-Activity Monitoring and Healthcare. 2019 , 11, 33589-33598	42
272	Core/Shell Piezoelectric Nanofibers with Spatial Self-Orientated β Phase Nanocrystals for Real-Time Micropressure Monitoring of Cardiovascular Walls. 2019 , 13, 10062-10073	38
271	Graphene Oxide Films Prepared Using Gelatin Nanofibers as Wearable Sensors for Monitoring Cardiovascular Health. 2019 , 4, 1900540	12
270	Preeclampsia: Maternal Systemic Vascular Disorder Caused by Generalized Endothelial Dysfunction Due to Placental Antiangiogenic Factors. 2019 , 20,	68
269	Ultra-robust wide-range pressure sensor with fast response based on polyurethane foam doubly coated with conformal silicone rubber and CNT/TPU nanocomposites islands. 2019 , 177, 107364	45
268	Quantitative Stent Graft Motion in ECG Gated CT by Image Registration and Segmentation: In Vitro Validation and Preliminary Clinical Results. 2019 , 58, 746-755	5
267	Effects of acute dietary nitrate supplementation on aortic blood pressures and pulse wave characteristics in post-menopausal women. 2019 , 85, 10-16	9
266	A Wearable Transient Pressure Sensor Made with MXene Nanosheets for Sensitive Broad-Range Human-Machine Interfacing. 2019 , 19, 1143-1150	325
265	Soft and flexible piezoelectric smart patch for vascular graft monitoring based on Aluminum Nitride thin film. 2019 , 9, 8392	25
264	Clinical assessment of a non-invasive wearable MEMS pressure sensor array for monitoring of arterial pulse waveform, heart rate and detection of atrial fibrillation. 2019 , 2, 39	61
263	Ultrawide Sensing Range and Highly Sensitive Flexible Pressure Sensor Based on a Percolative Thin Film with a Knoll-like Microstructured Surface. 2019 , 11, 20500-20508	18
262	Impact of extreme prematurity or extreme low birth weight on young adult health and well-being: the Victorian Infant Collaborative Study (VICS) 1991-1992 Longitudinal Cohort study protocol. 2019 , 9, e030345	9
261	The Relationship between Serum Alkaline Phosphatase and Arterial Stiffness in Korean Adults. 2019 , 26, 1084-1091	5
260	Robust and scalable three-dimensional spacer textile pressure sensor for human motion detection. 2019 , 28, 065019	19

259	Laser micro-structured pressure sensor with modulated sensitivity for electronic skins. 2019 , 30, 325502	42
258	Microstructured Porous Pyramid-Based Ultrahigh Sensitive Pressure Sensor Insensitive to Strain and Temperature. 2019 , 11, 19472-19480	191
257	A flexible and skin-mountable elastic fiber-based sensor patch for healthcare monitoring. 2019 , 5, 045011	5
256	A Flexible e-skin based on micro-structured PZT thin films prepared via a low-temperature PLD method. 2019 , 7, 4760-4769	18
255	A flexible active dual-parameter sensor for sensitive temperature and physiological signal monitoring via integrating thermoelectric and piezoelectric conversion. 2019 , 7, 8258-8267	38
254	Measuring Blood Pulse Wave Velocity with Bioimpedance in Different Age Groups. 2019 , 19,	3
253	All-Carbon Pressure Sensors with High Performance and Excellent Chemical Resistance. 2019 , 15, e1804779	25
252	Flexible, Tunable, and Ultrasensitive Capacitive Pressure Sensor with Microconformal Graphene Electrodes. 2019 , 11, 14997-15006	142
251	The NaK-ATPase Inhibitor Marinobufagenin and Early Cardiovascular Risk in Humans: a Review of Recent Evidence. 2019 , 21, 38	6
250	Highly sensitive and multifunctional piezoresistive sensor based on polyaniline foam for wearable Human-Activity monitoring. 2019 , 121, 510-516	49
249	Highly Sensitive and Large-Range Strain Sensor with a Self-Compensated Two-Order Structure for Human Motion Detection. 2019 , 11, 8527-8536	64
248	A wearable strain sensor based on the ZnO/graphene nanoplatelets nanocomposite with large linear working range. 2019 , 54, 7048-7061	36
247	Carbon Nanotube-Modified Fabric for Wearable Smart Electronic-skin with Exclusive Normal-Tangential Force Sensing Ability. 2019 , 4, 1800680	22
246	Ionic liquid-activated wearable electronics. 2019 , 8, 78-85	30
245	A Universal high accuracy wearable pulse monitoring system via high sensitivity and large linearity graphene pressure sensor. 2019 , 59, 422-433	113
244	A Novel Pulse Wave Analyzer for Personal Health Monitoring. 2019 ,	
243	Aluminium Nitride based bio-MEMS for vascular graft monitoring. 2019 ,	
242	Detection and analysis of pulse waves during sleep via wrist-worn actigraphy. 2019 , 14, e0226843	3

241	Vascular Function and Serum Lipids in Women with Spontaneous Preterm Delivery and Term Controls. 2019 , 28, 1522-1528	2
240	Magnetic-Assisted Transparent and Flexible Percolative Composite for Highly Sensitive Piezoresistive Sensor via Hot Embossing Technology. 2019 , 11, 48331-48340	18
239	Anodized Aluminum Oxide-Assisted Low-Cost Flexible Capacitive Pressure Sensors Based on Double-Sided Nanopillars by a Facile Fabrication Method. 2019 , 11, 48594-48603	49
238	Ultrasensitive Fingertip-Contacted Pressure Sensors To Enable Continuous Measurement of Epidermal Pulse Waves on Ubiquitous Object Surfaces. 2019 , 11, 46399-46407	15
237	Cardiovascular Risk Assessment in Pediatric Liver Transplant Patients. 2019 , 68, 377-383	4
236	Full 3D Printing of Stretchable Piezoresistive Sensor with Hierarchical Porosity and Multimodulus Architecture. 2019 , 29, 1807569	105
235	Highly Sensitive, Low Voltage Operation, and Low Power Consumption Resistive Strain Sensors Based on Vertically Oriented Graphene Nanosheets. 2019 , 4, 1800572	9
234	Silver Telluride Nanowire Assembly for High-Performance Flexible Thermoelectric Film and Its Application in Self-Powered Temperature Sensor. 2019 , 5, 1800612	36
233	Skin Adhesives with Controlled Adhesion by Polymer Chain Mobility. 2019 , 11, 1496-1502	26
232	Scalable nanomanufacturing and assembly of chiral-chain piezoelectric tellurium nanowires for wearable self-powered cardiovascular monitoring. 2019 , 3, 011001	12
231	Direct write of a flexible high-sensitivity pressure sensor with fast response for electronic skins. 2019 , 67, 10-18	25
230	Molecule-Graphene Hybrid Materials with Tunable Mechanoresponse: Highly Sensitive Pressure Sensors for Health Monitoring. 2019 , 31, e1804600	103
229	All VN-graphene architecture derived self-powered wearable sensors for ultrasensitive health monitoring. 2019 , 12, 331-338	48
228	Multiaxial and Transparent Strain Sensors Based on Synergetically Reinforced and Orthogonally Cracked Hetero-Nanocrystal Solids. 2019 , 29, 1806714	36
227	Solution-synthesized chiral piezoelectric selenium nanowires for wearable self-powered human-integrated monitoring. 2019 , 56, 693-699	48
226	Central aortic pressure improves prediction of cardiovascular events compared to peripheral blood pressure in short-term follow-up of a hypertensive cohort. 2020 , 42, 16-23	11
225	Mimicking Human and Biological Skins for Multifunctional Skin Electronics. 2020 , 30, 1904523	126
224	Regional Upstroke Tracking for Transit Time Detection to Improve the Ultrasound-Based Local PWV Estimation in Carotid Arteries. 2020 , 67, 691-702	0

223	Inkjet-Printed Soft Resistive Pressure Sensor Patch for Wearable Electronics Applications. 2020 , 5, 1900717	37
222	A wearable, self-adhesive, long-lastingly moist and healable epidermal sensor assembled from conductive MXene nanocomposites. 2020 , 8, 1788-1795	53
221	Lymphatic remodelling in response to lymphatic injury in the hind limbs of sheep. 2020 , 4, 649-661	5
220	Portable, Wireless Wearable Piezoelectric Arterial Pulse Monitoring System Based on Near-Field Communication Approach. 2020 , 41, 183-186	8
219	Stretchable Strain Sensor for Human Motion Monitoring Based on an Intertwined-Coil Configuration. 2020 , 10,	6
218	Transduction Mechanisms, Micro-Structuring Techniques, and Applications of Electronic Skin Pressure Sensors: A Review of Recent Advances. 2020 , 20,	12
217	Highly Sensitive Flexible Iontronic Pressure Sensor for Fingertip Pulse Monitoring. 2020 , 9, e2001023	39
216	Surface Engineering of a 3D Topological Network for Ultrasensitive Piezoresistive Pressure Sensors. 2020 , 12, 38805-38812	20
215	Wearable MXene nanocomposites-based strain sensor with tile-like stacked hierarchical microstructure for broad-range ultrasensitive sensing. 2020 , 78, 105187	60
214	A durable nanomesh on-skin strain gauge for natural skin motion monitoring with minimum mechanical constraints. 2020 , 6, eabb7043	61
213	Self-Sealing Carbon Patterns by One-Step Direct Laser Writing and Their Use in Multifunctional Wearable Sensors. 2020 , 12, 50600-50609	2
212	Near-Field Electrospinning Enabled Highly Sensitive and Anisotropic Strain Sensors. 2020 , 5, 2000550	7
211	Flexible 3D Architected Piezo/Thermoelectric Bimodal Tactile Sensor Array for E-Skin Application. 2020 , 10, 2001945	46
210	Gelatin methacryloyl-based tactile sensors for medical wearables. 2020 , 30, 2003601	41
209	Compressible AgNWs/Ti3C2Tx MXene aerogel-based highly sensitive piezoresistive pressure sensor as versatile electronic skins. 2020 , 8, 20030-20036	49
208	Evaluation of the Effects of Aging on the Aorta Stiffness in Relation with Mineral and Trace Element Levels: an Optimized Method via Custom-Built Stretcher Device. 2021 , 199, 2644-2652	1
207	Volume Infusion Markedly Increases Femoral dP/dtmax in Fluid-Responsive Patients Only. 2020 , 48, 1487-1493	o
206	Tailored Poly(vinylidene fluoride--trifluoroethylene) Crystal Orientation for a Triboelectric Nanogenerator through Epitaxial Growth on a Chitin Nanofiber Film. 2020 , 20, 6651-6659	16

205	Highly Stretchable, Self-Healable, Ultrasensitive Strain and Proximity Sensors Based on Skin-Inspired Conductive Film for Human Motion Monitoring. 2020 , 12, 51987-51998	14
204	Organic field-effect transistor-based flexible sensors. 2020 , 49, 3423-3460	113
203	Effects of Montmorency Tart Cherry Juice Consumption on Cardiometabolic Biomarkers in Adults with Metabolic Syndrome: A Randomized Controlled Pilot Trial. 2020 , 23, 1238-1247	18
202	Meso-Reconstruction of Wool Keratin 3D "Molecular Springs" for Tunable Ultra-Sensitive and Highly Recovery Strain Sensors. 2020 , 16, e2000128	20
201	Effects of blackcurrant extract on arterial functions in older adults: A randomized, double-blind, placebo-controlled, crossover trial. 2020 , 42, 640-647	11
200	Soft Electronics for the Skin: From Health Monitors to HumanMachine Interfaces. 2020 , 5, 2000233	39
199	Ferroelectric Multilayer Nanocomposites with Polarization and Stress Concentration Structures for Enhanced Triboelectric Performances. 2020 , 14, 7101-7110	32
198	Association of pulse pressure, pulse pressure index, and ambulatory arterial stiffness index with kidney function in a cross-sectional pediatric chronic kidney disease cohort from the CKiD study. 2020 , 22, 1059-1069	3
197	Central blood pressure predicts the development of hypertension in the general population. 2020 , 43, 1301-1308	2
196	Machine-knitted washable sensor array textile for precise epidermal physiological signal monitoring. 2020 , 6, eaay2840	152
195	Self-powered triboelectric/pyroelectric multimodal sensors with enhanced performances and decoupled multiple stimuli. 2020 , 72, 104671	24
194	Association of renal resistance index and arterial stiffness on clinical outcomes in patients with mild-to-moderate renal dysfunction and presence or absence of heart failure with preserved ejection fraction. 2020 , 35, 1699-1708	3
193	A breathable, biodegradable, antibacterial, and self-powered electronic skin based on all-nanofiber triboelectric nanogenerators. 2020 , 6, eaba9624	283
192	2D Percolation Design with Conductive Microparticles for Low-Strain Detection in a Stretchable Sensor. 2020 , 30, 1908514	19
191	Protein-Inspired Self-Healable TiC MXenes/Rubber-Based Supramolecular Elastomer for Intelligent Sensing. 2020 , 14, 2788-2797	83
190	Highly sensitive pressure sensor based on structurally modified tissue paper for human physiological activity monitoring. 2020 , 137, 48973	10
189	A Wireless Textile-Based Sensor System for Self-Powered Personalized Health Care. 2020 , 2, 896-907	183
188	Sensitive pressure sensors based on conductive microstructured air-gap gates and two-dimensional semiconductor transistors. 2020 , 3, 59-69	69

187	A wearable breathable pressure sensor from metal-organic framework derived nanocomposites for highly sensitive broad-range healthcare monitoring. 2020 , 70, 104560	56
186	A programmable, gradient-composition strategy producing synergistic and ultrahigh sensitivity amplification for flexible pressure sensing. 2020 , 74, 104847	13
185	Noninvasive vascular function tests for the future prediction of primary cardiovascular diseases. 2020 , 48, 113-118	2
184	. 2020 , 69, 7646-7657	3
183	Flexible Liquid-Filled Fiber Adapter Enabled Wearable Optical Sensors. 2020 , 5, 2000079	8
182	Ultrasensitive Thin-Film Pressure Sensors with a Broad Dynamic Response Range and Excellent Versatility Toward Pressure, Vibration, Bending, and Temperature. 2020 , 12, 20998-21008	19
181	The association of low-density lipoprotein cholesterol with elevated arterial stiffness in adolescents and young adults with type 1 and type 2 diabetes: The SEARCH for Diabetes in Youth study. 2020 , 21, 863-870	5
180	Efficacy and safety of the dual-layer flow-diverting stent (FRED) for the treatment of intracranial aneurysms. 2020 , 12, 521-525	11
179	Freestanding silver/polypyrrole composite film for multifunctional sensor with biomimetic micropattern for physiological signals monitoring. 2021 , 404, 126940	30
178	Brachial-ankle pulse wave velocity with a custom device. 2020 , 221, 145-145	2
177	Phospholemman Phosphorylation Regulates Vascular Tone, Blood Pressure, and Hypertension in Mice and Humans. 2021 , 143, 1123-1138	3
176	Skin-Inspired Piezoelectric Tactile Sensor Array with Crosstalk-Free Row+Column Electrodes for Spatiotemporally Distinguishing Diverse Stimuli. 2021 , 8, 2002817	57
175	Sex modulates the association of radial artery augmentation index with renal function decline in individuals without chronic kidney disease. 2021 , 53, 2549-2555	
174	Local transversal aortic strain is impaired in ascending aorta dilatation. 2021 , 39, 1402-1411	2
173	ZnO nanoparticle confined stress amplified all-fiber piezoelectric nanogenerator for self-powered healthcare monitoring. 2021 , 5, 4389-4400	6
172	A highly sensitive, foldable and wearable pressure sensor based on MXene-coated airlaid paper for electronic skin. 2021 , 9, 12642-12649	8
171	Microbiota Cardiovascular Axis: How We Could Improve Cardiovascular System With Microbiota Metabolites. 2021 ,	
170	Two cases of COVID-19 monitored by a wearable biosensor-a case report. 2021 , 7, 62	2

169	Knittable and Sewable Spandex Yarn with Nacre-Mimetic Composite Coating for Wearable Health Monitoring and Thermo- and Antibacterial Therapies. 2021 , 13, 9053-9063	22
168	Piezoresistive Electronic-Skin Sensors Produced With Self-Channeling Laser Microstructured Silicon Molds. 2021 , 68, 786-792	8
167	Muscle Fibers Inspired High-Performance Piezoelectric Textiles for Wearable Physiological Monitoring. 2021 , 31, 2010962	71
166	Brachial-ankle pulse wave velocity with a custom device. 2021 , 221, 145-150	
165	Meso-Reconstruction of Silk Fibroin based on Molecular and Nano-Templates for Electronic Skin in Medical Applications. 2021 , 31, 2100150	14
164	Healable, Degradable, and Conductive MXene Nanocomposite Hydrogel for Multifunctional Epidermal Sensors. 2021 , 15, 7765-7773	84
163	Self-Adhesive, Stretchable, Biocompatible, and Conductive Nonvolatile Eutectogels as Wearable Conformal Strain and Pressure Sensors and Biopotential Electrodes for Precise Health Monitoring. 2021 , 13, 20735-20745	17
162	High-performance strain sensors based on bilayer carbon black/PDMS hybrids. 2021 , 4, 514-520	16
161	A Facile and Rapid Approach to Lotus-Seedpod-Structured Electronic Skin for Monitoring Diverse Physical Stimuli. 2021 , 6, 2001084	3
160	Vascular Responses to High-Intensity Battling Rope Exercise between the Sexes. 2021 , 20, 349-356	0
159	Wireless Battery-Free Broad-Band Sensor for Wearable Multiple Physiological Measurement. 2021 , 3, 1681-1690	1
158	Adaptation to 5 weeks of intermittent local vascular pressure increments; mechanisms to be considered in the development of primary hypertension?. 2021 , 320, H1303-H1312	3
157	Uniformly distributed self-filling micro-strips for high-performance pressure-sensitive sensor. 2021 ,	
156	Self-Powered, Stretchable, and Wearable Ion Gel Mechanoreceptor Sensors. 2021 , 6, 1940-1948	7
155	Soft Wearable Healthcare Materials and Devices. 2021 , 10, e2100577	16
154	Clinical effectiveness of fish oil on arterial stiffness: A systematic review and meta-analysis of randomized controlled trials. 2021 , 31, 1339-1348	3
153	Breathable TiCT MXene/Protein Nanocomposites for Ultrasensitive Medical Pressure Sensor with Degradability in Solvents. 2021 , 15, 9746-9758	58
152	Enabling the Unconstrained Epidermal Pulse Wave Monitoring via Finger-Touching. 2021 , 31, 2102378	11

151	Association of Circulating Extracellular Matrix Components with Central Hemodynamics and Arterial Distensibility of Peripheral Arteries. 2021 , 58, 370-378	
150	Heart rate modulates the relationship of augmented systolic blood pressure with the blood natriuretic peptide levels. 2021 , 8, 3957-3963	1
149	Cutaneous Ionogel Mechanoreceptors for Soft Machines, Physiological Sensing, and Amputee Prostheses. 2021 , 33, e2102069	39
148	Development of a Hybrid Force-Displacement Sensor Based on Fiber Bragg Grating for Radial Artery Pulse Waveform Measurement. 2021 , 21, 20045-20054	3
147	Basement Membrane Extracellular Matrix Proteins in Pulmonary Vascular and Right Ventricular Remodeling in Pulmonary Hypertension. 2021 , 65, 245-258	6
146	A lightweight, ultrathin aramid-based flexible sensor using a combined inkjet printing and buckling strategy. 2021 , 421, 129830	8
145	Silk-based pressure/temperature sensing bimodal ionotronic skin with stimulus discriminability and low temperature workability. 2021 , 422, 130091	12
144	The mitochondria-targeted antioxidant MitoQ attenuated PM-induced vascular fibrosis via regulating mitophagy. 2021 , 46, 102113	8
143	MXene-enhanced β phase crystallization in ferroelectric porous composites for highly-sensitive dynamic force sensors. 2021 , 89, 106409	13
142	Recent advances in flexible thermoelectric films and devices. 2021 , 89, 106309	14
141	Highly Sensitive Strain Sensors Based on Molecules-Gold Nanoparticles Networks for High-Resolution Human Pulse Analysis. 2021 , 17, e2007593	14
140	Effect of tofogliflozin on arterial stiffness in patients with type 2 diabetes: prespecified sub-analysis of the prospective, randomized, open-label, parallel-group comparative UTOPIA trial. 2021 , 20, 4	12
139	Laser direct writing and characterizations of flexible piezoresistive sensors with microstructures. 2021 , 4, 20006101-20006111	5
138	Primary and Secondary Hypertension. 2012 , 1670-1751	1
137	Wearable multimode sensors with amplified piezoelectricity due to the multi local strain using 3D textile structure for detecting human body signals. 2020 , 74, 104932	29
136	Low-Hysteresis and Ultrasensitive Microcellular Structures for Wearable Electronic Applications. 2021 , 13, 1632-1643	7
135	The effects of repeated binge drinking on arterial stiffness and urinary norepinephrine levels in young adults. 2020 , 38, 111-117	7
134	The Effect of Short-Term Breath Holding on Pulse Wave Velocity and Vascular Stiffness. 2019 , 64, 978-983	1

133	Nutrition Questionnaires plus (NQplus) study, a prospective study on dietary determinants and cardiometabolic health in Dutch adults. 2018 , 8, e020228	15
132	Acute administration of ivacaftor to people with cystic fibrosis and a mutation reveals smooth muscle abnormalities. 2016 , 1, e86183	24
131	Sa-Am Acupuncture with Spleen Seung-gyuck induces an acute increase of radial pulse parameters related to arterial stiffness in healthy subjects: A comparative study of Jung-gyuck and Seung-gyuck. 2014 , 35, 19-27	2
130	Pulse wave analysis in normal pregnancy: a prospective longitudinal study. 2009 , 4, e6134	65
129	Digital Photoplethysmography for Assessment of Arterial Stiffness: Repeatability and Comparison with Applanation Tonometry. 2015 , 10, e0135659	58
128	Sustained Improvement of Arterial Stiffness and Blood Pressure after Long-Term Rosuvastatin Treatment in Patients with Inflammatory Joint Diseases: Results from the RORA-AS Study. 2016 , 11, e0153440	13
127	miR-181b regulates vascular stiffness age dependently in part by regulating TGF- β signaling. 2017 , 12, e0174108	46
126	Noninvasive assessment of preclinical atherosclerosis. 2006 , 2, 19-30	77
125	Hemodynamic Instability in Heart Failure Intensifies Age-Dependent Cognitive Decline. 2020 , 76, 63-84	3
124	The Role of Arterial Stiffness and Central Hemodynamics in Heart Failure. 2020 , 2, 209	3
123	Effect of Luso-Brazilian Positioning on Central Arterial Pressure. 2017 , 108, 100-108	6
122	E-Skin Piezoresistive Pressure Sensor Combining Laser Engraving and Shrinking Polymeric Films for Health Monitoring Applications. 2021 , 8, 2100877	0
121	Binder-free printed PEDOT wearable sensors on everyday fabrics using oxidative chemical vapor deposition. 2021 , 7, eabj8958	8
120	Physiologically Self-Regulated, Fully Implantable, Battery-Free System for Peripheral Nerve Restoration. 2021 , 33, e2104175	10
119	Mass Production of 2D Manifolds of Graphene Oxide by Shear Flow. 2107694	1
118	Dinamika skorosti klubochkovoy fil'tratsii - samostoyatel'naya mishen' antigipertenzivnoy terapii: vozmozhnosti eprosartana. 2008 , 5, 71-75	
117	Exercise. 2011 , 567-582	
116	A Log-linearized Arterial Viscoelastic Index and Its Application to Carotid Ultrasonography. 2012 , 48, 563-570	1

115	Opiate dependence as an independent and interactive risk factor for arterial stiffness and cardiovascular ageing - a longitudinal study in females. 2013 , 5, 356-67	4
114	AORTIC STIFFNESS ASSESSMENT IN PATIENTS WITH ARTERIAL HYPERTENSION AND OBESITY. 2013 , 12, 85-88	1
113	Radial Applanation Tonometry as an Adjuvant Tool in the Noninvasive Arterial Stiffness and Blood Pressure Assessment. 2014 , 04, 225-235	5
112	Systemic Hemodynamics in Hypertension. 2016 , 75-96	
111	Vascular Remodeling: Homocysteine and Diabetes. 2017 , 469-479	
110	Arterial Pulse. 2020 , 263-286	1
109	Biomarkers of Cardiovascular Disease in Patients With Ankylosing Spondylitis. 2020 , 35, 435-439	2
108	Intra-Arterial Labetalol and Nitroglycerin in Preventing Radial Artery Spasm Following Transradial Angiography: A New Approach. 2020 , 26, 142-149	1
107	Chaotic Algorithms of Analysis of Cardiovascular Systems and Artificial Intelligence. 2020 , 231-240	
106	Correlations between Arteriograph-Derived Augmentation Index and Disease Activity in Acromegaly Patients.. 2020 , 6, 376-384	
105	Acoustic Wave Technology as a Diagnostic Tool for Cardiovascular Disease. 2007 , 3386-3389	
104	Screening Test on Metabolic Syndrome Using Electro Interstitial Scan Instrument. 2020 , 13, 237-243	
103	Harmonic analysis of noninvasively recorded arterial pressure waveforms in healthy bonnet macaques (<i>Macaca radiata</i>). 2011 , 50, 79-83	1
102	Nurses' Stress Associated with Nursing Activities and Electronic Health Records: Data Triangulation from Continuous Stress Monitoring, Perceived Workload, and a Time Motion Study. 2019 , 2019, 952-961	5
101	Changes in Organ Systems over the Lifespan. 2021 , 7-25	
100	Photoplethysmographic assessment of arterial stiffness and endothelial function. 2022 , 235-276	0
99	An Adaptive Estimation of Ultrasound Transit Time-based Local PWV in Carotid Artery using Particle Swarm Optimization Algorithm. 2021 ,	
98	Ultrafast-Response/Recovery Flexible Piezoresistive Sensors with DNA-Like Double Helix Yarns for Epidermal Pulse Monitoring. 2021 , e2104313	11

97	Laser Direct Writing of Highly Ordered Two-Level Hierarchical Microstructures for Flexible Piezoresistive Sensor with Enhanced Sensitivity. 2101596	4
96	Is It Good to Have a Stiff Aorta with Aging? Causes and Consequences. 2021 ,	3
95	A bioinspired porous-designed hydrogel@polyurethane sponge piezoresistive sensor for human-machine interfacing. 2021 , 13, 19155-19164	4
94	All-fiber structure covered with two-dimensional conductive MOF materials to construct a comfortable, breathable and high-quality self-powered wearable sensor system.	2
93	High-performance strain sensor for detection of human motion and subtle strain by facile fabrication. 2022 , 189, 110658	4
92	Association of atherogenic serum lipids and platelet activation with changes in arterial stiffness in patients with type 2 diabetes. 2022 ,	0
91	Cardiovascular Alterations in Normal and Preeclamptic Pregnancy. 2022 , 219-244	
90	Cuffless Blood Pressure Devices.. <i>American Journal of Hypertension</i> , 2022 ,	2.3 2
89	Evaluation of augmentation index and pulse wave velocity measurements in central retinal vein occlusion patients with and without hypertension.. 2022 , 42, 1347	
88	Contact resistance based tactile sensor using covalently cross-linked graphene aerogels.. 2022 ,	3
87	controlled and conformal coating of polydimethylsiloxane foams with silver nanoparticle networks with tunable piezo-resistive properties.. 2022 ,	3
86	Wearable Pressure Sensors for Pulse Wave Monitoring.. 2022 , e2109357	36
85	Ultrasensitive Multimodal Tactile Sensors with Skin-Inspired Microstructures through Localized Ferroelectric Polarization.. 2022 , e2105423	8
84	A highly temperature- and pressure-sensitive soft sensor self-powered by a galvanic cell design.	2
83	Multifunctional skin-compliant wearable sensors for monitoring human condition applications. 2022 , 26, 101361	5
82	A nature-inspired hierarchical branching structure pressure sensor with high sensitivity and wide dynamic range for versatile medical wearables.. 2022 , 203, 114028	1
81	Polyaniline-nanospines engineered nanofibrous membrane based piezoresistive sensor for high-performance electronic skins. 2022 , 95, 106970	7
80	Self-Assembly 3D Porous Crumpled MXene Spheres as Efficient Gas and Pressure Sensing Material for Transient All-MXene Sensors.. 2022 , 14, 56	1

79	Flexible Piezoelectric Nanogenerator Based on Metal Phenolic Frameworks from Copper and Copper Oxide for Efficient Biomechanical Energy Harvesting and Physiological Monitoring.	
78	Modelling of a novel AlN nanogenerator-based self-powered MEMS arterial-pulse sensor. 2022 , 1-1	
77	Two-dimensional MXenes : New frontier of wearable and flexible electronics. 2022 , 4,	15
76	Integrated Strain Sensors with Stretchable Vertical Graphene Networks for Non-invasive Physiological Assessment. 2022 , 4, 964-973	2
75	A Structural Gel Composite Enabled Robust Underwater Mechanosensing Strategy with High Sensitivity. 2201396	3
74	3D Waterproof MXene-Based Textile Electronics for Physiology and Motion Signals Monitoring. 2102553	1
73	Ultralight Iontronic Triboelectric Mechanoreceptor with High Specific Outputs for Epidermal Electronics.. 2022 , 14, 86	2
72	Harmonic Distortion of Blood Pressure Waveform as a Measure of Arterial Stiffness.. 2022 , 10, 842754	0
71	Association of chronic inflammation with cardiovascular risk in chronic obstructive pulmonary disease-A cross-sectional study.. 2022 , 5, e586	1
70	Estimation of central pulse wave velocity from radial pulse wave analysis.. 2022 , 219, 106781	1
69	Automatic Onsets and Systolic Peaks Detection and Segmentation of Arterial Blood Pressure Waveforms using Fully Convolutional Neural Networks. 2021 , 2021, 5674-5677	
68	Fatigue Resistant Aerogel/Hydrogel Nanostructured Hybrid for Highly Sensitive and Ultrabroad Pressure Sensing. 2021 , e2104706	1
67	Spatiotemporal Measurement of Arterial Pulse Waves Enabled by Wearable Active-Matrix Pressure Sensor Arrays.. 2021 ,	14
66	A multifunctional electronic skin based on patterned metal films for tactile sensing with a broad linear response range.. 2021 , 7, eabl8313	10
65	Integrated Wearable Sensors for Sensing Physiological Pressure Signals and β-Hydroxybutyrate in Physiological Fluids.. 2021 ,	4
64	Metal Oxides/Carbon Felt Pressure Sensors with Ultra-Broad-Range High Sensitivity. 2022 , 9, 2101663	2
63	Six-Month Longitudinal Tracking of Arterial Stiffness and Blood Pressure in Young Adults Following SARS-CoV-2 Infection.. 2022 ,	4
62	Metabolomics of Arterial Stiffness. 2022 , 12, 370	1

61	An ultrastretchable, high-performance, and crosstalk-free proximity and pressure bimodal sensor based on ionic hydrogel fibers for human-machine interfaces.. 2022 ,	12
60	AI-Based Stroke Disease Prediction System Using ECG and PPG Bio-Signals. 2022 , 10, 43623-43638	3
59	A Flexible, Transparent, Ultralow Detection Limit Capacitive Pressure Sensor. 2200015	1
58	Reduction in Arterial Stiffness after Switching from Pravastatin or Atorvastatin to Fluvastatin. 2021 , 5, 23-30	
57	Arterial Stiffness in HIV-Infected Patients Receiving Highly Active Antiretroviral Therapy. 2005 , 10, 925-935	26
56	Applicability of the single-layer flat-coil-oscillator technology-based vibration and vibro-acoustic sensors in medical and biological study of the cardiovascular system: Advantages and perspectives of the carotid pulse wave registration. 2022 , 93, 054109	
55	Wearable and high-performance capacitive pressure sensor based on biocompatible PVP nanofiber membrane via electrospinning and UV treatment.	2
54	Ultrasensitive Capacitive Tactile Sensor with Heterostructured Active Layers for Tiny Signal Perception.	
53	Dietary inorganic nitrate/nitrite supplementation reduces central and peripheral blood pressure in patients with type 2 diabetes mellitus. <i>American Journal of Hypertension</i> ,	2-3 0
52	Moldable and transferrable conductive nanocomposites for epidermal electronics. 2022 , 6,	2
51	Sarcopenia and cardiovascular risk indices: Its impact on cardiovascular events and mortality in dialysis patients.	
50	High-stretchability, Ultralow-hysteresis Conducting Polymer Hydrogel Strain Sensors for Soft Machines. 2203650	25
49	Relationship Between Arterial Stiffness Index, Pulse Pressure, and Magnetic Resonance Imaging Markers of White Matter Integrity: A UK Biobank Study. 14,	0
48	Wearable pressure sensor based on solution-coated fabric for pulse detection. 2022 ,	0
47	Ultrasensitive and self-alarm pressure sensor based on laser-induced graphene and sea urchin-shaped Fe ₂ O ₃ sandwiched structure. 2022 , 448, 137664	2
46	A Flexible Ultrasound Array for Local Pulse Wave Velocity Monitoring. 2022 , 12, 479	0
45	Kirigami Inspired Pressure Sensors for Wearable Dynamic Cardiovascular Monitoring. 2202478	6
44	Superhydrophobic E-textile with an Ag-EGaIn Conductive Layer for Motion Detection and Electromagnetic Interference Shielding.	0

43	Ferroelectricity-Coupled 2D-MXene-Based Hierarchically Designed High-Performance Stretchable Triboelectric Nanogenerator.	3
42	Facile Fabrication of a Highly Sensitive and Robust Flexible Pressure Sensor with Batten Microstructures. 2022 , 13, 1164	0
41	Ultrasensitive capacitive tactile sensor with heterostructured active layers for tiny signal perception. 2022 , 450, 138258	2
40	An Experiential Learning Course for Cardiovascular and Sleep Technology.	
39	Pulse Wave for Arterial Diagnostics. 2022 , 15-70	
38	Topological Gradients for Metal Film-Based Strain Sensors. 2022 , 22, 6637-6646	3
37	Intrinsically piezoelectric elastomer based on crosslinked polyacrylonitrile for soft electronics. 2022 , 103, 107784	1
36	Highly sensitive and fast response strain sensor based on evanescently coupled micro/nanofibers. 2022 , 5, 210101-210101	3
35	Evaluation of Pulse Contour Markers using an A-Mode Ultrasound: Association with Carotid Stiffness Markers and Ageing. 2022 ,	0
34	Waveform Morphology Comparison in Wearable Blood Pressure Sensors. 2022 ,	0
33	A Novel Radial Artery P-S Curve Model Based on Radial Vibration of Vascular Wall. 2022 , 12, 9706	1
32	Long- and short-term fluctuations compared for several organ systems across sleep stages. 2,	0
31	Self-Powered Wearable Micropyramid Piezoelectric Film Sensor for Real-Time Monitoring of Blood Pressure. 2200873	1
30	Aging Changes in Cardiovascular Structure and Function. 2022 , 127-162	0
29	Development of Pressure Sensor Based Wearable Pulse Detection Device for Radial Pulse Monitoring. 2022 , 13, 1699	0
28	An Elastic and Damage-Tolerant Dry Epidermal Patch with Robust Skin Adhesion for Bioelectronic Interfacing.	0
27	Double-layered laser induced graphene (LIG) porous composites with interlocked wave-shaped array for large linearity range and highly pressure-resolution sensor. 2022 , 230, 109790	0
26	Biodegradable cotton fiber-based piezoresistive textiles for wearable biomonitoring. 2023 , 222, 114999	1

- 25 Soft, Super-Elastic, All-Polymer Piezoelectric Elastomer for Artificial Electronic Skin. ○
- 24 Melt-stretched poly(vinylidene fluoride)/zinc oxide nanocomposite films with enhanced piezoelectricity by stress concentrations in piezoelectric domains for wearable electronics. **2022**, 140771 ○
- 23 Venation-Mimicking, Ultrastretchable, Room-Temperature-Attachable Metal Tapes for Integrated Electronic Skins. 2208568 ○
- 22 PEO/cellulose composite paper based triboelectric nanogenerator and its application in human-health detection. **2022**, ○
- 21 Flexible breathable photothermal-therapy epidermic sensor with MXene for ultrasensitive wearable human-machine interaction. **2023**, 108, 108201 ○
- 20 One 3D aerogel wearable pressure sensor with ultrahigh sensitivity, wide working range, low detection limit for voice recognition and physiological signal monitoring. ○
- 19 Multichannel Flexible Pulse Perception Array for Intelligent Disease Diagnosis System. 1
- 18 Switching Ultra-Stretchability and Sensitivity in Metal Films for Electronic Skins: A Pufferfish-Inspired, Interlayer Regulation Strategy. ○
- 17 Optical-Nanofiber-Enabled Gesture-Recognition Wristband for HumanMachine Interaction with the Assistance of Machine Learning. 2200412 ○
- 16 Electrostatic Repulsion-Induced Highly Enhanced Dispersibility of Conductive Carbon Electrode with Shape Memory-Assisted Self-Healing Effect for Multi-Modal Sensing System. ○
- 15 Engineering Smart Composite Hydrogels for Wearable Disease Monitoring. **2023**, 15, ○
- 14 Flexible Plasmonic Optical Tactile Sensor for Health Monitoring and Artificial Haptic Perception. **2023**, 8, ○
- 13 Design strategy for hierarchical structure of carbon black on microporous elastomer surface toward stretchable and compressive strain sensors. **2023**, 206, 53-61 ○
- 12 Smart Wearable Systems for Health Monitoring. **2023**, 23, 2479 1
- 11 Ultrathin Mo2S3 Nanowire Network for High-Sensitivity Breathable Piezoresistive Electronic Skins. **2023**, 17, 4862-4870 ○
- 10 Non-invasive assessment of Pulse Wave Transit Time (PWTT) is a poor predictor for intraoperative fluid responsiveness: a prospective observational trial (best-PWTT study). **2023**, 23, 1
- 9 Ultrasensitive Ionic Liquid Polymer Composites with a Convex and Wrinkled Microstructure and Their Application as Wearable Pressure Sensors. **2023**, 15, 13625-13636 ○
- 8 Multifunctional Starch-Based Sensor with Non-Covalent Network to Achieve BRICirculation. 2208116 ○

- 7 The Role of Rehabilitation in Arterial Function Properties of Convalescent COVID-19 Patients. **2023**, 12, 2233
- 6 Assessment of Vascular Function in Response to High-Fat and Low-Fat Ground Beef Consumption in Men. **2023**, 15, 1410
- 5 Ultrasensitive Linear Capacitive Pressure Sensor with Wrinkled Microstructures for Tactile Perception. 2206807
- 4 N-[2-(5-methoxy-1h-indole-3-yl)ethyl]acetamide may correct arterial hypertension in people with sleep problems. **2023**, 40, 54-68
- 3 A Universal Interfacial Strategy Enabling Ultra-Robust Gel Hybrids for Extreme Epidermal Bio-Monitoring.
- 2 Recent Advances of Capacitive Sensors: Materials, Microstructure Designs, Applications, and Opportunities.
- 1 Deep Learning Enabled Perceptive Wearable Sensor: An Interactive Gadget for Tracking Movement Disorder.