

An overview on biological mechanisms of PPARs

Pharmacological Research

51, 85-94

DOI: [10.1016/j.phrs.2004.07.012](https://doi.org/10.1016/j.phrs.2004.07.012)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | The peroxisome proliferator-activated receptor α activator, Wy14,643, is anti-inflammatory in vivo. <i>Inflammopharmacology</i> , 2005, 12, 493-504. | 1.9 | 13 |
| 2 | Dual and pan-peroxisome proliferator-activated receptors (PPAR) co-agonism: the bezafibrate lessons. <i>Cardiovascular Diabetology</i> , 2005, 4, 14. | 2.7 | 209 |
| 3 | Gene-nutrient interactions during fetal development. <i>Reproduction</i> , 2005, 130, 401-410. | 1.1 | 51 |
| 4 | From cellular receptors to transduction transcription pathways for cytokines: at which level should the inhibition be targeted in inflammation?. <i>Expert Opinion on Biological Therapy</i> , 2005, 5, S83-S96. | 1.4 | 8 |
| 5 | Fenofibrate, a peroxisome proliferator-activated receptor α agonist, exerts neuroprotective effects in traumatic brain injury. <i>Neuroscience Letters</i> , 2005, 388, 7-12. | 1.0 | 86 |
| 6 | PPAR α activation upregulates nephrin expression in human embryonic kidney epithelial cells and podocytes by a dual mechanism. <i>Biochemical and Biophysical Research Communications</i> , 2005, 338, 1818-1824. | 1.0 | 41 |
| 7 | Steroid signalling in the ovarian surface epithelium. <i>Trends in Endocrinology and Metabolism</i> , 2005, 16, 327-333. | 3.1 | 35 |
| 8 | The pathophysiological function of peroxisome proliferator-activated receptor- β in lung-related diseases. <i>Respiratory Research</i> , 2005, 6, 102. | 1.4 | 34 |
| 9 | Peroxisome proliferator-activated receptors (PPARs) and ovarian function—implications for regulating steroidogenesis, differentiation, and tissue remodeling. <i>Reproductive Biology and Endocrinology</i> , 2005, 3, 41. | 1.4 | 178 |
| 10 | Methylamine but not mafenide mimics insulin-like activity of the semicarbazide-sensitive amine oxidase-substrate benzylamine on glucose tolerance and on human adipocyte metabolism. <i>Pharmacological Research</i> , 2005, 52, 475-484. | 3.1 | 28 |
| 11 | Peroxisome Proliferator-Activated Receptor-?. <i>BioDrugs</i> , 2006, 20, 121-135. | 2.2 | 15 |
| 12 | The Molecular Inflammatory Process in Aging. <i>Antioxidants and Redox Signaling</i> , 2006, 8, 572-581. | 2.5 | 386 |
| 13 | Peroxisome proliferator activated receptor- β modulates reactive oxygen species generation and activation of nuclear factor- κ B and hypoxia-inducible factor 1 α in allergic airway disease of mice. <i>Journal of Allergy and Clinical Immunology</i> , 2006, 118, 120-127. | 1.5 | 112 |
| 14 | Selectivity of fatty acid ligands for PPAR α which correlates both with binding to cis-element and DNA binding-independent transactivity in Caco-2 cells. <i>Life Sciences</i> , 2006, 80, 140-145. | 2.0 | 28 |
| 15 | The pleiotropic function of PPAR β in the placenta. <i>Molecular and Cellular Endocrinology</i> , 2006, 249, 10-15. | 1.6 | 88 |
| 16 | HGF Enhanced Proliferation and Differentiation of Dental Pulp Cells. <i>Journal of Endodontics</i> , 2006, 32, 736-741. | 1.4 | 34 |
| 17 | Synthesis and evaluation of a bromine-76-labeled PPAR β antagonist 2-bromo-5-nitro-N-phenylbenzamide. <i>Nuclear Medicine and Biology</i> , 2006, 33, 847-854. | 0.3 | 17 |
| 18 | Peroxisome Proliferator-Activated Receptors and Shock State. <i>Scientific World Journal, The</i> , 2006, 6, 1770-1782. | 0.8 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Lutein and Eicosapentaenoic Acid Interact to Modify iNOS mRNA Levels through the PPAR γ /RXR Pathway in Chickens and HD11 Cell Lines. <i>Journal of Nutrition</i> , 2006, 136, 1610-1616. | 1.3 | 70 |
| 20 | Peroxisome proliferator-activated receptor- γ antagonists GW9662 and T0070907 reduce the protective effects of lipopolysaccharide preconditioning against organ failure caused by endotoxemia*. <i>Critical Care Medicine</i> , 2006, 34, 1131-1138. | 0.4 | 54 |
| 21 | Regulation of inflammation by PPARs: a future approach to treat lung inflammatory diseases?. <i>Fundamental and Clinical Pharmacology</i> , 2006, 20, 429-447. | 1.0 | 103 |
| 22 | Effects of astragaloside IV on pathogenesis of metabolic syndrome in vitro1. <i>Acta Pharmacologica Sinica</i> , 2006, 27, 229-236. | 2.8 | 29 |
| 23 | Abnormal expression of PPAR gamma isoforms in the subcutaneous adipose tissue of patients with Cushing's disease. <i>Clinical Endocrinology</i> , 2006, 66, 060904075417002-??? | 1.2 | 2 |
| 24 | Peroxidated Squalene Induces the Production of Inflammatory Mediators in HaCaT Keratinocytes: A Possible Role in Acne Vulgaris. <i>Journal of Investigative Dermatology</i> , 2006, 126, 2430-2437. | 0.3 | 125 |
| 25 | Design and synthesis of novel N-sulfonyl-2-indole carboxamides as potent PPAR- γ binding agents with potential application to the treatment of osteoporosis. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006, 16, 5659-5663. | 1.0 | 46 |
| 26 | Regulatory role for the arginine-nitric oxide pathway in metabolism of energy substrates. <i>Journal of Nutritional Biochemistry</i> , 2006, 17, 571-588. | 1.9 | 596 |
| 27 | Metabolic effects of telmisartan in spontaneously hypertensive rats. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2006, 373, 264-270. | 1.4 | 13 |
| 28 | Newly developed primary culture of rat visceral adipocytes and their in vitro characteristics. <i>Cell Biology International</i> , 2006, 30, 381-388. | 1.4 | 28 |
| 29 | TGF- β Inhibition of CTL Re-Stimulation Requires Accessory Cells and Induces Peroxisome-Proliferator-Activated Receptor-Gamma (PPAR- γ). <i>American Journal of Transplantation</i> , 2006, 6, 1809-1819. | 2.6 | 2 |
| 30 | The antiepileptic drug topiramate preserves metabolism-secretion coupling in insulin secreting cells chronically exposed to the fatty acid oleate. <i>Biochemical Pharmacology</i> , 2006, 72, 965-973. | 2.0 | 20 |
| 31 | Diabetes and mitochondrial function: Role of hyperglycemia and oxidative stress. <i>Toxicology and Applied Pharmacology</i> , 2006, 212, 167-178. | 1.3 | 804 |
| 32 | Peroxisome proliferator-activated receptor (PPAR) γ is expressed by human spermatozoa: Its potential role on the sperm physiology. <i>Journal of Cellular Physiology</i> , 2006, 209, 977-986. | 2.0 | 63 |
| 33 | Intestinal-specific PPAR γ deficiency enhances tumorigenesis in ApcMin/+ mice. <i>International Journal of Cancer</i> , 2006, 119, 2339-2346. | 2.3 | 74 |
| 34 | A 9-year-old male with a duplication of chromosome 3p25.3p26.2: Clinical report and gene expression analysis. <i>American Journal of Medical Genetics, Part A</i> , 2006, 140A, 573-579. | 0.7 | 42 |
| 35 | Peroxisome Proliferator-Activated Receptor-Gamma Is Expressed by Rat Peritoneal Mesothelial Cells: Its Potential Role in Peritoneal Cavity Local Defense. <i>American Journal of Nephrology</i> , 2006, 26, 602-611. | 1.4 | 18 |
| 36 | Low-Density Lipoprotein-Lowering Medication and Platelet Function. <i>Pathophysiology of Haemostasis and Thrombosis: International Journal on Haemostasis and Thrombosis Research</i> , 2006, 35, 346-354. | 0.5 | 23 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Thioredoxin-Binding Protein-2-Like Inducible Membrane Protein Is a Novel Vitamin D3 and Peroxisome Proliferator-Activated Receptor (PPAR) γ Ligand Target Protein that Regulates PPAR γ Signaling. <i>Endocrinology</i> , 2006, 147, 733-743. | 1.4 | 64 |
| 38 | PPAR γ 2 Pro12Ala Variant, Insulin Resistance and Plasma Long-chain Polyunsaturated Fatty Acids in Childhood Obesity. <i>Pediatric Research</i> , 2006, 60, 485-489. | 1.1 | 33 |
| 39 | Peroxisome Proliferator-Activated Receptor γ Is Highly Expressed in Pancreatic Cancer and Is Associated With Shorter Overall Survival Times. <i>Clinical Cancer Research</i> , 2006, 12, 6444-6451. | 3.2 | 54 |
| 40 | Diminished peroxisome proliferator-activated receptor (PPAR) regulation as a potential mechanism for the persistent inflammation in chronic obstructive pulmonary disease. <i>European Respiratory Review</i> , 2006, 15, 211-212. | 3.0 | 2 |
| 41 | Leptin Deficiency Unmasks the Deleterious Effects of Impaired Peroxisome Proliferator-Activated Receptor α Function (P465L PPAR α) in Mice. <i>Diabetes</i> , 2006, 55, 2669-2677. | 0.3 | 80 |
| 43 | Peripheral Cytokine Expression in Autoimmune Thyroiditis: Effects of In Vitro Modulation by Rosiglitazone and Dexamethasone. <i>Thyroid</i> , 2006, 16, 953-960. | 2.4 | 8 |
| 44 | Modulation of Airway Remodeling and Airway Inflammation by Peroxisome Proliferator-Activated Receptor γ in a Murine Model of Toluene Diisocyanate-Induced Asthma. <i>Journal of Immunology</i> , 2006, 177, 5248-5257. | 0.4 | 71 |
| 45 | The potential of antidiabetic thiazolidinediones for anticancer therapy. <i>Expert Opinion on Investigational Drugs</i> , 2006, 15, 1039-1049. | 1.9 | 42 |
| 46 | Effects of Pioglitazone Versus Glipizide on Body Fat Distribution, Body Water Content, and Hemodynamics in Type 2 Diabetes. <i>Diabetes Care</i> , 2006, 29, 510-514. | 4.3 | 133 |
| 47 | Nitric oxide activation of peroxisome proliferator-activated receptor gamma through a p38 MAPK signaling pathway. <i>FASEB Journal</i> , 2007, 21, 950-961. | 0.2 | 63 |
| 48 | New PPARG mutation leads to lipodystrophy and loss of protein function that is partially restored by a synthetic ligand. <i>Journal of Medical Genetics</i> , 2007, 44, e88-e88. | 1.5 | 32 |
| 49 | RAR/RXR and PPAR/RXR Signaling in Spinal Cord Injury. <i>PPAR Research</i> , 2007, 2007, 1-14. | 1.1 | 30 |
| 50 | Does Lipophilicity Per Se Induce Adjuvant Effects? Methyl Palmitate as Model Substance Does Not Affect Ovalbumin Sensitization. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2007, 70, 128-137. | 1.1 | 9 |
| 51 | Fenofibrate inhibits intestinal Cl ⁻ secretion by blocking basolateral KCNQ1 K ⁺ channels. <i>American Journal of Physiology - Renal Physiology</i> , 2007, 293, G1288-G1299. | 1.6 | 14 |
| 52 | Involvement of PPARs in Cell Proliferation and Apoptosis in Human Colon Cancer Specimens and in Normal and Cancer Cell Lines. <i>PPAR Research</i> , 2007, 2007, 1-9. | 1.1 | 43 |
| 53 | MAPK- Kinases as Nucleo-Cytoplasmic Shuttles for PPAR γ . <i>Cell Cycle</i> , 2007, 6, 1539-1548. | 1.3 | 125 |
| 54 | Peroxisome Proliferator-Activated Receptor- γ C190S Mutation Causes Partial Lipodystrophy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 2248-2255. | 1.8 | 39 |
| 55 | Metabolomic and Genetic Analysis of Biomarkers for Peroxisome Proliferator-Activated Receptor γ Expression and Activation. <i>Molecular Endocrinology</i> , 2007, 21, 2136-2151. | 3.7 | 79 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 56 | Energy Balance, Myostatin, and GILZ: Factors Regulating Adipocyte Differentiation in Belly and Bone. <i>PPAR Research</i> , 2007, 2007, 1-12. | 1.1 | 9 |
| 57 | Antiadhesion effects of docosahexaenoic acid on normal human peritoneal and adhesion fibroblasts. <i>Fertility and Sterility</i> , 2007, 88, 1657-1662. | 0.5 | 21 |
| 58 | Rosiglitazone, a PPAR- γ ligand, protects against burn-induced oxidative injury of remote organs. <i>Burns</i> , 2007, 33, 587-593. | 1.1 | 44 |
| 59 | Anti-inflammatory actions of PPAR ligands: new insights on cellular and molecular mechanisms. <i>Trends in Immunology</i> , 2007, 28, 551-558. | 2.9 | 480 |
| 60 | Stimulation of the peroxisome proliferator-activated receptor γ (PPAR γ) and the expression of selected blood monocyte cytokine genes in diabetic macroangiopathy. <i>Atherosclerosis</i> , 2007, 194, e108-e115. | 0.4 | 3 |
| 61 | PPAR dual agonists: Are they opening Pandora's Box?. <i>Pharmacological Research</i> , 2007, 56, 91-98. | 3.1 | 168 |
| 62 | Nutrigenomics: concepts and applications to pharmacogenomics and clinical medicine. <i>Pharmacogenomics</i> , 2007, 8, 369-390. | 0.6 | 44 |
| 63 | Pioglitazone Inhibits Androgen Production in NCI-H295R Cells by Regulating Gene Expression of CYP17 and HSD3B2. <i>Molecular Pharmacology</i> , 2007, 71, 787-798. | 1.0 | 66 |
| 64 | The regulation of cyclin D1 degradation: roles in cancer development and the potential for therapeutic invention. <i>Molecular Cancer</i> , 2007, 6, 24. | 7.9 | 663 |
| 65 | Fenofibrate Represses Interleukin-17 and Interferon- γ Expression and Improves Colitis in Interleukin-10 Deficient Mice. <i>Gastroenterology</i> , 2007, 133, 108-123. | 0.6 | 117 |
| 66 | Anti-Atherosclerotic Activity. , 2007, , 1661-1717. | | 0 |
| 67 | Lack of an Effect of Pioglitazone or Glipizide on Lipoprotein-Associated Phospholipase A2 in Type 2 Diabetes. <i>Endocrine Practice</i> , 2007, 13, 147-152. | 1.1 | 14 |
| 68 | Nutrition in the genomics era: Cardiovascular disease risk and the Mediterranean diet. <i>Molecular Nutrition and Food Research</i> , 2007, 51, 1293-1299. | 1.5 | 43 |
| 69 | Thiazolidinediones exhibit different effects on preadipocytes isolated from rat mesenteric fat tissue and cell line 3T3-L1 cells derived from mice. <i>Cell Biology International</i> , 2007, 31, 703-710. | 1.4 | 11 |
| 70 | Alternative splicing of human peroxisome proliferator-activated receptor delta (PPARdelta):effects on translation efficiency and trans-activation ability. <i>BMC Molecular Biology</i> , 2007, 8, 70. | 3.0 | 20 |
| 71 | Loss of the Acyl-CoA Binding Protein (Acbp) Results in Fatty Acid Metabolism Abnormalities in Mouse Hair and Skin. <i>Journal of Investigative Dermatology</i> , 2007, 127, 16-23. | 0.3 | 41 |
| 72 | PPAR γ agonists inhibit nitric oxide production by enhancing iNOS degradation in LPS-treated macrophages. <i>British Journal of Pharmacology</i> , 2007, 152, 1081-1091. | 2.7 | 32 |
| 73 | Antinociceptive and antiedematogenic activities of fenofibrate, an agonist of PPAR alpha, and pioglitazone, an agonist of PPAR gamma. <i>European Journal of Pharmacology</i> , 2007, 561, 194-201. | 1.7 | 66 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 74 | 15-Deoxy- $\hat{1}^2$,14-prostaglandin J2 down-regulates CXCR4 on carcinoma cells through PPAR $\hat{3}$ - and NF \hat{B} -mediated pathways. <i>Experimental Cell Research</i> , 2007, 313, 3446-3458. | 1.2 | 23 |
| 75 | Atherosclerosis and cardiovascular risk reduction with PPAR agonists. <i>Current Atherosclerosis Reports</i> , 2007, 9, 274-280. | 2.0 | 9 |
| 76 | Adipose Tissue Distribution and Quantification of PPAR $\hat{2}$ / $\hat{1}$ and PPAR $\hat{3}$ 1-3 mRNAs: Discordant Gene Expression in Subcutaneous, Retroperitoneal and Visceral Adipose Tissue of Morbidly Obese Patients. <i>Obesity Surgery</i> , 2007, 17, 934-940. | 1.1 | 24 |
| 77 | Activation of peroxisome proliferator-activated receptor gamma inhibits endothelin-1-induced cardiac hypertrophy via the calcineurin/NFAT signaling pathway. <i>Molecular and Cellular Biochemistry</i> , 2008, 317, 189-196. | 1.4 | 44 |
| 78 | Pioglitazone retrieves hepatic antioxidant DNA repair in a mice model of high fat diet. <i>BMC Molecular Biology</i> , 2008, 9, 82. | 3.0 | 40 |
| 79 | Increased L-CPT-1 activity and altered gene expression in pancreatic islets of malnourished adult rats: a possible relationship between elevated free fatty acid levels and impaired insulin secretion. <i>Journal of Nutritional Biochemistry</i> , 2008, 19, 85-90. | 1.9 | 9 |
| 80 | Quercetin pretreatment increases the bioavailability of pioglitazone in rats: Involvement of CYP3A inhibition. <i>Biochemical Pharmacology</i> , 2008, 75, 1670-1676. | 2.0 | 67 |
| 81 | The public road to high-quality curated biological pathways. <i>Drug Discovery Today</i> , 2008, 13, 856-862. | 3.2 | 44 |
| 82 | Conjugated linoleic acid increases intracellular ROS synthesis and oxygenation of arachidonic acid in macrophages. <i>Nutrition</i> , 2008, 24, 187-199. | 1.1 | 32 |
| 85 | Selective Activation of Peroxisome Proliferator-Activated Receptor (PPAR) \hat{A} and PPAR \hat{A} Induces Neoangiogenesis Through a Vascular Endothelial Growth Factor-Dependent Mechanism. <i>Diabetes</i> , 2008, 57, 1394-1404. | 0.3 | 106 |
| 86 | Genomic structure and regulation of the rat hepatic CYP4F1 gene by peroxisome proliferators. <i>Archives of Biochemistry and Biophysics</i> , 2008, 472, 1-16. | 1.4 | 6 |
| 87 | RAR/RXR and PPAR/RXR signaling in neurological and psychiatric diseases. <i>Progress in Neurobiology</i> , 2008, 85, 433-451. | 2.8 | 84 |
| 88 | Down syndrome critical region 2 protein inhibits the transcriptional activity of peroxisome proliferator-activated receptor $\hat{2}$ in HEK293 cells. <i>Biochemical and Biophysical Research Communications</i> , 2008, 376, 478-482. | 1.0 | 9 |
| 89 | Short Communication: Characterization of Madin-Darby Bovine Kidney Cell Line for Peroxisome Proliferator-Activated Receptors: Temporal Response and Sensitivity to Fatty Acids. <i>Journal of Dairy Science</i> , 2008, 91, 2808-2813. | 1.4 | 35 |
| 90 | Intrathecal Rosiglitazone Acts at Peroxisome Proliferator-Activated Receptor- $\hat{3}$ to Rapidly Inhibit Neuropathic Pain in Rats. <i>Journal of Pain</i> , 2008, 9, 639-649. | 0.7 | 87 |
| 91 | Design, Synthesis, and Biological Evaluation of Novel Constrainedmeta-Substituted Phenyl Propanoic Acids as Peroxisome Proliferator-Activated Receptor $\hat{1}$ \pm and $\hat{3}$ Dual Agonists. <i>Journal of Medicinal Chemistry</i> , 2008, 51, 6318-6333. | 2.9 | 24 |
| 92 | Pioglitazone attenuates diabetic nephropathy through an anti-inflammatory mechanism in type 2 diabetic rats. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 2750-2760. | 0.4 | 118 |
| 93 | Rosiglitazone Attenuates Allergic Inflammation and Inhibits Expression of Galectin-3 in a Mouse Model of Allergic Rhinitis. <i>Journal of International Medical Research</i> , 2008, 36, 830-836. | 0.4 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 94 | Endothelial Progenitor Cells and Angiogenesis Join the PPARty. <i>Circulation Research</i> , 2008, 103, 7-9. | 2.0 | 6 |
| 95 | Improvement of glycaemic and lipid profiles with muraglitazar plus metformin in patients with type 2 diabetes: an active-control trial with glimepiride. <i>Diabetes and Vascular Disease Research</i> , 2008, 5, 168-176. | 0.9 | 16 |
| 96 | Peroxisome proliferator-activated receptor-alpha (PPARA) genetic polymorphisms and breast cancer risk: a Long Island ancillary study. <i>Carcinogenesis</i> , 2008, 29, 1944-1949. | 1.3 | 25 |
| 97 | In Vivo Imaging Reveals Selective Peroxisome Proliferator Activated Receptor Modulator Activity of the Synthetic Ligand 3-(1-(4-Chlorobenzyl)-3- <i>isopropylthio</i> -5-isopropylindol-2-yl)-2,2-dimethylpropanoic acid (MK-886). <i>Molecular Pharmacology</i> , 2008, 73, 1434-1443. | 1.0 | 33 |
| 98 | Genetic variants in peroxisome proliferator-activated receptor- β gene are associated with risk of lung cancer in a Chinese population. <i>Carcinogenesis</i> , 2008, 29, 342-350. | 1.3 | 24 |
| 99 | Role of the Peroxisome Proliferator-Activated Receptors, Adenosine Monophosphate-Activated Kinase, and Adiponectin in the Ovary. <i>PPAR Research</i> , 2008, 2008, 1-9. | 1.1 | 41 |
| 100 | PPARs and the kidney in metabolic syndrome. <i>American Journal of Physiology - Renal Physiology</i> , 2008, 294, F1032-F1047. | 1.3 | 89 |
| 101 | PTEN as a Unique Promising Therapeutic Target for Occupational Asthma. <i>Immunopharmacology and Immunotoxicology</i> , 2008, 30, 793-814. | 1.1 | 7 |
| 102 | Flaxseed lignan attenuates high-fat diet-induced fat accumulation and induces adiponectin expression in mice. <i>British Journal of Nutrition</i> , 2008, 100, 669-676. | 1.2 | 112 |
| 103 | Involvement of PPAR β in the growth inhibitory effect of arachidonic acid on breast cancer cells. <i>British Journal of Nutrition</i> , 2008, 100, 739-750. | 1.2 | 24 |
| 104 | Peroxisome Proliferator-Activated Receptors as Novel Targets in Lung Disease*. <i>Chest</i> , 2008, 134, 152-157. | 0.4 | 2 |
| 105 | Impact of PUFA on early immune and fetal development. <i>British Journal of Nutrition</i> , 2008, 100, 1158-1168. | 1.2 | 42 |
| 106 | Peroxisome Proliferator-Activated Receptors as Novel Targets in Lung Disease<xref id="AFF1">[*]</xref>. <i>Chest</i> , 2008, 134, 152. | 0.4 | 62 |
| 109 | Ectopic expression of porcine peroxisome proliferator-activated receptor β regulates adipogenesis in mouse myoblasts1. <i>Journal of Animal Science</i> , 2008, 86, 64-72. | 0.2 | 34 |
| 110 | Peroxisome Proliferator-Activated Receptors: Key Regulators of Neuroinflammation after Traumatic Brain Injury. <i>PPAR Research</i> , 2008, 2008, 1-7. | 1.1 | 38 |
| 111 | Comparison of cytokine modulation by natural peroxisome proliferator-activated receptor β ligands with synthetic ligands in intestinal-like Caco-2 cells and human dendritic cells potential for dietary modulation of peroxisome proliferator-activated receptor β in intestinal inflammation. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 939-948. | 2.2 | 107 |
| 112 | Macrophages, PPARs, and Cancer. <i>PPAR Research</i> , 2008, 2008, 1-11. | 1.1 | 41 |
| 113 | CXCR4 in Cancer and Its Regulation by PPAR β . <i>PPAR Research</i> , 2008, 2008, 1-19. | 1.1 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 114 | PPAR<mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mi>̂3</mml:mi></mml:math> and MEK Interactions in Cancer. PPAR Research, 2008, 2008, 1-16. | 1.1 | 49 |
| 115 | Peroxisome Proliferators-Activated Receptor (PPAR) Modulators and Metabolic Disorders. PPAR Research, 2008, 2008, 1-14. | 1.1 | 71 |
| 116 | Renal Hypoxia and Dysoxia After Reperfusion of the Ischemic Kidney. Molecular Medicine, 2008, 14, 502-516. | 1.9 | 241 |
| 117 | Cross-Talk between PPAR<mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mi>̂3</mml:mi></mml:math> and Insulin Signaling and Modulation of Insulin Sensitivity. PPAR Research, 2009, 2009, 1-12. | 1.1 | 162 |
| 118 | Reducing without Side Effects? A Novel Strategy for Designing the PPAR Agonists. , 2009, , . | | 1 |
| 119 | Deletion of PPAR̂3 in Alveolar Macrophages Is Associated with a Th-1 Pulmonary Inflammatory Response. Journal of Immunology, 2009, 182, 5816-5822. | 0.4 | 106 |
| 120 | Coadministration of muraglitazar plus glyburide: Improvement of glycaemic and lipid profiles in patients with type 2 diabetes. Diabetes and Vascular Disease Research, 2009, 6, 120-132. | 0.9 | 3 |
| 121 | Peroxisome Proliferator-Activated Receptor ̂3 Agonist Down-Regulates IL-17 Expression in a Murine Model of Allergic Airway Inflammation. Journal of Immunology, 2009, 183, 3259-3267. | 0.4 | 75 |
| 122 | Roles of NF-̂B Activation and Peroxisome Proliferator-Activated Receptor Gamma Inhibition in the Effect of Rifampin on Inducible Nitric Oxide Synthase Transcription in Human Lung Epithelial Cells. Antimicrobial Agents and Chemotherapy, 2009, 53, 1539-1545. | 1.4 | 16 |
| 123 | Significance of peroxisome proliferator-activated receptors in the cardiovascular system in health and disease. , 2009, 122, 246-263. | | 127 |
| 124 | Rapid pain modulation with nuclear receptor ligands. Brain Research Reviews, 2009, 60, 114-124. | 9.1 | 55 |
| 125 | Peroxisome proliferator-activated receptor gamma activates fas ligand gene promoter inducing apoptosis in human breast cancer cells. Breast Cancer Research and Treatment, 2009, 113, 423-434. | 1.1 | 60 |
| 126 | Chronic intracerebroventricular injection of TLQP-21 prevents high fat diet induced weight gain in fast weight-gaining mice. Genes and Nutrition, 2009, 4, 49-57. | 1.2 | 30 |
| 127 | The effect of trans-10, cis-12 conjugated linoleic acid on gene expression profiles related to lipid metabolism in human intestinal-like Caco-2 cells. Genes and Nutrition, 2009, 4, 103-112. | 1.2 | 8 |
| 128 | Dietary fatty acid quality affects AR and PPAR̂3 levels and prostate growth. Prostate, 2009, 69, 548-558. | 1.2 | 45 |
| 130 | Nuclear receptors as therapeutic targets in cholestatic liver diseases. British Journal of Pharmacology, 2009, 156, 7-27. | 2.7 | 143 |
| 131 | Targeting PPAR receptors in the airway for the treatment of inflammatory lung disease. British Journal of Pharmacology, 2009, 158, 994-1003. | 2.7 | 101 |
| 132 | Regulation of adipogenesis by medium-chain fatty acids in the absence of hormonal cocktail. Journal of Nutritional Biochemistry, 2009, 20, 537-543. | 1.9 | 25 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 133 | Transcriptional regulation of hepatic stellate cells. <i>Advanced Drug Delivery Reviews</i> , 2009, 61, 497-512. | 6.6 | 97 |
| 134 | Folic Acid Supplementation during the Juvenile-Pubertal Period in Rats Modifies the Phenotype and Epigenotype Induced by Prenatal Nutrition. <i>Journal of Nutrition</i> , 2009, 139, 1054-1060. | 1.3 | 183 |
| 135 | Triphenyltin alters lipid homeostasis in females of the ramshorn snail <i>Marisa cornuarietis</i> . <i>Environmental Pollution</i> , 2009, 157, 1714-1720. | 3.7 | 28 |
| 136 | Oleylethanolamide, a natural ligand for PPAR-alpha, inhibits insulin receptor signalling in HTC rat hepatoma cells. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2009, 1791, 740-745. | 1.2 | 24 |
| 137 | Peroxisome proliferator-activated receptors and angiogenesis. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2009, 19, 751-759. | 1.1 | 56 |
| 138 | Amelioration of pulmonary dysfunction and neutrophilic inflammation by PPAR δ agonist in LPS-exposed guinea pigs. <i>Pulmonary Pharmacology and Therapeutics</i> , 2009, 22, 183-189. | 1.1 | 25 |
| 139 | Anti-inflammatory Effect of Peroxisome Proliferator Activated Receptor Gamma on Human Dental Pulp Cells. <i>Journal of Endodontics</i> , 2009, 35, 524-528. | 1.4 | 30 |
| 140 | PPAR δ modulate the anti-inflammatory effect of glucocorticoids in the secondary damage in experimental spinal cord trauma. <i>Pharmacological Research</i> , 2009, 59, 338-350. | 3.1 | 38 |
| 141 | Two-dimensional gel proteome reference map of human small intestine.. <i>Proteome Science</i> , 2009, 7, 10. | 0.7 | 8 |
| 142 | Increased hepatic oxidative metabolism distinguishes the action of Peroxisome proliferator-activated receptor δ from Peroxisome proliferator-activated receptor β in the ob/ob mouse. <i>Genome Medicine</i> , 2009, 1, 115. | 3.6 | 32 |
| 143 | The Protective Role of Per2 Against Carbon Tetrachloride-Induced Hepatotoxicity. <i>American Journal of Pathology</i> , 2009, 174, 63-70. | 1.9 | 37 |
| 144 | Human Urinary Metabolomic Profile of PPAR δ Induced Fatty Acid β -Oxidation. <i>Journal of Proteome Research</i> , 2009, 8, 4293-4300. | 1.8 | 55 |
| 145 | Synthesis and Biological Evaluation of 2-Heteroarylthioalkanoic Acid Analogues of Clofibrilic Acid as Peroxisome Proliferator-Activated Receptor δ Agonists. <i>Journal of Medicinal Chemistry</i> , 2009, 52, 6224-6232. | 2.9 | 22 |
| 146 | Rosiglitazone, a PPAR δ Ligand, Reduces Burn Progression in Rats. <i>Journal of Burn Care and Research</i> , 2009, 30, 499-504. | 0.2 | 16 |
| 147 | Preventing Type 2 Diabetes Mellitus: Room for Residual Risk Reduction After Lifestyle Changes?. <i>Current Pharmaceutical Design</i> , 2010, 16, 3839-3847. | 0.9 | 11 |
| 148 | Identification of (β -carboxyethyl)-rhodanine derivatives exhibiting peroxisome proliferator-activated receptor β activity. <i>European Journal of Medicinal Chemistry</i> , 2010, 45, 193-202. | 2.6 | 27 |
| 149 | Drug synergism of antihypertensive action in combination of telmisartan with lercanidipine in spontaneous hypertensive rats. <i>Archives of Pharmacal Research</i> , 2010, 33, 1411-1418. | 2.7 | 8 |
| 150 | SIRT1 Transcription Is Decreased in Visceral Adipose Tissue of Morbidly Obese Patients with Severe Hepatic Steatosis. <i>Obesity Surgery</i> , 2010, 20, 633-639. | 1.1 | 91 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 151 | Nuclear receptors as drug targets in cholestasis and drug-induced hepatotoxicity. , 2010, 126, 228-243. | | 79 |
| 152 | Interleukin-17 regulation: an attractive therapeutic approach for asthma. Respiratory Research, 2010, 11, 78. | 1.4 | 72 |
| 153 | PPAR β expression in growth plate chondrocytes is regulated by p38 and GSK β . Journal of Cellular and Molecular Medicine, 2010, 14, 242-256. | 1.6 | 12 |
| 154 | Serum regulates adipogenesis of mesenchymal stem cells <i>via</i> MEK/ERK-dependent PPAR β expression and phosphorylation. Journal of Cellular and Molecular Medicine, 2010, 14, 922-932. | 1.6 | 41 |
| 155 | From Machine Learning to Natural Product Derivatives that Selectively Activate Transcription Factor PPAR β . ChemMedChem, 2010, 5, 191-194. | 1.6 | 58 |
| 156 | PPAR β inhibits inflammatory reaction in oxidative stress induced human diploid fibroblast. Cell Biochemistry and Function, 2010, 28, 490-496. | 1.4 | 35 |
| 157 | Cannabinoid effects on CB1 receptor density in the adolescent brain: An autoradiographic study using the synthetic cannabinoid HU210. Synapse, 2010, 64, 845-854. | 0.6 | 43 |
| 158 | Fatty acids from fish: the anti-inflammatory potential of long-chain omega-3 fatty acids. Nutrition Reviews, 2010, 68, 280-289. | 2.6 | 898 |
| 159 | Non-Steroidal Anti-Inflammatory Drugs in the Carcinogenesis of the Gastrointestinal Tract. Pharmaceuticals, 2010, 3, 2495-2516. | 1.7 | 8 |
| 160 | Nitric Oxide in Airway Inflammation. , 2010, , 795-812. | | 0 |
| 161 | PPAR Signaling Pathway and Cancer-Related Proteins Are Involved in Celiac Disease-Associated Tissue Damage. Molecular Medicine, 2010, 16, 199-209. | 1.9 | 47 |
| 162 | PPAR β as a potential therapeutic target in pulmonary hypertension. Therapeutic Advances in Respiratory Disease, 2010, 4, 143-160. | 1.0 | 43 |
| 163 | Pharmaceutical modulation of canonical Wnt signaling in multipotent stromal cells for improved osteoinductive therapy. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 4147-4152. | 3.3 | 106 |
| 164 | Phytochemicals as Modulators of PPARs and RXRs. PPAR Research, 2010, 2010, 1-2. | 1.1 | 14 |
| 165 | PPARs and Anticancer Therapies. PPAR Research, 2010, 2010, 1-2. | 1.1 | 5 |
| 166 | Therapeutic Implications of PPAR β in Human Osteosarcoma. PPAR Research, 2010, 2010, 1-16. | 1.1 | 43 |
| 167 | Chronic obstructive pulmonary disease: an update of treatment related to frequently associated comorbidities. Therapeutic Advances in Chronic Disease, 2010, 1, 43-57. | 1.1 | 11 |
| 168 | Use of transgenic mice in UDP-glucuronosyltransferase (UGT) studies. Drug Metabolism Reviews, 2010, 42, 123-131. | 1.5 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 169 | Endothelium-Dependent Vasodilator Effects of Peroxisome Proliferator-Activated Receptor $\hat{2}$ Agonists via the Phosphatidylinositol-3 Kinase-Akt Pathway. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2010, 332, 554-561. | 1.3 | 50 |
| 170 | <i>Mycobacterium tuberculosis</i> Activates Human Macrophage Peroxisome Proliferator-Activated Receptor $\hat{3}$ Linking Mannose Receptor Recognition to Regulation of Immune Responses. <i>Journal of Immunology</i> , 2010, 185, 929-942. | 0.4 | 210 |
| 171 | Relationship between Environmental Phthalate Exposure and the Intelligence of School-Age Children. <i>Environmental Health Perspectives</i> , 2010, 118, 1027-1032. | 2.8 | 212 |
| 172 | Thiazolidinediones alter growth and epithelial cell integrity, independent of PPAR- $\hat{3}$ and MAPK activation, in mouse M1 cortical collecting duct cells. <i>American Journal of Physiology - Renal Physiology</i> , 2010, 298, F1105-F1112. | 1.3 | 3 |
| 173 | Effects of Glycyrrhizic Acid on Peroxisome Proliferator-Activated Receptor Gamma (PPAR γ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf Lipase (LPL), Serum Lipid and HOMA-IR in Rats. <i>PPAR Research</i> , 2010, 2010, 1-6. | 1.1 | 33 |
| 174 | Amelioration of Insulin Resistance by Scopoletin in High-Glucose-Induced, Insulin-Resistant HepG2 Cells. <i>Hormone and Metabolic Research</i> , 2010, 42, 930-935. | 0.7 | 45 |
| 175 | Nuclear Receptor Regulation of the Adaptive Response of Bile Acid Transporters in Cholestasis. <i>Seminars in Liver Disease</i> , 2010, 30, 160-177. | 1.8 | 90 |
| 176 | CXCL9 and CXCL11 Chemokines Modulation by Peroxisome Proliferator-Activated Receptor- $\hat{1}\pm$ Agonists Secretion in Graves's™ and Normal Thyrocytes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, E413-E420. | 1.8 | 61 |
| 177 | Oleylethanolamide affects food intake and sleep-waking cycle through a hypothalamic modulation. <i>Pharmacological Research</i> , 2010, 61, 379-384. | 3.1 | 25 |
| 178 | PPARs: Important Regulators in Metabolism and Inflammation. , 2010, , 259-285. | | 1 |
| 179 | Activation of peroxisome proliferator-activated receptor $\hat{3}$ in brain inhibits inflammatory pain, dorsal horn expression of Fos, and local edema. <i>Neuropharmacology</i> , 2010, 58, 337-345. | 2.0 | 58 |
| 180 | Abdominal subcutaneous adipose tissue morphology in a patient with a dominant-negative mutation (P467L) in the nuclear receptor peroxisome proliferator-activated receptor-gamma (PPARG) gene. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2010, 20, e11-e12. | 1.1 | 2 |
| 181 | Novel Findings in Drug-Induced Dendritic Cell Tolerogenicity. <i>International Reviews of Immunology</i> , 2010, 29, 574-607. | 1.5 | 28 |
| 182 | An Omics Perspective on Cancer Research. , 2010, , . | | 20 |
| 183 | Peroxisome proliferator-activated receptors (PPARs)-independent functions of fish oil on glucose and lipid metabolism in diet-induced obese mice. <i>Lipids in Health and Disease</i> , 2010, 9, 101. | 1.2 | 14 |
| 184 | Mulberry Leaf Polyphenols Possess Antiatherogenesis Effect via Inhibiting LDL Oxidation and Foam Cell Formation. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 1985-1995. | 2.4 | 64 |
| 185 | Multiple Sclerosis is Not a Disease of the Immune System. <i>Quarterly Review of Biology</i> , 2011, 86, 287-321. | 0.0 | 48 |
| 186 | The contrasting roles of PPAR $\hat{1}$ and PPAR $\hat{3}$ in regulating the metabolic switch between oxidation and storage of fats in white adipose tissue. <i>Genome Biology</i> , 2011, 12, R75. | 13.9 | 85 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 187 | Conjugated Linoleic Acid Regulates Phosphorylation of PPAR β by Modulation of ERK 1/2 and p38 Signaling in Human Macrophages/Fatty Acid-Laden Macrophages. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 11846-11852. | 2.4 | 9 |
| 188 | Trans-10, cis-12 conjugated linoleic acid and the PPAR β agonist rosiglitazone attenuate lipopolysaccharide-induced TNF α production by bovine immune cells. <i>Domestic Animal Endocrinology</i> , 2011, 41, 118-125. | 0.8 | 22 |
| 189 | Pioglitazone modulates the balance of effector and regulatory T cells in apolipoprotein E deficient mice α . <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2011, 21, 25-32. | 1.1 | 10 |
| 190 | Biochanin α ameliorates the cytokine secretion profile of lipopolysaccharide-stimulated macrophages by a PPAR β -dependent pathway. <i>Molecular Medicine Reports</i> , 2012, 5, 217-22. | 1.1 | 27 |
| 191 | Reduction of body weight, liver steatosis and expression of stearyl α CoA desaturase 1 by the isoflavone daidzein in diet α induced obesity. <i>British Journal of Pharmacology</i> , 2011, 164, 1899-1915. | 2.7 | 84 |
| 192 | Morphological and Receptorial Changes in the Epididymal Adipose Tissue of Rats Subjected to a Stressful Stimulus. <i>Obesity</i> , 2011, 19, 703-708. | 1.5 | 15 |
| 193 | Discovery of gemfibrozil analogues that activate PPAR α and enhance the expression of gene CPT1A involved in fatty acids catabolism. <i>European Journal of Medicinal Chemistry</i> , 2011, 46, 5218-5224. | 2.6 | 28 |
| 194 | Lycium barbarum (Goji Berry) extracts and its taurine component inhibit PPAR β -dependent gene transcription in human retinal pigment epithelial cells: Possible implications for diabetic retinopathy treatment. <i>Biochemical Pharmacology</i> , 2011, 82, 1209-1218. | 2.0 | 53 |
| 195 | Benzothiazole-based N-(phenylsulfonyl)amides as a novel family of PPAR α antagonists. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011, 21, 4869-4872. | 1.0 | 31 |
| 196 | A α nage α trois made in heaven: G-protein-coupled receptors, lipids and TRP channels. <i>Cell Calcium</i> , 2011, 50, 9-26. | 1.1 | 38 |
| 197 | Effects of the PPAR γ P12A and C161T gene variants on serum lipids in coronary heart disease patients with and without Type 2 diabetes. <i>Molecular and Cellular Biochemistry</i> , 2011, 358, 355-363. | 1.4 | 37 |
| 198 | Pioglitazone inhibits TGF β induced keratocyte transformation to myofibroblast and extracellular matrix production. <i>Molecular Biology Reports</i> , 2011, 38, 4501-4508. | 1.0 | 22 |
| 199 | Troglitazone-activated PPAR β inhibits LPS-induced lung alveolar type II epithelial cells injuries via TNF α . <i>Molecular Biology Reports</i> , 2011, 38, 5009-5015. | 1.0 | 9 |
| 200 | In silico structure-based drug design approach to develop novel pharmacophore model of human peroxisome proliferator-activated receptor β agonists. <i>Medicinal Chemistry Research</i> , 2011, 20, 656-659. | 1.1 | 8 |
| 201 | Is the effect of high fat diet on lipid and carbohydrate metabolism related to inflammation?. <i>Mediterranean Journal of Nutrition and Metabolism</i> , 2011, 4, 203-209. | 0.2 | 3 |
| 202 | Resveratrol Upregulated SIRT1, FOXO1, and Adiponectin and Downregulated PPAR β mRNA Expression in Human Visceral Adipocytes. <i>Obesity Surgery</i> , 2011, 21, 356-361. | 1.1 | 84 |
| 203 | Prediction of the PPAR α agonism of fibrates by combined MM α docking approaches. <i>Journal of Molecular Graphics and Modelling</i> , 2011, 29, 865-875. | 1.3 | 4 |
| 204 | The Chemokine System as a Therapeutic Target in Autoimmune Thyroid Diseases: A Focus on the Interferon- γ ; Inducible Chemokines and their Receptor. <i>Current Pharmaceutical Design</i> , 2011, 17, 3202-3216. | 0.9 | 39 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 205 | Hypercholesterolemia: Chemical Aspect of Approach. <i>Current Medicinal Chemistry</i> , 2011, 18, 4076-4105. | 1.2 | 3 |
| 206 | The “Aged Garlic Extract” (AGE) and One of its Active Ingredients S-Allyl-LCysteine (SAC) as Potential Preventive and Therapeutic Agents for Alzheimer's Disease (AD). <i>Current Medicinal Chemistry</i> , 2011, 18, 3306-3313. | 1.2 | 93 |
| 207 | Ameliorative Effects of GW1929, a Nonthiazolidinedione PPARγ Agonist, on Inflammation and Apoptosis in Focal Cerebral Ischemic-Reperfusion Injury. <i>Current Neurovascular Research</i> , 2011, 8, 236-245. | 0.4 | 22 |
| 208 | Biological Function and Prognostic Significance of Peroxisome Proliferator-Activated Receptor γ in Rectal Cancer. <i>Clinical Cancer Research</i> , 2011, 17, 3760-3770. | 3.2 | 44 |
| 209 | Adipocyte expression of the glucose-dependent insulinotropic polypeptide receptor involves gene regulation by PPAR β and histone acetylation. <i>Journal of Lipid Research</i> , 2011, 52, 759-770. | 2.0 | 42 |
| 210 | Decrease of Blood Lipids Induced by Shan-Zha (Fruit of <i>Crataegus pinnatifida</i>) is Mainly Related to an Increase of PPAR β in Liver of Mice Fed High-Fat Diet. <i>Hormone and Metabolic Research</i> , 2011, 43, 625-630. | 0.7 | 43 |
| 211 | Changes in the 24â€%h Rhythmicity of Liver PPARs and Peroxisomal Markers When Feeding Is Restricted to Two Daytime Hours. <i>PPAR Research</i> , 2011, 2011, 1-11. | 1.1 | 16 |
| 212 | Peroxisome Proliferatorâ€Activated Receptorâ€ β Agonist Induces Regulatory T Cells in a Murine Model of Allergic Rhinitis. <i>Otolaryngology - Head and Neck Surgery</i> , 2011, 144, 506-513. | 1.1 | 29 |
| 213 | PPAR β Expression and Function in Mycobacterial Infection: Roles in Lipid Metabolism, Immunity, and Bacterial Killing. <i>PPAR Research</i> , 2012, 2012, 1-7. | 1.1 | 78 |
| 214 | The story so far: post-translational regulation of peroxisome proliferator-activated receptors by ubiquitination and SUMOylation. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2012, 302, H515-H526. | 1.5 | 76 |
| 215 | Peroxisome Proliferator-Activated Receptors in Regulation of Cytochromes P450: New Way to Overcome Multidrug Resistance?. <i>Journal of Biomedicine and Biotechnology</i> , 2012, 2012, 1-10. | 3.0 | 16 |
| 216 | Docking, Synthesis and Anti-Diabetic Activity of Novel Sulfonylhydrazone Derivatives Designed as PPAR-Gamma Agonists. <i>Current Topics in Medicinal Chemistry</i> , 2012, 12, 2037-2048. | 1.0 | 14 |
| 217 | Cloning and expression profiles of yak lipoprotein lipase gene. <i>Journal of Applied Animal Research</i> , 2012, 40, 311-315. | 0.4 | 2 |
| 218 | Renoprotective Effect of Pioglitazone by the Prevention of Glomerular Hyperfiltration through the Possible Restoration of Altered Macula Densa Signaling in Rats with Type 2 Diabetic Nephropathy. <i>Nephron Experimental Nephrology</i> , 2013, 122, 83-94. | 2.4 | 11 |
| 219 | Nuclear Receptors in Nonalcoholic Fatty Liver Disease. <i>Journal of Lipids</i> , 2012, 2012, 1-10. | 1.9 | 30 |
| 220 | The Synthetic Cannabinoid R(+)-WIN55,212-2 Augments Interferon- β Expression via Peroxisome Proliferator-activated Receptor- β . <i>Journal of Biological Chemistry</i> , 2012, 287, 25440-25453. | 1.6 | 17 |
| 221 | Red clover extract exerts antidiabetic and hypolipidemic effects in db/db mice. <i>Experimental and Therapeutic Medicine</i> , 2012, 4, 699-704. | 0.8 | 14 |
| 222 | Methodologies for Investigating Natural Medicines for the Treatment of Nonalcoholic Fatty Liver Disease (NAFLD). <i>Current Pharmaceutical Biotechnology</i> , 2012, 13, 278-291. | 0.9 | 24 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 223 | Peroxisome proliferator-activated receptor-alpha agonists repress expression of thrombin-activatable fibrinolysis inhibitor by decreasing transcript stability. <i>Thrombosis and Haemostasis</i> , 2012, 108, 74-85. | 1.8 | 7 |
| 224 | Reduced Peroxisome Proliferator-Activated Receptor α Expression Is Associated With Decreased Survival and Increased Tissue Bacterial Load in Sepsis. <i>Shock</i> , 2012, 37, 164-169. | 1.0 | 68 |
| 225 | Δ^9 -tetrahydrocannabinol (Δ^9 -THC) exerts a direct neuroprotective effect in a human cell culture model of Parkinson's disease. <i>Neuropathology and Applied Neurobiology</i> , 2012, 38, 535-547. | 1.8 | 84 |
| 226 | Triglyceride-Rich Lipoprotein Regulates APOB48 Receptor Gene Expression in Human THP-1 Monocytes and Macrophages. <i>Journal of Nutrition</i> , 2012, 142, 227-232. | 1.3 | 22 |
| 227 | Sperm metabolism in pig: a role for peroxisome proliferator-activated receptor (PPAR) β . <i>Journal of Experimental Biology</i> , 2013, 216, 1085-92. | 0.8 | 24 |
| 228 | Investigation of Polymorphic Variants of <i>PPARα</i> and <i>APOE</i> Genes in Turkish Coronary Heart Disease Patients. <i>DNA and Cell Biology</i> , 2012, 31, 867-875. | 0.9 | 10 |
| 229 | The meta-analysis of the association of PPAR γ P12A, C161T polymorphism and coronary heart disease. <i>Wiener Klinische Wochenschrift</i> , 2012, 124, 671-677. | 1.0 | 17 |
| 230 | Obesity and metabolic syndrome: Future therapeutics based on novel molecular pathways. <i>Clínica e Investigaci3n En Arteriosclerosis</i> , 2012, 24, 204-211. | 0.4 | 2 |
| 231 | Organ fibrosis inhibited by blocking transforming growth factor- β signaling via peroxisome proliferator-activated receptor β agonists. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2012, 11, 467-478. | 0.6 | 53 |
| 232 | Synthesis and structure-activity relationships of fibrate-based analogues inside PPARs. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012, 22, 7662-7666. | 1.0 | 31 |
| 233 | Unsaturated Fatty Alcohol Derivatives of Olive Oil Phenolic Compounds with Potential Low-Density Lipoprotein (LDL) Antioxidant and Antiobesity Properties. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 1067-1074. | 2.4 | 17 |
| 234 | Submaximal PPAR β activation and endothelial dysfunction: new perspectives for the management of cardiovascular disorders. <i>British Journal of Pharmacology</i> , 2012, 166, 1981-1992. | 2.7 | 69 |
| 235 | PPAR α activation inhibits endothelin-1-induced cardiomyocyte hypertrophy by prevention of NFATc4 binding to GATA-4. <i>Archives of Biochemistry and Biophysics</i> , 2012, 518, 71-78. | 1.4 | 28 |
| 236 | The case for intraocular delivery of PPAR agonists in the treatment of diabetic retinopathy. <i>BMC Ophthalmology</i> , 2012, 12, 46. | 0.6 | 9 |
| 237 | Anti-inflammatory effect of simvastatin in an experimental model of spinal cord trauma: involvement of PPAR α . <i>Journal of Neuroinflammation</i> , 2012, 9, 81. | 3.1 | 52 |
| 238 | Peroxisome proliferator-activated receptor gamma modulation and lipogenic response in adipocytes of small-for-gestational age offspring. <i>Nutrition and Metabolism</i> , 2012, 9, 62. | 1.3 | 20 |
| 239 | Effect of ginseng polysaccharide on the urinary excretion of type 2 diabetic rats studied by liquid chromatography-mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012, 907, 7-12. | 1.2 | 40 |
| 240 | n-3 Dietary supplementation and lipid metabolism: Differences between vegetable- and fish-derived oils. <i>Journal of Functional Foods</i> , 2012, 4, 207-212. | 1.6 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 241 | Cyanidin 3-O- β -D-glucoside-rich blackberries modulate hepatic gene expression, and anti-obesity effects in ovariectomized rats. <i>Journal of Functional Foods</i> , 2012, 4, 480-488. | 1.6 | 50 |
| 242 | Emerging drugs for chronic obstructive pulmonary disease. <i>Expert Opinion on Emerging Drugs</i> , 2012, 17, 61-82. | 1.0 | 22 |
| 243 | Regulation of prostacyclin synthase expression and prostacyclin content in the pig endometrium. <i>Theriogenology</i> , 2012, 78, 2071-2086. | 0.9 | 19 |
| 244 | Structural Insights into Human Peroxisome Proliferator Activated Receptor Delta (PPAR-Delta) Selective Ligand Binding. <i>PLoS ONE</i> , 2012, 7, e33643. | 1.1 | 43 |
| 245 | Effect of 2-methyl-2-phenoxy propionic acid on serum lipid profile and ovarian activity in dairy cows. <i>Czech Journal of Animal Science</i> , 2012, 57, 550-556. | 0.5 | 6 |
| 246 | Vascular inflammation is a missing link for diabetes-enhanced atherosclerotic cardiovascular diseases. <i>Frontiers in Bioscience - Landmark</i> , 2012, 17, 1140. | 3.0 | 9 |
| 247 | Red Clover Extract Ameliorates Dyslipidemia in Streptozotocin-Induced Diabetic C57BL/6 Mice by Activating Hepatic PPAR α . <i>Phytotherapy Research</i> , 2012, 26, 860-864. | 2.8 | 31 |
| 248 | Antiobesity Effects of a Sulfur Compound Thiacremonone Mediated via Downregulation of Serum Triglyceride and Glucose Levels and Lipid Accumulation in the Liver of <i>db/db</i> Mice. <i>Phytotherapy Research</i> , 2012, 26, 1265-1271. | 2.8 | 24 |
| 249 | PPAR β activation by baicalin suppresses NF- κ B-mediated inflammation in aged rat kidney. <i>Biogerontology</i> , 2012, 13, 133-145. | 2.0 | 60 |
| 250 | 5,7-Dimethoxyflavone, an activator of PPAR α/β , inhibits UVB-induced MMP expression in human skin fibroblast cells. <i>Experimental Dermatology</i> , 2012, 21, 211-216. | 1.4 | 49 |
| 251 | Anti-inflammatory mechanism of PPAR β on LPS-induced pulp cells: Role of the ROS removal activity. <i>Archives of Oral Biology</i> , 2012, 57, 392-400. | 0.8 | 53 |
| 252 | Bidirectional fluorescence properties of pyrene-based peroxisome proliferator-activated receptor (PPAR) α/β dual agonist. <i>Bioorganic and Medicinal Chemistry</i> , 2012, 20, 3460-3464. | 1.4 | 6 |
| 253 | PPAR-Gamma Agonist Rosiglitazone Attenuates the Inflammation Caused by Carrageenan in the Mouse Model of Pleurisy. <i>Inflammation</i> , 2012, 35, 280-288. | 1.7 | 12 |
| 254 | A High-Fat Diet Increases IL-1, IL-6, and TNF- α Production by Increasing NF- κ B and Attenuating PPAR- β Expression in Bone Marrow Mesenchymal Stem Cells. <i>Inflammation</i> , 2013, 36, 379-386. | 1.7 | 129 |
| 255 | Towards a humanized PPAR β reporter system for in vivo screening of obesogens. <i>Molecular and Cellular Endocrinology</i> , 2013, 374, 1-9. | 1.6 | 15 |
| 256 | Disparity in actions of rosiglitazone against cisplatin-induced nephrotoxicity in female Sprague-Dawley rats. <i>Environmental Toxicology and Pharmacology</i> , 2013, 36, 883-890. | 2.0 | 8 |
| 257 | The involvement of peroxisome proliferator activated receptors (PPARs) in prostaglandin F $_{2\alpha}$ production by porcine endometrium. <i>Reproductive Biology</i> , 2013, 13, 309-316. | 0.9 | 10 |
| 258 | The Survival Role of Peroxisome Proliferator-activated Receptor Gamma Induces Odontoblast Differentiation against Oxidative Stress in Human Dental Pulp Cells. <i>Journal of Endodontics</i> , 2013, 39, 236-241. | 1.4 | 43 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 259 | Cilostazol improves the response to ischemia in diabetic mice by a mechanism dependent on PPAR β . <i>Molecular and Cellular Endocrinology</i> , 2013, 381, 80-87. | 1.6 | 23 |
| 260 | The nuances of atherogenic dyslipidemia in diabetes: Focus on triglycerides and current management strategies. <i>Indian Heart Journal</i> , 2013, 65, 683-690. | 0.2 | 10 |
| 261 | <i>Clostridium Butyricum</i> MIYAIRI 588 Improves High-Fat Diet-Induced Non-Alcoholic Fatty Liver Disease in Rats. <i>Digestive Diseases and Sciences</i> , 2013, 58, 3534-3544. | 1.1 | 63 |
| 262 | PPAR β inhibits inflammation and RANKL expression in epoxy resin-based sealer-induced osteoblast precursor cells E1 cells. <i>Archives of Oral Biology</i> , 2013, 58, 28-34. | 0.8 | 17 |
| 263 | Different effects of PPARA, PPARG and ApoE SNPs on serum lipids in patients with coronary heart disease based on the presence of diabetes. <i>Gene</i> , 2013, 523, 20-26. | 1.0 | 21 |
| 264 | Activation of PPAR- β induces cell cycle arrest and inhibits transforming growth factor- β 1 induction of smooth muscle cell phenotype in 10T1/2 mesenchymal cells. <i>Cellular Signalling</i> , 2013, 25, 1252-1263. | 1.7 | 12 |
| 265 | Azelaic acid reduced senescence-like phenotype in photo-irradiated human dermal fibroblasts: possible implication of PPAR β . <i>Experimental Dermatology</i> , 2013, 22, 41-47. | 1.4 | 45 |
| 266 | The C161T polymorphism in the peroxisome proliferator-activated receptor gamma gene (PPAR β) is associated with risk of coronary artery disease: a meta-analysis. <i>Molecular Biology Reports</i> , 2013, 40, 3101-3112. | 1.0 | 21 |
| 267 | Low-Level Laser Therapy Restores the Oxidative Stress Balance in Acute Lung Injury Induced by Gut Ischemia and Reperfusion. <i>Photochemistry and Photobiology</i> , 2013, 89, 179-188. | 1.3 | 68 |
| 268 | Insights into the Activity, Differential Expression, Mutual Regulation, and Functions of Matrix Metalloproteinases and A Disintegrin and Metalloproteinases in Hypertension and Cardiac Disease. <i>Journal of Vascular Research</i> , 2013, 50, 52-68. | 0.6 | 23 |
| 269 | Nuclear Receptors as Drug Targets in Cholestatic Liver Diseases. <i>Clinics in Liver Disease</i> , 2013, 17, 161-189. | 1.0 | 87 |
| 270 | Molecular Mechanism of Peroxisome Proliferator-Activated Receptor β Activation by WY14643: a New Mode of Ligand Recognition and Receptor Stabilization. <i>Journal of Molecular Biology</i> , 2013, 425, 2878-2893. | 2.0 | 101 |
| 271 | High levels of arachidonic acid and peroxisome proliferator-activated receptor-alpha in breast cancer tissues are associated with promoting cancer cell proliferation. <i>Journal of Nutritional Biochemistry</i> , 2013, 24, 274-281. | 1.9 | 61 |
| 272 | <i>Monascus</i> -Fermented Yellow Pigments Monascin and Ankaflavin Showed Antiobesity Effect via the Suppression of Differentiation and Lipogenesis in Obese Rats Fed a High-Fat Diet. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 1493-1500. | 2.4 | 68 |
| 273 | A maternal diet of fatty fish reduces body fat of offspring compared with a maternal diet of beef and a post-weaning diet of fish improves insulin sensitivity and lipid profile in adult C57BL/6 male mice. <i>Acta Physiologica</i> , 2013, 209, 220-234. | 1.8 | 25 |
| 274 | Effects of peroxisome proliferator-activated receptor- β activation in endothelin-dependent hypertension. <i>Cardiovascular Research</i> , 2013, 99, 622-631. | 1.8 | 23 |
| 275 | Peroxisome Proliferator-Activated Receptor Targets for the Treatment of Metabolic Diseases. <i>Mediators of Inflammation</i> , 2013, 2013, 1-18. | 1.4 | 257 |
| 276 | Therapeutic Implications of Targeting Energy Metabolism in Breast Cancer. <i>PPAR Research</i> , 2013, 2013, 1-11. | 1.1 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 277 | Inflammation and Oxidative Stress in Diabetic Nephropathy: New Insights on Its Inhibition as New Therapeutic Targets. <i>Journal of Diabetes Research</i> , 2013, 2013, 1-8. | 1.0 | 139 |
| 278 | Peroxisome proliferator-activated receptor (PPAR) isoforms in coronary heart disease. <i>Turkish Journal of Biochemistry</i> , 2013, 38, 372-384. | 0.3 | 2 |
| 279 | Activated Cyclin-Dependent Kinase 5 Promotes Microglial Phagocytosis of Fibrillar A β -Amyloid by Up-regulating Lipoprotein Lipase Expression. <i>Molecular and Cellular Proteomics</i> , 2013, 12, 2833-2844. | 2.5 | 51 |
| 280 | Anti-Obesity Effect and Action Mechanism of <i>Adenophora triphylla</i> Root Ethanol Extract in C57BL/6 Obese Mice Fed a High-Fat Diet. <i>Bioscience, Biotechnology and Biochemistry</i> , 2013, 77, 544-550. | 0.6 | 26 |
| 282 | Protective Effect of Pioglitazone on Retinal Ischemia/Reperfusion Injury in Rats. , 2013, 54, 3912. | | 32 |
| 283 | Nuclear control of inflammation and fibrosis in nonalcoholic steatohepatitis: therapeutic potential of dual peroxisome proliferator-activated receptor alpha/delta agonism. <i>Hepatology</i> , 2013, 58, 1881-1884. | 3.6 | 10 |
| 284 | Enhanced Anti-Obesity Activities of Red Mold <i>Dioscorea</i> When Fermented Using Deep Ocean Water as the Culture Water. <i>Marine Drugs</i> , 2013, 11, 3902-3925. | 2.2 | 18 |
| 285 | Effect of <i>Moringa oleifera</i> on advanced glycation end-product formation and lipid metabolism gene expression in HepG2 cells. <i>Genetics and Molecular Research</i> , 2014, 13, 723-735. | 0.3 | 35 |
| 286 | The effect of nutrition and metabolic status on the development of follicles, oocytes and embryos in ruminants. <i>Animal</i> , 2014, 8, 1031-1044. | 1.3 | 61 |
| 287 | Peroxisome proliferator-activated receptor δ activation attenuates the inflammatory response to protect the liver from acute failure by promoting the autophagy pathway. <i>Cell Death and Disease</i> , 2014, 5, e1397-e1397. | 2.7 | 95 |
| 288 | Exendin-4 Improves Nonalcoholic Fatty Liver Disease by Regulating Glucose Transporter 4 Expression in ob/ob Mice. <i>Korean Journal of Physiology and Pharmacology</i> , 2014, 18, 333. | 0.6 | 23 |
| 289 | Evaluation of peroxisome proliferator-activated receptor agonists on interleukin-5-induced eosinophil differentiation. <i>Immunology</i> , 2014, 142, 484-491. | 2.0 | 6 |
| 290 | Docosahexaenoic acid reduces linoleic acid induced monocyte chemoattractant protein-1 expression via PPAR δ and nuclear factor- κ B pathway in retinal pigment epithelial cells. <i>Molecular Nutrition and Food Research</i> , 2014, 58, 2053-2065. | 1.5 | 19 |
| 291 | Activation of Peroxisome Proliferator-Activated Receptor Gamma Leads to Upregulation of E-selectin Expression in Human Monocyte-derived Dendritic Cells. <i>Scandinavian Journal of Immunology</i> , 2014, 79, 20-26. | 1.3 | 5 |
| 292 | Inducing Effect of Clofibrilic Acid on Stearoyl-CoA Desaturase in Intestinal Mucosa of Rats. <i>Lipids</i> , 2014, 49, 1203-1214. | 0.7 | 5 |
| 293 | Fibrate treatment for primary biliary cirrhosis. <i>Current Opinion in Gastroenterology</i> , 2014, 30, 279-286. | 1.0 | 36 |
| 294 | Role of PPAR δ in the Differentiation and Function of Neurons. <i>PPAR Research</i> , 2014, 2014, 1-9. | 1.1 | 54 |
| 295 | Minireview: Challenges and Opportunities in Development of PPAR Agonists. <i>Molecular Endocrinology</i> , 2014, 28, 1756-1768. | 3.7 | 138 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 296 | Down-regulation of PPAR α in the spinal cord contributes to augmented peripheral inflammation and inflammatory hyperalgesia in diet-induced obese rats. <i>Neuroscience</i> , 2014, 278, 165-178. | 1.1 | 22 |
| 297 | Natural product agonists of peroxisome proliferator-activated receptor gamma (PPAR γ): a review. <i>Biochemical Pharmacology</i> , 2014, 92, 73-89. | 2.0 | 492 |
| 298 | Molecular determinants for improved activity at PPAR α : Structure-activity relationship of pirinixic acid derivatives, docking study and site-directed mutagenesis of PPAR α . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014, 24, 4048-4052. | 1.0 | 7 |
| 299 | Variable effects of 12 weeks of omega-3 supplementation on resting skeletal muscle metabolism. <i>Applied Physiology, Nutrition and Metabolism</i> , 2014, 39, 1083-1091. | 0.9 | 27 |
| 300 | Polymorphisms of peroxisome proliferator-activated receptors and survival of lung cancer and upper aero-digestive tract cancers. <i>Lung Cancer</i> , 2014, 85, 449-456. | 0.9 | 9 |
| 301 | Transgenic expression of salmon delta-5 and delta-6 desaturase in zebrafish muscle inhibits the growth of <i>Vibrio alginolyticus</i> and affects fish immunomodulatory activity. <i>Fish and Shellfish Immunology</i> , 2014, 39, 223-230. | 1.6 | 24 |
| 302 | Effect of <i>Trifolium pratense</i> extract on methionine-choline-deficient diet-induced steatohepatitis in C57BL/6 mice. <i>Chinese Journal of Natural Medicines</i> , 2014, 12, 194-198. | 0.7 | 11 |
| 303 | Resveratrol protects RPE cells from sodium iodate by modulating PPAR α and PPAR γ . <i>Experimental Eye Research</i> , 2014, 118, 100-108. | 1.2 | 27 |
| 304 | WIN induces apoptotic cell death in human colon cancer cells through a block of autophagic flux dependent on PPAR β down-regulation. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2014, 19, 1029-42. | 2.2 | 41 |
| 305 | Adipose tissue and liver metabolic responses to different levels of dietary carbohydrates in gilthead sea bream (<i>Sparus aurata</i>). <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2014, 175, 72-81. | 0.8 | 39 |
| 306 | Expression profile and role of prostacyclin receptor (PTGIR) in peri-implantation porcine conceptuses. <i>Theriogenology</i> , 2014, 82, 546-556. | 0.9 | 13 |
| 307 | Targeting inflammation in diabetes: Newer therapeutic options. <i>World Journal of Diabetes</i> , 2014, 5, 697. | 1.3 | 144 |
| 308 | Peroxisome proliferator-activated receptor β agonist rosiglitazone inhibits migration and invasion of prostate cancer cells through inhibition of the CXCR4/CXCL12 axis. <i>Molecular Medicine Reports</i> , 2014, 10, 695-700. | 1.1 | 35 |
| 309 | Peroxisome proliferator-activated receptor β ligands inhibit VEGF-mediated vasculogenic mimicry of prostate cancer through the AKT signaling pathway. <i>Molecular Medicine Reports</i> , 2014, 10, 276-282. | 1.1 | 25 |
| 310 | Inhibition of aldose reductase ameliorates diet-induced nonalcoholic steatohepatitis in mice via modulating the phosphorylation of hepatic peroxisome proliferator-activated receptor α . <i>Molecular Medicine Reports</i> , 2015, 11, 303-308. | 1.1 | 10 |
| 311 | Transgenic expression of omega-3 PUFA synthesis genes improves zebrafish survival during <i>Vibrio vulnificus</i> infection. <i>Journal of Biomedical Science</i> , 2015, 22, 103. | 2.6 | 27 |
| 312 | A phase II clinical trial to investigate the effect of pioglitazone on 18F-FDG uptake in malignant lesions. <i>EJNMMI Research</i> , 2015, 5, 50. | 1.1 | 2 |
| 313 | Polymorphisms in the PPAR β gene and their association with metabolic syndrome in Uyghurs and Kazakhs from Xinjiang, China. <i>Genetics and Molecular Research</i> , 2015, 14, 6279-6288. | 0.3 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 314 | Omega-3 Fatty Acid Supplementation for 12 Weeks Increases Resting and Exercise Metabolic Rate in Healthy Community-Dwelling Older Females. <i>PLoS ONE</i> , 2015, 10, e0144828. | 1.1 | 113 |
| 315 | Fetal and Childhood Exposure to Phthalate Diesters and Cognitive Function in Children Up to 12 Years of Age: Taiwanese Maternal and Infant Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0131910. | 1.1 | 64 |
| 316 | Interleukin-18 Increases TLR4 and Mannose Receptor Expression and Modulates Cytokine Production in Human Monocytes. <i>Mediators of Inflammation</i> , 2015, 2015, 1-9. | 1.4 | 15 |
| 317 | Sequence Variants of Peroxisome Proliferator-Activated Receptor-Gamma Gene and the Clinical Courses of Patients with End-Stage Renal Disease. <i>Disease Markers</i> , 2015, 2015, 1-7. | 0.6 | 8 |
| 318 | Peroxisome Proliferator-Activated Receptors and the Heart: Lessons from the Past and Future Directions. <i>PPAR Research</i> , 2015, 2015, 1-18. | 1.1 | 77 |
| 319 | Novel insights into the mechanisms whereby isoflavones protect against fatty liver disease. <i>World Journal of Gastroenterology</i> , 2015, 21, 1099. | 1.4 | 30 |
| 320 | Synthesis, biological evaluation and molecular modeling studies of the PPAR α / δ antagonist CC618. <i>European Journal of Medicinal Chemistry</i> , 2015, 94, 229-236. | 2.6 | 8 |
| 321 | Peroxisome Proliferator-Activated Receptor Gamma Negatively Regulates the Differentiation of Bone Marrow-Derived Mesenchymal Stem Cells Toward Myofibroblasts in Liver Fibrogenesis. <i>Cellular Physiology and Biochemistry</i> , 2015, 37, 2085-2100. | 1.1 | 18 |
| 322 | BioGPS: Navigating biological space to predict polypharmacology, off-targeting, and selectivity. <i>Proteins: Structure, Function and Bioinformatics</i> , 2015, 83, 517-532. | 1.5 | 68 |
| 323 | Regulation of lipid metabolism and peroxisome proliferator-activated receptors in rainbow trout adipose tissue by lipolytic and antilipolytic endocrine factors. <i>Domestic Animal Endocrinology</i> , 2015, 51, 86-95. | 0.8 | 9 |
| 324 | The PPAR δ agonist, rosiglitazone, attenuates airway inflammation and remodeling via heme oxygenase-1 in murine model of asthma. <i>Acta Pharmacologica Sinica</i> , 2015, 36, 171-178. | 2.8 | 33 |
| 325 | In vitro evaluation of dual agonists for PPAR α / δ from the flower of <i>Edgeworthia gardneri</i> (wall.) Meisn. <i>Journal of Ethnopharmacology</i> , 2015, 162, 14-19. | 2.0 | 21 |
| 326 | The effect of PPAR δ agonist on 18F-FDG PET imaging for differentiating tumors and inflammation lesions. <i>Nuclear Medicine and Biology</i> , 2015, 42, 85-91. | 0.3 | 5 |
| 327 | Magnolol ameliorates lipopolysaccharide-induced acute lung injury in rats through PPAR δ -dependent inhibition of NF- κ B activation. <i>International Immunopharmacology</i> , 2015, 28, 270-278. | 1.7 | 77 |
| 328 | New nanocomposite-graphene pastes based stochastic microsensors. <i>RSC Advances</i> , 2015, 5, 66185-66191. | 1.7 | 10 |
| 329 | Alteration of cellular lipids and lipid metabolism markers in RTL-W1 cells exposed to model endocrine disrupters. <i>Aquatic Toxicology</i> , 2015, 165, 277-285. | 1.9 | 17 |
| 330 | Different binding and recognition modes of GL479, a dual agonist of Peroxisome Proliferator-Activated Receptor α / δ . <i>Journal of Structural Biology</i> , 2015, 191, 332-340. | 1.3 | 34 |
| 331 | PPAR α agonists based on stilbene and its bioisosteres: biological evaluation and docking studies. <i>MedChemComm</i> , 2015, 6, 1513-1517. | 3.5 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 332 | Rosiglitazone ameliorates senescence-like phenotypes in a cellular photoaging model. <i>Journal of Dermatological Science</i> , 2015, 77, 173-181. | 1.0 | 13 |
| 333 | Review of the roles of conjugated linoleic acid in health and disease. <i>Journal of Functional Foods</i> , 2015, 15, 314-325. | 1.6 | 185 |
| 334 | Transcriptome analysis of hen preadipocytes treated with an adipogenic cocktail (DMIOA) with or without 20(S)-hydroxycholesterol. <i>BMC Genomics</i> , 2015, 16, 91. | 1.2 | 12 |
| 335 | Abundance of ruminal bacteria, epithelial gene expression, and systemic biomarkers of metabolism and inflammation are altered during the periparturient period in dairy cows. <i>Journal of Dairy Science</i> , 2015, 98, 8940-8951. | 1.4 | 71 |
| 336 | Cinnamaldehyde Contributes to Insulin Sensitivity by Activating PPAR α , PPAR δ , and RXR. <i>The American Journal of Chinese Medicine</i> , 2015, 43, 879-892. | 1.5 | 30 |
| 337 | Valproic acid protects against haemorrhagic shock-induced signalling changes via PPAR δ activation in an <i>in vitro</i> model. <i>British Journal of Pharmacology</i> , 2015, 172, 5306-5317. | 2.7 | 9 |
| 338 | A Novel Peroxisome Proliferator-activated Receptor (PPAR) δ Agonist 2-Hydroxyethyl 5-chloro-4,5-didehydrojasmonate Exerts Anti-Inflammatory Effects in Colitis. <i>Journal of Biological Chemistry</i> , 2015, 290, 25609-25619. | 1.6 | 49 |
| 339 | The ubiquitin ligase MuRF1 regulates PPAR α activity in the heart by enhancing nuclear export via monoubiquitination. <i>Molecular and Cellular Endocrinology</i> , 2015, 413, 36-48. | 1.6 | 42 |
| 340 | Molecular characterization, transcriptional activity and nutritional regulation of peroxisome proliferator activated receptor gamma in Nile tilapia (<i>Oreochromis niloticus</i>). <i>General and Comparative Endocrinology</i> , 2015, 223, 139-147. | 0.8 | 25 |
| 341 | Pioglitazone hydrochloride: chemopreventive potential and development of site-specific drug delivery systems. <i>Drug Delivery</i> , 2015, 22, 408-417. | 2.5 | 3 |
| 342 | Delta-9-tetrahydrocannabinol protects against MPP ⁺ toxicity in SH-SY5Y cells by restoring proteins involved in mitochondrial biogenesis. <i>Oncotarget</i> , 2016, 7, 46603-46614. | 0.8 | 41 |
| 343 | PPAR δ in Bacterial Infections: A Friend or Foe?. <i>PPAR Research</i> , 2016, 2016, 1-7. | 1.1 | 21 |
| 344 | PPAR δ as a Novel Therapeutic Target in Lung Cancer. <i>PPAR Research</i> , 2016, 2016, 1-7. | 1.1 | 37 |
| 345 | Identification of Haplotype Tag Single-Nucleotide Polymorphisms within the PPAR Family Genes and Their Clinical Relevance in Patients with Major Trauma. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 374. | 1.2 | 4 |
| 346 | Macrophage Polarization: Implications on Metabolic Diseases and the Role of Exercise. <i>Critical Reviews in Eukaryotic Gene Expression</i> , 2016, 26, 115-132. | 0.4 | 57 |
| 347 | A Novel Partial PPAR α / δ Dual Agonist SN159 Improves Insulin Sensitivity. <i>Bulletin of the Korean Chemical Society</i> , 2016, 37, 226-233. | 1.0 | 3 |
| 348 | Peroxisome Proliferator-Activated Receptor Ligands and Their Role in Chronic Myeloid Leukemia: Therapeutic Strategies. <i>Chemical Biology and Drug Design</i> , 2016, 88, 17-25. | 1.5 | 34 |
| 349 | Dietary α -linolenic acid supplementation alters skeletal muscle plasma membrane lipid composition, sarcolemmal FAT/CD36 abundance, and palmitate transport rates. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2016, 311, R1234-R1242. | 0.9 | 25 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 350 | Vascular and Central Activation of Peroxisome Proliferator-Activated Receptor- α Attenuates Angiotensin II-Induced Hypertension: Role of RGS-5. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2016, 358, 151-163. | 1.3 | 16 |
| 351 | Expression of Peroxisome Proliferator-Activated Receptor alpha (PPAR α) in somatotropinomas: Relationship with Aryl hydrocarbon receptor Interacting Protein (AIP) and <i>in vitro</i> effects of fenofibrate in GH3 cells. <i>Molecular and Cellular Endocrinology</i> , 2016, 426, 61-72. | 1.6 | 2 |
| 352 | PPAR β regulates exocrine pancreas lipase. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2016, 1861, 1921-1928. | 1.2 | 6 |
| 353 | Long-chain polyunsaturated fatty acids regulation of PPARs, signaling: Relationship to tissue development and aging. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2016, 114, 28-34. | 1.0 | 150 |
| 354 | Inundation of asthma target research: Untangling asthma riddles. <i>Pulmonary Pharmacology and Therapeutics</i> , 2016, 41, 60-85. | 1.1 | 6 |
| 355 | Modulation of Systemic Metabolism by MMP α : From MMP α Deficiency in Mice to MMP α Deficiency in Patients. , 2016, 6, 1935-1949. | | 37 |
| 356 | Peroxisome proliferator activating receptor- β and the podocyte. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, gfw320. | 0.4 | 21 |
| 357 | Peroxisome proliferator-activated receptor alpha acts as a mediator of endoplasmic reticulum stress-induced hepatocyte apoptosis in acute liver failure. <i>DMM Disease Models and Mechanisms</i> , 2016, 9, 799-809. | 1.2 | 19 |
| 358 | Peroxisome proliferator-activated receptor gamma (PPAR γ), a key regulatory gene of lipid metabolism in chicken. <i>World's Poultry Science Journal</i> , 2016, 72, 773-784. | 1.4 | 11 |
| 359 | Fatty acid metabolism in fish species as a biomarker for environmental monitoring. <i>Environmental Pollution</i> , 2016, 218, 297-312. | 3.7 | 70 |
| 360 | Ursolic acid prevents augmented peripheral inflammation and inflammatory hyperalgesia in high-fat diet-induced obese rats by restoring downregulated spinal PPAR α . <i>Molecular Medicine Reports</i> , 2016, 13, 5309-5316. | 1.1 | 17 |
| 361 | Effects of telmisartan on fat distribution: a meta-analysis of randomized controlled trials. <i>Current Medical Research and Opinion</i> , 2016, 32, 1303-1309. | 0.9 | 11 |
| 362 | Inhibition of glycogen synthase kinase β promotes autophagy to protect mice from acute liver failure mediated by peroxisome proliferator-activated receptor α . <i>Cell Death and Disease</i> , 2016, 7, e2151-e2151. | 2.7 | 62 |
| 363 | Mechanisms underlying the effect of polysaccharides in the treatment of type 2 diabetes: A review. <i>Carbohydrate Polymers</i> , 2016, 144, 474-494. | 5.1 | 185 |
| 364 | Oral Supplementation with Cocoa Extract Reduces UVB-Induced Wrinkles in Hairless Mouse Skin. <i>Journal of Investigative Dermatology</i> , 2016, 136, 1012-1021. | 0.3 | 29 |
| 365 | Macrophage-derived lipid agonists of PPAR α as intrinsic controllers of inflammation. <i>Critical Reviews in Biochemistry and Molecular Biology</i> , 2016, 51, 7-14. | 2.3 | 62 |
| 366 | <i>In Silico</i> Modeling for the Prediction of Dose and Pathway-Related Adverse Effects in Humans From <i>In Vitro</i> Repeated-Dose Studies. <i>Toxicological Sciences</i> , 2016, 149, 55-66. | 1.4 | 14 |
| 367 | Rosiglitazone protects rat liver against acute liver injury associated with the NF- κ B signaling pathway. <i>Canadian Journal of Physiology and Pharmacology</i> , 2016, 94, 28-34. | 0.7 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 368 | Pharmacological evidence for systemic and peripheral antinociceptive activities of pioglitazone in the rat formalin test: Role of PPAR γ and nitric oxide. <i>European Journal of Pharmacology</i> , 2017, 805, 84-92. | 1.7 | 20 |
| 369 | Cloning and expression characterization of peroxisome proliferator-activated receptors (PPARs) with their agonists, dietary lipids, and ambient salinity in rabbitfish <i>Siganus canaliculatus</i> . <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2017, 206, 54-64. | 0.7 | 27 |
| 370 | Antihypertensive effects of peroxisome proliferator-activated receptor- γ activation. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2017, 312, H189-H200. | 1.5 | 26 |
| 371 | Intellectual evaluation of children exposed to phthalate-tainted products after the 2011 Taiwan phthalate episode. <i>Environmental Research</i> , 2017, 156, 158-166. | 3.7 | 38 |
| 373 | Antarctic seals: Molecular biomarkers as indicators for pollutant exposure, health effects and diet. <i>Science of the Total Environment</i> , 2017, 599-600, 1693-1704. | 3.9 | 12 |
| 374 | Peroxisome proliferator-activated receptor alpha mediates C/EBP homologous protein to protect mice from acute liver failure. <i>Inflammation Research</i> , 2017, 66, 813-822. | 1.6 | 3 |
| 375 | Quantitative targeted metabolomics for 15d-deoxy- γ -12, 14-PGJ2 (15d-PGJ2) by MALDI-MS. <i>Biotechnology and Bioprocess Engineering</i> , 2017, 22, 100-106. | 1.4 | 3 |
| 376 | Traditional medicine, Sobokchukeo-Tang, modulates the inflammatory response in adipocytes and macrophages. <i>Molecular Medicine Reports</i> , 2017, 15, 117-124. | 1.1 | 3 |
| 377 | Gene expression modulation of lipid and central energetic metabolism related genes by high-fat diet intake in the main homeostatic tissues. <i>Food and Function</i> , 2017, 8, 629-650. | 2.1 | 22 |
| 378 | Novel Benzylidene Thiazolidinedione Derivatives as Partial PPAR γ Agonists and their Antidiabetic Effects on Type 2 Diabetes. <i>Scientific Reports</i> , 2017, 7, 14453. | 1.6 | 35 |
| 379 | The PPAR α activator fenofibrate inhibits voltage-dependent K ⁺ channels in rabbit coronary arterial smooth muscle cells. <i>European Journal of Pharmacology</i> , 2017, 812, 155-162. | 1.7 | 5 |
| 380 | Wogonin attenuates inflammation by activating PPAR γ in alcoholic liver disease. <i>International Immunopharmacology</i> , 2017, 50, 95-106. | 1.7 | 51 |
| 381 | Peroxisome proliferator-activated receptor (PPAR) isoforms are differentially expressed in peri-implantation porcine conceptuses. <i>Theriogenology</i> , 2017, 101, 53-61. | 0.9 | 16 |
| 382 | PPAR α Antagonist AA452 Triggers Metabolic Reprogramming and Increases Sensitivity to Radiation Therapy in Human Glioblastoma Primary Cells. <i>Journal of Cellular Physiology</i> , 2017, 232, 1458-1466. | 2.0 | 26 |
| 383 | Impact of Interaction Between PPAR Alpha and PPAR Gamma on Breast Cancer Risk in the Chinese Han Population. <i>Clinical Breast Cancer</i> , 2017, 17, 336-340. | 1.1 | 12 |
| 384 | Consumption of a high-fat, high-calorie meal is associated with an increase in intracellular co-localization of PPAR γ mRNA and protein in monocytes. <i>Methods</i> , 2017, 112, 182-187. | 1.9 | 8 |
| 385 | PPAR α Modulates the Anti-Inflammatory Effect of Melatonin in the Secondary Events of Spinal Cord Injury. <i>Molecular Neurobiology</i> , 2017, 54, 5973-5987. | 1.9 | 31 |
| 386 | Structures of PPAR γ complexed with lobeglitazone and pioglitazone reveal key determinants for the recognition of antidiabetic drugs. <i>Scientific Reports</i> , 2017, 7, 16837. | 1.6 | 63 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 387 | Potential Role of ANGPTL4 in the Cross Talk between Metabolism and Cancer through PPAR Signaling Pathway. <i>PPAR Research</i> , 2017, 2017, 1-15. | 1.1 | 119 |
| 388 | PPAR Agonists for the Prevention and Treatment of Lung Cancer. <i>PPAR Research</i> , 2017, 2017, 1-8. | 1.1 | 44 |
| 389 | Inhibition of aldose reductase ameliorates ethanol-induced steatosis in HepG2 cells. <i>Molecular Medicine Reports</i> , 2017, 15, 2732-2736. | 1.1 | 13 |
| 390 | The influence of arachidonic acid metabolites on PPAR and RXR expression in bovine uterine cells. <i>General and Comparative Endocrinology</i> , 2018, 262, 27-35. | 0.8 | 6 |
| 391 | Orange juice affects acylcarnitine metabolism in healthy volunteers as revealed by a mass-spectrometry based metabolomics approach. <i>Food Research International</i> , 2018, 107, 346-352. | 2.9 | 20 |
| 392 | The effects of parental carbamazepine and gemfibrozil exposure on sexual differentiation in zebrafish (<i>Danio rerio</i>). <i>Environmental Toxicology and Chemistry</i> , 2018, 37, 1696-1706. | 2.2 | 9 |
| 393 | Cannabinoids in health and disease: pharmacological potential in metabolic syndrome and neuroinflammation. <i>Hormone Molecular Biology and Clinical Investigation</i> , 2018, 36, . | 0.3 | 40 |
| 394 | Molecular association model of PPAR α and its new specific and efficient ligand, pemaifibrate: Structural basis for SPPARM α . <i>Biochemical and Biophysical Research Communications</i> , 2018, 499, 239-245. | 1.0 | 47 |
| 395 | The role of various peroxisome proliferator-activated receptors and their ligands in clinical practice. <i>Journal of Cellular Physiology</i> , 2018, 233, 153-161. | 2.0 | 134 |
| 396 | Anti-hypertensive and cardioprotective effects of a novel apitherapy formulation via upregulation of peroxisome proliferator-activated receptor- α and - β in spontaneous hypertensive rats. <i>Saudi Journal of Biological Sciences</i> , 2018, 25, 213-219. | 1.8 | 13 |
| 397 | Clinical relevance of peroxisome proliferator-activated receptor- β gene polymorphisms with sepsis. <i>Journal of Clinical Laboratory Analysis</i> , 2018, 32, e22340. | 0.9 | 2 |
| 398 | Oral administration of a novel lipophilic PPAR α agonist is not neuroprotective after rodent cerebral ischemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2018, 38, 174-185. | 2.4 | 2 |
| 399 | Polygonatum odoratum Polysaccharides Modulate Gut Microbiota and Mitigate Experimentally Induced Obesity in Rats. <i>International Journal of Molecular Sciences</i> , 2018, 19, 3587. | 1.8 | 83 |
| 400 | Targeting PPAR α for the Treatment and Understanding of Cardiovascular Diseases. <i>Cellular Physiology and Biochemistry</i> , 2018, 51, 2760-2775. | 1.1 | 36 |
| 401 | The Transcriptional Factor PPAR α Positively Regulates Elovl5 Elongase in Golden Pompano <i>Trachinotus ovatus</i> (Linnaeus 1758). <i>Frontiers in Physiology</i> , 2018, 9, 1340. | 1.3 | 14 |
| 402 | Chrysin attenuates interstitial fibrosis and improves cardiac function in a rat model of acute myocardial infarction. <i>Journal of Molecular Histology</i> , 2018, 49, 555-565. | 1.0 | 38 |
| 403 | Peroxisome proliferator-activated receptor- β and its related pathway in bone marrow mesenchymal stem cell differentiation co-cultured with mechanically stretched ligament fibroblasts. <i>International Journal of Molecular Medicine</i> , 2018, 42, 219-227. | 1.8 | 5 |
| 404 | Lipid profile of bovine blastocysts exposed to insulin during in vitro oocyte maturation. <i>Reproduction, Fertility and Development</i> , 2018, 30, 1253. | 0.1 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 405 | Chapter 1 Antioxidant systems in animal body. , 2018, , 19-65. | | 0 |
| 406 | Parental high dietary arachidonic acid levels modulated the hepatic transcriptome of adult zebrafish (<i>Danio rerio</i>) progeny. PLoS ONE, 2018, 13, e0201278. | 1.1 | 14 |
| 407 | Pivotal Roles of Peroxisome Proliferator-Activated Receptors (PPARs) and Their Signal Cascade for Cellular and Whole-Body Energy Homeostasis. International Journal of Molecular Sciences, 2018, 19, 949. | 1.8 | 99 |
| 408 | Expression of Peroxisome Proliferator-Activated Receptor Alpha (PPAR α) in Non-Somatotroph Pituitary Tumours and the Effects of PPAR α Agonists on MMQ Cells. Hormone and Metabolic Research, 2018, 50, 640-647. | 0.7 | 3 |
| 409 | Dietary β -cyclodextrin modifies gut microbiota and reduces fat accumulation in high-fat diet-fed obese mice. BioFactors, 2018, 44, 336-347. | 2.6 | 44 |
| 410 | Haem oxygenase-1 up-regulation by rosiglitazone <i>via</i> ROS-dependent Nrf2 antioxidant response elements axis or PPAR γ attenuates LPS-mediated lung inflammation. British Journal of Pharmacology, 2018, 175, 3928-3946. | 2.7 | 48 |
| 411 | Impact of lipid modulation on the intestinal microcirculation in experimental sepsis. Microvascular Research, 2018, 120, 41-46. | 1.1 | 4 |
| 412 | Druggability profile of stilbene-derived PPAR agonists: determination of physicochemical properties and PAMPA study. MedChemComm, 2019, 10, 1892-1899. | 3.5 | 3 |
| 413 | The effect of resveratrol supplementation on the expression levels of factors associated with cellular senescence and sCD163/sTWEAK ratio in patients with type 2 diabetes mellitus: study protocol for a double-blind controlled randomised clinical trial. BMJ Open, 2019, 9, e026337. | 0.8 | 7 |
| 414 | Natural compounds in the chemoprevention of alcoholic liver disease. Phytotherapy Research, 2019, 33, 2192-2212. | 2.8 | 24 |
| 415 | Evaluation of the Anti-Diabetic Activity of Some Common Herbs and Spices: Providing New Insights with Inverse Virtual Screening. Molecules, 2019, 24, 4030. | 1.7 | 60 |
| 416 | Immunometabolism of Phagocytes During Mycobacterium tuberculosis Infection. Frontiers in Molecular Biosciences, 2019, 6, 105. | 1.6 | 65 |
| 417 | Effects of dietary glutamine supplementation on growth performance, antioxidant status and intestinal function in juvenile grass carp (<i>Ctenopharyngodon idella</i>). Aquaculture Nutrition, 2019, 25, 609-621. | 1.1 | 17 |
| 418 | Regulation of expression and role of peroxisome proliferator-activated receptors (PPARs) in luminal epithelial and stromal cells of the porcine endometrium. Theriogenology, 2019, 127, 88-101. | 0.9 | 14 |
| 419 | Identification and characterization of a novel anti-inflammatory lipid isolated from Mycobacterium vaccae, a soil-derived bacterium with immunoregulatory and stress resilience properties. Psychopharmacology, 2019, 236, 1653-1670. | 1.5 | 28 |
| 420 | Bronchopulmonary Dysplasia: Crosstalk Between PPAR γ , WNT/ β -Catenin and TGF- β Pathways; The Potential Therapeutic Role of PPAR γ Agonists. Frontiers in Pediatrics, 2019, 7, 176. | 0.9 | 29 |
| 421 | Metabolic reprogramming in atherosclerosis: Opposed interplay between the canonical WNT/ β -catenin pathway and PPAR γ . Journal of Molecular and Cellular Cardiology, 2019, 133, 36-46. | 0.9 | 29 |
| 422 | Do arachidonic acid metabolites affect apoptosis in bovine endometrial cells with silenced PPAR genes?. Prostaglandins and Other Lipid Mediators, 2019, 143, 106336. | 1.0 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 423 | An update about the crucial role of stereochemistry on the effects of Peroxisome Proliferator-Activated Receptor ligands. <i>European Journal of Medicinal Chemistry</i> , 2019, 176, 326-342. | 2.6 | 3 |
| 424 | Metformin regulates lipid metabolism in a canine model of atrial fibrillation through AMPK/PPAR- α /VLCAD pathway. <i>Lipids in Health and Disease</i> , 2019, 18, 109. | 1.2 | 45 |
| 425 | The association between prenatal exposure to phthalates and cognition and neurobehavior of children-evidence from birth cohorts. <i>NeuroToxicology</i> , 2019, 73, 199-212. | 1.4 | 75 |
| 426 | Elovl4a participates in LC-PUFA biosynthesis and is regulated by PPAR- α in golden pompano <i>Trachinotus ovatus</i> (Linnaeus 1758). <i>Scientific Reports</i> , 2019, 9, 4684. | 1.6 | 27 |
| 427 | Bio-derived hydroxystearic acid ameliorates skin age spots and conspicuous pores. <i>International Journal of Cosmetic Science</i> , 2019, 41, 240-256. | 1.2 | 17 |
| 428 | Novel Phenylidiazanyl Fibrate Analogues as PPAR- α Pan-Agonists for the Amelioration of Metabolic Syndrome. <i>ACS Medicinal Chemistry Letters</i> , 2019, 10, 545-551. | 1.3 | 21 |
| 429 | Effects of gemfibrozil on sex hormones and reproduction related performances of <i>Oryzias latipes</i> following long-term (155 d) and short-term (21 d) exposure. <i>Ecotoxicology and Environmental Safety</i> , 2019, 173, 174-181. | 2.9 | 9 |
| 430 | Mapping Research in the Obesity, Adipose Tissue, and MicroRNA Field: A Bibliometric Analysis. <i>Cells</i> , 2019, 8, 1581. | 1.8 | 16 |
| 431 | Identification of Fatty Acid Desaturase 6 in Golden Pompano <i>Trachinotus Ovatus</i> (Linnaeus 1758) and Its Regulation by the PPAR- α Transcription Factor. <i>International Journal of Molecular Sciences</i> , 2019, 20, 23. | 1.8 | 42 |
| 432 | Citrate reduced oxidative damage in stem cells by regulating cellular redox signaling pathways and represent a potential treatment for oxidative stress-induced diseases. <i>Redox Biology</i> , 2019, 21, 101057. | 3.9 | 25 |
| 433 | Hydroxytyrosol supplementation ameliorates the metabolic disturbances in white adipose tissue from mice fed a high-fat diet through recovery of transcription factors Nrf2, SREBP-1c, PPAR- α and NF- κ B. <i>Biomedicine and Pharmacotherapy</i> , 2019, 109, 2472-2481. | 2.5 | 106 |
| 434 | Expression and role of peroxisome proliferator-activated receptors in the porcine early placenta trophoblast. <i>Domestic Animal Endocrinology</i> , 2019, 67, 42-53. | 0.8 | 9 |
| 435 | Osteoblastic differentiation improved by bezafibrate-induced mitochondrial biogenesis in deciduous tooth-derived pulp stem cells from a child with Leigh syndrome. <i>Biochemistry and Biophysics Reports</i> , 2019, 17, 32-37. | 0.7 | 5 |
| 436 | Peroxisome proliferator-activated receptor alpha regulates the expression of the immune response mediators in the porcine endometrium during the estrous cycle and early pregnancy. <i>American Journal of Reproductive Immunology</i> , 2020, 83, e13211. | 1.2 | 2 |
| 437 | Anti-NASH Drug Development Hitches a Lift on PPAR Agonism. <i>Cells</i> , 2020, 9, 37. | 1.8 | 85 |
| 438 | Cell-Based Mechanosensation, Epigenetics, and Non-Coding RNAs in Progression of Cardiac Fibrosis. <i>International Journal of Molecular Sciences</i> , 2020, 21, 28. | 1.8 | 20 |
| 439 | Therapeutic Potential of Δ^2 -Caryophyllene: A Dietary Cannabinoid in Diabetes and Associated Complications. <i>Nutrients</i> , 2020, 12, 2963. | 1.7 | 34 |
| 440 | PPAR- α agonist affects adipo-chondrogenic differentiation of human mesenchymal stem cells through the expression of PPAR- α . <i>Regenerative Therapy</i> , 2020, 15, 103-111. | 1.4 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 441 | DIA-DB: A Database and Web Server for the Prediction of Diabetes Drugs. <i>Journal of Chemical Information and Modeling</i> , 2020, 60, 4124-4130. | 2.5 | 12 |
| 442 | Dietary and plasma blood $\hat{\pm}$ -linolenic acid as modulators of fat oxidation and predictors of aerobic performance. <i>Journal of the International Society of Sports Nutrition</i> , 2020, 17, 57. | 1.7 | 7 |
| 443 | Peroxisome proliferator-activated receptor gamma expression along the male genital system and its role in male fertility. <i>Human Reproduction</i> , 2020, 35, 2072-2085. | 0.4 | 14 |
| 444 | Lipid metabolic features of skeletal muscle in pathological and physiological conditions. , 2020, , 359-383. | | 4 |
| 445 | Transcription factor ppar $\hat{\pm}$ b activates fads2s to promote LC-PUFA biosynthesis in the golden pompano <i>Trachinotus ovatus</i> (Linnaeus 1758). <i>International Journal of Biological Macromolecules</i> , 2020, 161, 605-616. | 3.6 | 5 |
| 446 | Peroxisome proliferator-activated receptor $\hat{2}/\hat{1}$ and $\hat{3}$ agonists differentially affect prostaglandin E2 and cytokine synthesis and nutrient transporter expression in porcine trophoblast cells during implantation. <i>Theriogenology</i> , 2020, 152, 36-46. | 0.9 | 6 |
| 447 | A natural supplement formula reduces anti-oxidative stress and enhances osteo-chondrogenic differentiation potential in mesenchymal stem cells. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2020, 66, 206-212. | 0.6 | 6 |
| 448 | Resveratrol Alleviates Endoplasmic Reticulum Stressâ€Associated Hepatic Steatosis and Injury in Mice Challenged with Tunicamycin. <i>Molecular Nutrition and Food Research</i> , 2020, 64, e2000105. | 1.5 | 19 |
| 449 | Induction of peroxisome proliferator activated receptor $\hat{3}$ (PPAR $\hat{3}$) mediated gene expression and inhibition of induced nitric oxide production by <i>Maerua subcordata</i> (Gilg) DeWolf. <i>BMC Complementary Medicine and Therapies</i> , 2020, 20, 80. | 1.2 | 8 |
| 451 | Cytoplasmic PPAR $\hat{3}$ is a marker of poor prognosis in patients with Cox-1 negative primary breast cancers. <i>Journal of Translational Medicine</i> , 2020, 18, 94. | 1.8 | 19 |
| 452 | Toxicogenomics provides insights to toxicity pathways of neonicotinoids to aquatic insect, <i>Chironomus dilutus</i> . <i>Environmental Pollution</i> , 2020, 260, 114011. | 3.7 | 34 |
| 453 | Keratinocyte aquaporin $\hat{3}$ expression induced by histone deacetylase inhibitors is mediated in part by peroxisome proliferator \hat{a} ctivated receptors (PPARs). <i>Experimental Dermatology</i> , 2020, 29, 380-386. | 1.4 | 12 |
| 454 | An overview on medicinal perspective of thiazolidine-2,4-dione: A remarkable scaffold in the treatment of type 2 diabetes. <i>Journal of Advanced Research</i> , 2020, 23, 163-205. | 4.4 | 56 |
| 455 | Transcriptomic analysis reveals common pathways and biomarkers associated with oxidative damage caused by mitochondrial toxicants in <i>Chironomus dilutus</i> . <i>Chemosphere</i> , 2020, 254, 126746. | 4.2 | 2 |
| 456 | Lead acetate induces apoptosis in Leydig cells by activating PPAR $\hat{3}$ /caspase-3/PARP pathway. <i>International Journal of Environmental Health Research</i> , 2021, 31, 34-44. | 1.3 | 28 |
| 457 | The role of peroxisome proliferator-activated receptors (PPAR) in immune responses. <i>Metabolism: Clinical and Experimental</i> , 2021, 114, 154338. | 1.5 | 229 |
| 458 | The main bioactive compounds of <i>Scutellaria baicalensis</i> Georgi. for alleviation of inflammatory cytokines: A comprehensive review. <i>Biomedicine and Pharmacotherapy</i> , 2021, 133, 110917. | 2.5 | 121 |
| 459 | Elucidating the Efficacy of Clinical Drugs Using FMO. , 2021, , 323-339. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 460 | A Review of Recent Studies on Bisphenol A and Phthalate Exposures and Child Neurodevelopment. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3585. | 1.2 | 42 |
| 461 | Posttranslational modifications as therapeutic targets for intestinal disorders. <i>Pharmacological Research</i> , 2021, 165, 105412. | 3.1 | 11 |
| 462 | Physical activity during pregnancy alters gene expression in neonatal tissue. <i>Physiology International</i> , 2021, , . | 0.8 | 0 |
| 463 | Peroxisome proliferator-activated receptor- β as a novel and promising target for treating cancer via regulation of inflammation: A brief review. <i>Mini-Reviews in Medicinal Chemistry</i> , 2021, 21, . | 1.1 | 2 |
| 464 | Interplay of Opposing Effects of the WNT/ β -Catenin Pathway and PPAR β and Implications for SARS-CoV2 Treatment. <i>Frontiers in Immunology</i> , 2021, 12, 666693. | 2.2 | 33 |
| 465 | Paternal trans-fatty acid and vitamin E diet affects rat offspring's semen quality and PPAR α expression. <i>Andrologia</i> , 2021, 53, e14082. | 1.0 | 1 |
| 466 | PPAR β Agonists: Emergent Therapy in Endometriosis. <i>Pharmaceuticals</i> , 2021, 14, 543. | 1.7 | 7 |
| 467 | Zerumbone Ameliorates Neuropathic Pain Symptoms via Cannabinoid and PPAR Receptors Using In Vivo and In Silico Models. <i>Molecules</i> , 2021, 26, 3849. | 1.7 | 11 |
| 468 | How cytosolic compartments play safeguard functions against neuroinflammation and cell death in cerebral ischemia. <i>Metabolic Brain Disease</i> , 2021, 36, 1445-1467. | 1.4 | 1 |
| 469 | Integrated metabolomics analysis of the effect of PPAR γ agonist GW501516 on catabolism of BCAAs and carboxylic acids in diabetic mice. <i>Chinese Chemical Letters</i> , 2021, 32, 2197-2202. | 4.8 | 10 |
| 470 | Erythromycin inhibits cigarette smoke-induced inflammation through regulating the PPAR β /NF- κ B signaling pathway in macrophages. <i>International Immunopharmacology</i> , 2021, 96, 107775. | 1.7 | 6 |
| 471 | The role of A268V exon-7 polymorphism of PPARG in development of axial spondyloarthritis. <i>Turkish Journal of Biochemistry</i> , 2021, . | 0.3 | 0 |
| 472 | Type 2 Diabetic Sepsis Patients Have a Lower Mortality Rate in Pioglitazone Use: A Nationwide 15-Year Propensity Score Matching Observational Study in Taiwan. <i>Emergency Medicine International</i> , 2021, 2021, 1-9. | 0.3 | 1 |
| 473 | Bioactive Lipid Mediators in the Initiation and Resolution of Inflammation after Spinal Cord Injury. <i>Neuroscience</i> , 2021, 466, 273-297. | 1.1 | 24 |
| 474 | Hypothyroidism Affects Uterine Function via the Modulation of Prostaglandin Signaling. <i>Animals</i> , 2021, 11, 2636. | 1.0 | 5 |
| 475 | A study to explore the effects of low dietary protein levels on the growth performance and nutritional metabolism of grass carp (<i>Ctenopharyngodon idella</i>) fry. <i>Aquaculture</i> , 2022, 546, 737324. | 1.7 | 13 |
| 476 | Role of Peroxisome Proliferator-Activated Receptors (PPARs) in Trophoblast Functions. <i>International Journal of Molecular Sciences</i> , 2021, 22, 433. | 1.8 | 22 |
| 477 | Nuclear Receptor-Mediated Regulation of Phase II Conjugating Enzymes. , 0, , 61-110. | | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 478 | The Use of Metabolomics in Cancer Research. , 2010, , 141-166. | | 13 |
| 479 | Docosahexaenoic Acid Containing Phosphatidylcholine Alleviates Obesity-Related Disorders in Obese Rats. , 2011, , 205-212. | | 2 |
| 480 | SUMOylation in atherosclerosis. Clinica Chimica Acta, 2020, 508, 228-233. | 0.5 | 9 |
| 481 | Crosstalk between the canonical NF- κ B and Notch signaling pathways inhibits Ppar β expression and promotes pancreatic cancer progression in mice. Journal of Clinical Investigation, 2011, 121, 4685-4699. | 3.9 | 213 |
| 482 | Polyunsaturated fatty acids and DNA methylation in colorectal cancer. World Journal of Clinical Cases, 2019, 7, 4172-4185. | 0.3 | 14 |
| 483 | Carnitine Enigma: From Antioxidant Action to Vitagene Regulation. Part 2. Transcription Factors and Practical Applications. Journal of Veterinary Science & Medicine, 2015, 3, . | 1.0 | 15 |
| 484 | Knockdown of PPAR γ Gene Promotes the Growth of Colon Cancer and Reduces the Sensitivity to Bevacizumab in Nude Mice Model. PLoS ONE, 2013, 8, e60715. | 1.1 | 32 |
| 485 | Inhibition of Oxygen-Induced Ischemic Retinal Neovascularization with Adenoviral 15-Lipoxygenase-1 Gene Transfer via Up-Regulation of PPAR- β and Down-Regulation of VEGFR-2 Expression. PLoS ONE, 2014, 9, e85824. | 1.1 | 14 |
| 486 | Comparative Design, In Silico Docking and Predictive ADME/ TOX Properties of Some Novel 2, 4-hydroxy Derivatives of Thiazolidine-2, 4-diones as PPAR α Modulator. Journal of Pharmaceutical Chemistry, 2017, 4, 11-19. | 0.2 | 3 |
| 487 | PPAR Ligands Containing Stilbene Scaffold. Mini-Reviews in Medicinal Chemistry, 2019, 19, 1599-1610. | 1.1 | 6 |
| 488 | Novel Cinnamic Acid Derivatives as Potential PPAR γ Agonists for Metabolic Syndrome: Design, Synthesis, Evaluation and Docking Studies. Current Drug Discovery Technologies, 2020, 17, 338-347. | 0.6 | 3 |
| 489 | Effects of Glycyrrhetic Acid (GE) on Some Gluconeogenic Enzymes, Lipoprotein Lipase and Peroxisome Proliferator-Activated Receptors Alpha and Gamma. The Open Bioactive Compounds Journal, 2013, 4, 14-24. | 0.8 | 4 |
| 490 | Peroxisome proliferator-activated receptor gamma as modulator of inflammation in pulmonary sarcoidosis. Srpski Arhiv Za Celokupno Lekarstvo, 2013, 141, 705-709. | 0.1 | 6 |
| 491 | Improvement of glycemic control, triglycerides, and HDL cholesterol levels with muraglitazar, a dual (alpha/gamma) peroxisome proliferator-activated receptor activator, in patients with type 2 diabetes inadequately controlled with metformin monotherapy: A double-blind, randomized, pioglitazone-comparative study. Diabetes Care. 2006, 29, 1016-23. | 4.3 | 64 |
| 492 | Pioglitazone Attenuates Allergic Inflammation and Induces Production of Regulatory T Lymphocytes. American Journal of Rhinology and Allergy, 2010, 24, 454-458. | 1.0 | 8 |
| 493 | Rhodanine as a Scaffold: A Short Review on Its Synthesis and Anti-Diabetic Activities. Heterocycles, 2018, 96, 803. | 0.4 | 4 |
| 494 | The role of peroxisome proliferator-activated receptors in human disease. Indian Journal of Pharmacology, 2006, 38, 243. | 0.4 | 13 |
| 495 | Exploring the Role of Fatty Acid on Transcription Factors Regulating Fatty Acid Metabolism with Emphasis on Trans Fatty Acid. Food and Nutrition Sciences (Print), 2013, 04, 33-38. | 0.2 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 496 | Multifaceted roles of peroxisome proliferator-activated receptors (PPARs) at the cellular and whole organism levels. <i>Swiss Medical Weekly</i> , 2010, 140, w13071. | 0.8 | 113 |
| 497 | Effect of Pioglitazone on Body Composition in Asian Indian Diabetics Suggest Role of Limb Fat in their High Insulin Resistance. <i>British Journal of Medicine and Medical Research</i> , 2016, 11, 1-11. | 0.2 | 1 |
| 498 | Knockdown of PPAR α Induces VEGFA-Mediated Angiogenesis via Interaction With ERO1A in Human Colorectal Cancer. <i>Frontiers in Oncology</i> , 2021, 11, 713892. | 1.3 | 3 |
| 499 | Cheonggukjang-Specific Component 1,3-Diphenyl-2-Propanone as a Novel PPAR α / β Dual Agonist: An In Vitro and In Silico Study. <i>International Journal of Molecular Sciences</i> , 2021, 22, 10884. | 1.8 | 1 |
| 500 | The Role of TGF- β 2 in Radiation and Chemotherapy Induced Pulmonary Fibrosis: Inhibition of TGF- β 2 as a Novel Therapeutic Strategy. , 2008, , 629-647. | | 0 |
| 501 | <i>Biochemie der ErnÄhrung.</i> , 2010, , 3-21. | | 0 |
| 502 | Modulation of glucose and lipid metabolism in adrenalectomised rats given glycyrrhizic acid. <i>Journal of Molecular Pathophysiology</i> , 2012, 1, 3. | 0.3 | 2 |
| 503 | Effect of PPAR- β Gene on Human Colon Cancer Growth in Vivo and Molecular Mechanism. <i>World Journal of Cancer Research</i> , 2013, 03, 24-32. | 0.1 | 0 |
| 504 | Macrophage Polarization in Infectious Diseases. <i>Journal of Clinical & Cellular Immunology</i> , 2015, 06, . | 1.5 | 0 |
| 505 | Influence of Peroxisome Proliferator-Activated Receptors (PPARs) and Liver X Receptors (LXRs) on Development of Artherosclerosis. , 2015, , 1-32. | | 0 |
| 506 | Influence of Peroxisome Proliferator-Activated Receptors (PPARs) and Liver X Receptors (LXRs) on Development of Artherosclerosis. , 2016, , 2295-2322. | | 0 |
| 507 | Evaluation of Effect of Nishamalaki on STZ and HFHF Diet Induced Diabetic Neuropathy in Wistar Rats. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2016, 10, FF01-FF05. | 0.8 | 7 |
| 508 | Open clinical study of antihypertensive efficacy of generic drug telmisartan (hypotel) or a combination with S-amlodipine (Semlopin) or hydrochlorothiazide in the therapy of patients with | | |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 515 | Selective COX-2 Inhibitors: A Review of Their Structure-Activity Relationships. Iranian Journal of Pharmaceutical Research, 2011, 10, 655-83. | 0.3 | 234 |
| 516 | The Role of Immunogenicity in Cardiovascular Disease. World Heart Journal, 2011, 3, 1-29. | 0.0 | 11 |
| 518 | Modulation of lipid metabolism in glycyrrhizic acid-treated rats fed on a high-calorie diet and exposed to short or long-term stress. International Journal of Physiology, Pathophysiology and Pharmacology, 2015, 7, 61-75. | 0.8 | 5 |
| 519 | Peroxisome proliferator-activated receptors (PPAR α , PPAR β and PPAR δ) gene expression profile on ram spermatozoa and their relation to the sperm motility. Veterinary Research Forum, 2016, 7, 27-34. | 0.3 | 14 |
| 520 | Effect of elaidic acid on ABCA1 expression in raw 264.7 cells. Is it through PPAR-gamma?. EXCLI Journal, 2018, 17, 864-870. | 0.5 | 0 |
| 521 | Abscisic acid interplays with PPAR β receptors and ameliorates diabetes-induced cognitive deficits in rats. Avicenna Journal of Phytomedicine, 2021, 11, 247-257. | 0.1 | 1 |
| 522 | Role of Peroxisome Proliferator-Activated Receptors (PPARs) in Energy Homeostasis of Dairy Animals: Exploiting Their Modulation through Nutrigenomic Interventions. International Journal of Molecular Sciences, 2021, 22, 12463. | 1.8 | 16 |
| 523 | Rapidly Growing Mycobacterium Species: The Long and Winding Road from Tuberculosis Vaccines to Potent Stress-Resilience Agents. International Journal of Molecular Sciences, 2021, 22, 12938. | 1.8 | 9 |
| 524 | In vitro and in vivo antidiabetic activity, isolation of flavonoids, and in silico molecular docking of stem extract of Merremia tridentata (L.). Biomedicine and Pharmacotherapy, 2022, 146, 112611. | 2.5 | 21 |
| 525 | Costly immunometabolic remodelling in disused muscle buildup through physical exercise. Acta Physiologica, 2022, 234, e13782. | 1.8 | 5 |
| 526 | The initial expression alterations occurring to transcription factors during the formation of breast cancer: Evidence from bioinformatics. Cancer Medicine, 2022, 11, 1371-1395. | 1.3 | 6 |
| 527 | <i>In Vitro</i> and <i>In Vivo</i> Antidiabetic Activity, Isolation of Flavonoids, and <i>In Silico</i> Molecular Docking of Stem Extract of <i>Merremia tridentata</i> (L.). SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 528 | Exploring the Pattern of Metabolic Alterations Causing Energy Imbalance via PPAR α Dysregulation in Cardiac Muscle During Doxorubicin Treatment. Cardiovascular Toxicology, 2022, 22, 436-461. | 1.1 | 7 |
| 529 | Neuroinflammation in Schizophrenia: The Key Role of the WNT/ β -Catenin Pathway. International Journal of Molecular Sciences, 2022, 23, 2810. | 1.8 | 40 |
| 530 | Molecular characterization, expression and functional analysis of large yellow croaker (Larimichthys crocea) peroxisome proliferator-activated receptor gamma. Fish and Shellfish Immunology, 2022, 123, 50-60. | 1.6 | 1 |
| 531 | A chemoinformatics search for peroxisome proliferator-activated receptors ligands revealed a new pan-agonist able to reduce lipid accumulation and improve insulin sensitivity. European Journal of Medicinal Chemistry, 2022, 235, 114240. | 2.6 | 5 |
| 549 | Beyond PXR and CAR, Regulation of Xenobiotic Metabolism by other Nuclear Receptors. , 0, , 275-300. | | 0 |
| 550 | Peroxisome proliferator-activated receptor delta-PPAR δ agonist (L-165041) enhances bovine embryo survival and post vitrification viability. Reproduction, Fertility and Development, 2022, , . | 0.1 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 552 | PPAR α Signaling: A Candidate Target in Psychiatric Disorder Management. <i>Biomolecules</i> , 2022, 12, 723. | 1.8 | 7 |
| 553 | Effects of Amino Acids Supplementation on Lipid and Glucose Metabolism in HepG2 Cells. <i>Nutrients</i> , 2022, 14, 3050. | 1.7 | 6 |
| 554 | The Small Molecule PPAR δ Agonist GL516 Induces Feeding-Stimulatory Effects in Hypothalamus Cells Hypo-E22 and Isolated Hypothalami. <i>Molecules</i> , 2022, 27, 4882. | 1.7 | 1 |
| 555 | Dietary Protein Modifies Hepatic Glycolipid Metabolism, Intestinal Immune Response, and Resistance to <i>Streptococcus agalactiae</i> of Genetically Improved Farmed Tilapia (GIFT: <i>Oreochromis niloticus</i>) Exposed to High Temperature. <i>Fishes</i> , 2022, 7, 202. | 0.7 | 2 |
| 556 | Evaluation of the expression pattern and diagnostic value of PPAR β in malignant and benign primary bone tumors. <i>BMC Musculoskeletal Disorders</i> , 2022, 23, . | 0.8 | 6 |
| 557 | New 4-thiazolidinone-based molecules Les-2769 and Les-3266 as possible PPAR δ modulators. <i>Bioorganic Chemistry</i> , 2022, 128, 106075. | 2.0 | 6 |
| 558 | Natural Product Ligands of the Peroxisome Proliferator-Activated Receptor Gamma as Anti-Inflammatory Mediators. <i>Natural Products Journal</i> , 2023, 13, . | 0.1 | 1 |
| 559 | Activation of PPAR β Protects Obese Mice from Acute Lung Injury by Inhibiting Endoplasmic Reticulum Stress and Promoting Mitochondrial Biogenesis. <i>PPAR Research</i> , 2022, 2022, 1-15. | 1.1 | 4 |
| 560 | Auraptene, a citrus peel-derived natural product, prevents myocardial infarction-induced heart failure by activating PPAR α in rats. <i>Phytomedicine</i> , 2022, 107, 154457. | 2.3 | 6 |
| 561 | Thiazolidin-2,4-Dione Scaffold: An Insight into Recent Advances as Antimicrobial, Antioxidant, and Hypoglycemic Agents. <i>Molecules</i> , 2022, 27, 6763. | 1.7 | 14 |
| 562 | Mouse models of nonalcoholic steatohepatitis and their application to new drug development. <i>Archives of Pharmacal Research</i> , 2022, 45, 761-794. | 2.7 | 5 |
| 563 | Evaluation of the Relationship between Peroxisome Proliferator Receptors (PPAR α , PPAR β , and PPAR δ) Expression and Carcinoembryonic Antigen (CEA) in Patients with Colorectal Cancer. <i>Majallah-i Dānishgāh-i Ullāgh-i Pizishk-i Ām</i> , 2022, 30, 75-87. | 0.1 | 0 |
| 564 | Pu'er raw tea extract alleviates lipid deposition in both LO2 cells and <i>Caenorhabditis elegans</i> . <i>Food Bioscience</i> , 2022, 50, 102172. | 2.0 | 4 |
| 565 | Potential for Omega-3 Fatty Acids to Protect against the Adverse Effect of Phytosterols: Comparing Laboratory Outcomes in Adult Patients on Home Parenteral Nutrition Including Different Lipid Emulsions. <i>Biology</i> , 2022, 11, 1699. | 1.3 | 1 |
| 567 | Emerging Role of SMILE in Liver Metabolism. <i>International Journal of Molecular Sciences</i> , 2023, 24, 2907. | 1.8 | 0 |
| 568 | The role of peroxisome proliferator-activated receptors in the modulation of hyperinflammation induced by SARS-CoV-2 infection: A perspective for COVID-19 therapy. <i>Frontiers in Immunology</i> , 0, 14, . | 2.2 | 7 |
| 578 | Advances in polysaccharides of natural source of anti-diabetes effect and mechanism. <i>Molecular Biology Reports</i> , 2024, 51, . | 1.0 | 1 |