

CITATION REPORT

List of articles citing

Cultivation conditions and selenium fertilization alter the phenolic profile, glucosinolate, and sulforaphane content of broccoli

DOI: 10.1089/jmf.2005.8.204

Journal of Medicinal Food, 2005, 8, 204-14.

Source: <https://exaly.com/paper-pdf/39453520/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
148	Reduction of cancer risk by consumption of selenium-enriched plants: enrichment of broccoli with selenium increases the anticarcinogenic properties of broccoli. <i>Journal of Medicinal Food</i> , 2003 , 6, 19-26	2.8	64
147	Selenium accumulation in plant foods. 2005 , 63, 196-202		76
146	Proposed criteria for assessing the efficacy of cancer reduction by plant foods enriched in carotenoids, glucosinolates, polyphenols and selenocompounds. 2005 , 95, 1075-96		132
145	Literature Watch. 2005 , 11, 273-274		
144	Effect of selenium fertilizer on free amino acid composition of broccoli (<i>Brassica oleracea</i> Cv. Majestic) determined by gas chromatography with flame ionization and mass selective detection. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 9105-11	5.7	30
143	Part of the series: from dietary antioxidants to regulators in cellular signaling and gene regulation. Sulforaphane and selenium, partners in adaptive response and prevention of cancer. 2006 , 40, 775-87		64
142	Three-year comparison of the content of antioxidant microconstituents and several quality characteristics in organic and conventionally managed tomatoes and bell peppers. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 8244-52	5.7	144
141	Diet and cancer: facts and controversies. 2006 , 56, 216-24		46
140	Aqueous extracts of selenium-fertilized broccoli increase selenoprotein activity and inhibit DNA single-strand breaks, but decrease the activity of quinone reductase in Hepa 1c1c7 cells. 2006 , 44, 695-703		25
139	Mechanism for proliferation inhibition by various selenium compounds and selenium-enriched broccoli extract in rat glial cells. 2006 , 19, 611-21		12
138	How to use the world's scarce selenium resources efficiently to increase the selenium concentration in food. 2007 , 19, 209-228		135
137	Sulfur in Plants An Ecological Perspective. 2007 ,		18
136	Effect of consumption of organically and conventionally produced apples on antioxidant activity and DNA damage in humans. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 7716-21	5.7	43
135	Selenium and its relationship with sulfur. 2007 , 225-252		21
134	Agricultural practices for enhanced human health. 2008 , 7, 251-260		43
133	Broccoli (<i>Brassica oleracea</i> var. botrytis L.) improves the survival and up-regulates endogenous antioxidant enzymes in <i>Drosophila melanogaster</i> challenged with reactive oxygen species. 2008 , 88, 499-506		9
132	Applications of food composition data: Data sources and considerations for use. 2008 , 21, S3-S12		61

131	UV spectral fingerprinting and analysis of variance-principal component analysis: a useful tool for characterizing sources of variance in plant materials. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 5457-62	5-7	30
130	Discriminating between cultivars and treatments of broccoli using mass spectral fingerprinting and analysis of variance-principal component analysis. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 9819-27	5-7	48
129	Synthesis of O,O-Dialkyl 2-Oxo-2-(4-(Selenomorpho-Linosulfonyl)Phenylamino)Ethylphosphonate. 2008 , 183, 610-616		2
128	Organic fruit and vegetables. 2008 , 505-532		1
127	Water supply and growing season influence glucosinolate concentration and composition in turnip root (<i>Brassica rapa</i> ssp. <i>rapifera</i> L.). 2008 , 171, 255-265		60
126	Health-Affecting Compounds in Brassicaceae. 2009 , 8, 31-43		185
125	Healthy and unhealthy plants: The effect of stress on the metabolism of Brassicaceae. 2009 , 67, 23-33		88
124	Influence of postharvest processing and storage on the content of phenolic acids and flavonoids in foods. 2009 , 53 Suppl 2, S151-83		107
123	Plant location and extraction procedure strongly alter the antimicrobial activity of murta extracts. 2009 , 228, 467-475		41
122	Feeding tomato and broccoli powders enriched with bioactives improves bioactivity markers in rats. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 7304-10	5-7	19
121	Glucosinolates in Brassica vegetables: the influence of the food supply chain on intake, bioavailability and human health. 2009 , 53 Suppl 2, S219		419
120	Ontogenetic changes of 2-propenyl and 3-indolylmethyl glucosinolates in <i>Brassica carinata</i> leaves as affected by water supply. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 7259-63	5-7	72
119	Enhanced Nrf2-dependent induction of glutathione in mouse embryonic fibroblasts by isoselenocyanate analog of sulforaphane. 2010 , 20, 2675-9		47
118	Influence of water stress on the glucosinolate profile of <i>Brassica oleracea</i> var. <i>italica</i> and the performance of <i>Brevicoryne brassicae</i> and <i>Myzus persicae</i> . 2010 , 137, 229-236		70
117	Health benefits of vitamins and secondary metabolites of fruits and vegetables and prospects to increase their concentrations by agronomic approaches. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 12065-82	5-7	151
116	Genotoxicity studies of organically grown broccoli (<i>Brassica oleracea</i> var. <i>italica</i>) and its interactions with urethane, methyl methanesulfonate and 4-nitroquinoline-1-oxide genotoxicity in the wing spot test of <i>Drosophila melanogaster</i> . 2010 , 48, 120-8		14
115	Agroecosystem Management and Nutritional Quality of Plant Foods: The Case of Organic Fruits and Vegetables. 2011 , 30, 177-197		157
114	LC-MS/MS quantification of sulforaphane and indole-3-carbinol metabolites in human plasma and urine after dietary intake of selenium-fortified broccoli. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 8047-57	5-7	38

113	Health benefits and possible risks of broccoli - an overview. 2011 , 49, 3287-309		175
112	A comparison of analytical and data preprocessing methods for spectral fingerprinting. 2011 , 65, 250-9		13
111	Generation of Se-fortified broccoli as functional food: impact of Se fertilization on S metabolism. 2011 , 34, 192-207		52
110	Content of phenols in wheat as affected by varietal and agricultural factors. 2011 , 24, 785-789		19
109	Evaluation of the micronutrient composition of plant foods produced by organic and conventional agricultural methods. 2011 , 51, 571-82		82
108	Stressed food □The impact of abiotic environmental stresses on crop quality. 2011 , 141, 271-286		242
107	Water stress alters aphid-induced glucosinolate response in Brassica oleracea var. italica differently. 2011 , 21, 235-242		37
106	A rapid quantitative determination of phenolic acids in Brassica oleracea by capillary zone electrophoresis. 2011 , 127, 797-801		50
105	Selenium Accumulation and Biochemical Composition of Brassica Grains Grown in Selenate- or Selenite-Treated Alkaline Sandy Loam Soil. 2012 , 43, 1316-1331		6
104	An overview of health-promoting compounds of broccoli (Brassica oleracea var. italica) and the effect of processing. 2012 , 18, 503-14		62
103	Biofortified, selenium enriched, fruit and cladode from three Opuntia Cactus pear cultivars grown on agricultural drainage sediment for use in nutraceutical foods. 2012 , 135, 9-16		34
102	Composition of Dithyrea wislizenii fruit extract and free-radical scavenging activity of its constituents. 2012 , 90, 652-659		5
101	Water stress and aphid feeding differentially influence metabolite composition in Arabidopsis thaliana (L.). <i>PLoS ONE</i> , 2012 , 7, e48661	3,7	101
100	Phytochemical content in organic and conventionally grown Italian cauliflower. 2012 , 130, 501-509		80
99	Extraction and on-line concentration of flavonoids in Brassica oleracea by capillary electrophoresis using large volume sample stacking. 2012 , 133, 205-211		33
98	Glucosinolates profile and antioxidant capacity of Romanian Brassica vegetables obtained by organic and conventional agricultural practices. 2013 , 68, 313-21		42
97	On farm and fresh produce management. 2013 , 201-234		2
96	Effect of environmental conditions and water status on the bioactive compounds of broccoli. 2013 , 8, 777-787		10

95	Selenium fertilization alters the chemical composition and antioxidant constituents of tomato (<i>Solanum lycopersicon</i> L.). <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 10542-54	5.7	96
94	Sulforaphane: translational research from laboratory bench to clinic. 2013 , 71, 709-26		117
93	The physiological importance of glucosinolates on plant response to abiotic stress in Brassica. 2013 , 14, 11607-25		200
92	Scientific Opinion on the safety of rapeseed protein isolate as a Novel Food ingredient. 2013 , 11, 3420		21
91	Changes in SeMSC, glucosinolates and sulforaphane levels, and in proteome profile in broccoli (<i>Brassica oleracea</i> var. <i>Italica</i>) fertilized with sodium selenate. 2013 , 18, 5221-34		20
90	FORMULATION AND PHYSICO-CHEMICAL EVALUATION OF VINEGARS PRODUCED FROM MURTA (<i>Ugni molinae</i> TURCZ.) AND MAQUI (<i>Aristotelia chilensis</i> (Molina) Stunz) WITH BEE HONEY (<i>Apis mellifera</i> L.) AT LABORATORY SCALE. 2014 , 32,		1
89	Stress-induced changes of bioactive compounds in <i>Tropaeolum majus</i> L.. <i>Industrial Crops and Products</i> , 2014 , 60, 349-359	5.9	18
88	Topsoil drying combined with increased sulfur supply leads to enhanced aliphatic glucosinolates in <i>Brassica juncea</i> leaves and roots. 2014 , 152, 190-6		24
87	Extraction for metabolomics: access to the metabolome. 2014 , 25, 291-306		101
86	Effect of different cooking methods on bioactive compounds in vegetarian, broccoli-based bars. 2014 , 11, 407-416		34
85	Long- and medium-term effects of aridity on the chemical defence of a widespread Brassicaceae in the Mediterranean. 2014 , 105, 39-45		15
84	Variation in bioactive content in broccoli (<i>Brassica oleracea</i> var. <i>italica</i>) grown under conventional and organic production systems. 2015 , 95, 1163-71		20
83	Identification and Distribution of Selenium-Containing Glucosinolate Analogues in Tissues of Three Brassicaceae Species. <i>Proceedings of the International Plant Sulfur Workshop</i> , 2015 , 239-246		
82	Distribution of selenoglucosinolates and their metabolites in Brassica treated with sodium selenate. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 1896-905	5.7	29
81	Effects of selenium biofortification on crop nutritional quality. <i>Frontiers in Plant Science</i> , 2015 , 6, 280	6.2	118
80	The response of broccoli (<i>Brassica oleracea</i> convar. <i>italica</i>) varieties on foliar application of selenium: uptake, translocation, and speciation. 2015 , 32, 2027-38		15
79	Molecular Physiology and Ecophysiology of Sulfur. <i>Proceedings of the International Plant Sulfur Workshop</i> , 2015 ,		2
78	Anthocyanin production in the hyperaccumulator plant <i>Noccaea caerulea</i> in response to herbivory and zinc stress. <i>Acta Physiologiae Plantarum</i> , 2015 , 37, 1	2.6	8

77	Conventional and Organic Farming [Does Organic Farming Benefit Plant Composition, Phenolic Diversity and Antioxidant Properties?. 2016 ,		0
76	Selenium Biofortification in Radish Enhances Nutritional Quality via Accumulation of Methyl-Selenocysteine and Promotion of Transcripts and Metabolites Related to Glucosinolates, Phenolics, and Amino Acids. <i>Frontiers in Plant Science</i> , 2016 , 7, 1371	6.2	53
75	Salinity and drought stress. 2016 , 86-101		10
74	Changes in Sulforaphane and Selenocysteine Methyltransferase Transcript Levels in Broccoli Treated with Sodium Selenite. 2016 , 34, 807-814		9
73	Selenium Bioavailability Through Microbes. 2016 , 303-316		1
72	Antioxidant and antiproliferative activities in different maturation stages of broccoli (<i>Brassica oleracea Italica</i>) biofortified with selenium. 2016 , 190, 771-776		88
71	Effect of Se treatment on glucosinolate metabolism and health-promoting compounds in the broccoli sprouts of three cultivars. 2016 , 190, 374-380		76
70	Selenium Biofortification and Phytoremediation Phytotechnologies: A Review. 2017 , 46, 10-19		76
69	Selenium in plants. 2017 ,		19
68	Effects of Selenium on Plant Metabolism and Implications for Crops and Consumers. 2017 , 257-275		23
67	Modelling of the effect of selenium fertilization on the content of bioactive compounds in broccoli heads. 2017 , 233, 492-499		25
66	Sulfur Metabolism in Higher Plants - Fundamental, Environmental and Agricultural Aspects. <i>Proceedings of the International Plant Sulfur Workshop</i> , 2017 ,		3
65	Enhancement Of Glucosinolate and Isothiocyanate Profiles in Brassicaceae Crops: Addressing Challenges in Breeding for Cultivation, Storage, and Consumer-Related Traits. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 9379-9403	5.7	29
64	Glucosinolates and Isothiocyanates: Cancer Preventive Effects. 2017 , 199-210		1
63	The Nutritive Value of Organic and Conventional White Cabbage (<i>Brassica Oleracea L. Var. Capitata</i>) and Anti-Apoptotic Activity in Gastric Adenocarcinoma Cells of Sauerkraut Juice Produced Therof. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 8171-8183	5.7	37
62	Effect of selenium treated broccoli on herbivory and oviposition preferences of <i>Delia radicum</i> and <i>Phyllotreta spp.</i> . 2017 , 225, 445-453		7
61	Selenium treatment differentially affects sulfur metabolism in high and low glucosinolate producing cultivars of broccoli (<i>Brassica oleracea L.</i>). 2017 , 121, 176-186		16
60	Nutritional and phytochemical value of Brassica crops from the agri-food perspective. 2017 , 170, 273-285		47

59	The effects of plant density and irrigation on phenolic content in cauliflower□ 2017 , 44, 178-185		5
58	An Overview of Selenium Uptake, Metabolism, and Toxicity in Plants. <i>Frontiers in Plant Science</i> , 2016 , 7, 2074	6.2	316
57	Intercropping Induces Changes in Specific Secondary Metabolite Concentration in Ethiopian Kale () and African Nightshade () under Controlled Conditions. <i>Frontiers in Plant Science</i> , 2017 , 8, 1700	6.2	14
56	Selenium Biofortification in : Implications on Strawberry Fruits Quality, Content of Bioactive Health Beneficial Compounds and Metabolomic Profile. <i>Frontiers in Plant Science</i> , 2017 , 8, 1887	6.2	47
55	The intrinsic quality of brassicaceous vegetables: How secondary plant metabolites are affected by genetic, environmental, and agronomic factors. 2018 , 233, 460-478		51
54	Glucosinolate profile of <i>Eruca sativa</i> , <i>Diplotaxis tenuifolia</i> and <i>Diplotaxis erucoides</i> grown in soil and soilless systems. 2018 , 69, 197-204		29
53	Differential response of tossa jute (<i>Corchorus olitorius</i>) submitted to water deficit stress. <i>Industrial Crops and Products</i> , 2018 , 112, 141-150	5.9	10
52	Changes in folate characteristics and its identification in broccoli (<i>Brassica oleracea Italica</i>) extract fermented by Lactic Acid Bacteria Mixed Culture (LAB). 2018 , 154, 04001		2
51	Selenium in Soils and Crops. 2018 , 29-50		4
50	Selenium Accumulation Characteristics and Biofortification Potentiality in Turnip (var.) Supplied with Selenite or Selenate. <i>Frontiers in Plant Science</i> , 2017 , 8, 2207	6.2	26
49	Effects of Selenium Supplementation on Glucosinolate Biosynthesis in Broccoli. <i>Journal of Agricultural and Food Chemistry</i> , 2018 , 66, 8036-8044	5.7	38
48	Selenium metabolism in plants. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2018 , 1862, 2333-2342	4	93
47	Plant Nutrition and Agronomic Management to Obtain Crops With Better Nutritional and Nutraceutical Quality. 2018 , 99-140		3
46	Metabolomics of Seaweeds: Tools and Techniques. 2018 , 37-52		13
45	UV-C hormesis in broccoli florets: Preservation, phyto-compounds and gene expression. <i>Postharvest Biology and Technology</i> , 2019 , 157, 110965	6.2	15
44	Comparative study of the glucosinolate profiles in turnip from four agroclimatic zones of china and neighboring countries. <i>Journal of Food Measurement and Characterization</i> , 2019 , 13, 2798-2811	2.8	3
43	Reactive Sulfur Species-Key Regulators of Abiotic Stress Tolerance in Plants. 2019 , 685-713		4
42	Effect of Preharvest Abiotic Stresses on the Accumulation of Bioactive Compounds in Horticultural Produce. <i>Frontiers in Plant Science</i> , 2019 , 10, 1212	6.2	61

41	Selenium Application During Radish () Plant Development Alters Glucosinolate Metabolic Gene Expression and Results in the Production of 4-(methylseleno)but-3-enyl glucosinolate. <i>Plants</i> , 2019 , 8,	4.5	9
40	Zea mays L. Grain: Increase in Nutraceutical and Antioxidant Properties Due to Se Fortification in Low and High Water Regimes. <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 7050-7059	5.7	18
39	Selenium Biofortification Differentially Affects Sulfur Metabolism and Accumulation of Phytochemicals in Two Rocket Species (Mill. and) Grown in Hydroponics. <i>Plants</i> , 2019 , 8,	4.5	21
38	Antioxidant Activity and Selenium and Polyphenols Content from Selected Medicinal Plants Natives from Various Areas Abundant in Selenium (Poland, Lithuania, and Western Ukraine). <i>Processes</i> , 2019 , 7, 878	2.9	7
37	Targeting hallmarks of cancer with a food-system-based approach. <i>Nutrition</i> , 2020 , 69, 110563	4.8	8
36	The dilemma of Good and Bad glucosinolates and the potential to regulate their content. 2020 , 1-45		2
35	Selenium biofortification in the 21 century: status and challenges for healthy human nutrition. <i>Plant and Soil</i> , 2020 , 453, 1-26	4.2	54
34	Using gypsum and selenium foliar application for mineral biofortification and improving the bioactive compounds of garlic ecotypes. <i>Industrial Crops and Products</i> , 2020 , 154, 112742	5.9	5
33	. 2020 ,		5
32	Agronomic Biofortification with Selenium in Tomato Crops (<i>Solanum lycopersicon</i> L. Mill). <i>Agriculture (Switzerland)</i> , 2020 , 10, 486	3	4
31	Nitrogen availability and genotype affect major nutritional quality parameters of tef grain grown under irrigation. <i>Scientific Reports</i> , 2020 , 10, 14339	4.9	3
30	Involvement of Sulfur in the Regulation of Abiotic Stress Tolerance in Plants. 2020 , 437-466		6
29	Grain Endogenous Selenium and Moderate Salt Stress Work as Synergic Elicitors in the Enrichment of Bioactive Compounds in Maize Sprouts. <i>Agronomy</i> , 2020 , 10, 735	3.6	9
28	Different approaches in metabolomic analysis of plants exposed to selenium: a comprehensive review. <i>Acta Physiologiae Plantarum</i> , 2020 , 42, 1	2.6	14
27	Opportunities within the Agri-food System to Encourage a Nutritionally Balanced Diet [Part I. <i>Food Reviews International</i> , 2020 , 1-52	5.5	0
26	Exploring the new dimensions of selenium research to understand the underlying mechanism of its uptake, translocation, and accumulation. <i>Physiologia Plantarum</i> , 2021 , 171, 882-895	4.6	6
25	Regulation of glucosinolate biosynthesis. <i>Journal of Experimental Botany</i> , 2021 , 72, 70-91	7	29
24	Selenium Intake by Selected Vegetable Species After Foliar Application. 2021 , 63-124		

23	Glucosinolates. 2021 , 41-77		1
22	Environmental Conditions and Agronomical Factors Influencing the Levels of Phytochemicals in Brassica Vegetables Responsible for Nutritional and Sensorial Properties. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 1927	2.6	6
21	Glucosinolates in Vegetables: Characterization and Factors That Influence Distribution, Content, and Intake. <i>Annual Review of Food Science and Technology</i> , 2021 , 12, 485-511	14.7	15
20	Current Knowledge and Challenges on the Development of a Dietary Glucosinolate Database in the United States. <i>Current Developments in Nutrition</i> , 2021 , 5, nzab102	0.4	1
19	Cruciferous vegetables as functional foods: effects of selenium biofortification. <i>International Journal of Vegetable Science</i> , 1-20	1.2	1
18	Biofortification with micronutrients to enhance the nutrition of fresh-cut produce: a review. <i>Acta Horticulturae</i> , 2021 , 97-110	0.3	
17	Sulfur Metabolism and Drought Stress Tolerance in Plants. 2016 , 227-249		12
16	Salinity Influences Single Glucosinolate Content in the Halophyte <i>Lepidium latifolium</i> . <i>Proceedings of the International Plant Sulfur Workshop</i> , 2017 , 103-114		4
15	Phytoremediation of Selenium-Contaminated Soil and Water Produces Biofortified Products and New Agricultural Byproducts. 2008 , 57-70		3
14	Variation in broccoli cultivar phytochemical content under organic and conventional management systems: implications in breeding for nutrition. <i>PLoS ONE</i> , 2014 , 9, e95683	3.7	24
13	Ultrasound-Assisted Extraction and Biological Activities of Extracts of var.. <i>Food Technology and Biotechnology</i> , 2015 , 53, 102-109	2.1	13
12	Vegetable Organosulfur Compounds and their Health Promoting Effects. <i>Current Pharmaceutical Design</i> , 2017 , 23, 2850-2875	3.3	40
11	Auranofin Enhances Sulforaphane-Mediated Apoptosis in Hepatocellular Carcinoma Hep3B Cells through Inactivation of the PI3K/Akt Signaling Pathway. <i>Biomolecules and Therapeutics</i> , 2020 , 28, 443-455	4.2	25
10	Cruciferous vegetables: dietary phytochemicals for cancer prevention. <i>Asian Pacific Journal of Cancer Prevention</i> , 2013 , 14, 1565-70	1.7	90
9	Dietary Factors in the Regulation of Selenoprotein Biosynthesis. <i>Oxidative Stress and Disease</i> , 2008 ,		
8	Application of Selenium and Nano-selenium in Abiotic Stress Management, Crop Improvement, and Agro-biotechnology. 2022 , 271-310		0
7	Foliar selenium fertilization alters the content of dietary phytochemicals in two rocket species. 13,		1
6	Delaying postharvest senescence and improving antioxidant capacity of kiwifruits cv. Hayward by preharvest selenium application.		0

- 5 Wheat biofortification: A molecular breeding outlook. **2023**, 163-201 ○
- 4 Irrigation Effect on Yield, Skin Blemishes, Phellem Formation, and Total Phenolics of Red Potatoes. **2022**, 11, 3523 ○
- 3 Postharvest commercial quality improvement of broccoli (Brassica oleracea L.) after foliar biofortification with selenium. ○
- 2 Mineral nutrition and crop quality. **2023**, 419-444 ○
- 1 Floret Biofortification of Broccoli Using Amino Acids Coupled with Selenium under Different Surfactants: A Case Study of Cultivating Functional Foods. **2023**, 12, 1272 ○