
CITATION REPORT List of articles citing



DOI: 10.2337/diacare.28.1.164 Diabetes Care, 2005, 28, 164-76.

Source: https://exaly.com/paper-pdf/39470637/citation-report.pdf

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1169	Antihypertensive treatment: should it be titrated to blood pressure reduction or to target organ damage regression?. 2005 , 14, 448-52		10
1168	Current literature in diabetes. 2005 , 21, 560-7		
1167	Management of early diabetic nephropathy in adolescents with type 1 diabetes mellitus. 2005 , 22, 65-6	59	1
1166	Screening for kidney disease in adults with diabetes. <i>Diabetes Care</i> , 2005 , 28, 1813-6	14.6	84
1165	Evaluation of tests for microalbuminuria screening in patients with diabetes. 2005 , 20, 2402-7		59
1164	Rosiglitazone improves glomerular hyperfiltration, renal endothelial dysfunction, and microalbuminuria of incipient diabetic nephropathy in patients. 2005 , 54, 2206-11		131
1163	Emerging drugs for diabetic nephropathy. 2005 , 10, 747-71		8
1162	Towards microalbuminuria determination on a disposable diagnostic microchip with integrated fluorescence detection based on thin-film organic light emitting diodes. 2005 , 5, 863-8		70
1161	Renal functionestimation of glomerular filtration rate. 2006 , 44, 1295-302		61
1160	Cost-consequence analysis in a French setting of screening and optimal treatment of nephropathy in hypertensive patients with type 2 diabetes. 2006 , 32, 69-76		13
1159	Diabetic uropathy. 2006 , 26, 182-5		49
1158	Microvascular complications of diabetes. 2006 , 41, 719-36, ix		4
1157	Proliferative diabetic retinopathy is associated with microalbuminuria in patients with type 2 diabetes. 2006 , 39, 1033-9		43
1156	The catalase -262C/T promoter polymorphism and diabetic complications in Caucasians with type 2 diabetes. 2006 , 22, 355-9		34
1155	[Physiological effects of exercise training in patients with type 1 diabetes]. 2006 , 50, 1005-13		9
1154	Withdrawal of red meat from the usual diet reduces albuminuria and improves serum fatty acid profile in type 2 diabetes patients with macroalbuminuria. 2006 , 83, 1032-8		68
1153	Bibliography. Current world literature. Clinical nephrology. 2006 , 15, 187-225		

	Chronic kidney disease: risk factors, assessment and nursing care. 2006 , 21, 48-55; quiz 58		3
1151	Bibliography. Current world literature. Renal immunology and pathology. 2006 , 15, 321-7		
1150	Current World Literature. 2006 , 15, 537-559		
1149	Current World Literature. 2006, 15, 78-95		
1148	Disappearance of nephrotic syndrome in type 1 diabetic patients following pancreas transplant alone. 2006 , 81, 1067-8		19
1147	Diabetes, the kidney and vascular disease: a complex relationship. 2006 , 23, 1-3		1
1146	Cardiovascular outcomes in diabetic nephropathy studies. 2006 , 23, 13-18		1
1145	Novel sequence variants in the human xylosyltransferase I gene and their role in diabetic nephropathy. 2006 , 23, 681-4		3
1144	Diabetes im Kindes- und Jugendalter. 2006 , 2, 167-181		
1143	Effect of tranilast in early-stage diabetic nephropathy. 2006 , 21, 2795-9		35
1142	Exercise-induced benefits in individuals with type 1 diabetes. 2006 , 11, 77-89		1
,	Exercise-induced benefits in individuals with type 1 diabetes. 2006 , 11, 77-89 Diabetic Nephropathy: Where We Have Been and Where We Are Going. 2006 , 19, 153-156		2
,		14.6	2
1141	Diabetic Nephropathy: Where We Have Been and Where We Are Going. 2006, 19, 153-156 Comparison of the Effects of Vitamins and/or Mineral Supplementation on Glomerular and Tubular	14.6	2
1141	Diabetic Nephropathy: Where We Have Been and Where We Are Going. 2006, 19, 153-156 Comparison of the Effects of Vitamins and/or Mineral Supplementation on Glomerular and Tubular Dysfunction in Type 2 Diabetes: Response to Rossing et al <i>Diabetes Care</i> , 2006, 29, 748-749	14.6	3
1141 1140 1139	Diabetic Nephropathy: Where We Have Been and Where We Are Going. 2006, 19, 153-156 Comparison of the Effects of Vitamins and/or Mineral Supplementation on Glomerular and Tubular Dysfunction in Type 2 Diabetes: Response to Rossing et al <i>Diabetes Care</i> , 2006, 29, 748-749 Leukocyte recruitment and vascular injury in diabetic nephropathy. 2006, 17, 368-77 Inhibitory effects of pasuchaca (Geranium dielsiaum) extract on alpha-glucosidase in mouse. 2006,	14.6	2 3 267
1141 1140 1139 1138	Diabetic Nephropathy: Where We Have Been and Where We Are Going. 2006, 19, 153-156 Comparison of the Effects of Vitamins and/or Mineral Supplementation on Glomerular and Tubular Dysfunction in Type 2 Diabetes: Response to Rossing et al <i>Diabetes Care</i> , 2006, 29, 748-749 Leukocyte recruitment and vascular injury in diabetic nephropathy. 2006, 17, 368-77 Inhibitory effects of pasuchaca (Geranium dielsiaum) extract on alpha-glucosidase in mouse. 2006, 70, 1482-4	14.6	2 3 267 16

1134	Microalbuminuria and cardiovascular disease. 2007 , 2, 581-90	220
1133	Genotype by diabetes interaction effects on the detection of linkage of glomerular filtration rate to a region on chromosome 2q in Mexican Americans. 2007 , 56, 2818-28	30
1132	Gene and protein markers of diabetic nephropathy. 2008 , 23, 792-9	20
1131	The diabetic foot in end stage renal disease. 2007 , 29, 519-28	22
1130	Delivering improved management and outcomes in diabetic kidney disease in routine clinical care. 2007 , 7, 172-182	2
1129	American Association of Clinical Endocrinologists medical guidelines for clinical practice for the management of diabetes mellitus. 2007 , 13 Suppl 1, 1-68	446
1128	Soy protein and isoflavones influence adiposity and development of metabolic syndrome in the obese male ZDF rat. 2007 , 51, 42-52	64
1127	Severe insulin resistance and moderate glomerulosclerosis in a minipig model induced by high-fat/high-sucrose/high-cholesterol diet. 2007 , 56, 11-20	32
1126	Chinese medicinal herbs for treating diabetic kidney disease. 2007,	2
1125	Masked hypertension in diabetes mellitus: a potential risk. 2007 , 9, 601-7	41
1125	Masked hypertension in diabetes mellitus: a potential risk. 2007 , 9, 601-7 Differential effects of ramipril on ambulatory blood pressure in African Americans and Caucasians. 2007 , 20, 884-91	9
	Differential effects of ramipril on ambulatory blood pressure in African Americans and Caucasians.	
1124	Differential effects of ramipril on ambulatory blood pressure in African Americans and Caucasians. 2007 , 20, 884-91 MTHFR C677T and A1298C gene polymorphisms and hyperhomocysteinemia as risk factors of	9
1124	Differential effects of ramipril on ambulatory blood pressure in African Americans and Caucasians. 2007, 20, 884-91 MTHFR C677T and A1298C gene polymorphisms and hyperhomocysteinemia as risk factors of diabetic nephropathy in type 2 diabetes patients. 2007, 75, 99-106 Angiographic coronary artery disease is associated with progressively higher levels of fasting	9
1124 1123 1122	Differential effects of ramipril on ambulatory blood pressure in African Americans and Caucasians. 2007, 20, 884-91 MTHFR C677T and A1298C gene polymorphisms and hyperhomocysteinemia as risk factors of diabetic nephropathy in type 2 diabetes patients. 2007, 75, 99-106 Angiographic coronary artery disease is associated with progressively higher levels of fasting plasma glucose. 2007, 75, 207-13 High prevalence of albuminuria in population-based patients diagnosed with type 2 diabetes in the	9 71 12
1124 1123 1122 1121	Differential effects of ramipril on ambulatory blood pressure in African Americans and Caucasians. 2007, 20, 884-91 MTHFR C677T and A1298C gene polymorphisms and hyperhomocysteinemia as risk factors of diabetic nephropathy in type 2 diabetes patients. 2007, 75, 99-106 Angiographic coronary artery disease is associated with progressively higher levels of fasting plasma glucose. 2007, 75, 207-13 High prevalence of albuminuria in population-based patients diagnosed with type 2 diabetes in the Shanghai downtown. 2007, 75, 184-92	9 71 12 40
1124 1123 1122 1121 1120	Differential effects of ramipril on ambulatory blood pressure in African Americans and Caucasians. 2007, 20, 884-91 MTHFR C677T and A1298C gene polymorphisms and hyperhomocysteinemia as risk factors of diabetic nephropathy in type 2 diabetes patients. 2007, 75, 99-106 Angiographic coronary artery disease is associated with progressively higher levels of fasting plasma glucose. 2007, 75, 207-13 High prevalence of albuminuria in population-based patients diagnosed with type 2 diabetes in the Shanghai downtown. 2007, 75, 184-92 Gender-specific care of diabetes. 2007, 3, 735-64 Evaluating the role of biomarkers for cardiovascular risk prediction: focus on CRP, BNP and urinary	9 71 12 40 2

1116	Preventing microalbuminuria in patients with type 2 diabetes. 2007 , 23, 100-10	13
1115	Angiotensin receptor antagonist vs. angiotensin-converting enzyme inhibitor in Asian subjects with type 2 diabetes and albuminuria - a randomized crossover study. 2007 , 9, 477-82	6
1114	Diagnostic potential of serum protein pattern in Type 2 diabetic nephropathy. 2007 , 24, 1386-92	18
1113	Diabetes mellitus and periodontal disease. 2007 , 44, 127-53	284
1112	ACE-I/ARB treatment in type 1 diabetes patients with albuminuria is associated with lower odds of progression of coronary artery calcification. 2007 , 21, 273-9	20
1111	Taking the pressure off type 2 diabetes mellitus: implementing hypertension guidelines. 2007 , 22, 159-65	1
1110	Diabetes mellitus im Kindes- und Jugendalter. 2007 , 155, 179-191	1
1109	Methylenetetrahydrofolate reductase gene polymorphism as a risk factor for diabetic nephropathy: a meta-analysis. 2007 , 52, 881-890	43
1108	EGlucosidase inhibitory activity and in vitro antioxidant activities of alcohol-water extract (AWE) of Ichnocarpus frutescens leaves. 2008 , 17, 219-233	10
1107	Vitamin D and diabetic nephropathy. 2008 , 8, 464-9	16
1106	Blockade of serotonin 2A receptor improves glomerular endothelial function in rats with streptozotocin-induced diabetic nephropathy. 2008 , 12, 119-125	31
1105	Short-term follow-up of patients with sickle cell disease and albuminuria. 2008 , 50, 1236-9	39
1104	An Asian regional analysis of cost-effectiveness of early irbesartan treatment versus conventional antihypertensive, late amlodipine, and late irbesartan treatments in patients with type 2 diabetes, hypertension, and nephropathy. 2008 , 11, 354-64	13
1103	Safety and efficacy of sitagliptin in patients with type 2 diabetes and chronic renal insufficiency. 2008 , 10, 545-55	199
1102	Application of irregular and unbalanced data to predict diabetic nephropathy using visualization and feature selection methods. 2008 , 42, 37-53	90
1101	Protein intake estimated by weighed diet records in patients with type 2 diabetes: misreporting and intra-individual variability using 24-hour nitrogen output as criterion standard. 2008 , 108, 867-72	16
1100	Systemic diseases with renal manifestations. 2008 , 35, 297-328, vi-vii	10
1099	Prevalence, treatment, and control of diagnosed diabetes in the U.S. National Health and Nutrition Examination Survey 1999-2004. 2008 , 18, 222-9	178

1098	Cataract and type 1 diabetes mellitus. 2008 , 82, 324-8		21
1097	Clinical impact of reducing microalbuminuria in patients with type 2 diabetes mellitus. 2008 , 82 Suppl 1, S54-8		26
1096	Protocolo diagn?stico de detecci?n y seguimiento de nefropat?a diab?tica. 2008, 10, 1162-1168		
1095	Diabetic nephropathy in children and adolescents. 2008 , 23, 507-25		33
1094	Type 2 diabetes mellitus: prevention of macrovascular complications. 2008, 6, 323-41		21
1093	Long-term effect of a chicken-based diet versus enalapril on albuminuria in type 2 diabetic patients with microalbuminuria. 2008 , 18, 440-7		11
1092	Sources of protein and polyunsaturated fatty acids of the diet and microalbuminuria in type 2 diabetes mellitus. 2008 , 27, 528-37		31
1091	Similarity of the impact of type 1 and type 2 diabetes on cardiovascular mortality in middle-aged subjects. <i>Diabetes Care</i> , 2008 , 31, 714-9	4.6	138
1090	Impact of white-coat hypertension on microvascular complications in type 2 diabetes. <i>Diabetes Care</i> , 2008 , 31, 2233-7	4.6	30
1089	Does bacteriuria interfere with albuminuria measurements of patients with diabetes?. 2009 , 24, 1193-6		4
1088			
1000	Type 1 diabetes promotes disruption of advanced atherosclerotic lesions in LDL receptor-deficient mice. 2008 , 105, 2082-7		69
			69 20
	mice. 2008 , 105, 2082-7		
1087	mice. 2008, 105, 2082-7 Cardiovascular disease in chronic kidney disease. 2008, 2, 425-34 Metabolic phenotypes, vascular complications, and premature deaths in a population of 4,197		20
1087 1086 1085	mice. 2008, 105, 2082-7 Cardiovascular disease in chronic kidney disease. 2008, 2, 425-34 Metabolic phenotypes, vascular complications, and premature deaths in a population of 4,197 patients with type 1 diabetes. 2008, 57, 2480-7 Combination therapy with AT1 blocker and vitamin D analog markedly ameliorates diabetic		20 73
1087 1086 1085	Cardiovascular disease in chronic kidney disease. 2008, 2, 425-34 Metabolic phenotypes, vascular complications, and premature deaths in a population of 4,197 patients with type 1 diabetes. 2008, 57, 2480-7 Combination therapy with AT1 blocker and vitamin D analog markedly ameliorates diabetic nephropathy: blockade of compensatory renin increase. 2008, 105, 15896-901		2073235
1087 1086 1085 1084	Cardiovascular disease in chronic kidney disease. 2008, 2, 425-34 Metabolic phenotypes, vascular complications, and premature deaths in a population of 4,197 patients with type 1 diabetes. 2008, 57, 2480-7 Combination therapy with AT1 blocker and vitamin D analog markedly ameliorates diabetic nephropathy: blockade of compensatory renin increase. 2008, 105, 15896-901 New therapeutic agents for diabetic kidney disease. 2008, 5, 553-575		2073235

(2009-2008)

1080	Improved metabolic control and quality of life in seven patients with type 1 diabetes following islet after kidney transplantation. 2008 , 85, 801-12	65
1079	Assessing albuminuria in spot morning samples from diabetic patients. 2008 , 52, 1482-8	2
1078	Beta-glucans in the treatment of diabetes and associated cardiovascular risks. 2008, 4, 1265-72	102
1077	Divergences in antihypertensive therapy in special situations in nephrology. 2008 , 126, 34-40	
1076	[Endothelin system function in diabetic nephropathy]. 2008, 52, 581-8	7
1075	Current concepts in combination therapy for the treatment of hypertension: combined calcium channel blockers and RAAS inhibitors. 2009 , 2, 55-62	15
1074	[Role of dietary lipids in diabetic nephropathy]. 2009 , 53, 634-45	4
1073	Qualidade da informa ß sobre diab E icos e hipertensos registrada no Sistema HIPERDIA em S B Carlos-SP, 2002-2005. 2009 , 19, 405-417	3
1072	[Critical analysis of the American Diabetes Association dietary recommendations for cardiovascular disease in diabetes mellitus]. 2009 , 53, 657-66	5
1071	[Macrovascular diabetic complications: clinical characteristics, diagnosis and management]. 2009 , 53, 698-708	7
1070	Endothelial nitric oxide synthase gene polymorphisms and diabetic nephropathy: a HuGE review and meta-analysis. 2009 , 11, 695-706	42
1069	Is serum cystatin C an accurate endogenous marker of glomerular filteration rate for detection of early renal impairment in patients with type 2 diabetes mellitus?. 2009 , 31, 355-9	10
1068	Changes in albumin excretion in the diabetes prevention program. <i>Diabetes Care</i> , 2009 , 32, 720-5	16
1067	Prediction of albuminuria by different blood pressure measurement methods in type 1 diabetes: a pilot study. 2009 , 32, 680-4	18
1066	Diurnal changes in urinary excretion of IgG, transferrin, and ceruloplasmin depend on diurnal changes in systemic blood pressure in normotensive, normoalbuminuric type 2 diabetic patients. 2009 , 41, 910-5	6
1065	On-chip immunoassay for determination of urinary albumin. 2009 , 9, 10066-79	24
1064	Renin-angiotensin-aldosterone system blockade in diabetes: role of direct renin inhibitors. 2009 , 121, 33-44	14
1063	Endothelial markers may link kidney function to cardiovascular events in type 2 diabetes. <i>Diabetes Care</i> , 2009 , 32, 1890-5	33

1062	Oxidative stress pathway genes and chronic renal insufficiency in Asian Indians with Type 2 diabetes. 2009 , 23, 102-11	51
1061	Incidence and progression of diabetic retinopathy in Hong Kong Chinese with type 2 diabetes mellitus. 2009 , 23, 185-93	35
1060	Adenosine mediates transforming growth factor-beta 1 release in kidney glomeruli of diabetic rats. 2009 , 583, 3192-8	37
1059	Predictive value of interleukin-10 promoter genotypes and haplotypes in determining the susceptibility to nephropathy in type 2 diabetes patients. 2009 , 25, 57-63	28
1058	Value of Plasma Level of Endothelin-1 and Nitric Oxide in Diabetic Nephropathy. 2009, 18, 14-20	1
1057	Variation in protein levels obtained from human blood cells and biofluids for platelet, peripheral blood mononuclear cell, plasma, urine and saliva proteomics. 2009 , 4, 95-102	32
1056	Ambulatory blood pressure measurements are related to albumin excretion and are predictive for risk of microalbuminuria in young people with type 1 diabetes. 2009 , 52, 1173-81	47
1055	Alteration of renal respiratory Complex-III during experimental type-1 diabetes. 2009 , 9, 2	30
1054	Network of vascular diseases, death and biochemical characteristics in a set of 4,197 patients with type 1 diabetes (the FinnDiane Study). 2009 , 8, 54	25
1053	Interleukin-10-592C/A, -819C/T and -1082A/G promoter variants affect the susceptibility to nephropathy in Tunisian type 2 diabetes (T2DM) patients. 2009 , 70, 401-7	31
1052	Intake of soluble fibers has a protective role for the presence of metabolic syndrome in patients with type 2 diabetes. 2009 , 63, 127-33	40
1051	Clinical indicators which necessitate renal biopsy in type 2 diabetes mellitus patients with renal disease. 2009 , 63, 1167-76	52
1050	Status and rationale of renoprotection studies in adolescents with type 1 diabetes. 2009 , 10, 347-55	15
1049	Prevalence and risk factors of albuminuria in Type 2 diabetes in Bahrain. 2009 , 32, 746-51	12
1048	Intricacies of bevacizumab-induced toxicities and their management. 2009 , 43, 490-501	144
1047	Urinary albumin excretion in latent autoimmune diabetes in adults (LADA) is more similar to type 2 than type 1 diabetes: results of the Nord-Trfidelag Health Study 1995-1997. 2009 , 35, 273-9	1
1046	Cellular and humoral immune responses in the early stages of diabetic nephropathy in NOD mice. 2009 , 32, 85-93	55
1045	Diabetes prevalence and therapeutic target achievement in the United States, 1999 to 2006. 2009 , 122, 443-53	277

(2010-2009)

1044	Diabetic nephropathy. <i>Diabetology and Metabolic Syndrome</i> , 2009 , 1, 10	5.6	87
1043	How should proteinuria be detected and measured?. 2009 , 46, 205-17		151
1042	Fibrates and microvascular complications in diabetesinsight from the FIELD study. 2009 , 15, 537-52		57
1041	Stable renal function after islet transplantation: importance of patient selection and aggressive clinical management. 2009 , 87, 681-8		28
1040	High prevalence and diversity of kidney dysfunction in patients with type 2 diabetes mellitus and coronary artery disease: the BARI 2D baseline data. 2010 , 339, 401-10		16
1039	Urinary collagen IV and LST: potential biomarkers for detecting localized kidney injury in diabetesa pilot study. 2010 , 32, 219-25		21
1038	The relationship of retinal vessel diameter to changes in diabetic nephropathy structural variables in patients with type 1 diabetes. 2010 , 53, 1638-46		34
1037	The role of renin-angiotensin agents in altering the natural history of type 2 diabetes mellitus. 2010 , 12, 464-71		13
1036	Modulating effect of atorvastatin on paraoxonase 1 activity in type 2 diabetic Egyptian patients with or without nephropathy. 2010 , 24, 325-33		17
1035	XLF-III-43, a novel coumarin-aspirin compound, prevents diabetic nephropathy in rats via inhibiting advanced glycation end products. 2010 , 627, 340-7		16
1034	Combination of aspirin with telmisartan suppresses the augmented TGFbeta/smad signaling during the development of streptozotocin-induced type I diabetic nephropathy. 2010 , 185, 137-42		25
1033	Sex differences in kidney size and clinical features of patients with uremia. 2010 , 7, 451-7		4
1032	Renal function following long-term weight loss in individuals with abdominal obesity on a very-low-carbohydrate diet vs high-carbohydrate diet. 2010 , 110, 633-8		40
1031	Association between ischemia modified albumin, inflammation and hyperglycemia in type 2 diabetes mellitus. 2010 , 43, 450-4		92
1030	Associations of fetuin-A levels with vascular disease in type 2 diabetes patients with early diabetic nephropathy. 2010 , 9, 48		27
1029	Microalbuminuria predicts overt proteinuria among patients with HIV infection. 2010 , 11, 419-26		25
1028	Diet with a low n-6/n-3 essential fatty acid ratio when started immediately after the onset of overt diabetes prolongs survival of type 1 diabetes model NOD mice. 2010 , 50, 226-31		15
1027	Urinary L-FABP and anaemia: distinct roles of urinary markers in type 2 diabetes. 2010 , 40, 95-102		38

1026	The Association between Serum GGT Concentration and Diabetic Peripheral Polyneuropathy in Type 2 Diabetic Patients. 2010 , 34, 111-8		12
1025	Effect of metabolic syndrome and of its individual components on renal function of patients with type 2 diabetes mellitus. 2010 , 43, 687-93		9
1024	Beating the system: a study of a creatinine assay and its efficacy in authenticating human urine specimens. 2010 , 34, 39-44		19
1023	Aliskiren: beyond blood pressure reduction. 2010 , 19, 1265-74		7
1022	Pro12Ala polymorphism in the PPARG gene contributes to the development of diabetic nephropathy in Chinese type 2 diabetic patients. <i>Diabetes Care</i> , 2010 , 33, 144-9	14.6	40
1021	Different effects of thiazolidinediones on cardiovascular risk in patients with type 2 diabetes mellitus: pioglitazone versus rosiglitazone. 2010 , 5, 234-44		19
1020	Prostaglandin E1 for preventing the progression of diabetic kidney disease. 2010 , CD006872		8
1019	Association study of fatty acid binding protein 2 gene polymorphism for diabetic nephropathy in Japanese patients with type 2 diabetes. 2010 , 4, 18-20		
1018	The Ala54Thr polymorphism of the FABP2 gene influences the postprandial fatty acids in patients with type 2 diabetes. 2010 , 95, 3909-17		7
1017	Plasma sRAGE is not associated with urinary microalbumin excretion in type 2 diabetic nephropathy at the early stage. 2010 , 87, 157-60		9
1016	Aberrant cytokines/chemokines production correlate with proteinuria in patients with overt diabetic nephropathy. 2010 , 411, 700-4		60
1015	Prevention and treatment of microvascular disease in childhood type 1 diabetes. 2010 , 94, 145-64		28
1014	Complications of type 1 diabetes. 2010 , 39, 625-40		114
1013	Preclinical manifestations of organ damage associated with the metabolic syndrome and its factors in outpatient children. 2010 , 213, 611-5		16
1012	Differential contribution of MTHFR C677T variant to the risk of diabetic nephropathy in Lebanese and Bahraini Arabs. 2010 , 48, 1091-4		21
1011	Proteomic profile of primary isolated rat mesangial cells in high-glucose culture condition and decreased expression of PSMA6 in renal cortex of diabetic rats. 2010 , 88, 635-48		20
1010	¿Es posible prevenir la nefropatā diabĒica? El estudio ROADMAP. 2011 , 28, 24-29		
1009	The prevalence of microalbuminuria and proteinuria in cats with diabetes mellitus. 2011 , 26, 154-7		24

1008	Vitamin B and/or its derivatives for diabetic kidney disease. 2011 ,	1
1007	Assessment of urinary Eglutamyltransferase and alkaline phosphatase for diagnosis of diabetic nephropathy. 2011 , 412, 1407-11	17
1006	Differential effects of insulin on peripheral diabetes-related changes in mitochondrial bioenergetics: involvement of advanced glycosylated end products. 2011 , 1812, 1460-71	29
1005	Therapeutic management of diabetic kidney disease. 2011 , 2, 248-54	11
1004	Varโi de 44 aðs con insuficiencia renal crโiica en estadio 4. 2011 , 10, 5393.e1-5393.e4	
1003	Factors affecting the progression of diabetic nephropathy and its complications: a single-center experience in Saudi Arabia. 2011 , 31, 236-42	28
1002	Novel Therapies of Diabetic Nephropathy. 2011 , 3, 23-35	1
1001	Hypertension-related factors in patients with active and inactive acromegaly. 2011 , 55, 468-74	13
1000	The role of ecto-nucleotide pyrophosphatase/phosphodiesterase 1 in diabetic nephropathy. 2011 , 55, 677-85	15
999	Parameters of glycemic control and their relationship with zinc concentrations in blood and with superoxide dismutase enzyme activity in type 2 diabetes patients. 2011 , 55, 701-7	18
998	Efficacy analysis of the lipid-lowering and renoprotective effects of rosuvastatin in patients with chronic kidney disease. 2011 , 58, 663-74	17
997	C-peptide and long-term complications of diabetes. 2011 , 12, 276-92	32
996	Pathophysiology, prevention and management of chronic kidney disease in the hypertensive patient with diabetes mellitus. 2011 , 13, 252-7	8
995	Smoking cessation predicts amelioration of microalbuminuria in newly diagnosed type 2 diabetes mellitus: a 1-year prospective study. 2011 , 60, 1456-64	56
994	A crushing experience: The spectrum and outcome of soft tissue injury and myonephropathic syndrome at an Urban South African University Hospital. 2011 , 1, 17-24	11
993	Genetic diversity of the apolipoprotein E gene and diabetic nephropathy: a meta-analysis. 2011 , 38, 3243-52	21
992	Angiotensin converting enzyme (ACE) gene polymorphism increases the susceptibility of diabetic nephropathy in Western Indian Type 2 diabetic patients. 2011 , 31, 223-228	3
991	Everolimus vs. rapamycin for treating diabetic nephropathy in diabetic mouse model. 2011 , 31, 457	4

990	Association of genetic variants in the promoter region of genes encoding p22phox (CYBA) and glutamate cysteine ligase catalytic subunit (GCLC) and renal disease in patients with type 1 diabetes mellitus. 2011 , 12, 129		21
989	Progression to microalbuminuria in patients with type 1 diabetes: a seven-year prospective study. <i>Diabetology and Metabolic Syndrome</i> , 2011 , 3, 21	5.6	5
988	Renal venous doppler ultrasonography in normal subjects and patients with diabetic nephropathy: value of venous impedance index measurements. 2011 , 39, 512-8		18
987	High dietary glycemic index and low fiber content are associated with metabolic syndrome in patients with type 2 diabetes. 2011 , 30, 141-8		30
986	Angiotensin II type II receptor deficiency accelerates the development of nephropathy in type I diabetes via oxidative stress and ACE2. 2011 , 2011, 521076		45
985	Afternoon blood pressure increase: a blood pressure pattern associated with microvascular complications in type 2 diabetes mellitus. 2011 , 24, 64-9		7
984	Microvascular and Macrovascular Complications of Diabetes. 2011 , 29, 116-122		145
983	Wave reflection signatures: identifying early microvascular abnormalities in type 2 diabetes. 2011 , 11, 243-248		3
982	Diabesity: an overview of a rising epidemic. 2011 , 26, 28-35		187
981	Attenuation of Diabetic Nephropathy in Otsuka Long-Evans Tokushima Fatty (OLETF) Rats with a Combination of Chinese Herbs (Tangshen Formula). 2011 , 2011, 613737		24
980	Role of T cells in type 2 diabetic nephropathy. 2011 , 2011, 514738		100
979	Pattern of urinary albumin excretion in normotensive young and adolescent Indian women with polycystic ovary syndrome. 2012 , 16, 277-82		7
978	Diabetic nephropathy and extracellular matrix. 2012 , 60, 976-86		198
977	Autologous transplantation of adipose-derived mesenchymal stem cells ameliorates streptozotocin-induced diabetic nephropathy in rats by inhibiting oxidative stress, pro-inflammatory cytokines and the p38 MAPK signaling pathway. 2012 , 30, 85-92		66
976	Early signs of diabetic nephropathy in childhood. 2012 , 2, 337-353		
975	Update on cardiovascular safety of PPARgamma agonists and relevance to medicinal chemistry and clinical pharmacology. 2012 , 12, 585-604		26
974	Relaxin and castration in male mice protect from, but testosterone exacerbates, age-related cardiac and renal fibrosis, whereas estrogens are an independent determinant of organ size. 2012 , 153, 188-99		21
973	The role of Dietary Approaches to Stop Hypertension (DASH) diet food groups in blood pressure in type 2 diabetes. 2012 , 108, 155-62		33

(2012-2012)

972	PTEN/Akt/mTOR signaling. 2012 , 27, 90-100	39
971	Association of reduced renal function with hepatitis B virus infection and elevated alanine aminotransferase. 2012 , 7, 1561-6	12
970	Long-term mineralocorticoid receptor blockade ameliorates progression of experimental diabetic renal disease. 2012 , 27, 906-12	20
969	Comorbidities and complications: when, how and who to screen and when to treat? Microalbuminuria in adolescents with Type 1 diabetes. 2012 , 2, 549-557	3
968	Different antidiabetic regimens and the development of renal dysfunction in US Veterans with type 2 diabetes mellitus. 2012 , 60, 1009-14	
967	Psidium guajava leaf extract: effects on rat serum homeostasis and tissue morphology. 2012 , 21, 401-407	12
966	Update on care of children with type 1 diabetes. 2012 , 59, 303-27	
965	Endothelial nitric oxide synthase gene polymorphisms and the risk of diabetic nephropathy in type 2 diabetes mellitus. 2012 , 16, 574-9	26
964	The influence of risk factors for metabolic syndrome on vascular complications. 2012, 63, 86-91	1
963	Metabolic diversity of progressive kidney disease in 325 patients with type 1 diabetes (the FinnDiane Study). 2012 , 11, 1782-90	44
962	High L-carnitine concentrations do not prevent late diabetic complications in type 1 and 2 diabetic patients. 2012 , 32, 320-7	8
961	Diabetic nephropathy is associated with prostate-specific antigen levels in type 2 diabetes mellitus. 2012 , 23, 1875-9	1
960	Vitamin D compounds and diabetic nephropathy. 2012 , 523, 87-94	13
959	Screening for deprivation using the EPICES score: a tool for detecting patients at high risk of diabetic complications and poor quality of life. 2012 , 38, 82-5	19
958	Chronic kidney disease in type 2 diabetes patients in France: prevalence, influence of glycaemic control and implications for the pharmacological management of diabetes. 2012 , 38, 102-12	27
957	Risk factors for lower extremity amputation in diabetic foot disease categorized by Wagner classification. 2012 , 95, 358-63	79
956	Ascorbic acid alleviates toxicity of paclitaxel without interfering with the anticancer efficacy in mice. 2012 , 32, 873-83	21
955	Prevalence, risk factors and awareness of albuminuria on a Canadian First Nation: a community-based screening study. 2012 , 12, 290	28

954	A retrospective analysis of amputation rates in diabetic patients: can lower extremity amputations be further prevented?. 2012 , 11, 18	46
953	Diabetes, Pregnancy and the Kidney. 2012 , 129-142	
952	Role of fetuin-A in atherosclerosis associated with diabetic patients. 2012 , 64, 1703-8	47
951	Prediction of cardiovascular events, diabetic nephropathy, and mortality by albumin concentration in a spot urine sample in patients with type 2 diabetes. 2012 , 26, 407-12	18
950	Relationship between diabetic retinopathy, microalbuminuria and overt nephropathy, and twenty-year incidence follow-up of a sample of type 1 diabetic patients. 2012 , 26, 506-12	19
949	Metabolic profiling reveals new serum biomarkers for differentiating diabetic nephropathy. 2012 , 404, 3101-9	132
948	The rs7204609 polymorphism in the fat mass and obesity-associated gene is positively associated with central obesity and microalbuminuria in patients with type 2 diabetes from Southern Brazil. 2012 , 22, 228-236	11
947	Beneficial effect of myricetin on renal functions in streptozotocin-induced diabetes. 2012 , 12, 265-72	37
946	Pretreatment with the total flavone glycosides of Flos Abelmoschus manihot and hyperoside prevents glomerular podocyte apoptosis in streptozotocin-induced diabetic nephropathy. 2012 , 15, 461-8	57
945	Development of an enhanced chemiluminescence immunoassay (CLIA) for detecting urinary albumin. 2012 , 39, 10851-8	6
944	Cytokines in diabetic nephropathy. 2012 , 56, 55-74	35
943	The novel link between inflammatory enzyme C2GNT and the shedding of syndecan-1 in podocyte dysfunction. 2012 , 2, 9	
942	Significance of Advanced Glycation End-Products (AGE) and the Receptor for AGE (RAGE) in Diabetic Nephropathy. 2012 ,	
941	The Role of Physical Exercise on Lipid Peroxidation in Diabetic Complications. 2012,	
940	28.3 Nephropathie. 2012 ,	
939	Reduction in urinary albumin excretion with a moderate low-carbohydrate diet in patients with type 2 diabetes: a 12-month intervention. 2012 , 5, 283-91	7
938	Relationship between five GLUT1 gene single nucleotide polymorphisms and diabetic nephropathy: a systematic review and meta-analysis. 2012 , 39, 8551-8	19
937	Sphingomyelin is associated with kidney disease in type 1 diabetes (The FinnDiane Study). 2012 , 8, 369-375	44

(2013-2012)

936	Kidney transplantation in diabetic recipients with iliac atherosclerosis: arterial anastomosis with Nakayama's ring pin stapler after endarterectomy. 2012 , 19, 336-42	4
935	Is C677T polymorphism in methylenetetrahydrofolate reductase gene a risk factor for diabetic nephropathy or diabetes mellitus in a Chinese population?. 2012 , 43, 42-50	18
934	Nicousamide blocks the effects of advanced glycation end products on renal cells. 2012 , 674, 455-9	9
933	Prevalence and risk factors for diabetic microvascular complications in newly diagnosed type II diabetes mellitus. Sankara Nethralaya Diabetic Retinopathy Epidemiology and Molecular Genetic Study (SN-DREAMS, report 27). 2012 , 26, 123-8	49
932	Amides of gold(I) diphosphines prepared from N-heterocyclic sources and their in vitro and in vivo screening for anticancer activity. 2012 , 111, 80-90	19
931	Experimental study of leflunomide on renal protective effect and on inflammatory response of streptozotocin induced diabetic rats. 2012 , 17, 380-9	5
930	Urinary tubular biomarkers in short-term type 2 diabetes mellitus patients: a cross-sectional study. 2012 , 41, 82-8	91
929	Factors associated with diabetic nephropathy in subjects with proliferative retinopathy. 2012 , 44, 197-206	12
928	Discovery of early-stage biomarkers for diabetic kidney disease using ms-based metabolomics (FinnDiane study). 2012 , 8, 109-119	113
927	The possible role of esRAGE and sRAGE in the natural history of diabetic nephropathy in childhood. 2012 , 27, 269-75	13
926	Treatment of diabetic nephropathy with Tripterygium wilfordii Hook F extract: a prospective, randomized, controlled clinical trial. 2013 , 11, 134	38
925	Low BDNF is associated with cognitive deficits in patients with type 2 diabetes. 2013 , 227, 93-100	71
924	Associations of RBP4 with lipid metabolism and renal function in diabetes mellitus. 2013, 115, 831-837	2
923	Study design of DIACORE (DIAbetes COhoRtE) - a cohort study of patients with diabetes mellitus type 2. 2013 , 14, 25	19
922	MTHFR 677T variant contributes to diabetic nephropathy risk in Caucasian individuals with type 2 diabetes: a meta-analysis. 2013 , 62, 586-94	27
921	Diabetic nephropathy: traditional to proteomic markers. 2013 , 421, 17-30	79
920	Efficacy analysis of the renoprotective effects of aliskiren in hypertensive patients with chronic kidney disease. 2013 , 28, 442-52	6
919	Adenosine A(2B) receptor-mediated VEGF induction promotes diabetic glomerulopathy. 2013 , 93, 135-44	30

918	Protective role of low-dose TGF-II in early diabetic nephropathy induced by streptozotocin. 2013 , 17, 752-8	4
917	Why albumin to creatinine ratio should replace protein to creatinine ratio: it is not just about nephrologists. 2013 , 50, 301-5	8
916	Clinical value of inflammatory urinary biomarkers in overt diabetic nephropathy: a prospective study. 2013 , 101, 333-40	47
915	Cardiovascular autonomic neuropathy in type 2 diabetes mellitus patients with peripheral artery disease. <i>Diabetology and Metabolic Syndrome</i> , 2013 , 5, 54	18
914	Polymorphisms in Mn-SOD and EC-SOD gene and risk of nephropathy in Western Indian Type 2 diabetic patients. 2013 , 33, 229-235	2
913	1H NMR-based metabonomic analysis of serum and urine in a nonhuman primate model of diabetic nephropathy. 2013 , 9, 2645-52	20
912	Longitudinal trends in use and costs of prescription medication in patients with type 1 diabetes: the impact of renal disease. 2013 , 45, 112-9	2
911	Biomarkers for early diagnosis of type 2 diabetic nephropathy: a study based on an integrated biomarker system. 2013 , 9, 2134-41	27
910	Hypercoagulability and cardiovascular disease in diabetic nephropathy. 2013, 415, 279-85	13
909	Differential effects of low-dose fenofibrate treatment in diabetic rats with early onset nephropathy and established nephropathy. 2013 , 698, 388-96	27
908	Evaluation of renal biopsies in type 2 diabetic patients with kidney disease: a clinicopathological study of 216 cases. 2013 , 45, 173-9	55
907	Cardiovascular risk factors and complications associated with albuminuria and impaired renal function in insulin-treated diabetes. 2013 , 27, 370-5	7
906	Comanagement of diabetic kidney disease by the primary care provider and nephrologist. 2013, 97, 157-73	16
905	Contrast-enhanced ultrasonography is a valid technique for the assessment of renal microvascular perfusion dysfunction in diabetic Goto-Kakizaki rats. 2013 , 18, 750-60	6
904	Preventive effects of polysaccharides from Liriope spicata var. prolifera on diabetic nephropathy in rats. 2013 , 61, 114-20	15
903	Chapter 1: Definition and classification of CKD. 2013 , 3, 19-62	565
902	Low-protein diet improves blood and urinary glucose levels and renal manifestations of diabetes in C57BLKS-db/db mice. 2013 , 52, 813-24	11
901	References. 2013 , 3, 136-150	66

(2013-2013)

900	Identification of key nodes of type 2 diabetes mellitus protein interactome and study of their interactions with phloridzin. 2013 , 17, 302-17	11
899	The rs9939609 polymorphism in the FTO gene is associated with fat and fiber intakes in patients with type 2 diabetes. 2013 , 6, 97-106	26
898	Nondiabetic kidney diseases in type 2 diabetic patients. 2013 , 32, 115-20	8
897	Dynamic localization and functional implications of C-peptide might for suppression of iNOS in high glucose-stimulated rat mesangial cells. 2013 , 381, 255-60	16
896	Lunch energy density and the metabolic syndrome in patients with type 2 diabetes mellitus. 2013 , 110, 1656-63	4
895	Detection and progression of chronic kidney disease: does the rear-view mirror help?. 2013 , 28, 1076-9	1
894	Angiotensin-converting enzyme inhibition curbs tyrosine nitration of mitochondrial proteins in the renal cortex during the early stage of diabetes mellitus in rats. 2013 , 124, 543-52	8
893	Urinary TNF-⊞and NGAL are correlated with the progression of nephropathy in patients with type 2 diabetes. 2013 , 6, 1482-1488	27
892	Renal duplex sonographic evaluation of type 2 diabetic patients. 2013 , 32, 1033-40	18
891	Oat Protects against Diabetic Nephropathy in Rats via Attenuating Advanced Glycation End Products and Nuclear Factor Kappa B. 2013 , 2013, 609745	4
890	Prevalence of low testosterone levels in men with type 2 diabetes mellitus: a cross-sectional study. 2013 , 20, 179-86	48
889	The role of direct renin inhibitors in the treatment of the hypertensive diabetic patient. 2013 , 4, 139-45	10
888	Shorter bevacizumab infusions do not increase the incidence of proteinuria and hypertension. 2013 , 24, 960-5	10
887	Improvement of the metabolic syndrome profile by soluble fibre - guar gum - in patients with type 2 diabetes: a randomised clinical trial. 2013 , 110, 1601-10	72
886	Renal function following three distinct weight loss dietary strategies during 2 years of a randomized controlled trial. <i>Diabetes Care</i> , 2013 , 36, 2225-32	63
885	Diabetes care quality is highly correlated with patient panel characteristics. 2013 , 26, 669-79	13
884	Diabetic nephropathy: Is it time yet for routine kidney biopsy?. 2013 , 4, 245-55	106
883	Investigation of apparent non-albuminuric proteinuria in a primary care population. 2013 , 51, 1961-9	4

882	From single nucleotide polymorphism to transcriptional mechanism: a model for FRMD3 in diabetic nephropathy. 2013 , 62, 2605-12		35
881	Dual inhibition of classical protein kinase C-land protein kinase C-lasoforms protects against experimental murine diabetic nephropathy. 2013 , 62, 1167-74		51
880	Bone marrow-derived mononuclear cells promote improvement in glomerular function in rats with early diabetic nephropathy. 2013 , 32, 699-718		10
879	Both ERK/MAPK and TGF-Beta/Smad signaling pathways play a role in the kidney fibrosis of diabetic mice accelerated by blood glucose fluctuation. 2013 , 2013, 463740		64
878	Curcumin ameliorates Podocytic adhesive capacity damage under mechanical stress by inhibiting miR-124 expression. 2013 , 38, 61-71		15
877	Heart failure in hospitalized patients with diabetic foot ulcers: clinical characteristics and their relationship with prognosis. <i>Journal of Diabetes</i> , 2013 , 5, 429-38	3.8	12
876	The impact of predisposing factors on long-term outcome after stroke in diabetic patients: the Fukuoka Stroke Registry. 2013 , 20, 921-7		17
875	Nocturnal intermittent hypoxia as an associated risk factor for microalbuminuria in Japanese patients with type 2 diabetes mellitus. 2013 , 169, 239-46		31
874	A randomized comparison of cisplatin and oral vinorelbine as radiosensitizers in aged or comorbid locally advanced cervical cancer patients. 2013 , 23, 884-9		8
873	Diet Therapy in Patients of Diabetic Nephropathy. 2013 , 14, 27		1
872	The impacts of albuminuria and low eGFR on the risk of cardiovascular death, all-cause mortality, and renal events in diabetic patients: meta-analysis. 2013 , 8, e71810		59
871	Assessment of Potential Abatement provided by Annona Muricata (Prickly Custard Apple Leave) on the Toxic Effects of Aluminium Chloride on Albino Rats. 2014 , 18, 35		
870	Diabetic kidney disease: from epidemiology to clinical perspectives. 2014 , 38, 252-60		65
869	Comparison of high vs. normal/low protein diets on renal function in subjects without chronic kidney disease: a systematic review and meta-analysis. 2014 , 9, e97656		61
868	Predictive significance of kidney myeloid-related protein 8 expression in patients with obesity- or type 2 diabetes-associated kidney diseases. 2014 , 9, e88942		6
867	Testes de avalia B de injfia renal precoce em cês e gatos. 2014 , 35, 411		2
866	Nutritional intervention for a patient with diabetic nephropathy. 2014 , 3, 64-8		12
865	Simultaneous pancreas-kidney transplantation: The role in the treatment of type 1 diabetes and end-stage renal disease. 2014 , 8, 135-8		19

(2014-2014)

864	nonalbuminuric proteinuria as a biomarker for tubular damage in early development or nephropathy with type 2 diabetic patients. 2014 , 30, 736-41		29
863	Identified single-nucleotide polymorphisms and haplotypes at 16q22.1 increase diabetic nephropathy risk in Han Chinese population. 2014 , 15, 113		11
862	Adiposity markers and risk of coronary heart disease in patients with type 2 diabetes mellitus. 2014 , 13, 124		13
861	Risk for end-stage renal disease over 25 years in the population-based WESDR cohort. <i>Diabetes Care</i> , 2014 , 37, 381-8	14.6	28
860	Diabetic Nephropathy in Children. 2014 , 1-28		
859	Comparison of nephron-protective effects of enalapril and GLP analogues (exenatide) in diabetic nephropathy. 2014 , 122, 327-33		10
858	Association of renin-angiotensin system genes polymorphism with progression of diabetic nephropathy in patients with type 1 diabetes mellitus. 2014 , 71, 627-33		8
857	Analysis of the associations between vitamin D and albuminuria or Etell function in Chinese type 2 diabetes. 2014 , 2014, 640909		9
856	Small dense low-density lipoprotein as a potential risk factor of nephropathy in type 2 diabetes mellitus. 2014 , 18, 94-8		7
855	Severity of hearing impairment is positively associated with urine albumin excretion rate in patients with type 2 diabetes. 2014 , 5, 743-7		10
854	Hypolipidaemic and haematological evaluation of the hydromethanolic extract of Ficus glumosa stem bark in alloxan-induced diabetic rats. 2014 , 11, 259-64		1
853	Bariatric surgery and microvascular complications of type 2 diabetes mellitus. 2014 , 16, 453		22
852	Economic evaluations of angiotensin-converting enzyme inhibitors and angiotensin II receptor blockers in type 2 diabetic nephropathy: a systematic review. 2014 , 15, 15		9
851	Early diabetic nephropathy in type 1 diabetes: new insights. 2014 , 21, 279-86		81
850	Diagnosis and treatment of diabetic kidney disease. 2014 , 347, 406-13		24
849	Genitourinary System. 2014 , 225-242		
848	Fuzzy logic system for risk-level classification of diabetic nephropathy. 2014,		6
847	Reproducibility and validity of a quantitative FFQ designed for patients with type 2 diabetes mellitus from southern Brazil. 2014 , 17, 2237-45		10

846	Moringa oleifera Supplemented Diets Prevented Nickel-Induced Nephrotoxicity in Wistar Rats. 2014 , 2014, 958621	25
845	Clinical therapeutic strategies for early stage of diabetic kidney disease. 2014 , 5, 342-56	31
844	Dual therapy of vildagliptin and telmisartan on diabetic nephropathy in experimentally induced type 2 diabetes mellitus rats. 2014 , 15, 410-8	9
843	Urinary biomarkers for the early diagnosis of retinopathy and nephropathy in type 1 diabetes mellitus: a "steady stream" of information using proteomics. 2014 , 163, 183-7	2
842	Utilization of glucose, blood pressure, and lipid lowering medications among people with type II diabetes in the United States, 1999-2010. 2014 , 24, 516-21.e1	17
841	Quantitative imaging biomarkers for the evaluation of cardiovascular complications in type 2 diabetes mellitus. 2014 , 28, 234-42	6
840	Proteomics and diabetic nephropathy: what have we learned from a decade of clinical proteomics studies?. 2014 , 27, 221-8	13
839	Effect of Gouania longipetala (Hemsl.) methanolic leaf extract on the kidney and hematology of alloxan-induced hyperglycemic Wistar rats. 2014 , 23, 1697-1702	4
838	Nephropathy in youth and young adults with type 2 diabetes. 2014 , 14, 456	14
837	Endothelial nitric oxide synthase gene polymorphisms and risk of diabetic nephropathy: a systematic review and meta-analysis. 2014 , 15, 9	34
836	Albuminuria and left ventricular mass index are associated with left ventricular diastolic dysfunction in type 2 diabetes mellitus patients. 2014 , 5, 129-133	2
835	Lipoproteins and Diabetic Nephropathy. 2014 , 279-299	
834	Association between homocysteine status and the risk of nephropathy in type 2 diabetes mellitus. 2014 , 431, 206-10	19
833	The alteration of Th1/Th2/Th17/Treg paradigm in patients with type 2 diabetes mellitus: Relationship with diabetic nephropathy. 2014 , 75, 289-96	83
832	Investigation of the influence of nephropathy on monoclonal antibody disposition: a pharmacokinetic study in a mouse model of diabetic nephropathy. 2014 , 31, 1185-93	10
831	The effect of RAAS blockade on the progression of diabetic nephropathy. 2014 , 10, 77-87	100
830	Midkine in nephrogenesis, hypertension and kidney diseases. 2014 , 171, 879-87	21
829	Rodent animal models: from mild to advanced stages of diabetic nephropathy. 2014 , 22, 279-93	10

828	HbA1c and survival in maintenance hemodialysis patients with diabetes in Han Chinese population. 2014 , 46, 2207-14	5
827	Dietary fat composition and cardiac events in patients with type 2 diabetes. 2014 , 236, 31-8	8
826	Fiber intake and inflammation in type 1 diabetes. <i>Diabetology and Metabolic Syndrome</i> , 2014 , 6, 66 5.6	19
825	Protective effect of magnesium on renal function in STZ-induced diabetic rats. 2014 , 13, 84	29
824	Dietary Management of Diabetic Chronic Kidney Disease. 2014 , 3, 333-339	
823	Sodium glucose transport 2 (SGLT2) inhibition decreases glomerular hyperfiltration: is there a role for SGLT2 inhibitors in diabetic kidney disease?. 2014 , 129, 542-4	40
822	Harnessing the immunological properties of stem cells as a therapeutic option for diabetic nephropathy. 2014 , 51, 897-904	28
821	Rapamycin promotes podocyte autophagy and ameliorates renal injury in diabetic mice. 2014 , 394, 145-54	55
820	Experimental comparison of protective characteristics of enalapril and trimetazidine in diabetic nephropathy. 2014 , 36, 1283-90	4
819	Prophylactic effect of baicalein against renal dysfunction in type 2 diabetic rats. 2014 , 106, 101-10	47
818	Clinical challenges in diagnosis and management of diabetic kidney disease. 2014 , 63, S3-21	61
817	Suppressor of cytokine signaling (SOCS) 2 attenuates renal lesions in rats with diabetic nephropathy. 2014 , 116, 981-8	23
816	Physical activity is associated with decreased incidence of chronic kidney disease in type 2 diabetes patients: a retrospective cohort study in Taiwan. 2014 , 8, 315-21	17
815	The prevalence of Hypogonadism among diabetic and non-diabetic men in Jordan. 2014 , 28, 135-40	11
814	Optimal conditions of LDR to protect the kidney from diabetes: exposure to 12.5 mGy X-rays for 8 weeks efficiently protects the kidney from diabetes. 2014 , 103, 49-58	3
813	Rutin and quercetin show greater efficacy than nifedipin in ameliorating hemodynamic, redox, and metabolite imbalances in sodium chloride-induced hypertensive rats. 2014 , 33, 602-8	36
812	Association of the endothelial nitric oxide synthase gene G894T polymorphism with the risk of diabetic nephropathy in Qassim region, Saudi Arabia-A pilot study. 2014 , 2, 392-402	8
811	Association between subclinical hypothyroidism and diabetic nephropathy in patients with type 2 diabetes mellitus. 2014 , 61, 1011-8	38

810	Biomarkers in diabetic nephropathy: Present and future. 2014 , 5, 763-76	66
809	Chinese medicinal herbs for treating diabetic kidney disease. 2014,	
808	Long Term Complications of Diabetes [A Review. 2014, 21, 347-355	
807	Diabetes and Health Care. 2014 , 1-129	1
806	Urinary alpha- and pi-glutathione s-transferases in adult patients with type 1 diabetes. 2014 , 4, 127-33	3
805	Kidney injury molecule-1 (Kim-1): an early biomarker for nephropathy in type II diabetic patients. 2015 , 35, 431-438	8
804	Lipids, blood pressure and kidney update 2015. 2015 , 14, 167	44
803	Risk factors for proteinuria and renal insufficiency in Asian Indian patients with type 2 diabetes. 2015 , 35, 554-558	1
802	Vitamin B and its derivatives for diabetic kidney disease. 2015 , 1, CD009403	9
801	Effects of the DASH Diet and Walking on Blood Pressure in Patients With Type 2 Diabetes and Uncontrolled Hypertension: A Randomized Controlled Trial. 2015 , 17, 895-901	46
800	ATP synthase subunit-Idown-regulation aggravates diabetic nephropathy. 2015 , 5, 14561	17
799	Factors affecting albuminuria in diabetic patients at King Fahad Hospital in Almadinah Almunawwarah. 2015 , 10, 250-256	
798	Impact of medication adherence on renal function in comorbid patients with type 2 diabetes and depression: protocol for a cohort study. 2015 , 16, 124	0
797	A MULTI-DIMENSIONAL SUPPORT PROGRAMME FOR PATIENTS WITH DIABETIC KIDNEY DISEASE. 2015 , 41, 187-94	10
796	Does Insulin Like Growth Factor-1 (IGF-1) Deficiency Have a "Protective" Role in the Development of Diabetic Retinopathy in Thalassamia Major Patients?. 2015 , 7, e2015038	8
795	Role of Diabetes and Blood Pressure in the Advancement of Renal Disease. 2015 , 04,	
794	All-Trans Retinoic Acid Has a Potential Therapeutic Role for Diabetic Nephropathy. 2015 , 56, 1597-603	7
793	Urinary MicroRNA Profiling Predicts the Development of Microalbuminuria in Patients with Type 1 Diabetes. <i>Journal of Clinical Medicine</i> , 2015 , 4, 1498-517	65

(2015-2015)

792	Dysfunction in Rats. 2015 , 3, 78-92		19
79 ¹	Updates on Aldose Reductase Inhibitors for Management of Diabetic Complications and Non-diabetic Diseases. 2016 , 16, 120-62		102
790	Von Willebrand Factor, ADAMTS13 and D-Dimer Are Correlated with Different Levels of Nephropathy in Type 1 Diabetes Mellitus. 2015 , 10, e0132784		12
789	Polymorphisms of the UCP2 Gene Are Associated with Glomerular Filtration Rate in Type 2 Diabetic Patients and with Decreased UCP2 Gene Expression in Human Kidney. 2015 , 10, e0132938		17
788	Renal impairment in cirrhosis unrelated to hepatorenal syndrome. 2015 , 29, 253-7		4
787	Effect of Omega-3 Fatty Acid on the Fatty Acid Content of the Erythrocyte Membrane and Proteinuria in Patients with Diabetic Nephropathy. 2015 , 2015, 208121		9
786	Development of a Healthy Eating Index for patients with type 2 diabetes. 2015 , 28, 513-522		1
7 ⁸ 5	A novel method for the analysis of clinical biomarkers to investigate the effect of diet on health in a rat model. 2015 , 140, 3028-38		2
7 ⁸ 4	Time to re-evaluate effects of renin-angiotensin system inhibitors on renal and cardiovascular outcomes in diabetic nephropathy. 2015 , 4, 118-26		11
783	Kidney tissue proteomics reveals regucalcin downregulation in response to diabetic nephropathy with reflection in urinary exosomes. 2015 , 166, 474-484.e4		43
782	A possible relationship between renal impairment and complications development in type 2 diabetes mellitus: a prospective, observational study in Italy. 2015 , 29, 771-5		2
781	Effect of Type 2 Diabetes Mellitus and Diabetic Nephropathy on IgG Pharmacokinetics and Subcutaneous Bioavailability in the Rat. 2015 , 17, 965-75		10
7 ⁸ 0	Update on blood pressure control and renal outcomes in diabetes mellitus. 2015 , 15, 44		13
779	The role of progranulin in diabetes and kidney disease. <i>Diabetology and Metabolic Syndrome</i> , 2015 , 7, 117	5.6	27
778	Prevalence of Diabetes and Diabetic Nephropathy in a Large U.S. Commercially Insured Pediatric Population, 2002-2013. <i>Diabetes Care</i> , 2016 , 39, 278-84	14.6	30
777	Albumin stimulates renal tubular inflammation through an HSP70-TLR4 axis in mice with early diabetic nephropathy. 2015 , 8, 1311-21		57
776	Male Gender and Body Mass Index Are Associated With Hypertension and Reduced Kidney Function 5 or More Years After Living Kidney Donation. 2015 , 47, 2816-21		7
775	Association of ApoE gene with type 2 diabetic nephropathy in a Chinese population: a meta-analysis of case-control studies. 2015 , 76, 601-13		2

774 Vascular Complications of Diabetes Mellitus. **2015**, 1541-1593

773	SiRNA-HMGA2 weakened AGEs-induced epithelial-to-mesenchymal transition in tubular epithelial cells. 2015 , 457, 730-5	8
77 ²	Proteomic biomarkers in kidney disease: issues in development and implementation. 2015 , 11, 221-32	82
771	Metabonomics revealed xanthine oxidase-induced oxidative stress and inflammation in the pathogenesis of diabetic nephropathy. 2015 , 407, 2569-79	55
770	Chalcones and their therapeutic targets for the management of diabetes: structural and pharmacological perspectives. 2015 , 92, 839-65	146
769	Mass spectrometry-based proteomic quest for diabetes biomarkers. 2015 , 1854, 519-27	34
768	Uric acid as a biomarker and a therapeutic target in diabetes. 2015 , 39, 239-46	77
767	Tropisetron ameliorates early diabetic nephropathy in streptozotocin-induced diabetic rats. 2015 , 42, 361-8	21
766	Ethnic disparity in prevalence of diabetic kidney disease in an Asian primary healthcare cluster. 2015 , 20, 216-23	14
765	Association of single nucleotide polymorphisms in the gene encoding GLUT1 and diabetic nephropathy in Brazilian patients with type 1 diabetes mellitus. 2015 , 444, 170-5	8
764	Urinary ACE2 is associated with urinary L-FABP and albuminuria in patients with chronic kidney disease. 2015 , 75, 421-7	9
763	Predicting non-diabetic renal disease in type 2 diabetic adults: The value of glycated hemoglobin. 2015 , 29, 718-23	11
762	Endothelial monocyte activating polypeptide II in children and adolescents with type 1 diabetes mellitus: Relation to micro-vascular complications. 2015 , 76, 156-162	8
761	Acute SGLT inhibition normalizes O2 tension in the renal cortex but causes hypoxia in the renal medulla in anaesthetized control and diabetic rats. 2015 , 309, F227-34	131
760	Is there a difference in progression of renal disease between South Asian and white European diabetic adults with moderately reduced kidney function?. 2015 , 29, 761-5	5
759	Genome-wide studies to identify risk factors for kidney disease with a focus on patients with diabetes. 2015 , 30 Suppl 4, iv26-34	31
758	Renal transplantation in type 1 diabetes mellitus: an unusual case report. 2015 , 47, 1042-4	1
757	Metabolomic biomarkers in diabetic kidney diseasesA systematic review. 2015 , 29, 1345-51	27

756	Update on Estimation of Kidney Function in Diabetic Kidney Disease. 2015 , 15, 57	31
755	Silver nanoparticles influenced rat serum metabolites and tissue morphology. 2015 , 26, 355-61	14
754	Diabetes Complications in Childhood Diabetes-New Biomarkers and Technologies. 2015 , 3, 177-186	11
753	Acoustic radiation force impulse imaging for evaluation of renal parenchyma elasticity in diabetic nephropathy. 2015 , 204, 324-9	49
752	Association between the RAGE gene -374T/A, -429T/C polymorphisms and diabetic nephropathy: a meta-analysis. 2015 , 37, 751-6	8
75 ¹	Beneficial effect of lycopene on anti-diabetic nephropathy through diminishing inflammatory response and oxidative stress. 2015 , 6, 1150-6	24
75°	Increased protein intake is associated with uncontrolled blood pressure by 24-hour ambulatory blood pressure monitoring in patients with type 2 diabetes. 2015 , 34, 232-9	5
749	Platelets microparticles as a link between micro- and macro-angiopathy in young patients with type 1 diabetes. 2015 , 26, 682-8	24
748	Albuminuria and reduced glomerular filtration rate for predicting the renal outcomes in type 2 diabetic patients. 2015 , 20, 531-8	9
747	Renal autoregulation in health and disease. 2015 , 95, 405-511	256
747 74 ⁶	Renal autoregulation in health and disease. 2015 , 95, 405-511 Rapid GFR decline is associated with renal hyperfiltration and impaired GFR in adults with Type 1 diabetes. 2015 , 30, 1706-11	256 59
_	Rapid GFR decline is associated with renal hyperfiltration and impaired GFR in adults with Type 1	
746	Rapid GFR decline is associated with renal hyperfiltration and impaired GFR in adults with Type 1 diabetes. 2015 , 30, 1706-11 Naringin ameliorates sodium arsenite-induced renal and hepatic toxicity in rats: decisive role of	59
74 ⁶	Rapid GFR decline is associated with renal hyperfiltration and impaired GFR in adults with Type 1 diabetes. 2015 , 30, 1706-11 Naringin ameliorates sodium arsenite-induced renal and hepatic toxicity in rats: decisive role of KIM-1, Caspase-3, TGF-pand TNF-2015, 37, 1396-407 Increased levels of adenosine and ecto 5'-nucleotidase (CD73) activity precede renal alterations in	59 80
746 745 744	Rapid GFR decline is associated with renal hyperfiltration and impaired GFR in adults with Type 1 diabetes. 2015, 30, 1706-11 Naringin ameliorates sodium arsenite-induced renal and hepatic toxicity in rats: decisive role of KIM-1, Caspase-3, TGF-pand TNF-2015, 37, 1396-407 Increased levels of adenosine and ecto 5'-nucleotidase (CD73) activity precede renal alterations in experimental diabetic rats. 2015, 468, 354-9 Obstructive sleep apnea rather than diabetes or obesity associated with proteinuria in late	59 80 20
746745744743	Rapid GFR decline is associated with renal hyperfiltration and impaired GFR in adults with Type 1 diabetes. 2015, 30, 1706-11 Naringin ameliorates sodium arsenite-induced renal and hepatic toxicity in rats: decisive role of KIM-1, Caspase-3, TGF-[land TNF-E2015, 37, 1396-407 Increased levels of adenosine and ecto 5'-nucleotidase (CD73) activity precede renal alterations in experimental diabetic rats. 2015, 468, 354-9 Obstructive sleep apnea rather than diabetes or obesity associated with proteinuria in late mid-aged male workers: a decision tree analysis. 2015, 19, 1167-74 Adipose-Derived Mesenchymal Stem Cells Transplantation Alleviates Renal Injury in	59 80 20
746 745 744 743	Rapid GFR decline is associated with renal hyperfiltration and impaired GFR in adults with Type 1 diabetes. 2015, 30, 1706-11 Naringin ameliorates sodium arsenite-induced renal and hepatic toxicity in rats: decisive role of KIM-1, Caspase-3, TGF-[land TNF-#2015, 37, 1396-407 Increased levels of adenosine and ecto 5'-nucleotidase (CD73) activity precede renal alterations in experimental diabetic rats. 2015, 468, 354-9 Obstructive sleep apnea rather than diabetes or obesity associated with proteinuria in late mid-aged male workers: a decision tree analysis. 2015, 19, 1167-74 Adipose-Derived Mesenchymal Stem Cells Transplantation Alleviates Renal Injury in Streptozotocin-Induced Diabetic Nephropathy. 2015, 63, 842-53	59 80 20 5

738	Allopurinol treatment improves renal function in patients with type 2 diabetes and asymptomatic hyperuricemia: 3-year randomized parallel-controlled study. 2015 , 83, 475-82	72
737	Hypogonadism among Jordanian men with type 2 diabetes: Prevalence and associated factor. 2015 , 3, 31-36	1
736	Microalbuminuria and glycated hemoglobin in children with type 1 diabetes mellitusPeer review under responsibility of Alexandria University Faculty of Medicine.View all notesAvailable online 2 June 2014View all notes. 2015 , 51, 83-88	1
735	The mechanisms and therapeutic potential of SGLT2 inhibitors in diabetes mellitus. 2015 , 66, 255-70	177
734	The effect of obesity and type 1 diabetes on renal function in children and adolescents. 2015 , 16, 427-33	18
733	Anthropometric measurements and markers of renal function in adults and older adults. 2016 , 29, 199-209	2
732	Evaluation of creatinine-based and cystatin C-based equations for estimation of glomerular filtration rate in type 1 diabetic patients. 2016 , 60, 108-16	5
731	Preventive Effect of Salicylate and Pyridoxamine on Diabetic Nephropathy. 2016 , 2016, 1786789	9
730	Association of Interleukin-10 (B92A/C) Gene Polymorphism with its Level in Type 2 Diabetes Mellitus with and without Nephropathy. 2016 , 10,	2
729	Immune Cells and Inflammation in Diabetic Nephropathy. 2016 , 2016, 1841690	52
728	Oxidative Stress in Diabetic Nephropathy with Early Chronic Kidney Disease. 2016 , 2016, 7047238	132
727	Urinary Lysosomal Enzyme Activities and Albuminuria in Ghanaian Patients with Type 2 Diabetes Mellitus. 2016 , 2016, 2810639	2
726	Matrix Metalloproteinase-9 -1562C/T Gene Polymorphism Is Associated with Diabetic Nephropathy. 2016 , 2016, 1627143	5
725	Mesenchymal Stem Cells as Therapeutic Candidates for Halting the Progression of Diabetic Nephropathy. 2016 , 2016, 9521629	22
724	The Protective Effect of Beraprost Sodium on Diabetic Nephropathy by Inhibiting Inflammation and p38 MAPK Signaling Pathway in High-Fat Diet/Streptozotocin-Induced Diabetic Rats. 2016 , 2016, 1690474	20
723	Effects of Omega-3 Fatty Acid Supplementation on Diabetic Nephropathy Progression in Patients with Diabetes and Hypertriglyceridemia. 2016 , 11, e0154683	28
722	Reduced Adenosine Uptake and Its Contribution to Signaling that Mediates Profibrotic Activation in Renal Tubular Epithelial Cells: Implication in Diabetic Nephropathy. 2016 , 11, e0147430	20
721	Urinary Exosomal microRNA-451-5p Is a Potential Early Biomarker of Diabetic Nephropathy in Rats. 2016 , 11, e0154055	54

(2016-2016)

720	Shear wave elastography imaging for assessing the chronic pathologic changes in advanced diabetic kidney disease. 2016 , 12, 1615-1622	24
719	Protective Effects of Curcumin on Renal Oxidative Stress and Lipid Metabolism in a Rat Model of Type 2 Diabetic Nephropathy. 2016 , 57, 664-73	73
718	Microvascular complications and prevalence of urgency incontinence in Japanese patients with type 2 diabetes mellitus: The dogo study. 2016 , 35, 1024-1027	2
717	The Gomez' equations and renal hemodynamic function in kidney disease research. 2016 , 311, F967-F975	26
716	Metabolomics in Diabetic Kidney Disease: Unraveling the Biochemistry of a Silent Killer. 2016 , 44, 92-103	50
715	Cystatin-C and TGF-levels in patients with diabetic nephropathy. 2016 , 36, 653-659	2
714	Identification of novel targets of diabetic nephropathy and PEDF peptide treatment using RNA-seq. 2016 , 17, 936	25
713	Polymorphism of angiotensin-converting enzyme (rs4340) and diabetic nephropathy in Caucasians with type 2 diabetes mellitus. 2016 , 19, 29-34	4
712	Multidisciplinary management of diabetic kidney disease: a systematic review and meta-analysis. 2016 , 14, 169-207	14
711	Vitamin D deficiency and related risk factors in patients with diabetic nephropathy. 2016 , 44, 673-84	25
710	Contemporary Consumer Health Informatics. 2016,	3
709	The Promise of Mesenchymal Stem Cell Therapy for Diabetic Kidney Disease. 2016 , 16, 42	25
		35
708	The chlorite-based drug WF10 constantly reduces hemoglobin A1c values and improves glucose control in diabetes patients with severe foot syndrome. 2016 , 4, 53-58	1
708 707	The chlorite-based drug WF10 constantly reduces hemoglobin A1c values and improves glucose	
	The chlorite-based drug WF10 constantly reduces hemoglobin A1c values and improves glucose control in diabetes patients with severe foot syndrome. 2016 , 4, 53-58 Association between serum uric acid related genetic loci and diabetic kidney disease in the Chinese	1
707	The chlorite-based drug WF10 constantly reduces hemoglobin A1c values and improves glucose control in diabetes patients with severe foot syndrome. 2016 , 4, 53-58 Association between serum uric acid related genetic loci and diabetic kidney disease in the Chinese type 2 diabetes patients. 2016 , 30, 798-802 Microvascular Complications and Prevalence of Nocturia in Japanese Patients With Type 2 Diabetes	1 5
7º7 7º6	The chlorite-based drug WF10 constantly reduces hemoglobin A1c values and improves glucose control in diabetes patients with severe foot syndrome. 2016 , 4, 53-58 Association between serum uric acid related genetic loci and diabetic kidney disease in the Chinese type 2 diabetes patients. 2016 , 30, 798-802 Microvascular Complications and Prevalence of Nocturia in Japanese Patients With Type 2 Diabetes Mellitus: The Dogo Study. 2016 , 93, 147-51 Incidence and Risk Factors Involved in the Development of Nephropathy in Patients with Type 1	1 5 5

702	Synthesis and preliminary therapeutic evaluation of copper nanoparticles against diabetes mellitus and -induced micro- (renal) and macro-vascular (vascular endothelial and cardiovascular) abnormalities in rats. 2016 , 6, 36870-36880		28
701	Status of stem cells in diabetic nephropathy: predictive and preventive potentials. 2016 , 7, 21		10
700	Morin inhibits cell proliferation and fibronectin accumulation in rat glomerular mesangial cells cultured under high glucose condition. 2016 , 84, 622-627		17
699	IDegAsp (insulin degludec + insulin aspart) for the management of type 2 diabetes: current status. 2016 , 11, 103-111		1
698	Soluble Klotho and fibroblast growth factor 23 levels in diabetic nephropathy with different stages of albuminuria. 2016 , 64, 1128-33		14
697	Antihypertensive therapy for the prevention of nephropathy in diabetic hypertensive patients. 2016 , 41, 111-5		5
696	Alcohol consumption and prevalence of erectile dysfunction in Japanese patients with type 2 diabetes mellitus: Baseline data from the Dogo Study. 2016 , 55, 17-22		8
695	The effects of selenium supplementation on biomarkers of inflammation and oxidative stress in patients with diabetic nephropathy: a randomised, double-blind, placebo-controlled trial. 2016 , 116, 1222-1228		26
694	Impaired Mechanics of Left Ventriculo-Atrial Coupling in Patients With Diabetic Nephropathy. 2016 , 80, 1957-64		13
693	The angiotensin-I converting enzyme gene I/D variation contributes to end-stage renal disease risk in Chinese patients with type 2 diabetes receiving hemodialysis. 2016 , 422, 181-188		4
692	The impact of a multidisciplinary self-care management program on quality of life, self-care, adherence to anti-hypertensive therapy, glycemic control, and renal function in diabetic kidney disease: A Cross-over Study Protocol. 2016 , 17, 88		9
691	Exendin-4 Ameliorates Lipotoxicity-induced Glomerular Endothelial Cell Injury by Improving ABC Transporter A1-mediated Cholesterol Efflux in Diabetic apoE Knockout Mice. 2016 , 291, 26487-26501		30
690	Cystatin-C and TGF-levels in patients with diabetic nephropathy. Nefrologia, 2016, 36, 653-659	1.5	13
689	HDL cholesterol and risk of diabetic nephropathy in patient with type 1 diabetes: A meta-analysis of cohort studies. 2016 , 122, 84-91		7
688	Relationship between daily and day-to-day glycemic variability and increased oxidative stress in type 2 diabetes. 2016 , 122, 62-70		61
687	The Effect of the Antioxidant Drug "U-74389G" on Creatinine Levels during Ischemia Reperfusion Injury in Rats. 2016 , 9, 73-8		2
686	Urinary N-acetyl-ED-glucosaminidase, an early marker of diabetic kidney disease, might reflect glucose excursion in patients with type 2 diabetes. 2016 , 95, e4114		27
685	Use of a Publicly Available Database to Determine the Impact of Diabetes on Length of Hospital Stay for Elective Orthopedic Procedures in California. 2016 , 19, 439-444		1

684	Biochemical and morphological changes in rats exposed to platinum nanoparticles. 2016 , 25, 855-864	10
683	Hyperoside reduces albuminuria in diabetic nephropathy at the early stage through ameliorating renal damage and podocyte injury. 2016 , 70, 740-8	14
682	Cytokines profile and its correlation with endothelial damage and oxidative stress in patients with type 1 diabetes mellitus and nephropathy. 2016 , 64, 951-60	8
681	Complication in diabetic nephropathy. 2016 , 10, 247-249	29
680	Risk factors of proteinuria in renal cell carcinoma patients treated with VEGF inhibitors: a secondary analysis of pooled clinical trial data. 2016 , 114, 1313-7	29
679	Monoclonal Antibody Pharmacokinetics in Type 2 Diabetes Mellitus and Diabetic Nephropathy. 2016 , 2, 45-56	24
678	Calcium-permeable ion channels in the kidney. 2016 , 310, F1157-67	16
677	Role of microRNAs in the Therapeutic Effects of Curcumin in Non-Cancer Diseases. 2016 , 20, 335-45	141
676	Increased 8-hydroxy-2'-deoxyguanosine in leukocyte DNA from patients with type 2 diabetes and microangiopathy. 2016 , 44, 472-82	9
675	Chinese medicines in the treatment of experimental diabetic nephropathy. 2016, 11, 6	7
674	Changes in Type 2 Diabetes Mellitus Patients in German Primary Care Prior to (2006) and After (2010, 2014) Launch of New Drugs. 2016 , 10, 414-20	11
673	The effects of high-dose vitamin E supplementation on biomarkers of kidney injury, inflammation, and oxidative stress in patients with diabetic nephropathy: A randomized, double-blind, placebo-controlled trial. 2016 , 10, 922-929	30
672	Zinc Supplementation Overcomes Effects of Copper on Zinc Status, Carbohydrate Metabolism and Some Enzyme Activities in Diabetic and Nondiabetic Rats. 2016 , 40, 342-7	10
671	Associations between lower urinary tract dysfunction and glycemic control in women with type 2 diabetes: A cross-sectional study. 2016 , 30, 415-9	5
670	Adjusting the 17Æstradiol-to-Androgen Ratio Ameliorates Diabetic Nephropathy. 2016 , 27, 3035-3050	20
669	Bariatric surgery reduces urinary albumin excretion in diabetic nephropathy: a systematic review and meta-analysis. 2016 , 12, 1037-1044	18
668	Epigenetic regulation of the thioredoxin-interacting protein (TXNIP) gene by hyperglycemia in kidney. 2016 , 89, 342-53	53
667	Serum Levels of Brain-Derived Neurotrophic Factor Are Associated with Diabetes Risk, Complications, and Obesity: a Cohort Study from Chinese Patients with Type 2 Diabetes. 2016 , 53, 5492-9	45

666	Vitamin D improves diabetic nephropathy in rats by inhibiting renin and relieving oxidative stress. 2016 , 39, 657-66	23
665	Microbubbles and Ultrasound: Therapeutic Applications in Diabetic Nephropathy. 2016 , 880, 309-30	7
664	Modeling long-term diabetes and related complications in rats. 2016 , 78, 1-12	5
663	Urinary kidney injury molecule-1 and neutrophil gelatinase-associated lipocalin as indicators of tubular damage in normoalbuminuric patients with type 2 diabetes. 2016 , 49, 232-6	59
662	CTLA4-Ig in B7-1-positive diabetic and non-diabetic kidney disease. 2016 , 59, 21-29	18
661	A trial of telmisartan prevention of cardiovascular diseases (ATTEMPT-CVD): Biomarker study. 2016 , 23, 913-21	11
660	Patients with diabetes type 1 and thyroid autoimmunity have low prevalence of microangiopathic complications. 2016 , 51, 185-8	6
659	Metabolic response to omega-3 fatty acid supplementation in patients with diabetic nephropathy: A randomized, double-blind, placebo-controlled trial. 2017 , 36, 79-84	27
658	Overview of Diabetic Nephropathy. 2017 , 1-21	1
657	Managing Diabetic Nephropathies in Clinical Practice. 2017,	
6 ₅ 6	Managing Diabetic Nephropathies in Clinical Practice. 2017, Soluble urokinase receptor (suPAR) predicts microalbuminuria in patients at risk for type 2 diabetes mellitus. 2017, 7, 40627	33
	Soluble urokinase receptor (suPAR) predicts microalbuminuria in patients at risk for type 2 diabetes	33
656	Soluble urokinase receptor (suPAR) predicts microalbuminuria in patients at risk for type 2 diabetes mellitus. 2017 , 7, 40627 Lipid and other management to improve arterial disease and survival in end stage renal disease.	
656 655	Soluble urokinase receptor (suPAR) predicts microalbuminuria in patients at risk for type 2 diabetes mellitus. 2017, 7, 40627 Lipid and other management to improve arterial disease and survival in end stage renal disease. 2017, 18, 343-349 Retinopathy Signs Improved Prediction and Reclassification of Cardiovascular Disease Risk in	2
656 655 654	Soluble urokinase receptor (suPAR) predicts microalbuminuria in patients at risk for type 2 diabetes mellitus. 2017, 7, 40627 Lipid and other management to improve arterial disease and survival in end stage renal disease. 2017, 18, 343-349 Retinopathy Signs Improved Prediction and Reclassification of Cardiovascular Disease Risk in Diabetes: A prospective cohort study. 2017, 7, 41492 Modulatory effect of betanin on high glucose induced epithelial to mesenchymal transition in renal	2 15
656 655 654	Soluble urokinase receptor (suPAR) predicts microalbuminuria in patients at risk for type 2 diabetes mellitus. 2017, 7, 40627 Lipid and other management to improve arterial disease and survival in end stage renal disease. 2017, 18, 343-349 Retinopathy Signs Improved Prediction and Reclassification of Cardiovascular Disease Risk in Diabetes: A prospective cohort study. 2017, 7, 41492 Modulatory effect of betanin on high glucose induced epithelial to mesenchymal transition in renal proximal tubular cells. 2017, 89, 18-28 Avocado oil induces long-term alleviation of oxidative damage in kidney mitochondria from type 2	2 15 4
656655654653652	Soluble urokinase receptor (suPAR) predicts microalbuminuria in patients at risk for type 2 diabetes mellitus. 2017, 7, 40627 Lipid and other management to improve arterial disease and survival in end stage renal disease. 2017, 18, 343-349 Retinopathy Signs Improved Prediction and Reclassification of Cardiovascular Disease Risk in Diabetes: A prospective cohort study. 2017, 7, 41492 Modulatory effect of betanin on high glucose induced epithelial to mesenchymal transition in renal proximal tubular cells. 2017, 89, 18-28 Avocado oil induces long-term alleviation of oxidative damage in kidney mitochondria from type 2 diabetic rats by improving glutathione status. 2017, 49, 205-214	2 15 4 11

(2017-2017)

648	Effects of vitamin D combined with pioglitazone hydrochloride on bone mineral density and bone metabolism in Type 2 diabetic nephropathy. 2017 , 37,	3
647	A systematic review on potential mechanisms of minocycline in kidney diseases. 2017 , 69, 602-609	23
646	Dapagliflozin: potential beneficial effects in the prevention and treatment of renal and cardiovascular complications in patients with type 2 diabetes. 2017 , 18, 517-527	4
645	Diabetic Retinopathy and Clinical Parameters Favoring the Presence of Diabetic Nephropathy could Predict Renal Outcome in Patients with Diabetic Kidney Disease. 2017 , 7, 1236	23
644	Colchicine in Renal Medicine: New Virtues of an Ancient Friend. 2017, 43, 125-135	14
643	Long noncoding RNAs in the pathogenesis of diabetic kidney disease: implications for novel therapeutic strategies. 2017 , 14, 271-278	29
642	Data-driven metabolic subtypes predict future adverse events in individuals with type 1 diabetes. 2017 , 60, 1234-1243	13
641	Hyperglycemia-induced Renal P2X7 Receptor Activation Enhances Diabetes-related Injury. 2017 , 19, 73-83	41
640	Potential Role of Serum and Urinary Biomarkers in Diagnosis and Prognosis of Diabetic Nephropathy. 2017 , 4, 2054358117705371	73
639	SOCS3 overexpression inhibits advanced glycation end product-induced EMT in proximal tubule epithelial cells. 2017 , 13, 3109-3115	6
638	Synthesis and pharmacological evaluation of glycine amide derivatives as novel vascular adhesion protein-1 inhibitors without CYP3A4 and CYP2C19 inhibition. 2017 , 25, 4110-4122	7
637	Healthcare Resource Use, Costs, and Disease Progression Associated with Diabetic Nephropathy in Adults with Type 2 Diabetes: A Retrospective Observational Study. 2017 , 8, 555-571	19
636	Microalbuminuria screening in diabetes. 2017 , 34, 67-69	2
635	Phellinus rimosus improves mitochondrial energy status and attenuates nephrotoxicity in diabetic rats. 2017 , 28, 455-461	1
634	Type 1 diabetes mellitus. 2017 , 3, 17016	430
633	Carnosine Attenuates the Development of both Type 2 Diabetes and Diabetic Nephropathy in BTBR ob/ob Mice. 2017 , 7, 44492	68
632	Neuropsychiatric comorbidities in adults with phenylketonuria: A retrospective cohort study. 2017 , 121, 1-8	41
631	Neuropilin1 regulates glomerular function and basement membrane composition through pericytes in the mouse kidney. 2017 , 91, 868-879	11

630	Virus-Enabled Biosensor for Human Serum Albumin. 2017 , 89, 1373-1381	27
629	Discontinued drug therapies to treat diabetes in 2015. 2017 , 26, 219-225	4
628	Assessment of Hypogonadism in Men With Type 2 Diabetes: A Cross-Sectional Study From Saudi Arabia. 2017 , 10, 1179551417710209	7
627	Iminosugars Spiro-Linked with Morpholine-Fused 1,2,3-Triazole: Synthesis, Conformational Analysis, Glycosidase Inhibitory Activity, Antifungal Assay, and Docking Studies. 2017 , 2, 7203-7218	20
626	Biomarkers of diabetic nephropathy: A 2017 update. 2017 , 54, 326-342	46
625	Urinary RBP and NGAL Levels are Associated with Nephropathy in Patients with Type 2 Diabetes. 2017 , 42, 594-602	23
624	Endothelin-1 Gene Polymorphisms rs5370, rs1476046, and rs3087459 are not Associated with Diabetic Nephropathy in Caucasians with Type 2 Diabetes Mellitus. 2017 , 59, 261-269	3
623	Synthesis and structure activity relationships of carbamimidoylcarbamate derivatives as novel vascular adhesion protein-1 inhibitors. 2017 , 25, 6024-6038	2
622	Plasma heparanase is associated with blood glucose levels but not urinary microalbumin excretion in type 2 diabetic nephropathy at the early stage. 2017 , 39, 698-701	8
621	Plasma glucose and insulin responses after consumption of breakfasts with different sources of soluble fiber in type 2 diabetes patients: a randomized crossover clinical trial. 2017 , 106, 1238-1245	20
620	Acoustic Radiation Force Impulse Elastography in Determining the Effects of Type 1 Diabetes on Pancreas and Kidney Elasticity in Children. 2017 , 209, 1143-1149	14
619	Deficient Insulin-mediated Upregulation of the Equilibrative Nucleoside Transporter 2 Contributes to Chronically Increased Adenosine in Diabetic Glomerulopathy. 2017 , 7, 9439	10
618	Targeted metabolome profiling by dual-probe microdialysis sampling and treatment using Gardenia jasminoides for rats with type 2 diabetes. 2017 , 7, 10105	19
617	Clinical characteristics and outcomes of biopsy-proven diabetic nephropathy. 2017 , 11, 386-392	9
616	Diminazene aceturate prevents nephropathy by increasing glomerular ACE2 and AT receptor expression in a rat model of type1 diabetes. 2017 , 174, 3118-3130	39
615	La contribution infirmiिe □la prise en charge multidisciplinaire des patients vivant avec une nβhropathie diabEique : une revue intgrative de la littEature. 2017 , 3, 79-86	
614	Predictors of early renal function decline in adults with Type 1 diabetes: the Coronary Artery Calcification in Type 1 Diabetes and the Pittsburgh Epidemiology of Diabetes Complications studies. 2017 , 34, 1532-1540	6
613	Do ANGPTL-4 and galectin-3 reflect the severity of coronary artery disease?. 2017 , 11, 261-270	4

612	Hyperoside pre-treatment prevents glomerular basement membrane damage in diabetic nephropathy by inhibiting podocyte heparanase expression. 2017 , 7, 6413	26
611	Endothelial Progenitor Cell Dysfunction in the Pathogenesis of Vascular Complications of Diabetes. 2017 , 159-208	1
610	Pentosan polysulfate ameliorates apoptosis and inflammation by suppressing activation of the p38 MAPK pathway in high glucose-treated HK-2 cells. 2018 , 41, 908-914	12
609	Diabetic rats present higher urinary loss of proteins and lower renal expression of megalin, cubilin, ClC-5, and CFTR. 2017 , 5, e13335	13
608	Association of angiotensin-II levels with albuminuria in subjects with normal glucose metabolism, prediabetes, and type 2 diabetes mellitus. 2017 , 31, 1499-1505	7
607	Effect of extract of Pueraria tuberosa on expression of hypoxia inducible factor-1\(\text{\textbf{h}}\)nd vascular endothelial growth factor in kidney of diabetic rats. 2017 , 93, 276-285	17
606	Increased Circulating and Urinary Levels of Soluble TAM Receptors in Diabetic Nephropathy. 2017 , 187, 1971-1983	11
605	Development of a fuzzy expert system for the nephropathy control assessment in patients with type 2 diabetes mellitus. 2017 , 72, 335-343	31
604	Diabetic peripheral neuropathy and prevalence of erectile dysfunction in Japanese patients aged . 2017 , 29, 30-34	11
603	Effect of Roux-en-Y gastric bypass and diet-induced weight loss on diabetic kidney disease in the Zucker diabetic fatty rat. 2017 , 13, 21-27	24
602	Evaluation of the Relationship Between Microalbuminuria and Urine Ischemia-Modified Albumin Levels in Patients with Diabetic Nephropathy. 2017 , 31, e22058	3
601	Targeting renal glucose reabsorption to treat hyperglycaemia: the pleiotropic effects of SGLT2 inhibition. 2017 , 60, 215-225	288
600	Advances in the management of cardiovascular risk for patients with type 2 diabetes: perspectives from the Academy for Cardiovascular Risk, Outcomes and Safety Studies in Type 2 Diabetes. 2017 , 13, 69-79	6
599	The Relation of Diabetes Type 2 with Sexual Function among Reproductive Age Women in Iran, a Case-Control Study. 2017 , 2017, 4838923	11
598	Elevated Squamous Cell Carcinoma Antigen, Cytokeratin 19 Fragment, and Carcinoembryonic Antigen Levels in Diabetic Nephropathy. 2017 , 2017, 5304391	9
597	Clinical Utility of Urinary 2-Microglobulin in Detection of Early Nephropathy in African Diabetes Mellitus Patients. 2017 , 2017, 4093171	2
596	Determinants of diabetic nephropathy in Ayder Referral Hospital, Northern Ethiopia: A case-control study. 2017 , 12, e0173566	11
595	Lithium reduces blood glucose levels, but aggravates albuminuria in BTBR-ob/ob mice. 2017 , 12, e0189485	7

594	Luteolin and fisetin suppress oxidative stress by modulating sirtuins and forkhead box O3a expression under diabetic conditions. 2017 , 11, 430-434		30
593	The Diagnosis of Diabetic Nephropathy using Neuro-Fuzzy Expert System. 2017 , 10, 1-8		1
592	Association of plasma ghrelin levels and ghrelin rs4684677 polymorphism with mild cognitive impairment in type 2 diabetic patients. 2017 , 8, 15126-15135		8
591	Angiotensinogen (AGT) gene missense polymorphisms (rs699 and rs4762) and diabetic nephropathy in Caucasians with type 2 diabetes mellitus. 2017 , 17, 262-267		7
590	Hydrolyzed proteins from herring and salmon rest raw material contain peptide motifs with angiotensin-I converting enzyme inhibitors and resulted in lower urine concentrations of protein, cystatin C and glucose when fed to obese Zucker fa/fa rats. 2018 , 52, 14-21		5
589	Long-term quality-of-care score predicts incident chronic kidney disease in patients with type 2 diabetes. 2018 , 33, 2012-2019		2
588	Quantitative GC-MS assay of citric acid from humans and db/db mice blood serum to assist the diagnosis of diabetic nephropathy. 2018 , 1077-1078, 28-34		7
587	Update of pathophysiology and management of diabetic kidney disease. 2018 , 117, 662-675		158
586	Diosmin and crocin alleviate nephropathy in metabolic syndrome rat model: Effect on oxidative stress and low grade inflammation. 2018 , 102, 930-937		14
585	Carnosic acid improves diabetic nephropathy by activating Nrf2/ARE and inhibition of NF-B pathway. 2018 , 47, 161-173		31
584	Orally active, species-independent novel A adenosine receptor antagonist protects against kidney injury in db/db mice. 2018 , 50, 1-14		11
583	Beneficial Effects of Pentoxifylline Plus Losartan Dual Therapy in Type 2 Diabetes with Nephropathy. 2018 , 355, 442-448		6
582	Serum ApoA4 levels predicted the progression of renal impairment in T2DM. 2018 , 48, e12937		7
581	The Role of and Its Contributions to the Field of Diabetes: A Profile in Progress. <i>Diabetes Care</i> , 2018 , 41, 241-249	14.6	1
580	Meta-analysis of metabolic surgery versus medical treatment for microvascular complications in patients with type 2 diabetes mellitus. 2018 , 105, 168-181		34
579	Diabetic nephropathy is ameliorated with peppermint (Mentha piperita) infusions prepared from salicylic acid-elicited plants. 2018 , 43, 55-61		11
578	Mesenchymal stem cells pretreated with melatonin ameliorate kidney functions in a rat model of diabetic nephropathy. 2018 , 96, 564-571		27
577	Hypertension with diabetes mellitus complications. 2018 , 41, 147-156		43

(2018-2018)

576	Comparative blood haemato-biochemical variations in Indian Zebu cattle breeds during early summer. 2018 , 1-8	1
575	Introduction. 2018 , 1-50	3
574	Renal complications of lipodystrophy: A closer look at the natural history of kidney disease. 2018 , 89, 65-75	12
573	Clinical Trajectories, Healthcare Resource Use, and Costs of Diabetic Nephropathy Among Patients with Type 2 Diabetes: A Latent Class Analysis. 2018 , 9, 1021-1036	5
572	Tangeretin inhibits high glucose-induced extracellular matrix accumulation in human glomerular mesangial cells. 2018 , 102, 1077-1083	17
571	Repression of microRNA-382 inhibits glomerular mesangial cell proliferation and extracellular matrix accumulation via FoxO1 in mice with diabetic nephropathy. 2018 , 51, e12462	26
570	Tetrahydroxy Stilbene Glucoside Alleviates High Glucose-Induced MPC5 Podocytes Injury Through Suppression of NLRP3 Inflammasome. 2018 , 355, 588-596	8
569	Zingerone attenuates diabetic nephropathy through inhibition of nicotinamide adenine dinucleotide phosphate oxidase 4. 2018 , 99, 422-430	18
568	P2X receptor and klotho expressions in diabetic nephropathy progression. 2018 , 14, 167-176	11
567	The receptor for advanced glycation endproducts mediates podocyte heparanase expression through NF- B signaling pathway. 2018 , 470, 14-25	12
566	Dietary interventions to contrast the onset and progression of diabetic nephropathy: A critical survey of new data. 2018 , 58, 1671-1680	6
565	Involvement of glucose-regulated protein 78 and spliced X-box binding protein 1 in the protective effect of gliclazide in diabetic nephropathy. 2018 , 146, 41-47	12
564	Clinical and pathological characteristics of non-diabetic renal disease in type 2 diabetes patients. 2018 , 11, 342-347	20
563	Serum cystatin C is associated with subclinical atherosclerosis in patients with type 2 diabetes: A retrospective study. 2018 , 15, 24-30	14
562	Decreased serum undercarboxylated osteocalcin is associated with cognitive impairment in male patients with type 2 diabetes. 2018 , 32, 56-60	7
561	The effect of insulin on bone mineral density among women with type 2 diabetes: a SWAN Pharmacoepidemiology study. 2018 , 29, 347-354	16
560	A nutraceutical combination of Cinnamomum cassia &Nigella sativa for Type 1 diabetes mellitus. 2018 , 9, 27-37	15
559	Protocatechuic acid ameliorates high glucose-induced extracellular matrix accumulation in diabetic nephropathy. 2018 , 98, 18-22	28

558	7-Ketocholesterol induces ROS-mediated mRNA expression of 12-lipoxygenase, cyclooxygenase-2 and pro-inflammatory cytokines in human mesangial cells: Potential role in diabetic nephropathy. 2018 , 134, 16-23	12
557	6-Shogaol ameliorates diabetic nephropathy through anti-inflammatory, hyperlipidemic, anti-oxidative activity in db/db mice. 2018 , 97, 633-641	22
556	The Effects of Coenzyme Q10 Supplementation on Glucose Metabolism, Lipid Profiles, Inflammation, and Oxidative Stress in Patients With Diabetic Nephropathy: A Randomized, Double-Blind, Placebo-Controlled Trial. 2018 , 37, 188-193	26
555	Validation of differentially methylated microRNAs identified from an epigenome-wide association study; Sanger and next generation sequencing approaches. 2018 , 11, 767	5
554	Cyperane and eudesmane-type sesquiterpenoids from Chinese liverwort and their anti-diabetic nephropathy potential 2018 , 8, 39091-39097	3
553	Expression of microRNA-377 and microRNA-192 and their potential as blood-based biomarkers for early detection of type 2 diabetic nephropathy. 2018 , 18, 1171-1180	7
552	Overview of the burden of illness and the role of once-weekly glucagon-like peptide-1 receptor agonist therapy in type 2 diabetes. 2018 , 30, S4-S11	0
551	Discovery of Single Nucleotide Polymorphism in Polycystic Kidney Disease among South Indian (Madurai) Population. 2018 ,	
550	Clinical and genetic associations of renal function and diabetic kidney disease in the United Arab Emirates: a cross-sectional study. 2018 , 8, e020759	10
549	Insulin protects against hepatocyte ultrastructural damage induced by type 1 diabetes mellitus in rats. 2018 , 42, 508-515	4
548	Comorbidities as an Indication for Metabolic Surgery. 2018 , 34, 381-387	5
547	STATUS OF PLASMA ELECTROLYTES, UREA, CREATININE, AND C-REACTIVE PROTEIN IN CANCER PATIENTS 2018 , 11, 268	
546	Cognition, serum BDNF levels, and BDNF Val66Met polymorphism in type 2 diabetes patients and healthy controls. 2018 , 9, 3653-3662	12
545	Identification of Urinary Metabolite Biomarkers of Type 2 Diabetes Nephropathy Using an Untargeted Metabolomic Approach. 2018 , 17, 3997-4007	25
544	Profiling of miRNA expression in mice kidney with diabetic nephropathy. 2018 , 14, 445-452	
543	Associations of urinary epidermal growth factor and monocyte chemotactic protein-1 with kidney involvement in patients with diabetic kidney disease. 2020 , 35, 291-297	13
542	The contribution of genetic variants of SLC2A1 gene in T2DM and T2DM-nephropathy: association study and meta-analysis. 2018 , 40, 561-576	10
541	Relation between cutaneous and extracutaneous complications in pediatric patients with type 1 diabetes. 2018 , 10, e1467717	3

(2018-2018)

540	Higher fiber intake is associated with lower blood pressure levels in patients with type 1 diabetes. 2018 , 62, 47-54	19
539	Long-term treatment with acylated analogues of apelin-13 amide ameliorates diabetes and improves lipid profile of high-fat fed mice. 2018 , 13, e0202350	21
538	Gray Scale Ultrasound, Color Doppler Ultrasound, and Contrast-Enhanced Ultrasound in Renal Parenchymal Diseases. 2018 , 34, 250-267	12
537	Protective effect of the ethanol extract from Ligusticum chuanxiong rhizome against streptozotocin-induced diabetic nephropathy in mice. 2018 , 227, 166-175	28
536	Dietary intake of cod protein beneficially affects concentrations of urinary markers of kidney function and results in lower urinary loss of amino acids in obese Zucker fa/fa rats. 2018 , 120, 740-750	8
535	Pueraria tuberosa extract inhibits iNOS and IL-6 through suppression of PKC-hand NF-kB pathway in diabetes-induced nephropathy. 2018 , 70, 1102-1112	14
534	N-acetylcysteine protects against diabetic nephropathy through control of oxidative and nitrosative stress by recovery of nitric oxide in rats. 2018 , 78, 22-31	17
533	Clinical Pharmacogenomics: Applications in Nephrology. 2018 , 13, 1561-1571	10
532	Imaging mass spectrometry reveals direct albumin fragmentation within the diabetic kidney. 2018 , 94, 292-302	5
531	High fructose diet feeding accelerates diabetic nephropathy in Spontaneously Diabetic Torii (SDT) rats. 2018 , 43, 45-58	2
530	Fenofibrate improves renal function by amelioration of NOX-4, IL-18, and p53 expression in an experimental model of diabetic nephropathy. 2018 , 119, 7458-7469	42
529	Oxidative Stress, Apoptosis, and Mitochondrial Function in Diabetic Nephropathy. 2018 , 2018, 1875870	132
528	Personalized Herbal Medicine? A Roadmap for Convergence of Herbal and Precision Medicine Biomarker Innovations. 2018 , 22, 375-391	15
527	Undiagnosed Kidney Injury in Uninsured and Underinsured Diabetic African American Men and Putative Role of Meprin Metalloproteases in Diabetic Nephropathy. 2018 , 2018, 6753489	4
526	Complications of type 2 diabetes mellitus in Ramallah and al-Bireh: The Palestinian Diabetes Complications and Control Study (PDCCS). 2018 , 12, 547-557	10
525	Association of different biomarkers of renal function with D-dimer levels in patients with type 1 diabetes mellitus (renal biomarkers and D-dimer in diabetes). 2018 , 62, 27-33	8
524	RNA-seq analyses the effect of high-salt diet in hypertension. 2018 , 677, 245-250	8
523	Trace Urine Albumin and Mortality: Kangbuk Samsung Health Study. 2018 , 43, 951-958	1

522	Combined systems pharmacology and fecal metabonomics to study the biomarkers and therapeutic mechanism of type 2 diabetic nephropathy treated with and Leech 2018 , 8, 27448-27463	9
521	Mitochondrial regulation of diabetic vascular disease: an emerging opportunity. 2018 , 202, 83-98	20
520	Perindopril regulates the inflammatory mediators, NF-B/TNF-AL-6, and apoptosis in cisplatin-induced renal dysfunction. 2018 , 391, 1247-1255	11
519	Antioxidant and Antiapoptotic effect of aqueous extract of Pueraria tuberosa (Roxb. Ex Willd.) DC. On streptozotocin-induced diabetic nephropathy in rats. 2018 , 18, 156	18
518	Use of Readily Accessible Inflammatory Markers to Predict Diabetic Kidney Disease. <i>Frontiers in Endocrinology</i> , 2018 , 9, 225	20
517	The rate of progression of type 2 diabetes mellitus to end stage renal disease - A single centred retrospective study from Malaysia. 2018 , 12, 1025-1030	2
516	Predictors of major lower limb amputation in type 2 diabetic patients referred for hospital care with diabetic foot syndrome. 2018 , 11, 313-319	25
515	Serum Adipocyte Fatty Acid-Binding Protein 4 Levels Are Independently Associated with Radioisotope Glomerular Filtration Rate in Type 2 Diabetic Patients with Early Diabetic Nephropathy. 2018 , 2018, 4578140	7
514	Advances in early biomarkers of diabetic nephropathy. 2018 , 64, 85-92	24
513	TXNIP mediated the oxidative stress response in glomerular mesangial cells partially through AMPK pathway. 2018 , 107, 785-792	15
512	Microvascular complications of diabetes worsen long-term functional outcomes after acute ischemic stroke. 2018 , 46, 3030-3041	4
511	Metabolic and genetic response to probiotics supplementation in patients with diabetic nephropathy: a randomized, double-blind, placebo-controlled trial. 2018 , 9, 4763-4770	34
510	The Effectiveness of the Semi-quantitative Assessment of Microalbuminuria Using Routine Urine Dipstick Screening in Patients with Diabetes. 2018 , 57, 503-506	6
509	MicroRNAs and diabetic kidney disease: Systematic review and bioinformatic analysis. 2018 , 477, 90-102	59
508	Gastrointestinal Complications of Diabetes. 2018,	
507	Restorative potentiality of S-allylcysteine against diabetic nephropathy through attenuation of oxidative stress and inflammation in streptozotocin-nicotinamide-induced diabetic rats. 2019 , 58, 2425-2437	33
506	Personalised telehealth intervention for chronic disease management: A pilot randomised controlled trial. 2019 , 25, 343-352	17
505	Evaluation of serum adiponectin levels in diabetic nephropathy. 2019 , 13, 128-131	7

504	Predisposing factors to heart failure in diabetic nephropathy: a look at the sympathetic nervous system hyperactivity. 2019 , 31, 321-330	12
503	MiR-4756 promotes albumin-induced renal tubular epithelial cell epithelial-to-mesenchymal transition and endoplasmic reticulum stress via targeting Sestrin2. 2019 , 234, 2905-2915	25
502	Knockdown of ANGPTL-4 inhibits inflammatory response and extracellular matrix accumulation in glomerular mesangial cells cultured under high glucose condition. 2019 , 47, 3368-3373	7
501	Synthetic molecular recognition nanosensor paint for microalbuminuria. 2019 , 10, 3605	30
500	IL-18, VCAM-1 and P-selectin as early biomarkers in normoalbuminuric Type 2 diabetes patients. 2019 , 13, 467-478	8
499	Metabolic surgery improves renal injury independent of weight loss: a meta-analysis. 2019 , 15, 1006-1020	19
498	Brain signalling systems: A target for treating type I diabetes mellitus. 2019 , 152, 191-201	2
497	Kallikrein/K1, Kinins, and ACE/Kininase II in Homeostasis and in Disease Insight From Human and Experimental Genetic Studies, Therapeutic Implication. 2019 , 6, 136	13
496	Urinary megalin in association with progression factors of diabetic nephropathy. 2019 , 120, 532-535	2
495	Biochemical evaluation of kidney disease. 2019 , 8, S214-S223	5
494	MiR-30e-5p and MiR-15a-5p Expressions in Plasma and Urine of Type 1 Diabetic Patients With Diabetic Kidney Disease. 2019 , 10, 563	16
493	Betaine alleviates high glucose-induced mesangial cell proliferation by inhibiting cell proliferation and extracellular matrix deposition via the AKT/ERK1/2/p38 MAPK pathway. 2019 , 20, 1754-1760	10
492	QiDiTangShen Granules Activate Renal Nutrient-Sensing Associated Autophagy in db/db Mice. 2019 , 10, 1224	6
491	Benefit-Risk Assessment of Alogliptin for the Treatment of Type 2 Diabetes Mellitus. 2019 , 42, 1311-1327	9
490	Relationship between hemoglobin A1c and serum troponin in patients with diabetes and cardiovascular events. 2019 , 18, 693-704	5
489	Genetics of diabetic kidney disease: A follow-up study in the Arab population of the United Arab Emirates. 2019 , 7, e985	3
488	SGLT2 inhibitors for the prevention of kidney failure in patients with type 2 diabetes: a systematic review and meta-analysis. 2019 , 7, 845-854	335
487	Associations between the Single Nucleotide Polymorphism in the SLC2A1 Gene and Diabetic Nephropathy in Korean Patients with Type 2 Diabetes Mellitus. 2019 , 34, e171	2

486	FOXP1 inhibits high glucose-induced ECM accumulation and oxidative stress in mesangial cells. 2019 , 313, 108818		16
485	Knockdown of FOXO6 inhibits cell proliferation and ECM accumulation in glomerular mesangial cells cultured under high glucose condition 2019 , 9, 1741-1746		2
484	Sleep Duration and Diabetic Kidney Disease. Frontiers in Endocrinology, 2018, 9, 808	5.7	7
483	Urinary mitochondrial DNA: A potential early biomarker of diabetic nephropathy. 2019 , 35, e3131		9
482	High-Mobility Group Nucleosome-Binding Protein 1 Mediates Renal Fibrosis Correlating with Macrophages Accumulation and Epithelial-to-Mesenchymal Transition in Diabetic Nephropathy Mice Model. 2019 , 44, 331-343		3
481	Dietary approaches to stop hypertension, mediterranean dietary pattern, and diabetic nephropathy in women with type 2 diabetes: A case-control study. 2019 , 33, 164-170		3
480	Assessing the trend of diabetes mellitus by analyzing metformin as a biomarker in wastewater. 2019 , 688, 281-287		22
479	Triterpene derivative improves the renal function of streptozotocin-induced diabetic rats: a follow-up study on maslinic acid. 2019 , 41, 547-554		8
478	GLP-1 Receptor Agonists and Kidney Protection. 2019 , 55,		37
477	Curcumin: a modulator of inflammatory signaling pathways in the immune system. 2019 , 27, 885-900		51
476	Genetic Variants Flanking the Gene Were Associated with Renal Function in Chinese Patients with Type 2 Diabetes. 2019 , 2019, 9387358		4
475	Salivary and serum cystatin SA levels in patients with type 2 diabetes mellitus or diabetic nephropathy. 2019 , 104, 67-75		2
474	Interconnected Toroidal Hydrogels for Islet Encapsulation. 2019 , 8, e1900423		22
473	Diabetic complication prediction using a similarity-enhanced latent Dirichlet allocation model. 2019 , 499, 12-24		10
472	Protective effects of betulinic acid on intestinal mucosal injury induced by cyclophosphamide in mice. 2019 , 71, 929-939		11
471	Identification of population characteristics through implementation of the Comprehensive Diabetic Retinopathy Program. 2019 , 5, 6		1
470	Elevated Levels of Protein Carbonylation in Patients With Diabetic Nephropathy: Therapeutic and Diagnostic Prospects. 2019 , 358, 26-32		3
469	U-Shaped Association Between Serum Uric Acid Levels and Cognitive Functions in Patients with Type 2 Diabetes: A Cross-Sectional Study. 2019 , 69, 135-144		9

468	Albuminuria measurement in diabetic care: a multilevel analysis measuring the influence of accreditation on institutional performance. 2019 , 8, e000449	2
467	YY1: A novel therapeutic target for diabetic nephropathy orchestrated renal fibrosis. 2019 , 96, 33-45	15
466	Clinical Value of Complement Activation Biomarkers in Overt Diabetic Nephropathy. 2019, 4, 797-805	12
465	The Global Burden of Diabetic Kidney Disease: Time Trends and Gender Gaps. 2019 , 19, 18	44
464	An untargeted metabolomic strategy based on liquid chromatography-mass spectrometry to study high glucose-induced changes in HK-2 cells. 2019 , 1596, 124-133	11
463	Macula Densa SGLT1-NOS1-Tubuloglomerular Feedback Pathway, a New Mechanism for Glomerular Hyperfiltration during Hyperglycemia. 2019 , 30, 578-593	45
462	Galectin-3 as a prognostic biomarker for diabetic nephropathy. 2019 , 12, 325-331	8
461	Noninvasive Electromagnetic Wave Sensing of Glucose. 2019 , 19,	27
460	Stem cell-derived extracellular vesicles inhibit and revert fibrosis progression in a mouse model of diabetic nephropathy. 2019 , 9, 4468	93
459	Caffeine and Kidney Diseases. 2019 , 235-256	
458	Temporal variation of renal function in people with type 2 diabetes mellitus: A retrospective UK clinical practice research datalink cohort study. 2019 , 21, 1817-1823	5
457	An experimental study of exenatide effects on renal injury in diabetic rats1. 2019 , 34, e20190010000001	8
456	Metabolomics Approaches for the Diagnosis and Understanding of Kidney Diseases. 2019 , 9,	37
455	Inflammation and Kidney Injury in Diabetic African American Men. 2019 , 2019, 5359635	6
454	Evaluating All Potential Oral Complications of Diabetes Mellitus. <i>Frontiers in Endocrinology</i> , 2019 , 10, 56	74
453	Leptin receptor deficiency induces early, transient and hyperglycaemia-independent blood-brain barrier dysfunction. 2019 , 9, 2884	16
452	A Protocol Outline of Dietary Intervention to Contrast Diabetic Nephropathy. 2019, 33-48	
451	Allium tuberosum alleviates diabetic nephropathy by supressing hyperglycemia-induced oxidative stress and inammation in high fat diet/streptozotocin treated rats. 2019 , 112, 108678	27

450	Diabetic Nephropathy in Type 2 Diabetic Retinopathy Requiring Panretinal Photocoagulation. 2019 , 33, 46-53	8
449	Toxicity studies of African Palmyrah palm (Borassus Aethiopum) shoots. 2019 , 13, 27-33	
448	Derivation and external validation of a risk prediction algorithm to estimate future risk of cardiovascular death among patients with type 2 diabetes and incident diabetic nephropathy: prospective cohort study. 2019 , 7, e000735	2
447	Erythrocyte G6PD activity and GSH level as risk factors for vascular complications among type 2 diabetics in Osogbo, Nigeria. 2019 , 55, 95-99	1
446	Dietary Patterns Emphasizing the Consumption of Plant Foods in the Management of Type 2 Diabetes: A Narrative Review. 2019 , 10, S320-S331	17
445	Association between triglyceride glucose index and abnormal liver function in both urban and rural Chinese adult populations: Findings from two independent surveys. 2019 , 98, e18265	3
444	Influence of Storage Conditions and Preservatives on Metabolite Fingerprints in Urine. 2019, 9,	14
443	Renal Benefits of SGLT 2 Inhibitors and GLP-1 Receptor Agonists: Evidence Supporting a Paradigm Shift in the Medical Management of Type 2 Diabetes. 2019 , 20,	25
442	Prognostic value of visit-to-visit systolic blood pressure variability related to diabetic kidney disease among patients with type 2 diabetes. 2019 , 37, 1411-1418	9
441	Stem Cells from Human Exfoliated Deciduous Teeth Ameliorate Diabetic Nephropathy In Vivo and In Vitro by Inhibiting Advanced Glycation End Product-Activated Epithelial-Mesenchymal Transition. 2019 , 2019, 2751475	9
440	Prevalence of diabetic nephropathy among Chinese patients with type 2 diabetes mellitus and different categories of their estimated glomerular filtration rate based on the Chronic Kidney Disease Epidemiology Collaboration (CKD-EPI) equation in primary care in Hong Kong: a	6
439	cross-sectional study. 2019 , 18, 281-288 Wingless-type MMTV integration site family member 5a: a novel biomarker regulated in type 2 diabetes mellitus and diabetic kidney disease. 2019 , 18, 525-532	3
438	The triglyceride glucose index can predict newly diagnosed biopsy-proven diabetic nephropathy in type 2 diabetes: A nested case control study. 2019 , 98, e17995	9
437	A low-cost laboratory-based method for predicting newly diagnosed biopsy-proven diabetic nephropathy in people with type 2 diabetes. 2020 , 37, 1728-1736	
436	The Effects of Probiotic Honey Consumption on Metabolic Status in Patients with Diabetic Nephropathy: a Randomized, Double-Blind, Controlled Trial. 2019 , 11, 1195-1201	23
435	Dietary source of saturated fat and percentage body fat of patients with type 2 diabetes mellitus: A cross-sectional study. 2019 , 7, 195-204	2
434	Global, Regional, and Ethnic Differences in Diabetic Nephropathy. 2019, 33-44	3
433	Role of Vitamin D and Its Analogues in Diabetic Nephropathy: A Meta-analysis. 2019 , 357, 223-229	12

432	Clinical outcomes in patients with biopsy-proved diabetic nephropathy compared to isolated lupus or crescentic glomerulonephritis. 2019 , 148, 144-151	7
431	Association of High Levels of Spot Urine Protein with High Blood Pressure, Mean Arterial Pressure and Pulse Pressure with the Development of Diabetic Chronic Kidney Dysfunction or Failure among Diabetic Patients. Statistical Regression Modeling to Predict Diabetic Proteinuria. 2019 , 15, 486-496	4
430	The effects of vitamin D supplementation on lipid profiles and oxidative indices among diabetic nephropathy patients with marginal vitamin D status. 2019 , 13, 542-547	19
429	Interaction of MTHFR C677T polymorphism with smoking in susceptibility to diabetic nephropathy in Chinese men with type 2 diabetes. 2019 , 64, 23-28	6
428	Diabetic Nephropathy in Children and Adolescents. 2019 , 45-64	
427	Hypertension and Type 2 Diabetes Mellitus in Children and Adolescents. 2019 , 37-45	
426	Retinopathy and RAAS Activation: Results From the Canadian Study of Longevity in Type 1 Diabetes. <i>Diabetes Care</i> , 2019 , 42, 273-280	8
425	Association between diabetic eye disease and other complications of diabetes: Implications for care. A systematic review. 2019 , 21, 467-478	60
424	Irisin and Visfatin Predicts Severity of Diabetic Nephropathy. 2019 , 34, 342-346	1
423	Effect of pioglitazone on decreasing of proteinuria in type 2 diabetic patients with nephropathy. 2019 , 13, 132-136	6
422	Fabry disease caused by the GLA p.Phe113Leu (p.F113L) variant: Natural history in males. 2020 , 63, 103703	11
421	Association between changes in the mRNA expression of platelet-activating factor receptor in peripheral blood mononuclear cells and progression of diabetic nephropathy. 2020 , 11, 11-18	1
420	-866G/A and Ins/Del polymorphisms in the UCP2 gene and diabetic kidney disease: case-control study and meta-analysis. 2020 , 43, e20180374	1
419	Diabetic Nephropathy. 2020 ,	2
418	The effect of aerobic and resistance exercise training on the health related quality of life, physical function, and muscle strength among hemodialysis patients with Type 2 diabetes. 2020 , 24, 98-103	9
417	The effect of a hospital-based awareness program on the knowledge of patients with type 2 diabetes in South Egypt. 2020 , 58, 311-319	Ο
416	Epigenetic activation of CTGF transcription by high glucose in renal tubular epithelial cells is mediated by myocardin-related transcription factor A. 2020 , 379, 549-559	8
415	Assessment of Simple Bedside Wound Characteristics for a Prediction Model for Diabetic Foot Ulcer Outcomes. 2021 , 15, 1161-1167	3

414	Reducing NADPH Synthesis Counteracts Diabetic Nephropathy through Restoration of AMPK Activity in Type 1 Diabetic Rats. 2020 , 32, 108207		5
413	Endoglin Promotes Myofibroblast Differentiation and Extracellular Matrix Production in Diabetic Nephropathy. 2020 , 21,		9
412	Prevalence and risk factors of baclofen neurotoxicity in patients with severely impaired renal function. <i>Nefrologia</i> , 2020 , 40, 543-551	1.5	О
411	Beneficial Effects of Physical Activity in Diabetic Patients. 2020 , 5,		5
410	Efficacy of Low-Carbohydrate Ketogenic Diet in the Treatment of Type 2 Diabetes. 2021 , 30, 223-235		7
409	LncRNA CTBP1-AS2 alleviates high glucose-induced oxidative stress, ECM accumulation, and inflammation in diabetic nephropathy via miR-155-5p/FOXO1 axis. 2020 , 532, 308-314		19
408	The Prevalence of Nondiabetic Renal Diseases in Patients with Diabetes Mellitus in the University Hospital of Ribeirß Preto, SB Paulo. 2020 , 2020, 2129459		О
407	Peri-renal fat thickness is positively associated with the urine albumin excretion rate in patients with type 2 diabetes. 2020 , 14, 345-349		9
406	Association Between Cannabinoid Receptor-1 Gene Polymorphism and the Risk of Diabetic Nephropathy Among Patients with Type 2 Diabetes Mellitus. 2020 , 13, 591-599		
405	Therapeutic Efficacy of Piperazine Ferulate Combined With Irbesartan in Diabetic Nephropathy: A Systematic Review and Meta-analysis. 2020 , 42, 2196-2212		5
404	Evaluating Machine Learning Methods for Predicting Diabetes among Female Patients in Bangladesh. 2020 , 11, 374		12
403	Role of intrarenal resistive index and ElastPQII renal shear modulus in early diagnosis and follow-up of diabetic nephropathy: A prospective study. 2020 , 28, 246-254		
402	Biomarkers in diabetic kidney disease. 2020 , 185-208		
401	Reckoning the Dearth of Bioinformatics in the Arena of Diabetic Nephropathy (DN)Need to Improvise. 2020 , 8, 808		О
400	Dencichine ameliorates renal injury by improving oxidative stress, apoptosis and fibrosis in diabetic rats. 2020 , 258, 118146		5
399	Prevalence of nephropathy in patients with type 2 diabetes in Iran: A systematic review and meta-analysis based on geographic information system (GIS). 2020 , 14, 1543-1550		1
398	Potential for Novel Biomarkers in Diabetes-Associated Chronic Kidney Disease: Epigenome, Metabolome, and Gut Microbiome. 2020 , 8,		3
397	A revised Sorensen model: Simulating glycemic and insulinemic response to oral and intra-venous glucose load. 2020 , 15, e0237215		2

(2020-2020)

396	Circulating human anti nucleolus antibody (ANCAb) and biochemical parameters in type 2 diabetic patients with and without complications. 2020 , 15, e0237109	
395	Non-Pharmacological Management of Painful Peripheral Neuropathies: A Systematic Review. 2020 , 37, 4096-4106	16
394	Biomarker evidence for distal tubular damage but cortical sparing in hospitalized diabetic patients with acute kidney injury (AKI) while on SGLT2 inhibitors. 2020 , 42, 836-844	12
393	Early Diabetic Nephropathy and Retinopathy in Patients with Type 1 Diabetes Mellitus Attending Sudan Childhood Diabetes Centre. 2020 , 2020, 7181383	5
392	An Intelligent Iris Based Chronic Kidney Identification System. 2020 , 12, 2066	4
391	Renal Outcomes Associated with the Use of Non-Insulin Antidiabetic Pharmacotherapy: A Review of Current Evidence and Recommendations. 2020 , 13, 1395-1409	4
390	Correlation between urine ACR and 24-h proteinuria in a real-world cohort of systemic AL amyloidosis patients. 2020 , 10, 124	1
389	Discovery of polypodiside as a Keap1-dependent Nrf2 activator attenuating oxidative stress and accumulation of extracellular matrix in glomerular mesangial cells under high glucose. 2020 , 28, 115833	4
388	Association between adherence to the Mediterranean diet and renal function biomarkers and cardiovascular risk factors among diabetic patients with nephropathy. 2020 , 40, 156-163	3
387	Diabetic nephropathy alters circulating long noncoding RNA levels that normalize following simultaneous pancreas-kidney transplantation. 2020 , 20, 3451-3461	6
386	Neutrophil-to-lymphocyte ratio is a predictor of renal dysfunction in Japanese patients with type 2 diabetes. 2020 , 14, 481-487	1
385	Significance of Soluble CD93 in Type 2 Diabetes as a Biomarker for Diabetic Nephropathy: Integrated Results from Human and Rodent Studies. <i>Journal of Clinical Medicine</i> , 2020 , 9,	1
384	Diabetic Nephropathy Œlinical. 2020 , 85-95	
383	Diabetic Nephropathy likesearch. 2020 , 97-109	O
382	A diabetes perception study among rural and urban individuals of West Bengal, India: are we ready for the pandemic?. 2020 , 40, 612-618	3
381	Autophagy and mTOR Pathways Mediate the Potential Renoprotective Effects of Vitamin D on Diabetic Nephropathy. 2020 , 2020, 7941861	4
380	Ibrolipim attenuates early-stage nephropathy in diet-induced diabetic minipigs: Focus on oxidative stress and fibrogenesis. 2020 , 129, 110321	2
379	\square allele and \square -involved genotypes (\square / \square , \square / \square , and \square / \square) may confer the association of APOE genetic polymorphism with risks of nephropathy in type 2 diabetes: a meta-analysis. 2020 , 19, 136	1

378	Insights into predicting diabetic nephropathy using urinary biomarkers. 2020 , 1868, 140475	18
377	Automatic corneal nerve fiber segmentation and geometric biomarker quantification. 2020, 135, 1	4
376	NF- B System Is Chronically Activated and Promotes Glomerular Injury in Experimental Type 1 Diabetic Kidney Disease. 2020 , 11, 84	8
375	Novel Assessment of Urinary Albumin Excretion in Type 2 Diabetes Patients by Raman Spectroscopy. 2020 , 10,	9
374	Creatinine recognition using designed synthetic receptors. 2020 , 33, e4066	1
373	Effects of thromboxane prostanoid receptor deficiency on diabetic nephropathy induced by high fat diet and streptozotocin in mice. 2020 , 882, 173254	2
372	The Effects of Salvianolate Combined With Western Medicine on Diabetic Nephropathy: A Systematic Review and Meta-Analysis. 2020 , 11, 851	3
371	Addressing selectivity issues of aldose reductase 2 inhibitors for the management of diabetic complications. 2020 , 12, 1327-1358	4
370	Enhancement of Subcutaneously Transplanted ICell Survival Using 3D Stem Cell Spheroids with Proangiogenic and Prosurvival Potential. 2020 , 4, e1900254	10
369	Association of Circulating Osteopontin Levels With Lower Extremity Arterial Disease in Subjects With Type 2 Diabetes Mellitus: A Cross-Sectional Observational Study. 2020 , 19, 180-189	O
368	Ginsenoside Rg1 Alleviates Podocyte EMT Passage by Regulating AKT/GSK3 /-Catenin Pathway by Restoring Autophagic Activity. 2020 , 2020, 1903627	8
367	Effect of simulated microgravity on the antidiabetic properties of wheatgrass () in streptozotocin-induced diabetic rats. 2020 , 6, 6	7
366	Autophagy in kidney disease: Advances and therapeutic potential. 2020, 172, 107-133	9
365	Activation of TRPV1 channel antagonizes diabetic nephropathy through inhibiting endoplasmic reticulum-mitochondria contact in podocytes. 2020 , 105, 154182	21
364	Effects of renin-angiotensin system blockers on renal and cardiovascular outcomes in patients with diabetic nephropathy: a meta-analysis of randomized controlled trials. 2020 , 43, 959-972	3
363	Diet-Induced Rodent Models of Diabetic Peripheral Neuropathy, Retinopathy and Nephropathy. 2020 , 12,	21
362	Diabetes-induced upregulation of kallistatin levels exacerbates diabetic nephropathy via RAS activation. 2020 , 34, 8428-8441	5
361	A self-powered insulin patch pump with a superabsorbent polymer as a biodegradable battery substitute. 2020 , 8, 4210-4220	2

(2021-2020)

360	Dedicated kidney disease-focused outcome trials with sodium-glucose cotransporter-2 inhibitors: Lessons from CREDENCE and expectations from DAPA-HF, DAPA-CKD, and EMPA-KIDNEY. 2020 , 22 Suppl 1, 46-54	17
359	Anti-obesity therapy with peripheral CB1 blockers: from promise to safe(?) practice. 2020 , 44, 2179-2193	16
358	Animal Models and Renal Biomarkers of Diabetic Nephropathy. 2021 , 1307, 521-551	2
357	Paper-Based Sensors for Point-of-Care Kidney Function Monitoring. 2020 , 20, 9644-9651	4
356	Anti-diabetic, hepatoprotective and antioxidant potential of Brassica oleracea sprouts. 2020 , 25, 101623	4
355	Nepeta angustifolia C. Y. Wu improves renal injury in HFD/STZ-induced diabetic nephropathy and inhibits oxidative stress-induced apoptosis of mesangial cells. 2020 , 255, 112771	11
354	Coptis inhibited epithelial-mesenchymal transition and fibrogenesis of diabetic nephropathy through lncRNA CLYBL-AS2-miR-204-5p-SNAI1 axis. 2020 , 28, 939-948	О
353	Association between Renal Podocalyxin Expression and Renal Dysfunction in Patients with Diabetic Nephropathy: A Single-Center, Retrospective Case-Control Study. 2020 , 2020, 7350781	3
352	Protective effect of Basella alba leaf against diabetic nephropathy in rats. 2021 , 21, 111-119	1
351	Effects of intact and hydrolysed blue whiting proteins on blood pressure and markers of kidney function in obese Zucker fa/fa rats. 2021 , 60, 529-544	4
350	Pharmacological Management of Painful Peripheral Neuropathies: A Systematic Review. 2021 , 10, 55-68	14
349	Inhibition of ferroptosis by up-regulating Nrf2 delayed the progression of diabetic nephropathy. 2021 , 162, 435-449	45
348	Association of Secreted Frizzled Related Protein 4 with Type 2 Diabetes Mellitus and its complications: A South Indian hospital based case control study. 2021 , 9, 171-174	
347	Sinomenine improve diabetic nephropathy by inhibiting fibrosis and regulating the JAK2/STAT3/SOCS1 pathway in streptozotocin-induced diabetic rats. 2021 , 265, 118855	10
346	Renal haemodynamic and protective effects of renoactive drugs in type 2 diabetes: Interaction with SGLT2 inhibitors. 2021 , 26, 377-390	4
345	Cellular origin and microRNA profiles of circulating extracellular vesicles in different stages of diabetic nephropathy. 2021 , 14, 358-365	8
344	Insulin protects against type 1 diabetes mellitus-induced aortopathy associated with the inhibition of biomarkers of vascular injury in rats. 2021 , 127, 266-272	3
343	Combination of Naringenin and Lisinopril Ameliorates Nephropathy in Type-1 Diabetic Rats. 2021 , 21, 173-182	1

342	Epigenetic Histone Modifications in the Pathogenesis of Diabetic Kidney Disease. 2021 , 14, 329-344		5
341	Oxidative protein modification and chromosomal instability among type 2 diabetics in Osogbo, Nigeria. 2021 , 57, 168-176		
340	Association between retinopathy, nephropathy, and periodontitis in type 2 diabetic patients: a Meta-analysis. 2021 , 14, 141-147		5
339	Increased lipoxygenase and decreased cytochrome P450s metabolites correlated with the incidence of diabetic nephropathy: Potential role of eicosanoids from metabolomics in type 2 diabetic patients. 2021 , 48, 679-685		1
338	Telemedicina tra clinica e nutrizione nella Malattia Renale Cronica (MRC): appunti di esperienze al femminile. 33, 12-19		O
337	Brachial-Ankle Pulse Wave Velocity as a Novel Modality for Detecting Early Diabetic Nephropathy in Type 2 Diabetes Patients. 2021 , 2021, 8862573		1
336	The Association Between Leucine and Diabetic Nephropathy in Different Gender: A Cross-Sectional Study in Chinese Patients With Type 2 Diabetes. <i>Frontiers in Endocrinology</i> , 2020 , 11, 619422	5.7	2
335	Acute Kidney Injury and Progressive Diabetic Kidney Disease: An Epidemiological Perspective. 2021 , 14, 23-31		2
334	Diabetic Complications: An Update on Pathobiology and Therapeutic Strategies. 2021,		1
	The analyses is levels in each other as of disharks and because they affect differentially and averaging of		
333	Hyperglycemic levels in early stage of diabetic nephropathy affect differentially renal expression of claudins-2 and -5 by oxidative stress. 2021 , 268, 119003		4
333			4
	claudins-2 and -5 by oxidative stress. 2021 , 268, 119003	5.7	14
332	claudins-2 and -5 by oxidative stress. 2021 , 268, 119003 Proteinurie. 2021 , 25, 68-75 Mitochondrial Fission Protein 1: Emerging Roles in Organellar Form and Function in Health and	5.7	14
332	Claudins-2 and -5 by oxidative stress. 2021, 268, 119003 Proteinurie. 2021, 25, 68-75 Mitochondrial Fission Protein 1: Emerging Roles in Organellar Form and Function in Health and Disease. Frontiers in Endocrinology, 2021, 12, 660095 Eplet mismatch scores and de novo donor-specific antibody development in simultaneous	5.7	
332 331 330	Claudins-2 and -5 by oxidative stress. 2021, 268, 119003 Proteinurie. 2021, 25, 68-75 Mitochondrial Fission Protein 1: Emerging Roles in Organellar Form and Function in Health and Disease. Frontiers in Endocrinology, 2021, 12, 660095 Eplet mismatch scores and de novo donor-specific antibody development in simultaneous pancreas-kidney transplantation. 2021, 82, 139-146 Alleviation of diabetic nephropathy by zinc oxide nanoparticles in streptozotocin-induced type 1	5:7	3
33 ² 33 ¹ 33 ⁰	Claudins-2 and -5 by oxidative stress. 2021, 268, 119003 Proteinurie. 2021, 25, 68-75 Mitochondrial Fission Protein 1: Emerging Roles in Organellar Form and Function in Health and Disease. Frontiers in Endocrinology, 2021, 12, 660095 Eplet mismatch scores and de novo donor-specific antibody development in simultaneous pancreas-kidney transplantation. 2021, 82, 139-146 Alleviation of diabetic nephropathy by zinc oxide nanoparticles in streptozotocin-induced type 1 diabetes in rats. 2021, 15, 473-483	5-7	3
332 331 330 329 328	Claudins-2 and -5 by oxidative stress. 2021, 268, 119003 Proteinurie. 2021, 25, 68-75 Mitochondrial Fission Protein 1: Emerging Roles in Organellar Form and Function in Health and Disease. Frontiers in Endocrinology, 2021, 12, 660095 Eplet mismatch scores and de novo donor-specific antibody development in simultaneous pancreas-kidney transplantation. 2021, 82, 139-146 Alleviation of diabetic nephropathy by zinc oxide nanoparticles in streptozotocin-induced type 1 diabetes in rats. 2021, 15, 473-483 Tocotrienol: An Underrated Isomer of Vitamin E in Health and Diseases. Deficiency of Mitochondrial Glycerol 3-Phosphate Dehydrogenase Exacerbates Podocyte Injury and	5-7	3

324	Silymarin nanoliposomes attenuate renal injury on diabetic nephropathy rats via co-suppressing TGF-/ISmad and JAK2/STAT3/SOCS1 pathway. 2021 , 271, 119197	7
323	Combination therapy with Exendin-4 and islet transplantation as a synergistic treatment for diabetic nephropathy in rats. 2021 , 271, 119207	2
322	Diagnostic Accuracy of Serum Cystatin C for Early Recognition of Nephropathy in Type 2 Diabetes Mellitus. 2021 , 2021, 8884126	2
321	Diagnostic efficacy of serum and urinary netrin-1 in the early detection of diabetic nephropathy. 2021 , 69, 1189-1195	4
320	Blood Oxygen Level-Dependent (BOLD) MRI in Glomerular Disease. 2021 , 2, 109-117	
319	Plasma Metabolome and Lipidome Associations with Type 2 Diabetes and Diabetic Nephropathy. 2021 , 11,	3
318	Silencing of miR-150-5p Ameliorates Diabetic Nephropathy by Targeting SIRT1/p53/AMPK Pathway. 2021 , 12, 624989	7
317	Tip 2 Diabetes Mellitus[lu hastalarda serum ve i drar galektin-3 dDeyi ile mikroalbuminfi aras ñ daki i lis kinin deg erlendirilmesi. 96-104	
316	Diphenyl diselenide ameliorates diabetic nephropathy in streptozotocin-induced diabetic rats via suppressing oxidative stress and inflammation. 2021 , 338, 109427	4
315	Mechanism of miR-365 in regulating BDNF-TrkB signal axis of HFD/STZ induced diabetic nephropathy fibrosis and renal function. 2021 , 53, 2177-2187	4
314	Targeted metabolomics as a tool for the diagnosis of kidney disease in Type II diabetes mellitus. 2021 , 78, 184-190	3
313	Roles of Gut Microbial Metabolites in Diabetic Kidney Disease. Frontiers in Endocrinology, 2021 , 12, 6361 7 5	5
312	Both Specific Endothelial and Proximal Tubular Adam17 Deletion Protect against Diabetic Nephropathy. 2021 , 22,	3
311	Hyperoside ameliorates diabetic nephropathy induced by STZ via targeting the miR-499-5p/APC axis. 2021 , 146, 10-20	7
310	Reduced Glomerular Endothelial Thrombomodulin Is Associated with Glomerular Macrophage Infiltration in Diabetic Nephropathy. 2021 , 191, 829-837	O
309	Chemometric exploratory data analysis for patients with diabetes type 2 and diabetic complications. 2021 ,	
308	Spatial-resolved metabolomics reveals tissue-specific metabolic reprogramming in diabetic nephropathy by using mass spectrometry imaging 2021 , 11, 3665-3677	5
307	The Emerging Role of HDACs: Pathology and Therapeutic Targets in Diabetes Mellitus. 2021, 10,	4

306	EndMT Regulation by Small RNAs in Diabetes-Associated Fibrotic Conditions: Potential Link With Oxidative Stress. 2021 , 9, 683594	8
305	Factors Influencing Renal Parenchymal Stiffiness in Patients with Diabetic Nephropathy. 2021 , 14, 1911-1917	
304	Acetate ameliorates nephrotoxicity in streptozotocin-nicotinamide-induced diabetic rats: Involvement of xanthine oxidase activity. 2021 , 142, 155501	4
303	Clinical Impact of Combination Therapy in Diabetic Neuropathy and Nephropathy. 2021 , 3471-3480	1
302	Renal function in patients with intestinal failure receiving home parenteral support. 2021,	O
301	Transcription factor 7-like 2 gene- smoking interaction on the risk of diabetic nephropathy in Chinese Han population. 2021 , 43, 26	1
300	Association between PTX3 and PVT1 genetic polymorphisms and the risk of diabetic kidney disease in type 2 diabetic patients. 2021 , 33,	
299	57-Year-Old Woman With Fatigue and Lower-Extremity Edema. 2021 , 96, 1628-1633	
298	The Compatibility of the Treatment Modalities to the Recommendations of the Kidney Disease Outcomes Quality Initiative Guideline in Chronic Kidney Disease Patients with Diabetes. 2021 , 50, 1206-1212	
297	The effect of isosorbide-mononitrate on proteinuria in patients with diabetic nephropathy. 2021 , 5, 620-622	
296	The Multi-Therapeutic Role of MSCs in Diabetic Nephropathy. <i>Frontiers in Endocrinology</i> , 2021 , 12, 6715667	3
295	Manifestation of rs1888747 polymorphisms in the FRMD3 gene in diabetic kidney disease and diabetic retinopathy in type 2 diabetes patients. 2021 , 40, 263-271	
294	Calycosin-loaded nanoliposomes as potential nanoplatforms for treatment of diabetic nephropathy through regulation of mitochondrial respiratory function. 2021 , 19, 178	2
293	Circular RNA expression profile in transgenic diabetic mouse kidneys. 2021 , 26, 25	1
292	Hepatocellular carcinoma in patients with renal dysfunction: Pathophysiology, prognosis, and treatment challenges. 2021 , 27, 4104-4142	1
291	Clinical value of INSL3 in the diagnosis and development of diabetic nephropathy. 2021 , 35, e23898	3
290	Diabetic Nephropathy: Challenges in Pathogenesis, Diagnosis, and Treatment. 2021 , 2021, 1497449	39
289	Protein restriction for diabetic kidney disease. 2021 , 2021,	1

(2021-2021)

288	Non-invasive metabolic biomarkers for early diagnosis of diabetic nephropathy: Meta-analysis of profiling metabolomics studies. 2021 , 31, 2253-2272	3
287	Baked cod consumption delayed the development of kidney and liver dysfunction and affected plasma amino acid concentrations, but did not affect blood pressure, blood glucose or liver triacylglycerol concentrations in obese fa/fa Zucker rats. 2021 , 92, 72-83	O
286	Nobiletin ameliorates streptozotocin-cadmium-induced diabetic nephropathy NF- B signalling pathway in rats. 2021 , 1-9	O
285	Asprosin, a novel pleiotropic adipokine implicated in fasting and obesity-related cardio-metabolic disease: Comprehensive review of preclinical and clinical evidence. 2021 , 60, 120-132	4
284	Epigenetic regulation of TXNIP-mediated oxidative stress and NLRP3 inflammasome activation contributes to SAHH inhibition-aggravated diabetic nephropathy. 2021 , 45, 102033	9
283	Role of Gliclazide in safely navigating type 2 diabetes mellitus patients towards euglycemia: Expert opinion from India. 2021 , 4, 100102	
282	Translational Aspects of the Mammalian Target of Rapamycin Complexes in Diabetic Nephropathy. 2021 ,	O
281	Clinical and Therapeutic Treatment Approach Between Diabetes Mellitus and Urinary Tract Infection. 2021 , 9, 288-298	
280	The Role of Gender in the Onset, Development and Impact of Type 2 Diabetes Mellitus and Its Co-Morbidities.	
279	Single and joint impact of type 2 diabetes and of congestive heart failure on albuminuria. 2021 , 35, 108046	1
278	Renal sinus fat volume in type 2 diabetes mellitus is associated with glycated hemoglobin and metabolic risk factors. 2021 , 35, 107973	3
277	Epidemiological characteristics of diabetic kidney disease in Taiwan. 2021,	O
276	T1DMicro: A Clinical Risk Calculator for Type 1 Diabetes Related Microvascular Complications.	
275	Efficacy of tripterygium glycosides for diabetic nephropathy: a meta-analysis of randomized controlled trials. 2021 , 22, 304	3
274	PPBP as a marker of diabetic nephropathy podocyte injury via Bioinformatics Analysis. 2021 , 577, 165-172	2
273	Relationship between the FTO Genotype and Early Chronic Kidney Disease in Type 2 Diabetes: The Mediating Role of Central Obesity, Hypertension, and High Albuminuria. 2021 , 14, 73-80	O
272	NRF2: A potential target for the treatment of diabetic nephropathy. 2021 , 1, 27-32	
271	The Diabetic Kidney. 2021 , 95-99	

270	Heparin and related substances for delaying the progression of diabetic kidney disease.	1
269	Prostaglandin E1 for preventing the progression of diabetic kidney disease.	1
268	Kidney Disease in Diabetes. 58-86	1
267	Sex and Gender Differences in Nephrology. 2012 , 83-100	1
266	Diabetic Nephropathy: An Overview. 2020 , 2067, 3-7	42
265	Optimizing Self-Care with Diabetes Complications and Comorbidities. 2009 , 97-114	1
264	Impact of light ethanol intake and of taurine, separately and together, on pathways of glucose metabolism in the kidney of diabetic rats. 2015 , 803, 279-303	3
263	Diabetic Nephropathy. 2009 , 1199-1217	2
262	Kidney Function Tests. 2012 , 669-707	3
261	Laboratory Assessment of Kidney Disease. 2012 , 868-896	10
260	Ergosterol ameliorates renal inflammatory responses in mice model of diabetic nephropathy. 2020 , 128, 110252	11
259	Prevalence and risk factors of baclofen neurotoxicity in patients with severely impaired renal function. 2020 , 40, 543-551	1
258	Specialized pro-resolving mediators in diabetes: novel therapeutic strategies. 2019 , 133, 2121-2141	7
257	Sulforaphane prevents type 2 diabetes-induced nephropathy via AMPK-mediated activation of lipid metabolic pathways and Nrf2 antioxidative function. 2020 , 134, 2469-2487	14
256	Role of sodium-glucose cotransporter 2 inhibition to mitigate diabetic kidney disease risk in type 1 diabetes. 2020 , 35, i24-i32	11
255	Multidisciplinary management of diabetic kidney disease: a systematic review protocol. 2014 , 12, 192-203	1
² 55	Multidisciplinary management of diabetic kidney disease: a systematic review protocol. 2014 , 12, 192-203 Acute kidney injury in a diabetic haemophiliac: one step at a time. 2014 , 2014,	1

252	Diabetic kidney disease; review of the current knowledge. 2013 , 2, 73-80	46
251	Simvastatin alleviates hyperpermeability of glomerular endothelial cells in early-stage diabetic nephropathy by inhibition of RhoA/ROCK1. 2013 , 8, e80009	33
250	Diabetic nephropathy and its risk factors in a society with a type 2 diabetes epidemic: a Saudi National Diabetes Registry-based study. 2014 , 9, e88956	81
249	Comparison of methods for renal risk prediction in patients with type 2 diabetes (ZODIAC-36). 2015 , 10, e0120477	5
248	Effective Delivery of Endogenous Antioxidants Ameliorates Diabetic Nephropathy. 2015 , 10, e0130815	9
247	Hyperglycemia Reduces Efficiency of Brain Networks in Subjects with Type 2 Diabetes. 2016 , 11, e0157268	27
246	The Impact of Renin-Angiotensin System Blockade on Renal Outcomes and Mortality in Pre-Dialysis Patients with Advanced Chronic Kidney Disease. 2017 , 12, e0170874	16
245	The effects of omega-3 fatty acids on diabetic nephropathy: A meta-analysis of randomized controlled trials. 2020 , 15, e0228315	10
244	Urate-Lowering Therapy Ameliorates Kidney Function in Type 2 Diabetes Patients With Hyperuricemia. 2017 , 9, 1007-1012	1
243	Effect of vitamin D on proteinuria in type 2 diabetic patients. 2017 , 6, 10-14	18
243	Effect of vitamin D on proteinuria in type 2 diabetic patients. 2017 , 6, 10-14 [The role of the diet as a risk factor for the development and progression of diabetic nephropathy]. 2005 , 49, 485-94	18 0
	[The role of the diet as a risk factor for the development and progression of diabetic nephropathy].	
242	[The role of the diet as a risk factor for the development and progression of diabetic nephropathy]. 2005, 49, 485-94 [What values should be used to diagnose microalbuminuria in patients with diabetes mellitus?].	0
242	[The role of the diet as a risk factor for the development and progression of diabetic nephropathy]. 2005, 49, 485-94 [What values should be used to diagnose microalbuminuria in patients with diabetes mellitus?]. 2006, 50, 322-6	3
242 241 240	[The role of the diet as a risk factor for the development and progression of diabetic nephropathy]. 2005, 49, 485-94 [What values should be used to diagnose microalbuminuria in patients with diabetes mellitus?]. 2006, 50, 322-6 [Early detection of diabetic nephropathy]. 2008, 52, 442-51 Elevated serum level of pancreatic stone protein/regenerating protein (PSP/reg) is observed in	o 3 16
242241240239	[The role of the diet as a risk factor for the development and progression of diabetic nephropathy]. 2005, 49, 485-94 [What values should be used to diagnose microalbuminuria in patients with diabetes mellitus?]. 2006, 50, 322-6 [Early detection of diabetic nephropathy]. 2008, 52, 442-51 Elevated serum level of pancreatic stone protein/regenerating protein (PSP/reg) is observed in diabetic kidney disease. 2017, 8, 38145-38151 Tanshinone IIA attenuates renal damage in STZ-induced diabetic rats via inhibiting oxidative stress	o 3 16
242 241 240 239 238	[The role of the diet as a risk factor for the development and progression of diabetic nephropathy]. 2005, 49, 485-94 [What values should be used to diagnose microalbuminuria in patients with diabetes mellitus?]. 2006, 50, 322-6 [Early detection of diabetic nephropathy]. 2008, 52, 442-51 Elevated serum level of pancreatic stone protein/regenerating protein (PSP/reg) is observed in diabetic kidney disease. 2017, 8, 38145-38151 Tanshinone IIA attenuates renal damage in STZ-induced diabetic rats via inhibiting oxidative stress and inflammation. 2017, 8, 31915-31922 Smoking and the risk of diabetic nephropathy in patients with type 1 and type 2 diabetes: a	0316640

234	Effects of Probiotics on Diabetic Nephropathy: A Systematic Review. 2020, 15, 234-242	12
233	Longitudinal Risk Prediction of Chronic Kidney Disease in Diabetic Patients Using a Temporal-Enhanced Gradient Boosting Machine: Retrospective Cohort Study. 2020 , 8, e15510	13
232	Renal Function in Type 2 Diabetes Following Gastric Bypass. 2016 , 113, 827-833	13
231	Dietary Assessment of Korean Non-dialysis Chronic Kidney Disease Patients with or without Diabetes. 2020 , 35, e181	1
230	The Severity of Diabetic Retinopathy Is an Independent Factor for the Progression of Diabetic Nephropathy. <i>Journal of Clinical Medicine</i> , 2020 , 10,	8
229	Effect of Benzoic Acid and Combination of Benzoic with Citric Acid as Food Additives on the Renal Function of Experimental Rats. 2009 , 1, 83-87	1
228	Prescribing patterns of medicines in chronic kidney disease patients on maintenance hemodialysis. 2016 , 48, 586-590	9
227	Microvasular and macrovascular complications in diabetes mellitus: Distinct or continuum?. 2016 , 20, 546-51	455
226	Risk Factors Associated with Microalbuminuria in Children and Adolescents with Diabetes in Bangladesh. 2018 , 22, 85-88	4
225	Study of Neutrophil-lymphocyte Ratio as Novel Marker for Diabetic Nephropathy in Type 2 Diabetes. 2017 , 21, 387-392	17
224	Effect of Vitamin D therapy on urinary albumin excretion, renal functions, and plasma renin among patients with diabetic nephropathy: A randomized, double-blind clinical trial. 2018 , 64, 10-15	17
223	The Morphologic Patterns of Diabetic Nephropathy in Koreans. 2009 , 43, 36	2
222	MicroRNA profiling in sera of patients with type 2 diabetes mellitus reveals an upregulation of miR-31 expression in subjects with microvascular complications. 2013 , 06, 58-64	15
221	Implanting 1.1B4 human Eell pseudoislets improves glycaemic control in diabetic severe combined immune deficient mice. 2016 , 7, 523-533	8
220	Prevalence and determinants of albuminuria in a cohort of diabetic patients in Lebanon. 2008, 28, 420-5	8
219	Factors Affecting the Progression of Diabetic Nephropathy and its Complications: A Single-Center Experience in Saudi Arabia. 2011 , 31, 236-242	2
218	The impact of hypoxemia on nephropathy in extremely obese patients with type 2 diabetes mellitus. 2014 , 10, 773-8	25
217	Cardiovascular and Renal Benefits of SGLT2 Inhibitors: A Narrative Review. 2019 , 17, e84353	18

(2014-2013)

216	Effects of N-acetyl cysteine on serum lipoprotein (a) and proteinuria in type 2 diabetic patients. 2013 , 2, 61-6	13
215	Therapeutic approaches to slowing the progression of diabetic nephropathy - is less best?. 2013 , 2013, 212249	10
214	Drug Targets for Oxidative Podocyte Injury in Diabetic Nephropathy. 2015 , 7, e393	20
213	Comparison of urinary protein: creatinine index and dipsticks for detection of microproteinuria in diabetes mellitus patients. 2013 , 7, 622-6	6
212	Assessment of proteinuria level in nephrology patients using a machine learning approach. 2021,	12
211	Resistance exercise shifts the balance of renin-angiotensin system toward ACE2/Ang 1-7 axis and reduces inflammation in the kidney of diabetic rats. 2021 , 287, 120058	1
210	Urine extracellular vesicles capture kidney transcriptome and hyperglycemia linked mRNA signatures for type 1 diabetic kidney disease.	
209	Artificial Intelligence for the Diagnosis and Treatment of Diabetes Kidney Disease: a systematic review.	
208	T1DMicro: A Clinical Risk Calculator for Type 1 Diabetes Related Microvascular Complications. 2021 , 18,	1
207	Elevated Serum Levels of Carbohydrate Antigen 72-4 in Diabetic Kidney Disease. 2021 ,	
206	The broad pathogenetic role of TCF7L2 in human diseases beyond type 2 diabetes. 2021 , 237, 301	2
205	[Early-onset diabetic coronary macroangiopathy in young diabetes: two case reports]. 2005 , 49, 1000-6	
204	Microvascular Complications. 2007 , 13, 50-55	
203	Diabetic Nephropathy and Glomerular Filtration Rate. 2008 , 32, 182	
202	Oculorenal Syndromes. 2008 , 4547-4563	
201	Trends in use and costs of prescription medication in patients with type 1 diabetes: 9-year follow-up after kidney transplantation. 2013 , 03, 1-10	
200	Vascular Complications in Diabetes. 2013 , 313-337	
199	Diabetic Nephropathy. 2014 , 455-466	1

198	Heparin and related substances for delaying the progression of diabetic kidney disease.
197	ESTIMATION OF MICROALBUMIN IN TYPE I DIABETES MELLITUS. 2014 , 03, 627-632
196	Vascular Complications of Diabetes Mellitus. 2014 , 1-65
195	Toxicological Evaluation of Disulfiram, Copper Gluconate and Disulfiram/Copper Gluconate Combination on Renal Function in Rodents. 2015 , 06, 86-93
194	ALBUMINURIA AND DIABETES MELLITUS TYPE 2: AN OBSERVATIONAL STUDY FROM BARABANKI, LUCKNOW. 2015 , 4, 6008-6016
193	Diabetic Nephropathy in Children. 2016 , 1545-1568
192	Exercise, Diet Counselling, and Management for the Adults with Diabetes Mellitus: An Indian Case Study. 2016 , 15-52
191	Impact of Diabetes on the Nutritional Status of CKD Patients. 2016 , 1, 001-004
190	Epidemiology. 2016 , 1-20
189	Prophylactic Effect of Dietary Supplementation of Fish Oil Extracted from Sardinella Longiceps on Renal Dysfunction in Alloxan Induced Diabetic Mice (Mus Musculus). 2016 , 3, 1-8
188	SERUM 25-HYDROXYVITAMIN D(3) LEVELS IN TYPE 2 DIABETIC PATIENTS WITH NORMO-, MICRO-, AND MACROALBUMINURIA. 2016 , 12, 303-308
187	Patient Assessment and Diagnosis. 2017 , 47-56
186	Pharmacoeconomic evaluation of diabetic nephropathic patients attending nephrology department in a tertiary care hospital. 2017 , 63, 24-28
185	Special Conditions and Follow-Up in Cervical Cancer. 2017 , 253-268
184	MICROALBUMINURIA PREDICTS RENAL AND CARDIOVASCULAR DYSFUNCTION IN PATIENTS WITH TYPE 2 DIABETES MELLITUS. 2017 , 6, 605-608
183	Epidemiology. 2017 , 139-158
182	Editorial. 2017 , 104, 91-96
181	DUPLEX SONOGRAPHY FINDINGS IN ESTABLISHED CASES OF DIABETIC NEPHROPATHY- A DESCRIPTIVE STUDY OVER A PERIOD OF SIX MONTHS. 2017 , 6, 4475-4477

180	The Diagnosis of Diabetic Nephropathy using Neuro-Fuzzy Expert System. 2017 , 10, 1-8	1
179	THE ROLE OF DURATION OF DIABETES IN THE DEVELOPMENT OF NEPHROPATHY. 2017 , 4, 6017-6021	
178	COMPARISON OF DIABETIC NEPHROPATHY ONSET TIME OF TWO GROUPS WITH LEFT TRUNCATED AND RIGHT CENSORED DATA. 2018 , 19, 527-549	
177	Dedifferentiation and Kidney System. 2018 , 65-90	
176	Summary. 2018 , 47-51	
175	Chronic Complications of Diabetes. 2018 , 29-46	
174	AdDIT Editorial comment-challenges in medication treatment of renal and cardiovascular diseases and risk factors in adolescents with type 1 diabetes. 2018 , 6, 193	1
173	Protective Effect of Inulin and the Integrity of the Microvasculature in Diabetes Mellitus. 2018 , 11, 807-813	1
172	Left Ventricle Structural and Functional Peculiarities in Patients with Diabetic Nephropathy. 2018 , 3, 154-158	
171	Evaluation of procalcitonin levels in nephropathic and non- nephropathic diabetic patients. 2018 , 10, 516-522	
170	Can N acetyl cysteine - Taurine provide additional reduction in microalbuminuria in type 2 diabetic patients already on optimum doses of Angiotensin converting enzyme inhibitors?. 2019 , 8, 236	1
169	Non-Diabetic Renal Disease in Patients with Type 2 Diabetes Mellitus with Proteinuria. 2019 , 07, 68-78	1
168	Quantitative Evaluation of Diabetic Medical Record Documentation. 2019, 15, 158-163	
167	Avaliaß dos nßeis de albuminfia em adultos obesos e sua associaß com marcadores de risco cardiovascular 2019 , 44, 183-189	
166	Longitudinal Risk Prediction of Chronic Kidney Disease in Diabetic Patients Using a Temporal-Enhanced Gradient Boosting Machine: Retrospective Cohort Study (Preprint).	
165	New-Onset Diabetes Mellitus After the First Attack of Acute Pancreatitis: A Systematic Review and Meta-Analysis. 2019 , 21,	
164	Health-related quality of life in a group of Egyptian children and adolescents with type 1 diabetes: relationship to microvascular complications. 2019 , 43,	1
163	The renal resistive index as a new complementary tool to predict microvascular diabetic complications in children and adolescents: a groundbreaking finding. 2019 , 7, 422	2

162 Insulin Resistance and the Kidney in Youth. **2020**, 221-235

	The Impact of Pharmacist-delivered Motivational Interviewing on Chronic Kidney Disease	
161	Identification and Management in Patients with Diabetes Mellitus and Low Socioeconomic Status. 2019 , 10,	O
160	Genetic Strategies to Understand Human Diabetic Nephropathy: Wet-Lab Approaches. 2020 , 2067, 205-240	
159	Diabetic Nephropathy- Can Neutrophil Lymphocyte Ratio Predict the Presence of Albuminuria?. 2019 , 6, 3130-3133	
158	Four- and six-hour urinary albumin excretion is a valuable alternative to 24-h urinary albumin excretion in male db/db mice. 2020 , 29, 143-149	
157	Efficacy and safety of Shenkang injection as adjuvant therapy in patients with diabetic nephropathy: A protocol for systematic review and meta-analysis. 2020 , 99, e23821	2
156	Value of Doppler ultrasound in early detection of diabetic kidney disease: A systematic review and meta-analysis. 2021 , 29, 141-149	
155	Review of early circulating biomolecules associated with diabetes nephropathy - Ideal candidates for early biomarker array test for DN. 2021 , 182, 109122	2
154	Diabetic Nephropathy: A Comprehensive Review for Health Care Professionals. 1-10	
153	Oxidative stress and other risk factors associated with diabetic nephropathy in type 2 diabetes mellitus. 2018 , 9, 27-36	1
152	National athletic trainers' association position statement: management of the athlete with type 1 diabetes mellitus. 2007 , 42, 536-45	35
151	Effect of glycaemic control on glomerular filtration rate in diabetes mellitus patients. 2009 , 9 Suppl 1, S23-6	4
150	Network-centric Analysis of Genetic Predisposition in Diabetic Nephropathy. 2011 , 15, 232-7	10
149	Comparison of different blood pressure indices for the prediction of prevalent diabetic nephropathy in a sub-Saharan African population with type 2 diabetes. 2012 , 11, 67	7
148	Outpatient management of type 2 diabetic patients: a review of evidence-based literature. 2006 , 13, 3-12	1
147	Mayombian ethnic, vegetables low intake, insulin treatment, diabetic nephropathy and severe diabetic retinopathy are determinants of blindness in diabetic Africans. 2013 , 6, 727-32	1
146	Why 24-h Urine Albumin Excretion Rate Method Still is Used for Screening of Diabetic Nephropathy in Isfahan Laboratories?. 2014 , 5, 341-7	3
145	Diabetic nephropathy for the primary care provider: new understandings on early detection and treatment. 2014 , 14, 369-79	13

144	Prevalence of systemic co-morbidities in patients with various grades of diabetic retinopathy. 2014 , 140, 77-83	9
143	Editorial on the original article entitled "Changes in diabetes-related complications in the United States, 1990-2010" published in the New England Journal of Medicine on April 17, 2014. 2014 , 2, 118	
142	Osteoinductive factor is a novel biomarker for the diagnosis of early diabetic nephropathy. 2015 , 8, 3110-5	3
141	Diabetes mellitus and burns. Part I-basic science and implications for management. 2015 , 5, 1-12	7
140	Saikosaponin-d protects renal tubular epithelial cell against high glucose induced injury through modulation of SIRT3. 2015 , 8, 6472-81	9
139	HMGB1 is activated in type 2 diabetes mellitus patients and in mesangial cells in response to high glucose. 2015 , 8, 6683-91	21
138	Association of homocysteine with type 1 diabetes mellitus: a meta-analysis. 2015 , 8, 12529-38	13
137	Sitagliptin- oleifera coadministration did not delay the progression nor ameliorated functional and morphological anomalies in alloxan-induced diabetic nephropathy. 2017 , 49, 366-373	2
136	Anti-fibrotic effect of 6-bromo-indirubin-3'-oxime (6-BIO) via regulation of activator protein-1 (AP-1) and specificity protein-1 (SP-1) transcription factors in kidney cells. 2021 , 145, 112402	1
135	How Economic Analysis Increases the Awareness of Clinical Services: A Case of Diabetes Mellitus at a Teaching Hospital in Myanmar. 2021 , 29, 21-27	
134	Integrating microvascular assessments into one clinic, in an annual one-stop approach. 2020, 7, 100-104	
133	Diabetes Care in French Guiana: The Gap Between National Guidelines and Reality <i>Frontiers in Endocrinology</i> , 2021 , 12, 789391	О
132	Adjuvant physical exercise for the management of painful polyneuropathy. 2021, 1-5	
131	Machine learning approach to predicting albuminuria in persons with type 2 diabetes: An analysis of the LOOK AHEAD Cohort. 2021 ,	2
130	Isoliquiritigenin attenuates acute renal injury through suppressing oxidative stress, fibrosis and JAK2/STAT3 pathway in streptozotocin-induced diabetic rats. 2021 , 12, 11188-11200	1
129	Emerging Theranostic Nanomaterials in Diabetes and Its Complications. 2021 , e2102466	7
128	Impact of salt intake on urinary albumin excretion in patients with type 2 diabetic nephropathy: a retrospective cohort study based on a generalized additive model 2021 ,	О
127	Role of eNOS and TGFII gene polymorphisms in the development of diabetic nephropathy in type 2 diabetic patients in South Indian population. 2022 , 23,	1

126	Association of plasma fatty acid-binding protein 3 with estimated glomerular filtration rate in patients with type 2 diabetes mellitus 2022 , 19, 82-88		Ο
125	Association between CRP polymorphisms and susceptibility to the diabetic nephropathy; A case-control study. 2022 , 31, 101009		
124	What is the impact of microvascular complications of diabetes on severe COVID-19?. 2021 , 140, 104310		2
123	The effects of melatonin administration on carotid intima-media thickness and pulse wave velocity in diabetic nephropathy: A randomized, double-blind, placebo-controlled trial 2022 , 48, 82-86		
122	The A allele of the rs759853 single nucleotide polymorphism in the gene confers risk for diabetic kidney disease in patients with type 2 diabetes from a Brazilian population 2022 ,		0
121	miRNA signatures in diabetic retinopathy and nephropathy: delineating underlying mechanisms 2022 , 78, 19		2
120	Urinary Extracellular Vesicles as a Source of NGAL for Diabetic Kidney Disease Evaluation in Children and Adolescents With Type 1 Diabetes Mellitus <i>Frontiers in Endocrinology</i> , 2021 , 12, 654269	5.7	1
119	A systematic review of preclinical studies on the taurine role during diabetic nephropathy: focused on anti-oxidative, anti-inflammation, and anti-apoptotic effects 2022 , 1-11		1
118	Asymptomatic Hematuria and Proteinuria. 2022 , 267-276		
117	The role of endothelial biomarkers in predicting damp-heat syndrome in diabetic kidney disease. 2022 , 9, 34-39		
116	Glycyrrhiza uralensis root extract ameliorates high glucose-induced renal proximal tubular fibrosis by attenuating tubular epithelial-myofibroblast transdifferentiation by targeting TGF-II/Smad/Stat3 pathway 2022 , e14041		1
115	Significance of Educational Literature and Diabetes Log Sheet on Hemoglobin A1c 2022 , 14, e21667		
114	Electrochemically-functionalized CNT/ABTS nanozyme enabling sensitive and selective voltammetric detection of microalbuminuria 2022 , 1197, 339517		1
113	Exosomal circTAOK1 contributes to diabetic kidney disease progression through regulating SMAD3 expression by sponging miR-520h 2022 , 1		1
112	Effects of Shenkang Pills on Early-Stage Diabetic Nephropathy in db/db Mice Inhibiting AURKB/RacGAP1/RhoA Signaling Pathway 2022 , 13, 781806		1
111	TFPI2 suppresses the interaction of TGF-2 pathway regulators to promote endothelial-mesenchymal transition in diabetic nephropathy 2022 , 101725		1
110	An Innovative Ultrasound Technique for Early Detection of Kidney Dysfunction: Superb Microvascular Imaging as a Reference Standard <i>Journal of Clinical Medicine</i> , 2022 , 11,	5.1	0
109	Citronellal alleviate macro- and micro-vascular damage in high fat diet / streptozotocin - Induced diabetic rats via a S1P/S1P1 dependent signaling pathway 2022 , 174796		1

108 Study of renal parenchymal changes by diffusion tensor imaging in diabetic nephropathy.. **2022**, 87, e163-e171

107	Diabetic Nephropathy. 2022 , 397-409	
106	Platycodin D regulates high glucose-induced ferroptosis of HK-2 cells through glutathione peroxidase 4 (GPX4) 2022 , 13, 6627-6637	1
105	Pathophysiologic Mechanisms and Potential Biomarkers in Diabetic Kidney Disease 2022 , 46, 181-197	3
104	Protective efficacy of Coriandrum sativum seeds against arsenic induced toxicity in Swiss albino mice. 1	1
103	GLP-1 receptor agonists and renal outcomes in patients with diabetes mellitus type 2 and diabetic kidney disease: state of the art.	O
102	Renoprotective potential of myo-inositol on diabetic kidney disease: Focus on the role of the PINK1/Parkin pathway and mitophagy receptors 2022 , e23032	0
101	Interleukin 6 in diabetes, chronic kidney disease and cardiovascular disease: mechanisms and therapeutic perspectives 2022 ,	2
100	Measurement of urine protein. 2022 , 39, 30	
99	Metabolomics as a tool for the early diagnosis and prognosis of diabetic kidney disease 2022,	1
98	Antidiabetic and renoprotective effects of ethyl acetate fraction of Mimosa pudica Linn. leaves extract in streptozotocin-induced diabetic mice. 2022 , 18,	
97	miR-543 regulates high glucose-induced fibrosis and autophagy in diabetic nephropathy by targeting TSPAN8 2022 , 23, 89	O
96	New insights into the role and therapeutic potential of HSP70 in diabetes 2022, 106173	О
95	The potential use of urinary transferrin, urinary adiponectin, urinary Retinol Binding Protein, and serum zinc alpha 2 glycoprotein levels as novel biomarkers for early diagnosis of diabetic nephropathy: A case-control study 2022 , 16, 102473	1
94	Establishment of Zebrafish Models for Diabetes Mellitus and Its Microvascular Complications 2022 , 1-9	О
93	Advancements in nanomedicines for the detection and treatment of diabetic kidney disease. 2022 , 6, 100047	1
92	Effect of Enhydra fluctuans on Kidney Function in Alloxan-induced Diabetic Rats. 2021 , 9, 1187-1194	
91	Gut Microbiota and Complications of Type-2 Diabetes 2021 , 14,	11

90	The Potential Role of Curcumin in Modulating the Master Antioxidant Pathway in Diabetic Hypoxia-Induced Complications 2021 , 26,		5
89	Urinary N-Acetyl-Ed-glucosaminidase (uNAG) as an Indicative Biomarker of Early Diabetic Nephropathy in Patients with Diabetes Mellitus (T1DM, T2DM): A Systematic Review and Meta-Analysis. 2021 , 2, 272-285		O
88	Diabetes as a risk factor of acute kidney injury in vancomycin users: an observational and prospective study. 56,		
87	Amelioration of murine diabetic nephropathy with a SGLT2 inhibitor is associated with suppressing abnormal expression of hypoxia-inducible factors 2022 ,		O
86	The effect of D-chiro-inositol on renal protection in diabetic mice 2022, 14,		1
85	Table_1.DOCX. 2019 ,		
84	lmage_1.TIF. 2019 ,		
83	Image_2.TIF. 2019 ,		
82	Image_3.TIF. 2019 ,		
81	Table_1.DOCX. 2019 ,		
80	Table_1.docx. 2020 ,		
79	Protective Effect and Possible Mechanisms of Artemisinin and Its Derivatives for Diabetic Nephropathy: A Systematic Review and Meta-Analysis in Animal Models 2022 , 2022, 5401760		O
78	The genetic influence of PD-1/PD-L1 axis single nucleotide polymorphisms on the incidence of type 1 diabetes mellitus in pediatric Egyptian patients. 2022 , 23,		O
77	Regulatory effects and anti-inflammatory activity of Trachyspermum ammi (L.) Sprague seeds extract on alleviation of kidney injury in diabetic rats.		1
76	Exosomal mitochondrial tRNAs and miRNAs as potential predictors of inflammation in renal proximal tubular epithelial cells. 2022 ,		O
75	Albumin induced premature senescence in human renal proximal tubular cells and its relationship with intercellular fibrosis. 2022 ,		1
74	Association of Dietary Fish and n-3 Unsaturated Fatty Acid Consumption with Diabetic Nephropathy from a District Hospital in Northern Taiwan. 2022 , 14, 2148		0
73	Cost Effectiveness of Dapagliflozin Added to Standard of Care for the Management of Diabetic Nephropathy in the USA. <i>Clinical Drug Investigation</i> ,	3.2	O

72	Glabridin, a bioactive component of licorice, ameliorates diabetic nephropathy by regulating ferroptosis and the VEGF/Akt/ERK pathways. <i>Molecular Medicine</i> , 2022 , 28,	6.2	2
71	Potential Role of N-Cadherin in Diagnosis and Prognosis of Diabetic Nephropathy. <i>Frontiers in Endocrinology</i> , 13,	5.7	
7 0	Time-limited diets and the gut microbiota in cardiometabolic disease. Journal of Diabetes,	3.8	1
69	Therapeutic Effect of Antihypertensive Drug on Diabetic Nephropathy: Functional and Structural Kidney Investigation. <i>Saudi Journal of Biological Sciences</i> , 2022 , 103353	4	
68	Associated clinical factors of diabetic complications in Chinese patients with Type 2 diabetes. <i>Environmental Disease</i> , 2022 , 7, 40	0.2	
67	The 2021I0022 position of Brazilian Diabetes Society on diabetic kidney disease (DKD) management: an evidence-based guideline to clinical practice. Screening and treatment of hyperglycemia, arterial hypertension, and dyslipidemia in the patient with DKD. <i>Diabetology and</i>	5.6	O
66	Comparing Multiple Linear Regression and Machine Learning in Predicting Diabetic Urine Albumin Treatinine Ratio in a 4-Year Follow-Up Study. <i>Journal of Clinical Medicine</i> , 2022 , 11, 3661	5.1	1
65	Identification of key genes and biological regulatory mechanisms in diabetic nephropathy: Meta-analysis of gene expression datasets. <i>Nefrologia</i> , 2022 ,	1.5	
64	Association of angiotensin converting enzyme gene polymorphism with diabetic nephropathy in patients using lisinopril. <i>Indian Journal of Pharmacy and Pharmacology</i> , 2022 , 9, 96-102	1.5	
63	Renal Risk among Diabetic Patients in Togo. 2022 , 12, 249-261		
63 62	Renal Risk among Diabetic Patients in Togo. 2022, 12, 249-261 Hepatoprotective and Renoprotective effect of Moringa oleifera Seed Oil on Dichlorvos-induced Toxicity in Male Wistar rats. 2022, 37, 119-126		
	Hepatoprotective and Renoprotective effect of Moringa oleifera Seed Oil on Dichlorvos-induced		1
62	Hepatoprotective and Renoprotective effect of Moringa oleifera Seed Oil on Dichlorvos-induced Toxicity in Male Wistar rats. 2022 , 37, 119-126 Health Needs Assessment: Chronic Kidney Disease Secondary to Type 2 Diabetes Mellitus in a	03	1
62	Hepatoprotective and Renoprotective effect of Moringa oleifera Seed Oil on Dichlorvos-induced Toxicity in Male Wistar rats. 2022 , 37, 119-126 Health Needs Assessment: Chronic Kidney Disease Secondary to Type 2 Diabetes Mellitus in a Population without Social Security, Mexico 2016 032. 2022 , 19, 9010	03	1 O
62 61 60	Hepatoprotective and Renoprotective effect of Moringa oleifera Seed Oil on Dichlorvos-induced Toxicity in Male Wistar rats. 2022, 37, 119-126 Health Needs Assessment: Chronic Kidney Disease Secondary to Type 2 Diabetes Mellitus in a Population without Social Security, Mexico 2016 032. 2022, 19, 9010 Cardiovascular outcome according to renal status in Finnish patients with type 2 diabetes. 2022, 10010	03	
62 61 60 59	Hepatoprotective and Renoprotective effect of Moringa oleifera Seed Oil on Dichlorvos-induced Toxicity in Male Wistar rats. 2022, 37, 119-126 Health Needs Assessment: Chronic Kidney Disease Secondary to Type 2 Diabetes Mellitus in a Population without Social Security, Mexico 2016 2032. 2022, 19, 9010 Cardiovascular outcome according to renal status in Finnish patients with type 2 diabetes. 2022, 10010 Effect of BBT-877, a novel inhibitor of ATX, on a mouse model of type 1 diabetic nephropathy. Predictors Associated with Type 2 Diabetes Mellitus Complications over Time: A Literature Review.	03	
62 61 60 59 58	Hepatoprotective and Renoprotective effect of Moringa oleifera Seed Oil on Dichlorvos-induced Toxicity in Male Wistar rats. 2022, 37, 119-126 Health Needs Assessment: Chronic Kidney Disease Secondary to Type 2 Diabetes Mellitus in a Population without Social Security, Mexico 2016 2032. 2022, 19, 9010 Cardiovascular outcome according to renal status in Finnish patients with type 2 diabetes. 2022, 10010 Effect of BBT-877, a novel inhibitor of ATX, on a mouse model of type 1 diabetic nephropathy. Predictors Associated with Type 2 Diabetes Mellitus Complications over Time: A Literature Review. 2022, 1, 13-23 MD Simulation Studies for Selective Phytochemicals as Potential Inhibitors against Major Biological	03	

54	Gene-Based Network Analysis Reveals Prognostic Biomarkers Implicated in Diabetic Tubulointerstitial Injury. 2022 , 2022, 1-15	О
53	Trametenolic Acid Ameliorates the Progression of Diabetic Nephropathy in db/db Mice via Nrf2/HO-1 and NF- B -Mediated Pathways. 2022 , 2022, 1-9	O
52	Range of Risk Factor Levels, Risk Control, and Temporal Trends for Nephropathy and End-stage Kidney Disease in Patients With Type 1 and Type 2 Diabetes. 2022 , 45, 2326-2335	O
51	The FimAsartaN proTeinuriA SusTaIned reduCtion in comparison with losartan in diabetic chronic kidney disease (FANTASTIC) trial.	O
50	SARS-CoV-2 infection and diabetes: Pathophysiological mechanism of multi-system organ failure. 11, 252-274	O
49	DASH diet vs. DASH diet plus physical activity in older patients with type 2 diabetes and high blood pressure: A randomized clinical trial. 026010602211242	O
48	Megalin and Vitamin D MetabolismImplications in Non-Renal Tissues and Kidney Disease. 2022 , 14, 3690	1
47	Immune repertoire and evolutionary trajectory analysis in the development of diabetic nephropathy. 13,	O
46	The Role of The Metabolism/Exposome in Chronic Kidney Disease: Discovery for Precision Nutrition. 2022 , 25-43	O
45	Urinary Nephrin is a Sensitive Marker to Predict Early Onset of Nephropathy in Type 2 Diabetes Mellitus.	O
44	Relationship of Bone Turnover Markers with Serum Uric Acid-to-Creatinine Ratio in Men and Postmenopausal Women with Type 2 Diabetes. Volume 15, 3205-3217	O
43	Studies of the retinal microcirculation using human donor eyes and high-resolution clinical imaging: Insights gained to guide future research in diabetic retinopathy. 2022 , 101134	O
42	A Review of Traditional Chinese Medicine on Treatment of Diabetic Nephropathy and the Involved Mechanisms. 1-41	1
41	Intake of residuals from Atlantic cod attenuated blood pressure increase but did not delay development of kidney damage in obese Zucker fa/fa rats. 66,	O
40	Pinus roxburghii and Nauplius graveolens Extracts Elevate Apoptotic Gene Markers in C26 Colon Carcinoma Cells Induced in a BALB/c Mouse Model. 2022 , 9, 277	O
39	Multi-scale investigation of human renal tissue in three dimensions. 2022 , 1-1	O
38	Influence of Dexmedetomidine on Myocardial Injury in Patients with Simultaneous Pancreas-Kidney Transplantation. 2022 , 2022, 1-8	1
37	Neutrophillymphocyte ratio as an inflammatory biomarker of diabetic nephropathy among type 2 diabetes mellitus patients: A comparative cross-sectional study. 2022 , 10, 205031212211402	O

36	ASH2L Aggravates Fibrosis and Inflammation through HIPK2 in High Glucose-Induced Glomerular Mesangial Cells. 2022 , 13, 2244	O
35	Molecular Mechanisms Linking Empagliflozin to Renal Protection in the LLC-PK1 Model of Diabetic Nephropathy. 2022 , 10, 2983	O
34	The Interaction of Food Allergy and Diabetes: Food Allergy Effects on Diabetic Mice by Intestinal Barrier Destruction and Glucagon-like Peptide 1 Reduction in Jejunum. 2022 , 11, 3758	Ο
33	Effect of exercise on renal function in diabetic nephropathy systematic review and meta-analysis. 2022 ,	Ο
32	TNF-land IL-1 (Promote Renal Podocyte Injury in T2DM Rats by Decreasing Glomerular VEGF/eNOS Expression Levels and Altering Hemodynamic Parameters. Volume 15, 6657-6673	О
31	Transcriptome analysis identifies oxidative stress injury biomarkers for Diabetic Nephropathy in Mexican patients. 2022 ,	O
30	Protein restriction for diabetic kidney disease. 2023 , 2023,	О
29	Seven basement membrane-specific expressed genes are considered potential biomarkers for the diagnosis and treatment of diabetic nephropathy.	O
28	Assessing the Relationship between Serum levels of vitamin D, CD34, CD133, Iron, and Zinc with Nephropathy in type 2 diabetes.	О
27	Depiction of immune heterogeneity of peripheral blood from patients with type II diabetic nephropathy based on mass cytometry. 13,	O
26	Identification of key genes and biological regulatory mechanisms in diabetic nephropathy: Meta-analysis of gene expression datasets. 2023 ,	О
25	Bibliometric Analysis and Visualization of Research Progress in the Diabetic Nephropathy Field from 2001 to 2021. 2023 , 2023, 1-16	Ο
24	The Role of Macula Densa Nitric Oxide Synthase 1 Beta Splice Variant in Modulating Tubuloglomerular Feedback. 4215-4229	0
23	Endothelial-to-mesenchymal transition: An underappreciated mediator of diabetic complications. 14,	O
22	Pharmacology of angiotensin in renovascular diseases. 2023 , 151-178	0
21	Polysaccharide H-1-2 Ameliorates High Glucose-Induced Podocyte Dysfunction by Suppressing Epithelial-to-Mesenchymal Transition via Restoration of SIRT1 <i>in vivo</i> and <i>in vitro</i> . 2023,	O
20	The effects of purslane consumption on glycemic control and oxidative stress: A systematic review and doselesponse meta-analysis.	O
19	Predictive significance of glomerular insulin receptor substrate-1 in patients with diabetic kidney disease. 2023 , 18, 100240	O

18	Re: Improving the patient decision making experience for cataract surgery during the COVID-19 era. 2023 ,	0
17	Trends in Quantification of HbA1c Using Electrochemical and Point-of-Care Analyzers. 2023 , 23, 1901	O
16	Roxadustat, a HIF-PHD inhibitor with exploitable potential on diabetes-related complications. 14,	0
15	Effect of Ethanol Root Extract of Physalis angulata on Kidney Function Biomarkers Following Carbon Tetrachloride (CCl4) Induced Toxicity in Albino Rats. 2023 , 13, 11-19	O
14	APOC1 as a novel diagnostic biomarker for DN based on machine learning algorithms and experiment. 14,	О
13	ACSL1: A preliminary study that provides a new target for the treatment of renal fibrosis could bring new insights in diabetic kidney disease. 2023 ,	O
12	In silico discovery of potential sodium@lucose cotransporter-2 inhibitors from natural products for Prevent Kidney Failure in Patients with Type 2 Diabetes.	O
11	Vitamin C Urinary Loss in Fabry Disease: Clinical and Genomic Characteristics of Vitamin C Renal Leak. 2023 ,	O
10	Effects of microRNAs on angiogenesis in diabetic wounds. 10,	1
9	Expression of Angiopoetin-Like Protein-4 and Kidney Injury Molecule-1 as Preliminary Diagnostic Markers for Diabetes-Related Kidney Disease: A Single Center-Based Cross-Sectional Study. 2023 , 13, 577	O
8	Diabetic retinopathy screening integrated in a multidisciplinary diabetes care clinic: a pilot project. 2023 ,	0
7	Human Umbilical Cord Mesenchymal Stem Cells Inhibit Pyroptosis of Renal Tubular Epithelial Cells through miR-342-3p/Caspase1 Signaling Pathway in Diabetic Nephropathy. 2023 , 2023, 1-12	O
6	Hsa_circ_0003928 regulates the progression of diabetic nephropathy through miR-136-5p/PAQR3 axis.	O
5	Mastication inefficiency due to diminished or lack of occlusal support is associated with increased blood glucose levels in patients with type 2 diabetes. 2023 , 18, e0284319	O
4	Phosphatidylinositol metabolism of the renal proximal tubule S3 segment is disturbed in response to diabetes. 2023 , 13,	0
3	Genome-wide mRNA profiling in urinary extracellular vesicles reveals stress gene signature for diabetic kidney disease. 2023 , 106686	O
2	Nanoparticles as drug delivery agents for managing diabetic retinopathy. 2023, 329-364	0
1	Role of ADMA in the pathogenesis of microvascular complications in type 2 diabetes mellitus. 14,	Ο